



## SKILCRAFT® Complete® Floor Finish

Revision: 05/02/2019

Version: 01.0

### 1. IDENTIFICATION

**Product name:** Complete Floor Finish

**Product Code:** 7930-01-380-8387, 7930-01-380-8363, 7930-01-380-8447  
**LHB Part No.** 1064406, 1064407, 1064408  
**Recommended use:** Floor care

**Uses advised against:** Uses other than those identified are not recommended

**Supplier:**  
 Packaged and Distributed By  
 Lighthouse for the Blind  
 8833 Fleischer Place  
 Berkeley, MO 63134

**Emergency telephone number:** 1-800-542-3697 (Customer Service); 1-800-633-8253 (PERS)

### 2 HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Serious eye damage/eye irritation Category 2A



#### Signal Word:

Warning.

#### Hazard Statements

CAUSES SERIOUS EYE IRRITATION.

#### Precautionary Statements

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable

Physical hazards not otherwise classified (PHNOC) - Not applicable

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Classified Ingredients

| Ingredient(s) | CAS# | Weight% |
|---------------|------|---------|
|---------------|------|---------|

|                                   |            |              |
|-----------------------------------|------------|--------------|
| Diethylene glycol monoethyl ether | 111-90-0   | 1-5%         |
| Ethylene glycol                   | 107-21-1   | 1-5%         |
| Tall oil fatty acid               | 61790-12-3 | 0.5-1.5%     |
| Ammonium hydroxide                | 1336-21-6  | > 0.1 - < 1% |
| Alcohol ethoxylates               | 68131-39-5 | > 0.1 - < 1% |
| Ammonium laureth sulfate          | 32612-48-9 | > 0.1 - < 1% |
| Diethylaminoethanol               | 100-37-8   | > 0.1 - < 1% |
| Potassium hydroxide               | 1310-58-3  | > 0.1 - < 1% |

\*Exact percentages are being withheld as trade secret information

#### 4. FIRST AID MEASURES

##### Undiluted Product:

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

**Skin:** No specific first aid measures are required.

**Inhalation:** No specific first aid measures are required.

**Ingestion:** IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed:** Not applicable.

#### 5. FIRE-FIGHTING MEASURES

**Specific methods:**

No special methods required

**Suitable extinguishing media:**

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:**

None known.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:**

Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions and clean-up methods:**

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

#### 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Remove and wash contaminated clothing and footwear before re-use. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Keep tightly closed in a dry, cool and well-ventilated place.

**Aerosol Level (if applicable):** Not applicable.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Guidelines:**

| Inredient(s)        | CAS#      | ACGIH  | OSHA   |
|---------------------|-----------|--|--|
| Ethylene glycol     | 107-21-1  | 50 ppm (STEL)<br>10 mg/m <sup>3</sup> (STEL)<br>25 ppm (TWA) |  |
| Diethylaminoethanol | 100-37-8  | 2ppm (TWA)   | Skin<br>10 ppm (TWA)<br>50 mg/m <sup>3</sup> (TWA) |
| Potassium hydroxide | 1310-58-3 | 2 mg/m <sup>3</sup> (Ceiling)                                |  |

##### Undiluted Product:

**Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels.

#### **Personal Protective Equipment**

|                                  |  |
|----------------------------------|--|
| <b>Eye protection:</b>           | Chemical-splash goggles.   |
| <b>Hand protection:</b>          | Chemical-resistant gloves.   |
| <b>Skin and body protection:</b> | No personal protective equipment required under normal use conditions. |
| <b>Respiratory protection:</b>   | No personal protective equipment required under normal use conditions. |
| <b>Hygiene measures:</b>         | Handle in accordance with good industrial hygiene and safety practice. |

### **9. PHYSICAL AND CHEMICAL PROPERTIES**

|  |  |
|--|--|
| <b>Physical State:</b> Liquid  | <b>Color:</b> Opaque, Tan  |
| <b>Evaporation Rate:</b> No information available                        | <b>Odor:</b> Ammonia   |
| <b>Odor threshold:</b> No information available.                         | <b>Boiling point/range:</b> Not determined                               |
| <b>Melting point/range:</b> Not determined                               | <b>Decomposition temperature:</b> Not determined                         |
| <b>Autoignition temperature:</b> No information available                | <b>Solubility:</b> Completely Soluble                                    |
| <b>Solubility in other solvents:</b> No information available            | <b>Relative Density (relative to water):</b> 1.02                        |
| <b>Density:</b> 8.51 lbs/gal 1.02 Kg/L                                   | <b>Vapor density:</b> No information available                           |
| <b>Bulk density:</b> No information available                            | <b>Vapor pressure:</b> No information available.                         |
| <b>Flash point (°F):</b> >200°F > 93 °C                                  | <b>Partition coefficient (n-octanol/water):</b> No information available |
| <b>Viscosity:</b> No information available                               | <b>Elemental Phosphorus:</b> 0.07 % by wt.                               |
| <b>VOE:</b> 0.2 % •  | <b>pH:</b> 9.2   |
| <b>Flammability (Solid or Gas):</b> Not applicable                       | <b>Corrosion to metals:</b> Not corrosive to metals                      |
| <b>Sustained combustion:</b> Not applicable                              |  |
| <b>Explosion limits:</b> - upper: Not determined - lower: Not determined |  |

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

### **10. STABILITY AND REACTIVITY**

|  |   |
|--|---|
| <b>Reactivity:</b>                       | Not Applicable  |
| <b>Stability:</b>                        | The product is stable   |
| <b>Hazardous decomposition products:</b> | None reasonably foreseeable.  |
| <b>Materials to avoid:</b>               | Do not mix with any other product or chemical unless specified in the use directions. |
| <b>Conditions to avoid:</b>              | No information available.   |

### **11. TOXICOLOGICAL INFORMATION**

#### **Information on likely routes of exposure:**

Skin contact, Inhalation, Eye contact

#### **Delayed, immediate, or chronic effects and symptoms from short and long-term exposure**

**Skin contact:** Unlikely to be irritant in normal use.

**Eye contact:** Causes serious eye irritation. Symptoms may include pain, redness, and watering.

**Ingestion:** May be irritating to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

**Inhalation:** May be irritating to nose, throat, and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects.

**Target Organs (SE):** None known

**Target Organs (RE):** None known

#### **Numerical measures of toxicity**

|   |       |
|---|-------|
| <b>ATE - Oral (mg/kg):</b>              | >5000 |
| <b>ATE - Dermal (mg/kg):</b>            | >5000 |
| <b>ATE - Inhalatory, vapors (mg/l):</b> | 2400  |

### **12. ECOLOGICAL INFORMATION**

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

### 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products (undiluted product):** This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**RCRA Hazard Class (undiluted product):** Not Regulated

**Contaminated Packaging:** Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

**DOT (Ground) Bill of Lading Description:** NOT REGULATED

**IMDG (Ocean) Bill of Lading Description:** NOT REGULATED

### 15. REGULATORY INFORMATION

#### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL).



**WARNING:** This product can expose you to chemicals including Ethylene glycol which are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### RIGHT TO KNOW IRTK

| Ingredient(s)                     | CAS#        | MARTK: | NJRTK: | PARTK: | RIRTK: |
|-----------------------------------|-------------|--------|--------|--------|--------|
| Water                             | 7732-18-5   | -      | -      | -      | -      |
| Modified Acrylic Polymer          | Proprietary | -      | -      | -      | -      |
| Modified styrene acrylic polymers | TS*         | -      | -      | -      | -      |
| Diethylene glycol monoethyl ether | 111-90-0    | -      | X      | -      | -      |
| Ethylene glycol                   | 107-21-1    | X      | X      | X      | X      |
| Tall oil fatty acid               | 61790-12-3  | -      | -      | -      | -      |
| Ammonium hydroxide                | 1336-21-6   | X      | X      | X      | X      |
| Alcohol ethoxylates               | 68131-39-5  | -      | -      | -      | -      |
| Ammonium lauryl sulfate           | 32612-48-9  | -      | -      | -      | -      |
| Diethylaminoethanol               | 100-37-8    | X      | X      | X      | -      |
| Potassium hydroxide               | 1310-58-3   | X      | X      | X      | X      |

#### CERCLA/ SARA

| Ingredient(s)                     | CAS#      | Weight%      | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|-----------------------------------|-----------|--------------|----------------------|-----------------------|-------------|
| Diethylene glycol monoethyl ether | 111-90-0  | 1 - 5%       |                      |                       | X           |
| Ethylene glycol                   | 107-21-1  | 1 - 5%       | 5000                 |                       | X           |
| Ammonium hydroxide                | 1336-21-6 | > 0.1 - < 1% | 1000                 | 100                   | X           |
| Potassium hydroxide               | 1310-58-3 | > 0.1 - < 1% | 1000                 |                       |             |

| Ingredient(s)                     | CAA HAP | CAA ODS | CWA Priority Pollutants |
|-----------------------------------|---------|---------|-------------------------|
| Diethylene glycol monoethyl ether | X       |         |                         |
| Ethylene glycol                   | X       |         |                         |

#### Canadian Regulations

| Ingredient(s)   | CAS#     | NPRI |
|-----------------|----------|------|
| Ethylene glycol | 107-21-1 | X    |

## 16. OTHER INFORMATION

### NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 2

Flammability 0

Instability 0

Special Hazards -

Revision: 05/02/2019

Version: 01.0

Reason for revision:

Not applicable

Prepared by:

North American Regulatory Affairs

Additional advice:

• Does not contain an added fragrance

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*