# The Cleaning Resource

## SAFETY DATA SHEET

## 1. Identification

**Product identifier DOUBLE DOWN CARPET SPOTTER** 

Other means of identification

SDS number 573N14A/527N83B

**Product code** HIL00932 Recommended use Carpet Cleaner

**Recommended restrictions** For Labeled Use Only Manufacturer/Importer/Supplier/Distributor information

Manufacturer

HILLYARD INDUSTRIES Company name **Address** 302 North Fourth St.

St. Joseph, MO 64501

**Contact person** Regulatory Affairs

Telephone number (816) 233-1321 (Ext. 8285)

Fax (816) 383-8485

regulatoryaffairs@hillyard.com E-mail

(800) 424-9300 Emergency telephone #

(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident

involving chemicals)

## 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Serious eye damage/eye irritation Category 2

Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards

Label elements



Signal word Warning

**Hazard statement** May be harmful if swallowed. Causes serious eye irritation.

**Precautionary statement** 

Prevention Wash thoroughly after handling. Wear eye protection/face protection. Avoid contact with eyes. Do

not take internally.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Response

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Store away from incompatible materials. Storage

Buyer assumes all risk and liability associated with disposal of this product (original concentration Disposal

or dilution) in violation of applicable law in compliance with applicable federal, state and local

requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None known.

Material name: DOUBLE DOWN CARPET SPOTTER SDS US

## 3. Composition/information on ingredients

#### **Mixtures**

Ingestion

Chemical name	Common name and synonyms	CAS number	%
Hydrogen Peroxide		7722-84-1	3 - < 5
*Complex Surfactant Blend		Proprietary	1 - < 3
Sodium Carbonate		497-19-8	1 - < 3
Other components below reportable	e levels		90 - 100

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eve contact** Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Rinse mouth. Drink plenty of water. Never give anything by mouth to a victim who is unconscious

or is having convulsions. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

**General information** 

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

# **Environmental precautions** 7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: DOUBLE DOWN CARPET SPOTTER

## 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components **Type** Value PEL Hydrogen Peroxide (CAS 1.4 mg/m3 7722-84-1) 1 ppm **US. ACGIH Threshold Limit Values** Components Value Type Hydrogen Peroxide (CAS **TWA** 1 ppm 7722-84-1) **US. NIOSH: Pocket Guide to Chemical Hazards** Components Value Type

1 ppm

TWA

Biological limit values
Appropriate engineering

7722-84-1)

Hydrogen Peroxide (CAS

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

1.4 mg/m3

Individual protection measures, such as personal protective equipment

**Eye/face protection** Do not get in eyes. Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing. None normally required. If unable to avoid prolonged or

repeated contact with skin, wear impervious clothing.

No biological exposure limits noted for the ingredient(s).

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Not normally required with

adequate ventilation.

**Thermal hazards** None known. Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Wash contaminated clothing before reuse. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Appearance Clear, colorless liquid

Physical state Liquid.
Form Liquid.
Color Colorless

Odor non-objectionable odor

Odor threshold Not available.

**pH** 9 - 10

Melting point/freezing point Not applicable / Not available

Initial boiling point and boiling 203 °F (95 °C)

range

Flash point

> 200.0 °F (> 93.3 °C) Tag Closed Cup

Evaporation rate < 1 Ethyl ether = 1
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Material name: DOUBLE DOWN CARPET SPOTTER
HIL00932 Version #: 03 Revision date: 12-06-2021 Issue date: 04-09-2015

Vapor pressure 17.6 mm Hg 0.62 Air=1 Vapor density Relative density 1.04 at 77°F

Solubility(ies)

100 % Solubility (water)

Not available. **Partition coefficient** 

(n-octanol/water)

Not available.

**Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** 8.66 lb/gal **Explosive properties** Not explosive. Oxidizing properties Not oxidizing. Percent volatile 94 - 95 % VOC 0 %

## 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid temperatures exceeding the flash point. Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

#### Information on toxicological effects

Acute toxicity Not known.

**Product Test Results Species** 

## **DOUBLE DOWN CARPET SPOTTER**

**Acute** Dermal

LD50 Rabbit 1.538e+006 mg/kg

Inhalation

LC50 Guinea pig 29.63 mg/l, 2 Hours

44.44 mg/l, 2 Hours Mouse Rat 170.4 mg/l, 2 Hours

Oral

LD50 Rat 23660 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Material name: DOUBLE DOWN CARPET SPOTTER

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Hydrogen Peroxide (CAS 7722-84-1) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results	
DOUBLE DOWN CAF	RPET SPOTTER			
Aquatic				
Crustacea	EC50	Daphnia	11583.1025, 48 hours	
Fish	LC50	Fish	46084.4844, 96 hours	
Acute				
Crustacea	EC50	Daphnia	5783.1289, 48 hours estimated	
Fish	LC50	Fish	9172.6191, 96 hours estimated	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Dispose of this material and its container to hazardous or special waste collection point. Incinerate

> the material under controlled conditions in an approved incinerator. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Waste from normal product use may be sewered to a public owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment

requirements.

#### Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

## 14. Transport information

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

## 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910,1200.

**Toxic Substances Control Act (TSCA)** 

One or more components of the mixture are not on the TSCA 8(b) inventory

or are designated "inactive".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Hydrogen peroxide (Conc. > 52%) (CAS 7722-84-1) 1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Chemical name CAS number Reportable Threshold quantity planning (pounds) (pounds)	
---	--

Hydrogen Peroxide 7722-84-1 1000 1000

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Serious eye damage or eye irritation

categories

SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

## **US state regulations**

#### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### **International Inventories**

Country(s) or region Inventory name On inventory (yes/no)\* Canada Domestic Substances List (DSL) Nο Canada Non-Domestic Substances List (NDSL) No United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

Material name: DOUBLE DOWN CARPET SPOTTER SDS US 6/7

## 16. Other information, including date of preparation or last revision

 Issue date
 04-09-2015

 Revision date
 12-06-2021

Version # 03

**HMIS**® ratings Health: 2

Flammability: 0 Physical hazard: 0

**Disclaimer** No representations or warranties, either express or implied, of merchantability, fitness for a

particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or

disposal of these products.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.

Material name: DOUBLE DOWN CARPET SPOTTER