# SWISHER

# **Material Safety Data Sheet**

Issuing date 23-Dec-2011 Revision Date 23-Dec-2011 Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Swisher PureAlk

Product code 42139-5

**Reference number(s)** 42139-15/42139-55/42139-275

UN/ID No UN1824

Recommended Use Laundry Builder

Distributor

Swisher Hygiene Inc. 4725 Piedmont Row Drive,

Suite 400,

Charlotte, NC 28210

**Chemical Emergency Phone** 

Number

800-424-9300 (Chemtrec)

**Company Emergency Phone** 

Number

800-444-4138

# 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

This product contains substances which at their given concentration, are considered to be hazardous to health.

Appearance Colorless Liquid Physical state liquid. Odor Odorless

**Potential Health Effects** 

**Acute toxicity** 

Eyes Causes severe burns that result in damage to the eyes and possibly blindness.

**Skin** Contact produces severe burns and destroys tissue.

**Inhalation** Breathing mist or spray may cause damage to upper respiratory tract and lung tissue

proper which could produce pneumonia.

**Ingestion** Causes severe burns to mucous membranes of the mouth, throat, esophagus, and

stomach.

Chronic Effects Ingestion can be fatal.

Aggravated Medical Conditions None known.

Environmental hazard See Section 12 for additional Ecological Information

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Revision Date 23-Dec-2011 42139-5 - Swisher PureAlk

Ī	Chemical Name	CAS-No	Weight %
I	Sodium hydroxide	1310-73-2	30-40

#### 4. FIRST AID MEASURES

Immediately flush with plenty of cool water under low pressure. Flush continuously for at Eye contact

least 15 minutes. Hold eyelids open and move eye while flushing. Seek medical attention

immediately.

Skin contact Immediately flush with plenty of cool water for at least 15 minutes, while removing

contaminated clothing and shoes. Call a physician immediately.

Inhalation Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get

medical help.

Ingestion Never give anything by mouth to an unconscious person. DO NOT INDUCE VOMITING. If

conscious give large quantities of water. If vomiting occurs spontaneously, keep airway

clear. Seek medical attention.

Treat symptomatically Notes to physician

#### 5. FIRE-FIGHTING MEASURES

Flammable Properties Not flammable

Flash point N/A

Suitable Extinguishing Media Product is not combustible.

**Explosion Data** 

**Sensitivity to Mechanical Impact** none Sensitivity to Static Discharge

none

Specific hazards arising from the

chemical

Contact with water without proper mixing or dilution can cause violent exothermic reaction.

**Protective Equipment and Precautions for Firefighters**  As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear

**NFPA** Health Hazard 0 Flammability 0 Stability 0 Physical and chemical

hazards -

**Health Hazard** 3 **HMIS** Flammability 0 Personal protection -Physical Hazard 1

# 6. ACCIDENTAL RELEASE MEASURES

Ensure adequate ventilation **Personal precautions** 

**Environmental precautions** Try to prevent the material from entering drains or water courses

**Methods for Containment** Dike to contain spill and prevent entry into sewers, waterways, and low areas. Neutralize

with dilute acid.

Methods for cleaning up Sweep up absorbed material and dispose of in a manner approved by local, state, and

federal regulations. Flush spill area with water. Contains no phosphates.

#### 7. HANDLING AND STORAGE

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice

Technical measures/Storage

conditions

Store in a dry, well-ventilated area away from acids.

Never add water to product.

If product must be diluted, add product to water with good agitation wearing full protective

gear.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** 

Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide		TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2			Ceiling: 2 mg/m <sup>3</sup>

Engineering Measures Showers

Eyewash stations Ventilation systems

**Personal Protective Equipment Institutional Environment** 

**Eye/Face Protection** Safety glasses are suggested when using this product in heavy use and institutional

environments.

**Consumer Environments** Care should be taken to avoid Eye contact.

Skin and body protection Rubber gloves

**Respiratory protection** Unnecessary in open institutional environment.

**Hygiene measures** Practice good personal hygiene. Wash after handling.

Personal Protective Equipment Industrial Environment

**Eye/Face Protection** Splash-proof chemical goggles or face shield.

Skin and body protection Impervious rubber, al Respiratory protection If exposure limits are

Impervious rubber, alkali-proof protecetive gloves Impervious rubber boots & apron. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Practice good personal hygiene. Wash after handling. Shower at end of work period

Practice good personal hygiene. Wash after handling

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state liquid

Appearance Colorless Liquid Odor Odorless

Color colorless Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks Methods</u>

 pH
 No information available

 Melting/freezing point
 No information available

Freezing Point

No information available

Boiling point/boiling range > 212 °F

No information available

Flash Point

Flash Point

Evaporation rate

Flammability (solid, gas)

Flammability Limits in Air

No information available
No information available
No information available
No information available

upper flammability limit lower flammability limit

**Explosion Limits** 

upper lower

Vapor pressure 13mm Hg @ 60°C

Vapor density No information available

Specific Gravity

1.35

Water solubility

Soluble (> 1%)

No information available
No information available
No information available
No information available

Partition coefficient: n-octanol/waterNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information available

Viscosity, dynamic

Explosive properties No information available Oxidizing Properties No information available

9.2 Other information

Softening pointNo information availableMolecular WeightNo information availableVOC Content(%)No information availableDensity VALUENo information availableBulk Density VALUENo information available

# 10. STABILITY AND REACTIVITY

**Stability** Stable

Incompatible products Aluminum, Tin, Zinc, and Acids

Conditions to Avoid None known based on information supplied

Hazardous Decomposition Products None known based on information supplied

Hazardous Polymerization Hazardous polymerization does not occur

#### 11. TOXICOLOGICAL INFORMATION

**Acute toxicity** 

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide		1350 mg/kg (Rabbit)	

**Chronic toxicity** 

Chronic toxicity Ingestion can be fatal.

Target Organ Effects None known.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Sodium hydroxide		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements

Contaminated packaging Do not re-use empty containers

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic Corrosive

#### 14. TRANSPORT INFORMATION

Note UN1824, Sodium Hydroxide, 8, PGII

**Dot** Regulated

Proper shipping name UN1824, Sodium Hydroxide, 8, PGII

Hazard class 8
UN/ID No UN1824
Packing Group II

TDG Not regulated

MEX Not regulated

ICAO Not regulated

ICAO/IATA Not regulated

IMDG / IMO Not regulated

RID Not regulated

ADR/RID Not regulated

ADN Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA TSCA
DSL Complies
NDSL Complies
EINECS Complies

ELINCS ENCS Complies
IECSC Complies
KECL Complies

PICCS Complies AICS Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **U.S. Federal Regulations**

#### **SARA 313**

SARA TITLE III (EPCRA) NOTIFICATION: Does not contain chemicals subject to the reporting requirements of Section 302, 304, or 313 of Title III of the Superfund Amendments and

Reauthorization Act of 1986.

COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT (CERCLA) NOTIFICATION: SODIUM HYDROXIDE

For more information, consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			Х

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final
,			RQ

#### U.S. State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

#### International Regulations

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

# **16. OTHER INFORMATION**

**Prepared By** Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

Issuing date23-Dec-2011Revision Date23-Dec-2011

Revision Note No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

**End of Material Safety Data Sheet**