SPN628012



Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 02-Jul-2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: OVEN & GRILL CLEANER (AEROSOL)

Product Number: 6280

Recommended Use: Cleaning agent

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA

800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation: Category 1 Sub-category B

Serious Eye Damage/Eye Irritation: Category 1
Gases Under Pressure Liquefied gas
Flammable Aerosols Category 1

GHS Label Elements

Signal Word: Danger

Symbols:



Hazard Statements:Causes severe skin burns and serious eye damage.
Contains gas under pressure; may explode if heated

Extremely flammable aerosol.

Precautionary Statements:

Prevention: Do not breathe mist, vapors or spray.

Wash hands and any exposed skin thoroughly after handling.

Wear protective gloves. Wear eye / face protection. Wear protective clothing. Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal

Response: IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

-Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower. Wash contaminated clothing before reuse.

-Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. -Ingestion:

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information. -Specific Treatment:

Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 122°F Storage:

(50°C) Store in a well-ventilated place

Disposal: Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

· Corrosive. Other Information:

· Harmful if swallowed

· Harmful contact may not cause immediate pain.

Inhalation of vapors or mist may cause respiratory irritation or damage.

· Keep out of reach of children.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

Revision Date: 02-Jul-2018

lavage.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|--------------------|------------|----------|
| Water | 7732-18-5 | 60-100 |
| Propylene Glycol | 57-55-6 | 5-10 |
| Sodium Hydroxide | 1310-73-2 | 1-5 |
| Butane | 106-97-8 | 1-5 |
| C13-14 Isoparaffin | 64742-47-8 | 1-5 |
| Morpholine | 110-91-8 | 1-5 |
| sodium bicarbonate | 144-55-8 | 1-5 |
| Propane | 74-98-6 | 1-5 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Take off immediately all contaminated clothing and shoes. Rinse with water or shower for

at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash

contaminated clothing before reuse. Discard or destroy contaminated shoes.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. -Inhalation:

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR -Ingestion:

PHYSICIAN. Never give anything by mouth to an unconscious person.

Note to Physicians: NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Specific Hazards Arising from the Water spray (fog), Foam

Extremely flammable aerosol. Exposure to high temperature may cause containers to burst.

Chemical:

Bursting aerosol containers may be propelled from fire at high speed.

Hazardous Combustion Products:

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters:

-Skin Contact:

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Water may be used to cool closed containers to prevent pressure build-up

and possible auto ignition or explosion when exposed to extreme heat.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions: Methods for Clean-Up: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Revision Date: 02-Jul-2018

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Intentional misuse

by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after

handling.

Storage Conditions: NFPA 30B Level 1 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°.

Exposure to high temperature may cause containers to burst. Keep out of the reach of

children.

Suggested Shelf Life: Minimum of 2 years from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH |
|-------------------------------|--|--|---|
| Sodium Hydroxide 1310-73-2 | Ceiling: 2 mg/m ³ | TWA: 2 mg/m³ (vacated) Ceiling: 2 mg/m³ | IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³ |
| Butane 106-97-8 | STEL: 1000 ppm | (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³ | TWA: 800 ppm TWA: 1900 mg/m ³ |
| Morpholine 110-91-8 | TWA: 20 ppm S* | TWA: 20 ppm TWA: 70 mg/m³ (vacated) TWA: 20 ppm (vacated) TWA: 70 mg/m³ (vacated) STEL: 30 ppm (vacated) STEL: 105 mg/m³ (vacated) S* S* | IDLH: 1400 ppm TWA: 20 ppm TWA: 70 mg/m³ STEL: 30 ppm STEL: 105 mg/m³ |
| Propane 74-98-6 | : See Appendix F: Minimal Oxygen Content | TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³ | IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³ |

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Eye wash stations and shower facilities should be readily accessible in areas where the

product is handled.

Personal Protective Equipment

Eye/Face Protection:

Skin and Body Protection:

Wear splash goggles. For severe use-conditions, wear a face shield over the goggles.

Wear rubber or other chemical-resistant gloves. Use of impervious apron, boots and other protective equipment should be considered in order to prevent or minimize contact with this

product.

Respiratory Protection: Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Revision Date: 02-Jul-2018

| Appearance/Physical State: | Aerosol | |
|---------------------------------|---|--|
| Color: | No information available. | |
| Odor: | Lemon | |
| pH: | 13-14 | |
| Melting Point / Freezing Point: | No information available. | |
| Boiling Point / Boiling Range: | > 93 °C / 201 °F (Product without propellant) | |
| Flash Point: | < -73 °C / < 0 °F (Propellant-estimated) | |
| Evaporation Rate: | <1 (Butyl acetate = 1) | |
| Flammability (solid, gas) | No information available. | |
| Upper Flammability Limit: | No information available. | |
| Lower Flammability Limit: | No information available. | |
| Vapor Pressure: | No information available. | |
| Vapor Density: | No information available. | |
| Specific Gravity: | 0.967 (Product without propellant) | |
| Solubility(ies): | No information available. | |
| Partition Coefficient: | No information available. | |
| Autoignition Temperature: | No information available. | |
| Decomposition Temperature: | No information available. | |
| Viscosity: | No information available. | |

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Incompatible Materials: Strong exidizing agents. Strong acids.

Hazardous Decomposition

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact: Pain, redness, blistering and possible chemical burn.

-Inhalation: Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and

coughing.

-Ingestion: Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and

diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: Central nervous system. -Eyes. kidney. Liver. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

.

ATEmix (oral): 22878 mg/kg
ATEmix (dermal): 11934 mg/kg
ATEmix (inhalation-gas): 5891728 mg/l
ATEmix (inhalation-dust/mist): 50.7 mg/l

Component Acute Toxicity Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------------------|------------------|--------------------------|-----------------|
| Water 7732-18-5 | > 90 mL/kg (Rat) | Not Available | Not Available |
| Propylene Glycol 57-55-6 | = 20 g/kg (Rat) | = 20800 mg/kg (Rabbit) | Not Available |

| Sodium Hydroxide 1310-73-2 | Not Available | = 1350 mg/kg (Rabbit) | Not Available |
|----------------------------------|--------------------|--------------------------|----------------------|
| Butane 106-97-8 | Not Available | Not Available | = 658 g/m³(Rat)4 h |
| C13-14 Isoparaffin 64742-47-8 | > 5000 mg/kg(Rat) | > 2000 mg/kg (Rabbit) | > 5.2 mg/L (Rat)4 h |
| Morpholine 110-91-8 | = 1050 mg/kg(Rat) | 310 - 810 mg/kg (Rabbit) | = 8000 ppm (Rat) 8 h |
| sodium bicarbonate 144-55-8 | = 4220 mg/kg (Rat) | Not Available | Not Available |
| Propane 74-98-6 | Not Available | Not Available | = 658 mg/L (Rat)4 h |

Revision Date: 02-Jul-2018

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/Aquatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
|----------------------------------|---|---|-------------------------------|--|
| Propylene Glycol 57-55-6 | 19000: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50 | Not Available | 1000: 48 h Daphnia magna mg/L EC50 Static |
| Sodium Hydroxide 1310-73-2 | Not Available | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | Not Available | Not Available |
| C13-14 Isoparaffin 64742-47-8 | Not Available | 45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static | Not Available | Not Available |
| Morpholine 110-91-8 | 28: 96 h Pseudokirchneriella subcapitata mg/L EC50 static | 350: 96 h Lepomis macrochirus mg/L LC50 static 375 - 460: 96 h Oncorhynchus mykiss mg/L LC50 1000: 96 h Brachydanio rerio mg/L LC50 static | Not Available | Not Available |
| sodium bicarbonate 144-55-8 | Not Available | 8250 - 9000: 96 h Lepomis macrochirus mg/L LC50 static | Not Available | 2350: 48 h Daphnia magna mg/L EC50 |

Persistence and Degradability:No information available.Bioaccumulation:No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with

federal, state and local regulations.

US EPA Waste Number: D002

14. TRANSPORT INFORMATION

Revision Date: 02-Jul-2018

DOT:
UN/ID No:
UN1950
Proper Shipping Name:
Aerosols

Hazard Class: 2.1

Special Provisions: This product meets the exception requirements of section 49 CFR 173.306 as a limited

quantity and may be shipped as a limited quantity.

IMDG:

UN/ID No: UN1950
Proper Shipping Name: Aerosols

Hazard Class: 2.1

Additional information: Limited Quantity

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
Fire Hazard:
Sudden release of pressure hazard:
Reactive Hazard:

Yes
No
No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA Health Hazards: 3 Flammability: 1 Instability: 0 Special: N/A

HMIS Health Hazards: 3* Flammability: 2 Physical Hazards: 2

Revision Date: 02-Jul-2018 **Reasons for Revision:** Section 7

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet