

HMIS RATINGS: Health: 2 Flammability: 2 Reactivity: 0

Personal Protection: G

#### Section 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: FLOAT

Chemical Family: Solvent Degreaser

Company Identification: ABC COMPOUNDING CO., INC.

P.O. BOX 16247 ATLANTA, GA Emergency Telephone Number: (800)535-5053

Date Prepared: AUG 20, 2003

MSDS Number: IA-4390

MFGD. BY: ABC Compounding Co., Inc.

6970 Jonesboro Rd. Morrow, Ga. 30260

### Section 2: COMPOSITION, INFORMATION ON INGREDIENTS

| CAS        | CHEMICAL            | % BY   | OSHA PEL/ | SARA        | SARA     | STATE      |
|------------|---------------------|--------|-----------|-------------|----------|------------|
| NUMBER     | NAME                | WGHT.  | ACGIH TLV | 302/304(1)* | 313 (2)* | INFO(3)(4) |
| 68917-57-7 | Orange Terpenes     | < 50.0 | n/e / n/e | NO          | NO       | NO         |
| 64742-47-8 | Aliphatic Petroleum | < 50.0 | 500 ppm / | NO          | NO       | NO         |
|            | Distillates         |        | 500 ppm   |             |          |            |

\* See Section 15 for more information

n/e = none established - n/a = not applicable

### Section 3: HAZARDS IDENTIFICATION

\_\_\_\_\_\_

## EMERGENCY OVERVIEW

CAUTION. Combustible. Keep away from heat and flame. Harmful if swallowed. Eye and skin irritant.

Primary Route of Entry: Skin contact, inhalation, eye contact

Acute/Potential Health Effects:

EYES: May cause mild eye irritation. Symptoms include stinging, tearing and redness.

SKIN: May cause mild to moderate skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying of skin and skin burns.

INHALATION: Inhalation can cause nose, throat and respiratory tract irritation, coughing and headache.

INGESTION: Harmful if swallowed. May cause nausea, vomiting and diarrhea.

MSDS Number: IA-4390

#### Section 3: HAZARDS IDENTIFICATION - continued:

Chronic / Long Term Effects: No data.

Signs and Symptoms of Overexposure: Prolonged or repeated exposure can cause drying, defatting and dermatitis of skin.

Target Organ Effects: No data.

Reproductive/Developmental Information: No data.

Carcinogenic Information: This material is not listed as a carcinogen by IARC, NTP or OSHA.

#### Section 4: FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

SKIN: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention immediately.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

INGESTION: Seek medical attention immediately. Call a poison control center or doctor for treatment advice. Have person drink water if able to swallow.

## Section 5: FIRE FIGHTING MEASURES

Flash Point: 122 degrees F (T.O.C. Method)

Extinguishing Media: Dry chemical, CO2 or foam is recommended.

Special Fire Fighting Instructions: Wear a self contained breathing apparatus with a full face piece operated in the positive pressure demand mode with chemical resistant personal protective equipment.

### Section 6: ACCIDENTAL RELEASE MEASURES

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Absorb spill with inert material - DO NOT use clay-type absorbent materials. Eliminate all ignition sources. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

# Section 7: HANDLING AND STORAGE

Follow all MSDS/label precautions even after container is emptied because they may contain product residues. Use with adequate ventilation. Do not get in eyes, on skin or on clothing. Store in a cool, dry place. Keep container closed when not in use. Keep out of reach of children. Do not transfer or store in plastic containers for long periods of time.

### Section 8: EXPOSURE CONTROLS and PERSONAL PROTECTION

Eye Protection: Wear safety glasses or goggles.

MATERIAL SAFETY DATA SHEET Trade Name: FLOAT

Page 3 of 4

MSDS Number: IA-4390

Skin Protection: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene), clothing and boots.

Respiratory Protection: When respiratory protection is required, use an organic vapor cartridge. A respiratory program that meets OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements must be followed.

Engineering Controls: Good general ventilation required.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Clear, green liquid with citrus odor pH Concentrate: n/a
Solubility in Water: insoluble
Vapor Pressure [mmHg]: N/E
Evaporation Rate (Butyl Acetate=1): n/e
Vapor Density [Air=1]: N/E
Specific Gravity [H20=1]: 0.81
Boiling Point: 300-400 F

\_\_\_\_\_

#### Section 10: REACTIVITY

Stability: Stable
Hazardous Polymerization

Hazardous Polymerization: Will not occur Conditions to avoid: High temperature Hazardous Decomposition Products: CO, CO2 Incompatibility: Absorbent clay, acids or oxidizers

### Section 11: TOXICOLOGICAL INFORMATION

No data.

\_\_\_\_\_

## Section 12: ECOLOGICAL INFORMATION

No data.

### Section 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

### Section 14: TRANSPORTATION INFORMATION

D.O.T. Shipping Name / Class:

Not regulated for ground domestic shipments

### Section 15: REGULATORY INFORMATION

### U.S. Federal Regulations:

TSCA (Toxic Substances Control Act): The intentional ingredients of product are listed.

MSDS Number: IA-4390

Title III Section 311/312 Hazardous Categories - 40 CFR 370.2:
ACUTE (X) Chronic (X) Fire (X) Pressure () Reactive () Not Applicable ()

- (1) Title III Section 302/304 Extremely Hazardous Substances 40 CFR 355 Appendix A
- (2) Title III Section 313 Toxic Chemicals 40 CFR 372.65

If indicated under Section 2 of this MSDS, this product contains toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning & Community Right to Know Act of 1986. This information must be included in all MSDS that are copied and distributed for this material.

RCRA Status: Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes a hazardous waste it would be assigned RCRA Code(s)

State and Local Regulations: Certain states maintain their own ingredient lists which differ slightly from the Federal standards. If indicated under Section 2 of this MSDS, states listed below may have regulations on ingredients contained in this product. Check with your state for any additional regulations.

- (3) California proposition 65 (Safe Drinking Water & Toxic Enforcement Act of 1986)
- (4) Massachusetts (Hazardous Substance Disclosure by Employers)

## Section 16: OTHER INFORMATION

This information was compiled from current manufacturer's MSDS's of the component parts of the product.

Disclaimer: The Manufacturer believes that the information contained in the Material Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.