# SAFETY DATA SHEET

## 1. Identification

Product identifier Chockfast Red Hardener

Other means of identification

SKU# GP107H

Recommended use Deep pour epoxy grout

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name ITW Performance Polymers

Address 35 Brownridge Road

Unit 1

Halton Hills, ON L7G 0C6

Contact personCustomer ServiceTelephone number215-855-8450Fax number215-855-4688

Emergency Number 800-424-9300 (CHEMTREC)

Supplier Not available.

### 2. Hazard identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Acute toxicity, dermal

Skin corrosion/irritation

Serious eye damage/eye irritation

Sensitization, skin

Category 1

Category 1

Category 1

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

long-term hazard

Label elements



Signal word Danger

**Hazard statement** Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage.

May cause an allergic skin reaction. Causes serious eye damage. Harmful to aquatic life. Toxic to

Category 2

aquatic life with long lasting effects.

Precautionary statement

**Prevention** Do not breathe dust or mists. Avoid breathing mist/vapours. Wash thoroughly after handling. Do

not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective

clothing/eye protection/face protection.

Material name: Chockfast Red Hardener

SDS CANADA

Response Rinse mouth. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with

> plenty of water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse. Collect spillage.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information 92 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 92 % of the

mixture consists of component(s) of unknown acute hazards to the aquatic environment.

Other hazards None known.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Amidoamine	Fatty acids, tall-oil, reaction products with tetraethylenepentamine	68953-36-6	80 - 100
3,6,9-triazaundecamethylenediamin e	3,6,9-triazaundecamethyleendiamine	112-57-2	3 - 7
Diethylenetriamine		111-40-0	1 - 5
Other components below reportable levels			7

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Chemical burns

must be treated by a physician. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated

clothing before reuse.

Eve contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated

clothing before reuse.

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

media

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

GP107H Version #: 10 Revision date: 24-January-2025 Issue date: 25-March-2019

SDS CANADA

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid breathing mist/vapours. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

Occupational exposure limits

**US. ACGIH Threshold Limit Values (TLV)** 

Components Value Type Diethylenetriamine (CAS **TWA** 1 ppm 111-40-0)

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended

Components **Type** Value TWA Diethylenetriamine (CAS 4.2 mg/m3 111-40-0) 1 ppm

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components Value Type **TWA** Diethylenetriamine (CAS 1 ppm

111-40-0)

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended

Components **Type** Value Diethylenetriamine (CAS **TWA** 1 ppm 111-40-0)

Canada. New Brunswick OELs: Threshold Limit Values (TLVs) Based on the 1991 and 1997 ACGIH TLVs and BEIs Publication (New Brunswick Regulation 91-191)

Components Value Type TWA Diethylenetriamine (CAS 1 ppm 111-40-0)

Material name: Chockfast Red Hardener

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended

Components Type Value Diethylenetriamine (CAS **TWA** 1 ppm 111-40-0)

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended

Components Value Type

TWA Diethylenetriamine (CAS 4.2 mg/m3

111-40-0)

1 ppm

1 ppm

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended

Components Type Value Diethylenetriamine (CAS 15 minute 2 ppm 111-40-0) 8 hour

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

### 9. Physical and chemical properties

Physical state Liquid. **Form** Liquid. Colour Amber. Odour Ammoniacal. Melting point/freezing point Not available.

Boiling point or initial boiling point and boiling range

>392 °C (>737.6 °F)

**Flammability** Not applicable.

Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available.

Explosive limit - upper

Not available.

Flash point >93.3 °C (>200.0 °F) Closed cup **Auto-ignition temperature** 321 °C (609.8 °F) estimated

**Decomposition temperature** Not available.

>7

Kinematic viscosity Not available.

Material name: Chockfast Red Hardener

4/8

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapour pressure 3.6 mm Hg @ 70F

Density and/or relative density

Density0.95 g/cm3Vapour densityNot available.Particle characteristicsNot available.

Other information

**Explosive properties** Not explosive.

Flammability class Combustible IIIB estimated

Oxidising properties Not oxidising.

Specific gravity 0.95

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerisation does not occur.

reactions

**Conditions to avoid** Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Peroxides. Phenols.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

**Skin contact** Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.

**Eye contact** Causes serious eye damage.

**Ingestion** Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

### Information on toxicological effects

Acute toxicity Harmful in contact with skin. Harmful if swallowed.

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

**Respiratory sensitisation** Not a respiratory sensitiser.

**Skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

Material name: Chockfast Red Hardener

GP107H Version #: 10 Revision date: 24-January-2025 Issue date: 25-March-2019

5 / 8

12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

1.503 3,6,9-triazaundecamethylenediamine

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

CORROSIVE LIQUID, N.O.S. (Amidoamine)

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

**TDG** 

UN1760 **UN number** 

**UN** proper shipping name

Transport hazard class(es)

Class 8 **Subsidiary hazard** 

Ш Packing group **Environmental hazards** No.

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

**IATA** 

**UN** number UN1760

**UN** proper shipping name

Transport hazard class(es)

Corrosive liquid, n.o.s. (Amidoamine)

Class 8 **Subsidiary hazard** 

Ш Packing group **Environmental hazards** No.

**ERG Code** 8L

Special precautions for

Other information

aircraft

user

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

**IMDG** 

**UN number** UN1760

**UN proper shipping name** CORROSIVE LIQUID, N.O.S. (Amidoamine)

Transport hazard class(es)

Class 8 **Subsidiary hazard** 

Material name: Chockfast Red Hardener GP107H Version #: 10 Revision date: 24-January-2025 Issue date: 25-March-2019 Packing group

**Environmental hazards** 

Marine pollutant No.

**EmS** F-A, S-B

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not established.

Ш

IATA; IMDG; TDG



## 15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

#### **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

### International regulations

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

**Kyoto Protocol** 

Not applicable.

#### **Montreal Protocol**

Not applicable.

### **Basel Convention**

Not applicable.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes

Country(s) or region Inventory name On inventory (yes/no)\*

New Zealand New Zealand Inventory

**Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

#### 16. Other information

Issue date 25-March-2019 24-January-2025 Revision date

Version No. 10

Disclaimer ITW Performance Polymers cannot anticipate all conditions under which this information and its

> product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use,

processing, storage, transportation, disposal and release.

**Revision information** Hazard identification: Prevention

Hazard identification: Response

Composition / Information on Ingredients: Disclosure Overrides

First-aid measures: Inhalation

First-aid measures: Indication of immediate medical attention and special treatment needed

First-aid measures: General information

Physical & Chemical Properties: Multiple Properties

Toxicological information: Acute toxicity

Toxicological information: Respiratory sensitisation

Toxicological information: Inhalation Toxicological information: Skin contact

Disposal considerations: Waste from residues / unused products

Other information: References

GHS: Classification

Material name: Chockfast Red Hardener 8/8