SAFETY DATA SHEET

1. Identification

Product identifier DEVCON® Wear Guard™ 300RTC Hardener-

Other means of identification

SKII# 5209

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name **ITW Performance Polymers**

Address 35 Brownridge Rd

Unit 1

Halton Hills, ON L7G 0C6

Customer Service Contact person 978-777-1100 Telephone number

Fax E-mail

Emergency telephone

number

800-424-9300

Not available. Supplier

2. Hazard identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1

> Serious eye damage/eye irritation Category 1 Sensitization, skin Category 1 Specific target organ toxicity following Category 2

repeated exposure

Environmental hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious

eye damage. May cause damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Do not breathe dust or mists. Wash thoroughly after handling. Contaminated work clothing should

not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face

protection.

Response IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water.

> IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation or rash occurs: Get

medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store locked up.

Disposal

Supplemental information

Dispose of contents/container in accordance with local/regional/national/international regulations.

85.35 % of the mixture consists of component(s) of unknown acute oral toxicity. 98.4475 % of the mixture consists of component(s) of unknown acute dermal toxicity. 98.4475 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 85.35 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

Other hazards

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
4,4'-methylenedicyclohexaneamine		1761-71-3	10 - < 20
N,N'-BIS(3-AMINOPROPYL)ETHYL ENEDIAMINE		10563-26-5	1 - < 3
1-(2-aminoethyl)piperazine		140-31-8	< 0.3
Titanium dioxide	Titanium dioxide	13463-67-7	< 0.2
Other components below reportable levels			80 - < 90

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or

poison control centre immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.

Ingestion

Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Use water spray to cool unopened containers.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapours/spray. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values (TLV)

ComponentsTypeValueFormTitanium dioxide (CAS 13463-67-7)TWA2.5 mg/m3Respirable finescale particles0.2 mg/m3Respirable nanoscale

particles

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended

ComponentsTypeValueTitanium dioxide (CASTWA10 mg/m313463-67-7)

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

ComponentsTypeValueFormTitanium dioxide (CASTWA3 mg/m3Respirable fraction.13463-67-7)

10 mg/m3 Total dust.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amendedFormComponentsTypeValueFormTitanium dioxide (CAS
13463-67-7)TWA2.5 mg/m3Respirable finescale
particles0.2 mg/m3Respirable nanoscale
particles

Canada. New Brunswick OELs: Threshold Limit Values (TLVs) Based on the 1991 and 1997 ACGIH TLVs and BEIs Publication (New Brunswick Regulation 91-191)

ComponentsTypeValueTitanium dioxide (CASTWA10 mg/m313463-67-7)

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended Components

Type

Value

Titanium dioxide (CAS TWA 10 mg/m3

13463-67-7)

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended Components

Type

Value

Form

Titanium dioxide (CAS TWA 10 mg/m3 Total dust. 13463-67-7)

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended Components Type Value

Titanium dioxide (CAS

13463-67-7)

15 minute 20 mg/m3

Biological limit values

t values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency

shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Physical stateSolid.FormSolid.ColourGrey.

Odour Ammoniacal.

Melting point/freezing point Not available.

Boiling point or initial boiling point and boiling range

Flammability Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper Not available.

(%)

Flash point 110.0 °C (230.0 °F) estimated

Auto-ignition temperatureNot available.Decomposition temperatureNot available.pHNot available.Kinematic viscosityNot available.

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapour pressure 0.0004 hPa estimated

Density and/or relative density

Density2.06 g/cm3Vapour densityNot available.Particle characteristicsNot available.

Other information

Explosive properties Not explosive. **Oxidising properties** Not oxidising.

Specific gravity 2.06

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions. **Possibility of hazardous**Hazardous polymerisation does not occur.

reactions

Conditions to avoidContact with incompatible materials.

Incompatible materials Peroxides. Phenols.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Causes severe skin burns. May cause an allergic skin reaction.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

Titanium dioxide (CAS 13463-67-7)

Acute Dermal

LD50 Hamster >= 10000 mg/kg

Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects May cause damage to organs through prolonged or repeated exposure.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

5/8

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

1-(2-aminoethyl)piperazine -1.57

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products Contaminated packaging Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner.

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

UN number UN3263

CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (4,4'-methylenedicyclohexaneamine), Limited **UN proper shipping name**

Quantity

Transport hazard class(es)

Class 8 Subsidiary hazard Ш **Packing group Environmental hazards** No.

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

user IATA

> **UN** number UN3263

UN proper shipping name Transport hazard class(es)

Corrosive solid, basic, organic, n.o.s. (4,4'-methylenedicyclohexaneamine), Limited Quantity

Class 8 Subsidiary hazard Ш Packing group **Environmental hazards** No. **ERG Code** 8L

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Other information Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN3263

UN proper shipping name CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (4,4'-methylenedicyclohexaneamine), Limited

Quantity

Transport hazard class(es)

Class 8 **Subsidiary hazard** Packing group Ш **Environmental hazards**

> Marine pollutant No.

F-A, S-B **EmS** Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Material name: DEVCON® Wear Guard™ 300RTC Hardener-

SDS CANADA


Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

IATA



IMDG; TDG



15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

Country(s) or region Inventory name On inventory (yes/no)* European List of Notified Chemical Substances (ELINCS) Europe No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) No New Zealand Inventory New Zealand No **Philippines** Philippine Inventory of Chemicals and Chemical Substances No (PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

country(s).

16. Other information

Issue date06-June-2023Revision date03-December-2024

Version No. 05

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Revision information

Hazard identification: Hazard statement Hazard identification: Prevention Hazard identification: Response

Hazard identification: Supplemental information Composition / Information on Ingredients: Ingredients Handling and storage: Precautions for safe handling

Exposure controls/personal protection: Respiratory protection

Toxicological information: Chronic effects Toxicological information: Reproductivity Toxicological information: Inhalation Toxicological information: Skin contact

Toxicological information: Specific target organ toxicity - repeated exposure

Disposal considerations: Waste from residues / unused products

Other information: References

Material name: DEVCON® Wear Guard™ 300RTC Hardener-

SDS CANADA

8/8

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing