PROFESSIONAL STRENGTH



XYLOL XYLENE

XILENO

THINS EPOXIES & ENAMELS

Medium Drying

DANGER! FLAMMABLE. VAPORS MAY CAUSE FLASH FIRE OR IGNITE EXPLOSIVELY. HARMFUL OR FATAL IF SWALLOWED. EYE IRRITANT. VAPOR HARMFUL. Read entire label prior to use or storage.

iPELIGRO! INFLAMABLE. LOS VAPORES
PUEDEN CAUSAR UN INCENDIO ESPONTÁNEO
O INCENDIARSE EXPLOSIVAMENTE. NOCIVO O
LETAL SI SE INGIERE. IRRITANTE DE LOS
OJOS. VAPOR NOCIVO. Lea toda la etiqueta
antes de usar o almacenar este producto.

1 GALLON (3.785 L)

J8130

Jasco® Xylene can be used in place of Toluene to thin specified oil-based paint, lacquer, varnish, epoxy, adhesives and synthetic enamels when a slower rate of evaporation is desired. Xylene will also remove certain adhesives, and is an excellent clean-up solvent for tools and equipment immediately after use.

DIRECTIONS FOR USE: Follow the coating manufacturer's instructions for the proper amount, of Xylene required. We recommend starting with a ratio of 4 ounces per gallon. Do not use more than recommended.

IMPORTANT: Do not apply to floors or other large surface areas because fire and health safety risks will increase dramatically. HELPFUL TIPS: Use only as specified by the coating, adhesive or hobby product manufacturer. Do not use as a general purpose cleaner. Xylene may soften or damage plastics, synthetics and many other finishes. Use only where specified, and test an inconspicuous area before application. Do not use on linoleum, plastic, rubber, asphalt tile, fiberglass or other synthetic materials. Xvlene may harm these surfaces.

IMPORTANTE: No extienda este producto en áreas grandes porque los peligros de incendio y riesgos para la salud aumentarán dramáticamente. CONSEJOS UTILES: Use solamente según especificaciones del fabricante para revestimientos, adhesivos o productos para aficionados. No utilice como limpiador de uso común. El xileno puede ablandar o dañar plásticos, materiales sintéticos y muchos otros acabados. Use sólo según las especificaciones y pruebe en áreas poco visibles antes de aplicar el producto. No utilice en: linóleo, plástico, caucho, loseta de asfalto, fibra de vidrio, otros materiales sintéticos. Xileno pueden dañar las siquientes superficies.

DANGER! FLAMMABLE. VAPORS MAY CAUSE FLASH FIRE OR IGNITE EXPLOSIVELY. KEEP AWAY FROM HEAT, SPARKS, FLAME, AND ALL OTHER SOURCES OF IGNITION. Extinguish all flames and pilot lights, and turn off all stoves, heaters, electric motors and all other sources of ignition during use and until all vapors are gone. Do not smoke. Keep away from electrical outlets and switches. Beware of static electricity generated by synthetic clothing and other sources. USE ONLY WITH ADEQUATE VENTILATION TO PREVENT BUILDUP OF VAPORS. Do not use in areas where vapors can accumulate and concentrate such as basements, bathrooms and small, enclosed areas. If using indoors, open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience any dizziness – STOP – ventilation is inadequate. Leave area immediately. IF THE WORK AREA IS

DANGER! HARMFUL OR FATAL IF SWALLOWED. EYE IRRITANT, VAPOR HARMFUL, Reports have associated repeated and prolonged over-exposure to solvents with neurological and other physiological damage. The risk to your health depends on the level and duration of exposure. Intentional misuse of this product by deliberately concentrating and inhaling vapors can be harmful or fatal. Avoid breathing vapors or mist and contact with skin, eyes, and clothing. Do not swallow.

NOT WELL VENTILATED, DO NOT USE THIS PRODUCT. A dust

mask does not provide protection against vapors.

⚠ **WARNING:** This product can expose you to chemicals including Ethylbenzene and Cumene, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. FIRST AID: IF SWALLOWED, do not induce vomiting.

Immediately call your Poison Control Center at 1-800-222-1222, hospital emergency room or physician immediately for instructions. IN CASE OF EYE CONTACT, immediately flush with water, remove any contact lens, continue flushing with water for at least 15 minutes, then get immediate medical attention. IN CASE OF SKIN CONTACT, immediately wash with soap and water. If irritation persists, get medical attention.

KEEP OUT OF REACH OF CHILDREN.

Not for sale or use in California.



OTRAS FUENTES DE IGNICIÓN. Extinga todas las flamas y pilotos, y apague las estufas, calentadores, motores eléctricos y cualquier otra fuente de ignición durante su uso y hasta que se hayan disipado los vapores. No fumar. Mantenerlo lejos de enchufes e interruptores eléctricos. Tenga cuidado con la electricidad estática generada por la ropa sintética y otras fuentes. USE UNICAMENTE CON VENTILACIÓN ADECUADA PARA EVITAR LA ACUMULACIÓN DE VAPORES. No use en áreas donde los vapores se puedan acumular y concentrarse tales como sótanos, cuartos de baño y áreas pequeñas y encerradas. Si se utiliza bajo techo, abra todas las ventanas v las puertas y mantenga una ventilación cruzada de aire fresco en movimiento a través del área de trabajo. Si nota un fuerte olor o si experimenta mareos – DETÉNGASE – la ventilación es inadecuada. Abandone el área de inmediato. SI EL ÁREA DE TRABAJO NO ESTÁ BIEN VENTILADA, NO USE ESTE **PRODUCTO.** Una máscara para el polvo no otorga protección contra los vapores.

¡PELIGRO! NOCIVO O LETAL SI SE INGIERE. IRRITANTE DE

LOS OJOS. VAPOR NOCIVO. Reportes han asociado la

sobre-exposición repetida y prolongada a solventes con daños

neurológicos y otros daños fisiológicos. El riesgo a la salud depende del nivel y de la duración de la exposición. El uso

iPELIGRO! INFLAMABLE. LOS VAPORES PUEDEN CAUSAR

UN INCENDIO O ENCENDERSE EXPLOSIVAMENTE. MANTÉNGASE LEJOS DEL ÇALOR, CHISPAS, LLAMAS Y

indebido intencional de este producto para concentrar e inhalar de manera deliberada sus vapores puede resultar dañino o mortal. Evite respirar los vapores o la niebla y el contacto con la piel, los ojos y la ropa. No debe ingerirse. **ADVERTENCIA:** Este producto puede exponerlo a productos guímicos como el etilbenceno y el cumeno, que en el estado de California son conocidos por causar cáncer. Para obtener más información, vaya a

PRIMEROS AUXILIOS: EN CASO DE INGESTIÓN. llame al centro local de control de venenos al 1-800-222-1222, a la sala de emergencia de su hospital o a su médico para obtener instrucciones. EN CASO DE CONTACTO CON LOS OJOS, enjuague de inmediato con agua, quítese los lentes de contacto y continúe enjuagando con agua durante al menos 15 minutos, después obtenga atención médica de inmediato. EN CASO DE CONTACTO CON LA PIEL, lave inmediatamente con agua y jabón. Obtenga asistencia médica si persiste la

irritación. MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS.

No es para la venta o uso en California.

www.P65Warnings.ca.gov.

©2018 W.M. Barr & Co., Inc. • www.jasco-help.com