Revision: 04/25/2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Klean Strip Brush Cleaner

Company Name: W. M. Barr Phone Number:

2105 Channel Avenue (901)775-0100

Memphis, TN 38113

Web site address: www.wmbarr.com

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346 **Information:** W.M. Barr Customer Service (800)398-3892

Intended Use: Clean up of natural and synthetic paint brushes.

Product Code: QKBC121, GKBC120

2. HAZARDS IDENTIFICATION

Flammable Liquids, Category 2

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2

Toxic To Reproduction, Category 2

Specific Target Organ Toxicity (single exposure), Category 1
Specific Target Organ Toxicity (repeated exposure), Category 2

Aspiration Toxicity, Category 1







GHS Signal Word: Danger

GHS Hazard Phrases: Highly flammable liquid and vapor.

Harmfull if swallowed, in contact with skin or if inhaled.

May be fatal if swallowed and enters airways.

Causes skin irritation.

Causes serious eye irritation.

Harmful if inhaled.

Suspected of damaging fertility or the unborn child.

Causes damage to organs.

May cause damage to organs through prolonged or repeated exposure.

GHS Precautionary Phrases: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe gas/mist/vapors/spray. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

GHS Response Phrases: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Page: 2 of 9

SAFETY DATA SHEET Klean Strip Brush Cleaner

Revision: 04/25/2019

Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed: Call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical attention/advice.

Get medical attention/advice if you feel unwell.

Specific treatment see label. Specific measures see label.

Rinse mouth.

Store locked up.

**See above.

Do NOT induce vomiting.

If skin irritation occurs, get medical advice/attention. If eye irritation persists, get medical advice/attention. Take off contaminated clothing and wash before re-use.

Wash contaminated clothing before reuse.

In case of fire, use dry chemical powder to extinguish.

GHS Storage and Disposal

Phrases:

Store in cool/well-ventilated place.

Dispose of contents/container according to local, state and federal regulations.

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

Potential Health Effects

(Acute and Chronic):

3. COMPOSITION/INFORMATION ON INGREDIENTS

3. Com Comonina China Hon Sit Inches Entro				
CAS#	Hazardous Components (Chemical Name)	Concentration		
67-56-1	Methanol {Methyl alcohol; Carbinol; Wood alcohol}	10.0 -30.0 %		
108-88-3	Toluene {Benzene, Methyl-; Toluol}	10.0 -30.0 %		
64741-85-1	Raffinates (petroleum), sorption process	10.0 -30.0 %		
67-64-1	Acetone {2-Propanone}	10.0 -30.0 %		
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	5.0 -10.0 %		
141-43-5	Ethanol, 2-Amino- {Ethanolamine; Monoethanolamine; beta-Aminoethyl alcohol}	0.1 -1.0 %		

Revision: 04/25/2019

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

In Case of Inhalation: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

breathing.

In Case of Skin Contact: Immediately flush skin with plenty of water. Remove contaminated clothing. Get

medical attention if irritation develops or persists. Wash clothing before reuse.

In Case of Eye Contact:

Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

In Case of Ingestion:

Do not induce vomiting unless directed to do so by medical personnel.

Signs and Symptoms Of

**Refer to section 2.

Exposure:

444

Note to Physician:

**None known.

5. FIRE FIGHTING MEASURES

NFPA Class IB

Flash Pt: 4.00 F Method Used: TAG Closed Cup

Explosive Limits: LEL: N.D. UEL: N.D.

Autoignition Pt: N.D.

Suitable Extinguishing Media: Use carbon dioxide, dry powder, or alcohol restistant foam.

Unsuitable Extinguishing

Water stream may be ineffective and spread the fire.

Media:

Fire Fighting Instructions: Self-contained respiratory protection should be provided for fire fighters fighting fires in

buildings or confined areas. Storage containers exposed to fire should be kept cool with water spay to prevent pressure build-up. Stay away from heads of containers that have

been exposed to intense heat or flame.

Flammable Properties and

Hazards:

Vapors may travel to source of ignition and flash back.

Hazardous Combustion

Products:

Oxides of carbon.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled: Vapors may cause flash fire or ignite explosively.

Clean up: Keep unnecessary people away; isolate hazard area and deny entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Shut off ignition sources; keep flares, smoking or flames out of hazard area. Use non-sparking tools. Use proper bonding and grounding methods for all equipment and processes. Keep out of waterways and bodies of water. Be cautious of vapors collecting in small enclosed

spaces, sewers, low lying areas, confined spaces, etc.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Do not use this product near any source of heat or open flame, furnace areas, pilot

lights, stoves, etc.

Licensed to W.M. Barr and Company

GHS format

Revision: 04/25/2019

Do not use in small enclosed spaces, such as basements and bathrooms. Vapors can accumulate and explode if ignited.

Do not spread this product over large surface areas because fire and health safety risks will increase dramatically.

Precautions To Be Taken in

Storing:

Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.

CAS#	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
67-56-1	Methanol {Methyl alcoho	I; ACGIH TLV	TLV: 200 ppm	
	Wood alcohol}	,	STEL: 250 ppm	
		OSHA PELs	PEL: 200 ppm	
108-88-3 Methyl-;	Toluene {Benzene, Toluol}	ACGIH TLV	TLV: 50 ppm	
		OSHA PELs	PEL: 200 ppm STEL: 500 ppm/(10min) CEIL: 300 ppm	
67-64-1	Acetone {2-Propanone}	ACGIH TLV	TLV: 500 ppm STEL: 750 ppm	
		OSHA PELs	PEL: 1000 ppm	
111-76-2 {Ethylene glycol eth	Ethanol, 2-Butoxy- glycol n-butyl ether, (a er)}	ACGIH TLV	TLV: 20 ppm	
		OSHA PELs	PEL: 50 ppm	
-	Ethanol, 2-Amino- mine; Monoethanolamine; noethyl alcohol}	ACGIH TLV	TLV: 3 ppm STEL: 6 ppm	
		OSHA PELs	PEL: 3 ppm	
Respirat (Specify Eye Prot	Type): v ection: S	rentilation under en appropriate TLV. Fo properly maintained rapors. A dust mas Safety glasses, che	d work place and other regular usersUse onligineered air control systems designed to preven or occasional use, where engineered air control and properly fitted NIOSH approved respirators k does not provided protection against vapors. mical goggles or face shields are recommended, irritation, or injury. Contact lenses should not cals.	ent exceeding old is not feasible, use or for organic solvent old to safeguard again
Protectiv	r c a	naterials such as ni on chemicals being	s much resistance to the chemical ingredients a trile rubber may provide protection. Glove sele used and conditions of use. Consult your glov on. Gloves contaminated with product should b	ection should be bas e supplier for
Other Pr		• • •	methods can dictate the use of additional prote impermeable aprons, etc., to minimize exposu	•
_	_		uate ventilation to prevent buildup of vapors. [ccumulate and concentrate such as basement	

enclosed areas. Whenever possible, use outdoors in an open area. If using indoors, open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache,

Page: 5 of 9

SAFETY DATA SHEET Klean Strip Brush Cleaner

Revision: 04/25/2019

nausea or eye-watering -- Stop -- ventilation is inadequate. Leave area immediately. If the work area is not well ventilated, then do not use this product. A dust mask does not

provide protection against vapors.

Work/Hygienic/Maintenance

Practices:

Wash hands thoroughly after use and before eating, drinking, or smoking.

Do not eat, drink, or smoke in the work area.

Discard any clothing or other protective equipment that cannot be decontaminated.

Facilities storing or handling this material should be equipped with an emergency

eyewash and safety shower.

9. PHYSICAL AND CHEMICAL PROPERTIES

[X] Liquid [] Solid Physical States: [] Gas

Clear to slightly turbid. Appearance and Odor:

Odor threshold not determined.

10.5 pH: **Melting Point:** N.D. **Boiling Point:** > 133.00 F

Flash Pt: 4.00 F Method Used: TAG Closed Cup

N.D.

N.D. **Evaporation Rate:**

Flammability (solid, gas): Flammable; may be ignited by heat, sparks or flames.

LEL: N.D. UEL: N.D. **Explosive Limits:**

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): N.D.

Specific Gravity (Water = 1): 0.7649 - 0.9032

Density: N.D. N.D. Solubility in Water: Octanol/Water Partition N.D.

Coefficient:

Percent Volatile: 100.0 % by weight. VOC / Volume: 86.8200 % WT

Autoignition Pt: Decomposition Temperature: N.D. N.D. Viscosity:

10. STABILITY AND REACTIVITY

Unstable [] Stable [X] Stability:

Conditions To Avoid -

Instability:

**None known.

Incompatibility - Materials To Incompatible with strong oxidizing agents, strong caustics, acids, alkali, amines, reducing Avoid:

agents, aldehydes, ammonia, nitrogen peroxides and reactive metals.

Hazardous Decomposition or Carbon oxides,

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -**None known.

Hazardous Reactions:

Licensed to W.M. Barr and Company

Page: 6 of 9

SAFETY DATA SHEET Klean Strip Brush Cleaner

Revision: 04/25/2019

11. TOXICOLOGICAL INFORMATION

Toxicological Information:

This product has not been tested as a whole. Refer to section 2 for acute and chronic effects.

CAS# 108-88-3:

Reproductive Effects:, TCLo, Inhalation, Rat, 800.0 MG/M3, 6 H, female 14-20 day(s) after conception.

Result:

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Effects on Newborn: Behavioral.

- Brazilian Journal of Medical and Biological Research., Vol/p/yr: 23,533, 1990

Standard Draize Test, Eyes, Species: Rabbit, 2.000 MG, 24 H, Severe.

Result:

Effects on Embryo or Fetus: Other effects to embryo.

Specific Developmental Abnormalities: Eye, ear.

- Prehled Prumyslove Toxikologie, Marhold, J., Organicke Latky, Prague

Czechoslovakia, Vol/p/yr: -,29, 1986

CAS# 67-64-1:

Standard Draize Test, Eyes, Species: Rabbit, 20.00 MG, Severe.

Result:

Behavioral: Change in motor activity (specific assay).

Behavioral: Alteration of classical conditioning.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave.,

Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

CAS# 111-76-2:

Acute toxicity, LC50, Inhalation, Rat, 450.0 PPM, 4 H.

Result:

Behavioral: Ataxia.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 68,405, 1983

Acute toxicity, LD50, Skin, Species: Rabbit, 220.0 MG/KG.

Result:

Effects on Embryo or Fetus: Extra embryonic structures (e.g., placenta, umbilical cord).

Effects on Embryo or Fetus: Other effects to embryo.

Specific Developmental Abnormalities: Musculoskeletal system.

- Dow Chemical Company Reports., Dow Chemical USA, Health and Environment Research, Toxicology Research Lab, Midland, MI 48640, Vol/p/yr: MSD-46,

Acute toxicity, LD50, Oral, Rat, 250.0 mg/kg.

Result:

Lungs, Thorax, or Respiration: Changes in pulmonary vascular resistance.

Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG, Severe.

Result:

Effects on Newborn: Apgar score (human only).

Effects on Newborn: Other neonatal measures or effects.

Page: 7 of 9

SAFETY DATA SHEET Klean Strip Brush Cleaner

Revision: 04/25/2019

Effects on Newborn: Drug dependency.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

CAS# 141-43-5:

Acute toxicity, LD50, Oral, Rat, 1720. MG/KG.

Result:

Brain and Coverings: Other degenerative changes.

Autonomic Nervous System: Other (direct) parasympathomimetic.

Autonomic Nervous System: Parasympatholytic.

- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 42,417, 1977

Open irritation test., Skin, Species: Rabbit, 505.0 MG, Moderate.

Result:

Peripheral Nerve and Sensation: Sensory change involving segmental distribution.

Behavioral: Alteration of classical conditioning.

- Union Carbide Data Sheet, Union Carbide Corp., 39 Old Ridgebury Rd., Danbury, CT 06817, Vol/p/yr: 1/13, 1972

Standard Draize Test, Eyes, Species: Rabbit, 250.0 UG, Severe.

Result:

Peripheral Nerve and Sensation: Sensory change involving segmental distribution.

Behavioral: Change in motor activity (specific assay).

Behavioral: Alteration of classical conditioning.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

Carcinogenicity/Other Information:

IARC 3: Not Classifiable as to Carcinogenicity in Humans.

ACGIH A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

ACGIH A4 - Not classifiable as a human carcinogen

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
67-56-1	Methanol {Methyl alcohol; Carbinol; Wood alcohol}	n.a.	n.a.	n.a.	n.a.
108-88-3	Toluene {Benzene, Methyl-; Toluol}	n.a.	3	A4	n.a.
64741-85-1	Raffinates (petroleum), sorption process	n.a.	n.a.	n.a.	n.a.
67-64-1	Acetone {2-Propanone}	n.a.	n.a.	A4	n.a.
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	n.a.	3	А3	n.a.
141-43-5	Ethanol, 2-Amino- {Ethanolamine; Monoethanolamine; beta-Aminoethyl alcohol}	n.a.	n.a.	n.a.	n.a.

Revision: 04/25/2019

12. ECOLOGICAL INFORMATION

General Ecological

Information:

This product has not been tested as a whole.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose in accordance with applicable local, state, and federal regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Paint Related Material

DOT Hazard Class: 3 FLAMMABLE LIQUID

UN/NA Number: UN1263 Packing Group: II



Additional Transport

Information:

The shipper / supplier may apply one of the following exceptions: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49CFR Hazmat Regulations. Please consult 49CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists							
CAS # 67-56-1	Hazardous Components (Chemical Name) Methanol {Methyl alcohol; Carbinol; Wood alcohol}	S. 302 (EHS) No	S. 304 RQ Yes 5000 LB	S. 313 (TRI) Yes			
108-88-3	Toluene {Benzene, Methyl-; Toluol}	No	Yes 1000 LB	Yes			
64741-85-1	Raffinates (petroleum), sorption process	No	No	No			
67-64-1	Acetone {2-Propanone}	No	Yes 5000 LB	No			
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	No	No	Yes-Cat. N230			
141-43-5	Ethanol, 2-Amino- {Ethanolamine; Monoethanolamine; beta-Aminoethyl alcohol}	No	No	No			
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists					
67-56-1	Methanol {Methyl alcohol; Carbinol; Wood alcohol}	CAA HAP,ODC: HAP: VHAP TSCA: Inventory CA PROP.65: Yes: RDTox.					
108-88-3	Toluene {Benzene, Methyl-; Toluol}	CAA HAP,ODC: HAP: VHAP CWA NPDES TSCA: Inventory, 8A CAIR CA PROP.65: Yes: RDTox(F)					
64741-85-1	Raffinates (petroleum), sorption process	TSCA: Inventory					
67-64-1	Acetone {2-Propanone}	TSCA: Inventory					
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, (a glycol ether)}	CAA HAP,ODC: Yes - Cat. TSCA: Inventory					
141-43-5	Ethanol, 2-Amino- {Ethanolamine; Monoethanolamine; beta-Aminoethyl alcohol}	TSCA: Inventory					

Page: 9 of 9

SAFETY DATA SHEET Klean Strip Brush Cleaner

Revision: 04/25/2019

Additional Regulatory Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

16. OTHER INFORMATION

Revision Date: 04/25/2019

Preparer Name: W.M. Barr EHS Dept (901)775-0100

Additional Information About N.D.: Not determined.

This Product:

Company Policy or

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.