# **SDS**

SAFETY DATA SHEET

Ultra Duster 12/14/2016

## **SECTION 1. IDENTIFICATION**

Product Name: Ultra Duster

Trade Name/Chemical Name: HFC-152a / Difluoroethane, R152a

Mfg. Model No.: UDS

Recommended Use: Remove dust and small particle

**Restrictions On Use:** Read back panel on can carefully before use.

Keep out of reach of children. Misuse by deliberately concentrating and

inhaling contents may be harmful or fatal

Manufacturer: SHANGHAI AW CUSTOM MANUFACTURING & AEROSOL PROPELLANT CO., LTD.

Product Supplied By: AW Distributing, Inc.

Address: 2024 Middlefield Rd., Redwood City, CA 94063

**Phone #:** 1-415-867-7734

Emergency Phone #: Chemtrec 1-800-424-9300

### **SECTION 2. HAZARD(S) IDENTIFICATION**

Classification Flammable Gases – Category 2

Gases under pressure, Compressed gas

Signal Word Warning

Pictogram



**Hazard Statements** Contains gas under pressure; may explode if heated.

Flammable gas

Precautionary Statements: Eliminate all ignition sources if safe to do so.

**Prevention**Do not spray on an open flame or other ignition source. Keep away from heat **Storage**Store in a well-ventilated place. Do not expose to temperatures exceeding 49°C.

**General** Keep out of reach of children

Ingredients of

Unknown toxicity 0%

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredients CAS # % TLV PEL UNITS

1,1-Difluoroethane 75-37-6 100

#### **SECTION 4. FIRST-AID MEASURES**

Eyes: Flush immediately with water for at least 15 minutes.

Skin: Get medical attention if irritation develops.

Inhalation: Remove exposed person to fresh air if adverse effects are observed.

Get immediate medical attention if respiratory, or unconsciousness occurs.

Ingestion: Do not make person vomit unless directed to do so by medical personnel

Note to physician: Treat symptomatically.

#### **SECTION 5. FIRE FIGHTING MEASURES**

Extinguishing media: Water spray, Water fog, Dry chemical.

Flash Point -<-50 C (<-58 F) Flammable Limits LEL - 3.9 Auto Ig. 454C UEL - 16.9

**Fire and Explosion Hazards -** Flammable. Cylinders are equipped with temperature and pressure relief devices but still may rupture under fire conditions. Use water spray to cool cylinders and tanks.

**Special Fire Fighting Procedures** - Keep container cool with water spray. If gas exiting container ignites, stop flow of gas. Do not put out the fire unless leak can be stopped immediately. Self-contained breathing apparatus (SCBA) is required if containers rupture and contents are released under fire conditions.

National Fire Protection Association (NFPA 30B) - Level 1 Aerosols (lowest flammability rating)

Consumer Products Safety Commission (CPSC 1500.3 (c)(6).16CFR - Not flammable

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Procedures in case of accidental release, breakage or leakage.

Stop the source of the leak or release. Eliminate source of ignition.

## **SECTION 7. HANDLING AND STORAGE**

Handling:

Keep out of reach of children. Misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Use in well ventilated area. This product can be ignited under certain circumstances. Therefore, do not use near potential ignition sources, hot surfaces, or spark-producing equipment. Do not tilt, shake, or turn can upside down before or during use as liquid contents may be dispensed. Liquid contents may cause frostbite on contact with skin. Contact physician if such contact occurs.

Storage:

Store in cool place. Do not leave in direct sunlight, enclosed vehicles, or expose to temperature above 120°F(49°C), as overheating could cause can to burst.

Note: Observe all federal, state and local regulations when storing this substance.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye protection: Chemical type goggles or face shield optional.

Skin protection: Impervious gloves should be worn.

Respiratory protection: Wear breathing mask.

Ventilation: No special ventilation is usually necessary. However, if operating conditions create high air borne concentrations of this material, special ventilation may be needed.

Other clothing and equipment: No special clothing or equipment is usually necessary. Work practices, hygienic practices: No information is available.

Protective measures during maintenance of contaminated equipment: N/A

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Boiling Point (°F)** -25 C (-13F) **Specific Gravity (H2O=1)** 

Vapor Pressure (MM Hg) 87 psia at 25 deg C (77deg F)

Percent Volatile by Vol.  $100~\mathrm{WT}~\%$ 

Vapor Density (Air=1) 2.4 at 25 deg C (77 deg F) Density 0.90 g/cc at 25 deg C (77deg F) - Liquid

Solubility in Water 0.28 WT% at 25 deg C (77deg F)

Evap Rate (Ether = 1)

Appearance and Odor Slight ethereal, Clear, colorless

Form Gas

#### SECTION 10. STABILITY AND REACTIVITY

**Instability** - Stable, however, avoid open flames and high temperatures.

**Incompatibility** - Incompatible with alkaline or alkaline earth metals.

**Decomposition** - Decomposition products are hazardous. This material can be decomposed by high temperatures (open flames, glowing metal surfaces, etc.) forming hydrofluoric acid and possible carbonyl fluoride.

Polymerization - Polymerization will not occur.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

The compound is untested for skin or eye irritation, and for animal sensitization. Effects in animals from single, high exposure by inhalation include labored breathing, lung irritation, lethargy, incoordination, and loss of consciousness. Cardiac sensitization occurred in dogs exposed to a concentration of 150,000 ppm in air and given an intravenous epinephrine challenge. Effects of repeated exposure include increased urinary fluorides, reduced kidney weight, and reversible kidney changes. The effects of a single, high oral dose include weight loss and lethargy.

Tests in animals demonstrate no carcinogenic activity or developmental effects. Tests in animals for reproductive effects have not been performed. This compound does not produce genetic damage in bacterial cell cultures but has not been tested in animals.

## **SECTION 12. ECOLOGICAL INFORMATION**

Biodegradation: N/A Environmental fate: N/A

## **SECTION 13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Method** - Reclaim by distillation, incinerate, or remove to a permitted waste facility. Comply with Federal, State and Local regulations.

This material may be a RCRA Hazardous waste upon disposal due to the ignitability characteristic.

PPE-PERSONAL PROTECTIVE EQUIPMENT REQUIRED: NONE

# **SECTION 14. TRANSPORT INFORMATION**

UN Number 1030

UN Proper Shipping Name 1,1-Difluoroethane

**DOT Classification** 2.1

US DOT (ground) Proper Shipping name: 1,1-Difluoroethane. Hazard Class: 2.1 UN number: 1030 Proper Shipping name: 1,1-Difluoroethane. Hazard Class: 2.1. UN number: 1030

Maximum Net Quantity Packaging: Cargo Aircaft only – 150 kg maximum

(forbidden on passenger aircraft).

**IMO/IMDG** (Marine) Proper Shipping Name: 1,1-Difluoroethane. Hazard Class: 2.1. UN number 1030

#### **SECTION 15. REGULATORY INFORMATION**

Comply with Federal, State and Local regulations.

#### **SECTION 16. OTHER INFORMATION**

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Revised: 12/14/2016

N/A.: Not Applicable <: Less Than >: Greater Than