

SAFETY DATA SHEET

1. Identification

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

HP Color LaserJet W2102A-X Yellow Print Cartridge **Product identifier**

Other means of identification

Recommended use This product is a toner preparation that is used in HP Color LaserJet Pro 4201, HP Color LaserJet

Pro 4202, HP Color LaserJet Pro 4203, HP Color LaserJet Pro MFP 4301, HP Color LaserJet Pro

MFP 4302, HP Color LaserJet Pro MFP 4303 series printers.

Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

HP Inc.

1501 Page Mill Road Palo Alto, CA 94304-1112

United States

650-857-1501 **Telephone**

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 1-208-323-2551 (Direct)

Email: sustainability@hp.com

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. Not classified. **OSHA** defined hazards

Label elements

None. **Hazard symbol** Signal word None.

Not available. **Hazard statement**

Precautionary statement

Prevention Not available. Response Not available. Not available. Storage Not available. **Disposal**

Hazard(s) not otherwise

classified (HNOC) ACGIH, EU, IARC, MAK, NTP or OSHA.

May form explosible dust-air mixture if dispersed.

Supplemental information This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

None of the other ingredients in this preparation are classified as carcinogens according to

3. Composition/information on ingredients

Mixtures

Material name: W2102A-X SDS US

15949 Version #: 02 Revision date: 10-Apr-2025 Issue date: 04-Apr-2023

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		CBI	<80
Wax	Wax	CBI	<15
Pigment	Pigment	CBI	<10

4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Flush thoroughly with water. If irritation occurs, get medical assistance. Eye contact

Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician. Ingestion

Most important

symptoms/effects, acute and

delayed

Not available.

5. Fire-fighting measures

Suitable extinguishing media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

Special protective equipment and precautions for firefighters

Not available.

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Methods and materials for containment and cleaning up Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures.

Keep out of waterways **Environmental precautions**

7. Handling and storage

Precautions for safe handling

Avoid breathing dust or vapor. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

8. Exposure controls/personal protection

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

No exposure limits noted for ingredient(s).

Individual protection measures, such as personal protective equipment

No personal eye/face protective equipment required under normal conditions of use. Eye/face protection

Skin protection

No personal hand protective equipment required under normal conditions of use. Hand protection

Other Not available.

Respiratory protection No personal respiratory protective equipment required under normal conditions of use.

Thermal hazards Not available.

9. Physical and chemical properties

Powder. **Appearance Physical state** Liquid. **Form** solid

Material name: W2102A-X 15949 Version #: 02 Revision date: 10-Apr-2025 Issue date: 04-Apr-2023 Color Yellow

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Not applicable

Not available.

Not flammable

Explosive limit - upper (%) Not available.

Vapor density Not applicable

Vapor density Not applicable

Solubility(ies)

Solubility (water) Partially soluble
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature

No data available

>392 °F (>200 °C)

Viscosity

Not applicable

Other information

Oxidizing properties No information available.

Percent volatile Negligible

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

VOC Not applicable

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous

reactions

None.

Conditions to avoid None.

Incompatible materials Acids, Bases, Oxidizing agents, Reducing agents.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

InhalationNot available.Skin contactNot available.Eye contactNot available.IngestionNot available.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Information on toxicological effects

Acute toxicity LD50 > 2000 mg/kg (Ingestion)

Skin corrosion/irritation Non-irritant

Material name: W2102A-X SDS US

Serious eye damage/eye

irritation

Transient slight conjunctival irritation only

Respiratory or skin sensitization

Respiratory sensitization Non - Sensitizing

Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Specific target organ toxicity -

Not available. Not available.

single exposure

Draduat

Specific target organ toxicity -

repeated exposure

Reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m3, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m3. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Took Dooulto

Aspiration hazard Not available.

Further information No information available.

12. Ecological information

Ecotoxicity LL50: >100 mg/l, Fish, 96.00 Hours

Product		Species	lest Results
W2102A-X			
Aquatic			
Algae	ErL50	Algae	> 100 mg/l, 72 Hours
Crustacea	EL50	Crustacea	> 100 mg/l, 48 Hours
Fish	LL50	Fish	> 100 mg/l, 96 Hours
Persistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

Chasias

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

DOT

UN number Not available. UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Material name: W2102A-X SDS US

15949 Version #: 02 Revision date: 10-Apr-2025 Issue date: 04-Apr-2023

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

IATA

UN number Not available. **UN** proper shipping name Not Regulated

Transport hazard class(es)

Not available. Class

Subsidiary risk

Not available. Packing group

Environmental hazards

Special precautions for user Not available.

IMDG

UN number Not available. **UN** proper shipping name Not Regulated

Transport hazard class(es)

Not available. Class

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

Not available. **EmS** Special precautions for user Not available.

ADR

Not available. **UN** number Not Regulated **UN** proper shipping name

Transport hazard class(es)

Class Not available.

Subsidiary risk

Not available. Hazard No. (ADR) Not available. **Tunnel restriction code** Packing group Not available. No

Environmental hazards

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders US federal regulations

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No intentionally added HAP substances.

Material name: W2102A-X SDS US

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Clean Air Act (CAA) No intentionally added HAP substances.

16. Other information, including date of preparation or last revision

Issue date04-Apr-2023Revision date10-Apr-2025

Version # 02

Other information This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: W2102A-X SDS US

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

Acute Tox. Acute toxicity

Aquatic Acute Short-term (acute) aquatic hazard
Aquatic Chronic Long-term (chronic) aquatic hazard

Asp. Tox. Aspiration hazard Carc. Carcinogenicity

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

Eye Dam. Serious eye damage

Eye Irrit.Eye IrritationFlam. Liq.Flammable liquidsFlam. Sol.Flammable solids

Lact. Effects on or via lactation

Muta. Germ cell mutagenicity

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

Ox. Liq. Oxidising liquids

Ozone Hazardous to the ozone layer
PEL Permissible Exposure Limit

Press. Gas Gases under pressure

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

Repr.Reproductive toxicityResp. Sens.Respiratory sensitization

SARA Superfund Amendments and Reauthorization Act of 1986

Skin Corr.Skin corrosionSkin Irrit.Skin irritationSkin Sens.Skin sensitization

STEL Short-Term Exposure Limit

STOT RESpecific target organ toxicity - repeated exposureSTOT SESpecific target organ toxicity - single exposureTCLPToxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act

Material name: W2102A-X SDS US