

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

PRODUCT NAME: MOXY ACID
PRODUCT USE: ACID CLEANER/WATER SPOT REMOVER
MANUFACTURER/SUPPLIER: MOXY PERFORMANCE
ADDRESS: 104 CHALLENGER CT SANFORD, FL 32771
COMPANY TELEPHONE NUMBER: (866) 524-0359
EMERGENCY RESPONSE NUMBER: 1-800-535-5053 (NORTH AMERICA)
+1-352-323-3500 (INTERNATIONAL)

SECTION 2: HAZARD(S) IDENTIFICATION

GHS CLASSIFICATION: HEALTH ENVIRONMENTAL

EYE EFFECTS – CATEGORY 2A
SKIN IRRITATION – CATEGORY 5
ACUTE TOXICITY – CATEGORY 5 (ORAL/DERMAL)
SKIN SENSITIZATION – N/A
MUTAGENICITY – N/A
CARCINOGENICITY – N/A
REPRODUCTIVE/DEVELOPMENTAL – N/A
TARGET ORGAN TOXICITY – N/A
TOXICITY – N/A
ASPIRATION HAZARD – N/A
ENVIRONMENTAL HAZARDS – N/A
HAZARDOUS TO THE AQUATIC ENVIRONMENT – N/A

PHYSICAL

FLAMMABLE LIQUID – N/A
EXPLOSIVES – N/A
FLAMMABLE GASES – N/A
FLAMMABLE AEROSOLS – N/A
OXIDIZING GASES – N/A
GASES UNDER PRESSURE – N/A
FLAMMABLE SOLID – N/A
SELF-REACTIVE SUBSTANCES – N/A
PYROPHORIC SOLIDS – N/A
SELF-HEATING SUBSTANCES – N/A
OXIDIZING LIQUIDS – N/A
OXIDIZING SOLIDS – N/A
ORGANIC PEROXIDES – N/A
CORROSIVE TO METAL – N/A
SUBSTANCES WHICH, IN CONTACT WITH
WATER EMIT FLAMMABLE GASSES – N/A

HAZARD STATEMENTS

WARNING!
H313 MAY BE HARMFUL IN CONTACT WITH SKIN
H316 CAUSES MILD SKIN IRRITATION
H320 CAUSES EYE IRRITATION

PICTOGRAM



PRECAUTIONARY STATEMENTS

P101 IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT OR LABEL AT HAND.

P102 KEEP OUT OF REACH OF CHILDREN

P103 READ LABEL BEFORE USE.

PREVENTION: P264 WASH THOROUGHLY AFTER HANDLING.

RESPONSE: P301 + P312 IF SWALLOWED: CALL A POISON CONTROL CENTER OR DOCTOR/PHYSICIAN. RINSE MOUTH.

P305 +P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P337+313 IF EYE IRRITATION PERSISTS GET MEDICAL ADVICE/ATTENTION.

PRECAUTIONARY STATEMENTS CONTI.

STORAGE AND DISPOSAL STATEMENTS:
P501 – DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL REGULATION.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

<u>COMPONENT</u>	<u>CAS NUMBER</u>	<u>PERCENTAGE</u>
WATER	7732-18-5	70-100%
ISOPROPYL ALCOHOL	67-63-0	≤ 1%
POLYDIMETHYL SILOXANE	63148-62-9	≤ 10%
CITRIC ACID	77-92-9	≤ 20%
POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER	60828-78-6	≤ 5%
FRAGRANCE	PROPRIETARY MIXTURE	< 1%
COLORANT	PROPRIETARY MIXTURE	< 1%

SECTION 4: FIRST AID MEASURES

EYE CONTACT: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF CLEAN WATER FOR AT LEAST 15 MINUTES, EYELIDS SHOULD BE HELD AWAY FROM THE EYEBALL TO ENSURE THOROUGH RINSING. IF ANY IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

SKIN CONTACT: RINSE AREA WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF ANY REDNESS OR IRRITATION PERSISTS

INHALATION: IF BREATHING IS DIFFICULT OR IRRITATING, MOVE TO FRESH AIR IMMEDIATELY. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION.

INGESTION: GET IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING UNLESS DIRECTED BY MEDICAL PERSONNEL.

SECTION 5: FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: USE DRY CHEMICAL, FOAM, OR CARBON DIOXIDE TO EXTINGUISH FIRE. WATER MAY BE INEFFECTIVE BUT SHOULD BE USED TO COOL FIRE-EXPOSED CONTAINERS, STRUCTURES AND TO PROTECT PERSONNEL. USE WATER TO DILUTE SPILLS AND TO FLUSH THEM AWAY FROM SOURCES OF IGNITION.

FIRE FIGHTING PROCEDURES: NO SPECIAL PROTECTIVE ACTION FOR FIRE FIGHTERS ARE ANTICIPATED.

UNUSUAL FIRE AND EXPLOSION: N/A

COMBUSTION PRODUCTS: N/A

SECTION 6: ACCIDENT RELEASE MEASURES

CONTAIN LARGE SPILLS WITH DIKES TO PREVENT ENTRY TO WATERWAYS AND SANITARY SEWERS AND TRANSFER THE MATERIAL TO APPROPRIATE CONTAINERS FOR RECLAMATION OR DISPOSAL. ABSORB/TRAP REMAINING MATERIAL OR SMALL SPILLS WITH INERT MATERIAL (DIRT, SAND, INDUSTRIAL ABSORBENT) AND THEN PLACE IN CHEMICAL WASTE CONTAINERS. FLUSH RESIDUAL SPILL AREA WITH LARGE AMOUNTS OF WATER. DISPOSE OF ALL CLEAN UP MATERIALS IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL HEALTH AND ENVIRONMENTAL REGULATIONS.

SECTION 7: HANDLING AND STORAGE

HANDLING: DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. USE GOOD PERSONAL HYGIENE PRACTICES. WASH HANDS BEFORE EATING, DRINKING, SMOKING. REMOVE CONTAMINATED CLOTHING AND CLEAN BEFORE RE-USE. KEEP AWAY FROM HEAT AND FLAME. KEEP OPERATING TEMPERATURES BELOW IGNITION TEMPERATURES AT ALL TIMES. CHEMICAL RESISTANT SPLASH GOGGLES AND CHEMICAL RESISTANT GLOVES ARE ALWAYS RECOMMENDED WHEN USING CHEMICALS.

STORAGE: KEEP CONTAINER TIGHTLY CLOSED IN A COOL, DRY, WELL-VENTILATED AREA AWAY FROM HEAT, SOURCE OF IGNITION AND INCOMPATIBLES.

DO NOT STORE BELOW 32 DEGREES F OR ABOVE 130 DEGREES F. DO NOT STORE IN DIRECT SUNLIGHT. KEEP AWAY FROM CHILDREN.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

EXPOSURE LIMITS: ISOPROPYL ALCOHOL 67-63-0

ACGIH	PEL	400ppm
ACGIH	TWA	200ppm
OSHA Z1	PEL	400 ppm – 980 mg/m3
OSHA Z1	TWA	400 ppm – 980 mg/m3
OSHA Z1	STEL	500 ppm – 1,225 mg/m3

EXPOSURE LIMITS: CITRIC ACID 77-92-9

ACGIH	PEL	NONE LISTED
ACGIH	TLV	NONE LISTED

Engineering Controls: N/A

Personal Protective Equipment (PPE): Eye Protection: Wear chemical safety goggles and face shield. Have eye-wash stations available where eye contact can occur.

Skin Protection: Avoid prolonged skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron. A safety shower should be located in the work area.

Respiratory Protection: N/A

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Flash point:	NO FLASH POINT	Lower Flammability Limit:	N/A
Auto-Ignition Temperature:	NO DATA AVAILABLE	Upper Flammability Limit:	N/A
Boiling Point:	≥ 95°C	Volatile Organic Compound:	N/A
Melting Point:	No data available	Volatile Organic Compound:	N/A
Vapor Pressure:	No data available	Evaporation Rate (Water=1):	N/A
Vapor Density (Air = 1):	No data available	Viscosity:	N/A
Solubility In Water:	Soluble in water	Ph:	6 ± .5
Pour Point:	Not available	Molecular Weight:	Mixture
Molecular Formula:	Mixture	Spec. Grav./Density:	8.090 lbs. /ga
Odor/Appearance:	Green Liquid/No Scent		

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: NONE

CHEMICAL STABILITY: STABLE

POSSIBILITY OF HAZARDOUS REACTIONS: HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

CONDITIONS TO AVOID: NONE

INCOMPATIBLE MATERIALS: STRONG ACIDS AND OXIDIZERS. HAZARDOUS DECOMPOSITION: NONE KNOW.

SECTION 11: TOXICOLOGICAL INFORMATION

SIGNS AND SYSTEMS OF EXPOSURE: BASED ON THE TEST DATA AND/OR INFORMATION ON THE COMPONENTS, THIS MATERIAL MAY PRODUCE THE FOLLOWING HEALTH EFFECTS:

INHALATION: RESPIRATORY TRACT IRRITATION. SYMPTOMS MAY INCLUDE COUGHING, SHORTNESS OF BREATH.

SKIN CONTACT: CAUSES IRRITATION TO SKIN. SYMPTOMS INCLUDE REDNESS, ITCHING, AND PAIN.

EYE CONTACT: HIGHLY IRRITATING; MAY ALSO BE ABRASIVE.

INGESTION: GASTROINTESTINAL IRRITATION: SYMPTOMS MAY INCLUDE NAUSEA, VOMITING AND DIARRHEA. EXTREME LARGE ORAL DOSAGES MAY PRODUCE GASTROINTESTINAL DISTURBANCES. CALCIUM DEFICIENCY IN BLOOD MAY RESULT IN SEVERE CASES OF INGESTION.

TARGET ORGAN TOXICITY: SINGLE EXPOSURE (GLOBALLY HARMONIZED SYSTEM): NO DATA AVAILABLE.

TARGET ORGAN TOXICITY: REPEATED EXPOSURE (GLOBALLY HARMONIZED SYSTEM): NO DATA AVAILABLE.

TOXICOLOGICAL DATA: IF A COMPONENT IS DISCLOSED IN SECTION 3 BUT DOES NOT APPEAR IN A TABLE BELOW, EITHER NO DATA IS AVAILABLE FOR THAT ENDPOINT OR THE DATA IS NOT SUFFICIENT FOR CLASSIFICATION.

NAME	ROUTE	SPECIES	VALUE
Polyethylene Glycol Trim	Oral	Rat	LD 50 3,300 mg/kg
Polyethylene Glycol Trim	Inhalation		No Data
Polyethylene Glycol Trim	Dermal	Rabbit	LD 50 : 8,874 mg/kg
Polydimethyl siloxane	Oral	Rat	LD 50 >5000 mg/kg
Polydimethyl siloxane	Inhalation		No Data
Polydimethyl siloxane	Dermal	Rat	LD 50 >2008 mg/kg
Isopropyl alcohol	Oral	Rat	LD50 > 2000 mg/kg
Isopropyl alcohol	Inhalation	Rat	LC 50 > 5000 mg/kg
Isopropyl alcohol	Dermal	Rabbit	LD50 > 2000 mg/kg
Citric Acid	Oral	Rat	3 mg/kg;
Citric Acid	Eye	Rabbit	750 ug/24H severe
Citric Acid	Dermal	Rabbit	500 mg/24H mild

SECTION 12: ECOLOGICAL INFORMATION**AQUATIC TOXICITY**

ACUTE AND PROLONGED TOXICITY TO FISH:

NO DATA

ACUTE TOXICITY TO AQUATIC INVERTEBRATES:

NO DATA

ENVIRONMENTAL FATE AND PATHWAYS

NO DATA

SECTION 13: DISPOSAL CONSIDERATIONS

WHATEVER CANNOT BE SAVED FOR RECOVERY OR RECYCLING SHOULD BE MANAGED IN AN APPROPRIATE AND APPROVED WASTE FACILITY. PROCESSING, USE OR CONTAMINATION OF THIS PRODUCT MAY CHANGE THE WASTE MANAGEMENT OPTIONS. STATE AND LOCAL DISPOSAL REGULATIONS MAY DIFFER FROM FEDERAL DISPOSAL REGULATIONS. DISPOSE OF CONTAINER AND UNUSED CONTENTS IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REQUIREMENTS.

SECTION 14: TRANSPORT INFORMATION

14: TRANSPORT INFORMATION PRODUCT IS NOT CLASSIFIED AS DANGEROUS FOR TRANSPORT.

14.1 UN NUMBER NOT APPLICABLE.

14.2 UN PROPER SHIPPING NAME NOT APPLICABLE.

14.3 TRANSPORT HAZARD CLASS(ES) NOT APPLICABLE.

14.4 PACKING GROUP NOT APPLICABLE.

14.5 ENVIRONMENTAL HAZARDS ENVIRONMENTALLY HAZARDOUS AND/OR MARINE POLLUTANT: NO

14.6 SPECIAL PRECAUTIONS FOR USER NOT APPLICABLE.

14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE

SECTION 15: REGULATORY INFORMATION

AMENDMENTS AND REAUTHORIZATION ACT OF 1986 TITLE III (EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986) SECTIONS 311 AND 312 311/312 HAZARD CATEGORIES:

FIRE HAZARD – NO, PRESSURE HAZARD – NO, REACTIVITY HAZARD – NO, IMMEDIATE HAZARD – YES, DELAYED HAZARD – NO

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 TITLE III (EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW

ACT OF 1986) SECTION 313

TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF THAT SECTION AND 40 CFR PART 372(EPCRA):

INGREDIENT C.A.S. NO % BY WT.

ALUMINUM OXIDE 1344-28-1 TRADE SECRET 10 – 20

COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT OF 1980 (CERCLA) SECTION 103 THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A CERCLA RQ

CALIFORNIA PROP. 65 THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

UNITED STATES TSCA INVENTORY (TSCA) ALL COMPONENTS OF THIS PRODUCT ARE IN COMPLIANCE WITH THE INVENTORY LISTING REQUIREMENTS OF THE U.S. TOXIC SUBSTANCES CONTROL ACT (TSCA) CHEMICAL SUBSTANCE INVENTORY.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200

SECTION 16: OTHER INFORMATION**NFPA HAZARDOUS CLASSIFICATION****HEALTH HAZARD: 1****FLAMMABILITY: 0****INSTABILITY: 0****SPECIAL HAZARD: NONE****REVISION INDICATOR: SDS REVISION #4 / ISSUED JULY 9, 2018**

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.