

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier CREAM COAT Premium Furniture Polish
Other means of identification 2007-2
Recommended use Furniture Polish
Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.
Address 401 N. 10th Street - Philadelphia, PA 19123
Telephone 1 (215) 922-1200
Supplier Email info@nclonline.com
Contact CHEM-TEL
Emergency Phone 1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

	Classification	Category
Physical Hazards	Flammable Aerosols	2
	Gases Under Pressure, Compressed Gas	
Health Hazards	Serious eye damage/eye irritation	2
OSHA defined hazards	Not Classified.	

Label Elements

Hazard Symbol



Signal Word Warning
Hazard Statement Contains gas under pressure; may explode if heated. Flammable aerosol. Causes eye irritation.

Precautionary statement

Prevention If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash hands thoroughly after handling. Wear eye and face protection.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage Protect from sunlight. Do not expose to temperatures exceeding 122°F/50°C. Store in a well-ventilated place.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Section 3 - Composition/Information on ingredients

Mixture

Hazardous Components	Ingredient Name	CAS #	%
	Petroleum Distillate	64742-47-8	1 - 15
	Butane	106-97-8	1 - 7
	Propane	74-98-6	1 - 7
	Fragrance	mixture*	1 - 3
	Diethanolamine	111-42-2	trace

Composition Comments The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4 - First-aid Measures

Inhalation Remove source of exposure or move person to fresh air and keep comfortable for breathing. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor. If breathing has stopped, trained personnel

SAFETY DATA SHEET

Skin contact	should begin rescue breathing or, if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). If you feel unwell/If concerned: Get medical advice/attention.
Eye contact	Wipe off with a towel. Wash with soap and water. Get medical attention if irritation persists. Rinse eyes cautiously with lukewarm, gently flowing water for 15 minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice/attention.
Ingestion	Ingestion is not a likely route of exposure. Get medical attention if you feel unwell.

Most Important symptoms or effects, acute and delayed

No data available.

Indication of immediate medical attention and special treatment needed

No data available.

General Information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media	Foam, alcohol foam, carbon dioxide, dry chemical, water fog.
Unsuitable extinguishing media	Water may be ineffective but can be used to cool containers exposed to heat or flame.
Specific hazards arising from the chemical	Closed containers may explode from internal pressure build-up when exposed to extreme heat and discharge contents. Liquid content of container will support combustion. Overexposure to decomposition products may cause a health hazard. Symptoms may not be readily apparent. Obtain medical attention. Hazardous decomposition products include carbon dioxide, carbon monoxide, and other toxic fumes.
Special protective equipment and precautions for firefighters	Wear goggles and use a self-contained breathing apparatus. If water is used, fog nozzles are preferred.
Fire-fighting equipment /instructions	Water may be used to cool containers to prevent pressure build-up and explosion when exposed to extreme heat.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.	Avoid breathing vapors. Ventilate area. Remove all sources of ignition. Wear safety glasses with side shields. Use of gloves approved from relevant standards that meet or are equivalent to OSHA 29 CFR 1910.132.
Methods and materials for containment and cleaning up	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Environmental precautions	Stop spill/release if it can be done safely.

Section 7 - Handling and storage

Precautions for safe handling	Do not puncture or incinerate (burn) cans. Do not stick pins, nails, or any other sharp objects into opening on top of can. Do not spray in eyes. Do not take internally. Use in a well-ventilated place.
Conditions for safe storage, including any incompatibilities	Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container.

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Butane (CAS 106-97-8)	TWA	1000 ppm	
Petroleum Distillate (CAS 64742-47-8)	TWA	100 ppm	
Propane (CAS 74-98-6)	PEL	1800 mg/m ³ , 1000 ppm	
Propane (CAS 74-98-6)	TWA	1000 ppm	

US. ACGIH Threshold Limit Values

Component	Type	Value	Form
Petroleum Distillate (CAS 64742-47-8)	TLV	200 mg/m ³	
Propane (CAS 74-98-6)	TLV	1000 ppm	
Butane (CAS 106-97-8)	TLV	1000 ppm	
Butane (CAS 106-97-8)	STEL	1000 ppm	
Diethanolamine (CAS 111-42-2)	CARCIN OGEN		Liver & Kidney Damage

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Butane (CAS 106-97-8)	TWA	1900 mg/m ³ , 800 ppm
Diethanolamine (CAS 111-42-2)	TWA	15 mg/m ³ , 3 ppm

SAFETY DATA SHEET

Propane (CAS 74-98-6)	TWA 1800 mg/m ³ , 1000 ppm
Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	Use personal protective equipment as required. Keep working clothes separately.
Appropriate engineering controls	Ventilation should be sufficient to prevent inhalation of any vapors.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields. Eyewash stations and showers should be available in areas where this material is used and stored.
Skin protection	
Hand protection	Use solvent-resistant protective gloves for prolonged or repeated contact.
Other	Wear suitable protective clothing.
Respiratory protection	Avoid breathing vapors. In restricted areas, use approved chemical/mechanical filters designed to remove a combination of particles and vapor. In confined areas, use an approved air line respirator or hood. A self-contained breathing apparatus is required for vapor concentrations above PEL/TLV limits.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance	Colorless liquid.
Physical state	Mixture packaged in pressurized aerosol spray can.
Form	Liquid.
Color	Colorless.
Odor	Lemon.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Slower than ethyl ether.
Flammability (solid, gas)	Flash Point below 73 °F /23 °C
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	2.1% estimated
Explosive limit - upper (%)	9.5% estimated
Vapor pressure	N/A
Vapor density	8.04 lb/gal
Relative density temperature	75 °F (23.9 °C)
Solubilities (water)	Soluble.
Partition Coefficient n-octanol/water	Not available
Auto-ignition temperature	450 °C
Decomposition temperature	Not Available
Viscosity	Not available.
Other Information	
VOC's	10%

Section 10 - Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	None known.
Conditions to Avoid	High temperatures
Incompatible materials	No data available.
Hazardous Decomposition Products	Hazardous decomposition products may include carbon dioxide, carbon monoxide and other toxic fumes.

SAFETY DATA SHEET

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion	May cause digestive tract irritation.
Inhalation	May cause respiratory tract irritation. Vapors may cause drowsiness and dizziness. This product may be aspirated into the lungs and cause chemical pneumonitis.
Skin contact	May cause skin irritation. Handling can cause dry skin.
Eye contact	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Information on toxicological effects.

Acute toxicity Based on available data, the classification criteria are not met.

Components	Level	Type	Code	Species	Results
Butane (CAS 106-97-8)	Acute	Inhalation	LC50	Mouse	52%, 120 minutes
	Acute	Inhalation	LC50	Mouse	1237 mg/l, 120 Minutes
	Acute	Inhalation	LC50	Rat	1355 mg/l
Propane (CAS 74-98-6)	Acute	Inhalation	LC50	Mouse	52%, 120 minutes
	Acute	Inhalation	LC50	Mouse	1237 mg/l, 120 Minutes
	Acute	Inhalation	LC50	Rat	1355 mg/l 658mg/l/4h

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/ eye irritation Causes eye irritation.

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Chronic effects Based on available data, the classification criteria are not met.

Section 12 - Ecological Information

Ecotoxicity Based on available data, the classification criteria are not met.

Persistence and degradability No data is available

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water log (Kow)

Components	Results
Propane (CAS 74-98-6)	2.36
Butane (CAS 106-97-8)	2.89

Mobility in soil No data available.

Other adverse effects No data available.

Section 13 - Disposal considerations

Disposal instructions Under RCRA, it is the responsibility of the user of the product, to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state, and local laws.

Waste from residues / unused products Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

Section 14 - Transport information

DOT

UN number	UN1950
Proper shipping name	Aerosols, flammable
Transport hazard class(es)	2.1
Packing group	Not Applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

SAFETY DATA SHEET

Labels required	None/Ninguno
Special provisions	N82
Packaging exemption	306
Packaging non bulk	None/Ninguno
Packaging bulk	None/Ninguno
IATA	
UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	2.1
Packaging group	Not Applicable.
Environmental hazards	No
Labels required	2.1
ERG Code	10L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other Information	
Passenger and Cargo aircraft	Allowed.
Cargo aircraft only	Allowed.
Packaging Exceptions	LTD QTY
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	2.1
Packaging group	Not Applicable.
Environmental hazards	No
Marine pollutant	
Labels required	None
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Packaging Exceptions	LTD QTY
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	Not applicable.
General Information	IMDG Regulated Marine Pollutant

Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)

Components	% by Weight	Comment
Petroleum Distillate (CAS 64742-47-8)	1 - 15	
Butane (CAS 106-97-8)	1 - 7	
Propane (CAS 74-98-6)	1 - 7	
Diethanolamine (CAS 111-42-2)	trace	

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Component	Result	Comment
Petroleum Distillate (CAS 64742-47-8)		
Propane (CAS 74-98-6)		

CERCLA Hazardous Substance List (40 CFR 302.4)

Components	Result
Diethanolamine (CAS 111-42-2)	LISTED

VOC List		CAS #	% by wt.
Chemical name			
Butane		106-97-8	1 - 7
Propane		74-98-6	1 - 7
Diethanolamine		111-42-2	trace
HAPS List		CAS #	% by wt.
Chemical name			
Diethanolamine		111-42-2	trace
ACGIH List		CAS #	% by wt.
Chemical name			
Petroleum Distillate		64742-47-8	1 - 15

SAFETY DATA SHEET

Butane	106-97-8	1 - 7
Propane	74-98-6	1 - 7
Diethanolamine	111-42-2	trace

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories	Immediate Hazard	Yes
	Delayed Hazard	No
	Fire Hazard	Yes
	Pressure Hazard	Yes
	Reactivity Hazard	No

SARA 302 Extremely hazardous substance	No
SARA 311/312 Hazardous chemical	Yes

SARA312 List	Chemical name	CAS #	% by wt.
	Petroleum Distillate	64742-47-8	1 - 15
	Butane	106-97-8	1 - 7
	Propane	74-98-6	1 - 7
	Diethanolamine	111-42-2	trace

SARA 313 (TRI reporting)

Chemical name	CAS #	% by wt.
Diethanolamine	111-42-2	trace

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Components
Diethanolamine (CAS 111-42-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components
Butane (CAS 106-97-8)
Propane (CAS 74-98-6)

US.New Jersey Worker and Community Right-to-Know Act Components
Butane (CAS 106-97-8)
Propane (CAS 74-98-6)

US.Pennsylvania RTK - Hazardous Substances Components
Butane (CAS 106-97-8)
Propane (CAS 74-98-6)

US.Rhode Island RTK Components
Butane (CAS 106-97-8)
Propane (CAS 74-98-6)

US - California Proposition 65



WARNING: WARNING: This product may contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCs)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances	No
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SAFETY DATA SHEET

Section 16 - Other information, including date of preparation or last version

Issue date 6/7/2023

Version # 01

HMIS Hazard Codes Health 1 Flammability 3 Physical Hazard 0 PPE A

Disclaimer The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.