



**World Class Cleaning Solutions®**

**EFFICACY DATA for  
SPRITZ RTU Sanitizer  
(EPA Reg. No. 1839-189)**

**SANITIZATION DATA:**

**Test Method:** AOAC Germicidal and Detergent Sanitizing Action of Disinfectants

**Test Conditions:** 200 ppm active quaternary, Ready-to-Use (RTU), 1 minute contact time

**Results:**

| Test Organism                                   | Sample | TOTAL BACTERIAL COUNTS/<br>% KILL vs. EXPOSURE TIME |         |            |         |
|-------------------------------------------------|--------|-----------------------------------------------------|---------|------------|---------|
|                                                 |        | 30 seconds                                          |         | 60 seconds |         |
|                                                 |        | TBC*                                                | % Kill† | TBC*       | % Kill† |
| <i>Salmonella typhi</i><br>(ATCC 6539)          | A      | <10                                                 | >99.999 | <10        | >99.999 |
|                                                 | B      | <10                                                 | >99.999 | <10        | >99.999 |
| <i>Shigella dysenteriae</i><br>(ATCC 12180)     | A      | <10                                                 | >99.999 | <10        | >99.999 |
|                                                 | B      | <10                                                 | >99.999 | <10        | >99.999 |
| <i>Campylobacter jejuni</i><br>(ATCC 29428)     | A      | 790                                                 | 99.999  | 410        | 99.999  |
|                                                 | B      | 780                                                 | 99.999  | 470        | 99.999  |
| <i>Escherichia coli</i><br>(ATCC 11229)         | A      | 990                                                 | 99.999  | 50         | 99.999  |
|                                                 | B      | 1070                                                | 99.999  | 95         | 99.999  |
|                                                 | C      | 1205                                                | 99.999  | 140        | 99.999  |
| <i>Escherichia coli</i> O157:H7<br>(ATCC 43895) | A      | 1220                                                | 99.999  | 110        | 99.999  |
|                                                 | B      | 1000                                                | 99.999  | 125        | 99.999  |
| <i>Listeria monocytogenes</i><br>(ATCC 35152)   | A      | 108                                                 | 99.999  | <10        | >99.999 |
|                                                 | B      | 1300                                                | 99.999  | 263        | 99.999  |
| <i>Staphylococcus aureus</i><br>(ATCC 6538)     | A      | 1285                                                | 99.999  | 205        | 99.999  |
|                                                 | B      | 1145                                                | 99.999  | 130        | 99.999  |
| <i>Yersinia enterocolitica</i><br>(ATCC 23715)  | A      | <10                                                 | >99.999 | <10        | >99.999 |
|                                                 | B      | <10                                                 | >99.999 | <10        | >99.999 |

\* TBC = Total Bacterial Count, cfu/ml

† % Kill calculated based on initial inoculum  
control count of  $86-180 \times 10^6$  cfu/ml.

**Conclusion:** Under the conditions of these investigations, Spritz Sanitizer demonstrated **sanitizing** activity on **food contact surfaces** against *Salmonella typhi* (ATCC 6539), *Shigella dysenteriae* (ATCC 12180), *Campylobacter jejuni* (ATCC 29428), *Escherichia coli* (ATCC 11229), *Escherichia coli* O157:H7 (ATCC 43895), *Listeria monocytogenes* (ATCC 35152), *Staphylococcus aureus* (ATCC 6538), and *Yersinia enterocolitica* (ATCC 23715) according to criteria established by the U. S. Environmental Protection Agency for registration and labeling of a disinfectant product as a sanitizer.



**World Class Cleaning Solutions®**

**SANITIZATION DATA (continued):**

**Test Method:** Sanitizer Test for Inanimate, Non-Food Contact Surfaces

**Test Conditions:** 200 ppm active quaternary  
Ready-to-Use (RTU)  
1 minute contact time  
5% soil load

**Results:**

| <u>Test Organism</u>                          | <u>Sample</u> | <u>Contact Time</u> | <u>Test Substance<br/>(CFU per Glass slide)</u> | <u>% Reduction</u> | <u>Control Substance<br/>(CFU per glass slide)</u> |
|-----------------------------------------------|---------------|---------------------|-------------------------------------------------|--------------------|----------------------------------------------------|
| <i>Enterobacter aerogenes</i><br>(ATCC 13048) | A             | 1 min.              | 300                                             | 99.9               | 5,000,000                                          |
|                                               |               | 3 min.              | <10                                             | >99.9              | 4,000,000                                          |
|                                               |               | 5 min.              | <10                                             | >99.9              | 3,000,000                                          |
|                                               | B             | 1 min.              | <10                                             | >99.9              | 5,000,000                                          |
|                                               |               | 3 min.              | <10                                             | >99.9              | 4,000,000                                          |
|                                               |               | 5 min.              | <10                                             | >99.9              | 3,000,000                                          |
|                                               | C             | 1 min.              | <10                                             | >99.9              | 5,000,000                                          |
|                                               |               | 3 min.              | <10                                             | >99.9              | 4,000,000                                          |
|                                               |               | 5 min.              | <10                                             | >99.9              | 3,000,000                                          |
| <i>Staphylococcus aureus</i><br>(ATCC 6538)   | A             | 1 min.              | <10                                             | >99.9              | 1,000,000                                          |
|                                               |               | 3 min.              | <10                                             | >99.9              | 800,000                                            |
|                                               |               | 5 min.              | <10                                             | >99.9              | 700,000                                            |
|                                               | B             | 1 min.              | <10                                             | >99.9              | 1,000,000                                          |
|                                               |               | 3 min.              | 100                                             | 99.9               | 800,000                                            |
|                                               |               | 5 min.              | <10                                             | >99.9              | 700,000                                            |
|                                               | C             | 1 min.              | <10                                             | >99.9              | 1,000,000                                          |
|                                               |               | 3 min.              | <10                                             | >99.9              | 800,000                                            |
|                                               |               | 5 min.              | <10                                             | >99.9              | 700,000                                            |

**Conclusion:** Under the conditions of these investigations, Spritz Sanitizer demonstrated **sanitizing** activity on **non-food contact surfaces** against *Enterobacter aerogenes* (ATCC 13048) and *Staphylococcus aureus* (ATCC 6538) according to criteria established by the U. S. Environmental Protection Agency for registration and labeling of a disinfectant product as a sanitizer.