according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

Olin Canada ULC (OCAP) encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

SECTION 1. IDENTIFICATION

Product name : Sodium Hydroxide Solution 30 - 54%

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Olin Canada ULC (OCAP)

Address : 1959 Upper Water Street, Suite 900

Halifax NS B3J 2X2 INFO@OLIN.COM

E-mail address : INFO@OLIN.COI 24-Hour Emergency Contact : +1 800 424 9300 Local Emergency Contact : 1 800-567-7455

Identified uses : Pulp and paper industry (pulping and bleaching, de-inking

waste paper, water treatment).

Textile industry (fiber processing and dyeing).

Soaps and detergents industry (saponification of fats and oils,

anionic surfactant manufacturing).

Bleach manufacturing.

Petroleum exploration and processing.

Aluminum production. Chemical processing. Waste neutralization. Acid gas scrubbing.

Neutralizing of acids and acid gases.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Corrosive to Metals : Category 1

Acute toxicity (Oral) : Category 4

Skin corrosion : Category 1B

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :





Signal Word : Danger

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

Hazard Statements : May be corrosive to metals.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

P234 Keep only in original packaging. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection/ hearing protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON

CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : Sodium Hydroxide

CAS-No. : 1310-73-2

Common Name/Synonym : No data available

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		
Sodium hydroxide	sodium hydrox-	1310-73-2	>= 30 - <= 54 *

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version SDS Number: Date of last issue: 01-10-2024 **Revision Date:** 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

	ide		
Water	water	7732-18-5	>= 46 - <= 70 *

Actual concentration or concentration range is withheld as a trade secret

SE

If inhaled	: Move person to fresh air; if effects occur, consult a physician.
In case of skin contact	 Immediate continued and thorough washing in flowing water for at least 20 minutes is imperative while removing contami- nated clothing. Prompt medical consultation is essential. Wash clothing before reuse. Properly dispose of leather items such as shoes, belts, and watchbands. Suitable emergency safety shower facility should be immediately available.
In case of eye contact	: Washing with water or saline is the only acceptable method of removal of caustic soda (lye) from the eyes and skin. You may have 10 seconds or less to avoid serious permanent injury. Eyes should be washed for a minimum of 20 minutes, preferably until seen by a medical professional, do not forget to remove contact lenses. The eyes should be tested for pH until neutral.
	Suitable emergency eye wash facility should be immediately available.
If swallowed	: Do not induce vomiting. Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Do not give anything by mouth unless the person is fully conscious.
Most important symptoms and effects, both acute and delayed Protection of first-aiders	 : Aside from the information found under Description of first aid measures (above), any additional important symptoms and effects are described in Section 11: Toxicology Information. : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	 Eye irrigation may be necessary for an extended period of time to remove as much caustic as possible. Duration of irrigation and treatment is at the discretion of medical personnel. Due to irritant properties, swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done. If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Treatment of exposure should be directed at the control of

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : This material does not burn. If exposed to fire from another

symptoms and the clinical condition of the patient.

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

source, use suitable extinguishing agent for that fire.

Unsuitable extinguishing

media

Do not use water.

Specific hazards during fire

fighting

Product reacts with water. Reaction may produce heat and/or

gases.

This reaction may be violent.

Violent steam generation or eruption may occur upon applica-

tion of direct water stream to hot liquids.

Hazardous combustion prod: :

ucts

Not applicable

Further information : Keep people away. Isolate fire and deny unnecessary entry.

Water is not recommended, but may be applied in large quantities as a fine spray when other extinguishing agents are not

available.

This material does not burn. Fight fire for other material that is

burning.

Special protective equipment :

for fire-fighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire

fighting helmet, coat, trousers, boots, and gloves).

Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote

location.

For protective equipment in post-fire or non-fire clean-up sit-

uations, refer to the relevant sections.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Evacuate area.

Only trained and properly protected personnel must be in-

volved in clean-up operations.

Refer to section 7, Handling, for additional precautionary

measures.

Keep upwind of spill.

Ventilate area of leak or spill.

See Section 10 for more specific information.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions : Prevent from entering into soil, ditches, sewers, waterways

and/or groundwater. See Section 12, Ecological Information.

Methods and materials for

containment and cleaning up

Contain spilled material if possible.

Small spills:

Dilute with water.

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

Large spills:

Dike area to contain spill.

Collect in suitable and properly labeled containers. Attempt to neutralize by adding materials such as

Acetic acid

See Section 13, Disposal Considerations, for additional infor-

mation.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not get in eyes, on skin, on clothing.

Do not swallow. Avoid breathing mist.

Wash thoroughly after handling.

Keep container closed.
Use with adequate ventilation.

ALWAYS add caustic soda solution to water with constant agitation. NEVER add water to the caustic soda solution.

2. The water should be lukewarm (27-38°C or 80-100°F).

NEVER start with hot or cold water. The addition of caustic soda to liquid will cause a rise in temperature. If caustic soda becomes concentrated in one area, is added too rapidly, or is added to hot or cold liquid, a rapid temperature increase can result in DANGEROUS mists, boiling or spattering which may

cause an immediate VIOLENT ERUPTION.

See Section 8, EXPOSURE CONTROLS AND PERSONAL

PROTECTION.

Conditions for safe storage : Keep container closed.

Do not store in:

Zinc. Aluminum. Brass. Tin

See Section 10 for more specific information.

Recommended storage tem-

perature

> 16 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Sodium hydroxide	1310-73-2	(c)	2 mg/m3	CA AB OEL
		С	2 mg/m3	CA BC OEL
		С	2 mg/m3	CA QC OEL
		С	2 mg/m3	ACGIH

Engineering measures : Use engineering controls to maintain airborne level below

exposure limit requirements or guidelines.

If there are no applicable exposure limit requirements or

guidelines, use only with adequate ventilation.

Local exhaust ventilation may be necessary for some opera-

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

tions.

Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a poten-

tial to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In misty atmospheres, use an approved particulate respirator.

Filter type : The following should be effective types of air-purifying respi-

rators: Particulate filter.

Hand protection

Material : Protective equipment only chosen according to specific regu-

latory requirements after a risk assessment.

Material : butyl-rubber

Material : Nitrile rubber

Material : Neoprene

Material : Viton®

Material : PVC

Remarks : NOTICE: The selection of a specific glove for a particular

application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Additional materials may be available, review glove manufac-

turers specifications for suitability.

Eye protection : Use chemical goggles.

Skin and body protection : Use protective clothing chemically resistant to this material.

Selection of specific items such as face shield, boots, apron,

or full body suit will depend on the task.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid above freezing point

Color : Colorless

Odor : Odorless

Odor Threshold : No test data available

pH : 14

Method: Literature

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

Boiling point/boiling range : Boiling point varies by dilution/concentration.

Flash point : Method: Literature

None

Evaporation rate : No test data available

Flammability (solid, gas) : No

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapor pressure : 23.67 mmHg (25 °C)

Method: Literature

Relative vapor density : Not applicable

Relative density : 1.353 - 1.528 (20 °C)

Method: Literature

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

No data available.

Autoignition temperature : Not applicable

Decomposition temperature : No test data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Method: No information available.

Explosive properties : No

Oxidizing properties : No

Molecular weight : No test data available

Note: These are the Reference Points for these Physical Properties listed above, unless otherwise noted in their respective Physical Property value information: Boiling Point at 760 mmHg; Evaporation Rate Butyl Acetate = 1; Relative Vapor Density Air = 1; and Relative Density Water = 1.

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10. STABILITY AND REACTIVITY

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

Reactivity : No specific data available.

Chemical stability : Stable under recommended storage conditions. See Storage,

Section 7.

Possibility of hazardous reac-

tions

Polymerization will not occur.

Conditions to avoid : Avoid moisture.

Product absorbs carbon dioxide from the air.

Incompatible materials : Heat is generated when mixed with water. Spattering and

boiling can occur.

Caustic soda solution reacts readily with various reducing sugars (i.e. fructose, galactose, maltose, dry whey solids) to produce CO. Take precautions including monitoring the tank atmosphere for CO to ensure safety of personnel before ves-

sel entry.

Avoid contact with:

Acids. Glycols.

Halogenated organics.
Organic nitro compounds.

Flammable hydrogen may be generated from contact with

metals such as:

Zinc. Aluminum. Tin. Brass.

Hazardous decomposition

products

Does not decompose.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Remarks: Moderate toxicity if swallowed.

Swallowing may result in burns of the mouth and throat. Swallowing may result in gastrointestinal irritation or ulcera-

tion.

Remarks: Single dose oral LD50 has not been determined.

Acute inhalation toxicity : Remarks: Mist may cause severe irritation of upper respiratory

tract (nose and throat).

Remarks: As product:

The LC50 has not been determined.

Acute dermal toxicity : Remarks: Prolonged skin contact is unlikely to result in ab-

sorption of harmful amounts.

Remarks: The dermal LD50 has not been determined.

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

Components:

Sodium hydroxide:

Acute oral toxicity : LD50 (Rabbit): 336 mg/kg

Method: Estimated.

Acute inhalation toxicity : Remarks: The LC50 has not been determined.

Acute dermal toxicity : Remarks: The dermal LD50 has not been determined.

Skin corrosion/irritation

Product:

Result : Causes burns.

Remarks : Brief contact may cause skin burns. Symptoms may include

pain, severe local redness and tissue damage.

Components:

Sodium hydroxide:

Result : Causes severe burns.

Remarks : Brief contact may cause severe skin burns. Symptoms may

include pain, severe local redness and tissue damage.

Serious eye damage/eye irritation

Product:

Remarks : Due to the pH of the material, it is assumed that exposure

may cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness.

Mist may cause eye irritation.

Components:

Sodium hydroxide:

Result : Corrosive

Remarks : May cause severe irritation with corneal injury which may re-

sult in permanent impairment of vision, even blindness. Chem-

ical burns may occur. Dust may irritate eyes.

Respiratory or skin sensitization

Product:

Remarks : For skin sensitization:

No relevant data found.

Remarks : For respiratory sensitization:

No relevant data found.

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

Components:

Sodium hydroxide:

Assessment : Does not cause skin sensitization.

Remarks : Did not cause allergic skin reactions when tested in humans.

Remarks : For respiratory sensitization:

No relevant data found.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: For the major component(s):

In vitro genetic toxicity studies were negative.

Components:

Sodium hydroxide:

Genotoxicity in vitro : Remarks: In vitro genetic toxicity studies were negative.

Carcinogenicity

Product:

Remarks : No relevant data found.

Components:

Sodium hydroxide:

Remarks : No relevant data found.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No relevant data found.

Effects on fetal development : Remarks: No relevant data found.

Components:

Sodium hydroxide:

Effects on fertility : Remarks: No relevant data found.

Effects on fetal development : Remarks: No relevant data found.

STOT-single exposure

Product:

Assessment : Material is corrosive. Material is not classified as a respiratory

irritant; however, upper respiratory tract irritation or corrosivity

may be expected.

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

Components:

Sodium hydroxide:

Assessment : Available data are inadequate to determine single exposure

specific target organ toxicity.

Repeated dose toxicity

Product:

Remarks : Based on available data, repeated exposures are not antici-

pated to cause additional significant adverse effects.

Components:

Sodium hydroxide:

Remarks : Based on available data, repeated exposures are not antici-

pated to cause additional significant adverse effects.

Aspiration toxicity

Product:

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

Components:

Sodium hydroxide:

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium hydroxide:

Toxicity to fish : Remarks: May increase pH of aquatic systems to > pH 10

which may be toxic to aquatic organisms.

Persistence and degradability

Components:

Sodium hydroxide:

Biodegradability : Remarks: Biodegradability is not applicable to inorganic sub-

stances.

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

Bioaccumulative potential

Components:

Sodium hydroxide:

Partition coefficient: n-

octanol/water

Remarks: No bioconcentration is expected because of the

relatively high water solubility.

Mobility in soil

Components:

Sodium hydroxide:

Distribution among environ-

mental compartments

Koc: 14

Method: Estimated.

Remarks: Potential for mobility in soil is very high (Koc be-

tween 0 and 50).

Other adverse effects

Components:

Sodium hydroxide:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE

MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS

MATERIAL.

THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED

CONDITION AS DESCRIBED IN MSDS SECTION: Composi-

tion Information.

All disposal practices must be in compliance with all Federal,

State/Provincial and local laws and regulations. Regulations may vary in different locations.

Waste characterizations and compliance with applicable laws

are the responsibility solely of the waste generator.

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND,

OR INTO ANY BODY OF WATER.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1824

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

Proper shipping name : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Labels : 8
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1824

Proper shipping name : Sodium hydroxide solution

Class : 8 Packing group : II

Labels : Corrosive

Packing instruction (cargo : 855

aircraft)

Packing instruction (passen- : 851

ger aircraft)

IMDG-Code

UN number : UN 1824

Proper shipping name : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Remarks : Stowage category AAlkalis

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 1824

Proper shipping name : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Labels : 8
ERG Code : 154
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

The ingredients of this product are reported in the following inventories:

TCSI : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

TSCA : All substances listed as active on the TSCA Inventory or are

not required to be listed.

AIIC : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

DSL : All substances contained in this product are listed on the Ca-

nadian Domestic Substances List (DSL) or are not required to

be listed.

ENCS : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

ISHL : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

KECI : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

PICCS : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

IECSC : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

NZIoC : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

CH INV : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

TECI: All intentional components are listed on the inventory, are

exempt, or are supplier certified.

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Further information


according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

NFPA 704:



Special hazard

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / C : Ceiling limit

CA AB OEL / (c) : ceiling occupational exposure limit

CA BC OEL / C : ceiling limit
CA QC OEL / C : Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

according to the Hazardous Products Regulations



Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01-10-2024 7.0 01-21-2025 10000001221 Date of first issue: 05-30-2018

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 01-21-2025 Date format : mm/dd/yyyy

Olin Canada ULC (OCAP) urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given.Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

CA / EN