

Issuing Date: 06-Jun-2019

Revision date 13-Jan-2025

Revision Number 2

## 1. IDENTIFICATION

Product Name	Dawn Professional Kitchen Surface Degreaser Concentrate CL
Product Code(s)	6-06
Product Identifier	91611582_PROF_NG
Product Type:	Finished Product - Professional
Recommended use	Multi-surface cleaning.
Restrictions on use	Use only as directed on label.
Manufacturer	Procter & Gamble Professional 1 P&G Plaza Cincinnati, Ohio 45202
	Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5
	1-800-332-7787
E-mail Address	pgsds.im@pg.com
Emergency Telephone	Transportation (24 HR) CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

## 2. HAZARD IDENTIFICATION

This product is classified under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

<b>Hazard category</b>	
Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Subcategory	Sub-category B
Eye Damage / Irritation	Category 1
Corrosive to metals	Category 1
Signal word	Danger

<b>Hazard statements</b>	Causes severe skin burns and eye damage
	Harmful if swallowed

<b>Physical hazards</b>	May be corrosive to metals
<b>Hazard pictograms</b>	



**Precautionary Statements**

Do not breathe mist  
Wash hands thoroughly after handling  
p80  
Use with ventilation.  
Do not eat, drink or smoke when using this product  
P234 - Keep only in original container  
P390 - Absorb spillage to prevent material damage  
P406 - Store in corrosive resistant polyethylene container with a resistant liner

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
Immediately call a POISON CENTER or doctor/physician  
If swallowed:  
Rinse with plenty of water  
Drink 1 or 2 glasses of water  
Call a POISON CENTER or doctor/physician if you feel unwell  
IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

**Precautionary Statements - Storage** None

**Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant. Keep only in original container.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Chemical name	Synonyms	Trade Secret	CAS No.	Weight-%
C12-16 Pareth-n	Alcohols, C12-16, Ethoxylated	Yes	68551-12-2	1 - 5
Sodium Hydroxide	Sodium Hydroxide	Yes	1310-73-2	1 - 5
Ethanolamine	Ethanolamine	Yes	141-43-5	1 - 5
Sodium Cumenesulfonate	Benzenesulfonic acid, (1-methylethyl)-, sodium salt (1:1)	Yes	28348-53-0	0.5 - 1.5

**Additional information**

Actual concentrations withheld as trade secret in accordance with Canadian HPR

### 4. FIRST AID MEASURES

**Description of first aid measures**

<b>Eye contact</b>	Rinse with plenty of water. Immediately call a doctor.
<b>Skin contact</b>	Rinse with plenty of water. Call a physician if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur.
<b>Inhalation</b>	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician or poison control center immediately.

**Most important symptoms/effects, acute and delayed** Risk of serious damage to eyes May cause burns

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Dry chemical, CO <sub>2</sub> , alcohol-resistant foam or water spray.
Unsuitable Extinguishing Media	None.
Special Hazard	None known.
Special protective equipment for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Special Provisions	None.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.
Advice for emergency responders	Use personal protective equipment as required.
Environmental precautions	Should not be released into the environment

### Methods and material for containment and cleaning up

Methods for containment	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling	Use personal protective equipment as required. Keep container closed when not in use. Never return spills in original containers for re-use. Keep out of the reach of children.
-------------------------	---

### Conditions for safe storage, including any incompatibilities

Storage Conditions	Store in corrosive resistant container. Storage in aluminum, unlined carbon steel or 304 stainless steel is not recommended. Do not store in copper, zinc, aluminum, copper alloy, zinc alloy or aluminum alloy containers. Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible Materials	May be corrosive to metals
Incompatible products	Metals.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### Exposure Guidelines

Chemical name	CAS No.	ACGIH TLV	OSHA PEL	Mexico
---------------	---------	-----------	----------	--------

Sodium Hydroxide	1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	VLE-P: 2 mg/m <sup>3</sup>
Ethanolamine	141-43-5	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm TWA: 6 mg/m <sup>3</sup> (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m <sup>3</sup> (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m <sup>3</sup>	VLE-PPT: 3 ppm VLE-CT: 6 ppm

Chemical name	CAS No.	Alberta	Quebec	Ontario TWAEV	British Columbia
Sodium Hydroxide	1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	CEV: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Ethanolamine	141-43-5	TWA: 3 ppm TWA: 7.5 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>	TWA: 3 ppm TWA: 7.5 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm STEL: 6 ppm

No relevant exposure guidelines for other ingredients

#### **Appropriate engineering controls**

##### **Engineering Measures**

##### **Distribution and Workplace settings:**

Ensure adequate ventilation

**Product Manufacturing Plant (needed at Product-Producing Plant ONLY):**  
Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction

#### **Personal protective equipment**

##### **Eye Protection**

##### **Distribution and Workplace settings:**

Requires Eye Protection

**Product Manufacturing Plant (needed at Product-Producing Plant ONLY):**  
Wear safety glasses with side shields (or goggles)  
If splashes are likely to occur, wear:  
Tight sealing safety goggles

##### **Hand Protection**

##### **Distribution and Workplace settings:**

Protective gloves

**Product Manufacturing Plant (needed at Product-Producing Plant ONLY):**  
Protective gloves

##### **Skin and Body Protection**

##### **Distribution and Workplace settings:**

Wear suitable protective clothing

**Product Manufacturing Plant (needed at Product-Producing Plant ONLY):**  
Wear suitable protective clothing

##### **Respiratory Protection**

##### **Distribution and Workplace settings:**

No special protective equipment required

**Product Manufacturing Plant (needed at Product-Producing Plant ONLY):**  
In case of inadequate ventilation wear respiratory protection

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

##### **Physical state**

Liquid

<b>Appearance</b>	clear purple	
<b>Color</b>	No information available	
<b>Odor</b>	Scented	
<b>Odor threshold</b>	No information available	
<b>Property</b>	<b>Values</b>	<b>Remarks</b>
pH	13.6	
<b>Melting point / freezing point</b>	No information available	
<b>Initial boiling point and boiling range</b>	No information available	
<b>Flash point</b>	> 94.1 °C / > 201.4 °F	Closed cup. Does not sustain combustion.
<b>Evaporation rate</b>	No information available	
<b>Flammability</b>	No information available	
<b>Flammability Limit in Air</b>		
<b>Upper flammability or explosive limits</b>	No information available	
<b>Lower flammability or explosive limits</b>	No information available	
<b>Vapor pressure</b>	No information available	
<b>Relative vapor density</b>	No information available	
<b>Relative density</b>	No information available	
<b>Water solubility</b>	No information available	
<b>Partition coefficient</b>	No information available	
<b>Autoignition temperature</b>	No information available	.
<b>Decomposition temperature</b>	No information available	.
<b>Viscosity</b>	No information available	

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	None under normal use conditions.
<b>Stability</b>	Stable under normal conditions.
<b>Hazardous polymerization</b>	Hazardous polymerization does not occur.
<b>Hazardous Reactions</b>	None under normal processing.
<b>Conditions to Avoid</b>	None under normal processing.
<b>Incompatible Materials</b>	None in particular.
<b>Hazardous decomposition products</b>	None under normal use conditions.

## 11. TOXICOLOGICAL INFORMATION

### Product Information

#### Information on likely routes of exposure

<b>Inhalation</b>	No known effect.
<b>Skin contact</b>	May cause burns.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Eye contact</b>	Risk of serious damage to eyes.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Acute toxicity</b>	May be harmful if swallowed.
<b>Skin corrosion/irritation</b>	Causes severe burns.
<b>Serious eye damage/eye irritation</b>	Risk of serious damage to eyes.
<b>Skin sensitization</b>	No known effect.
<b>Respiratory sensitization</b>	No known effect.
<b>Germ cell mutagenicity</b>	No known effect.
<b>Reproductive toxicity</b>	No known effect.
<b>Developmental toxicity</b>	No known effect.

<b>STOT - single exposure</b>	No known effect.
<b>STOT - repeated exposure</b>	No known effect.
<b>Aspiration hazard</b>	No known effect.
<b>Carcinogenicity</b>	No known effect.

**Component Information**

Chemical name	CAS No.	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hydroxide	1310-73-2	&&	&&	&&
Ethanolamine	141-43-5	1089 mg/kg (RAT)	2504 mg/kg (RABBIT)	1.487 mg/L (RAT)
Sodium Cumenesulfonate	28348-53-0	7001 mg/kg (RAT)	5001 mg/kg (RAT)	771 mg/L (RAT)

**12. ECOLOGICAL INFORMATION****ecotoxicity**

The product is not expected to be hazardous to the environment.

**Persistence and degradability** No information available.

**Bioaccumulative potential**

**Mobility** No information available.

**Other adverse effects** No information available.

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

**Waste from Residues/Unused Products** Products covered by this SDS, in their original form, when disposed as waste, are corrosive hazardous waste, D002, according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations.

**Contaminated packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Codes** 331  
(non-household setting)

**14. TRANSPORT INFORMATION**

The shipper is responsible for identifying any exemptions, including Limited Quantity, that may apply based on package size.

**DOT**

<b>UN number or ID number</b>	UN1760
<b>Proper shipping name</b>	CORROSIVE LIQUIDS, N.O.S.
<b>Description</b>	UN1760, CORROSIVE LIQUIDS, N.O.S. (Sodium Hydroxide, Ethanolamine), 8, III
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	III
<b>Packaging Exceptions</b>	154
<b>Bulk packaging</b>	241
<b>Non-bulk Packaging</b>	203
<b>Emergency Response Guide Number</b>	154

The shipper is responsible for identifying any exemptions, including Limited Quantity, that may apply based on package size

**IMDG**

<b>UN number or ID number</b>	UN1760
<b>UN proper shipping name</b>	CORROSIVE LIQUID, N.O.S.
<b>Description</b>	UN1760, CORROSIVE LIQUID, N.O.S. (Sodium Hydroxide, Ethanolamine), 8, III

**Transport hazard class(es)** 8  
**Packing group** III  
**EmS-No.** F-A, S-B

The shipper is responsible for identifying any exemptions, including Limited Quantity, that may apply based on package size.

**IATA**

<b>UN number or ID number</b>	UN1760
<b>UN proper shipping name</b>	CORROSIVE LIQUID, N.O.S.
<b>Description</b>	UN1760, CORROSIVE LIQUID, N.O.S. (Sodium Hydroxide, Ethanolamine), 8, III
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	III

## 15. REGULATORY INFORMATION

### U.S. FEDERAL REGULATIONS

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	CAS No.	Hazardous Substances RQs	Extremely Hazardous Substances RQs	CERCLA/SARA 302 TPQ
Sodium Hydroxide	1310-73-2	1000 lb	-	

#### **Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CAS No.	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide	1310-73-2	1000 lb	-	-	X

#### **U.S. State Regulations (RTK)**

Chemical name	CAS No.	New Jersey
Sodium Hydroxide	1310-73-2	X
Ethanolamine	141-43-5	X

  

Chemical name	CAS No.	Massachusetts
Sodium Hydroxide	1310-73-2	X
Ethanolamine	141-43-5	X

  

Chemical name	CAS No.	Pennsylvania
Sodium Hydroxide	1310-73-2	X
Ethanolamine	141-43-5	X

  

Chemical name	CAS No.	Rhode Island
Sodium Hydroxide	1310-73-2	X

#### **California Proposition 65**

This product is not subject to warning labeling under California Proposition 65.

### International Inventories

#### **United States**

All intentionally-added components of this product(s) are listed on the US TSCA Inventory

#### **Canada**

This product is in compliance with CEPA for import by P&G

#### Legend

United States Toxic Substances Control Act Section 8(b) Inventory (TSCA)

**CEPA** - Canadian Environmental Protection Act

### **16. OTHER INFORMATION**

**Issuing Date:** 06-Jun-2019

**Revision date** 13-Jan-2025

#### **Disclaimer.**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**