



US0D1088862S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,088,862 S**
Tan (45) **Date of Patent:** **** Aug. 19, 2025**

(54) **TAMPER EVIDENT SEALABLE BAG WITH NOTE TAB**

(71) Applicant: **PAN PACIFIC PLASTICS MFG., INC.**, Hayward, CA (US)

(72) Inventor: **Hin Siang Michael Tan**, Danville, CA (US)

(73) Assignee: **PAN PACIFIC PLASTICS MFG., INC.**, Hayward, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/878,985**

(22) Filed: **Jun. 29, 2023**

Related U.S. Application Data

(63) Continuation of application No. 18/316,740, filed on May 12, 2023.

(51) **LOC (15) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/431; D9/704**

(58) **Field of Classification Search**
USPC D9/702-714, 719, 738-740, 517-518,
D9/522, 416, 435, 444, 460, 455, 414,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,128,196 A 8/1938 Vogel
3,811,613 A 5/1974 Harrison
(Continued)

FOREIGN PATENT DOCUMENTS

CN 2347943 11/1999
DE 29500157 2/1995
(Continued)

OTHER PUBLICATIONS

Tan, Design U.S. Appl. No. 29/909,999, filed Aug. 14, 2023.
Tan, Design U.S. Appl. No. 29/910,513, filed Aug. 21, 2023.

Primary Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Beyer Law Group LLP

(57) **CLAIM**

The ornamental design for a tamper evident sealable bag with note tab substantially as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the tamper evident sealable bag assembly with note tab showing my new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a rear perspective view thereof with the bag moved to a closed condition, and a protective strip of the sealable portion of the bag shown in a partially peeled condition to expose an adhesive;

FIG. 4 is a rear perspective view thereof with bag moved to a sealed condition, and illustrating a note, shown in dash-dot-dot-dash lines, positioned at a front side of the bag for adherence thereto, via a note tab;

FIG. 5 is a rear perspective view thereof, illustrating the note adhered between the note tab and the front side of the bag;

FIG. 6 is a front perspective view of FIG. 5, a pull tab of the sealable portion of the bag shown in a partially peeled condition;

FIG. 7 is an exploded, rear perspective view thereof, the pull tab of the sealable portion in a fully peeled condition to open the bag from the sealed condition;

FIG. 8 is a front view of FIG. 1;

FIG. 9 is a rear view thereof;

FIG. 10 is a right side view, the left side view being a mirror image thereof;

FIG. 11 is an interior view of a front sheet-like panel of the tamper evident sealable bag, taken along the plane of the line 11-11 in FIG. 10;

FIG. 12 is a top view thereof;

FIG. 13 is a bottom view thereof;

(Continued)




FIG. 14 is a front view of an upper portion of the tamper evident sealable bag of FIG. 1;

FIG. 15 is a rear view thereof;

FIG. 16 is a right side view, the left side view being a mirror image thereof;

FIG. 17 is an interior view of a front sheet-like panel of the sealable bag, taken along the plane of the line 17-17 in FIG. 16;

FIG. 18 is a top view thereof; and,

FIG. 19 is a bottom view thereof.

The broken lines in the Figures show portions of the sealable bag which form no part of the claimed design.

The dash-dot-dash lines show unclaimed perforations for the pull tab.

The dash-dot-dot-dash lines in FIGS. 4, 5, and 7 show a note (e.g., receipt) adhered between the note tab and the bag. The receipt is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

The shade lines in the Figures show contours and not surface ornamentation.

The break-away portion shown using dashed lines in FIGS. 14, 15, 17, 18 and 19 are included to show that the sealable bag has no specific length.

1 Claim, 17 Drawing Sheets

(52) U.S. Cl.

CPC *B65D 77/14* (2013.01); *B65D 31/10* (2013.01); *B65D 33/004* (2013.01); *B65D 33/12* (2013.01); *B65D 33/18* (2013.01); *B65D 33/34* (2013.01); *B65D 2401/15* (2020.05)

(58) Field of Classification Search

USPC D9/499, 431–432; D7/560–562; 206/434, 426–427, 429–430, 485, 485.1, 206/499, 508, 431, 418–422, 588–594; 229/117.3, 185, 121, 122, 200, 207, 236, 229/87.01; 220/23.83; 150/100–118; 294/137, 152; 383/6, 10, 14, 20, 40, 33, 383/104–105, 117, 108, 120, 93, 121.1, 383/127; 428/34.3
CPC B65D 33/00; B65D 33/06; B65D 33/065; B65D 33/14; B65D 33/1683; B65D

33/12; B65D 31/00; B65D 31/04; B65D 31/10; A45C 3/04; A45C 3/10

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D319,780 S	9/1991	Laaki	
5,352,041 A	10/1994	Fullerton	
5,608,949 A	3/1997	Cooley et al.	
D501,134 S	1/2005	Takahashi	
D597,832 S	8/2009	Bischoff et al.	
9,630,748 B2	4/2017	Keller	
D801,826 S	11/2017	O'Connor et al.	
D811,896 S	3/2018	Wigman	
D812,490 S	3/2018	Wigman	
D821,223 S	6/2018	Tan	
D828,763 S	9/2018	Tan	
D830,849 S	10/2018	Tan	
D864,752 S	10/2019	Tan	
10,913,578 B2	2/2021	Tan	
D929,238 S	8/2021	Chen et al.	
D941,677 S	1/2022	Chen et al.	
D953,878 S *	6/2022	Palican	D9/705
11,377,264 B2	7/2022	Tan	
D964,179 S	9/2022	Tan	
D964,858 S	9/2022	Tan	
D968,232 S	11/2022	Tan	
D985,932 S *	5/2023	Massé	D3/246
D1,037,866 S *	8/2024	Israel	D9/704
2006/0072855 A1	4/2006	Shaw	
2007/0292053 A1	12/2007	Lin	
2017/0166358 A1	6/2017	Chandaria	
2019/0112116 A1	4/2019	Su et al.	
2023/0365314 A1	11/2023	Tan	

FOREIGN PATENT DOCUMENTS

DE	102009007985	2/2010
EP	0515086	11/1992
EP	3623316	3/2020
GB	2382562	6/2003
JP	01254557	10/1989
JP	H02-13001 U	1/1990
JP	H02-031846	7/1990
JP	H05-042035 Y	10/1993
JP	2017061324	3/2017
JP	2017186073	10/2017
KR	10-1935325	12/2018

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19