

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12393983
Kind Code	B2
Date of Patent	August 19, 2025
Inventor(s)	Foygel; Alexander V. et al.

Prioritization of trade order processing in electronic trading

Abstract

Various systems and methods for trade order processing in an electronic trading environment are provided. According to one or more embodiments, two or more trade orders are currently queued for execution at one or more electronic exchanges and are to be modified at substantially the same time. Each trade order is processed according to a priority based on each order's proximity to a particular market price, for example.

Inventors: Foygel; Alexander V. (Highland Park, IL), Mittal; Bharat (Schaumburg, IL)

Applicant: TRADING TECHNOLOGIES INTERNATIONAL INC. (Chicago, IL)

Family ID: 1000008764455

Assignee: TRADING TECHNOLOGIES INTERNATIONAL, INC. (Chicago, IL)

Appl. No.: 18/314894

Filed: May 10, 2023

Prior Publication Data

Document Identifier	Publication Date
US 20230281718 A1	Sep. 07, 2023

Related U.S. Application Data

continuation parent-doc US 17549684 20211213 US 11688008 child-doc US 18314894
continuation parent-doc US 16905413 20200618 US 11238536 20220201 child-doc US 17549684
continuation parent-doc US 15637911 20170629 US 10726480 20200728 child-doc US 16905413
continuation parent-doc US 12492536 20090626 US 9727913 20170808 child-doc US 15637911

Publication Classification

Int. Cl.: G06Q40/04 (20120101)

U.S. Cl.:

CPC G06Q40/04 (20130101);

Field of Classification Search

CPC: G06Q (40/04)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
4682284	12/1986	Schrofer	N/A	N/A
5459839	12/1994	Swarts et al.	N/A	N/A
5613204	12/1996	Haberman	455/434	H04W 48/18
5790952	12/1997	Seazholtz	370/349	H04W 8/18
6536037	12/2002	Guheen	703/2	G06F 8/71
7019640	12/2005	Canich et al.	N/A	N/A
7020632	12/2005	Kohls	705/37	G06Q 40/06
7113924	12/2005	Fishbain	705/37	G06Q 40/06
7124110	12/2005	Kemp, II et al.	N/A	N/A
7197483	12/2006	Brady et al.	N/A	N/A
7437325	12/2007	Kemp, II et al.	N/A	N/A
7461009	12/2007	Haulk et al.	N/A	N/A
7523064	12/2008	Burns	705/37	G06Q 40/06
7613647	12/2008	Cushing	705/37	G06Q 40/04
7747513	12/2009	Duquette et al.	N/A	N/A
7801129	12/2009	Batteram et al.	N/A	N/A
7840482	12/2009	Singla	705/37	G06Q 40/06
7933830	12/2010	Buck	705/37	G06Q 40/04
7945508	12/2010	Duquette et al.	N/A	N/A
7980457	12/2010	Kaminsky et al.	N/A	N/A
8069106	12/2010	Waelbroeck	705/37	G06Q 40/04
8090641	12/2011	Monroe	N/A	N/A
8275697	12/2011	Monroe	N/A	N/A
8380575	12/2012	Foygel et al.	N/A	N/A
8380610	12/2012	Nagle	705/37	G06Q 40/04
8626637	12/2013	Gooch	705/37	G06Q 40/04
9727913	12/2016	Foygel et al.	N/A	N/A
10121199	12/2017	McGovern et al.	N/A	N/A
10402902	12/2018	Isaacson	N/A	G06Q 40/04
10726480	12/2019	Foygel et al.	N/A	N/A
10776867	12/2019	Foygel et al.	N/A	N/A
11238536	12/2021	Foygel et al.	N/A	N/A
2002/0082967	12/2001	Kaminsky	705/37	G06Q 40/04
2003/0236737	12/2002	Kemp, II et al.	N/A	N/A
2004/0233055	12/2003	Canich et al.	N/A	N/A

2005/0228743	12/2004	Warsaw	705/37	G06Q 40/04
2006/0015436	12/2005	Burns	705/37	G06Q 40/04
2006/0085320	12/2005	Owens	705/37	G06Q 40/06
2007/0233593	12/2006	Claus et al.	N/A	N/A
2007/0253412	12/2006	Batteram et al.	N/A	N/A
2007/0265954	12/2006	Mather	705/37	G06F 3/0481
2007/0294157	12/2006	Singla	705/36R	G06Q 40/04
2008/0097887	12/2007	Duquette et al.	N/A	N/A
2008/0115079	12/2007	Mather	705/36R	G06Q 40/04
2008/0162378	12/2007	Levine	705/37	G06Q 40/04
2008/0208734	12/2007	Kaminsky	705/37	G06Q 40/03
2008/0275806	12/2007	Raitsev	705/37	G06Q 10/087
2008/0288391	12/2007	Downs et al.	N/A	N/A
2009/0055306	12/2008	Hirani	705/37	G06Q 40/06
2009/0089199	12/2008	Waelbroeck et al.	N/A	N/A
2009/0132409	12/2008	Lutnick	705/37	G06Q 40/04
2009/0164233	12/2008	Arnold et al.	N/A	N/A
2009/0187502	12/2008	Tully et al.	N/A	N/A
2009/0292637	12/2008	Taylor	705/37	G06Q 30/0283
2010/0138334	12/2009	Warsaw	705/37	G06Q 40/04
2010/0145843	12/2009	Janowski	705/37	G06Q 40/04
2010/0228833	12/2009	Duquette et al.	N/A	N/A
2010/0238839	12/2009	Batteram et al.	N/A	N/A
2010/0332367	12/2009	Foygel	705/37	G06Q 40/04
2011/0040669	12/2010	Lee et al.	N/A	N/A
2011/0145125	12/2010	Foygel et al.	N/A	N/A
2011/0184849	12/2010	Duquette et al.	N/A	N/A
2011/0238556	12/2010	Harmaty et al.	N/A	N/A
2012/0066115	12/2011	Monroe	N/A	N/A
2013/0138549	12/2012	Foygel et al.	N/A	N/A
2017/0301020	12/2016	Foygel et al.	N/A	N/A
2020/0320626	12/2019	Foygel et al.	N/A	N/A
2020/0380602	12/2019	Foygel et al.	N/A	N/A

OTHER PUBLICATIONS

Electronic Trading in Financial Markets, by Terrence Hendershott , IEEE (Year: 2003). cited by examiner

Limit order placement across multiple exchanges IEEE (Year: 2012). cited by examiner

Austrian Patent Office Search and Examination Report in Singapore, Application No. 201108943-0 mailed Mar. 5, 2013. cited by applicant

Chiu, I. H-Y., “Securities Intermediaries in the Internet Age and the Traditional Principal-Agent Model of Regulation: Some Observations from European Union Securities Regulation,” *Virginia Law & Business Review*, Fall 2007, vol. 2, No. 2, pp. 307-361. cited by applicant

Hendershott, T., “Electronic Trading in Financial Markets” IT Pro July I Aug. 2003 pp. 10-14 (Year: 2003). cited by applicant

International Preliminary Report on Patentability, mailed Jan. 12, 2012, for International Application No. PCT/US10/37106. cited by applicant

International Search Report of International Application No. PCT/US2010/037106 mailed Jul. 30, 2010. cited by applicant

Kalagnanam, J. and D.C. Parkes. “Chapter 1: Auctions, Bidding and Exchange Design”, In

Handbook of Quantitative Supply Chain Analysis: Modeling in the E-Business Era, Eds. Simchi-Levi, S.D. and Z.S. Wu, Boston: Kluwer, 2004, pp. 143-212. [Retrieved on Oct. 18, 2012] from the Internet: <http://nrs.harvard.edu/urn-3:HUL.InstRepos:4045845>. cited by applicant

U.S. Appl. No. 12/492,536, Final Office Action mailed Jan. 23, 2012. cited by applicant

U.S. Appl. No. 12/492,536, Non-Final Office Action mailed Sep. 9, 2011. cited by applicant

U.S. Appl. No. 12/492,536, Non-Final Office Action mailed Jun. 5, 2014. cited by applicant

U.S. Appl. No. 12/492,536, Final Office Action mailed Nov. 25, 2014. cited by applicant

U.S. Appl. No. 12/492,536, Notice of Allowance mailed Apr. 4, 2017. cited by applicant

U.S. Appl. No. 12/637,971, Non-Final Office Action mailed Sep. 19, 2011. cited by applicant

U.S. Appl. No. 12/637,971, Non-Final Office Action mailed Apr. 20, 2012. cited by applicant

U.S. Appl. No. 12/637,971, Notice of Allowance mailed Nov. 2, 2012. cited by applicant

U.S. Appl. No. 13/745,287, Non-Final Office Action mailed Feb. 2, 2015. cited by applicant

U.S. Appl. No. 13/745,287, Final Office Action mailed Sep. 15, 2015. cited by applicant

U.S. Appl. No. 13/745,287, Non-Final Office Action mailed Dec. 16, 2016. cited by applicant

Primary Examiner: Ebersman; Bruce I

Attorney, Agent or Firm: McDonnell Boehnen Hulbert & Berghoff LLP

Background/Summary

CROSS REFERENCE TO RELATED APPLICATIONS (1) This application is a continuation of U.S. patent application Ser. No. 17/549,684, filed Dec. 13, 2021, which is a continuation of U.S. patent application Ser. No. 16/905,413, filed Jun. 18, 2020, now U.S. Pat. No. 11,238,536, which is a continuation of U.S. patent application Ser. No. 15/637,911, filed Jun. 29, 2017, now U.S. Pat. No. 10,726,480, which is a continuation of U.S. patent application Ser. No. 12/492,536, filed Jun. 26, 2009, now U.S. Pat. No. 9,727,913, entitled "Prioritization of Trade Order Processing in Electronic Trading," the contents of each of which are fully incorporated herein by reference for all purposes.

BACKGROUND

(1) The present invention is directed towards electronic trading. More particularly, embodiments of the present invention are directed towards trade order processing.

(2) An electronic trading system provides for electronically matching orders to buy and sell items to be traded. The items may include, for example, stocks, options, and commodities. Typically, an electronic exchange in the electronic trading system is used to match the orders. In addition, the electronic exchange provides market data to various client devices in the electronic trading system used by traders to place the orders. For example, the electronic exchange may provide market data such as prices for various items available for trading and trade confirmations indicating what trades have occurred at what quantities and/or prices. An example of an electronic exchange is the CME® Globex® electronic trading platform, which is offered by the Chicago Mercantile Exchange (CME).

(3) Oftentimes, multiple trade orders may be queued for execution at an electronic exchange. These trade orders might require modification of some sort, even at substantially the same time. It is important then to provide tools that are related to processing the modification of orders.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) Example embodiments are described herein with reference to the following drawings.
- (2) FIG. 1 illustrates an example electronic trading system in which certain embodiments may be employed.
- (3) FIG. 2 illustrates a flowchart of a process for determining priority of processing two or more trade orders according to certain embodiments.
- (4) FIG. 3 illustrates a system for use in electronic trading using a technique according to certain embodiments.
- (5) The following will be better understood by a person skilled in the art when read in conjunction with the drawings which show various embodiments. The drawings are for the purpose of illustrating certain embodiments, but it is understood that the present invention is not limited to the arrangements and instrumentality shown in the drawings.

DETAILED DESCRIPTION

- (6) Various systems and methods are described herein for use in prioritizing the processing of modifications on trade orders that are currently pending at an electronic exchange. As an example, a purpose of a trade order modification may include changing an order price, changing an order quantity, or changing both the order price and order quantity, more of which is described below. The systems and methods are particularly useful by a client device, a gateway device, a server-side device, or some other intermediary device that is in communication with an electronic exchange, to determine which trade order modification to process first when two or more modifications are triggered at substantially the same time. The modification logic is executed for each trade order based on the priority.
- (7) In certain embodiments, the prioritization is based on computing a level of risk that a given trade order will get executed unmodified (e.g., before the desired modification has been implemented at the exchange), and comparing the level of risk across all pending orders that call for a modification. A modification of the trade order that has the highest risk of getting executed unmodified will get processed by the device first, until all of the trade order modifications have been processed.
- (8) In certain embodiments, the prioritization is based on the proximity of an order price of each trade order to be modified to a corresponding market price. The corresponding market price may be based on a best bid price, a best ask price, a last traded price, a theoretical price, or a combination of prices for a tradeable object. The corresponding market price for each trade order to be modified may be based on the same price indicator, or it may be based on a different price indicator. The modification of the trade order with an order price that is closest in proximity to its corresponding market price is processed first, for example. Additionally, prioritization can be based on other factors, more of which are described below.
- (9) In certain embodiments, the prioritization is based on the likelihood that a trade order, once modified, will be executed by the electronic exchange. The trade order with the highest chance of being executed, taking into account the current state of the market and the desired modification, will get processed by the device first, until all of the trade order modifications have been processed. Accordingly, the device attempts to modify a trade order first based on the increased chance that the order, once modified, will get executed when compared to other trade orders.
- (10) FIG. 1 illustrates an example electronic trading system **100** in which certain embodiments may be employed. The system **100** includes client device **102**, gateway device **104**, server side automation device (“SSA”) **106**, and electronic exchange **108**. According to this example, client device **102** is in communication with gateway **104**. Gateway **104** is in communication with electronic exchange **108**. SSA **106** may be in communication with client device **102** and gateway **104**.
- (11) According to some operations, client device **102** may be utilized to send orders to buy or sell

tradeable objects (e.g., trade orders) listed at exchange **108**. Orders to be placed at exchange **108** via client device **102** are sent through gateway **104**. In addition, market data may be sent from exchange **108** through gateway **104** to client device **102**. The user may utilize client device **102** to monitor the market data and may base decisions to send an order for a tradeable object on the market data. Trading decisions at client device **102** may be manual or automated.

(12) According to some operations, SSA **106** may be utilized to send orders to buy or sell tradeable objects at exchange **108** on behalf of the user of client device **102**. Orders to be placed at exchange **108** via SSA **106** are sent through gateway **104**. Market data may be sent from exchange **108** through gateway **104** to SSA **106**. SSA **106** may monitor the market data and may base decisions to send an order for a tradeable object on the market data. Trading decisions at SSA **106** are generally automated, but it may be possible for a user of client device **102** to intervene manually, if SSA **106** is so programmed.

(13) Client device **102** may include one or more electronic computing devices such as a hand-held device, laptop, personal computer, workstation with a single or multi-core processor, server with multiple processors, and/or cluster of computers, for example. A present day commercial example might include a computing device that utilizes the Windows XP® Professional operating system and has at least 2 GB of memory, two dual-core or two quad-core processors, a network card, and at least 10 GB of hard drive space to accommodate software.

(14) Client device **102** may also be configured to run one or more trading applications. The trading application(s) may, for example, process market data by arranging and displaying the market data in trading and charting windows. This data processing may be based on user preferences, for example. In addition to manual style trading tools, the trading application(s) may include an automated trading tool such as an automated spread trading tool, for example. In another example, client device **102** may be a computing system running a copy of X_TRADER™, an electronic trading platform provided by Trading Technologies International, Inc. of Chicago, Ill. Regardless of the type of trading application, client device **102** may be configured to send orders to buy and sell tradeable objects listed at exchange **108**. Client device **102** may also be configured to cancel orders, change orders, and/or query exchange **108**, for example. Client device **102**, including the one or more trading applications, may also be configured to operate with one or more trading applications at SSA **106**, more of which are described below.

(15) Orders sent by client device **102** may be sent at the request of a user, manually or automatically, for example. For example, a trader may utilize an electronic trading workstation to place an order for a particular tradeable object, manually providing various parameters for the order such as an order price and/or quantity. In another example, an automated trading tool may calculate one or more parameters for an order and automatically send the order.

(16) In certain embodiments, client device **102** includes a user interface. The user interface may include one or more display devices for presenting a text-based or graphical interface to a user, for example. For example, the display devices may include computer monitors, hand-held device displays, projectors, and/or televisions. The user interface may be used by the user to specify or review parameters for an order. The user interface may include one or more input devices for receiving input from a user, for example. For example, the input devices may include a keyboard, trackball, two or three-button mouse, and/or touch screen. The user interface may include other devices for interacting with a user. For example, information may be aurally provided to a user through a speaker and/or received through a microphone.

(17) In certain embodiments, orders from client device **102** are sent on to exchange **108** through gateway **104**. Client device **102** may communicate with gateway **104** using a local area network, a wide area network, a virtual private network, a T1 line, a T3 line, a point-of-presence, and/or the Internet, for example.

(18) Server side automation (“SSA”) **106** may include one or more electronic computing platforms such as a personal computer, workstation with a single or multi-core processor, server with multiple

processors, and/or cluster of computers, for example. A present day commercial example might include a computing device that utilizes the Windows 2003 Server® (Server Pack 2) operating system and has at least 4 GB of memory, two dual-core or two quad-core processors, one or more network cards, and at least 30 GB of hard drive space to accommodate software.

(19) In certain embodiments, SSA **106** is used to implement automated or semi-automated trading programs (collectively referred to herein as automated trading programs). Orders may be sent directly from SSA **106** to exchange **108** through gateway **104**. Orders may also be sent from another computing device to exchange **108** via instructions from SSA, for example. In certain embodiments, SSA **106** is configured to implement an automated trading program on behalf of a user of client device **102**. An example trading application that may run on SSA **106** is an automated spread trading tool like that disclosed in U.S. Pat. No. 7,437,325, the contents of which are incorporated herein by reference. The commercial embodiment of an automated spread trading tool is Autospreader®, which is offered by Trading Technologies International. The Autospreader® can be configured to operate at client device **102**, SSA **106**, or both client device **102** and SSA **106**, for example.

(20) In certain embodiments, SSA **106** is physically located at the same site as client device **102**. In certain embodiments, SSA **106** is physically located at the same site as exchange **108**. In certain embodiments, SSA **106** is collocated with gateway **104**. In certain embodiments, SSA **106** is physically located at a site separate from both the client device **102** and the exchange **108**. In certain embodiments, regardless of the location of SSA **106**, client device **102** and SSA **106** may together be considered part of the “client side” of system **100**, because SSA **106** may be operating on behalf of a user at client device **102**, for example.

(21) Gateway **104** may include one or more electronic computing platforms such as a personal computer, workstation with a single or multi-core processor, server with multiple processors, and/or cluster of computers, for example. In certain embodiments, gateway **104** is physically located at the same site as the client device **102**. In certain embodiments, gateway **104** is physically located at the same site as exchange **108**. In certain embodiments, gateway **104** is collocated with SSA **106**. In certain embodiments, gateway **104** is physically located at a site separate from both the client device **102** and the exchange **108**.

(22) In certain embodiments, gateway **104** communicates with client device **102** and/or SSA **106** using a local area network, a wide area network, a virtual private network, a T1 line, a T3 line, a point-of-presence, and/or the Internet, for example.

(23) Gateway **104** is adapted to communicate with client device **102** and exchange **108**. Gateway **104** facilitates communication between client device **102** and/or SSA **106** and exchange **108**. For example, gateway **104** may receive orders from client device **102** and/or SSA **106** and transmit the orders to exchange **108**. As another example, gateway **104** may receive market data from exchange **108** and transmit the market data to client device **102** and/or SSA **106**. Gateway **104** may be used to implement certain embodiments of the present invention.

(24) In certain embodiments, gateway **104** performs processing on data communicated between client device **102** and/or SSA **106** and exchange **108**. For example, gateway **104** may process an order received from client device **102** and/or SSA **106** into a data format acceptable by exchange **108**. Similarly, gateway **104** may transform market data in an exchange-specific format received from exchange **108** into a format understood by client device **102** and/or SSA **106**. The processing of gateway **104** may also include tracking orders from client device **102** and/or SSA **106** and updating the status of the order based on fill confirmations received from exchange **108**, for example. As another example, gateway **104** may coalesce market data from exchange **108** and provide it to client device **102** and/or SSA **106**.

(25) Electronic exchange **108** is configured to match orders to buy and sell tradeable objects. The tradeable objects may be listed for trading at exchange **108**. The orders may include orders received from the client device **102**, SSA **106**, or both, for example. Orders may be received from client

device **102**, SSA **106**, or both through gateway **104** for example. In addition, the orders may be received from other devices in communication with exchange **108**. That is, typically exchange **108** will be in communication with a variety of other client devices (which may be similar to client device **102**) or other computing devices that also provide orders to be matched. As previously discussed, an example of electronic exchange **108** is the electronic trading platform offered by the CME®, which is presently headquartered in Chicago, Illinois.

(26) Exchange **108** is configured to provide market data. The market data may be provided to the client device **102**, for example. The market data may be provided to client device **102**, SSA **106**, or both through gateway **104**, for example. The market data may include data that represents the inside market, for example. The inside market is the lowest sell price (also referred to as the “best ask”) and the highest buy price (also referred to as the “best bid”) at a particular point in time. The market data may also include market depth. Market depth refers to the quantities (e.g., bids and offers) available at other prices away from the inside market. In certain embodiments, market depth is provided for all price levels. In certain embodiments, market depth is provided for less than all price levels. For example, market depth may be provided only for the first five price levels on either side of the inside market. The market data may also include information such as the last traded price (LTP), the last traded quantity (LTQ), and order fill information.

(27) In certain embodiments, system **100** includes more than one client device **102**. For example, multiple client devices similar to the client device **102**, discussed above, may be in communication with gateway **104** and/or SSA **106** to send orders to the exchange **108**. Similarly, in certain embodiments, system **100** includes more than one SSA **106**.

(28) In certain embodiments, system **100** includes more than one gateway **104**. For example, multiple gateways similar to the gateway **104**, discussed above, may be in communication with the client device **102** and/or SSA **106** and the exchange **108**. Such an arrangement may be used to provide redundancy should gateway **104** fail, for example. System **100** might also include additional gateways to facilitate communication between client device **102** and/or SSA **106** and other exchanges besides exchange **108**.

(29) In certain embodiments, system **100** includes more than one exchange **108**. For example, the gateway **104** may be in communication with multiple exchanges similar to the exchange **108**, discussed above. Such an arrangement may allow client device **102** and/or SSA **106** to trade at more than one exchange through gateway **104**, for example.

(30) In certain embodiments, gateway **104** is part of client device **102** and/or SSA **106**. For example, the hardware/software components of gateway **104** may be part of the same computing platform as the client device **102** and/or SSA **106**. As another example, the functionality of gateway **104** may be performed by components of the client device **102** and/or SSA **106**. In certain embodiments, gateway **104** is not present. Such an arrangement may occur when the client device **102** and/or SSA **106** does not need to utilize gateway **104** to communicate with exchange **108**—for example, if client device **102** and/or SSA **106** have been adapted to communicate directly with exchange **108**.

(31) In certain embodiments, system **100** may include other devices that are specific to the communications architecture such as middleware, firewalls, hubs, switches, routers, exchange-specific communication equipment, modems, security managers, and/or encryption/decryption devices.

(32) FIG. 2 illustrates a flowchart **200** of a process for use in prioritizing the processing of modifications on trade orders that are currently pending at an electronic exchange. As a preliminary matter, the flowchart **200** refers to a first trade order and a second trade order. As discussed above, a trade order refers to an order to buy or sell a quantity (“order quantity”) of a particular tradeable object at a price (“order price”). It is to be understood that the first and second trade orders may be orders to buy/sell the same tradeable object, or alternatively, they may be orders to buy/sell different tradeable objects. Flowchart **200** similarly applies to situations when more than two orders

are to be modified.

(33) At block **202**, first and second trade orders, which are currently queued for execution at an electronic exchange, are to be modified. For purposes of explanation, assume that the first trade order is residing in an order queue at a “first” electronic exchange and the second trade order is residing in an order queue at a “second” electronic exchange. It is to be understood that the two trade orders may be residing at the same electronic exchange (i.e., the first exchange may be the same exchange as the second exchange), or alternatively, the first trade order may be residing at a different exchange than the second trade order (i.e., first exchange may not be the same exchange as the second exchange).

(34) A trade order may be modified for any number of reasons, but an example includes when a trading strategy calls for modifying a particular trade order in keeping with the definition and/or implementation of the trading strategy. Sometimes a modification is necessary when certain market conditions, such as those on which the trade order is based, change, for example. Thus, receipt of a market update from an electronic exchange or some other data may trigger a need for a modification on a trade order. Examples of a modification include re-pricing an order (e.g., changing the price of an existing order, or canceling the order and replacing it with an order at a new price), changing the order quantity, canceling the order altogether (not re-pricing it), changing an order type, changing an execution condition, changing an order link, or modifying any parameter related to the trade order. According to a specific example, an automated spread trading tool (e.g., implemented at SSA **106**) might detect a market update for a tradeable object from an electronic exchange and consequently be required to re-price two or more trade orders as a result of the market update.

(35) In addition, the systems and methods may be used all the time or part-time for use in prioritizing the processing of modifications. However, they are particularly useful when the modifications of the first and second trade orders are triggered at substantially the same time. For example, the modifications might be triggered at a time when a processor must make a decision to process one or the other trade order modification. The two or more trade orders could be from a single person (e.g., a trader) or from a group of people (e.g., a trading firm, bank, or some other trading entity).

(36) At block **204**, corresponding market prices for each trade order are identified. For example, if the first trade order is a bid, then its corresponding market price may be the lowest ask price for the tradeable object in which the first trade order is bidding. If the first trade order is an ask, then its corresponding market price may be the highest bid price for the tradeable object in which the first trade order is offering. In other words, in these two examples, the corresponding market prices are based on the opposite side of the market than the trade order. Additionally, the corresponding market price may include a last trade price or a theoretical price (e.g., a formula driven value like a moving average), or the market price may be based on a combination of two or more prices. In some embodiments, a corresponding market price might also be referred to as a market price indicator (or “indicator”), because a best bid, best ask, last trade price, or theoretical price may be considered an indicator whose underlying value changes in time (the underlying values are dynamic). Because the market prices may be different for each trade order (or even the same), the system may be configured to identify the “corresponding” market price for each trade order.

(37) At block **206**, a determination is made with respect to which of the trade orders is in closer proximity to its corresponding market price. This determination preferably optimizes the processing of trade orders by processing a modification for the trade order that exhibits a higher level of risk of getting executed unmodified (e.g., before the desired modification has been implemented at the exchange or before the desired modification has been communicated to the exchange) relative to the risk of having other trade order(s) executed unmodified. For example, if the first trade order price is bid at “100” and the market price used for comparison is “101,” then the first trade order price is “1” price level away from the market price. If the second trade order

price is offer at “78” (notice that in this example the second trade order is for a different tradeable object than the first trade order) and the market price used for comparison is “75,” then the second trade order price is “3” price levels away from the market price. Based on this information, then it appears that the first trade order has a greater chance of execution, because its corresponding market price is within one price level of the trade order price. Consequently, the system would process a modification of the first trade order prior to processing a modification of the second trade order.

(38) Prioritization can be based on other factors (or a combination of factors) in addition to proximity, or in place of proximity. For example, the system may not be in a position to modify the first trade order at that moment in time (e.g., because there is already an in-flight message to modify the first trade order). Consequently, the system may be configured to process a modification of the second trade order in this instance. Additionally, the system may be configured to look to the number of ticks (i.e., a tick represents the minimum upward or downward movement in the price of a tradeable object). For example, a tradeable object might tick in “0.25” increments versus “1.” Using the example above, if the tradeable object of the first trade order ticks in “0.25” increments, but the tradeable object of the second trade order ticks in “1” increments, then the second trade order may appear to have a greater chance of execution (4 ticks for the first order versus 3 ticks for the second trade order). According to yet another example, the system might take into account the volatility or market movement of the tradeable object(s). If the two or more trade orders are for different tradeable objects, for example, and it is determined that the market for one tradeable object is moving slower than the market for the other tradeable object, then the system might view a trade order in the fast moving market at more risk, even if it is priced further away from the corresponding market price.

(39) In other embodiments, the prioritization is based on the likelihood that a trade order, once modified, will be executed by the electronic exchange. The trade order with the highest chance of being executed, taking into account the current state of the market and the desired modification, will get processed by the system first, until all of the trade order modifications have been processed. Accordingly, the system attempts to modify a trade order first based on the increased chance that the order, once modified, will get executed. For example, if the first trade order price is bid at “100” and the market price used for comparison is “101,” then the first trade order price is “1” price level away from the market price. If the modification of the first trade order involves changing the order price to “101,” then the first trade order has a high chance of getting executed after the modification, considering that the modified price is equal to the market price used for comparison (which could be the lowest ask price, for example). The computed chance of execution may be determined for all of the trade orders that call for a modification, taking into account each trade order's desired modification and the respective market conditions. As such, the priority may go to the trade order that has the highest chance of getting executed when considering its desired modification.

(40) In certain embodiments, if it is determined that at least two trade orders have equal priority, as determined using one or more factors described above, for example, then the trade order which has a possibility of a larger impact to the trader based on a parameter other than price can be processed first. For example, the trade order with the largest order quantity may be deemed to have a possibility of a larger impact if it gets executed unmodified. As such, the system may process the modification for the trade order with the largest order quantity, when two or more orders are considered to have equal priority using one or more of the above factors. In another example, market volatility and/or market movement may be used to determine which trade order to process first if at least two trade orders have equal priority.

(41) In certain embodiments, if it is determined that at least two trade orders have equal priority, then the trade order modifications may be processed in a random manner, or alternatively, the modifications may be processed according to a certain predefined order. An example of

randomizing is that the system uses a randomizer (e.g., a random generator) to determine which trade order modification is processed first. An example of modifying according to a predefined order is an embodiment that is based on first in, first out (FIFO), in which the system may be configured to process the oldest order first.

(42) At block **208**, it is determined to process the first trade order modification, whereas at block **210**, it is determined to process the second trade order. A modification might include one or more steps that are taken by one or more computing devices towards modifying the trade order at the exchange. A step might include calculating a new order price, or some other order parameter, like order quantity. Another step might include generating a request message to modify. Yet another step might include sending the actual request message on to the exchange. Processing a modification, which might include calculating a new price, generating the request message, and sending the request message to the electronic exchange can take some processing time—for example, it could take as much as 100 microseconds in this example. Once the first trade order is processed (if it is determined to have priority), then the system can process the modification of the second trade order, or vice-versa.

(43) In certain embodiments, this process can be repeated until all of the trade order modifications have been processed. That is, if more than two trade orders call for a modification, the system may repeat the process, e.g., starting at step **202** or **204**, after the first trade order modification is processed to determine which trade order is to be modified next. An advantage of determining priority in this manner is that it takes into account the most recent market prices for each trade order (based on the assumption that the market prices may change while processing trade order modifications). Additionally, it may take into account any new modifications that were triggered while modifications for one or more of the trade orders were being processed. If only two trade orders call for a modification, then the modification logic for the highest priority trade order will occur first, which can then be followed by the second trade order; in other words, the process of determining priority in this instance would not have to be repeated for each trade order.

(44) Alternatively, the system may determine the priority for each trade order in a group of trade orders according to flowchart **200**, and then execute the modification logic correspondingly. That is, a priority may be assigned to each trade order for a group of trade orders (e.g., via step **206**), and the modification logic can be executed for each trade order down the list of priority (e.g., from the highest priority to the lowest priority). The process may be repeated for any new modifications after the group trade order modifications are complete. As another option, a priority may be individually assigned to any new modification, and then the system may adjust the list of priority accordingly to accommodate the new modification(s) based on its priority assignment.

(45) FIG. 3 illustrates a system **300** for using a technique according to an embodiment. The system **300** includes a market data processing component **302**, a prioritization processing component **304**, and a modification processing component **306**. The components **302**, **304**, and **306** may be implemented by one or more computing devices. For example, components **302**, **304**, and **306** might be part of SSA **106** in FIG. 1, client device **102**, a combination of SSA **106** and client device **102**, electronic exchange **108**, or a part of some other computing device or combination of computing devices.

(46) In operation, modification processing component **306** is configured to identify at a substantially equal time that at least a first trade order and a second trade order are to be modified. The first and second trade orders are currently queued for execution at an electronic exchange. The market data processing component **302** is configured to retrieve the corresponding market prices for each trade order. System **300** may be configured, for example, so that a corresponding market price is a best bid price if the trade order is an order to sell, a best ask price if the trade order is an order to buy, a last trade price, or is represented by some other designated price or indicator. Prioritization processing component **304** is configured to determine which trade order modification to process first given that the modifications are triggered at substantially the same time. In certain

embodiments, priority may be given to the trade order that is closest in proximity to the corresponding market price, for example, thereby indicating a higher level of chance of getting executed before the other trade order. Additionally, as discussed above, prioritization processing component **304** might base the priority on a combination of factors or on other factors (e.g., in-flight transactions, and so on). Modification processing component **306** is configured to process the modification of the trade order that has priority.

A Spread Trading Example According to Certain Embodiments

(47) Assume the following scenario: Creation of a two-legged synthetic spread AB, which comprises buying contract A (e.g., buying leg A) and selling contract B (e.g., selling leg B). The spread is configured to quote leg A based on market conditions in leg B. The current inside markets for both contracts are as follows: Contract A: Bid at 98, Ask at 100 Contract B: Bid at 96, Ask at 98

(48) A desire to buy the AB spread at 1 is set. In response, an automated trading engine submits a buy order for contract A at 97. That price is calculated as a sum of the currently existing bid price for contract B (e.g., 96) and the desired spread AB price (e.g., 1), which is $\text{Bid B} + \text{Bid AB} = 96 + 1 = 97$. Sometime later, a desire to buy the AB spread at 3 is also set. In response, the automated trading engine submits a buy order for contract A at 99 (e.g., $\text{Bid B} + \text{Bid AB} = 96 + 3 = 99$). As such, there are two trade orders that are queued for execution in contract A: A first trade order to buy contract A at 97. A second trade order to buy contract A at 99.

(49) Now, assume that the bid price for contract B moves down to 95. Responsive to the change in bid price in contract B, the automated trading engine ideally would like to re-quote the first trade order to 96 (e.g., $95 + 1$) and the second trade order to 98 (e.g., $95 + 3$) to maintain the desired spread prices (e.g., 1 and 3). Each re-quote is referred to as a modification.

(50) Conventionally, each of the trade orders is processed according to the time when they were originally placed, i.e., the oldest queued order first. Using convention, the first trade order would be processed first in this example. However, the system prioritizes the processing of the two orders based on their proximity to the other side of the market, for instance. In this example, the second trade order is closer to the other side of the market than the first trade order. That is, the first trade order is 3 price levels away from the Ask of 100 (e.g., compare 97 to 100) versus the second trade order is 1 price level away from the Ask of 100 (e.g., compare 99 to 100). Consequently, the system would process the second trade order first, and then proceed to process the first trade order. Likely, the system would then send a message to the exchange to re-price the second trade order to 98 and then re-price the first trade order to 96.

(51) In the example above, the two trade orders were compared to the same indicator (e.g., the ask price), because they were both trade orders to buy the same tradeable object. However, as discussed above, the two trade orders could be different in that one trade order could be an offer, whereas the other trade order could be a bid. Also, the trade orders could be for different tradeable objects at the same or different exchange(s). The trade orders could also originate from the same or different trading strategies.

(52) Irrespective of these specific examples, if the system (e.g., SSA **106**, client device **102**, or a combination of SSA **106** and client device **102** in FIG. 1) needs to modify two or more orders at substantially the same time, the system can prioritize which order is processed first based on each order's proximity to a particular market price. As a result, the system may reduce the chances of getting legged and/or missing an opportunity in the market. For instance, contrary to the example above, if the first trade order is re-priced prior to the second trade order, then it may be more likely that the second trade order is executed during the time it takes to process the first trade order (given that the second trade order is closer in proximity to the ask price). Consequently, there is a greater chance that the spread strategy for the second trade order would get legged, or an unintended spread price would result due to changing market conditions.

(53) As used herein, a “tradeable object” refers to anything that can be traded with a price, a quantity, or both price and quantity. For example, financial products such as stocks, options, bonds,

futures, currency, warrants, funds derivatives, commodities, and collections or combinations of these may be tradeable objects. A tradeable object may be “real” or “synthetic.” A real tradeable object includes products that are listed by an exchange. A synthetic tradeable object includes products that are defined by the user and are not listed by an exchange. For example, a synthetic tradeable object may include a combination of real (or other synthetic) products such as a synthetic spread. A tradeable object may also include traded events or goods, for example.

(54) One or more of the blocks of the flowchart discussed above may be implemented alone or in combination in various forms in hardware, firmware, or as a set of instructions in software, for example. Certain embodiments may be provided as a set of instructions residing on a computer-readable medium, such as a memory, hard disk, CD-ROM, DVD, or EPROM, for execution on a computer or other processing device.

(55) Certain embodiments may omit one or more of these steps or perform the steps in a different order than the order listed. For example, some steps may not be performed in certain embodiments. As a further example, certain steps may be performed in a different temporal order, including simultaneously, than listed above.

(56) Additionally, as described above, various computing devices may be configured to implement various aspects described herein. For example, the SSA **106** may be configured to implement the embodiments described herein. Thus, for example, if a software trading application at SSA **106** generated a number of trade orders at substantially the same time, then the embodiments described herein may be utilized to prioritize the processing of such orders. In another example, the client device **102** may be configured to implement the embodiments described herein. Alternatively, a combination of the client device **102** and SSA **106** may be configured to jointly implement the embodiments described herein.

(57) While the invention(s) has been described with reference to certain embodiments, it will be understood by those skilled in the art that various changes may be made and equivalents may be substituted without departing from the scope of the invention. In addition, many modifications may be made to adapt a particular situation or material to the teachings of the invention without departing from its scope. Therefore, it is intended that the invention not be limited to the particular embodiment disclosed, but that the invention will include all embodiments falling within the scope of the appended claims.

Claims

1. A system comprising: a gateway device configured to identify that a first trade order and a second trade order are to be modified at substantially the same time, wherein the first trade order is currently queued for execution at a first electronic exchange, wherein the second trade order is currently queued for execution at a second electronic exchange; and an automation computing device in communication with the gateway device, the automation computing device configured to: determine, in response to identifying that the first trade order and the second trade order are to be modified, a first priority factor for the first trade order, wherein the first priority factor is based on a difference between a first modified price for the first trade order and a corresponding first market price, wherein the first modified price is what a price for the first trade order will be as a result of processing a modification for the first trade order; determine, in response to identifying that the first trade order and the second trade order are to be modified, a second priority factor for the second trade order, wherein the second priority factor is based on a difference between a second modified price for the second trade order and a corresponding second market price, wherein the second modified price is what a price for the second trade order will be as a result of processing a modification for the second trade order; detect that the first priority factor and the second priority factor are equal; determine, in response to detecting that the first priority factor and the second priority factor are equal, a third priority factor for the first trade order wherein the third priority

factor is based on a quantity of the first trade order; determine, in response to detecting that the first priority factor and the second priority factor are equal, a fourth priority factor for the second trade order wherein the third priority factor is based on a quantity of the second trade order; process the modification for the first trade order prior to processing the modification for the second trade order when the third priority factor is larger than the fourth priority factor by sending a first request message to the first electronic exchange to modify the first trade order, and subsequently sending a second request message to the second electronic exchange to modify the second trade order; and process the modification for the second trade order prior to processing the modification for the first trade order when the fourth priority factor is larger than the third priority factor by sending a second request message to the second electronic exchange to modify the second trade order, and subsequently sending a first request message to the first electronic exchange to modify the first trade order.

2. The system of claim 1, wherein the first electronic exchange is the same electronic exchange as the second electronic exchange.
 3. The system of claim 1, wherein the first electronic exchange is a different electronic exchange than the second electronic exchange.
 4. The system of claim 1, wherein the first trade order is for the same tradeable object as the second trade order.
 5. The system of claim 1, wherein the first trade order is for a different tradeable object than the second trade order.
 6. The system of claim 1, wherein at least one of the modification of the first trade order and the modification of the second trade order includes modifying an order parameter.
 7. The system of claim 6, wherein the order parameter is one of: an order quantity and an order price.
 8. The system of claim 1, wherein one of the modification of the first trade order and the modification of the second trade order includes canceling the corresponding trade order.
 9. The system of claim 1, wherein the corresponding first market price and the corresponding second market price represent a same price indicator for the first trade order and the second trade order.
 10. The system of claim 1, wherein the corresponding first market price and the corresponding second market price represent a different price indicator for the first trade order and second trade order.
 11. The system of claim 1, wherein the at least one of the corresponding first market price and the corresponding second market price is based on at least one of: a best bid price, a best ask price, a last traded price, and a theoretical price.
 12. The system of claim 1, wherein gateway includes the automation computing device.
-