

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12395899
Kind Code	B2
Date of Patent	August 19, 2025
Inventor(s)	McCann; Stephen et al.

Negotiation of quality of service (QoS) information for network management traffic in a wireless local area network (WLAN)

Abstract

An access point advertises a management frame quality of service (MFQ) policy that defines an access category used for transmitting a first type of management frame. Each mobile station associated with the access point is to prioritize transmission of management frames according to the MFQ policy advertised by the access point, unless a policy configuration request for the mobile station to prioritize transmission of management frames according to a different MFQ policy has been accepted.

Inventors: McCann; Stephen (Southampton, GB), Montemurro; Michael Peter (Toronto, CA)

Applicant: Malikie Innovations Limited (Dublin, IE)

Family ID: 1000008766845

Assignee: Malikie Innovations Limited (Dublin, IE)

Appl. No.: 18/618799

Filed: March 27, 2024

Prior Publication Data

Document Identifier	Publication Date
US 20240314643 A1	Sep. 19, 2024

Foreign Application Priority Data

CA	CA 2696037	Mar. 15, 2010
----	------------	---------------

Related U.S. Application Data

continuation parent-doc US 17843656 20220617 US 11956678 child-doc US 18618799
continuation parent-doc US 17146189 20210111 US 11368880 20220621 child-doc US 17843656
continuation parent-doc US 16428350 20190531 US 10893442 20210112 child-doc US 17146189
continuation parent-doc US 15460991 20170316 US 10356662 20190716 child-doc US 16428350
continuation parent-doc US 13045658 20110311 US 9615383 20170404 child-doc US 15460991

Publication Classification

Int. Cl.: H04W28/24 (20090101); H04W74/00 (20090101); H04W84/12 (20090101)

U.S. Cl.:

CPC H04W28/24 (20130101); H04W74/006 (20130101); H04W84/12 (20130101)

Field of Classification Search

CPC: H04W (28/24); H04W (74/006); H04W (84/12); H04W (72/12)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
6283143	12/2000	Adachi, Jr. et al.	N/A	N/A
6493561	12/2001	Hasegawa	N/A	N/A
7010305	12/2005	Immonen	455/452.2	H04W 28/16
7065645	12/2005	Teicher	N/A	N/A
7151764	12/2005	Heinonen et al.	N/A	N/A
7187691	12/2006	Gavette	N/A	N/A
7277932	12/2006	Adachi et al.	N/A	N/A
7376097	12/2007	Yegin	N/A	N/A
7606209	12/2008	Watanabe	N/A	N/A
7683773	12/2009	Goodall et al.	N/A	N/A
7684333	12/2009	Dasylya et al.	N/A	N/A
8170481	12/2011	Rangarajan et al.	N/A	N/A
8274908	12/2011	Hsin et al.	N/A	N/A
8374122	12/2012	Meier et al.	N/A	N/A
8411640	12/2012	Kuroda	N/A	N/A
8442024	12/2012	Montemurro et al.	N/A	N/A
8458279	12/2012	Montemurro et al.	N/A	N/A
8463175	12/2012	Bajko	N/A	N/A
8514807	12/2012	Kim et al.	N/A	N/A
8594064	12/2012	Kaushik et al.	N/A	N/A
8605673	12/2012	Xiao et al.	N/A	N/A
8626073	12/2013	Ruuska	N/A	N/A
8681769	12/2013	Montemurro et al.	N/A	N/A
8750180	12/2013	McCann et al.	N/A	N/A
8775533	12/2013	Hassan et al.	N/A	N/A

8792489	12/2013	Anantharam et al.	N/A	N/A
8868071	12/2013	Ha et al.	N/A	N/A
8879455	12/2013	Stephenson	370/312	H04W 52/0219
8897788	12/2013	Ruuska	N/A	N/A
8929346	12/2014	Montemurro et al.	N/A	N/A
8942221	12/2014	McCann et al.	N/A	N/A
9137621	12/2014	McCann et al.	N/A	N/A
9204299	12/2014	McCann et al.	N/A	N/A
9301127	12/2015	McCann et al.	N/A	N/A
9615383	12/2016	Montemurro et al.	N/A	N/A
9622155	12/2016	McCann et al.	N/A	N/A
9794967	12/2016	McCann et al.	N/A	N/A
9820199	12/2016	McCann et al.	N/A	N/A
9942316	12/2017	McCann et al.	N/A	N/A
10142921	12/2017	McCann et al.	N/A	N/A
10200941	12/2018	McCann et al.	N/A	N/A
10349321	12/2018	McCann et al.	N/A	N/A
10356662	12/2018	Montemurro et al.	N/A	N/A
10470106	12/2018	Bajko et al.	N/A	N/A
10736020	12/2019	McCann et al.	N/A	N/A
10812964	12/2019	McCann et al.	N/A	N/A
10893442	12/2020	Montemurro et al.	N/A	N/A
11166226	12/2020	McCann et al.	N/A	N/A
11240655	12/2021	Montemurro et al.	N/A	N/A
11368880	12/2021	Montemurro et al.	N/A	N/A
11405857	12/2021	McCann et al.	N/A	N/A
11895575	12/2023	McCann et al.	N/A	N/A
11956678	12/2023	McCann et al.	N/A	N/A
2002/0086675	12/2001	Mansour	N/A	N/A
2002/0141369	12/2001	Perras	N/A	N/A
2002/0159418	12/2001	Rudnick et al.	N/A	N/A
2002/0169883	12/2001	Bright et al.	N/A	N/A
2003/0103521	12/2002	Raphaeli et al.	N/A	N/A
2003/0117984	12/2002	Gavette	N/A	N/A
2003/0134636	12/2002	Sundar et al.	N/A	N/A
2003/0217168	12/2002	Adachi et al.	N/A	N/A
2004/0014422	12/2003	Kallio	N/A	N/A
2004/0090958	12/2003	Park et al.	N/A	N/A
2004/0199661	12/2003	Murdock	N/A	N/A
2005/0060319	12/2004	Douglas	N/A	N/A
2005/0090259	12/2004	Jain et al.	N/A	N/A
2005/0097362	12/2004	Winget et al.	N/A	N/A
2005/0111419	12/2004	Kwon et al.	N/A	N/A
2005/0210523	12/2004	Parnell et al.	N/A	N/A
2005/0286456	12/2004	McNew et al.	N/A	N/A
2006/0067526	12/2005	Faccin et al.	N/A	N/A
2006/0109113	12/2005	Reyes et al.	N/A	N/A
2006/0114928	12/2005	Utsunomiya et al.	N/A	N/A
2006/0142034	12/2005	Wentink et al.	N/A	N/A

2006/0153230	12/2005	Miyata et al.	N/A	N/A
2006/0221901	12/2005	Yaqub et al.	N/A	N/A
2006/0245373	12/2005	Bajic	N/A	N/A
2006/0264245	12/2005	Luo	N/A	N/A
2007/0025297	12/2006	Lee et al.	N/A	N/A
2007/0041344	12/2006	Yaqub et al.	N/A	N/A
2007/0064655	12/2006	Ruuska	N/A	N/A
2007/0064660	12/2006	Qi et al.	N/A	N/A
2007/0086359	12/2006	Yaqub	N/A	N/A
2007/0110018	12/2006	Delaney et al.	N/A	N/A
2007/0110092	12/2006	Kangude et al.	N/A	N/A
2007/0124592	12/2006	Oyama	N/A	N/A
2007/0153732	12/2006	Yao	N/A	N/A
2007/0230389	12/2006	Amann	370/314	H04W 72/569
2007/0230423	12/2006	Yoshida	370/338	H04W 76/10
2007/0243888	12/2006	Faccin	N/A	N/A
2007/0297438	12/2006	Meylan et al.	N/A	N/A
2008/0031212	12/2007	Ogura	370/338	H04W 28/16
2008/0049761	12/2007	Lin	370/395.21	H04L 12/66
2008/0057992	12/2007	Griffin	N/A	N/A
2008/0095048	12/2007	Zhong	370/229	H04W 28/12
2008/0096580	12/2007	Montemurro	N/A	N/A
2008/0101231	12/2007	Lai	370/395.42	H04L 47/2466
2008/0114857	12/2007	Snider	N/A	N/A
2008/0123607	12/2007	Jokela	N/A	N/A
2008/0141031	12/2007	Oba et al.	N/A	N/A
2008/0151796	12/2007	Jokela	N/A	N/A
2008/0178277	12/2007	Oba et al.	N/A	N/A
2008/0186962	12/2007	Sinha	370/389	H04L 12/185
2008/0261574	12/2007	Rinta-Aho et al.	N/A	N/A
2008/0270534	12/2007	Xia et al.	N/A	N/A
2008/0276303	12/2007	Gast	N/A	N/A
2008/0298333	12/2007	Seok	N/A	N/A
2009/0010399	12/2008	Kim et al.	N/A	N/A
2009/0031138	12/2008	Nakhjiri	N/A	N/A
2009/0046657	12/2008	Kim et al.	N/A	N/A
2009/0047922	12/2008	Buckley et al.	N/A	N/A
2009/0047974	12/2008	Quinn	N/A	N/A
2009/0067326	12/2008	Perrot et al.	N/A	N/A
2009/0067397	12/2008	Seok	370/338	H04L 41/00
2009/0116647	12/2008	Korus et al.	N/A	N/A
2009/0156213	12/2008	Spinelli et al.	N/A	N/A
2009/0177759	12/2008	Ogawa et al.	N/A	N/A
2009/0245184	12/2008	Torres et al.	N/A	N/A

2009/0247111	12/2008	Sennett et al.	N/A	N/A
2009/0252165	12/2008	Zhang et al.	N/A	N/A
2009/0296688	12/2008	Bakker et al.	N/A	N/A
2009/0296689	12/2008	Bakker et al.	N/A	N/A
2009/0298458	12/2008	Bakker et al.	N/A	N/A
2009/0310692	12/2008	Kafle et al.	N/A	N/A
2009/0325566	12/2008	Bell	455/419	H04W 8/22
2010/0118831	12/2009	Chen et al.	N/A	N/A
2010/0146272	12/2009	Centonza et al.	N/A	N/A
2010/0169953	12/2009	Hofer et al.	N/A	N/A
2010/0190498	12/2009	Ha et al.	N/A	N/A
2010/0216434	12/2009	Marcellino et al.	N/A	N/A
2010/0255864	12/2009	Alfano et al.	N/A	N/A
2010/0271978	12/2009	Gupta et al.	N/A	N/A
2010/0275249	12/2009	McCann et al.	N/A	N/A
2010/0279684	12/2009	Salkintzis	N/A	N/A
2010/0293293	12/2009	Beser	N/A	N/A
2010/0325714	12/2009	Tyer et al.	N/A	N/A
2011/0019653	12/2010	Seok	N/A	N/A
2011/0028093	12/2010	Patel et al.	N/A	N/A
2011/0040969	12/2010	Yao et al.	N/A	N/A
2011/0047382	12/2010	Wang et al.	N/A	N/A
2011/0055218	12/2010	Capuozzo et al.	N/A	N/A
2011/0072101	12/2010	Forssell et al.	N/A	N/A
2011/0103232	12/2010	Sood	370/241	H04L 63/20
2011/0113252	12/2010	Krischer et al.	N/A	N/A
2011/0149806	12/2010	Verma et al.	N/A	N/A
2011/0149938	12/2010	Bajko	N/A	N/A
2011/0154018	12/2010	Edstrom et al.	N/A	N/A
2011/0162060	12/2010	Vijayakumar et al.	N/A	N/A
2011/0188391	12/2010	Sella et al.	N/A	N/A
2011/0216743	12/2010	Bachmann et al.	N/A	N/A
2011/0274082	12/2010	Calhoun et al.	N/A	N/A
2011/0280227	12/2010	McCann et al.	N/A	N/A
2011/0286405	12/2010	Kim et al.	N/A	N/A
2012/0008605	12/2011	Montemurro et al.	N/A	N/A
2012/0017267	12/2011	McCann et al.	N/A	N/A
2012/0054106	12/2011	Stephenson et al.	N/A	N/A
2012/0057568	12/2011	Lim et al.	N/A	N/A
2012/0076117	12/2011	Montemurro et al.	N/A	N/A
2012/0076118	12/2011	Montemurro et al.	N/A	N/A
2012/0099476	12/2011	Mahaffy et al.	N/A	N/A
2012/0106514	12/2011	Zheng et al.	N/A	N/A
2012/0116886	12/2011	Manku	N/A	N/A
2012/0134349	12/2011	Jung et al.	N/A	N/A
2012/0165056	12/2011	Kim et al.	N/A	N/A
2012/0182970	12/2011	Ding et al.	N/A	N/A
2012/0191780	12/2011	Sato et al.	N/A	N/A
2012/0218918	12/2011	Takae et al.	N/A	N/A
2012/0230308	12/2011	Saito et al.	N/A	N/A

2012/0239755	12/2011	Filgueiras	709/206	H04W 76/40
2012/0243524	12/2011	Verma et al.	N/A	N/A
2012/0244902	12/2011	Saito et al.	N/A	N/A
2012/0246468	12/2011	Gabor	N/A	N/A
2012/0281609	12/2011	Kasslin et al.	N/A	N/A
2012/0296986	12/2011	Hassan et al.	N/A	N/A
2013/0012260	12/2012	Salkintzis et al.	N/A	N/A
2013/0028245	12/2012	Oerton et al.	N/A	N/A
2013/0034023	12/2012	Jung	N/A	N/A
2013/0039275	12/2012	Patil et al.	N/A	N/A
2013/0051303	12/2012	Huang et al.	N/A	N/A
2013/0064175	12/2012	Pandey et al.	N/A	N/A
2013/0065627	12/2012	Jung et al.	N/A	N/A
2013/0065633	12/2012	Sridhara et al.	N/A	N/A
2013/0066936	12/2012	Krishnan et al.	N/A	N/A
2013/0070738	12/2012	McCann et al.	N/A	N/A
2013/0070739	12/2012	McCann et al.	N/A	N/A
2013/0072248	12/2012	Bajko	N/A	N/A
2013/0109313	12/2012	Kneckt et al.	N/A	N/A
2013/0109314	12/2012	Kneckt et al.	N/A	N/A
2013/0148643	12/2012	Abraham et al.	N/A	N/A
2013/0166759	12/2012	Rajamani et al.	N/A	N/A
2013/0170351	12/2012	Reznik et al.	N/A	N/A
2013/0176897	12/2012	Wang et al.	N/A	N/A
2013/0177002	12/2012	Sun et al.	N/A	N/A
2013/0208582	12/2012	Wijnands et al.	N/A	N/A
2013/0227152	12/2012	Lee et al.	N/A	N/A
2013/0231151	12/2012	Kneckt et al.	N/A	N/A
2013/0259034	12/2012	Klein et al.	N/A	N/A
2013/0259038	12/2012	Anantharam et al.	N/A	N/A
2013/0259040	12/2012	Anantharam et al.	N/A	N/A
2013/0262850	12/2012	Canpolat et al.	N/A	N/A
2013/0276076	12/2012	Gupta et al.	N/A	N/A
2013/0281056	12/2012	Abraham et al.	N/A	N/A
2013/0282793	12/2012	Swings et al.	N/A	N/A
2013/0316705	12/2012	Kneckt et al.	N/A	N/A
2013/0339478	12/2012	Edge et al.	N/A	N/A
2014/0018037	12/2013	Shanmugavadivel et al.	N/A	N/A
2014/0050167	12/2013	Smedman et al.	N/A	N/A
2014/0050209	12/2013	Bajko et al.	N/A	N/A
2014/0073356	12/2013	Siomina et al.	N/A	N/A
2014/0078935	12/2013	Sun	N/A	N/A
2014/0086134	12/2013	Smadi et al.	N/A	N/A
2014/0091987	12/2013	Lee et al.	N/A	N/A
2014/0101441	12/2013	Edstrom et al.	N/A	N/A
2014/0164763	12/2013	Cherian et al.	N/A	N/A
2014/0242985	12/2013	Kneckt et al.	N/A	N/A
2014/0293978	12/2013	Yang et al.	N/A	N/A

2015/0131641	12/2014	Ong et al.	N/A	N/A
2015/0248702	12/2014	Chatterton	N/A	N/A
2015/0373765	12/2014	Lee et al.	N/A	N/A
2017/0318018	12/2016	Huang et al.	N/A	N/A
2022/0053414	12/2021	McCann et al.	N/A	N/A
2022/0322153	12/2021	McCann et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
1893396	12/2006	CN	N/A
1969529	12/2006	CN	N/A
101141259	12/2007	CN	N/A
101142788	12/2007	CN	N/A
101150442	12/2007	CN	N/A
101222388	12/2007	CN	N/A
101317384	12/2007	CN	N/A
101379801	12/2008	CN	N/A
101395949	12/2008	CN	N/A
101583151	12/2008	CN	N/A
101682539	12/2009	CN	N/A
101779417	12/2009	CN	N/A
102100111	12/2010	CN	N/A
102209303	12/2010	CN	N/A
1919154	12/2007	EP	N/A
1921818	12/2007	EP	N/A
2076090	12/2008	EP	N/A
2093967	12/2008	EP	N/A
2445242	12/2011	EP	N/A
2661122	12/2012	EP	N/A
2756712	12/2018	EP	N/A
3585105	12/2018	EP	N/A
2002314546	12/2001	JP	N/A
2004186753	12/2003	JP	N/A
2008537657	12/2007	JP	N/A
2008544588	12/2007	JP	N/A
200947966	12/2008	TW	N/A
0245456	12/2001	WO	N/A
03092218	12/2002	WO	N/A
2007082007	12/2006	WO	N/A
2007083824	12/2006	WO	N/A
2007103055	12/2006	WO	N/A
2007116337	12/2006	WO	N/A
2008049213	12/2007	WO	N/A
2008049214	12/2007	WO	N/A
2008107306	12/2007	WO	N/A
2009063093	12/2008	WO	N/A
2009101861	12/2008	WO	N/A
2011056307	12/2010	WO	N/A
2011073516	12/2010	WO	N/A

2011115449	12/2010	WO	N/A
2011132174	12/2010	WO	N/A
2012060611	12/2011	WO	N/A
2012091421	12/2011	WO	N/A

OTHER PUBLICATIONS

Hiller, T., et al.; “A Container Type for the Extensible Authentication Protocol (EAP)”; Network Working Group; draft-hiller-eap-tlv-01.txt; May 2003; 16 pages. cited by applicant

McCann, Stephen; “Emergency URN Information”; IEEE 802.11-10/0026r0; Jan. 18, 2010; 6 pages. cited by applicant

Rosen, B., et al.; “Framework for Emergency Calling using Internet Multimedia”; draft-ietf-ecrit-framework-10; Jul. 27, 2009; 74 pages. cited by applicant

Schulzrinne, H., et al.; “Extensions to the Emergency Services Architecture for dealing with Unauthenticated and Unauthorized Devices”; draft-ietf-ecrit-unauthenticated-access-06.txt; Apr. 30, 2013; 38 pages. cited by applicant

“IEEE Standard for Information Technology—Telecommunications and Information Exchange between Systems—Local and Metropolitan Area Networks—Specific Requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications”; IEEE Computer Society; IEEE Std 802.11e; Nov. 11, 2005; 211 pages. cited by applicant

Li, Wei, et al.; “A Reliable Active Scanning Scheme for the IEEE 802.11 MAC Layer Handoff”; IEEE; 2003; 4 pages. cited by applicant

Montemurro, Michael; “TGae Requirements and Use Cases”; IEEE 802.11-10/0093r5; Jan. 21, 2010; 6 pages. cited by applicant

Bajko, Gabor; “Tutorial on Location and Emergency Services”; Nokia; Sep. 10, 2008; 45 pages. cited by applicant

“IEEE Standard for Information Technology—Telecommunications and Information Exchange between Systems—Local and Metropolitan Area Networks—Specific Requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications”; IEEE Computer Society; IEEE Draft P802.11-REVmb/D9.2; Jul. 2011; 2778 pages; (Part 1: pp. 1-1369). cited by applicant

“IEEE Standard for Information Technology—Telecommunications and Information Exchange between Systems—Local and Metropolitan Area Networks—Specific Requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications”; IEEE Computer Society; IEEE Draft P802.11-REVmb/D9.2; Jul. 2011; 2778 pages; (Part 2: pp. 1370-2778). cited by applicant

“IEEE Standard for Information Technology—Telecommunications and Information Exchange between Systems—Local and Metropolitan Area Networks—Specific Requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications”; IEEE Computer Society; IEEE Std 802.11u; Feb. 25, 2011; 208 pages. cited by applicant

“IEEE Standard for Information Technology—Telecommunications and Information Exchange between Systems—Local and Metropolitan Area Networks—Specific Requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications”; IEEE Computer Society; IEEE Std 802.11k; Jun. 12, 2008; 244 pages. cited by applicant

“IEEE Standard for Information Technology—Telecommunications and Information Exchange between Systems—Local and Metropolitan Area Networks—Specific Requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications”; IEEE Computer Society; IEEE Std 802.11; Mar. 29, 2012; 2793 pages. cited by applicant

Lin, Chen-Han, et al.; “Mobile Intelligent Agent Technologies to Support Intelligent Handover Strategy”; Proceedings of the Workshop on Wireless, Ad Hoc and Sensor Network; vol. 1; 2005; 8 pages. cited by applicant

“Wi-Fi Peer-to-Peer (P2P) Technical Specification”; Draft Version 1.14; Wi-Fi Alliance Technical Committee P2P Task Group; Jun. 25, 2010; 22 pages. cited by applicant

“Draft Standard for Local and Metropolitan Area Networks: Media Independent Handover Services”; IEEE P802.21/D8.0; Dec. 2007; 343 pages. cited by applicant

Barber, Phillip, et al.; “GAS Version Control in 11ai”; Document: IEEE 802.11-11/1498-01-00ai; Oct. 24, 2011; 16 pages. cited by applicant

McCann, Stephen, et al.; U.S. Appl. No. 18/403,474, filed Jan. 3, 2024; Title: Wireless Network Service Transaction Protocol; 57 pages. cited by applicant

McCann, Stephen, et al.; U.S. Appl. No. 18/670,198, filed May 21, 2024; Title: Discovering Network Information Available via Wireless Networks; 64 pages. cited by applicant

European Extended Search Report; Application No. 12847065.5; Jul. 13, 2015; 11 pages. cited by applicant

European Examination Report; Application No. 12847065.5; Oct. 12, 2018; 6 pages. cited by applicant

Korean Office Action; Application No. 10-2014-7015745; Apr. 29, 2015; 11 pages. cited by applicant

European Extended Search Report; Application No. 19191611.3; Sep. 9, 2019; 14 pages. cited by applicant

European Examination Report; Application No. 19191611.3; Jul. 23, 2021; 7 pages. cited by applicant

Chinese Office Action; Application No. 201910799303.7; Jan. 19, 2021; 18 pages. cited by applicant

Chinese Office Action; Application No. 201910799303.7; Aug. 20, 2021; 24 pages. cited by applicant

Taiwan Search Report; Application No. 102124777; Dec. 9, 2014; 1 page. cited by applicant

PCT International Search Report; Application No. PCT/CA2013/050540; Sep. 17, 2013; 3 pages. cited by applicant

PCT Written Opinion of the International Searching Authority; Application No. PCT/CA2013/050540; Sep. 17, 2013; 3 pages. cited by applicant

Canadian Office Action; Application No. 2,878,980; Feb. 19, 2019; 3 pages. cited by applicant

European Extended Search Report; Application No. 13816111.2; Feb. 3, 2016; 7 pages. cited by applicant

European Examination Report; Application No. 13816111.2; Mar. 29, 2017; 4 pages. cited by applicant

European Examination Report; Application No. 13816111.2; Dec. 4, 2017; 6 pages. cited by applicant

European Examination Report; Application No. 13816111.2; May 14, 2018; 4 pages. cited by applicant

European Summons to Attend Oral Proceedings; Application No. 13816111.2; Jan. 21, 2019; 6 pages. cited by applicant

European Extended Search Report; Application No. 18166755.1; Aug. 22, 2018; 6 pages. cited by applicant

European Examination Report; Application No. 18166755.1; Jul. 31, 2019; 4 pages. cited by applicant

European Summons to Attend Oral Proceedings; Application No. 18166755.1; Jan. 7, 2020; 7 pages. cited by applicant

European Brief Communication; Application No. 18166755.1; Apr. 23, 2020; 5 pages. cited by applicant

European Extended Search Report; Application No. 19172928.4; Jul. 19, 2019; 7 pages. cited by applicant

European Examination Report; Application No. 19172928.4; Dec. 21, 2020; 5 pages. cited by applicant

Taiwan Office Action; Application No. 102116774; Oct. 27, 2014; 16 pages. cited by applicant

Taiwan Office Action; Application No. 102116774; Jun. 12, 2015; 16 pages. cited by applicant

PCT International Search Report; Application No. PCT/CA2013/050362; Aug. 2, 2013; 4 pages. cited by applicant

PCT Written Opinion of the International Searching Authority; Application No. PCT/CA2013/050362; Aug. 2, 2013; 5 pages. cited by applicant

Canadian Office Action; Application No. 2,872,882; Sep. 28, 2016; 4 pages. cited by applicant

Canadian Office Action; Application No. 2,872,882; Jun. 6, 2017; 3 pages. cited by applicant

European Extended Search Report; Application No. 13788377.3; Dec. 21, 2015; 8 pages. cited by applicant

European Examination Report; Application No. 13788377.3; Oct. 10, 2016; 6 pages. cited by applicant

European Examination Report; Application No. 13788377.3; Jun. 11, 2018; 7 pages. cited by applicant

European Extended Search Report; Application No. 19211911.3; Feb. 12, 2020; 12 pages. cited by applicant

Taiwan Search Report; Application No. 102122238; Dec. 24, 2014; 1 page. cited by applicant

Taiwan Search Report; Application No. 102122238; Sep. 21, 2015; 7 pages. cited by applicant

PCT International Search Report; PCT/CA2013/050539; Sep. 16, 2013; 3 pages. cited by applicant

PCT Written Opinion of the International Searching Authority; PCT/CA2013/050539; Sep. 16, 2013; 4 pages. cited by applicant

Canadian Office Action; Application No. 2,878,736; Mar. 6, 2019; 6 pages. cited by applicant

Canadian Office Action; Application No. 2,878,736; Apr. 9, 2020; 3 pages. cited by applicant

European Extended Search Report; Application No. 13817511.2; Feb. 12, 2016; 9 pages. cited by applicant

European Examination Report; Application No. 13817511.2; Mar. 8, 2017; 5 pages. cited by applicant

European Examination Report; Application No. 13817511.2; Oct. 24, 2017; 4 pages. cited by applicant

European Extended Search Report; Application No. 19154310.7; Apr. 2, 2019; 15 pages. cited by applicant

European Examination Report; Application No. 19154310.7; Mar. 9, 2020; 5 pages. cited by applicant

PCT International Search Report; Application No. PCT/CA2014/050060; Apr. 15, 2014; 3 pages. cited by applicant

PCT Written Opinion of the International Searching Authority; Application No. PCT/CA2014/050060; Apr. 15, 2014; 7 pages. cited by applicant

European Extended Examination Report; Application No. 14749467.8; Jun. 22, 2016; 8 pages. cited by applicant

European Examination Report; Application No. 14749467.8; Dec. 7, 2018; 7 pages. cited by applicant

European Examination Report; Application No. 14749467.8; Jan. 2, 2020; 4 pages. cited by applicant

European Extended Examination Report; Application No. 21158898.3; Jun. 8, 2021; 11 pages. cited by applicant

Notice of Allowance dated Mar. 30, 2022; U.S. Appl. No. 16/912,249, filed Jun. 25, 2020; 14 pages. cited by applicant

Office Action dated Mar. 22, 2018; U.S. Appl. No. 15/811,259, filed Nov. 13, 2017; 70 pages. cited

by applicant
Final Office Action dated Nov. 1, 2018; U.S. Appl. No. 15/811,259, filed Nov. 13, 2017; 18 pages.
cited by applicant
Advisory Action dated Jan. 14, 2019; U.S. Appl. No. 15/811,259, filed Nov. 13, 2017; 2 pages.
cited by applicant
Notice of Allowance dated Feb. 25, 2019; U.S. Appl. No. 15/811,259, filed Nov. 13, 2017; 13
pages. cited by applicant
Office Action dated Dec. 27, 2019; U.S. Appl. No. 16/176,467, filed Oct. 31, 2018; 92 pages. cited
by applicant
Notice of Allowance dated Apr. 8, 2020; U.S. Appl. No. 16/176,467, filed Oct. 31, 2018; 13 pages.
cited by applicant
Office Action dated Nov. 27, 2019; U.S. Appl. No. 16/261,131, filed Jan. 29, 2019; 78 pages. cited
by applicant
Final Office Action dated Mar. 17, 2020; U.S. Appl. No. 16/261,131, filed Jan. 29, 2019; 12 pages.
cited by applicant
Advisory Action dated May 19, 2020; U.S. Appl. No. 16/261,131, filed Jan. 29, 2019; 4 pages.
cited by applicant
Office Action dated Jun. 29, 2020; U.S. Appl. No. 16/261,131, filed Jan. 29, 2019; 12 pages. cited
by applicant
Final Office Action dated Sep. 24, 2020; U.S. Appl. No. 16/261,131, filed Jan. 29, 2019; 17 pages.
cited by applicant
Office Action dated Feb. 12, 2021; U.S. Appl. No. 16/261,131, filed Jan. 29, 2019; 7 pages. cited
by applicant
Notice of Allowance dated Jun. 23, 2021; U.S. Appl. No. 16/261,131, filed Jan. 29, 2019; 19 pages.
cited by applicant
Notice of Allowance dated Sep. 3, 2020; U.S. Appl. No. 16/428,350, filed May 31, 2019; 42 pages.
cited by applicant
Office Action dated Sep. 2, 2021; U.S. Appl. No. 16/912,249, filed Jun. 25, 2020; 90 pages. cited
by applicant
Office Action dated Dec. 15, 2021; U.S. Appl. No. 16/912,249, filed Jun. 25, 2020; 28 pages. cited
by applicant
Notice of Allowance dated Sep. 22, 2021; U.S. Appl. No. 17/072,957, filed Oct. 16, 2020; 97
pages. cited by applicant
Office Action dated Oct. 28, 2021; U.S. Appl. No. 17/146,189, filed Jan. 11, 2021; 97 pages. cited
by applicant
PCT International Search Report; Application No. PCT/IB2011/051040; Jun. 30, 2011; 4 pages.
cited by applicant
PCT Written Opinion of the International Searching Authority; Application No.
PCT/IB2011/051040; Jun. 30, 2011; 7 pages. cited by applicant
Taiwan Office Action; Application No. 100108467; Aug. 9, 2013; 12 pages. cited by applicant
PCT International Search Report; Application No. PCT/IB2011/051044; Jun. 30, 2011; 4 pages.
cited by applicant
PCT Written Opinion of the International Searching Authority; Application No.
PCT/IB2011/051044; Jun. 30, 2011; 7 pages. cited by applicant
Canadian Office Action; Application No. 2,793,375; Oct. 18, 2013; 3 pages. cited by applicant
Canadian Office Action; Application No. 2,793,375; Jun. 25, 2014; 3 pages. cited by applicant
Canadian Office Action; Application No. 2,793,375; Jul. 10, 2015; 5 pages. cited by applicant
Canadian Office Action; Application No. 2,793,375; May 2, 2016; 6 pages. cited by applicant
Canadian Office Action; Application No. 2,793,375; Apr. 7, 2017; 4 pages. cited by applicant
Chinese Office Action; Application No. 201180023969.5; Oct. 30, 2014; 20 pages. cited by

applicant
Chinese Office Action; Application No. 201180023969.5; Jul. 20, 2015; 10 pages. cited by applicant
European Examination Report; Application No. 11715273.6; Jan. 13, 2016; 6 pages. cited by applicant
European Examination Report; Application No. 11715273.6; Jan. 25, 2017; 4 pages. cited by applicant
Indian Office Action; Application No. 7976/CHENP/2012; Aug. 30, 2018; 6 pages. cited by applicant
Japanese Office Action; Application No. 2012-557644; Oct. 17, 2013; 5 pages. cited by applicant
Japanese Office Action; Application No. 2014-019062; Nov. 21, 2014; 4 pages. cited by applicant
PCT International Search Report; Application No. PCT/IB2010/002932; May 9, 2011; 3 pages. cited by applicant
PCT Written Opinion of the International Searching Authority; Application No. PCT/IB2010/002932; May 9, 2011; 6 pages. cited by applicant
PCT International Search Report; Application No. PCT/IB2011/001006; Aug. 3, 2011; 4 pages. cited by applicant
PCT Written Opinion of the International Searching Authority; Application No. PCT/IB2011/001006; Aug. 3, 2011; 9 pages. cited by applicant
Canadian Office Action; Application No. 2,799,291; May 28, 2014; 3 pages. cited by applicant
Canadian Office Action; Application No. 2,799,291; Jun. 2, 2015; 4 pages. cited by applicant
Chinese Office Action; Application No. 201180033223.2; Jan. 22, 2015; 15 pages. cited by applicant
Chinese Office Action; Application No. 201180033223.2; Oct. 10, 2015; 12 pages. cited by applicant
European Examination Report; Application No. 11726170.1; May 9, 2016; 8 pages. cited by applicant
European Examination Report; Application No. 11726170.1; Nov. 19, 2018; 6 pages. cited by applicant
European Extended Search Report; Application No. 19211770.3; Dec. 17, 2019; 7 pages. cited by applicant
PCT International Search Report; Application No. PCT/IB2011/001008; Aug. 3, 2011; 4 pages. cited by applicant
PCT Written Opinion of the International Searching Authority; Application No. PCT/IB2011/001008; Aug. 3, 2011; 9 pages. cited by applicant
Canadian Office Action; Application No. 2,799,292; May 27, 2014; 3 pages. cited by applicant
Canadian Office Action; Application No. 2,799,292; Jun. 8, 2015; 4 pages. cited by applicant
Canadian Office Action; Application No. 2,799,292; Feb. 23, 2016; 4 pages. cited by applicant
Chinese Office Action; Application No. 201180033260.3; Jun. 3, 2015; 21 pages. cited by applicant
Chinese Office Action; Application No. 201180033260.3; Jan. 20, 2016; 7 pages. cited by applicant
European Examination Report; Application No. 11726171.9; May 9, 2016; 8 pages. cited by applicant
European Examination Report; Application No. 11726171.9; Nov. 20, 2018; 5 pages. cited by applicant
PCT International Search Report; Application No. PCT/IB2011/001023; Oct. 14, 2011; 3 pages. cited by applicant
PCT Written Opinion of the International Searching Authority; Application No. PCT/IB2011/001023; Oct. 14, 2011; 5 pages. cited by applicant
Canadian Office Action; Application No. 2,799,295; Oct. 31, 2014; 4 pages. cited by applicant
Canadian Office Action; Application No. 2,799,295; Feb. 24, 2016; 4 pages. cited by applicant

Chinese Office Action; Application No. 201180033296.1; Dec. 31, 2014; 14 pages. cited by applicant

Chinese Office Action; Application No. 201180033296.1; Dec. 16, 2015; 8 pages. cited by applicant

European Examination Report; Application No. 11726172.7; Feb. 10, 2015; 4 pages. cited by applicant

PCT International Search Report; Application No. PCT/IB2011/001018; Dec. 5, 2011; 3 pages. cited by applicant

PCT Written Opinion of the International Searching Authority; Application No. PCT/IB2011/001018; Dec. 5, 2011; 6 pages. cited by applicant

Canadian Office Action; Application No. 2,799,293; Jun. 16, 2014; 2 pages. cited by applicant

Canadian Office Action; Application No. 2,799,293; Jul. 13, 2015; 6 pages. cited by applicant

Canadian Office Action; Application No. 2,799,293; Jun. 10, 2016; 5 pages. cited by applicant

Canadian Office Action; Application No. 2,799,293; May 17, 2017; 4 pages. cited by applicant

Chinese Office Action; Application No. 201180033197.3; Dec. 12, 2014; 20 pages. cited by applicant

Chinese Office Action; Application No. 201180033197.3; Aug. 18, 2015; 16 pages. cited by applicant

European Examination Report; Application No. 11733699.0; Jan. 15, 2016; 6 pages. cited by applicant

European Examination Report; Application No. 11733699.0; Sep. 6, 2016; 4 pages. cited by applicant

European Examination Report; Application No. 11733699.0; Jul. 19, 2017; 4 pages. cited by applicant

European Extended Search Report; Application No. 18157024.3; May 25, 2018; 10 pages. cited by applicant

PCT International Search Report; Application No. PCT/CA2012/050635; Dec. 10, 2012; 2 pages. cited by applicant

PCT Written Opinion of the International Searching Authority; Application No. PCT/CA2012/050635; Dec. 10, 2012; 7 pages. cited by applicant

Canadian Office Action; Application No. 2,848,754; Sep. 24, 2015; 4 pages. cited by applicant

Canadian Office Action; Application No. 2,848,754; Aug. 15, 2016; 5 pages. cited by applicant

Canadian Office Action; Application No. 2,848,754; Jul. 28, 2017; 4 pages. cited by applicant

Chinese Office Action; Application No. 201280044612.X; Nov. 28, 2016; 15 pages. cited by applicant

Chinese Office Action; Application No. 201280044612.X; Jun. 23, 2017; 10 pages. cited by applicant

European Extended Search Report; Application No. 12831400.2; Jul. 3, 2015; 10 pages. cited by applicant

European Examination Report; Application No. 12831400.2; Jun. 16, 2017; 6 pages. cited by applicant

European Summons to Attend Oral Proceedings; Application No. 12831400.2; May 25, 2018; 9 pages. cited by applicant

Korean Office Action; Application No. 10-2014-7008921; Mar. 23, 2015; 5 pages. cited by applicant

Korean Notice of Allowance; Application No. 10-2014-7008921; Sep. 18, 2015; 3 pages. cited by applicant

Chinese Office Action; Application No. 201810013191.3; Mar. 19, 2020; 13 pages. cited by applicant

European Extended Search Report; Application No. 19171474.0; May 23, 2019; 11 pages. cited by applicant

applicant
European Examination Report; Application No. 19171474.0; Jul. 22, 2020; 5 pages. cited by applicant
European Examination Report; Application No. 19171474.0; Jun. 2, 2021; 7 pages. cited by applicant
PCT International Search Report; Application No. PCT/CA2012/050793; Jan. 16, 2013; 3 pages. cited by applicant
PCT Written Opinion of the International Searching Authority; Application No. PCT/CA2012/050793; Jan. 16, 2013; 5 pages. cited by applicant
Canadian Office Action; Application No. 2,854,947; Aug. 9, 2018; 3 pages. cited by applicant
Canadian Office Action; Application No. 2,854,947; Jun. 25, 2019; 5 pages. cited by applicant
Chinese Office Action; Application No. 201280066681.0; Mar. 10, 2017; 21 pages. cited by applicant
Chinese Office Action; Application No. 201280066681.0; Sep. 11, 2017; 18 pages. cited by applicant
Chinese Office Action; Application No. 201280066681.0; Jan. 15, 2018; 12 pages. cited by applicant
Chinese Reexamination Notification as Received in Co-pending Application No. 201280066681.0 on Aug. 29, 2018; 13 pages. (No English translation available). cited by applicant
Chinese Reexamination Notification as Received in Co-pending Application No. 201280066681.0 on Dec. 29, 2018; 13 pages. (No English translation available). cited by applicant
Chinese Rejection Decision as Received in Co-pending Application No. 201280066681.0 on May 31, 2019; 20 pages. (No English translation available). cited by applicant
Notice of Allowance dated Feb. 23, 2022; U.S. Appl. No. 17/146,189, filed Jan. 11, 2021; 19 pages. cited by applicant
Chinese Office Action; Application No. 201910799303.7; Jan. 26, 2022; 23 pages. cited by applicant
Office Action dated Jan. 4, 2024; U.S. Appl. No. 17/514,626, filed Oct. 29, 2021; 100 pages. cited by applicant
Notice of Allowance dated Feb. 28, 2024; U.S. Appl. No. 17/514,626, filed Oct. 29, 2021; 5 pages. cited by applicant
Office Action dated Feb. 15, 2023; U.S. Appl. No. 17/843,656, filed Jun. 17, 2022; 86 pages. cited by applicant
Final Office Action dated Aug. 17, 2023; U.S. Appl. No. 17/843,656, filed Jun. 17, 2022; 13 pages. cited by applicant
Notice of Allowance dated Nov. 22, 2023; U.S. Appl. No. 17/843,656, filed Jun. 17, 2022; 11 pages. cited by applicant
Office Action dated May 11, 2023; U.S. Appl. No. 17/877,045, filed Jul. 29, 2022; 91 pages. cited by applicant
Notice of Allowance dated Aug. 28, 2023; U.S. Appl. No. 17/877,045, filed Jul. 29, 2022; 9 pages. cited by applicant
European Extended Search Report; Application No. 23159129.8; May 11, 2023; 11 pages. cited by applicant
European Examination Report; Application No. 19172928.4; Oct. 21, 2021; 4 pages. cited by applicant
Bumiller, George; “Notes on Interworking with External Networks”; Document: IEEE 802.11-09/1272r2; Jul. 22, 2010; 156 pages. cited by applicant
Cao, Z., et al.; “DHCPv4 and DHCPv6 Options for Access Network Query Protocol Servers”; draft-ca0-dhc-anqp-option-00; Jul. 9, 2012; 8 pages. cited by applicant
Kneckt, Jarkko, et al.; “Active Scanning Enabling FILS”; IEEE 802.11-11/1619r1; Jan. 16, 2012;

15 pages. cited by applicant
Campbell, Andrew T., et al.; “Design, Implementation, and Evaluation of Cellular IP”; IEEE Personal Communications; Aug. 2000; 8 pages. cited by applicant
Nakano, Hiroki; “Upper Layer Data on Management Frames”; IEEE 802.11-11/1003r1; Jul. 18, 2011; 17 pages. cited by applicant
Bajko, Gabor; “IP Address Configuration During Association”; IEEE P802.11; Jul. 20, 2011; 5 pages. cited by applicant
Wi-Fi Alliance; “Wi-Fi Peer-to-Peer (P2P) Technical Specification”; Version 1.2; 2010; 159 pages. cited by applicant
Wi-Fi Alliance; “Wi-Fi Peer-to-Peer (P2P) Technical Specification”; Version 1.1; 2010; 159 pages. cited by applicant
Frikha, Mounir, et al.; “Micro Mobility in the IP Networks”; Telecommunication Systems; Apr. 2006; 16 pages. cited by applicant
“Proxy from FOLDOC”; Sep. 3, 2007; Retrieved from: <http://foldoc.org/proxy> on Dec. 17, 2019; 2 pages. cited by applicant
Georgantas, Konstantinos; “Fast Initial Authentication, a New Mechanism to Enable Fast WLAN Mobility”; Master of Thesis; MSc Communication Systems, School of ICT, Royal Institute of Technology; Stockholm, Sweden; Sep. 2011; 65 pages. cited by applicant
Gazis, Vangelis, et al.; “Towards the Functional Enhancement of 3GPP Networks with Reconfiguration Capacities”; Wireless Personal Communications; Jun. 2011; 28 pages. cited by applicant
Kempf, J., et al.; “An API for Service Location”; Request for Comments: 2614; Jun. 1999; 92 pages. cited by applicant
Juniper Networks; “P-CR 23.852 V1.2.0 SaMOG Layer 2 Solution”; SA WG2 Meeting #92; S2-123195; Barcelona, Spain; Jul. 9-13, 2012, 13 pages. cited by applicant
Wi-Fi Alliance; “Wi-Fi Certified Wi-Fi Direct”; Oct. 2010; 14 pages. cited by applicant
Stephenson, Dave, et al.; “Venue Type Assisted Network Selection”; IEEE 802.11-07/2494r1; Sep. 17, 2007; 11 pages. cited by applicant
Office Action dated Jun. 29, 2012; U.S. Appl. No. 12/780,603, filed May 14, 2010; 37 pages. cited by applicant
Office Action dated Jan. 2, 2013; U.S. Appl. No. 12/780,603, filed May 14, 2010; 35 pages. cited by applicant
Final Office Action dated Jun. 5, 2013; U.S. Appl. No. 12/780,603, filed May 14, 2010; 30 pages. cited by applicant
Office Action dated Dec. 17, 2013; U.S. Appl. No. 12/780,603, filed May 14, 2010; 27 pages. cited by applicant
Final Office Action dated Jun. 3, 2014; U.S. Appl. No. 12/780,603, filed May 14, 2010; 28 pages. cited by applicant
Notice of Allowance dated Sep. 2, 2014; U.S. Appl. No. 12/780,603, filed May 14, 2010; 7 pages. cited by applicant
Office Action dated Jun. 8, 2012; U.S. Appl. No. 12/780,709, filed May 14, 2010; 6 pages. cited by applicant
Office Action dated Aug. 23, 2012; U.S. Appl. No. 12/780,709, filed May 14, 2010; 13 pages. cited by applicant
Notice of Allowance dated Jan. 18, 2013; U.S. Appl. No. 12/780,709, filed May 14, 2010; 11 pages. cited by applicant
Office Action dated Apr. 3, 2012; U.S. Appl. No. 12/780,722, filed May 14, 2010; 15 pages. cited by applicant
Notice of Allowance dated Oct. 19, 2012; U.S. Appl. No. 12/780,722, filed May 14, 2010; 6 pages. cited by applicant

Notice of Allowance dated Feb. 5, 2013; U.S. Appl. No. 12/780,722, filed May 14, 2010; 6 pages. cited by applicant

Office Action dated May 2, 2012; U.S. Appl. No. 12/780,614, filed May 14, 2010; 5 pages. cited by applicant

Office Action dated Jul. 19, 2012; U.S. Appl. No. 12/780,614, filed May 14, 2010; 14 pages. cited by applicant

Office Action dated Nov. 16, 2012; U.S. Appl. No. 12/780,614, filed May 14, 2010; 6 pages. cited by applicant

Office Action dated Mar. 25, 2013; U.S. Appl. No. 12/780,614, filed May 14, 2010; 10 pages. cited by applicant

Final Office Action dated Jul. 19, 2013; U.S. Appl. No. 12/780,614, filed May 14, 2010; 7 pages. cited by applicant

Notice of Allowance dated Oct. 31, 2013; U.S. Appl. No. 12/780,614, filed May 14, 2010; 7 pages. cited by applicant

Office Action dated Nov. 16, 2012; U.S. Appl. No. 13/045,622, filed Mar. 11, 2011; 19 pages. cited by applicant

Final Office Action dated Jul. 12, 2013; U.S. Appl. No. 13/045,622, filed Mar. 11, 2011; 17 pages. cited by applicant

Office Action dated Oct. 11, 2012; U.S. Appl. No. 13/045,658, filed Mar. 11, 2011; 11 pages. cited by applicant

Final Office Action dated May 15, 2013; U.S. Appl. No. 13/045,658, filed Mar. 11, 2011; 11 pages. cited by applicant

Advisory Action dated Jul. 26, 2013; U.S. Appl. No. 13/045,658, filed Mar. 11, 2011; 3 pages. cited by applicant

Office Action dated Sep. 23, 2016; U.S. Appl. No. 13/045,658, filed Mar. 11, 2011; 77 pages. cited by applicant

Notice of Allowance dated Nov. 18, 2016; U.S. Appl. No. 13/045,658, filed Mar. 11, 2011; 7 pages. cited by applicant

Office Action dated Jul. 12, 2013; U.S. Appl. No. 13/234,799, filed Sep. 16, 2011; 16 pages. cited by applicant

Notice of Allowance dated Jan. 30, 2014; U.S. Appl. No. 13/234,799, filed Sep. 16, 2011; 7 pages. cited by applicant

Office Action dated Apr. 20, 2015; U.S. Appl. No. 14/298,289, filed Jun. 6, 2014; 10 pages. cited by applicant

Final Office Action dated Aug. 5, 2015; U.S. Appl. No. 14/298,289, filed Jun. 6, 2014; 34 pages. cited by applicant

Advisory Action dated Oct. 15, 2015; U.S. Appl. No. 14/298,289, filed Jun. 6, 2014; 3 pages. cited by applicant

Office Action dated Nov. 16, 2015; U.S. Appl. No. 14/298,289, filed Jun. 6, 2014; 13 pages. cited by applicant

Final Office Action dated Mar. 21, 2016; U.S. Appl. No. 14/298,289, filed Jun. 6, 2014; 21 pages. cited by applicant

Advisory Action dated Jun. 8, 2016; U.S. Appl. No. 14/298,289, filed Jun. 6, 2014; 4 pages. cited by applicant

Office Action dated Aug. 23, 2016; U.S. Appl. No. 14/298,289, filed Jun. 6, 2014; 8 pages. cited by applicant

Final Office Action dated Jan. 3, 2017; U.S. Appl. No. 14/298,289, filed Jun. 6, 2014; 13 pages. cited by applicant

Office Action dated Mar. 30, 2017; U.S. Appl. No. 14/298,289, filed Jun. 6, 2014; 7 pages. cited by applicant

Notice of Allowance dated Jun. 14, 2017; U.S. Appl. No. 14/298,289, filed Jun. 6, 2014; 8 pages. cited by applicant

Office Action dated Jul. 11, 2013; U.S. Appl. No. 13/407,444, filed Feb. 28, 2012; 14 pages. cited by applicant

Office Action dated Dec. 31, 2013; U.S. Appl. No. 13/407,444, filed Feb. 28, 2012; 11 pages. cited by applicant

Final Office Action dated Jun. 3, 2014; U.S. Appl. No. 13/407,444, filed Feb. 28, 2012; 11 pages. cited by applicant

Notice of Allowance dated Sep. 17, 2014; U.S. Appl. No. 13/407,444, filed Feb. 28, 2012; 5 pages. cited by applicant

Office Action dated Feb. 4, 2014; U.S. Appl. No. 13/548,864, filed Jul. 13, 2012; 15 pages. cited by applicant

Final Office Action dated Jul. 11, 2014; U.S. Appl. No. 13/548,864, filed Jul. 13, 2012; 10 pages. cited by applicant

Office Action dated Oct. 30, 2014; U.S. Appl. No. 13/548,864, filed Jul. 13, 2012; 10 pages. cited by applicant

Notice of Allowance dated May 1, 2015; U.S. Appl. No. 13/548,864, filed Jul. 13, 2012; 14 pages. cited by applicant

Office Action dated Jan. 14, 2014; U.S. Appl. No. 13/469,618, filed May 11, 2012; 28 pages. cited by applicant

Final Office Action dated Jul. 9, 2014; U.S. Appl. No. 13/469,618, filed May 11, 2012; 31 pages. cited by applicant

Office Action dated Jan. 21, 2015; U.S. Appl. No. 13/469,618, filed May 11, 2012; 26 pages. cited by applicant

Notice of Allowance Jul. 23, 2015; U.S. Appl. No. 13/469,618, filed May 11, 2012; 15 pages. cited by applicant

Office Action dated Dec. 31, 2014; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 19 pages. cited by applicant

Final Office Action dated Aug. 27, 2015; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 26 pages. cited by applicant

Advisory Action dated Dec. 2, 2015; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 3 pages. cited by applicant

Advisory Action dated Jan. 20, 2016; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 4 pages. cited by applicant

Office Action dated Jun. 13, 2016; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 58 pages. cited by applicant

Final Office Action dated Dec. 14, 2016; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 33 pages. cited by applicant

Advisory Action dated Mar. 13, 2017; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 11 pages. cited by applicant

Office Action dated Mar. 28, 2017; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 24 pages. cited by applicant

Final Office Action dated Dec. 8, 2017; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 36 pages. cited by applicant

Office Action dated Jun. 13, 2018; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 39 pages. cited by applicant

Final Office Action dated Oct. 18, 2018; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 32 pages. cited by applicant

Advisory Action dated Jan. 29, 2019; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 4 pages. cited by applicant

Office Action dated Apr. 5, 2019; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 34 pages. cited by applicant

Final Office Action dated Oct. 18, 2019; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 40 pages. cited by applicant

Advisory Action dated Jan. 7, 2020; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 11 pages. cited by applicant

Office Action dated Mar. 25, 2020; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 36 pages. cited by applicant

Notice of Allowance dated Jun. 17, 2020; U.S. Appl. No. 13/547,880, filed Jul. 12, 2012; 9 pages. cited by applicant

Office Action dated Jun. 30, 2015; U.S. Appl. No. 13/836,759, filed Mar. 15, 2013; 24 pages. cited by applicant

Notice of Allowance dated Nov. 18, 2015; U.S. Appl. No. 13/836,759, filed Mar. 15, 2013; 33 pages. cited by applicant

Office Action dated Mar. 31, 2016; U.S. Appl. No. 14/854,685, filed Sep. 15, 2015; 56 pages. cited by applicant

Final Office Action dated Sep. 16, 2016; U.S. Appl. No. 14/854,685, filed Sep. 15, 2015; 18 pages. cited by applicant

Notice of Allowance dated Nov. 23, 2016; U.S. Appl. No. 14/854,685, filed Sep. 15, 2015; 13 pages. cited by applicant

Office Action dated Apr. 8, 2016; U.S. Appl. No. 14/952,574, filed Nov. 25, 2015; 75 pages. cited by applicant

Final Office Action dated Oct. 20, 2016; U.S. Appl. No. 14/952,574, filed Nov. 25, 2015; 36 pages. cited by applicant

Advisory Action dated Jan. 11, 2017; U.S. Appl. No. 14/952,574, filed Nov. 25, 2015; 2 pages. cited by applicant

Office Action dated Feb. 15, 2017; U.S. Appl. No. 14/952,574, filed Nov. 25, 2015; 28 pages. cited by applicant

Notice of Allowance dated Jun. 30, 2017; U.S. Appl. No. 14/952,574, filed Nov. 25, 2015; 24 pages. cited by applicant

Office Action dated Aug. 11, 2017; U.S. Appl. No. 15/048,669, filed Feb. 19, 2016; 37 pages. cited by applicant

Notice of Allowance dated Dec. 8, 2017; U.S. Appl. No. 15/048,669, filed Feb. 19, 2016; 10 pages. cited by applicant

Office Action dated Nov. 16, 2018; U.S. Appl. No. 15/460,991, filed Mar. 16, 2017; 94 pages. cited by applicant

Notice of Allowance dated Mar. 11, 2019; U.S. Appl. No. 15/460,991, filed Mar. 16, 2017; 12 pages. cited by applicant

Office Action dated Feb. 22, 2018; U.S. Appl. No. 15/483,759, filed Apr. 10, 2017; 68 pages. cited by applicant

Notice of Allowance dated Jul. 18, 2018; U.S. Appl. No. 15/483,759, filed Apr. 10, 2017; 13 pages. cited by applicant

Office Action dated Sep. 11, 2018; U.S. Appl. No. 15/785,121, filed Oct. 16, 2017; 59 pages. cited by applicant

Notice of Allowance dated Nov. 30, 2018; U.S. Appl. No. 15/785,121, filed Oct. 16, 2017; 7 pages. cited by applicant

Intel, et al.; "Solution for Trusted WLAN Access to EPC"; 3GPP TSG SA WG2 Meeting #86; S2-1131481; Naantali, Finland, Jul. 11-15, 2011; 7 pages. cited by applicant

Cisco White Paper; "The Future of Hotspots: Making Wi-Fi as Secure and Easy to Use as Cellular"; Jun. 10, 2011; 7 pages. cited by applicant

European Extended Search Report; Application No. 24166176.8; Jun. 27, 2024; 9 pages. cited by applicant
McCann, Stephen, et al.; U.S. Appl. No. 19/029,256, filed Jan. 17, 2025; Title: Discovering Network Information Available via Wireless Networks; 64 pages. cited by applicant
Notice of Allowance dated Dec. 23, 2024; U.S. Appl. No. 18/403,474, filed Jan. 3, 2024; 9 pages. cited by applicant
Office Action dated Dec. 16, 2024; U.S. Appl. No. 18/670,198, filed May 21, 2024; 81 pages. cited by applicant
Notice of Allowance dated Jan. 23, 2024; U.S. Appl. No. 18/670,198, filed May 21, 2024; 5 pages. cited by applicant
McCann, STEPHEN, et al.; U.S. Appl. No. 19/169,695; Filing Date: Apr. 3, 2025; Title: Wireless Network Service Transaction Protocol; 58 pages. cited by applicant

Primary Examiner: Salad; Abdullahi E

Attorney, Agent or Firm: Conley Rose, P.C.

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS (1) The present application is a continuation of U.S. patent application Ser. No. 17/843,656 filed Jun. 17, 2022 by Stephen McCann, et al. entitled, “Negotiation of Quality of Service (QOS) Information for Network Management Traffic in a Wireless Local Area Network (WLAN)”, which is a continuation of U.S. patent application Ser. No. 17/146,189 filed Jan. 11, 2021, now U.S. Pat. No. 11,368,880, which is a continuation of U.S. patent application Ser. No. 16/428,350 filed May 31, 2019, now U.S. Pat. No. 10,893,442, which is a continuation of U.S. patent application Ser. No. 15/460,991 filed Mar. 16, 2017, now U.S. Pat. No. 10,356,662, which is a continuation of U.S. patent application Ser. No. 13/045,658 filed Mar. 11, 2011, now U.S. Pat. No. 9,615,383, which claims priority to Canadian Patent Application No. 2,696,037 filed Mar. 15, 2010 entitled “Advertisement and Dynamic Configuration of WLAN Prioritization States”, all of which are incorporated by reference herein as if reproduced in their entireties.

TECHNICAL FIELD

(1) The technology described herein generally relates to wireless local area networks (WLANs), and more particularly, to the handling of network management traffic in a WLAN.

BACKGROUND

(2) The enhanced Distributed Channel Access (EDCA) of the Institute of Electrical and Electronics Engineers (IEEE) standard 802.11 is an enhancement to the original IEEE 802.11 Media Access Control (MAC) sublayer and is a method of medium access described in the standard amendment document IEEE 802.11e. EDCA provides four prioritized queues for transmission, where each queue is associated with a different access category (AC). The four access categories defined, for example, in IEEE standard 802.11e, in decreasing priority, are AC_VO, AC_VI, AC_BE and AC_BK, named for voice traffic, video traffic, best-effort traffic, and background traffic, respectively. The queues use a contention-based mechanism to determine the next frame for transmission. The queue parameters are set such that the high priority queues have a preference for access to the wireless medium.

(3) Management frames are the foundation of network management traffic in a Wireless Local Area

Network (WLAN). Current IEEE 802.11 standards dictate that, in any access point (AP) or non-AP station (STA), management frames are to be handled via the EDCA queue of highest priority.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) FIG. 1 is an illustration of an example network architecture for advertisement of management frame QoS (MFQ) information within a basic service set (BSS);
- (2) FIG. 2 is an illustration of an example method to be implemented by an access point (AP) for advertisement of MFQ information;
- (3) FIG. 3 is an illustration of an example method to be implemented by an AP for including MFQ information in a downlink frame;
- (4) FIG. 4 is an illustration of an example method to be implemented by a station (STA) associated with an AP for handling MFQ information received from the AP in a downlink frame;
- (5) FIG. 5 is an illustration of example formatting information for a MFQ element;
- (6) FIG. 6 is an illustration of an example method to be performed by a STA associated with an AP for requesting permission from the AP to deviate from MFQ information currently advertised by the AP, receiving a policy configuration response from the AP, and acting on the received policy configuration response;
- (7) FIG. 7 is an illustration of an example method to be performed by an AP for receiving a policy configuration request from an associated STA for permission to deviate from MFQ information currently advertised by the AP and for responding to the policy configuration request;
- (8) FIG. 8 is an illustration of example formatting for a policy configuration request;
- (9) FIG. 9 is an illustration of example formatting for a policy configuration response;
- (10) FIG. 10 is an illustration of example formatting for a policy stop message;
- (11) FIG. 11 is a block diagram of an example AP;
- (12) FIG. 12 is a block diagram of an example STA;
- (13) FIG. 13 is a block diagram of a media access control (MAC) sublayer module of an AP; and
- (14) FIG. 14 is a block diagram of a MAC sublayer module of a STA.

DETAILED DESCRIPTION

(15) The disclosure can be better understood with reference to the following drawings and description. The components in the figures are not necessarily to scale, emphasis instead being placed upon illustrating the principles of the disclosed technology. Moreover, in the figures, like referenced numerals designate corresponding parts or elements throughout the different views. The following description is merely exemplary in nature and is in no way intended to limit the disclosure, its application, or uses. As used herein, the term “module” refers to an Application Specific Integrated Circuit (ASIC), an electronic circuit, a processor (shared, dedicated, or group) and memory that executes one or more software or firmware programs stored in the memory, a combinational logical circuit, and/or other suitable components that provide the described functionality. Herein, the phrase “coupled with” is defined to mean directly connected to or indirectly connected through one or more intermediate components. Such intermediate components may include both hardware and software based components.

(16) Recent amendments to the IEEE 802.11 family of standards have increased the number and type of management frames, resulting in an increase in network management traffic. If all management frames continue to be handled as frames of the highest priority, this may adversely affect overall network performance or the ability to provide Quality of Service (QOS) to data frames or both. For example, it would not be desirable for the transmission of diagnostic reports to reduce the quality of a voice call.

(17) By way of introduction, the disclosure is related to the prioritization of management frames

and are merely exemplary in nature. More particularly, the present disclosure describes the implementation of prioritization scheme(s) that define various access categories of different management frames, where each of the access categories is associated with a respective prioritization used for transmission. An access category may be defined for a group of management frame subtypes or for an individual management frame subtype.

(18) In the present disclosure, access categories AC_BK, AC_BE, AC_VI and AC_VO named for background traffic, best-effort traffic, video traffic, and voice traffic, respectively, are used to illustrate the concepts described herein. However, it is contemplated that the list of access categories may be different. If the list of access categories is different, then the number or definition or both of access-category-dependent queues in a compatible media access control (MAC) sublayer will also be different. An access category is a label given to a common set of enhanced distributed channel access (EDCA) parameters that are used, for example, by a station to contend for a channel in order to transmit information with certain priorities. In other words, each respective access category (e.g., AC_BK, AC_BE, AC_VI and AC_VO) is associated with (i.e., characterized by or indicative of) a respective priority used for transmission by a station.

(19) Each data frame generated by an application in a non-access point (non-AP) station (STA) already has an indication of its priority. As used herein, the term “data frame” includes both a content data frame and a signaling data frame. For example, any one or any combination of the following values is an example indication of the priority of a data frame: a user priority assigned to the data frame; the IP-ToS (Internet Protocol-Type of Service) value in an IP header of the data frame; and a Differentiated Services Code Point (DSCP) value in the IP header of the data frame. The classification of a data frame to an access category by a MAC sublayer module of a non-AP STA may be based upon the data frame's indication of priority. For example, data frames having various user priorities may be classified as follows:

(20) TABLE-US-00001 User Priority Access Category 001 AC_BK 010 AC_BK 000 AC_BE 011 AC_BE 100 AC_VI 101 AC_VI 110 AC_VO 111 AC_VO

(21) Conventionally, management frames, in contrast to data frames, do not have an indication of priority, so there is no inherent classification of a management frame to an access category.

Management frames are generated within the MAC sublayer module of an AP and/or a STA.

(22) As proposed in the present disclosure, the prioritization scheme includes a default management frame QoS (MFQ) policy, which is a static definition of access categories for management frames. The default MFQ policy is implementable by a MAC sublayer module of an AP or non-AP STA. The default MFQ policy is known to all APs and STAs and is therefore not advertised. An example default MFQ policy includes the following definitions, where the access category of management frames not included in the following table is AC_BE:

(23) TABLE-US-00002 Access Management Frame Subtypes Category Beacon AC_VO

(Re)Association Request/Response Probe Request (individually addressed) Probe Response

Announcement Traffic Indication Message (ATIM) Dissociation Authentication

Deauthentication Spectrum management - channel switch announcement QoS Block Ack Public -

extended channel switch announcement Public - measurement pilot Public - TDLS Discovery

Response Fast BSS Transition HT SA Query Protected Dual of Public Action - extended channel

switch announcement Mesh Action - HWMP Mesh Path Selection AC_VI Self Protected Spectrum

Management AC_BE Public Protected Dual of Public Action WNM Unprotected WNM Mesh

Action Multihop Action Vendor-specific Protected Vendor-specific

(24) As proposed in the present disclosure, a MFQ policy will apply to a basic service set (BSS), which comprises an AP and any non-AP STAs associated with the AP. Therefore, the MFQ policy in effect in one BSS may differ from the MFQ policy in effect in a different BSS. In particular, the MFQ policy in effect in a BSS may differ from the default MFQ policy. The MFQ policies in effect in different BSSs belonging to the same extended service set (ESS) may be identical to one another, but this is not necessary. The MFQ policy in effect in a BSS may change over time. The

prioritization scheme for management frames of the present disclosure is therefore dynamic in that the prioritization scheme allows for changes over time in the definition of access categories for management frame subtypes.

(25) Furthermore, as proposed herein, the AP of the BSS will determine the MFQ policy that is currently in effect in the BSS and transmit management frames according that policy. The AP advertises MFQ information that describes how the MFQ policy currently in effect in the BSS differs from the default MFQ policy. Therefore, the MFQ policy currently in effect in a BSS may be referred to as the advertised MFQ policy, even though only the differences between the MFQ policy currently in effect in the BSS and the default MFQ policy are advertised. An associated STA is therefore informed of the MFQ policy currently in effect in the BSS through receipt of the advertised MFQ information.

(26) In accordance with the present disclosure, an associated STA may follow the MFQ policy determined by the AP with which the STA is associated. Alternatively, an associated STA may follow the MFQ policy determined by the AP with which the STA is associated unless the STA has successfully negotiated a different MFQ policy with the AP. Compliance of an associated STA to the advertised MFQ policy or to the negotiated MFQ policy is not actually checked by the AP with which the STA is associated, because prioritization of management frames is handled internally in the STA prior to transmission of the frames.

Advertisement of MFQ Policy by AP

(27) FIG. 1 is an illustration of an example network architecture for advertisement of MFQ information by an AP of a wireless local area network (WLAN). The WLAN may be configured using IEEE 802.11 technology, and/or or other wireless communication standards including other WLAN standards, personal area network (PAN) standards, wide area network (WAN) standards, or cellular communication standards or networks for providing wireless network communications.

(28) In the network architecture shown in FIG. 1, a WLAN access point (AP) **10** is coupled to a network **12**, possibly through a wired communication interface, a satellite interface, a Worldwide Interoperability for Microwave Access (WiMAX®) communication interface, or any other suitable communication interface. AP **10** broadcasts beacon frames. Stations **14** are WLAN devices that are within range (i.e., within communication range) of AP **10** and are associated with AP **10**. AP **10** and stations **14** together form a basic service set (BSS) **16**. A basic service set identifier (BSSID) identifies BSS **16**, and is included in every management frame sent by AP **10** or STAs **14**. The MAC address of AP **10** is often used as the BSSID. The network to which BSS **16** belongs is identified by its network name, referred to as a service set identifier (SSID). Unless hidden, the SSID is included in certain downlink frames, including, for example, beacon frames and probe response frames transmitted by AP **10**.

(29) A station (STA) **18** is within range of AP **10** but is not associated with AP **10**. STA **18** is therefore not part of the BSS. STA **18** may detect the existence of AP **10** by undergoing a network discovery process to identify the available wireless local area networks within range. In some implementations, the network discovery process includes the receipt by STA **18** of beacon frames broadcasted by AP **10**. In some implementations, the network discovery process includes the transmission by STA **18** of a probe request frame and receipt by STA **18** of a probe response frame from AP **10** in response to the probe request frame.

(30) A server **20** is coupled to AP **10** through network **12**. In the present implementation, server **20** is local to AP **10**. Alternatively, server **20** may be remote to AP **10**, and the coupling of server **20** to AP **10** may occur via other networks in addition to network **12**. For example, if server **20** is remote to AP **10**, the coupling of server **20** to AP **10** may occur via the Internet.

(31) As explained in further detail in this disclosure, AP **10** advertises MFQ information that describes how the current MFQ policy in effect in BSS **16** differs from the default MFQ policy, and this advertisement may be received and interpreted by associated STAs, such as STAs **14**, and by non-associated STAs, such as STA **18**. Upon receipt of the advertised MFQ policy, a classification

of management frames of the associated STA may be adjusted in accordance with the advertised MFQ policy. A non-associated STA, such as STA **18**, may use Access Network Query Protocol (ANQP) to query an AP, such as AP **10**, for the advertised MFQ policy. For example, a non-associated STA that is actively scanning may issue a probe request or a Generic Advertisement Service (GAS) request on an AP's channel in order to determine what MFQ policy the AP is implementing. However, such a non-associated STA may choose not to follow that MFQ policy. It should be noted that AP **10** transmits management frames according the current MFQ policy in effect (i.e., being implemented) within BSS **16**.

(32) FIG. **2** illustrates an example method to be implemented by an AP for advertisement of MFQ information. At **22**, the AP creates an advertisement of MFQ information that describes how the current MFQ policy in effect in the BSS differs from the default MFQ policy. At **24**, the AP advertises the advertisement, thus advertising the current MFQ policy in effect in the BSS (i.e., the current MFQ policy). For the sake of simplicity and brevity, the present disclosure discusses one format of the advertisement generated by the AP though those skilled in the art will appreciate that other forms of the advertisement are anticipated.

(33) In the example method illustrated in FIG. **3**, the advertisement is in the form of a MFQ policy element. The MFQ policy element defines access categories of management frames and, as mentioned above, is used to advertise and exchange MFQ policy between a STA and an AP. The AP generates a MFQ policy element at **26**. At **28**, the AP includes the MFQ policy element in downlink frames, for example, in beacon frames or in probe response frames or in both. As part of the process of generating a beacon frame and as part of the process of generating a probe response frame, the AP may regenerate the MFQ policy element to reflect the current MFQ policy in effect in the BSS. The MFQ policy element is not reused from an earlier beacon frame or probe response frame. Rather, the MFQ policy element is generated as part of the process of generating the beacon frame or probe response frame in which the MFQ policy element is to be included.

(34) An AP may indicate support for management frame prioritization by setting an appropriate bit, referred to herein as MFQActivated, in the Capabilities field of the Extended Capabilities information element (IE) to a value of 1 or may indicate lack of support for management frame prioritization by setting that bit to a value of 0. One of the currently reserved bits of the Capabilities field of the Extended Capabilities IE (as defined in IEEE Std 802.11-2007) may be used for this purpose. Alternatively, presence of the MFQ policy element in the downlink frame may be an indication to STAs receiving the downlink frame that MFQ is enabled, and lack of presence of the MFQ policy element in the downlink frame may be an indication to STAs receiving the downlink frame that either the AP sending the downlink frame does not support MFQ, or the AP sending the downlink frame supports MFQ and there is no change to the current MFQ policy for the AP to advertise.

(35) When the AP changes its current MFQ policy in effect in the BSS, the change is communicated in all the beacon frames transmitted during the Delivery Traffic Indication Message (DTIM) interval following the MFQ policy change. The change may be indicated, for example, by setting a change bit to a value of 1. The change bit may be part of the MFQ policy element or may be in another part of the beacon frame. Setting the change bit to 1 in all beacon frames transmitted during the DTIM interval following the MFQ policy change will ensure that most, if not all, STAs in the BSS will be informed of a change in MFQ policy for the BSS. For example, even if a STA is in an awake state only for beacon frames that includes DTIMs and is not awake to receive other beacon frames, that STA will still be informed of the change in MFQ policy, and therefore be prompted to check the MFQ policy element in the beacon frame. However, a STA that has set its ReceiveDTIMs parameter to "No" may not receive a beacon frame that informs of a change in MFQ policy for the BSS.

(36) FIG. **4** illustrates an example method to be implemented by a STA associated with an AP for handling MFQ information received from the AP in a downlink frame. At **30**, the STA receives a

downlink frame that includes a MFQ policy element. At **32**, the STA configures itself to implement the advertised MFQ policy. In other words, the STA configures itself to implement the default MFQ policy modified by the content of the MFQ policy element. As such, the STA assigns an access category to each management frame according to an access category assignment indicated in the MFQ policy element (i.e., the advertised MFQ policy).

(37) FIG. 5 illustrates example formatting information for a MFQ policy element. In order that the advertisement may be received by associated STAs and by non-associated STAs, the size of the MFQ policy element complies with any upper limit on the size of an element in non-associated mode. In one implementation, an Element ID field **34** which is 1 octet in length includes a value indicating that the element is a MFQ policy element. A length field **36** which is also 1 octet in length stores the length of the MFQ policy element. The length of the MFQ policy element may vary, because information for multiple deviations from the default MFQ policy may be included in the MFQ policy element. A MFQ policy info field **38**, alternatively named “Access Category Assignment Count” field **38**, is 1 octet in length and includes a value indicating the number of deviations which are included in the MFQ policy element. MFQ policy info field **38** may also include a change bit to indicate whether the MFQ policy has changed. The “Deviation from default MFQ policy for management frame subtype #1” field **40**, alternatively named “Management Prioritization Policy for Category #1” field **40**, “Access Category Assignment #1” field **40**, or “Access Category Mapping #1” field **40**, stores a first deviation to be included in the advertised MFQ policy. Optionally, additional deviations may be provided in fields **42** and **44**. Fields **40**, **42** and **44** are all of variable length.

(38) Any one or any combination of the following factors may be taken into account when determining a change to a MFQ policy: detection of changes in network conditions, anticipation of changes in network conditions, detection of changes in network loading (at the BSS level or at the ESS level or both), anticipation of changes in network loading (at the BSS level or at the ESS level or both), detection of changes in AP loading, anticipation of changes in AP loading, the presence or lack of a multi-media stream, detection of changes in a multi-media stream, anticipation of changes in a multi-media stream, and other operating conditions.

Negotiated MFQ Policy

(39) An associated non-AP STA may negotiate with the AP with which it is associated in order to deviate from the advertised MFQ policy (i.e., the configured MFQ policy). FIG. 6 illustrates an example method to be performed by a STA associated with an AP for requesting permission from the AP to deviate from the advertised MFQ policy, receiving a response from the AP, and acting on the received response.

(40) The method begins at **46** with a STA implementing the MFQ policy configured in its MAC sublayer module. At **48**, the STA transmits a policy configuration request, also referred to herein as an “MFQ Policy Config Request”, to the AP to request a change in the MFQ policy used to transmit management frames between the STA and the AP (i.e., the responding AP). In other words, a MFQ Policy Config Request is used to negotiate a change or modification to the MFQ policy between a STA and an AP with which the STA is associated. The MFQ Policy Config Request transmitted by the STA includes or indicates a change(s) to the MFQ policy being implemented. The policy configuration request may be transmitted in response to a triggering event, for example, a network problem, application-related diagnostics, or a financial transaction. At **50**, the STA receives a policy configuration response from the AP.

(41) The policy configuration request (i.e., the MFQ Policy Config Request) includes a MFQ policy element describing how a requested MFQ policy differs from the default MFQ policy. In other words, the MFQ policy element indicates a proposed change with reference to the default MFQ policy. Any one or any combination of the following factors may taken into account when determining a requested MFQ policy: detection of changes in the associated non-AP STA due to diminishing battery power levels, anticipation of changes in the associated non-AP STA due to

diminishing battery power levels, detection that a current predicted motion of the non-AP STA will shortly take the non-AP STA out of radio coverage, so the requested MFQ policy prioritizes signaling frames over a poor link.

(42) If, as shown at **52**, a policy configuration response, also referred to as a “MFQ Policy Config Response”, from the AP indicates that a policy configuration request has been rejected by the AP (i.e., the proposed change(s) in the MFQ Policy Config Request has (have) been rejected), the STA that transmitted the request may continue at **46** to transmit management frames in accordance with the MFQ policy configured in its MAC sublayer module.

(43) In this document, a “negotiated MFQ policy” is a requested MFQ policy requested in a policy configuration request that has been accepted by the AP. If, as shown at **54**, a policy configuration response received from the AP indicates that a policy configuration request has been accepted by the AP (i.e., the proposed change(s) in the MFQ Policy Config Request has (have) been accepted), the STA proceeds at **56** to implement the negotiated MFQ policy by configuring its MAC sublayer module to implement the default MFQ policy modified by the content of the policy element (i.e., the proposed changes) in the policy configuration request that has been accepted. In some implementations, both the STA and the AP may transmit management frames to each other in accordance with the changes to the MFQ policy that were indicated in the MFQ Policy Config Request. The negotiated MFQ policy applies only to the associated STA that made the policy configuration request and does not apply to any other STA in the BSS.

(44) At some point following acceptance of a policy configuration request, the AP may send a policy stop message to the STA that made the policy configuration request. Alternatively, the STA that made the policy configuration request may send a policy stop message to the AP. As long as no policy stop message has been transmitted by the AP to the STA or by the STA to the AP, the STA may continue to implement the negotiated MFQ policy. However, if the STA determines at **58** that a policy stop message has been received from the AP or transmitted by the STA, the STA may at **60** configure its MAC sublayer module according to the MFQ policy currently advertised by the AP. The AP may have changed its advertised MFQ policy during the time that the STA was configured according to the negotiated MFQ policy. After the STA has at **58** received a policy stop message from the AP or transmitted a policy stop message to the AP, the STA may wait for an advertisement of the MFQ policy currently in effect for the BSS in order to configure its MAC sublayer module in accordance with the current advertised MFQ policy.

(45) Optionally, a policy configuration response received from the AP may indicate that the STA should retry its policy configuration request, as shown at **62**. In this case, the policy configuration response may include a suggested MFQ policy (not shown) that the AP might accept upon request. At **64**, the STA may transmit another policy configuration request to the AP. This policy configuration request may be the same policy configuration request that was transmitted by the STA at **48**, or this policy configuration request may include a MFQ policy element received from the AP describing a suggested MFQ policy (not shown) suggested by the AP, or this policy configuration request may include a different MFQ policy element describing a different MFQ policy than the previously requested MFQ policy. After transmitting the other policy configuration request to the AP at **64**, the STA receives a new policy configuration response from the AP at **50**.

(46) As an alternative to use of the policy stop message, a STA that no longer wishes to follow the negotiated MFQ policy may send to its associated AP a policy configuration request that includes an MFQ policy element identical to the MFQ policy element advertised by the associated AP. It is expected that the AP will accept a policy configuration request that is requesting the MFQ policy currently implemented in the BSS.

(47) As an alternative to use of the policy stop message, an AP that wants a STA to stop following a negotiated MFQ policy may send to the STA a policy configuration request that includes an MFQ policy element identical to the MFQ policy element advertised by the associated AP. It is expected that the STA will interpret the policy configuration request as a command from the associated AP to

stop following the negotiated MFQ policy and to begin following the advertised MFQ policy.

(48) FIG. 7 illustrates an example method to be performed by an AP for receiving a policy configuration request from an associated STA for permission to deviate from a MFQ policy currently advertised by the AP and for responding to the request.

(49) The method begins at **66** when the AP receives a policy configuration request from an associated STA. At **68**, the AP determines the result of the policy configuration request and includes the result in a policy configuration response to be transmitted to the STA. For example, the AP may determine to accept the policy configuration request or to reject the policy configuration request. Alternatively, the AP may determine that the STA should retry the policy configuration request. In the case that the AP determines that the result of the policy configuration request is retry, the AP may optionally determine at **69** a suggested MFQ policy to include in its policy configuration response to the STA. It is contemplated that such a suggested MFQ policy may be more likely to be accepted by the AP than the requested MFQ policy in the policy configuration request received from the STA at **66**.

(50) Following the AP's determination of the result of the policy configuration request at **66** and its optional determination (if the result is retry) of a suggested MFQ policy to describe in a policy configuration response at **68**, the AP transmits the policy configuration response to the STA at **70**.

(51) FIG. 8 illustrates example formatting information for a policy configuration request. A policy configuration request may be implemented as a particular type of management frame called an action frame. A Category field **72** which is 1 octet in length is set to a value for public action. A Public Action field **73** which is 1 octet in length is set to indicate a policy configuration request frame. A dialog token field **74** which is 1 octet in length is set by the STA to a value to enable the STA to keep track of its policy configuration requests. A MFQ policy element **76** field describes the particular MFQ policy that is being requested.

(52) FIG. 9 illustrates example formatting information for a policy configuration response. A policy configuration response may be implemented as an action frame. Category field **72** is as described above for a policy configuration request. A Public Action field **78** which is 1 octet in length is set to indicate a policy configuration response frame. Dialog token field **74** is as described above for a policy configuration request and has the same value that was used to identify the policy configuration request for which this is a response. A Result Code field **80**, alternatively named "Status Code" field **80**, includes an indication that the AP accepts or rejects the policy configuration request to which the Dialog Token applies or that the STA should retry a request for a policy. An optional MFQ policy element field **82**, applicable when the content of the Result Code field **80** comprises an indication that the STA should retry a request, describes how a suggested MFQ policy differs from the default MFQ policy. The STA may request the suggested MFQ policy in place of the originally requested MFQ policy.

(53) FIG. 10 illustrates example formatting information for a policy stop message. A policy stop message may be implemented as an action frame. Category field **72** is as described above for a policy configuration request. A Public Action field **84** which is 1 octet in length is set to indicate a policy stop message. Dialog token field **74** is as described above for a policy configuration request and has the same value that was used to identify the policy configuration request for which this is a policy stop message.

Implementation of MFQ Policy (Default, Advertised or Negotiated)

(54) An AP or non-AP STA may configure its MAC sublayer module to implement an MFQ policy. The MFQ policy being implemented by the MAC sublayer module may be the default MFQ policy. Alternatively, the MFQ policy being implemented by the MAC sublayer module may be the default MFQ modified by an advertised MFQ policy element. Alternatively, the MFQ policy being implemented by the MAC sublayer module may be the default MFQ policy modified by a MFQ policy element in a policy configuration request that has been accepted. While a management frame is generated within the MAC sublayer module, the management frame will be assigned to an

access category as defined by the MFQ policy, and subsequently transmitted, using the respective access category. In the present implementation, the management frame is directed, based on its assigned access category, to one of four EDCA prioritized queues where each of the prioritized queues is associated with a respective access category. As such, in the present implementation, a management frame assigned to AC_VO will be transmitted using a prioritization (i.e., a transmission priority) associated with AC_VO, a management frame assigned to AC_VI will be transmitted using a prioritization associated with AC_VI, a management frame assigned to AC_BE will be transmitted using a prioritization associated with AC_BE, and a management frame assigned to AC_BK will be transmitted using a prioritization associated with AC_BK. In other words, each access category (e.g., AC_VO, AC_VI, AC_BE and AC_BK) is indicative of a distinct prioritization (i.e., transmission priority) used to transmit a particular type or subtype of management frame. Handling of the contents of the prioritized queues may follow IEEE 802.11 scheduling and transmission rules. For example, a frame scheduler schedules frames from the prioritized queues to be passed to the physical (PHY) sublayer module for transmission over a channel of a wireless medium.

(55) FIG. 11 is a block diagram of an example AP 100. AP 100 is an example of AP 100. AP 100 comprises a processor 102 coupled to a memory 104 and to a communication interface 106. Communication interface 106 may be a wired communication interface, a satellite interface, a Worldwide Interoperability for Microwave Access (WiMAX®) communication interface, or any other suitable communication interface. AP 100 also comprises a WLAN interface 108 within a protocol stack 110 that is coupled to processor 102. WLAN interface 108 comprises a logical link control (LLC) sublayer module 112, a MAC sublayer module 114 and a PHY sublayer module 116. The BSSID of AP 100 is stored in WLAN interface 108, possibly in a register 118. The SSID of the WLAN supported by AP 100 is stored in WLAN interface 108, possibly in a register 120. MAC sublayer module 114 may be compatible with IEEE 802.11. AP 100 also comprises an antenna 122 coupled to PHY sublayer module 116. Protocol stack 110 may comprise higher layers 124. ANQP support may be implemented in MAC sublayer module 114.

(56) Memory 104 may store an operating system 126 to be executed by processor 102. Memory 104 may store applications 128 installed in AP 100 to be executed by processor 102. Examples of applications 128 include a configuration application that enables a WLAN administrator to configure parameters of the WLAN, for example, its SSID and BSSID(s). Memory 104 may store code 130 which, when executed by processor 102, results in one or more of the methods illustrated in FIGS. 2, 3, and 7.

(57) A default MFQ policy 132 is not advertised in the BSS. Depending upon implementation, default MFQ policy 132 may be stored in WLAN interface 108 (as illustrated) or in memory 104. Depending upon implementation, an advertised MFQ policy 133 currently implemented by WLAN MAC sublayer 114 may be stored in WLAN interface 108 (as illustrated) or in memory 104. AP 100 is able to advertise how advertised MFQ policy 133 differs from default MFQ policy 132. AP 100 may optionally store data 134 related to one or more policy configuration requests that have previously been received from one or more associated STAs and related to one or more policy configuration responses that have previously been transmitted to one or more associated STAs. Data 134 may be implemented, for example, as records in a table, where the records are maintained on a per-AID (association identifier) basis. Depending upon implementation, data 134 may be stored in WLAN interface 108 (as illustrated) or in memory 104.

(58) AP 100 may comprise other elements that, for clarity, are not illustrated in FIG. 11. Similarly, AP 100 may comprise a subset of the elements illustrated in FIG. 11.

(59) FIG. 12 is a block diagram of an example STA, for example, any one of STAs 14. An STA 200 comprises a processor 202 coupled to a memory 204 and optionally to one or more other wireless communication interfaces 206. For example, wireless communication interfaces 206 may comprise a short-range wireless communication interface such as a wireless personal area network interface,

possibly compatible with the Bluetooth Specification Version 4.0 published 30 Jun. 2010 or its official successors. In another example, wireless communication interfaces **206** may comprise a wireless wide area network (WWAN) interface such as for cellular communications. One or more antennas **208** may be coupled to respective ones of the wireless communication interfaces **206**. An antenna may be shared among more than one wireless interface.

(60) STA **200** also comprises a WLAN interface **210** within a protocol stack **212** that is coupled to processor **202**. WLAN interface **210** comprises a LLC sublayer module **214**, a MAC sublayer module **216** and a PHY sublayer module **218**. MAC sublayer module **216** may be compatible with IEEE 802.11. STA **200** also comprises an antenna **220** coupled to PHY sublayer module **218**.

Protocol stack **212** may comprise higher layers **222**.

(61) Memory **204** may store an operating system **224** to be executed by processor **202**. Memory **204** may store applications **226** installed in STA **200** to be executed by processor **202**. For example, applications **226** may comprise a control application to act on MFQ policy elements received from an AP. In a further example, applications **226** may comprise a Voice over Internet Protocol (VOIP) application. In yet another example, applications **226** may comprise a telephony application. Memory **204** may also store data (not shown) used by operating system **224** and applications **226**.

(62) Memory **204** may store one or more WLAN connection profiles **228**, each identifying a wireless local area network by its SSID, as known in the art.

(63) Memory **204** may store code **230** which, when executed by processor **202**, results in one or more of the methods illustrated in FIGS. **4** and **6**. Receipt of a downlink frame and handling of MFQ information describing an advertised MFQ policy may be implemented in MAC sublayer module **216**. ANQP support may be implemented in MAC sublayer module **216**.

(64) A default MFQ policy **232** is not advertised in the BSS. Depending upon implementation, default MFQ policy **232** may be stored in WLAN interface **210** (as illustrated) or in memory **204**. Depending upon implementation, a MFQ policy **233** currently implemented by WLAN MAC sublayer **216** may be stored in WLAN interface **210** (as illustrated) or in memory **204**. STA **200** may optionally store data **234** related to one or more policy configuration requests made by the STA and related to one or more policy configuration responses received by the STA. STA **200** may store an indication of its requested MFQ policy and then overwrite currently implemented MFQ policy **233** with the negotiated MFQ policy upon receiving acceptance of the policy configuration request.

(65) Memory **204** may store an audio coder-decoder (codec) **238** or a video codec **240** or both. STA **200** may comprise an audio input element **242** and an audio output element **244**, both coupled to processor **202**. STA **200** may comprise a video input element **246** and a video output element **248**, both coupled to processor **202**.

(66) STA **200** may comprise a Global Positioning System (GPS) module **250** coupled to processor **202**.

(67) STA **200** may comprise one or more user input elements **252** coupled to processor **202**.

Examples of user input elements include a keyboard, a keypad, a touchscreen, a joystick, a thumbwheel, a roller, a touchpad, a trackpad, a capacitive touch pad, an optical touch pad, and any other type of navigation actuator.

(68) STA **200** may comprise one or more user output elements coupled to processor **202**, of which a display **254** is illustrated. In the event that display **254** is a touchscreen, it functions also as a user input element.

(69) STA **200** may comprise one or more alert components **256** coupled to processor **202**, to be activated in order to alert a user, for example, by sounding a buzzer, playing a ringtone, emanating light, or vibrating.

(70) STA **200** may include mechanical interfaces, such as a power connector jack, a data interface port such as a Universal Serial Bus (USB) port, a headphone jack, and other mechanical interfaces that are not explicitly shown.

(71) STA **200** comprises a power pack **258** that provides power to the other components of STA **200**.

(72) STA **200** may comprise other elements that, for clarity, are not illustrated in FIG. **12**. Similarly, STA **200** may comprise a subset of the elements illustrated in FIG. **12**.

(73) FIG. **13** is a block diagram of a MAC sublayer module **300** of an AP, for example, MAC sublayer module **114** of AP **100**. MAC sublayer module **300** uses a management frame generator **302** to generate management frames which are distributed to different memory queues by a management frame classification unit **304**. Distribution to the different memory queues is done according to a MFQ policy **306** currently implemented in the BSS to which the AP belongs.

Management frames of the type or types for which MFQ policy **306** defines the access category AC_VO are routed by management frame classification unit **304** through memory queue **308**.

Management frames of the type or types for which MFQ policy **306** defines the access category AC_VI are routed by management frame classification unit **304** through memory queue **310**.

Management frames of the type or types for which MFQ policy **306** defines the access category AC_BE are routed by management frame classification unit **304** through memory queue **312**.

Management frames of the type or types for which MFQ policy **306** defines the access category AC_BK are routed by management frame classification unit **304** through memory queue **314**. In some implementations, MFQ policy **306** defines an access category other than the AC_VO access category associated with the highest priority queue **308** for at least one management frame type.

(74) Data frames (content frames and signaling frames) received at MAC sublayer module **300** from an LLC sublayer module (not shown) of the AP, for example, LLC sublayer module **112**, may be processed by a packet classification, fragmentation and encapsulation module **316** in MAC sublayer module **300** and then subsequently routed through the same memory queues as the management frames.

(75) A scheduler **318** schedules frames from memory queues **308**, **310**, **312** and **314** to be passed to a PHY sublayer module of the AP, for example, PHY sublayer module **116**. For example, IEEE 802.11e has separate minimum and maximum values for each access category. Within each access category, a random number is generated that represents a wait time as multiplied by a “slot time”. In IEEE 802.11a/g, a slot time is 9 microseconds. Once the wireless medium is quiet or unoccupied, a countdown begins before transmission. Each count is 9 microseconds in real time. For AC_VO queue **308**, the countdown begins at a value between 31 and 127. For AC_VI queue **310**, the countdown begins at a value between 127 and 255. For AC_BE queue **312**, the countdown begins at a value between 255 and 511. For AC_BK queue **314**, the countdown begins at a value between 511 and 1023. If the countdown is interrupted, it is paused until the wireless medium is once again quiet, and is then resumed from the value at which it was paused. If the countdowns for different queues begin at the same time, traffic in a higher priority queue will gain access to the wireless medium ahead of traffic in a lower priority queue.

(76) MAC sublayer module **300** further comprises a MFQ policy element generator **320** which generates a MFQ policy element based on MFQ policy **306**. As described previously, a MFQ policy element may be included in certain management frames generated by management frame generator **302** to advertise an advertised MFQ policy. For example, a MFQ policy element generated by MFQ policy element generator **320** may be included in a downlink frame such as a beacon frame or a probe response frame that is generated by management frame generator **302**. It should be noted that, while not explicitly shown, MAC sublayer module **300** may also implement ANQP support.

(77) FIG. **14** is a block diagram of a MAC sublayer module **400** of a STA, for example, MAC sublayer module **216** of STA **200**. MAC sublayer module **400** uses a management frame generator **402** to generate management frames which are distributed to different memory queues by a management frame mapping unit **404**. Distribution to the different memory queues is done according to a MFQ policy **406**. Management frames of the type or types for which MFQ policy **406** defines the access category AC_VO are routed by management frame classification unit **404**

through memory queue **408**. Management frames of the type or types for which MFQ policy **406** defines the access category AC_VI are routed by management frame classification unit **404** through memory queue **410**. Management frames of the type or types for which MFQ policy **406** defines the access category AC_BE are routed by management frame classification unit **404** through memory queue **412**. Management frames of the type or types for which MFQ policy **406** defines the access category AC_BK are routed by management frame classification unit **404** through memory queue **414**. In some implementations, MFQ policy **406** defines an access category other than the AC_VO access category associated with the highest priority queue **408** for at least one management frame type.

(78) It is contemplated that MFQ policy **406** is an advertised MFQ policy. It is also contemplated that MFQ policy **406** is a negotiated MFQ policy accepted by an AP with which the STA is associated. It is also contemplated that MFQ policy **406** is the default MFQ policy.

(79) Data frames (content frames and signaling frames) received at MAC sublayer module **400** from an LLC sublayer module (not shown) of the STA, for example, LLC sublayer module **214**, may be processed by a packet classification, fragmentation and encapsulation module **416** in MAC sublayer module **400** and then subsequently routed through the same memory queues as the management frames.

(80) A scheduler **418** schedules frames from memory queues **408**, **410**, **412** and **414** to be passed to a PHY sublayer module of the STA, for example, PHY sublayer module **218**. For example, IEEE 802.11e has separate minimum and maximum values for each access category. Within each access category, a random number is generated that represents a wait time as multiplied by a “slot time”. In IEEE 802.11a/g, a slot time is 9 microseconds. Once the wireless medium is quiet or unoccupied, a countdown begins before transmission. Each count is 9 microseconds in real time. For AC_VO queue **408**, the countdown begins at a value between 31 and 127. For AC_VI queue **410**, the countdown begins at a value between 127 and 255. For AC_BE queue **412**, the countdown begins at a value between 255 and 511. For AC_BK queue **414**, the countdown begins at a value between 511 and 1023. If the countdown is interrupted, it is paused until the wireless medium is once again quiet, and is then resumed from the value at which it was paused. If the countdowns for different queues begin at the same time, traffic in a higher priority queue will gain access to the wireless medium ahead of traffic in a lower priority queue.

(81) MAC sublayer module **400** further comprises a MFQ policy element generator **420** which generates a MFQ policy element based on a requested MFQ policy. As described previously, the MFQ policy element may be included in a policy configuration request generated by management frame generator **402** to negotiate a deviation from an advertised MFQ policy. It should be noted that, while not explicitly shown, MAC sublayer module **400** may also implement ANQP support.

(82) Although the subject matter has been described in language specific to structural features and/or methodological acts, it is to be understood that the subject matter defined in the appended claims is not necessarily limited to the specific features or acts described above. Rather, the specific features and acts described above are disclosed as example forms of implementing the claims.

Claims

1. A method for a wireless station, the method comprising: receiving, from an access point, an extended capabilities element having an indication of support of prioritization of management frames; receiving, from the access point, a management frame quality of service (MFQ) policy that defines an access category used for transmitting a first type of management frame, wherein the management frames are distinct from data frames; and transmitting a policy configuration request to request a change to the MFQ policy.
2. The method of claim 1, wherein the data frame is a content data frame or a signaling data frame.
3. The method of claim 1, wherein the MFQ policy comprises an MFQ policy element including an

element identifier (ID) field identifying the MFQ policy element, a length field indicating the length of the MFQ policy element, and a policy information field indicating a number of differences from a default MFQ policy.

4. The method of claim 1, wherein the policy configuration request includes an MFQ policy element indicative of the requested change.

5. The method of claim 1, further comprising receiving, from the access point, a policy configuration response in response to the policy configuration request.

6. The method of claim 5, wherein the policy configuration response includes an indication that the change has been accepted by the access point.

7. The method of claim 6, further comprising: transmitting management frames of the first type in accordance with the change to the MFQ policy after receiving the policy configuration response indicating that the change has been accepted.

8. The method of claim 5, wherein the policy configuration response includes an indication that the change has been rejected by the access point.

9. The method of claim 8, further comprising: transmitting management frames of the first type in accordance with the MFQ policy after receiving the policy configuration response indicating that the change has been rejected.

10. A mobile station, comprising: a processor; and memory storing instructions executable by the processor such that when executed cause the processor to: receive, from an access point, an extended capabilities element having an indication of support of prioritization of management frames; receive, from the access point, a management frame quality of service (MFQ) policy that defines an access category used for transmitting a first type of management frame, wherein the management frames are distinct from data frames; and transmit a policy configuration request to request a change to the MFQ policy.

11. The mobile station of **30**, wherein the MFQ policy comprises an MFQ policy element including an element identifier (ID) field identifying the MFQ policy element, a length field indicating the length of the MFQ policy element, and a policy information field indicating a number of differences from a default MFQ policy.

12. The mobile station of claim 10, wherein the policy configuration request includes an MFQ policy element indicative of the requested change.

13. The mobile station of claim 10, wherein the processor is further configured to receive, from the access point, a policy configuration response in response to the policy configuration request.

14. The mobile station of claim 13, wherein the policy configuration response includes an indication that the change has been accepted by the access point.

15. A method for an access point, the method comprising: transmitting, to a mobile station, an extended capabilities element having an indication of support of prioritization of management frames; transmitting, to the mobile station, a management frame quality of service (MFQ) policy that defines an access category used for transmitting a first type of management frame, wherein the management frames are distinct from data frames; and receiving a policy configuration request to request a change to the MFQ policy.

16. The method of claim 15, wherein the MFQ policy comprises an MFQ policy element including an element identifier (ID) field identifying the MFQ policy element, a length field indicating the length of the MFQ policy element, and a policy information field indicating a number of differences from a default MFQ policy.

17. The method of claim 15, wherein the policy configuration request includes an MFQ policy element indicative of the requested change.

18. An access point comprising: a processor; and memory storing instructions executable by the processor such that when executed cause the processor to: transmit, to a mobile station, an extended capabilities element having an indication of support of prioritization of management frames; transmit, to the mobile station, a management frame quality of service (MFQ) policy that

defines an access category used for transmitting a first type of management frame, wherein the management frames are distinct from data frames; and receive a policy configuration request to request a change to the MFQ policy.

19. The access point of claim 18, wherein the MFQ policy comprises an MFQ policy element including an element identifier (ID) field identifying the MFQ policy element, a length field indicating the length of the MFQ policy element, and a policy information field indicating a number of differences from a default MFQ policy.

20. The access point of claim 18, wherein the policy configuration request includes an MFQ policy element indicative of the requested change.
