US Patent & Trademark Office Patent Public Search | Text View

United States Patent

Kind Code

B2

Date of Patent

Inventor(s)

12390229

August 19, 2025

Pett; Daniel et al.

Intraosseous modular power

Abstract

An intraosseous access system, including a needle configured to drill into bone via rotation of the needle, and a driver. The driver can be configured to impart rotational power to the needle. The driver can include a power converter and a first power source connected to the power converter. The system can further include a second power source external to the driver and selectively connectable to the driver. A method of drilling through a bone includes providing the intraosseous access system, applying rotational power to the needle, and placing the needle in contact with the bone. The method can further include coupling the second power source to the power converter so that power from the second power source is combined with power from the first energy source.

Inventors: Pett; Daniel (Sandy, UT), Edie; Jason (Sandy, UT)

Applicant: Bard Access Systems, Inc. (Salt Lake City, UT)

Family ID: 1000008766815

Assignee: Bard Access Systems, Inc. (Salt Lake City, UT)

Appl. No.: 18/599077

Filed: March 07, 2024

Prior Publication Data

Document IdentifierUS 20240206887 A1

Publication Date
Jun. 27, 2024

Related U.S. Application Data

continuation parent-doc US 17667291 20220208 US 11925361 20240312 child-doc US 18599077 us-provisional-application US 63147119 20210208

Publication Classification

Int. Cl.: A61B17/16 (20060101); A61B10/02 (20060101); A61B17/34 (20060101); H02J7/00 (20060101)

U.S. Cl.:

CPC **A61B17/1628** (20130101); **A61B17/1637** (20130101); **A61B17/3472** (20130101); **H02J7/0042** (20130101); A61B2010/0258 (20130101); H02J2207/20 (20200101)

Field of Classification Search

CPC: A61B (17/1628); A61B (17/1637); A61B (17/3472); A61B (2010/0258); H02J (7/0042);

H02J (2207/20)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
2773501	12/1955	Young	N/A	N/A
3071135	12/1962	Baldwin et al.	N/A	N/A
3261594	12/1965	Michel	N/A	N/A
3734207	12/1972	Fishbein	N/A	N/A
3753432	12/1972	Guerra	N/A	N/A
3804544	12/1973	Adams	N/A	N/A
3811442	12/1973	Maroth	N/A	N/A
3815605	12/1973	Schmidt et al.	N/A	N/A
3991765	12/1975	Cohen	N/A	N/A
4266555	12/1980	Jamshidi	N/A	N/A
4314565	12/1981	Lee	N/A	N/A
4342724	12/1981	Narra	N/A	N/A
4381777	12/1982	Garnier	N/A	N/A
4383530	12/1982	Bruno	N/A	N/A
4562844	12/1985	Carpenter et al.	N/A	N/A
4736742	12/1987	Alexson et al.	N/A	N/A
4787893	12/1987	Villette	N/A	N/A
4889529	12/1988	Haindl	N/A	N/A
4952207	12/1989	Lemieux	N/A	N/A
4964854	12/1989	Luther	N/A	N/A
4969870	12/1989	Kramer et al.	N/A	N/A
5040542	12/1990	Gray	N/A	N/A
5042558	12/1990	Hussey et al.	N/A	N/A
5053017	12/1990	Chamuel	N/A	N/A
5122114	12/1991	Miller et al.	N/A	N/A
5207697	12/1992	Carusillo et al.	N/A	N/A
5263939	12/1992	Wortrich	N/A	N/A
5290267	12/1993	Zimmermann	N/A	N/A
5312364	12/1993	Jacobs	N/A	N/A
5332398	12/1993	Miller et al.	N/A	N/A

5364367	12/1993	Banks et al.	N/A	N/A
5372583	12/1993	Roberts et al.	N/A	N/A
5384103	12/1994	Miller	N/A	N/A
5406940	12/1994	Melzer et al.	N/A	N/A
5451210	12/1994	Kramer et al.	N/A	N/A
5554154	12/1995	Rosenberg	N/A	N/A
5573358	12/1995	Gobbers et al.	N/A	N/A
5575780	12/1995	Saito	N/A	N/A
5591188	12/1996	Waisman	N/A	N/A
5601559	12/1996	Melker et al.	N/A	N/A
5667509	12/1996	Westin	N/A	N/A
5688249	12/1996	Chang et al.	N/A	N/A
5694019	12/1996	Uchida et al.	N/A	N/A
5779708	12/1997	Wu	N/A	N/A
5817052	12/1997	Johnson et al.	N/A	N/A
5853393	12/1997	Bogert	N/A	N/A
5868711	12/1998	Kramer et al.	N/A	N/A
5885293	12/1998	McDevitt	N/A	N/A
5927976	12/1998	Wu	N/A	N/A
5960797	12/1998	Kramer et al.	N/A	N/A
5967143	12/1998	Klappenberger	N/A	N/A
6018227	12/1999	Kumar et al.	N/A	N/A
6056165	12/1999	Speranza	N/A	N/A
6104162	12/1999	Sainsbury et al.	N/A	N/A
6117108	12/1999	Woehr et al.	N/A	N/A
6135769	12/1999	Kwan	N/A	N/A
6159161	12/1999	Hodosh	N/A	N/A
6199664	12/2000	Tkaczyk et al.	N/A	N/A
6210373	12/2000	Allmon	N/A	N/A
6228088	12/2000	Miller et al.	N/A	N/A
6247928	12/2000	Meller et al.	N/A	N/A
6270484	12/2000	Yoon	N/A	N/A
6273715	12/2000	Meller et al.	N/A	N/A
6419490	12/2001	Kitchings Weathers,	N/A	N/A
		Jr.	ът / A	
6458117	12/2001	Pollins, Sr.	N/A	N/A
6527778	12/2002	Athanasiou et al.	N/A	N/A
6547561	12/2002	Meller et al.	N/A	N/A
6602214	12/2002	Heinz et al.	N/A	N/A
6626887	12/2002	Wu Vyyasina at al	N/A	N/A
6629959	12/2002	Kuracina et al.	N/A	N/A
6641395 6652490	12/2002 12/2002	Kumar et al. Howell	N/A N/A	N/A N/A
6692471	12/2002	Boudreaux	N/A	N/A N/A
6715969	12/2003	Eriksen	N/A	N/A N/A
6761726	12/2003		N/A	N/A N/A
6814734	12/2003	Findlay et al.	N/A	N/A
6830562	12/2003	Chappuis et al. Mogensen et al.	N/A	N/A N/A
6875219	12/2003	Arramon et al.	N/A	N/A N/A
6905486	12/2004	Gibbs	N/A	N/A
0202400	14/4004	Gions	1 1 // 🔼	11/11

6916292 12/2004 Morawski et al. N/A 6984213 12/2005 Horner et al. N/A 6997907 12/2005 Safabash et al. N/A 7112191 12/2005 Daga N/A 7135031 12/2005 Flint N/A 7214208 12/2006 Vaillancourt et al. N/A 7347838 12/2007 Kulli N/A 7347840 12/2007 Findlay et al. N/A	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
7112191 12/2005 Daga N/A 7135031 12/2005 Flint N/A 7214208 12/2006 Vaillancourt et al. N/A 7347838 12/2007 Kulli N/A	N/A N/A N/A N/A N/A N/A N/A
7135031 12/2005 Flint N/A 7214208 12/2006 Vaillancourt et al. N/A 7347838 12/2007 Kulli N/A	N/A N/A N/A N/A N/A N/A
7135031 12/2005 Flint N/A 7214208 12/2006 Vaillancourt et al. N/A 7347838 12/2007 Kulli N/A	N/A N/A N/A N/A N/A N/A
7347838 12/2007 Kulli N/A	N/A N/A N/A N/A N/A
	N/A N/A N/A N/A
7347840 12/2007 Findlay et al. N/A	N/A N/A N/A
	N/A N/A
7407493 12/2007 Cane' N/A	N/A
7458954 12/2007 Ferguson et al. N/A	
7513888 12/2008 Sircom et al. N/A	N/A
7530965 12/2008 Villa et al. N/A	
7534227 12/2008 Kulli N/A	N/A
7569033 12/2008 Greene et al. N/A	N/A
7582102 12/2008 Heinz et al. N/A	N/A
7588559 12/2008 Aravena et al. N/A	N/A
7658725 12/2009 Bialecki et al. N/A	N/A
7670328 12/2009 Miller N/A	N/A
7699807 12/2009 Faust et al. N/A	N/A
7699850 12/2009 Miller N/A	N/A
7736332 12/2009 Carlyon et al. N/A	N/A
7749225 12/2009 Chappuis et al. N/A	N/A
7798994 12/2009 Brimhall N/A	N/A
7811260 12/2009 Miller et al. N/A	N/A
7815642 12/2009 Miller N/A	N/A
7828774 12/2009 Harding et al. N/A	N/A
7833204 12/2009 Picha N/A	N/A
7842038 12/2009 Haddock et al. N/A	N/A
7850620 12/2009 Miller et al. N/A	N/A
7850650 12/2009 Breitweiser N/A	N/A
D633199 12/2010 MacKay et al. N/A	N/A
7899528 12/2010 Miller et al. N/A	N/A
7905857 12/2010 Swisher N/A	N/A
7951089 12/2010 Miller N/A	N/A
7955297 12/2010 Radmer et al. N/A	N/A
7972339 12/2010 Nassiri et al. N/A	N/A
7976502 12/2010 Baid N/A	N/A
8038038 12/2010 Hillhouse et al. N/A	N/A
8038664 12/2010 Miller et al. N/A	N/A
8043253 12/2010 Kraft et al. N/A	N/A
8043265 12/2010 Abe et al. N/A	N/A
8142365 12/2011 Miller N/A	N/A
8152771 12/2011 Mogensen et al. N/A	N/A
8162904 12/2011 Takano et al. N/A	N/A
8167899 12/2011 Justis et al. N/A	N/A
8221398 12/2011 Isobe et al. N/A	N/A
8235945 12/2011 Baid N/A	N/A
8246584 12/2011 Aravena et al. N/A	N/A
8273053 12/2011 Saltzstein N/A	N/A
8292891 12/2011 Browne et al. N/A	N/A

8308693	12/2011	Miller et al.	N/A	N/A
8333769	12/2011	Browne et al.	N/A	N/A
8356598	12/2012	Rumsey	N/A	N/A
8357163	12/2012	Sidebotham et al.	N/A	N/A
8388541	12/2012	Messerly et al.	N/A	N/A
8388623	12/2012	Browne et al.	N/A	N/A
8414539	12/2012	Kuracina et al.	N/A	N/A
8419683	12/2012	Miller et al.	N/A	N/A
8480632	12/2012	Miller et al.	N/A	N/A
8480672	12/2012	Browne et al.	N/A	N/A
8486027	12/2012	Findlay et al.	N/A	N/A
8506568	12/2012	Miller	N/A	N/A
8535271	12/2012	Fuchs et al.	N/A	N/A
8562615	12/2012	Browne et al.	N/A	N/A
8615286	12/2012	Shen et al.	N/A	N/A
8641715	12/2013	Miller	N/A	N/A
8647257	12/2013	Jansen et al.	N/A	N/A
8656929	12/2013	Miller et al.	N/A	N/A
8657790	12/2013	Tal et al.	N/A	N/A
8663231	12/2013	Browne et al.	N/A	N/A
8668698	12/2013	Miller et al.	N/A	N/A
8684978	12/2013	Miller et al.	N/A	N/A
8690791	12/2013	Miller	N/A	N/A
8715287	12/2013	Miller	N/A	N/A
8771230	12/2013	White et al.	N/A	N/A
8781555	12/2013	Burnside et al.	N/A	N/A
8801663	12/2013	Woehr	N/A	N/A
8812101	12/2013	Miller et al.	N/A	N/A
8814835	12/2013	Baid	N/A	N/A
8821493	12/2013	Anderson	N/A	N/A
8828001	12/2013	Stearns et al.	N/A	N/A
8849382	12/2013	Cox et al.	N/A	N/A
8870872	12/2013	Miller	N/A	N/A
8894654	12/2013	Anderson	N/A	N/A
8936575	12/2014	Moulton	N/A	N/A
8944069	12/2014	Miller et al.	N/A	N/A
8974410	12/2014	Miller et al.	N/A	N/A
8998848	12/2014	Miller et al.	N/A	N/A
9072543	12/2014	Miller et al.	N/A	N/A
9078637	12/2014	Miller	N/A	N/A
9149625	12/2014	Woehr et al.	N/A	N/A
9161798	12/2014	Truckai et al.	N/A	N/A
9173679	12/2014	Tzachar et al.	N/A	N/A
9226756	12/2015	Teisen et al.	N/A	N/A
9278195	12/2015	Erskine	N/A	N/A
9295487	12/2015	Miller et al.	N/A	N/A
9302077	12/2015	Domonkos et al.	N/A	N/A
9314232	12/2015	Stark	N/A	N/A
9314270	12/2015	Miller	N/A	N/A
9358348	12/2015	Weilbacher et al.	N/A	N/A

9393031	12/2015	Miller	N/A	N/A
9414815	12/2015	Miller et al.	N/A	N/A
9415192	12/2015	Kuracina et al.	N/A	N/A
9421345	12/2015	Woehr et al.	N/A	N/A
9427555	12/2015	Baid	N/A	N/A
9433400	12/2015	Miller	N/A	N/A
9439667	12/2015	Miller	N/A	N/A
9439702	12/2015	Arthur et al.	N/A	N/A
9445743	12/2015	Kassab	N/A	N/A
9451968	12/2015	Miller et al.	N/A	N/A
9451983	12/2015	Windolf	N/A	N/A
9456766	12/2015	Cox et al.	N/A	N/A
9480483	12/2015	Browne et al.	N/A	N/A
9492097	12/2015	Wilkes et al.	N/A	N/A
9504477	12/2015	Miller et al.	N/A	N/A
9521961	12/2015	Silverstein et al.	N/A	N/A
9545243	12/2016	Miller et al.	N/A	N/A
9554716	12/2016	Burnside et al.	N/A	N/A
9615816	12/2016	Woodard	N/A	N/A
9615838	12/2016	Nino et al.	N/A	N/A
9623210	12/2016	Woehr	N/A	N/A
9636031	12/2016	Cox	N/A	N/A
9636484	12/2016	Baid	N/A	N/A
9649048	12/2016	Cox et al.	N/A	N/A
9681889	12/2016	Greenhalgh et al.	N/A	N/A
9687633	12/2016	Teoh	N/A	N/A
9717564	12/2016	Miller et al.	N/A	N/A
9730729	12/2016	Kilcoin et al.	N/A	N/A
9782546	12/2016	Woehr	N/A	N/A
9839740	12/2016	Beamer et al.	N/A	N/A
9844646	12/2016	Knutsson	N/A	N/A
9844647	12/2016	Knutsson	N/A	N/A
9872703	12/2017	Miller et al.	N/A	N/A
9883853	12/2017	Woodard et al.	N/A	N/A
9895512	12/2017	Kraft et al.	N/A	N/A
9962211	12/2017	Csernatoni	N/A	N/A
10052111	12/2017	Miller et al.	N/A	N/A
10092320	12/2017	Morgan et al.	N/A	N/A
10092706	12/2017	Denzer et al.	N/A	N/A
10159531	12/2017	Misener et al.	N/A	N/A
10172538	12/2018	Kassab	N/A	N/A
10413211	12/2018	Kassab	N/A	N/A
10449330	12/2018	Newman et al.	N/A	N/A
D898908	12/2019	Denzer et al.	N/A	N/A
10893887	12/2020	Blanchard	N/A	N/A
10973532	12/2020	Miller et al.	N/A	N/A
10973545	12/2020	Miller et al.	N/A	N/A
10980522	12/2020	Muse	N/A	N/A
11298202	12/2021	Miller et al.	N/A	N/A
11446112	12/2021	Fink et al.	N/A	N/A

11896264	12/2023	Lindekugel et al.	N/A	N/A
11925361	12/2023	Pett	N/A	A61B 17/3472
11998237	12/2023	Lindekugel et al.	N/A	N/A
12274469	12/2024	Pett	N/A	N/A
2003/0060781	12/2002	Mogensen et al.	N/A	N/A
2003/0225344	12/2002	Miller	N/A	N/A
2003/0225411	12/2002	Miller	N/A	N/A
2003/0229308	12/2002	Tsals et al.	N/A	N/A
2004/0010236	12/2003	Morawski et al.	N/A	N/A
2004/0059317	12/2003	Hermann	N/A	N/A
2004/0220497	12/2003	Findlay et al.	N/A	N/A
2004/0243135	12/2003	Koseki	N/A	N/A
2005/0035014	12/2004	Cane	N/A	N/A
2005/0101912	12/2004	Faust et al.	N/A	N/A
2005/0113866	12/2004	Heinz et al.	N/A	N/A
2005/0131345	12/2004	Miller	N/A	N/A
2005/0165403	12/2004	Miller	N/A	N/A
2006/0015066	12/2005	Turieo et al.	N/A	N/A
2006/0020191	12/2005	Brister et al.	N/A	N/A
2006/0025723	12/2005	Ballarini	N/A	N/A
2006/0058826	12/2005	Evans et al.	N/A	N/A
2006/0147283	12/2005	Phillips	N/A	N/A
2007/0049945	12/2006	Miller	N/A	N/A
2007/0096690	12/2006	Casalena et al.	N/A	N/A
2007/0098507	12/2006	Whitehead	N/A	N/A
2007/0151116	12/2006	Malandain	N/A	N/A
2007/0191772	12/2006	Wojcik	N/A	N/A
2007/0270775	12/2006	Miller et al.	N/A	N/A
2007/0276352	12/2006	Crocker et al.	N/A	N/A
2007/0282344	12/2006	Yedlicka et al.	N/A	N/A
2008/0015467	12/2007	Miller	N/A	N/A
2008/0154304	12/2007	Crawford et al.	N/A	N/A
2008/0208136	12/2007	Findlay et al.	N/A	N/A
2008/0215056	12/2007	Miller	606/80	A61B
				17/32002
2008/0221580	12/2007	Miller	606/80	A61B 17/1622
2008/0257359	12/2007	Rumsey	N/A	N/A
2009/0000292	12/2008	Schifferer	702/41	B66F 17/003
2009/0022557	12/2008	Whitehead	N/A	N/A
2009/0048575	12/2008	Waters	N/A	N/A
2009/0054808	12/2008	Miller	N/A	N/A
2009/0093830	12/2008	Miller	N/A	N/A
2009/0194446	12/2008	Miller et al.	N/A	N/A
2009/0204024	12/2008	Miller	N/A	N/A
2009/0306697	12/2008	Fischvogt	N/A	N/A
2010/0004606	12/2009	Hansen et al.	N/A	N/A
2010/0174243	12/2009	McKay	N/A	N/A
2010/0202842 2010/0204649	12/2009	Whitehead et al. Miller et al.	N/A	N/A
2010/0204649 2010/0286607	12/2009 12/2009	Saltzstein	N/A N/A	N/A N/A
ZU1U/UZOOOU/	14/4003	Janzstelli	1 N / <i>F</i> 1	1 V / <i>I</i> 1

2010/0298831 12/2009 Browne et al. N/A N/A N/A 2010/0312246 12/2010 Browne et al. N/A N/A N/A 2011/0028976 12/2010 Miller N/A N/A N/A 2011/0028976 12/2010 Miller N/A N/A N/A 2011/020205 12/2011 Takizawa et al. N/A N/A N/A 2012/0116390 12/2011 Madan N/A N/A N/A 2012/0202180 12/2011 Stock et al. N/A N/A N/A 2012/0203154 12/2011 Tzachar N/A N/A N/A 2012/0203154 12/2011 Tzachar N/A N/A N/A 2012/0203154 12/2011 Typ et al. N/A N/A N/A 2013/03030439 12/2012 Browne et al. N/A N/A N/A 2013/0030439 12/2012 Browne et al. N/A N/A N/A 2013/0072938 12/2012 Browne et al. N/A N/A N/A 2013/0072938 12/2012 Browne et al. N/A N/A N/A 2013/012944 12/2012 Browne et al. N/A N/A N/A 2013/012944 12/2012 Browne et al. N/A N/A N/A 2013/0136944 12/2012 Browne et al. N/A N/A N/A 2014/0031674 12/2013 Browne et al. N/A N/A N/A 2014/0031674 12/2013 Windolf N/A N/A N/A 2014/0031940 12/2013 Browne et al. N/A N/A N/A 2014/003181 12/2013 Browne et al. N/A N/A N/A 2014/012181 12/2013 Browne et al. N/A N/A N/A 2014/012181 12/2013 Browne et al. N/A N/A N/A 2014/012181 12/2013 Browne et al. N/A N/A N/A 2014/01262408 12/2013 Miller N/A N/A N/A 2014/026280 12/2013 Misener N/A N/A N/A 2014/026380 12/2013 Browne et al. N/A N/A N/A 2014/0263631 12/2014 Baid N/A N/A N/A 2015/0036732 12/2014 Baid N/A N/A N/A 2015/0036732 12/2014 Baid N/A N/A N/A 2015/0303731	2010/0298830	12/2009	Browne et al.	N/A	N/A
2011/0004163 12/2010					
2011/0028976 12/2010 Miller N/A N/A N/A 2011/002065 12/2011 Madan N/A N/A N/A 2012/0116390 12/2011 Timm et al. N/A N/A N/A 2012/0202180 12/2011 Stock et al. N/A N/A N/A 2012/0202154 12/2011 Tzachar N/A N/A N/A 2012/0274280 12/2011 Tzachar N/A N/A N/A 2013/0030439 12/2012 Browne et al. N/A N/A N/A 2013/0030439 12/2012 Browne et al. N/A N/A N/A 2013/0041345 12/2012 Browne et al. N/A N/A N/A 2013/0072938 12/2012 Browne et al. N/A N/A N/A N/A 2013/0102924 12/2012 Browne et al. N/A N/A N/A 2013/0158484 12/2012 Browne et al. N/A N/A N/A 2013/0158494 12/2012 Baid N/A N/A N/A 2014/0031674 12/2013 Newman et al. N/A N/A N/A 2014/0031674 12/2013 Windolf N/A N/A N/A 2014/0031940 12/2013 Browne et al. N/A N/A N/A 2014/003181 12/2013 Browne et al. N/A N/A N/A 2014/0139400 12/2013 Browne et al. N/A N/A N/A 2014/0142577 12/2013 Miller N/A N/A N/A 2014/0188133 12/2013 Misener N/A N/A N/A 2014/026408 12/2013 Misener N/A N/A N/A 2014/026408 12/2013 Moodard N/A N/A 2014/026408 12/2013 Woodard N/A N/A N/A 2014/027606 12/2013 Miller et al. N/A N/A N/A 2014/027606 12/2013 Miller et al. N/A N/A N/A 2014/027683 12/2013 Browne et al. N/A N/A 2014/027683 12/2013 Emery et al. N/A N/A N/A 2014/0276831 12/2013 Baid N/A N/A N/A 2015/0045732 12/2013 Miller et al. N/A N/A N/A 2015/0045732 12/2014 Morgan et al. N/A N/A 2015/0045732 12/2014 Morgan et al. N/A N/A N/A 2015/0035731 12/2014 Morgan et al. N/A N/A N/A 2015/036737 12/2014 Morgan et al. N/A N/A N/A 2015/036737 12/2014 Morgan et al. N/A N/A N/A 2015/036737 12/2014 Morgan et al. N/A N/A N/A 2015/0367597 12/2014 Morgan et al. N/A N/A N/A 2015/036787 12/2014 Morgan	2010/0312246	12/2009	Browne et al.	N/A	N/A
2011/0028976 12/2010 Miller N/A	2011/0004163	12/2010	Vaidya	N/A	N/A
2012/0116390 12/2011	2011/0028976	12/2010		N/A	N/A
2012/0116394 12/2011 Stock et al. N/A N/A N/A 2012/0202154 12/2011 Stock et al. N/A N/A N/A 2012/02074280 12/2011 Tzachar N/A N/A N/A 2012/0274280 12/2012 Browne et al. N/A N/A N/A 2013/0030439 12/2012 Browne et al. N/A N/A N/A 2013/0041345 12/2012 Browne et al. N/A N/A N/A 2013/0072938 12/2012 Browne et al. N/A N/A N/A N/A 2013/015924 12/2012 Browne et al. N/A N/A N/A N/A 2013/0158484 12/2012 Browne et al. N/A N/A N/A 2013/0158487 12/2012 Baid N/A N/A N/A N/A 2014/0031674 12/2013 Newman et al. N/A N/A N/A 2014/0031794 12/2013 Browne et al. N/A N/A N/A 2014/0031794 12/2013 Browne et al. N/A N/A N/A 2014/0031400 12/2013 Browne et al. N/A N/A N/A 2014/0131794 12/2013 Browne et al. N/A N/A N/A 2014/0131813 12/2013 Browne et al. N/A N/A N/A 2014/0171873 12/2013 Miller N/A N/A N/A 2014/0188133 12/2013 Misener N/A N/A N/A 2014/0262408 12/2013 Misener N/A N/A 2014/0262408 12/2013 Woodard N/A N/A 2014/0276206 12/2013 Woodard N/A N/A 2014/0276206 12/2013 Miller et al. N/A N/A 2014/0276309 12/2013 Eaton et al. N/A N/A 2014/0276309 12/2013 Eaton et al. N/A N/A 2014/0276309 12/2013 Miller et al. N/A N/A 2014/0276309 12/2013 Eaton et al. N/A N/A 2014/0276309 12/2013 Eaton et al. N/A N/A 2014/0276309 12/2013 Browne et al. N/A N/A 2014/0276309 12/2013 Browne et al. N/A N/A N/A 2015/0025311 12/2014 Kasab et al. N/A N/A N/A 2015/0025311 12/2014 Morgan et al. N/A N/A N/A 2015/0036752 12/2014 Morgan et al. N/A N/A 2015/0342756 12/2014 Miller et al. N/A N/A 2015/0342756 12/2014 Miller et al. N/A	2011/0202065	12/2010	Takizawa et al.	N/A	N/A
Stock et al. N/A N/A N/A	2012/0116390	12/2011	Madan	N/A	N/A
2012/0203154 12/2011 Tzachar N/A N/A 2012/0274280 12/2011 Yip et al. N/A N/A N/A 2013/0030439 12/2012 Browne et al. N/A N/A N/A 2013/0072938 12/2012 Browne et al. N/A N/A N/A 2013/0072938 12/2012 Browne et al. N/A N/A N/A 2013/0102924 12/2012 Browne et al. N/A N/A N/A 2013/0158484 12/2012 Browne et al. N/A N/A N/A 2013/0178807 12/2012 Baid N/A N/A N/A N/A 2014/0031674 12/2013 Newman et al. N/A N/A N/A 2014/0031674 12/2013 Newman et al. N/A N/A N/A 2014/0031494 12/2013 Browne et al. N/A N/A N/A 2014/0031494 12/2013 Browne et al. N/A N/A N/A 2014/0031491 12/2013 Browne et al. N/A N/A N/A 2014/0081281 12/2013 Browne et al. N/A N/A N/A 2014/018133 12/2013 Miller N/A N/A N/A 2014/0188133 12/2013 Mark N/A N/A 2014/0262408 12/2013 Misener N/A N/A N/A 2014/0262408 12/2013 Eaton et al. N/A N/A 2014/0262808 12/2013 Woodard N/A N/A 2014/0262808 12/2013 Woodard N/A N/A 2014/0276206 12/2013 Miller et al. N/A N/A 2014/027633 12/2013 Emery et al. N/A N/A 2014/027633 12/2013 Emery et al. N/A N/A 2014/027633 12/2013 Emery et al. N/A N/A 2014/0276839 12/2013 Emery et al. N/A N/A 2014/0276839 12/2013 Emery et al. N/A N/A 2014/0276839 12/2013 Baid N/A N/A 2015/0045732 12/2014 Kasab et al. N/A N/A 2015/0045732 12/2014 Kasab et al. N/A N/A 2015/0045732 12/2014 Kasab et al. N/A N/A 2015/0230823 12/2014 Morgan et al. N/A N/A 2015/0342756 12/2014 Morgan et al. N/A N/A 2015/0342756 12/2014 Morgan et al. N/A N/A 2015/0342756 12/2014 Miller et al. N/A N/A 2015/0342756 12/2014 Miller et al. N/A N/A 2015/0342756 12/2014 Miller et al. N/A N/A 2015/0367487 12/2014 Miller et al. N/A N/A 2015/0367487 12/2014 Miller et al. N/A N/A 2015/036	2012/0116394	12/2011	Timm et al.	N/A	N/A
2012/0274280 12/2011 Yip et al. N/A N/A N/A 2013/00304335 12/2012 Browne et al. N/A N/A N/A 2013/0041345 12/2012 Browne et al. N/A N/A N/A 2013/01072938 12/2012 Browne et al. N/A N/A N/A N/A 2013/0102924 12/2012 Browne et al. N/A N/A N/A 2013/0158484 12/2012 Browne et al. N/A N/A N/A 2013/0178807 12/2012 Baid N/A N/A N/A N/A 2014/0031674 12/2013 Newman et al. N/A N/A N/A 2014/0031994 12/2013 Windolf N/A N/A N/A 2014/0031994 12/2013 Browne et al. N/A N/A N/A 2014/0031994 12/2013 Browne et al. N/A N/A N/A 2014/003194 12/2013 Browne et al. N/A N/A N/A 2014/0142577 12/2013 Miller N/A N/A N/A 2014/0142577 12/2013 Miller N/A N/A N/A 2014/014353 12/2013 Misener N/A N/A N/A 2014/0262408 12/2013 Eaton et al. N/A N/A N/A 2014/026280 12/2013 Woodard N/A N/A 2014/026280 12/2013 Woodard N/A N/A 2014/0276206 12/2013 Miller et al. N/A N/A 2014/0276206 12/2013 Miller et al. N/A N/A 2014/027633 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Baid N/A N/A 2015/0025311 12/2014 Saeki N/A N/A N/A 2015/0025311 12/2014 Kasab et al. N/A N/A 2015/0025311 12/2014 Kasab et al. N/A N/A 2015/023786 12/2014 Morgan et al. N/A N/A 2015/0323766 12/2014 Morgan et al. N/A N/A 2015/0342756 12/2014 Morgan et al. N/A	2012/0202180	12/2011	Stock et al.	N/A	N/A
2013/0030439 12/2012 Browne et al. N/A N/A 2013/0041345 12/2012 Kilcoin et al. N/A N/A 2013/0072938 12/2012 Browne et al. N/A N/A 2013/012924 12/2012 Browne et al. N/A N/A 2013/0178807 12/2012 Baid N/A N/A 2014/031674 12/2013 Newman et al. N/A N/A 2014/031794 12/2013 Windolf N/A N/A 2014/039400 12/2013 Browne et al. N/A N/A 2014/039400 12/2013 Browne et al. N/A N/A 2014/039400 12/2013 Felder N/A N/A 2014/039400 12/2013 Mark N/A N/A 2014/018181 12/2013 Mark N/A N/A 2014/0181833 12/2013 Mark N/A N/A 2014/0262408 12/2013 Miller et al. N/A N/A 2014/0276205	2012/0203154	12/2011	Tzachar	N/A	N/A
2013/0041345 12/2012 Kilcoin et al. N/A N/A 2013/0072938 12/2012 Browne et al. N/A N/A 2013/012924 12/2012 Findlay et al. N/A N/A 2013/0158484 12/2012 Browne et al. N/A N/A 2014/0031674 12/2013 Newman et al. N/A N/A 2014/0031794 12/2013 Windolf N/A N/A 2014/0039400 12/2013 Browne et al. N/A N/A 2014/0142577 12/2013 Browne et al. N/A N/A 2014/0142577 12/2013 Browne et al. N/A N/A 2014/018133 12/2013 Miller N/A N/A 2014/0188133 12/2013 Mark N/A N/A 2014/021870 12/2013 Eaton et al. N/A N/A 2014/0262408 12/2013 Woodard N/A N/A 2014/0276205 12/2013 Woodward et al. N/A N/A	2012/0274280	12/2011	Yip et al.	N/A	N/A
Description	2013/0030439	12/2012	Browne et al.	N/A	N/A
2013/0102924 12/2012 Findlay et al. N/A N/A N/A 2013/0158484 12/2012 Browne et al. N/A N/A N/A 2013/0178807 12/2013 Baid N/A N/A N/A 2014/0031674 12/2013 Newman et al. N/A N/A N/A 2014/0031794 12/2013 Browne et al. N/A N/A N/A 2014/0039400 12/2013 Browne et al. N/A N/A N/A 2014/00318281 12/2013 Felder N/A N/A N/A 2014/0142577 12/2013 Miller N/A N/A N/A 2014/0148133 12/2013 Mark N/A N/A N/A 2014/0121970 12/2013 Eaton et al. N/A N/A N/A 2014/0262408 12/2013 Woodard N/A N/A N/A 2014/0262408 12/2013 Yoon N/A N/A N/A 2014/0262630 12/2013 Woodward et al. N/A N/A 2014/0276205 12/2013 Woodward et al. N/A N/A 2014/0276206 12/2013 Woodward et al. N/A N/A 2014/0276839 12/2013 Emery et al. N/A N/A 2014/0276839 12/2013 Emery et al. N/A N/A 2014/0276839 12/2013 Emery et al. N/A N/A 2014/0343454 12/2013 Emery et al. N/A N/A 2014/0343457 12/2013 Baid N/A N/A 2015/0025311 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0045732 12/2014 Murphy et al. N/A N/A 2015/0253786 12/2014 Morgan et al. N/A N/A 2015/0238733 12/2014 Morgan et al. N/A N/A 2015/033623 12/2014 Morgan et al. N/A N/A 2015/0342615 12/2014 Morgan et al. N/A N/A 2015/0342615 12/2014 Morgan et al. N/A N/A 2015/0342615 12/2014 Miller et al. N/A N/A 2015/0367487 12/2014 Miller et al. N/A N/A 2015/0367487 12/2014 Miller N/A N/A 2015/0367487 12/2014 Miller	2013/0041345	12/2012	Kilcoin et al.	N/A	N/A
2013/0158484 12/2012 Browne et al. N/A N/A N/A 2014/0031674 12/2013 Newman et al. N/A N/A N/A 2014/0031794 12/2013 Windolf N/A N/A N/A 2014/0039400 12/2013 Browne et al. N/A N/A N/A 2014/0039400 12/2013 Browne et al. N/A N/A N/A 2014/0081281 12/2013 Felder N/A N/A N/A N/A 2014/0142577 12/2013 Miller N/A N/A N/A 2014/0188133 12/2013 Mark N/A N/A N/A 2014/0262408 12/2013 Eaton et al. N/A N/A N/A 2014/0262408 12/2013 Woodard N/A N/A N/A 2014/0262408 12/2013 Yoon N/A N/A N/A 2014/0276205 12/2013 Willer et al. N/A N/A 2014/0276205 12/2013 Woodward et al. N/A N/A 2014/0276206 12/2013 Woodward et al. N/A N/A 2014/0276205 12/2013 Emery et al. N/A N/A 2014/027633 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Emery et al. N/A N/A 2014/027639 12/2013 Emery et al. N/A N/A 2014/027639 12/2013 Emery et al. N/A N/A 2014/0343454 12/2013 Baid N/A N/A 2015/001941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0230823 12/2014 Murphy et al. N/A N/A 2015/0230823 12/2014 Morgan et al. N/A N/A 2015/0230823 12/2014 Morgan et al. N/A N/A 2015/0233733 12/2014 Morgan et al. N/A N/A 2015/0233733 12/2014 Morgan et al. N/A N/A 2015/0338733 12/2014 Morgan et al. N/A N/A 2015/0338733 12/2014 Morgan et al. N/A N/A 2015/0338733 12/2014 Morgan et al. N/A N/A 2015/0336756 12/2014 Morgan et al. N/A N/A 2015/0336756 12/2014 Morgan et al. N/A N/A 2015/0366569 12/2014 Miller et al. N/A N/A 2015/0367487 12/2015 Mi	2013/0072938	12/2012	Browne et al.	N/A	N/A
2013/0178807 12/2012 Baid N/A N/A N/A 2014/0031674 12/2013 Newman et al. N/A N/A N/A 2014/0031940 12/2013 Browne et al. N/A N/A N/A 2014/0039400 12/2013 Browne et al. N/A N/A N/A 2014/0081281 12/2013 Felder N/A N/A N/A N/A 2014/0142577 12/2013 Miller N/A N/A N/A N/A 2014/0171873 12/2013 Mark N/A N/A N/A 2014/018133 12/2013 Misener N/A N/A N/A 2014/0221970 12/2013 Eaton et al. N/A N/A N/A 2014/0262408 12/2013 Woodard N/A N/A N/A 2014/0262408 12/2013 Woodward et al. N/A N/A N/A 2014/0276205 12/2013 Miller et al. N/A N/A N/A 2014/0276205 12/2013 Moodward et al. N/A N/A 2014/0276206 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Emery et al. N/A N/A N/A 2014/0276839 12/2013 Emery et al. N/A N/A N/A 2014/0276839 12/2013 Forman 173/2 A61B 17/1622 2014/0343454 12/2013 Miller et al. N/A N/A 2015/0011941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/023873 12/2014 Murphy et al. N/A N/A 2015/023876 12/2014 Morgan et al. N/A N/A 2015/0238733 12/2014 Morgan et al. N/A N/A 2015/0238733 12/2014 Morgan et al. N/A N/A 2015/0338733 12/2014 Baid N/A N/A 2015/0338733 12/2014 Bays et al. N/A N/A 2015/03367367 12/2014 Bays et al. N/A N/A 2015/0366569 12/2014 Miller et al. N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A 2016/000	2013/0102924	12/2012	Findlay et al.	N/A	N/A
2014/0031674 12/2013 Newman et al. N/A N/A 2014/0031794 12/2013 Windolf N/A N/A 2014/00319400 12/2013 Browne et al. N/A N/A 2014/0081281 12/2013 Felder N/A N/A 2014/0142577 12/2013 Miller N/A N/A 2014/0171873 12/2013 Mark N/A N/A 2014/021970 12/2013 Misener N/A N/A 2014/0262408 12/2013 Woodard N/A N/A 2014/0262880 12/2013 Woodward N/A N/A 2014/0276205 12/2013 Woodward et al. N/A N/A 2014/0276833 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Emery et al. N/A N/A 2014/0276839 12/2013 Baid N/A N/A 2014/0343454 12/2013 Miller et al. N/A N/A 2015/0025311	2013/0158484	12/2012	Browne et al.	N/A	N/A
2014/0031794 12/2013 Windolf N/A N/A 2014/0039400 12/2013 Browne et al. N/A N/A 2014/0081281 12/2013 Felder N/A N/A 2014/0142577 12/2013 Miller N/A N/A 2014/0171873 12/2013 Mark N/A N/A 2014/0281970 12/2013 Misener N/A N/A 2014/0262408 12/2013 Woodard N/A N/A 2014/0262680 12/2013 Yoon N/A N/A 2014/0276205 12/2013 Woodward et al. N/A N/A 2014/0276206 12/2013 Woodward et al. N/A N/A 2014/0276833 12/2013 Larsen et al. N/A N/A 2014/0276839 12/2013 Larsen et al. N/A N/A 2014/0343454 12/2013 Baid N/A N/A 2015/0011941 12/2014 Saeki N/A N/A 2015/0045732 <t< td=""><td>2013/0178807</td><td>12/2012</td><td>Baid</td><td>N/A</td><td>N/A</td></t<>	2013/0178807	12/2012	Baid	N/A	N/A
2014/0039400 12/2013 Browne et al. N/A N/A 2014/0081281 12/2013 Felder N/A N/A 2014/0142577 12/2013 Miller N/A N/A 2014/017873 12/2013 Mark N/A N/A 2014/0188133 12/2013 Misener N/A N/A 2014/0262408 12/2013 Woodard N/A N/A 2014/0262880 12/2013 Woodard N/A N/A 2014/0276205 12/2013 Miller et al. N/A N/A 2014/0276206 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Emery et al. N/A N/A 2014/0276839 12/2013 Forman 173/2 A61B 17/1622 2014/0343454 12/2013 Baid N/A N/A 2015/001941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0025311	2014/0031674	12/2013	Newman et al.	N/A	N/A
2014/0081281 12/2013 Felder N/A N/A 2014/0142577 12/2013 Miller N/A N/A 2014/0171873 12/2013 Mark N/A N/A 2014/018133 12/2013 Misener N/A N/A 2014/0262408 12/2013 Woodard N/A N/A 2014/0262880 12/2013 Yoon N/A N/A 2014/0276205 12/2013 Miller et al. N/A N/A 2014/0276206 12/2013 Woodward et al. N/A N/A 2014/0276833 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Larsen et al. N/A N/A 2014/0276839 12/2013 Forman 173/2 A61B 17/1622 2014/0343454 12/2013 Baid N/A N/A 2015/001941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0126931	2014/0031794	12/2013	Windolf	N/A	N/A
2014/0142577 12/2013 Miller N/A N/A 2014/0171873 12/2013 Mark N/A N/A 2014/0188133 12/2013 Misener N/A N/A 2014/0262408 12/2013 Eaton et al. N/A N/A 2014/0262408 12/2013 Woodard N/A N/A 2014/0262605 12/2013 Yoon N/A N/A 2014/0276206 12/2013 Woodward et al. N/A N/A 2014/0276833 12/2013 Emery et al. N/A N/A 2014/0276839 12/2013 Larsen et al. N/A N/A 2014/0343454 12/2013 Forman 173/2 A61B 17/1622 2014/0343457 12/2013 Baid N/A N/A 2015/0011941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0045732 12/2014 Kassab et al. N/A N/A 2015/0126931 <td>2014/0039400</td> <td>12/2013</td> <td>Browne et al.</td> <td>N/A</td> <td>N/A</td>	2014/0039400	12/2013	Browne et al.	N/A	N/A
2014/0171873 12/2013 Mark N/A N/A 2014/0188133 12/2013 Misener N/A N/A 2014/0221970 12/2013 Eaton et al. N/A N/A 2014/0262408 12/2013 Woodard N/A N/A 2014/0262880 12/2013 Yoon N/A N/A 2014/0276205 12/2013 Miller et al. N/A N/A 2014/0276206 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Emery et al. N/A N/A 2014/0276839 12/2013 Forman 173/2 A61B 17/1622 2014/0343454 12/2013 Baid N/A N/A 2015/0011941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kassab et al. N/A N/A 2015/0026931 12/2014 Holm et al. N/A N/A 2015/0223786	2014/0081281	12/2013	Felder	N/A	N/A
2014/0188133 12/2013 Misener N/A N/A 2014/0221970 12/2013 Eaton et al. N/A N/A 2014/0262408 12/2013 Woodard N/A N/A 2014/0276205 12/2013 Yoon N/A N/A 2014/0276206 12/2013 Miller et al. N/A N/A 2014/0276471 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Larsen et al. N/A N/A 2014/0276839 12/2013 Forman 173/2 A61B 17/1622 2014/0343454 12/2013 Baid N/A N/A 2015/0011941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Saeki N/A N/A 2015/0045732 12/2014 Kadan et al. N/A N/A 2015/0080762 12/2014 Kassab et al. N/A N/A 2015/0196737 12/2014 Morgan et al. N/A N/A 2015/02308	2014/0142577	12/2013	Miller	N/A	N/A
2014/0221970 12/2013 Eaton et al. N/A N/A 2014/0262408 12/2013 Woodard N/A N/A 2014/0262880 12/2013 Yoon N/A N/A 2014/0276205 12/2013 Miller et al. N/A N/A 2014/0276206 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Emery et al. N/A N/A 2014/0276839 12/2013 Forman 173/2 A61B 17/1622 2014/0343454 12/2013 Miller et al. N/A N/A 2015/0011941 12/2013 Baid N/A N/A 2015/0025311 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0045732 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/023873 12/2014 Morgan et al. N/A N/A	2014/0171873	12/2013	Mark	N/A	N/A
2014/0262408 12/2013 Woodard N/A N/A 2014/0262880 12/2013 Yoon N/A N/A 2014/0276205 12/2013 Miller et al. N/A N/A 2014/0276206 12/2013 Woodward et al. N/A N/A 2014/0276833 12/2013 Emery et al. N/A N/A 2014/0276839 12/2013 Forman 173/2 A61B 17/1622 2014/0343454 12/2013 Baid N/A N/A 2014/0343497 12/2013 Baid N/A N/A 2015/0011941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0045732 12/2014 Murphy et al. N/A N/A 2015/016931 12/2014 Kassab et al. N/A N/A 2015/0196737 12/2014 Baid N/A N/A 2015/0223786 12/2014 Morgan et al. N/A N/A 2015/0342615	2014/0188133	12/2013	Misener	N/A	N/A
2014/0262880 12/2013 Yoon N/A N/A 2014/0276205 12/2013 Miller et al. N/A N/A 2014/0276206 12/2013 Woodward et al. N/A N/A 2014/0276471 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Larsen et al. N/A N/A 2014/0343454 12/2013 Forman 173/2 A61B 17/1622 2014/0343497 12/2013 Baid N/A N/A 2015/0011941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0045732 12/2014 Murphy et al. N/A N/A 2015/0080762 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/0223786 12/2014 Morgan et al. N/A N/A 2015/0238733 12/2014 Morgan et al. N/A N/A	2014/0221970	12/2013	Eaton et al.	N/A	N/A
2014/0276205 12/2013 Miller et al. N/A N/A 2014/0276206 12/2013 Woodward et al. N/A N/A 2014/0276471 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Larsen et al. N/A N/A 2014/0343454 12/2013 Miller et al. N/A N/A 2015/0011941 12/2013 Baid N/A N/A 2015/0025311 12/2014 Saeki N/A N/A 2015/0045732 12/2014 Kadan et al. N/A N/A 2015/0080762 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/023786 12/2014 Baid N/A N/A 2015/0238733 12/2014 Morgan et al. N/A N/A 2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0351797 12/2014 Bays et al. N/A N/A	2014/0262408	12/2013	Woodard	N/A	N/A
2014/0276206 12/2013 Woodward et al. N/A N/A 2014/0276471 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Larsen et al. N/A N/A 2014/0276839 12/2013 Forman 173/2 A61B 17/1622 2014/0343454 12/2013 Miller et al. N/A N/A 2015/0011941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0045732 12/2014 Murphy et al. N/A N/A 2015/0126931 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/023786 12/2014 Morgan et al. N/A N/A 2015/0238733 12/2014 Morgan et al. N/A N/A 2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0366569 12/2014 Miller N/A N/A	2014/0262880	12/2013	Yoon	N/A	N/A
2014/0276471 12/2013 Emery et al. N/A N/A 2014/0276833 12/2013 Larsen et al. N/A N/A 2014/0276839 12/2013 Forman 173/2 A61B 17/1622 2014/0343454 12/2013 Miller et al. N/A N/A 2015/0011941 12/2013 Baid N/A N/A 2015/0025311 12/2014 Saeki N/A N/A 2015/0045732 12/2014 Kadan et al. N/A N/A 2015/0080762 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/023786 12/2014 Baid N/A N/A 2015/023823 12/2014 Morgan et al. N/A N/A 2015/0342615 12/2014 Min Abdulla N/A N/A 2015/0342756 12/2014 Keinan et al. N/A N/A 2015/0366569 12/2014 Miller et al. N/A N/A	2014/0276205	12/2013	Miller et al.	N/A	N/A
2014/0276833 12/2013 Larsen et al. N/A N/A 2014/0276839 12/2013 Forman 173/2 A61B 17/1622 2014/0343454 12/2013 Miller et al. N/A N/A 2014/0343497 12/2013 Baid N/A N/A 2015/0011941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0045732 12/2014 Murphy et al. N/A N/A 2015/0080762 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/0296737 12/2014 Baid N/A N/A 2015/0230823 12/2014 Morgan et al. N/A N/A 2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0342756 12/2014 Bays et al. N/A N/A 2015/0366569 12/2014 Miller et al. N/A N/A	2014/0276206	12/2013	Woodward et al.	N/A	N/A
2014/0276839 12/2013 Forman 173/2 A61B 17/1622 2014/0343454 12/2013 Miller et al. N/A N/A 2014/0343497 12/2013 Baid N/A N/A 2015/0011941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0045732 12/2014 Murphy et al. N/A N/A 2015/0080762 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/0196737 12/2014 Baid N/A N/A 2015/0223786 12/2014 Morgan et al. N/A N/A 2015/0230823 12/2014 Morgan et al. N/A N/A 2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0351797 12/2014 Bays et al. N/A N/A 2015/0366569 12/2014 Miller N/A N/A <td< td=""><td>2014/0276471</td><td>12/2013</td><td>Emery et al.</td><td>N/A</td><td>N/A</td></td<>	2014/0276471	12/2013	Emery et al.	N/A	N/A
2014/0343454 12/2013 Miller et al. N/A N/A 2014/0343497 12/2013 Baid N/A N/A 2015/0011941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0045732 12/2014 Murphy et al. N/A N/A 2015/0080762 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/0196737 12/2014 Baid N/A N/A 2015/0223786 12/2014 Morgan et al. N/A N/A 2015/0230823 12/2014 Morgan et al. N/A N/A 2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0342756 12/2014 Bays et al. N/A N/A 2015/0366569 12/2014 Miller et al. N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2014/0276833	12/2013	Larsen et al.	N/A	N/A
2014/0343497 12/2013 Baid N/A N/A 2015/0011941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0045732 12/2014 Murphy et al. N/A N/A 2015/0080762 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/0196737 12/2014 Baid N/A N/A 2015/0223786 12/2014 Morgan et al. N/A N/A 2015/0230823 12/2014 Morgan et al. N/A N/A 2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0342756 12/2014 Bays et al. N/A N/A 2015/0351797 12/2014 Miller N/A N/A 2015/0367487 12/2014 Miller N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2014/0276839	12/2013	Forman	173/2	A61B 17/1622
2015/0011941 12/2014 Saeki N/A N/A 2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0045732 12/2014 Murphy et al. N/A N/A 2015/0080762 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/0196737 12/2014 Baid N/A N/A 2015/0223786 12/2014 Morgan et al. N/A N/A 2015/0230823 12/2014 Morgan et al. N/A N/A 2015/0338733 12/2014 bin Abdulla N/A N/A 2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0342756 12/2014 Bays et al. N/A N/A 2015/0351797 12/2014 Miller et al. N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2014/0343454	12/2013	Miller et al.	N/A	N/A
2015/0025311 12/2014 Kadan et al. N/A N/A 2015/0045732 12/2014 Murphy et al. N/A N/A 2015/0080762 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/0196737 12/2014 Baid N/A N/A 2015/0223786 12/2014 Morgan et al. N/A N/A 2015/0230823 12/2014 Morgan et al. N/A N/A 2015/0238733 12/2014 bin Abdulla N/A N/A 2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0351797 12/2014 Bays et al. N/A N/A 2015/0366569 12/2014 Miller N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2014/0343497	12/2013	Baid	N/A	N/A
2015/0045732 12/2014 Murphy et al. N/A N/A 2015/0080762 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/0196737 12/2014 Baid N/A N/A 2015/0223786 12/2014 Morgan et al. N/A N/A 2015/0230823 12/2014 Morgan et al. N/A N/A 2015/0238733 12/2014 bin Abdulla N/A N/A 2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0342756 12/2014 Bays et al. N/A N/A 2015/0366569 12/2014 Miller et al. N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2015/0011941	12/2014	Saeki	N/A	N/A
2015/0080762 12/2014 Kassab et al. N/A N/A 2015/0126931 12/2014 Holm et al. N/A N/A 2015/0196737 12/2014 Baid N/A N/A 2015/0223786 12/2014 Morgan et al. N/A N/A 2015/0230823 12/2014 Morgan et al. N/A N/A 2015/0238733 12/2014 bin Abdulla N/A N/A 2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0342756 12/2014 Bays et al. N/A N/A 2015/0351797 12/2014 Miller et al. N/A N/A 2015/0366569 12/2014 Miller N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2015/0025311	12/2014	Kadan et al.	N/A	N/A
2015/012693112/2014Holm et al.N/AN/A2015/019673712/2014BaidN/AN/A2015/022378612/2014Morgan et al.N/AN/A2015/023082312/2014Morgan et al.N/AN/A2015/023873312/2014bin AbdullaN/AN/A2015/034261512/2014Keinan et al.N/AN/A2015/034275612/2014Bays et al.N/AN/A2015/035179712/2014Miller et al.N/AN/A2015/036656912/2014MillerN/AN/A2015/036748712/2014Nino et al.N/AN/A2016/000981212/2015Satelli et al.N/AN/A	2015/0045732	12/2014	Murphy et al.	N/A	N/A
2015/019673712/2014BaidN/AN/A2015/022378612/2014Morgan et al.N/AN/A2015/023082312/2014Morgan et al.N/AN/A2015/023873312/2014bin AbdullaN/AN/A2015/034261512/2014Keinan et al.N/AN/A2015/034275612/2014Bays et al.N/AN/A2015/035179712/2014Miller et al.N/AN/A2015/036656912/2014MillerN/AN/A2015/036748712/2014Nino et al.N/AN/A2016/000981212/2015Satelli et al.N/AN/A	2015/0080762	12/2014	Kassab et al.	N/A	N/A
2015/022378612/2014Morgan et al.N/AN/A2015/023082312/2014Morgan et al.N/AN/A2015/023873312/2014bin AbdullaN/AN/A2015/034261512/2014Keinan et al.N/AN/A2015/034275612/2014Bays et al.N/AN/A2015/035179712/2014Miller et al.N/AN/A2015/036656912/2014MillerN/AN/A2015/036748712/2014Nino et al.N/AN/A2016/000981212/2015Satelli et al.N/AN/A	2015/0126931	12/2014	Holm et al.	N/A	N/A
2015/0230823 12/2014 Morgan et al. N/A N/A 2015/0238733 12/2014 bin Abdulla N/A N/A 2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0342756 12/2014 Bays et al. N/A N/A 2015/0351797 12/2014 Miller et al. N/A N/A 2015/0366569 12/2014 Miller N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2015/0196737	12/2014	Baid	N/A	N/A
2015/0238733 12/2014 bin Abdulla N/A N/A 2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0342756 12/2014 Bays et al. N/A N/A 2015/0351797 12/2014 Miller et al. N/A N/A 2015/0366569 12/2014 Miller N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2015/0223786	12/2014	Morgan et al.	N/A	N/A
2015/0342615 12/2014 Keinan et al. N/A N/A 2015/0342756 12/2014 Bays et al. N/A N/A 2015/0351797 12/2014 Miller et al. N/A N/A 2015/0366569 12/2014 Miller N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2015/0230823	12/2014	Morgan et al.	N/A	N/A
2015/0342756 12/2014 Bays et al. N/A N/A 2015/0351797 12/2014 Miller et al. N/A N/A 2015/0366569 12/2014 Miller N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2015/0238733	12/2014	bin Abdulla	N/A	N/A
2015/0351797 12/2014 Miller et al. N/A N/A 2015/0366569 12/2014 Miller N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2015/0342615	12/2014	Keinan et al.	N/A	N/A
2015/0366569 12/2014 Miller N/A N/A 2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2015/0342756	12/2014	Bays et al.	N/A	N/A
2015/0367487 12/2014 Nino et al. N/A N/A 2016/0009812 12/2015 Satelli et al. N/A N/A	2015/0351797	12/2014	Miller et al.	N/A	N/A
2016/0009812 12/2015 Satelli et al. N/A N/A	2015/0366569	12/2014	Miller	N/A	N/A
	2015/0367487	12/2014		N/A	N/A
2016/0022282 12/2015 Miller et al. N/A N/A	2016/0009812		Satelli et al.	N/A	N/A
	2016/0022282	12/2015	Miller et al.	N/A	N/A

2016/0022284	12/2015	Lele et al.	N/A	N/A
2016/0039916	12/2015	Jiang et al.	N/A	N/A
2016/0058432	12/2015	Miller	N/A	N/A
2016/0066954	12/2015	Miller et al.	N/A	N/A
2016/0136410	12/2015	Aklog et al.	N/A	N/A
2016/0183974	12/2015	Miller	N/A	N/A
2016/0184509	12/2015	Miller et al.	N/A	N/A
2016/0235949	12/2015	Baid	N/A	N/A
2016/0305497	12/2015	Victor et al.	N/A	N/A
2016/0354539	12/2015	Tan et al.	N/A	N/A
2016/0361519	12/2015	Teoh et al.	N/A	N/A
2017/0020533	12/2016	Browne et al.	N/A	N/A
2017/0020560	12/2016	Van Citters et al.	N/A	N/A
2017/0021138	12/2016	Sokolski	N/A	N/A
2017/0043135	12/2016	Knutsson	N/A	N/A
2017/0105763	12/2016	Karve et al.	N/A	N/A
2017/0136217	12/2016	Riesenberger et al.	N/A	N/A
2017/0151419	12/2016	Sonksen	N/A	N/A
2017/0156740	12/2016	Stark	N/A	N/A
2017/0156751	12/2016	Csernatoni	N/A	N/A
2017/0209129	12/2016	Fagundes et al.	N/A	N/A
2017/0231644	12/2016	Anderson	N/A	N/A
2017/0303962	12/2016	Browne et al.	N/A	N/A
2017/0303963	12/2016	Kilcoin et al.	N/A	N/A
2018/0049772	12/2017	Brockman et al.	N/A	N/A
2018/0092662	12/2017	Rioux et al.	N/A	N/A
2018/0116551	12/2017	Newman et al.	N/A	N/A
2018/0116642	12/2017	Woodard et al.	N/A	N/A
2018/0116693	12/2017	Blanchard et al.	N/A	N/A
2018/0117262	12/2017	Islam	N/A	N/A
2018/0125465	12/2017	Muse et al.	N/A	N/A
2018/0153474	12/2017	Aeschlimann et al.	N/A	N/A
2018/0154112	12/2017	Chan et al.	N/A	N/A
2018/0221003	12/2017	Hibner et al.	N/A	N/A
2018/0228509	12/2017	Fojtik	N/A	N/A
2018/0242982	12/2017	Laughlin et al.	N/A	N/A
2019/0009398	12/2018	Zhong et al.	N/A	N/A
2019/0030701	12/2018	Duggan	N/A	N/A
2019/0059986	12/2018	Shelton, IV et al.	N/A	N/A
2019/0069812	12/2018	Isaacson et al.	N/A	N/A
2019/0083753	12/2018	Chu	N/A	N/A
2019/0150954	12/2018	Xie	N/A	N/A
2019/0175220	12/2018	Coppedge et al.	N/A	N/A
2019/0282244	12/2018	Muse	N/A	N/A
2020/0054347	12/2019	Coppedge et al.	N/A	N/A
2020/0054410	12/2019	Pfotenhauer et al.	N/A	N/A
2020/0113584	12/2019	McGinley et al.	N/A	N/A
2020/0129186	12/2019	Miller et al.	N/A	N/A
2020/0197121	12/2019	Morey et al.	N/A	N/A
2020/0297382	12/2019	Coppedge et al.	N/A	N/A

2020/0297452	12/2019	Coppedge et al.	N/A	N/A
2020/0337782	12/2019	Glassman et al.	N/A	N/A
2021/0015529	12/2020	Fenton, Jr. et al.	N/A	N/A
2021/0093357	12/2020	Pett et al.	N/A	N/A
2021/0093358	12/2020	Lindekugel et al.	N/A	N/A
2021/0113251	12/2020	Vogt et al.	N/A	N/A
2021/0282812	12/2020	Tierney et al.	N/A	N/A
2021/0322055	12/2020	Lindekugel et al.	N/A	N/A
2021/0375445	12/2020	Lindekugel et al.	N/A	N/A
2021/0393337	12/2020	Zucker	N/A	N/A
2022/0240976	12/2021	Pett et al.	N/A	N/A
2022/0249104	12/2021	Pett et al.	N/A	N/A
2022/0273338	12/2021	Eisenthal et al.	N/A	N/A
2023/0106545	12/2022	Pett et al.	N/A	N/A
2023/0285049	12/2022	Howell	N/A	N/A
2023/0414251	12/2022	Pett et al.	N/A	N/A
2024/0058036	12/2023	Lindekugel et al.	N/A	N/A
2024/0261554	12/2023	Akerele-Ale et al.	N/A	N/A
2024/0277375	12/2023	Lindekugel et al.	N/A	N/A
2025/0120743	12/2024	Pett et al.	N/A	N/A
2025/0186085	12/2024	Pett et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

1 OKEIGN 17 II EN 1 DOCCINENTS					
Patent No.	Application Date	Country	CPC		
108742795	12/2017	CN	N/A		
110547847	12/2018	CN	N/A		
0923961	12/1998	EP	N/A		
3687024	12/2019	EP	N/A		
2390297	12/2011	ES	N/A		
2581548	12/1985	FR	N/A		
2018509969	12/2017	JP	N/A		
20090006621	12/2008	KR	N/A		
1997024151	12/1996	WO	N/A		
1998052638	12/1998	WO	N/A		
05041790	12/2004	WO	N/A		
2005046769	12/2004	WO	N/A		
2005053506	12/2004	WO	N/A		
2005072625	12/2004	WO	N/A		
2007018809	12/2006	WO	N/A		
2008002961	12/2007	WO	N/A		
2008016757	12/2007	WO	N/A		
2008033871	12/2007	WO	N/A		
2008033872	12/2007	WO	N/A		
2008033873	12/2007	WO	N/A		
2008033874	12/2007	WO	N/A		
2008054894	12/2007	WO	N/A		
2008086258	12/2007	WO	N/A		
2008124206	12/2007	WO	N/A		
2008124463	12/2007	WO	N/A		

2008130893	12/2007	WO	N/A
2008134355	12/2007	WO	N/A
2008144379	12/2007	WO	N/A
2009070896	12/2008	WO	N/A
2010043043	12/2009	WO	N/A
2011070593	12/2010	WO	N/A
2011097311	12/2010	WO	N/A
2011139294	12/2010	WO	N/A
2013003885	12/2012	WO	N/A
2013009901	12/2012	WO	N/A
2013173360	12/2012	WO	N/A
2014075165	12/2013	WO	N/A
2014142948	12/2013	WO	N/A
2014144239	12/2013	WO	N/A
2014144262	12/2013	WO	N/A
2014144489	12/2013	WO	N/A
2014144757	12/2013	WO	N/A
2014144797	12/2013	WO	N/A
2015061370	12/2014	WO	N/A
2015177612	12/2014	WO	N/A
2016033016	12/2015	WO	N/A
16053834	12/2015	WO	N/A
2016085973	12/2015	WO	N/A
2016163939	12/2015	WO	N/A
2018006045	12/2017	WO	N/A
2018025094	12/2017	WO	N/A
2018058036	12/2017	WO	N/A
2018075694	12/2017	WO	N/A
18098086	12/2017	WO	N/A
2018165334	12/2017	WO	N/A
2018165339	12/2017	WO	N/A
2019051343	12/2018	WO	N/A
2019164990	12/2018	WO	N/A
2021011795	12/2020	WO	N/A
2021016122	12/2020	WO	N/A
2021062038	12/2020	WO	N/A
2021062385	12/2020	WO	N/A
2021062394	12/2020	WO	N/A
2022165232	12/2021	WO	N/A
2022170269	12/2021	WO	N/A
2023177634	12/2022	WO	N/A
2024163884	12/2023	WO	N/A

OTHER PUBLICATIONS

PCT/US2024/014241 filed Feb. 2, 2024 International Search Report and Written Opinion dated May 8, 2024. cited by applicant

U.S. Appl. No. 17/335,870, filed Jun. 1, 2021 Final Office Action dated Mar. 26, 2024. cited by applicant

U.S. Appl. No. 17/405,692, filed Aug. 18, 2021 Restriction Requirement dated May 10, 2024. cited by applicant

- U.S. Appl. No. 18/075,269, filed Dec. 5, 2022 Non-Final Office Action dated Jun. 24, 2024. cited by applicant
- U.S. Appl. No. 18/244,730, filed Sep. 11, 2023 Non-Final Office Action dated May 3, 2024. cited by applicant
- U.S. Appl. No. 18/385,056, filed Oct. 30, 2023 Non-Final Office Action dated May 9, 2024. cited by applicant
- Ekchian Gregory James et al: "Quantitative Methods for In Vitro and In Vivo Characterization of Cell and Tissue Metabolism", Jun. 11, 2018, XP055839281, retrieved from the internet on Sep. 8, 2021: URL: https://dspace.mit.edu/bitstream/handle/1721.1/117890/1051211749-MIT.pdf? sequence=1&isAllowed=y. cited by applicant
- EP 19757667.1 filed Sep. 18, 2020 Extended European Search Report dated Oct. 22, 2021. cited by applicant
- EP 20867024.0 filed Apr. 21, 2022 Extended European Search Report dated Aug. 8, 2023. cited by applicant
- EP 20868351.6 filed Apr. 21, 2022 Extended European Search Report dated Aug. 10, 2023. cited by applicant
- EP 23166984.7 filed Apr. 6, 2023 Extended European Search Report dated Jul. 5, 2023. cited by applicant
- PCT/US2019/018828 filed Feb. 20, 2019 International Preliminary Report on Patentability dated Aug. 27, 2020. cited by applicant
- PCT/US2019/018828 filed Feb. 20, 2019 International Search Report and Written Opinion dated Jun. 13, 2019. cited by applicant
- PCT/US2020/053119 filed Sep. 28, 2020 International Search Report and Written Opinion dated Jan. 5, 2021. cited by applicant
- PCT/US2020/052558 filed Sep. 24, 2020 International Search Report and Written Opinion dated Feb. 11, 2021. cited by applicant
- PCT/US2020/053135 filed Sep. 28, 2020 International Search Report and Written Opinion dated Dec. 18, 2020. cited by applicant
- PCT/US2021/035232 filed Jun. 1, 2021 International Search Report and Written Opinion dated Oct. 19, 2021. cited by applicant
- PCT/US2021/046573 filed Aug. 18, 2021 International Search Report and Written Opinion dated Nov. 30, 2021. cited by applicant
- PCT/US2021/047378 filed Aug. 24, 2021 International Search Report and Written Opinion dated Nov. 17, 2021. cited by applicant
- PCT/US2021/048542 filed Aug. 31, 2021 International Search Report and Written Opinion dated Dec. 9, 2021. cited by applicant
- PCT/US2021/049475 filed Sep. 8, 2021 International Search Report and Written Opinion dated Dec. 9, 2021. cited by applicant
- PCT/US2021/028114 filed Apr. 20, 2021 International Search Report and Written Opinion dated Jul. 12, 2021. cited by applicant
- PCT/US2021/035475 filed Jun. 2, 2021 International Search Report and Written Opinion dated Sep. 17, 2021. cited by applicant
- PCT/US2022/014391 filed Jan. 28, 2022 International Search Report and Written Opinion dated Apr. 14, 2022. cited by applicant
- PCT/US2022/015686 filed Feb. 8, 2022 International Search Report and Written Opinion dated May 25, 2022. cited by applicant
- PCT/US2023/015127 filed Mar. 13, 2023 International Search Report and Written Opinion dated Jun. 26, 2023. cited by applicant
- U.S. Appl. No. 17/031,650, filed Sep. 24, 2020 Final Office Action dated Jul. 20, 2022. cited by applicant

- U.S. Appl. No. 17/031,650, filed Sep. 24, 2020 Non-Final Office Action dated Jan. 19, 2022. cited by applicant
- U.S. Appl. No. 17/031,650, filed Sep. 24, 2020 Notice of Allowance dated Oct. 12, 2022. cited by applicant
- U.S. Appl. No. 17/035,272, filed Sep. 28, 2020 Non-Final Office Action dated Mar. 9, 2023. cited by applicant
- U.S. Appl. No. 17/035,272, filed Sep. 28, 2020 Notice of Allowance dated Jul. 7, 2023. cited by applicant
- U.S. Appl. No. 17/035,272, filed Sep. 28, 2020 Restriction Requirement dated Dec. 9, 2022. cited by applicant
- U.S. Appl. No. 17/035,336, filed Sep. 28, 2020 Notice of Allowance dated Jan. 11, 2023. cited by applicant
- U.S. Appl. No. 17/035,336, filed Sep. 28, 2020 Restriction Requirement dated Jul. 26, 2022. cited by applicant
- U.S. Appl. No. 17/235,134 filed Apr. 20, 2021 Non-Final Office Action dated Jun. 27, 2023. cited by applicant
- U.S. Appl. No. 17/235,134 filed Apr. 20, 2021 Notice of Allowance dated Sep. 20, 2023. cited by applicant
- U.S. Appl. No. 17/235,134 filed Apr. 20, 2021 Restriction Requirement dated Mar. 7, 2023. cited by applicant
- U.S. Appl. No. 17/335,870, filed Jun. 1, 2021 Non-Final Office Action dated Nov. 15, 2023. cited by applicant
- U.S. Appl. No. 17/335,870, filed Jun. 1, 2021 Restriction Requirement dated Jul. 25, 2023. cited by applicant
- U.S. Appl. No. 17/337,100, filed Jun. 2, 2021 Final Office Action dated Nov. 21, 2023. cited by applicant
- U.S. Appl. No. 17/337,100, filed Jun. 2, 2021 Non-Final Office Action dated Jun. 2, 2023. cited by applicant
- U.S. Appl. No. 17/337,100, filed Jun. 2, 2021 Notice of Allowance dated Jan. 24, 2024. cited by applicant
- U.S. Appl. No. 17/469,613, filed Sep. 8, 2021 Non-Final Office Action dated Jan. 19, 2024. cited by applicant
- U.S. Appl. No. 17/469,613, filed Sep. 8, 2021 Restriction Requirement dated Oct. 23, 2023. cited by applicant
- U.S. Appl. No. 17/667,291, filed Feb. 8, 2022 Non-Final Office Action dated Aug. 31, 2023. cited by applicant
- U.S. Appl. No. 17/667,291, filed Feb. 8, 2022 Restriction Requirement dated May 31, 2023. cited by applicant
- U.S. Appl. No. 17/863,898, filed Jul. 13, 2022 Final Office Action dated Nov. 22, 2023. cited by applicant
- U.S. Appl. No. 17/405,692, filed Aug. 18, 2021 Non-Final Office Action dated Sep. 6, 2024. cited by applicant
- U.S. Appl. No. 17/410,863, filed Aug. 24, 2021 Non-Final Office Action dated Sep. 5, 2024. cited by applicant
- U.S. Appl. No. 17/463,324, filed Aug. 31, 2021 Restriction Requirement dated Aug. 8, 2024. cited by applicant
- U.S. Appl. No. 18/075,269, filed Dec. 5, 2022 Notice of Allowance dated Sep. 11, 2024. cited by applicant
- U.S. Appl. No. 18/244,730, filed Sep. 11, 2023 Final Office Action dated Aug. 8, 2024. cited by applicant

- U.S. Appl. No. 18/244,730, filed Sep. 11, 2023 Notice of Allowance dated Oct. 24, 2024. cited by applicant
- U.S. Appl. No. 18/385,056, filed Oct. 30, 2023 Notice of Allowance dated Aug. 29, 2024. cited by applicant
- U.S. Appl. No. 17/405,692, filed Aug. 18, 2021 Advisory Action dated Feb. 14, 2025. cited by applicant
- U.S. Appl. No. 17/405,692, filed Aug. 18, 2021 Final Office Action dated Dec. 4, 2024. cited by applicant
- U.S. Appl. No. 17/410,863, filed Aug. 24, 2021 Notice of Allowance dated Dec. 13, 2024. cited by applicant
- U.S. Appl. No. 17/463,324, filed Aug. 31, 2021 Final Office Action dated Feb. 18, 2025. cited by applicant
- U.S. Appl. No. 17/463,324, filed Aug. 31, 2021 Non-Final Office Action dated Oct. 30, 2024. cited by applicant
- U.S. Appl. No. 17/469,613, filed Sep. 8, 2021 Advisory Action dated Mar. 21, 2025. cited by applicant
- U.S. Appl. No. 17/469,613, filed Sep. 8, 2021 Final Office Action dated Dec. 6, 2024. cited by applicant
- U.S. Appl. No. 17/587,900, filed Jan. 28, 2022 Non-Final Office Action dated Nov. 14, 2024. cited by applicant
- U.S. Appl. No. 17/405,692, filed Aug. 18, 2021 Non-Final Office Action dated Apr. 10, 2025. cited by applicant
- U.S. Appl. No. 17/463,324, filed Aug. 31, 2021 Advisory Action dated Apr. 24, 2025. cited by applicant
- U.S. Appl. No. 17/463,324, filed Aug. 31, 2021 Non-Final Office Action dated May 23, 2025. cited by applicant
- U.S. Appl. No. 17/469,613, filed Sep. 8, 2021 Notice of Allowance dated May 14, 2025. cited by applicant
- U.S. Appl. No. 17/587,900, filed Jan. 28, 2022 Final Office Action dated Apr. 17, 2025. cited by applicant
- U.S. Appl. No. 18/653,641, filed May 2, 2024 Non-Final Office Action dated Apr. 5, 2025. cited by applicant

Primary Examiner: Coley; Zade

Assistant Examiner: Jones; Diana

Attorney, Agent or Firm: Rutan & Tucker LLP

Background/Summary

PRIORITY (1) This application is a continuation of U.S. patent application Ser. No. 17/667,291, filed Feb. 8, 2022, now U.S. Pat. No. 11,925,361, which claims the benefit of priority to U.S. Provisional Application No. 63/147,119, filed Feb. 8, 2021, each of which is incorporated by reference in its entirety into this application.

BACKGROUND

(1) Many devices, systems, and methods have been developed to for accessing an interior of a bone of a patient, including for such purposes as intraosseous access, drawbacks that can be resolved,

remedied, ameliorated, or avoided by certain embodiments described herein. Intraosseous ("IO") access systems are often required to access the medullary cavity of bones of different sizes. In some instances, battery operated IO access systems may run out of power when drilling larger bones. Replacing a battery pack during the drilling process may require disengaging the IO access systems from the patient causing a significant procedural interruption and placing the patient at a greater risk. Having a second modular power source at the ready that may be coupled to the IO access system to extend the duration of the drilling process while the device is engaged with the patient may be logistically advantageous for the clinician and may reduce risk to the patient. SUMMARY

- (2) Disclosed herein is an intraosseous (IO) access system, including an access assembly having a needle configured to drill into bone via rotation of the needle and a driver. The driver includes a housing, a power converter configured to impart rotational power to the needle, a first power source coupled to the power converter, and a second power source selectively coupleable to the driver, where the second power source is configured to be disposed at least partially external to the housing.
- (3) The second power source may be a self-contained power source. The power converter may include a gear assembly configured to convert an input rotational speed of an input shaft to an output rotational speed of an output shaft that is different from the input rotational speed.
- (4) The driver may be configured to operate with power supplied individually by either the first power source or the second power source. The power converter may be configured for simultaneous coupling with the first power source and the second power source. Simultaneous coupling of the first power source and the second power source with the power converter may provide for extended operational duration of the system. In some embodiments, simultaneous coupling of the first power source and the second power source with the power converter provides for enhanced torque of the needle.
- (5) In some embodiments, the first power source is disposed within the housing and the first power source may be replaceable during use. At least one of the first power source or the second power source may be renewable.
- (6) In some embodiments, the driver includes a trigger configured to regulate the rotational speed of the needle.
- (7) In some embodiments, the first power source is an electrical power source, and the power converter includes an electric motor.
- (8) The second power source may also be an electrical power source, and simultaneous coupling of the first power source and the second power source with the power converter may provide for enhanced electrical current supplied to the motor. In some embodiments, the second power source is coupleable to the driver via a wired connection.
- (9) In some embodiments, the first power source is at least partially renewable via the second power source.
- (10) In some embodiments, the second power source is a mechanical power source.
- (11) Disclosed herein also is a method of drilling through a bone. The method includes providing an intraosseous (IO) access system. The IO access system includes an access assembly including a needle configured to drill into bone via rotation of the needle and a driver. The driver includes a housing, power converter configured to impart rotational power to the needle, a first power source coupled to the power converter, the first power source disposed at least partially within the housing, and a self-contained second power source coupleable to the power converter, the second power source disposed external to the housing. The method further includes applying rotational power to the needle and placing the needle in contact with the bone. The method may further include accessing a medullary cavity of the bone.
- (12) The method may further include determining that the first power source contains insufficient energy to drill through a cortex of the bone.

- (13) The method may further include coupling the second power source to the power converter.
- (14) The method may further include adding power supplied by the second power source to power supplied by the first power source.
- (15) The first power source may be an electrical power source. In some embodiments, the second power source is an electrical power source, and in alternative embodiments, the second power source is not an electrical power source.
- (16) These and other features of the concepts provided herein will become more apparent to those of skill in the art in view of the accompanying drawings and following description, which describe particular embodiments of such concepts in greater detail.

Description

BRIEF DESCRIPTION OF DRAWINGS

- (1) A more particular description of the present disclosure will be rendered by reference to specific embodiments thereof that are illustrated in the appended drawings. It is appreciated that these drawings depict only typical embodiments of the invention and are therefore not to be considered limiting of its scope. Example embodiments of the invention will be described and explained with additional specificity and detail through the use of the accompanying drawings in which:
- (2) FIG. **1** illustrates an exploded view of an embodiment of an intraosseous access medical device system, wherein an access assembly subset of the system is depicted slightly enlarged and in elevation, and an automated driver component is depicted in perspective, in accordance with some embodiments herein.
- (3) FIG. **2**A illustrates a perspective view of an embodiment of an intraosseous driver having an electrical energy source, in accordance with some embodiments.
- (4) FIG. **2**B illustrates a block diagram depicting various elements of the driver of FIG. **2**A, in accordance with some embodiments.
- (5) FIG. **3** illustrates a perspective view of another embodiment of an intraosseous driver having a mechanical energy source, in accordance with some embodiments.
- (6) FIG. **4** illustrates a perspective view of another embodiment of an intraosseous driver having a pneumatic energy source, in accordance with some embodiments.

DESCRIPTION

- (7) Before some particular embodiments are disclosed in greater detail, it should be understood that the particular embodiments disclosed herein do not limit the scope of the concepts provided herein. It should also be understood that a particular embodiment disclosed herein can have features that can be readily separated from the particular embodiment and optionally combined with or substituted for features of any of a number of other embodiments disclosed herein.
- (8) Regarding terms used herein, it should also be understood the terms are for the purpose of describing some particular embodiments, and the terms do not limit the scope of the concepts provided herein. Ordinal numbers (e.g., first, second, third, etc.) are generally used to distinguish or identify different features or steps in a group of features or steps, and do not supply a serial or numerical limitation. For example, "first," "second," and "third" features or steps need not necessarily appear in that order, and the particular embodiments including such features or steps need not necessarily be limited to the three features or steps. Labels such as "left," "right," "top," "bottom," "front," "back," and the like are used for convenience and are not intended to imply, for example, any particular fixed location, orientation, or direction. Instead, such labels are used to reflect, for example, relative location, orientation, or directions. Singular forms of "a," "an," and "the" include plural references unless the context clearly dictates otherwise.
- (9) With respect to "proximal," a "proximal portion" or a "proximal-end portion" of, for example, a needle disclosed herein includes a portion of the needle intended to be near a clinician when the

needle is used on a patient. Likewise, a "proximal length" of, for example, the needle includes a length of the needle intended to be near the clinician when the needle is used on the patient. A "proximal end" of, for example, the needle includes an end of the needle intended to be near the clinician when the needle is used on the patient. The proximal portion, the proximal-end portion, or the proximal length of the needle can include the proximal end of the needle; however, the proximal portion, the proximal-end portion, or the proximal length of the needle need not include the proximal end of the needle. That is, unless context suggests otherwise, the proximal portion, the proximal-end portion, or the proximal length of the needle is not a terminal portion or terminal length of the needle.

- (10) With respect to "distal," a "distal portion" or a "distal-end portion" of, for example, a needle disclosed herein includes a portion of the needle intended to be near or in a patient when the needle is used on the patient. Likewise, a "distal length" of, for example, the needle includes a length of the needle intended to be near or in the patient when the needle is used on the patient. A "distal end" of, for example, the needle includes an end of the needle intended to be near or in the patient when the needle is used on the patient. The distal portion, the distal-end portion, or the distal length of the needle can include the distal end of the needle; however, the distal portion, the distal-end portion, or the distal length of the needle need not include the distal end of the needle. That is, unless context suggests otherwise, the distal portion, the distal-end portion, or the distal length of the needle is not a terminal portion or terminal length of the needle.
- (11) In the following description, certain terminology is used to describe aspects of the invention. For example, in certain situations, the term "logic" is representative of hardware, firmware or software that is configured to perform one or more functions. As hardware, logic may include circuitry having data processing or storage functionality. Examples of such circuitry may include, but are not limited or restricted to a hardware processor (e.g., microprocessor with one or more processor cores, a digital signal processor, a programmable gate array, a microcontroller, an application specific integrated circuit "ASIC," etc.), a semiconductor memory, or combinatorial elements.
- (12) Alternatively, logic may be software, such as executable code in the form of an executable application, an Application Programming Interface (API), a subroutine, a function, a procedure, an applet, a servlet, a routine, source code, object code, a shared library/dynamic load library, or one or more instructions. The software may be stored in any type of a suitable non-transitory storage medium, or transitory storage medium (e.g., electrical, optical, acoustical or other form of propagated signals such as carrier waves, infrared signals, or digital signals). Examples of non-transitory storage medium may include, but are not limited or restricted to a programmable circuit; semiconductor memory; non-persistent storage such as volatile memory (e.g., any type of random access memory "RAM"); or persistent storage such as non-volatile memory (e.g., read-only memory "ROM," power-backed RAM, flash memory, phase-change memory, etc.), a solid-state drive, hard disk drive, an optical disc drive, or a portable memory device. As firmware, the executable code may be stored in persistent storage.
- (13) Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by those of ordinary skill in the art.
- (14) The present disclosure relates generally to bone penetrating devices, systems, and methods. In particular, certain embodiments disclosed herein can be used for drilling through or otherwise being inserted into or penetrating hard, compact bone tissue (cortical bone) to gain access to soft bone tissue (cancellous bone) or bone marrow. For example, certain embodiments are particularly well suited for use in intraosseous access procedures for at least the reasons discussed herein and/or for reasons that are otherwise apparent from the present disclosure.
- (15) For purposes of illustration, much of the disclosure herein pertains to creating a conduit or communication passageway to an interior of a bone structure by drilling through or otherwise penetrating hard, compact bone tissue to gain access to bone marrow or cancellous bone. Once

access to an inner region of a bone is achieved, any variety of suitable procedures can be performed, such as, for example, infusion, aspiration, or extraction of bone marrow. Numerous situations can benefit from providing access to an interior of a bone in manners such as disclosed herein, such as, for example, when other methods of accessing a vein with an IV needle are difficult or in emergency situations, such as heart attack, burns, drug overdoses, etc., when rapid access to the vasculature of a patient via an interior of a bone may be desired. Other illustrative, non-limiting examples include bone marrow biopsy or bone marrow aspiration. The present disclosure is not, however, limited to these specific applications.

- (16) Certain known systems and methods for providing access to bone interior (e.g., bone marrow) rely on a penetrator assembly that includes an outer penetrator and an inner trocar operable by a drill to penetrate the compact bone to gain access to the bone marrow. In order to initially make contact with the hard bone, it is often necessary to penetrate the skin and tissue that covers the bone. The prior methods use a sharp inner trocar in order to poke, puncture, or otherwise advance through the tissue. However, while the sharp tip of the trocar may be suitable for providing a passage through tissue, it can be suboptimal for initiating the cutting action through hard bone. In some instances, the sharp point effectively spins on the surface of the hard bone until the cutting edges of the trocar can become engaged with the hard bone.
- (17) Certain embodiments disclosed herein can be advantageous over at least the prior approaches just discussed. For example, in some embodiments, rather than using a sharp-tipped trocar that extends distally beyond cutting surfaces of the outer penetrator, a specialized needle having a distal cutting tip is used. The needle may be coupled with an obturator that does not extend beyond a distal face of the needle and is not involved in cutting or piercing the skin. The needle itself can have both the ability to cut or slice through the skin to reach bone, and can also readily bore through hard bone to the marrow. The obturator can prevent tissue debris from entering the needle lumen during insertion. These and/or other advantages of various disclosed embodiments will be apparent from the discussion that follows.
- (18) FIG. 1 is an exploded view of an embodiment of an intraosseous (IO) access system 100, with some components thereof shown in elevation and another shown in perspective. The IO access system 100 can be used to penetrate skin and underlying hard bone for intraosseous access, such as, for example to access the marrow of the bone and/or a vasculature of the patient via a pathway through an interior of the bone. The process of drilling through the bone may require power from an energy source.
- (19) In various embodiments, the system includes a driver **101** and an access assembly **109**. The driver **101** can be used to rotate the access assembly **109** into a bone of a patient. In the illustrated embodiment, the system **100** includes a driver **101** which may be automated. For example, the driver **101** can be a drill that achieves high rotational speeds.
- (20) The IO access system **100** can further include an obturator assembly **102**, a shield **105**, and a needle assembly **120**, which may be referred to, collectively, as the access assembly **109**. The access assembly **109** may also be referred to as an access system. The obturator assembly **102** is referred to as such herein for convenience. In the illustrated embodiment, the obturator assembly **102** includes an obturator **104**. However, in various other embodiments, the obturator **104** may be replaced with a different elongated medical instrument. As used herein, the term "elongated medical instrument" is a broad term used in its ordinary sense that includes, for example, such devices as needles, cannulas, trocars, obturators, stylets, etc. Accordingly, the obturator assembly **102** may be referred to more generally as an elongated medical instrument assembly. In like manner, the obturator **104** may be referred to more generally as an elongated medical instrument. (21) In the illustrated embodiment, the obturator assembly **102** includes a coupling hub **103** that is attached to the obturator **104** in any suitable manner (e.g., one or more adhesives or overmolding). The coupling hub **103** can be configured to interface with the driver **101**, as further discussed below. The coupling hub **103** may alternatively be referred to as an obturator hub **103** or, more

generally, as an elongated instrument hub **103**.

- (22) In the illustrated embodiment, the shield **105** is configured to couple with the obturator **104**. The coupling can permit relative longitudinal movement between the obturator **104** and the shield **105**, such as sliding, translating, or other movement along an axis of elongation (i.e., axial movement), when the shield **105** is in a first operational mode, and can prevent the same variety of movement when the shield **105** is transitioned to a second operational mode. For example, as further discussed below, the shield **105** may couple with the obturator **104** in a manner that permits longitudinal translation when the obturator **104** maintains the shield **105** in an unlocked state, and when the obturator **104** is moved to a position where it no longer maintains the shield in the unlocked state, the shield **105** may automatically transition to a locked state in which little or no translational movement is permitted between the shield **105** and the obturator **104**. Stated otherwise, the shield **105** may be longitudinally locked to a fixed or substantially fixed longitudinal orientation relative to the obturator **104** at which the shield **105** inhibits or prevents inadvertent contact with a distal tip of the obturator, as further discussed below. In various embodiments, the shield **105** may be configured to rotate relative to the obturator **104** about a longitudinal axis of the obturator **104** in one or more of the unlocked or locked states.
- (23) With continued reference to FIG. **1**, the needle assembly **120** is referred to as such herein for convenience. In the illustrated embodiment, the needle assembly **120** includes a needle **122**. However, in various other embodiments, the needle **122** may be replaced with a different instrument, such as, for example, a cannula, a tube, or a sheath, and/or may be referred to by a different name, such as one or more of the foregoing examples. Accordingly, the needle assembly **120** may be referred to more generally as a cannula assembly or as a tube assembly. In like manner, the needle **122** may be referred to more generally as a cannula.
- (24) In the illustrated embodiment, the needle assembly **120** includes a needle hub **121** that is attached to the needle **122** in any suitable manner. The needle hub **121** can be configured to couple with the obturator hub **103** and may thereby be coupled with the driver **101**, as further discussed below. The needle hub **121** may alternatively be referred to as a cannula hub **121**.
- (25) In the illustrated embodiment, the shield **105** is configured to couple with the needle hub **121**. The coupling can prevent relative axial or longitudinal movement between the needle hub **121** and the shield **105**, such as sliding, translating, or the like, when the shield **105** is in the first operational mode, and can permit the shield **105** to decouple from the needle hub **121** when the shield **105** is transitioned to the second operational mode. For example, as further discussed below, the shield **105** may couple with the needle hub **121** so as to be maintained at a substantially fixed longitudinal position relative thereto when the obturator **104** maintains the shield **105** in the unlocked state, and when the obturator **104** is moved to a position where it no longer maintains the shield in the unlocked state, the shield **105** may automatically transition to a locked state relative to the obturator **104**, in which state the shield **105** also decouples from the needle hub **121**.
- (26) As further discussed below, the shield **105** can be coupled with the obturator **104**, the obturator **104** can be inserted into the needle **122**, and the obturator hub **103** can be coupled to the needle hub **121** to assemble the access assembly **109**. In the illustrated embodiment, a cap **107** may be provided to cover at least a distal portion of the needle **122** and the obturator **104** prior to use of the access assembly **109**. For example, as further discussed below, in the illustrated embodiment, a proximal end of the cap **107** can be coupled to the obturator hub **103**.
- (27) With continued reference to FIG. **1**, the driver **101** may take any suitable form. The driver **101** may include a handle **110** that may be gripped by a single hand of a user. The driver **101** may further include an actuator **111** of any suitable variety via which a user may selectively actuate the driver **101** to effect rotation of a coupling interface **112**. For example, the actuator **111** may include a switch or other mechanical or electrical element for actuating the driver **101**. The actuator **111** may include a button such as a trigger, as shown. In the illustrated embodiment, the coupling interface **112** is formed as a socket **113** that defines a cavity **114**. The coupling interface **112** can be

- configured to couple with the obturator hub **103**. In the illustrated embodiment, the socket **113** includes sidewalls that substantially define a hexagonal cavity into which a hexagonal protrusion of the obturator hub **103** can be received. Other suitable connection interfaces are contemplated. (28) The driver **101** can include a primary energy (or power) source **130** of any suitable variety that is configured to generate the rotational movement of the coupling interface **112**. For example, the primary energy source **130** may provide power in an electrical form (i.e., voltage combined with amperage). In other embodiments, the primary energy source **130** may provide power in a mechanical form (i.e., force combined with velocity or torque combined with rotational speed). In still other embodiments, the primary energy source **130** may provide power in a pneumatic form (i.e., pressure combined with fluid flow).
- (29) The driver **101** may include a coupling **131** between the primary energy source **130** and the power converter assembly **150**. The coupling **131** is configured to couple the primary energy source **130** to the power converter assembly **150** in any suitable manner consistent with the power from of the primary energy source **130**. For example, in the illustrated embodiment, the driver **101** can include an electrical, mechanical, electromechanical, and/or pneumatic coupling **131**.
- (30) The power converter assembly **150** may be configured to convert a form of power supplied by the primary energy source **130** into rotational power (i.e., torque combined with rotational speed) of the coupling interface **112**. For example, the power converter assembly **150** may include a device such as an electrical motor to convert electrical power into rotational power. By way of further example, the power converter assembly **150** may include a gear assembly configured to convert mechanical power supplied by the primary energy source **130** into rotational power of the coupling interface **112**. The driver **101** can include a mechanical coupling **118** of any suitable variety to couple the power converter assembly **150** with the coupling interface **112**.
- (31) Further details and embodiments of the IO access system **100** can be found in WO 2018/075694, WO 2018/165334, WO 2018/165339, U.S. Pat. Nos. 10,893,887, and 10,980,522, each of which is incorporated by reference in its entirety into this application.
- (32) With further reference to FIG. **1**, the system **100** further includes a secondary energy (or power) source **240**. Similar to the primary energy source **130**, the secondary energy source **140** may be electrical, mechanical, or pneumatic. In some embodiments, the primary energy source **130** and the secondary energy source **140** may be similar in some respects. For example, in some embodiments, the primary energy source **130** and the secondary energy source **140** may include the same form of energy, e.g., electrical, mechanical, or pneumatic. In other embodiments, the primary energy source **130** and the secondary energy source **140** may include different forms of energy. For example, in some embodiments, the primary energy source **130** may be electrical and the secondary energy source **140** may be mechanical (e.g., rotational).
- (33) Similar to the coupling **131**, the driver **101** may include a coupling **141** between the secondary energy source **140** and the power converter assembly **150**. The coupling **141** is configured to couple the secondary energy source **140** to the power converter assembly **150** in any suitable manner consistent with the power from of the secondary energy source **140**. For example, in the illustrated embodiment, the driver **101** can include an electrical, mechanical, electromechanical, and/or pneumatic coupling **141**.
- (34) In the illustrated embodiment, the primary energy source **130** may be disposed within a housing **119** or at least partially disposed within the housing **119**. In other embodiments, primary energy source **130** me be disposed substantially external to the housing **119** or attached to the housing **119**. In some embodiments, the primary energy source **130** may form a portion of the driver **101** or the housing **119** such as the handle **110**. By way of contrast, the secondary energy source **140** may be disposed external or substantially external to the housing **119**. In some embodiments, the secondary energy source **140** may selectively attached to the driver **101** or coupled to the driver **101** via a tether. The secondary energy source **140** may be combined with power

- from the primary energy source **130** to extend an operating duration of the driver **101**. The driver **101** may be configured to operate with power provided only by the primary energy source **130**. Similarly, in some embodiments, the driver **101** may be configured to operate with power provided only by the secondary energy source **140**.
- (35) In some instances of use, the primary energy source **130** may contain insufficient energy to complete the drilling process. The cause for the lack of sufficient energy may be a reduced amount (i.e., less than a full capacity) of energy contained within the primary energy source **130** or the full capacity of the primary energy source **130** may insufficient to drill through a bone of a larger size. In either case, it may be necessary to obtain additional energy to complete the drilling process. In some use instances, the clinician may begin a bone drilling process utilizing power from only the primary energy source **130**. Upon an indication that the primary energy source **130** may lack sufficient energy to complete the drilling process, the clinician may connect the secondary energy source **140** to the driver **101**, thereby extending the operating duration of the driver **101**. In other use instances, the clinician may connect the secondary energy source **140** to the driver **101** before starting the bone drilling process.
- (36) In some instances, a substantial portion of the energy contained within the primary energy source **130** and/or the secondary energy source **140** may be expended during a bone drilling process. As such, it may be advantageous to replace the energy expended. In some embodiments, the primary energy source **130** and/or the secondary energy source **140** may be renewable, i.e., energy may be added to (i.e., restored to) the primary energy source **130** and/or the secondary energy source **140**.
- (37) FIG. **2**A is a front perspective view of another embodiment of a driver **201** that can, in certain respects, resemble components of the driver **101** described in connection with FIG. **1**, and may be included in the system **100**. It will be appreciated that all the illustrated embodiments may have analogous features. Accordingly, like features are designated with like reference numerals, with some reference numerals having leading digits incremented to "2." For instance, the primary energy source is designated as "130" in FIG. 1 and an analogous primary energy source is designated as "230" in FIG. 2A. Relevant disclosure set forth above regarding similarly identified features thus may not be repeated hereafter. Moreover, specific features of the driver **101** and related components shown in FIG. 1 may not be shown or identified by a reference numeral in the drawings or specifically discussed in the written description that follows. However, such features may clearly be the same, or substantially the same, as features depicted in other embodiments and/or described with respect to such embodiments. Accordingly, the relevant descriptions of such features apply equally to the features of the driver of FIG. 2A. Any suitable combination of the features, and variations of the same, described with respect to the driver and components illustrated in FIG. 1 can be employed with the driver and components of FIG. 2A, and vice versa. This pattern of disclosure applies equally to further embodiments depicted in subsequent figures and described hereafter.
- (38) Referring to FIG. 2A, the driver 210 includes primary and secondary energy sources 230, 240. The primary and secondary energy sources 230, 240 contain energy in the electrical form and provide power to power converter assembly 250 in the electrical form. More specifically, each of the primary and secondary energy sources 230, 240 may include one or more batteries. The primary energy source 230 is coupled to the power converter assembly 250 via electrical conductors 231. Similarly, the secondary energy source 240 is selectively coupleable to the power converter assembly 250 via electrical conductors 241 and a connector set 242. The primary energy source 230 may be disposed within the housing 119 and the secondary energy source 240 may be at least partially disposed external to the housing 119. The connector set 242 may be configured so that the clinician may selectively couple or decouple the secondary energy source 240 with the driver 201. (39) In the illustrated embodiment, the power converter assembly 250 includes an electric motor 251 configured to convert electrical power into rotational power. In some embodiments, the power

converter assembly **250** may include a gear assembly **252** disposed between the electric motor **251** and the coupling **118**. In other embodiments, the gear assembly **252** may be omitted.

(40) In some embodiments, the primary energy source **230** and the secondary energy source **240** may be similar in some electrical respects. For example, in some embodiments, the primary energy source **230** and secondary energy source **240** may provide about same voltage. In other embodiments, the primary energy source **230** and secondary energy source **240** may provide different voltages. In some embodiments, the primary energy source **230** and secondary energy source **240** may contain similar amounts of energy when charged. More specifically, the primary energy source **230** and secondary energy source **230** and secondary energy source **240** may include the same number of batteries of a similar size. In other embodiments, the primary energy source **230** and secondary energy source **240** may contain different amounts of energy. For example, the secondary energy source **240** may contain about 50 percent, 100 percent, 200 percent or more energy than the primary energy source **230**. Alternatively, in some embodiments, the secondary energy source **240** may contain less energy

than the primary energy source **230**.

- (41) In some embodiments, the driver **201** may be connected to an external charger (not shown) to recharge the primary energy source **230**. Similarly, the secondary energy source **240** may also be connected to an external charger (not shown) to recharge the secondary energy source 240. In some instances, the driver **201** may be configured such that connecting the secondary energy source **240** to the driver **201** may provide power to the primary energy source **230** to add energy to (i.e., recharge) the primary energy source **230**. In some embodiments, the batteries within the one or both of the primary and secondary energy sources **230**, **240** may be replaceable by the clinician. (42) FIG. **2**B illustrates a block diagram depicting various elements of the driver **101**, in accordance with some embodiments. In some embodiments, the driver 101 may include a controller **260** including a processor **261** and memory **262** which may include a non-transitory computer-readable storage medium having driver control logic 263 stored thereon. The controller **260** may also include an electric power converter **268** and a sensor module **265**. Each of the primary energy source **230**, the secondary energy source **240**, and the motor **251** may be coupled to the electric power converter **268**. The sensor module **265** may include an ammeter configured to measure an operating amperage draw of the motor **251**, and one or more volt meters configured to measure voltages of the primary and secondary energy sources 230, 240. Also coupled to the controller are the actuator **211** and a motor speed sensor **266**. The driver **201** may also include an operator notification component **267** coupled to the controller **260**. The operator notification component **267** may be configured to provide visual and/or audible indications to the clinician. In some embodiments, the operator notification component **267** may include a display for rendering indicia pertaining to the operation of the driver **201**. In some embodiments, the operator notification component **267** may also include an audio device suitable for providing an audible alert to the clinician during operation of the driver **201**. The actuator **211** may be configured to provide a binary signal and/or a variable signal to the controller **260**. The motor speed sensor **266** provides a variable signal to the controller **260** indicative of the rotational speed of the motor **251**. (43) The electric power converter **268** may be configured to receive power from the primary energy
- source **230** and the secondary energy source **240** and supply power to the motor **251**. In some embodiments, the electric power converter **268** may include a power supply (e.g. a switching power supply) to convert the voltages of the primary energy source **230** and the secondary energy source **240** into an operating voltage for the motor **251**. The electric power converter **268** may be coupled to the processor **261** so that the electric power converter **268** may regulate power supplied to the motor **261** according to the driver control logic **263**. In some embodiments, the electric power converter **268** may receive power from the secondary energy source **240** and supply power to the primary energy source **230** to recharge the primary energy source **230**.
- (44) The driver control logic **263** is configured to receive signal data from one or more sensors and control one or more operating characteristics of the driver **201** when executed by the processor **262**.

In some embodiments, the driver control logic **263** may collect voltage data from the primary energy source **230**, where the voltage measurement may indicate a state of charge for the primary energy source **230**. The driver control logic **263** may compare the voltage signal with a defined low voltage limit stored in the memory **262**. As a result of the comparison, the driver control logic **263** may provide an indication to the clinician via the operator notification component **267** that the remaining energy contained within the primary energy source **230** is below a low limit. In response, the clinician may couple the secondary energy source **240** to the driver **201**. In some instances, the clinician may couple the secondary energy source **240** to the driver **201** before starting the drilling process. In other instances, the clinician may couple the secondary energy source **240** to the driver **201** during the drilling process. In some instances, the driver control logic **263** may provide an indication on the operator notification component **267** of a remaining operational duration for the primary energy source **230**.

- (45) In some embodiments, the driver control logic **263** may collect voltage data from the secondary energy source **240**, wherein the voltage measurement may indicate a state of charge for the secondary energy source **240**. The driver control logic **263** may compare the voltage signal with a defined low voltage limit stored in memory **262**. As a result of the comparison, the driver control logic **263** may provide an indication to the clinician via the operator notification component **267** that the remaining energy contained within the secondary energy source **240** is below a low limit. In response, the clinician may replace the secondary energy source **240** with another secondary energy source **240**. In some instances, the clinician may replace the secondary energy source **240** before starting the drilling process. In other instances, the clinician may replace the secondary energy source **240** during the drilling process. In some instances, the driver control logic **263** may provide an indication on the operator notification component **267** of a remaining operational duration for the secondary energy source **240**.
- (46) The driver control logic **263** may be configured to regulate the rotational speed of the needle. In some embodiments, empirical studies may have determined an optimal rotational speed range for the needle **122** when drilling through bone and the optimal rotational speed range may be stored in the memory **262**. The driver control logic **263** may be configured to receive rotational speed data from the speed sensor **266** and compare the speed data with the optimal rotational speed range stored in memory **262**. As a result of the comparison, the driver control logic **263** may adjust a voltage or current supplied to the motor **251** to establish and maintain the rotational speed of the needle **122** to be within the optimal rotational speed range. In some instances, the clinician may vary the downward force of the needle **122** on the bone while drilling which may in turn vary the torque load on the needle **122**. In such instances, the driver control logic **263** may maintain the rotational speed of needle across a varying torque load on the needle **122**.
- (47) The driver control logic **263** may be configured provide an indication to the clinician that one or more operating parameters of the driver **201** is outside of a defined range. For example, in some embodiments, empirical studies may have determined a high current limit for efficient use of energy from the primary energy source **230** and/or the secondary energy source **240**. In some embodiments, the electrical current data may be related to the torque provided by the motor **251**. As such, in some embodiments, the driver control logic **263** may receive electrical current data supplied to the motor **251** from the electrical sensor module **265** and compare the current data with a high current limit stored in the memory **262**. As a result of the comparison, the driver control logic **263** may provide a visual and/or audible indication to the clinician via the operator notification component **267**. In response, the clinician may reduce an applied force to the needle **122** to reduce the torque on the needle **122** and in turn reduce current supplied to the motor **251**. (48) FIG. **3** is a front perspective view of another embodiment of a driver **301** that can, in certain respects, resemble components of the driver **101** described in connection with FIG. **1** and may be included in the system **100**. Referring to FIG. **3**, the primary and secondary energy sources **330**, **340** may provide power to the power converter assembly **350** in a mechanical form. More

specifically, the primary and secondary energy sources 330, 340 may provide rotational power to the power converter assembly 350. The primary and secondary energy sources 330, 340 may include one or more torsional springs 335 to provide rotational power (i.e., torque in combination with rotational speed) to the power converter assembly 350. In some embodiments, the torsional springs 335 may be coupled together in a series relationship (i.e., end to end) so that the torque supplied by each of the torsional springs 335 is equal. In some embodiments, the torsional springs 335 may be flat torsional springs. The primary energy source 330 is coupled to the power converter assembly 350 via a rotatable shaft 331. Similarly, the secondary energy source 340 is selectively coupleable to the power converter assembly 350 via a rotatable shaft 341. The primary energy source 340 may be substantially disposed within the housing 119 and the secondary energy source 340 may be at least partially disposed external to the housing 119. The driver 301 may be configured to be operational when either or both of the primary and secondary energy sources 330, 340 is coupled to the power converter assembly 350.

- (49) The power converter assembly **350** is configured to convert the rotational power from the primary and secondary energy sources **330**, **340** into rotational power of the coupling interface **112**. In the illustrated embodiment, the power converter assembly **350** includes a gear assembly **352**. The gear assembly **352** may be configured to change the orientation of the rotational power. In other words, the gear assembly **352** may receive rotational power via the rotatable shaft **331** disposed in a first orientation into rotational power of the output shaft **354** disposed in a second orientation, wherein the second orientation is disposed at about **90** degrees with respect to the first orientation. The gear assembly 352 may also be configured to change a rotational speed of the output shaft **354** with respect to a rotational speed of the input shaft **353**. In some embodiments, the gear assembly 352 may be configured to increase a rotational speed of the output shaft 354 with respect to a rotational speed of an input shaft **353** by a ratio of about 20 to 1, 50 to 1, 100 to 1, 500 to 1, or more so that the rotational speed of the needle **122** is appropriate for drilling through bone. (50) In some embodiments, the primary energy source **330** and the secondary energy source **340** may be similar in some respects. For example, in some embodiments, the primary energy source **330** and secondary energy source **340** may interchangeable. In some embodiments, the primary energy source **330** and secondary energy source **340** may contain similar amounts of energy when disposed in a wound-up state. More specifically, the primary energy source **330** and secondary energy source **340** may include the same number of torsional springs **335** of a similar size. In other embodiments, the primary energy source **330** and secondary energy source **340** may contain different amounts of energy. For example, the secondary energy source **340** may contain about 50 percent, 100 percent, 200 percent, or more energy than the primary energy source **330**. Alternatively, in some embodiments, the secondary energy source **340** may contain less energy than the primary energy source **330**.
- (51) The primary energy source **330** may be renewed from a lesser wound-up state to a greater wound-up state. The primary energy source **330** may include a rewind knob **336** coupled to the torsional springs **335**. The primary energy source **330** is configured such that turning the rewind knob **336** with respect to a housing **332** of the primary energy source **330** winds up the torsional springs **335** thereby restoring energy to the primary energy source **330**. As shown in FIG. **3**, the rewind knob **336** may extend beyond the handle **110** making the rewind knob **336** accessible to the clinician when the primary energy source **330** is disposed within the housing **119**. As such, the clinician may turn the rewind knob **336** with respect to the handle **110** to wind up the torsional springs **335**.
- (52) Similarly, the secondary energy source **340** may be renewed from a lesser wound-up state to a greater wound-up state. The secondary energy source **340** may include a rewind knob **346** coupled to the torsional springs **335** so that turning the rewind knob **346** with respect to a housing **342** of the secondary energy source **340** winds up the torsional springs **335** thereby restoring energy to the secondary energy source **340**.

- (53) FIG. **4** is a front perspective view of another embodiment of a driver **401** that can, in certain respects, resemble components of the driver **101** described in connection with FIG. **1** and may be included in the system **100**. Referring to FIG. **4**, the primary and secondary energy sources **430**, **440** may provide power to the power converter assembly **450** in a pneumatic form. Each of the primary and secondary energy sources **430**, **440** may include a pressurized fluid cartridge (e.g. a CO2 cartridge) to provide pneumatic power (i.e., pressure in combination with fluid flow) to the power converter assembly **450**. The primary energy source **430** is coupled to the power converter assembly **450** via a fluid conduit **431**. Similarly, the secondary energy source **440** is selectively coupleable to the power converter assembly **450** via a fluid conduit **441**. The primary energy source **430** may be substantially disposed within the housing **119** and the secondary energy source **440** may be at least partially disposed external to the housing **119**. The driver **401** may be configured to be operational when either or both of the primary and secondary energy sources **430**, **440** is coupled to the power converter assembly **450**.
- (54) In the illustrated embodiment, the power converter assembly **450** includes an air turbine **451** to convert pressurized fluid flow into rotational power of a turbine output shaft 453. In other embodiments, the power converter assembly **450** may include a vane pump, a piston pump, or any other suitable mechanism for converting pressurized fluid flow into rotational power. The power converter assembly **450** may also include gear assembly **452**. The gear assembly **452** may be configured to reduce a rotational speed of a gear-assembly output shaft **454** with respect to a rotational speed of the turbine output shaft **453** by a ratio of about 2 to 1, 5 to 1, 10 to 1, 50 to 1, 100 to 1, or more so that the rotational speed of the needle **122** is appropriate for drilling bone. (55) In some embodiments, the primary energy source **430** and the secondary energy source **440** may be similar in some respects. For example, in some embodiments, the primary energy source **430** and secondary energy source **440** may interchangeable. In some embodiments, the primary energy source **430** and secondary energy source **440** may contain similar amounts of pneumatic energy. More specifically, the primary energy source **430** and secondary energy source **440** may include a cartridge of about the same volume containing a similar mass of fluid. In other embodiments, the primary energy source **430** and secondary energy source **440** may contain different amounts of energy. For example, the secondary energy source **440** may contain about 50 percent, 100 percent, 200 percent or more energy than the primary energy source **430**. Alternatively, in some embodiments, the secondary energy source **440** may contain less energy than the primary energy source **430**. Either or both of the primary and secondary energy sources **430**, **440** may be replaceable by the clinician.
- (56) Some embodiments of the system **100** may be configured to include components of any of the drivers **201**, **301**, and **401**. For example, an embodiment of the system **100** may include the driver **201** having the electrical primary energy source **230** combined with the rotational secondary energy source **340** or the pneumatic secondary energy source **440**. Embodiments of the system **100** that include other combinations of drivers and secondary energy sources are also contemplated. (57) Any methods disclosed herein include one or more steps or actions for performing the described method. The method steps and/or actions may be interchanged with one another. In other words, unless a specific order of steps or actions is required for proper operation of the embodiment, the order and/or use of specific steps and/or actions may be modified. Moreover, subroutines or only a portion of a method described herein may be a separate method within the scope of this disclosure. Stated otherwise, some methods may include only a portion of the steps described in a more detailed method.
- (58) In an exemplary method of the use, the clinician may obtain the system **100**. The clinician may further apply rotational power to the needle by pressing the actuator **111** (trigger). The clinician may then contact the needle **122** with the bone to drill through the bone. At some point before or during the drilling procedure, the clinician may determine that the first energy source **130** contains insufficient energy to complete the drilling procedure. In some embodiments, the system **100** may

visually or audibly notify the clinician that the first energy source **130** contains insufficient energy. As a result of the determination, the clinician may couple the second energy source **140** to the driver **101** so that power from the second energy source **140** is combined with power from the first energy source **130**. In some embodiments, the first power source **130** is an electrical power source and the second power source **140** is an electrical power source. In other embodiments, the first power source **130** is an electrical power source and the second power source **140** is not an electrical power source.

(59) While some particular embodiments have been disclosed herein, and while the particular embodiments have been disclosed in some detail, it is not the intention for the particular embodiments to limit the scope of the concepts provided herein. Additional adaptations and/or modifications can appear to those of ordinary skill in the art, and, in broader aspects, these adaptations and/or modifications are encompassed as well. Accordingly, departures may be made from the particular embodiments disclosed herein without departing from the scope of the concepts provided herein.

Claims

- 1. An intraosseous access system, comprising: a needle configured to drill into bone via rotation; a driver configured to impart rotational power to the needle, the driver containing a power converter and a first power source connected to the power converter; and a second power source external to the driver, the second power source configured for selective connection directly to the power converter in the driver to assist in imparting rotational power to the needle during use of the intraosseous access system.
- 2. The intraosseous access system according to claim 1, wherein the second power source is a self-contained power source.
- 3. The intraosseous access system according to claim 1, wherein the power converter comprises a gear assembly configured to convert an input rotational speed of an input shaft to an output rotational speed of an output shaft that is different from the input rotational speed.
- 4. The intraosseous access system according to claim 1, wherein the driver is configured to operate with power supplied either simultaneously by the first power source and the second power source or individually by the first power source or the second power source.
- 5. The intraosseous access system according to claim 1, wherein combining power from the first power source and the second power source provides for an extended operational duration of the intraosseous access system and enhanced torque of the needle.
- 6. The intraosseous access system according to claim 1, wherein the first power source is replaceable during use.
- 7. The intraosseous access system according to claim 1, wherein at least one of the first power source or the second power source is renewable.
- 8. The intraosseous access system according to claim 1, wherein the driver further comprises a trigger configured to regulate a rotational speed of the needle.
- 9. The intraosseous access system according to claim 1, wherein the first power source is an electrical power source, and wherein the power converter comprises an electric motor.
- 10. The intraosseous access system according to claim 1, wherein the second power source is an electrical power source.
- 11. The intraosseous access system according to claim 10, wherein the second power source is configured for connection to the driver via a wired connection.
- 12. The intraosseous access system according to claim 10, wherein the first power source is at least partially renewable via the second power source.
- 13. The intraosseous access system according to claim 1, wherein the second power source is a mechanical power source.

- 14. A method for drilling through a bone, comprising: providing an intraosseous access system comprising: a needle configured to drill into the bone via rotation; a driver configured to impart rotational power to the needle, the driver containing a power converter and a first power source connected to the power converter; and a second power source external to the driver, the second power source configured for selective connection directly to the power converter in the driver to assist in imparting rotational power to the needle during use of the intraosseous access system; applying rotational power to the needle with the second power source disconnected from the driver; and placing the needle in contact with the bone.
- 15. The method according to claim 14, further comprising accessing a medullary cavity of the bone.
- 16. The method according to claim 14, further comprising: determining that the first power source contains insufficient energy to drill through a cortex of the bone, connecting the second power source to the driver, and drilling through the cortex of the bone.