

(12) **United States Patent**
Duindam et al.

(10) **Patent No.:** **US 12,390,618 B2**
(45) **Date of Patent:** ***Aug. 19, 2025**

(54) **CATHETERS WITH CONTROL MODES FOR INTERCHANGEABLE PROBES**

(71) Applicant: **INTUITIVE SURGICAL OPERATIONS, INC.**, Sunnyvale, CA (US)

(72) Inventors: **Vincent Duindam**, San Francisco, CA (US); **Giuseppe Maria Prisco**, Calci Pisa (IT)

(73) Assignee: **INTUITIVE SURGICAL OPERATIONS, INC.**, Sunnyvale, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1301 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **16/927,332**

(22) Filed: **Jul. 13, 2020**

(65) **Prior Publication Data**
US 2021/0016061 A1 Jan. 21, 2021

Related U.S. Application Data
(63) Continuation of application No. 16/283,039, filed on Feb. 22, 2019, now Pat. No. 10,744,303, which is a (Continued)

(51) **Int. Cl.**
A61M 25/01 (2006.01)
A61B 18/24 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **A61M 25/0133** (2013.01); **A61B 34/30** (2016.02); **A61B 18/24** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC A61M 25/0133; A61M 25/0113; A61M 25/0147; A61M 25/0158;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,096,962 A 7/1963 Meijs
3,546,961 A 12/1970 Marton
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1658789 A 8/2005
CN 101088451 A 12/2007
(Continued)

OTHER PUBLICATIONS

Al-Ahmad A., et al., "Early Experience with a Computerized Obotically Controlled Catheter System," Journal of Interventional Cardiac Electrophysiology, Apr. 2005, vol. 12(3), pp. 199-202.


(Continued)

Primary Examiner — Joseph M Santos Rodriguez
Assistant Examiner — Zainab Mohammed Aldarraj
(74) *Attorney, Agent, or Firm* — Haynes & Boone, LLP.

(57) **ABSTRACT**

A medical system including a catheter, a sheath, and a control system. The catheter includes a lumen, a distal steerable segment, and a distal tip. The sheath is disposed within the lumen of the catheter and the sheath is extendable from the distal tip of the catheter. The control system is coupled to the catheter and includes a memory operable to store desired position coordinates and a plurality of modes including a stiffening mode in which the control system actively maintains the distal tip at the desired position coordinates.

19 Claims, 3 Drawing Sheets



Related U.S. Application Data

continuation of application No. 13/274,198, filed on
Oct. 14, 2011, now Pat. No. 10,238,837.

(51) Int. Cl.

A61B 34/20 (2016.01)

A61B 34/30 (2016.01)

(52) U.S. Cl.

CPC . *A61B 2034/2061* (2016.02); *A61B 2034/301*
(2016.02); *A61M 25/0113* (2013.01); *A61M*
25/0147 (2013.01); *A61M 25/0158* (2013.01);
A61M 2025/0166 (2013.01)

(58) Field of Classification Search

CPC *A61M 2025/0166*; *A61B 34/30*; *A61B*
18/24; *A61B 2034/2061*; *A61B 2034/301*
See application file for complete search history.

(56)**References Cited**

U.S. PATENT DOCUMENTS

4,437,114 A 3/1984 Larussa
4,644,237 A 2/1987 Frushour et al.
4,748,969 A 6/1988 Wardle
4,792,715 A 12/1988 Barsky et al.
4,809,191 A 2/1989 Domeier et al.
4,905,082 A 2/1990 Nishigaki et al.
4,949,927 A 8/1990 Madocks et al.
5,114,403 A 5/1992 Clarke et al.
5,174,276 A 12/1992 Crockard
5,201,757 A 4/1993 Heyn et al.
5,251,611 A 10/1993 Zehel et al.
5,280,781 A 1/1994 Oku
5,285,796 A 2/1994 Hughes
5,297,536 A 3/1994 Wilk
5,307,437 A 4/1994 Facq et al.
5,351,693 A 10/1994 Taimisto et al.
5,408,263 A 4/1995 Kikuchi et al.
5,417,210 A 5/1995 Funda et al.
5,429,604 A 7/1995 Hammersmark et al.
5,487,757 A 1/1996 Truckai et al.
5,492,131 A 2/1996 Galel
5,588,949 A 12/1996 Taylor et al.
5,613,946 A 3/1997 McKeever
5,617,515 A 4/1997 Maclaren et al.
5,624,380 A 4/1997 Takayama et al.
5,631,973 A 5/1997 Green
5,643,175 A 7/1997 Adair
5,672,877 A 9/1997 Liebig et al.
5,729,129 A 3/1998 Acker
5,752,112 A 5/1998 Paddock et al.
5,755,713 A 5/1998 Bilof et al.
5,759,151 A 6/1998 Sturges
5,792,135 A 8/1998 Madhani et al.
5,797,900 A 8/1998 Madhani et al.
5,817,084 A 10/1998 Jensen et al.
5,855,569 A 1/1999 Komi et al.
5,868,760 A 2/1999 McGuckin, Jr.
5,876,325 A 3/1999 Mizuno et al.
5,892,860 A 4/1999 Maron et al.
5,899,425 A 5/1999 Corey Jr et al.
5,899,851 A 5/1999 Koninckx
5,976,071 A 11/1999 Sekiya
5,982,791 A 11/1999 Sorin et al.
6,004,016 A 12/1999 Spector
6,013,024 A * 1/2000 Mitsuda A61B 1/12
600/149
6,030,130 A 2/2000 Paddock et al.
6,066,090 A 5/2000 Yoon
6,120,433 A 9/2000 Mizuno et al.
6,132,368 A 10/2000 Cooper
6,161,032 A 12/2000 Acker
6,171,277 B1 1/2001 Ponzi
6,188,355 B1 2/2001 Gilboa
6,191,414 B1 2/2001 Ogle et al.

6,198,974 B1 3/2001 Webster, Jr.
6,200,274 B1 3/2001 McNeirney
6,203,493 B1 3/2001 Ben-Haim
6,246,200 B1 6/2001 Blumenkranz et al.
6,253,770 B1 7/2001 Acker et al.
6,275,628 B1 8/2001 Jones et al.
6,331,181 B1 12/2001 Tierney et al.
6,332,089 B1 12/2001 Acker et al.
6,335,617 B1 1/2002 Osadchy et al.
6,347,892 B1 2/2002 Paddock et al.
6,352,503 B1 3/2002 Matsui et al.
6,366,722 B1 4/2002 Murphy et al.
6,366,799 B1 4/2002 Acker et al.
6,371,952 B1 4/2002 Madhani et al.
6,380,732 B1 4/2002 Gilboa
6,389,187 B1 5/2002 Greenaway et al.
6,396,574 B1 5/2002 Lee et al.
6,432,041 B1 8/2002 Taniguchi et al.
6,441,577 B2 8/2002 Blumenkranz et al.
6,451,027 B1 9/2002 Cooper et al.
6,453,190 B1 9/2002 Acker et al.
6,459,926 B1 10/2002 Nowlin et al.
6,470,205 B2 10/2002 Bosselmann et al.
6,471,710 B1 10/2002 Bucholtz
6,478,028 B1 11/2002 Paolitto et al.
6,484,118 B1 11/2002 Govari
6,487,352 B1 11/2002 Sobiski et al.
6,490,467 B1 12/2002 Bucholz et al.
6,554,793 B1 4/2003 Pauker et al.
6,571,639 B1 6/2003 May et al.
6,572,629 B2 6/2003 Kalloo et al.
6,574,355 B2 6/2003 Green
6,575,644 B2 6/2003 Paddock et al.
6,578,967 B1 6/2003 Paddock et al.
6,618,612 B1 9/2003 Acker et al.
6,645,196 B1 11/2003 Nixon et al.
6,648,816 B2 11/2003 Irion et al.
6,671,055 B1 12/2003 Wavering et al.
6,671,581 B2 12/2003 Niemeyer et al.
6,695,871 B1 2/2004 Maki et al.
6,720,988 B1 4/2004 Gere et al.
6,743,239 B1 6/2004 Kuehn et al.
6,758,843 B2 7/2004 Jensen et al.
6,783,491 B2 8/2004 Saadat et al.
6,790,173 B2 9/2004 Saadat et al.
6,817,974 B2 11/2004 Cooper et al.
6,833,814 B2 12/2004 Gilboa et al.
6,837,846 B2 1/2005 Jaffe et al.
6,837,847 B2 1/2005 Ewers et al.
6,866,671 B2 3/2005 Tierney et al.
6,899,672 B2 5/2005 Chin et al.
6,902,560 B1 6/2005 Morley et al.
6,936,042 B2 8/2005 Wallace et al.
6,942,613 B2 9/2005 Ewers et al.
6,960,162 B2 11/2005 Saadat et al.
6,960,163 B2 11/2005 Ewers et al.
6,984,203 B2 1/2006 Tartaglia et al.
6,991,602 B2 1/2006 Nakazawa et al.
6,994,703 B2 2/2006 Wang et al.
6,997,870 B2 2/2006 Couvillon, Jr.
7,007,699 B2 3/2006 Martinelli et al.
7,041,052 B2 5/2006 Saadat et al.
7,042,573 B2 5/2006 Froggatt
7,090,637 B2 8/2006 Danitz et al.
7,090,683 B2 8/2006 Brock et al.
7,128,708 B2 10/2006 Saadat et al.
7,139,601 B2 11/2006 Bucholz et al.
7,197,354 B2 3/2007 Sobe
7,233,820 B2 6/2007 Gilboa
7,252,660 B2 8/2007 Kunz
7,277,120 B2 10/2007 Gere et al.
7,320,700 B2 1/2008 Cooper et al.
7,371,028 B2 5/2008 Gordon et al.
7,398,116 B2 7/2008 Edwards
7,500,947 B2 * 3/2009 Kucklick A61B 17/3423
600/128
7,594,912 B2 9/2009 Cooper et al.
7,607,440 B2 10/2009 Coste-Maniere et al.
7,715,105 B2 5/2010 Forkey et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

7,720,322 B2	5/2010	Prisco et al.		10,568,700 B2	2/2020	Donhowe et al.
7,725,214 B2 *	5/2010	Diolaiti	A61B 1/06	10,653,866 B2	5/2020	Duindam et al.
			606/1	10,682,070 B2	6/2020	Duindam
7,772,541 B2	8/2010	Froggatt et al.		10,744,303 B2	8/2020	Duindam et al.
7,853,307 B2	12/2010	Edwards		2001/0049509 A1	12/2001	Sekine et al.
7,920,909 B2	4/2011	Lyon et al.		2002/0077550 A1	6/2002	Rabiner et al.
7,922,650 B2	4/2011	McWeeney et al.		2002/0087169 A1	7/2002	Brock et al.
7,930,065 B2	4/2011	Larkin et al.		2002/0120252 A1	8/2002	Brock et al.
7,947,000 B2 *	5/2011	Vargas	A61M 25/0158	2002/0143319 A1	10/2002	Brock
			600/587	2002/0151967 A1	10/2002	Mikus et al.
7,962,193 B2	6/2011	Edwards et al.		2002/0156345 A1	10/2002	Eppler et al.
8,016,749 B2 *	9/2011	Clerc	A61B 5/065	2002/0161280 A1	10/2002	Chatenever et al.
			600/128	2002/0173786 A1	11/2002	Kortenbach et al.
8,335,557 B2	12/2012	Maschke		2003/0045778 A1	3/2003	Ohline et al.
8,376,934 B2	2/2013	Takahashi et al.		2003/0050649 A1	3/2003	Brock et al.
8,396,595 B2	3/2013	Dariusz		2003/0182091 A1	9/2003	Kukuk
8,442,618 B2	5/2013	Strommer et al.		2003/0233115 A1	12/2003	Eversull et al.
8,506,555 B2	8/2013	Ruiz Morales		2003/0236455 A1	12/2003	Swanson et al.
8,554,368 B2	10/2013	Fielding et al.		2003/0236505 A1	12/2003	Bonadio et al.
8,672,837 B2 *	3/2014	Roelle	A61B 1/009	2004/0024311 A1	2/2004	Quaid et al.
			604/528	2004/0054355 A1	3/2004	Gerbi et al.
8,720,448 B2	5/2014	Reis et al.		2004/0083808 A1	5/2004	Rambow et al.
8,738,181 B2	5/2014	Greer et al.		2004/0116803 A1	6/2004	Jascob et al.
8,784,303 B2 *	7/2014	Laby	A61B 1/0055	2004/0138525 A1	7/2004	Saadat et al.
			600/117	2004/0138529 A1	7/2004	Wiltshire et al.
8,784,435 B2	7/2014	Cooper et al.		2004/0147837 A1	7/2004	MaCaulay et al.
8,827,948 B2	9/2014	Romo et al.		2004/0153191 A1	8/2004	Grimm et al.
8,858,424 B2	10/2014	Hasegawa et al.		2004/0202400 A1	10/2004	Kochergin et al.
8,929,631 B2	1/2015	Pfister et al.		2004/0249367 A1	12/2004	Saadat et al.
8,945,095 B2	2/2015	Blumenkranz et al.		2004/0257021 A1	12/2004	Chang et al.
9,014,851 B2	4/2015	Wong et al.		2005/0004431 A1	1/2005	Kogasaka et al.
9,060,678 B2	6/2015	Larkin et al.		2005/0043718 A1	2/2005	Madhani et al.
9,125,639 B2	9/2015	Mathis et al.		2005/0049486 A1	3/2005	Urquhart et al.
9,129,417 B2	9/2015	Zheng et al.		2005/0059960 A1	3/2005	Simaan et al.
9,199,372 B2	12/2015	Henderson et al.		2005/0065397 A1	3/2005	Saadat et al.
9,226,796 B2	1/2016	Bowling et al.		2005/0065398 A1	3/2005	Adams
9,256,940 B2	2/2016	Carelsen et al.		2005/0065400 A1	3/2005	Banik et al.
9,289,578 B2	3/2016	Walker et al.		2005/0096502 A1	5/2005	Khalili
9,314,306 B2	4/2016	Yu		2005/0102062 A1	5/2005	Green
9,345,456 B2	5/2016	Tsonton et al.		2005/0131343 A1	6/2005	Abrams et al.
9,358,682 B2	6/2016	Ruiz Morales		2005/0192532 A1	9/2005	Kucklick et al.
9,387,048 B2	7/2016	Donhowe et al.		2005/0197536 A1	9/2005	Banik et al.
9,452,276 B2	9/2016	Duindam et al.		2005/0197557 A1	9/2005	Strommer et al.
9,504,604 B2	11/2016	Alvarez		2005/0215983 A1	9/2005	Brock
9,522,034 B2	12/2016	Johnson et al.		2005/0222554 A1	10/2005	Wallace et al.
9,561,083 B2	2/2017	Yu et al.		2005/0251176 A1	11/2005	Swanstrom et al.
9,622,827 B2	4/2017	Yu et al.		2005/0256398 A1	11/2005	Hastings et al.
9,629,595 B2	4/2017	Walker et al.		2005/0261551 A1	11/2005	Couvillon, Jr.
9,636,184 B2	5/2017	Lee et al.		2005/0272977 A1	12/2005	Saadat et al.
9,675,422 B2	6/2017	Hourtash et al.		2005/0284221 A1	12/2005	Danisch et al.
9,713,509 B2	7/2017	Schuh et al.		2006/0004286 A1	1/2006	Chang et al.
9,727,963 B2	8/2017	Mintz et al.		2006/0013523 A1	1/2006	Childers et al.
9,737,371 B2	8/2017	Romo et al.		2006/0015096 A1	1/2006	Hauck et al.
9,737,373 B2	8/2017	Schuh		2006/0025652 A1	2/2006	Vargas
9,744,335 B2	8/2017	Jiang		2006/0041293 A1	2/2006	Mehdizadeh et al.
9,763,741 B2	9/2017	Alvarez et al.		2006/0095022 A1	5/2006	Moll et al.
9,788,910 B2	10/2017	Schuh		2006/0149418 A1	7/2006	Anvari
9,789,608 B2	10/2017	Itkowitz et al.		2006/0161045 A1	7/2006	Merril et al.
9,818,681 B2	11/2017	Machida		2006/0161136 A1	7/2006	Anderson et al.
9,844,353 B2	12/2017	Walker et al.		2006/0184016 A1	8/2006	Glossop et al.
9,844,412 B2	12/2017	Bogusky et al.		2007/0013336 A1	1/2007	Nowlin et al.
9,867,635 B2	1/2018	Alvarez et al.		2007/0016070 A1	1/2007	Grunwald et al.
9,931,025 B1	4/2018	Graetzel et al.		2007/0021738 A1	1/2007	Hasser et al.
9,949,749 B2	4/2018	Noonan et al.		2007/0043455 A1	2/2007	Viswanathan et al.
9,955,986 B2	5/2018	Shah		2007/0049908 A1	3/2007	Boese et al.
9,962,228 B2	5/2018	Schuh et al.		2007/0055128 A1	3/2007	Glossop et al.
9,980,785 B2	5/2018	Schuh		2007/0055291 A1	3/2007	Birkmeyer et al.
9,993,313 B2	6/2018	Schuh et al.		2007/0065077 A1	3/2007	Childers et al.
10,016,900 B1	7/2018	Meyer et al.		2007/0083217 A1	4/2007	Eversull et al.
10,022,192 B1	7/2018	Ummalaneni		2007/0089557 A1	4/2007	Solomon et al.
10,080,576 B2	9/2018	Romo et al.		2007/0106116 A1	5/2007	Sugimoto
10,238,837 B2	3/2019	Duindam et al.		2007/0135803 A1	6/2007	Belson
10,299,870 B2	5/2019	Connolly et al.		2007/0135886 A1	6/2007	Maschke
10,307,205 B2	6/2019	Ludwin et al.		2007/0137371 A1	6/2007	Devengenzo et al.
				2007/0150155 A1	6/2007	Kawai et al.
				2007/0151391 A1	7/2007	Larkin et al.
				2007/0156020 A1	7/2007	Foley et al.
				2007/0173694 A1	7/2007	Tsuji et al.
				2007/0197896 A1	8/2007	Moll et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0225554	A1	9/2007	Maseda et al.		2009/0275799	A1	11/2009	Saadat et al.	
2007/0225559	A1 *	9/2007	Clerc	A61B 1/018 600/113	2009/0281566	A1	11/2009	Edwards et al.	
2007/0232898	A1	10/2007	Huynh et al.		2009/0287354	A1	11/2009	Choi	
2007/0249911	A1	10/2007	Simon		2009/0314131	A1	12/2009	Bailey	
2007/0253599	A1	11/2007	White et al.		2009/0322001	A1	12/2009	Luke et al.	
2007/0265503	A1	11/2007	Schlesinger et al.		2009/0326322	A1	12/2009	Diolaiti	
2007/0270642	A1	11/2007	Bayer et al.		2009/0326552	A1	12/2009	Diolaiti	
2007/0283970	A1	12/2007	Mohr et al.		2009/0326553	A1	12/2009	Mustufa et al.	
2007/0287884	A1	12/2007	Schena		2010/0030115	A1	2/2010	Fujimoto et al.	
2007/0287889	A1	12/2007	Mohr		2010/0041949	A1	2/2010	Tolkowsky	
2007/0287992	A1	12/2007	Diolaiti et al.		2010/0076263	A1	3/2010	Tanaka et al.	
2007/0293721	A1	12/2007	Gilboa		2010/0076303	A1	3/2010	McKinley	
2007/0299353	A1	12/2007	Harlev et al.		2010/0082041	A1	4/2010	Prisco	
2008/0015625	A1 *	1/2008	Ventura	A61N 1/056 606/191	2010/0121138	A1	5/2010	Goldenberg et al.	
2008/0046122	A1	2/2008	Manzo et al.		2010/0121139	A1	5/2010	Ouyang et al.	
2008/0051704	A1	2/2008	Patel et al.		2010/0125284	A1	5/2010	Tanner et al.	
2008/0058861	A1	3/2008	Cooper et al.		2010/0170519	A1	7/2010	Romo et al.	
2008/0064921	A1	3/2008	Larkin et al.		2010/0210939	A1	8/2010	Hartmann et al.	
2008/0064927	A1	3/2008	Larkin et al.		2010/0222647	A1	9/2010	Hashimshony et al.	
2008/0064931	A1	3/2008	Schena et al.		2010/0234856	A1	9/2010	Stoianovici et al.	
2008/0065097	A1	3/2008	Duval et al.		2010/0256812	A1	10/2010	Tsusaka et al.	
2008/0065098	A1	3/2008	Larkin et al.		2010/0274087	A1	10/2010	Diolaiti et al.	
2008/0065099	A1	3/2008	Cooper et al.		2010/0292535	A1	11/2010	Paskar	
2008/0065100	A1	3/2008	Larkin		2010/0298642	A1	11/2010	Trusty et al.	
2008/0065101	A1	3/2008	Larkin		2010/0331820	A1	12/2010	Prisco et al.	
2008/0065102	A1	3/2008	Cooper		2010/0332033	A1	12/2010	Diolaiti et al.	
2008/0065103	A1	3/2008	Cooper et al.		2011/0021903	A1	1/2011	Strommer et al.	
2008/0065104	A1	3/2008	Larkin et al.		2011/0028991	A1	2/2011	Ikeda et al.	
2008/0065106	A1	3/2008	Larkin		2011/0040305	A1	2/2011	Gomez et al.	
2008/0065107	A1	3/2008	Larkin et al.		2011/0040404	A1	2/2011	Diolaiti et al.	
2008/0065109	A1	3/2008	Larkin et al.		2011/0054309	A1	3/2011	Edwards	
2008/0065110	A1	3/2008	Duval et al.		2011/0063428	A1 *	3/2011	Sonnenschein	A61B 17/29 348/294
2008/0071288	A1	3/2008	Larkin et al.		2011/0082365	A1	4/2011	McGrogan et al.	
2008/0071289	A1	3/2008	Cooper et al.		2011/0082462	A1	4/2011	Suarez et al.	
2008/0071290	A1	3/2008	Larkin et al.		2011/0092808	A1	4/2011	Shachar et al.	
2008/0071291	A1	3/2008	Duval et al.		2011/0125032	A1	5/2011	McIntyre et al.	
2008/0091170	A1 *	4/2008	Vargas	A61M 25/0158 604/528	2011/0130750	A1	6/2011	Ormsby et al.	
2008/0097155	A1	4/2008	Gattani et al.		2011/0137122	A1	6/2011	Kawai	
2008/0103362	A1 *	5/2008	Couvillon	A61B 1/00042 600/148	2011/0152879	A1	6/2011	Williams et al.	
2008/0108870	A1	5/2008	Wiita et al.		2011/0153252	A1	6/2011	Govari et al.	
2008/0123921	A1	5/2008	Gielen et al.		2011/0160570	A1	6/2011	Kariv et al.	
2008/0140087	A1	6/2008	Barbagli		2011/0160715	A1	6/2011	Ostrovsky et al.	
2008/0147089	A1	6/2008	Loh et al.		2011/0172680	A1	7/2011	Younge et al.	
2008/0151041	A1	6/2008	Shafer et al.		2011/0172687	A1	7/2011	Woodruff et al.	
2008/0156971	A1	7/2008	Ogisu et al.		2011/0184241	A1	7/2011	Zubiate et al.	
2008/0159653	A1	7/2008	Dunki-Jacobs et al.		2011/0184276	A1	7/2011	Lyon et al.	
2008/0172049	A1	7/2008	Bredno et al.		2011/0196199	A1	8/2011	Donhowe et al.	
2008/0212082	A1	9/2008	Froggatt et al.		2011/0196419	A1	8/2011	Cooper	
2008/0231221	A1	9/2008	Ogawa		2011/0201883	A1	8/2011	Cooper et al.	
2008/0249640	A1	10/2008	Vittor et al.		2011/0201922	A1	8/2011	Hezemans et al.	
2008/0255505	A1	10/2008	Carlson et al.		2011/0202068	A1	8/2011	Diolaiti et al.	
2008/0287963	A1	11/2008	Rogers et al.		2011/0224684	A1	9/2011	Larkin et al.	
2008/0312771	A1	12/2008	Sugiura		2011/0224685	A1	9/2011	Larkin et al.	
2008/0319376	A1	12/2008	Wilcox et al.		2011/0224686	A1	9/2011	Larkin et al.	
2009/0030307	A1	1/2009	Govari et al.		2011/0224687	A1	9/2011	Larkin et al.	
2009/0076534	A1	3/2009	Shelton, IV et al.		2011/0224688	A1	9/2011	Larkin et al.	
2009/0085807	A1	4/2009	Anderson		2011/0224689	A1	9/2011	Larkin et al.	
2009/0088756	A1	4/2009	Anderson		2011/0224825	A1	9/2011	Larkin et al.	
2009/0088774	A1	4/2009	Swarup et al.		2011/0237889	A1	9/2011	Tanaka	
2009/0096443	A1	4/2009	Anderson		2011/0277576	A1	11/2011	Cooper	
2009/0105799	A1	4/2009	Hekmat et al.		2011/0277579	A1	11/2011	Anderson et al.	
2009/0118620	A1	5/2009	Tgavalekos et al.		2011/0277580	A1	11/2011	Cooper et al.	
2009/0123111	A1	5/2009	Udd		2011/0277775	A1	11/2011	Holop et al.	
2009/0137952	A1	5/2009	Ramamurthy et al.		2011/0277776	A1	11/2011	McGrogan et al.	
2009/0184825	A1	7/2009	Anderson		2011/0282356	A1	11/2011	Solomon et al.	
2009/0198298	A1	8/2009	Kaiser et al.		2011/0282357	A1	11/2011	Rogers et al.	
2009/0231419	A1 *	9/2009	Bayer	A61B 1/00179 348/76	2011/0282358	A1	11/2011	Gomez et al.	
2009/0245600	A1	10/2009	Hoffman et al.		2011/0282359	A1	11/2011	Duval	
2009/0248040	A1	10/2009	Cooper et al.		2011/0282491	A1	11/2011	Prisco et al.	
					2011/0319714	A1 *	12/2011	Roelle	A61B 1/008 600/118
					2011/0319910	A1	12/2011	Roelle et al.	
					2012/0000427	A1	1/2012	Nilsson	
					2012/0010628	A1	1/2012	Cooper et al.	
					2012/0046522	A1	2/2012	Naito	
					2012/0059249	A1	3/2012	Verard et al.	
					2012/0071752	A1	3/2012	Sewell et al.	
					2012/0116393	A1	5/2012	Jimenez et al.	

(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0123395	A1 *	5/2012	Stoy	A61B 34/71 606/1	2016/0354057	A1	12/2016	Hansen et al.
2012/0123441	A1	5/2012	Au et al.		2016/0360947	A1	12/2016	Iida et al.
2012/0150075	A1	6/2012	Ludwin et al.		2016/0360949	A1	12/2016	Hyodo et al.
2012/0165608	A1	6/2012	Banik et al.		2016/0374541	A1	12/2016	Agrawal et al.
2012/0182409	A1	7/2012	Moriyama et al.		2017/0007337	A1	1/2017	Dan
2012/0209293	A1	8/2012	Carlson et al.		2017/0056215	A1	3/2017	Nagesh et al.
2012/0215094	A1	8/2012	Rahimian et al.		2017/0068796	A1	3/2017	Passerini et al.
2012/0253276	A1	10/2012	Govari et al.		2017/0100199	A1	4/2017	Yu et al.
2012/0289815	A1	11/2012	Keast et al.		2017/0119413	A1	5/2017	Romo
2012/0296166	A1	11/2012	Kim		2017/0119481	A1	5/2017	Romo et al.
2012/0328077	A1	12/2012	Bouvier		2017/0151027	A1	6/2017	Walker et al.
2013/0085330	A1	4/2013	Ramamurthy et al.		2017/0165011	A1	6/2017	Bovay et al.
2013/0090530	A1	4/2013	Ramamurthy et al.		2017/0165503	A1	6/2017	Hautvast et al.
2013/0096385	A1	4/2013	Fenech et al.		2017/0172673	A1	6/2017	Yu et al.
2013/0102846	A1	4/2013	Sjostrom et al.		2017/0202627	A1	7/2017	Sramek et al.
2013/0131503	A1	5/2013	Schneider et al.		2017/0209073	A1	7/2017	Sramek et al.
2013/0144124	A1	6/2013	Prisco et al.		2017/0251988	A1	9/2017	Weber et al.
2013/0165854	A1	6/2013	Sandhu et al.		2017/0280978	A1	10/2017	Yamamoto et al.
2013/0165945	A9	6/2013	Roelle et al.		2017/0281049	A1	10/2017	Yamamoto et al.
2013/0169272	A1	7/2013	Eichler et al.		2017/0290631	A1	10/2017	Lee et al.
2013/0172906	A1	7/2013	Olson et al.		2017/0304015	A1	10/2017	Tavallaci et al.
2013/0218005	A1	8/2013	Desai et al.		2017/0325715	A1	11/2017	Mehendale et al.
2013/0223702	A1	8/2013	Holsing et al.		2017/0333679	A1	11/2017	Jiang
2013/0303944	A1	11/2013	Duindam		2017/0340396	A1	11/2017	Romo et al.
2013/0325030	A1	12/2013	Hourtash et al.		2017/0365055	A1	12/2017	Mintz et al.
2014/0114180	A1	4/2014	Jain		2017/0367782	A1	12/2017	Schuh et al.
2014/0135985	A1	5/2014	Coste-Maniere et al.		2018/0025666	A1	1/2018	Ho et al.
2014/0142591	A1	5/2014	Alvarez et al.		2018/0177383	A1	6/2018	Noonan et al.
2014/0163664	A1	6/2014	Goldsmith		2018/0177556	A1	6/2018	Noonan
2014/0296870	A1	10/2014	Stern et al.		2018/0177561	A1	6/2018	Mintz et al.
2014/0296872	A1	10/2014	Cooper et al.		2018/0214011	A1	8/2018	Graetzel et al.
2014/0309649	A1	10/2014	Alvarez et al.		2018/0221038	A1	8/2018	Noonan et al.
2014/0316420	A1	10/2014	Ballard et al.		2018/0221039	A1	8/2018	Shah
2014/0357984	A1	12/2014	Wallace et al.		2018/0250083	A1	9/2018	Schuh et al.
2014/0364870	A1	12/2014	Alvarez et al.		2018/0250085	A1	9/2018	Simi et al.
2015/0051592	A1	2/2015	Kintz		2018/0271616	A1	9/2018	Schuh et al.
2015/0088161	A1	3/2015	Hata et al.		2018/0279852	A1	10/2018	Rafii-Tari et al.
2015/0101442	A1	4/2015	Romo		2018/0280660	A1	10/2018	Landey et al.
2015/0104284	A1	4/2015	Riedel		2018/0289243	A1	10/2018	Landey et al.
2015/0119628	A1	4/2015	Bharat et al.		2018/0289431	A1	10/2018	Draper et al.
2015/0119638	A1	4/2015	Yu et al.		2019/0192819	A1	6/2019	Duindam et al.
2015/0164594	A1	6/2015	Romo et al.		2020/0023201	A1	1/2020	Overweg
2015/0164596	A1	6/2015	Romo et al.		2020/0146757	A1	5/2020	Fenech et al.
2015/0202015	A1	7/2015	Elhawary et al.		2020/0254223	A1	8/2020	Duindam et al.
2015/0223902	A1	8/2015	Walker et al.		2020/0275860	A1	9/2020	Duindam
2015/0265359	A1	9/2015	Camarillo					
2015/0265807	A1	9/2015	Park et al.					
2015/0297864	A1	10/2015	Kokish et al.					
2015/0335480	A1	11/2015	Alvarez et al.					
2015/0342695	A1	12/2015	He et al.					
2015/0359597	A1	12/2015	Gombert et al.					
2015/0374956	A1	12/2015	Bogusky					
2016/0001038	A1	1/2016	Romo et al.					
2016/0005168	A1	1/2016	Merlet					
2016/0005220	A1	1/2016	Weingarten et al.					
2016/0005576	A1	1/2016	Tsukamoto					
2016/0016319	A1	1/2016	Remirez et al.					
2016/0029998	A1	2/2016	Brister et al.					
2016/0045269	A1	2/2016	Elhawary et al.					
2016/0051221	A1	2/2016	Dickhans et al.					
2016/0066794	A1	3/2016	Klinder et al.					
2016/0073928	A1	3/2016	Soper et al.					
2016/0081568	A1	3/2016	Kolberg et al.					
2016/0100772	A1	4/2016	Ikuma et al.					
2016/0228032	A1	8/2016	Walker et al.					
2016/0256216	A1 *	9/2016	Chang	A61B 18/1492				
2016/0270865	A1	9/2016	Landey et al.					
2016/0278865	A1	9/2016	Capote et al.					
2016/0287111	A1	10/2016	Jacobsen					
2016/0287279	A1	10/2016	Bovay et al.					
2016/0296294	A1	10/2016	Moll et al.					
2016/0331469	A1	11/2016	Hall et al.					
2016/0338787	A1	11/2016	Popovic et al.					
2016/0346924	A1	12/2016	Hasegawa et al.					

FOREIGN PATENT DOCUMENTS

CN	101247847	A	8/2008
CN	101252870	A	8/2008
CN	101404921	A	4/2009
CN	101918073	A	12/2010
DE	102013100605	A1	7/2014
EP	1566150	A2	8/2005
EP	1800593	A1	6/2007
EP	2158834	A1	3/2010
EP	2392435	A2	12/2011
EP	3025630	A1	6/2016
JP	S57190549	A	11/1982
JP	H06285009	A	10/1994
JP	H07504363	A	5/1995
JP	H07505790	A	6/1995
JP	H1020214	A	1/1998
JP	2000093522	A	4/2000
JP	2000166936	A	6/2000
JP	2001046529	A	2/2001
JP	2003275223	A	9/2003
JP	2008018007	A	1/2008
JP	2008508987	A	3/2008
JP	2009530069	A	8/2009
KR	19990087101	A	12/1999
WO	WO-9313916	A1	7/1993
WO	WO-9605768	A1	2/1996
WO	WO-9729690	A1	8/1997
WO	WO-9744089	A1	11/1997
WO	WO-0051486	A1	9/2000
WO	WO-0156457	A1	8/2001
WO	WO-0207809	A1	1/2002
WO	WO-2004016155	A2	2/2004

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	WO-2005087128	A1	9/2005
WO	WO-2006039092	A2	4/2006
WO	WO-2006122061	A1	11/2006
WO	WO-2007109418	A2	9/2007
WO	WO-2007109778	A1	9/2007
WO	WO-2007146987	A2	12/2007
WO	WO-2008028149	A2	3/2008
WO	WO-2008111070	A2	9/2008
WO	WO-2008147961	A1	12/2008
WO	WO-2009002701	A2	12/2008
WO	WO-2009120940	A2	10/2009
WO	WO-2009148317	A1	12/2009
WO	WO-2010039394	A1	4/2010
WO	WO-2011001300	A1	1/2011
WO	WO-2011008922	A2	1/2011
WO	WO-2011085166	A1	7/2011
WO	WO-2011100110	A1	8/2011
WO	WO-2011132409	A1	10/2011
WO	WO-2017048194	A1	3/2017

OTHER PUBLICATIONS

Amended Joint Claim Construction Chart, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 123-1, Nov. 13, 2019, 31 pages.

Amended Joint Claim Construction Chart, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 81, Aug. 29, 2019, 29 pages.

Amending Scheduling Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, Document 62, 2019, 14 pages.

Auris Health, Inc.'s Opposition to Motion for Reargument Regarding Mar. 11, 2019 Scheduling Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Jury Trial Demanded, Case No. 18-1359-MN, Document 52, Mar. 29, 2019, 8 pages.

Compendium of Inventor Declarations in Support of Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant Auris Health, Inc.'s Motion to Transfer, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, C.A. No. 18-1359-MN, Document 29, Dec. 11, 2018, 2 pages.

Complaint for Patent Infringement, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Demand for Jury Trial, Aug. 31, 2018, 14 pages.

Curriculum Vitae of Prof. Ron Alterovitz, Ph.D, Professor, Department of Computer Science, University of North Carolina at Chapel Hill, Jan. 14, 2019, 22 pages.

Declaration of Prof. Ron Alterovitz, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, 2019, 25 pages.

Declaration of Professor Mark E. Rentschler, Ph.D, Mar. 2018, 58 pages.

Declaration of David Styka in Support of Defendant Auris Health, Inc.'s Opening Brief in Support of Its Motion to Transfer Venue Pursuant to 28 U.S.C. § 1404(A), United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-LPS, Jury Trial Demanded, Document 18, 2018, 3 pages.

Declaration of Kelly E. Farnan in Support of Auris Health, Inc.'s Opposition to Motion for Reargument Regarding Mar. 11, 2019 Scheduling Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 53, 2019, 3 pages.

Declaration of Laura E. Miller in Support of Plaintiffs' Opposition to Defendant's Motion to Stay, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Exhibit, Document 122, Nov. 13, 2019, 50 pages.

Declaration of Laura Miller in Support of Plaintiffs' Motion for Reargument Regarding Mar. 11, 2019 Scheduling Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 44, 2019, 1 page.

Declaration of Nathan B. Sabri in Support of Defendant Auris Health, Inc.'s Opening Brief in Support of Its Motion to Transfer Venue Pursuant to 28 U.S.C. § 1404(A), United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-LPS, Jury Trial Demanded, Document 16, 2018, 7 pages.

Declaration of Shaelyn K. Dawson in Support of Defendant Auris Health, Inc.'s Motion to Stay Case Pending Inter Partes Review, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 119, 2019, 3 pages.

Declaration of Shaelyn K. Dawson in Support of Defendant Auris Health, Inc.'s Reply in Support of Its Motion to Stay Case Pending Inter Partes Review, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, Document 127, 2019, 2 pages.

Declaration of Taylor Patton in Support of Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant Auris Health, Inc.'s Motion to Transfer, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Redacted—Public Version, C.A. No. 18-1359-MN, Document 30, Dec. 11, 2018, 15 pages.

Declaration of Vera Ranieri in Support of Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant Auris Health, Inc.'s Motion to Transfer, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, Document 28, Demand for Jury Trial, 2018, 4 pages.

Defendant Auris Health, Inc.'s Amended Notice of Deposition of Catherine J. Mohr, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, Demand for Jury Trial, Document 99, Oct. 9, 2019, 2 pages.

Defendant Auris Health, Inc.'s Amended Notice of Deposition of Vincent Duindam, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, Document 100, Demand for Jury Trial, Oct. 9, 2019, 2 pages.

Defendant Auris Health, Inc.'s Answer to Plaintiffs' Complaint for Patent Infringement, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-LPS, Jury Trial Demanded, Document 12, Oct. 25, 2018, 12 pages.

Defendant Auris Health, Inc.'s Notice of 30(B)(6) Deposition of Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc., United States District Court for the District of Delaware, Plaintiffs: *Intuitive*

(56)

References Cited

OTHER PUBLICATIONS

Surgical, Inc. and Intuitive Surgical Operations, Inc., V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 120, Nov. 12, 2019, 10 pages.

Defendant Auris Health, Inc.'s Notice of Deposition of Catherine J. Mohr, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 94, Oct. 2, 2019, 2 pages.

Defendant Auris Health, Inc.'s Notice of Deposition of Mark E. Rentschler, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Demand for Jury Trial, Document 103, Oct. 15, 2019, 2 pages.

Defendant Auris Health, Inc.'s Notice of Deposition of Tim Soper, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Demand for Jury Trial, Case No. 18-1359-MN, Document 87, Sep. 13, 2019, 2 pages.

Defendant Auris Health, Inc.'s Notice of Deposition of Vincent Duindam, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 93, Oct. 2, 2019, 2 pages.

Defendant Auris Health, Inc.'s Opening Brief in Support of Its Motion to Stay Case Pending Inter Partes Review, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Jury Trial Demanded, Document 118, Oct. 30, 2019, 18 pages.

Defendant Auris Health, Inc.'s Opening Brief in Support of Its Motion to Transfer Venue Pursuant to 28 U.S.C. § 1404(A), United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-LPS, Jury Trial Demanded, Document 15, Oct. 29, 2018, 25 pages.

Defendant Auris Health, Inc.'s Preliminary Invalidity Contentions, Demand for Jury Trial, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, 2019, 38 pages.

Defendant Auris Health, Inc.'s Reply Brief in Support of Its Motion to Stay Pending Inter Partes Review, United States District Court for the District of Delaware, Demand for Jury Trial, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 126, Nov. 15, 2019, 13 pages.

Defendant Auris Health, Inc.'s Reply Brief in Support of Its Motion to Transfer Venue Pursuant to 28 U.S.C. § 1404(a), United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, C.A. No. 18-1359-MN, Document 31, Nov. 18, 2018, 14 pages.

Defendant Auris Health, Inc.'s Supplemental Corporate Disclosure Statement Per F.R.C.P. 7.1, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Jury Trial Demanded, Case No. 18-1359-MN, Apr. 17, 2019, 2 pages.

Defendant's Corporate Disclosure Statement per F.R.C.P. 7.1(a), United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-LPS, Jury Trial Demanded, Document 13, Oct. 25, 2018, 1 page.

Excerpts from Merriam-Webster's Collegiate Dictionary, 2003, 11th Edition, 3 pages.

Excerpts from the deposition of Mark Edwin Rentschler, Ph.D., Oct. 21, 2019, 35 pages.

Exhibit 1, Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Preliminary Election of Asserted Claims, United States District Court for the District of Delaware, Plaintiffs: *Intuitive*

Surgical, Inc. and Intuitive Surgical Operations, Inc., V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, Demand for Jury Trial, Document 119-1, Aug. 9, 2019, 5 pages.

Exhibit 1, Before Ulrike W. Jenks, Tina E. Hulse, and James A. Worth, Administrative Patent Judges, Petitioner: *Auris Health, Inc. v. Patent Owner: Intuitive Surgical Operations, Inc.*, IPR2019-01173, Document 215-1, Entered: Dec. 16, 2019, 197 pages.

Exhibit 1, Declaration, Annual Report Pursuant to Section 13 or 15(D) of the Securities Exchange Act of 1934, United States Securities and Exchange Commission, Form 10-K, Case 1:18-cv-01359-MN, Intuitive Surgical, Inc., Document 28-1, 2018, 12 pages. Exhibit 1, Fox Chase Cancer Center Among First in U.S. to Use Innovative Technology for Lung Cancer Diagnosis, Temple Health, Retrieved from the Internet: (<https://www.foxchase.org/news/2018-08-15-Monarch-Robotic-Bronchoscopy>), Case 1:18-cv-01359-MN, Document 23-3, Aug. 15, 2018, 4 pages.

Exhibit 1, Morrison & Foerster, via Email, *Intuitive Surgical, Inc. v. Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, Sep. 9, 2019, Document 127-1, 22 pages.

Exhibit 1, [Proposed] Scheduling Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Demand for Jury Trial, Case No. 1:18-cv-01359-MN, Document 43-2, 2019, 14 pages.

Exhibit 1, Redacted in its Entirety, Demand for Jury Trial, Defendant Auris Health, Inc.'s First set of Requests for production to Plaintiffs, C.A. No. 18-1359-MN, Document 233-1, 2019, 1-70 pages.

Exhibit 10, "Auris Health Lands \$220M to Expand Sales of Lung Testing Medical Robot," exome, Frank Vinluan, Case 1:18-cv-01359-MN, Document 28-10, 2018, 4 pages.

Exhibit 10, From: Dawson, Shaelyn K, Subject: *Intuitive v. Auris*: Summary of Sep. 26, 19 meet- and-confer re: Intuitive's deficient production, Case 1:18-cv-01359-MN, Document 119-10, 2019, 4 pages.

Exhibit 11, "Auris Health Lands \$220M to Expand Sales of Lung Testing Medical Robot," Xconomy, Nov. 28, 2018, Auris, Auris Health, Inc., Case 1:18-cv-01359-MN, Document 28-11, 2018, 4 pages.

Exhibit 11, U.S Food and Drug Administration, Case 1:18-cv-01359-MN, Document 119-11, Auris Surgical Robotics, Inc., Mar. 22, 2018, 12 pages.

Exhibit 12, United States Securities and Exchange Commission, Form D, Notice of Exempt Offering of Securities, Case 1:18-cv-01359-MN, Document 28-12, 2018, 7 pages.

Exhibit 13, United States Securities and Exchange Commission, Form D, Notice of Exempt Offering of Securities, Case 1:18-cv-01359-MN, Document 28-13, 2018, 7 pages.

Exhibit 14, "Auris Surgical Robotics Agrees to Acquire Hansen Medical," Market Wired, Source: Hansen Medical, Inc, The Global Leader in Intravascular Robotics, Case 1:18-cv-01359-MN, Document 28-14, Apr. 20, 2016, 2018, 4 pages.

Exhibit 15, Declaration, Delaware, U.S. District Court, Case 1:18-cv-01359-MN, Document 28-15, 2018, 3 pages.

Exhibit 2, Declaration, "Pairing Human Ingenuity with Technology," Intuitive, Case 1:18-cv-01359-MN, Document 28-2, 2018, 13 pages.

Exhibit 2, Petition for Inter Partes Review of U.S. Pat. No. 8,801,601, USPTO, Petitioner: Auris Health, Inc, Patent Owner Intuitive Surgical Operations, Inc, Case 1:18-cv-01359-MN, Document 119-2, Inter Partes Review No. IPR2019-01173, Jun. 12, 2019, 85 Pages.

Exhibit 2, [proposed] Scheduling Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, Document 43-3, 2019, 19 pages.

Exhibit 2, UPMC Hamot First in U.S. to Use Innovative Robotic Technology to Detect Lung Cancer Earlier, UPMC Life Changing Medicine, Case No. 1:18-cv-01359-MN, Document 23-4, 2018, 3 pages.

Exhibit 3, Declaration, Contact Intuitive, Office locations and contact Information, Case 1:18-cv-01359-MN, Document 28-3, 2018, 5 pages.

(56)

References Cited**OTHER PUBLICATIONS**

Exhibit 3, Letter, Careers Audacious goals. Audacious challenges, Auris Health Inc, Retrieved from the Internet: (https://www.aurishealth.com/jobs?gh_jid=1256912), 2018, Case 1:18-cv-01359-MN, Document 23-5, 7 pages.

Exhibit 3, Petition for Inter Partes Review of U.S. Pat. No. 6,800,056, USPTO, Petitioner: Auris Health, Inc, Patent Owner Intuitive Surgical Operations, Inc, Case 1:18-cv-01359-MN, Document 119-3, Inter Partes Review No. IPR2019-01189, Jun. 13, 2019, 73 Pages.

Exhibit 4, “da Vinci Robotic Surgery,” Christiana Care Health System, Helen F. Graham Cancer Center & Research Institute, Case 1:18-cv-01359-MN, Document 28-4, 2018, 3 pages.

Exhibit 4, Letter, Robotic Bronchoscopy for Peripheral Pulmonary Lesions, ClinicalTrials.gov, Document 23-6, Retrieved from the Internet: (<https://clinicaltrials.gov/ct2/show/NCT03727425>), Auris Health, Inc, Case 1:18-cv-01359-MN, Document 23-6, ClinicalTrials.gov Identifier: NCT03727425, 2018, 9 pages.

Exhibit 4, Petition for Inter Partes Review of U.S. Pat. No. 6,246,200, USPTO, Before the Patent Trial and Appeal Board, Petitioner: Auris Health, Inc, Patent Owner Intuitive Surgical Operations, Inc, Case 1:18-cv-01359-MN, Inter Partes Review No. IPR2019-01448, Document 119-4, Aug. 5, 2019, 86 pages.

Exhibit 5, “Auris Health, Ethicon’s Neuwave Ink Robot-assisted Bronchoscope Ablation Dev Deal,” May 16, 2018, by Fink Densford, Retrieved from the Internet: (<https://www.massdevice.com/auris-health-ethicons-neuwave-ink-robot-assisted-bronchoscope-ablation-dev-deal/>), Case 1:18-cv-01359-MN, Document 23-7, 2018, Massdevice Medical Network, 12 pages.

Exhibit 5, Declaration, “Beebe Healthcare Introduces the da Vinci® Xi™ Robotic Surgical System,” Submitted by Rachel on Jun. 8, 2018, Case 1:18-cv-01359-MN, Document 28-5, 4 Pages.

Exhibit 5, Petition For Inter Partes Review of U.S. Pat. No. 9,452,276, USPTO, Before the Patent Trial and Appeal Board, Petitioner: Auris Health, Inc, Patent Owner Intuitive Surgical Operations, Inc, Case 1:18-cv-01359-MN, Inter Partes Review No. IPR2019-01496, Document 119-5, Aug. 15, 2019, 72 pages.

Exhibit 6, Declaration, “Fox Chase Cancer Center Among First in U.S. to Use Innovative Technology for Lung Cancer Diagnosis,” Philadelphia International Medicine® News Bureau, Fox Chase Cancer Center Temple Health, for Immediate Release, Case 1:18-cv-01359-MN, Document 28-6, Aug. 23, 2018, 3 pages.

Exhibit 6, Letter, Nathan, Morrison & Foerster LLP, *Intuitive Surgical, Inc. et al v. Auris Health, Inc.*, C.A. No. 18-1359-LPS, Document 23-8, 2018, 4 pages.

Exhibit 6, Petition for Inter Partes Review of U.S. Pat. No. 8,142,447, Before the Patent Trial and Appeal Board, Petitioner: Auris Health, Inc, Patent Owner Intuitive Surgical Operations, Inc, Case 1:18-cv-01359-MN, Inter Partes Review No. IPR2019-01533, Document 119-6, Aug. 29, 2019, 84 pages.

Exhibit 7, Petition for Inter Partes Review of U.S. Pat. No. 6,491,701, Before the Patent Trial and Appeal Board, Petitioner: Auris Health, Inc, Patent Owner Intuitive Surgical Operations, Inc, Case 1:18-cv-01359-MN, Inter Partes Review No. IPR2019-01532, Document 119-7, Aug. 29, 2019, 79 Pages.

Exhibit 7, “UPMC Hamot First in U.S. to Use Innovative Robotic Technology to Detect Lung Cancer Earlier,” UPMC Life Changing Medicine, Case No. 1:18-cv-01359-MN, Document 28-7, 2018, 3 pages.

Exhibit 8, Careers Audacious goals. Audacious challenges, Auris, Retrieved from the Internet: ([URL:http://https://www.aurishealth.com/jobs?gh_jid=1256912](http://https://www.aurishealth.com/jobs?gh_jid=1256912)), Case 1:18-cv-01359-MN, Document 28-8, 2018, 8 pages.

Exhibit 8, Petition for Inter Partes Review of U.S. Pat. No. 6,522,906, USPTO, Before the Patent Trial and Appeal Board, Petitioner: Auris Health, Inc, Patent Owner Intuitive Surgical Operations, Inc, Case 1:18-cv-01359-MN, IPR2019-01547, Document 119-8, Aug. 30, 2019, 82 pages.

Exhibit 9, “Robotic Bronchoscopy for Peripheral Pulmonary Lesions,” ClinicalTrials.gov, U.S National Library of Medicine, ClinicalTrials.gov Identifier: NCT03727425, Auris Health, Inc, Case 1:18-cv-01359-MN, Document 28-9, 2018, 8 pages.

Exhibit 9, Trial Statistics, USPTO, Case 1:18-cv-01359-MN, Document 119-9, 2019, 12 pages.

Exhibit A, Da Vinci by Intuitive, enabling Surgical care to get patients back to what matters, Aug. 29, 2019, Case 1:18-cv-01359-MN, Document 114-1, Retrieved from the internet: URL: (<https://www.intuitive.com/en-us/products-and-services/da-vinci>), pp. 4 pages.

Exhibit A, Intuitive, Annual Report 2017, Intuitive Surgical, Inc, www.intuitivesurgical.com, Case 1:18-cv-01359-MN, Document 16-1, 2018, 144 pages.

Exhibit A, “Johnson & Johnson Announces Agreement to Acquire Auris Health, Inc,” Auris Health’s Robotic Platform Expands Johnson & Johnson’s Digital Surgery Portfolio, New Brunswick, NJ—Feb. 13, 2019, Case 1:18-cv-01359-MN, Document 36-1, 2019, 4 pages.

Exhibit A, Letter, *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc. v. Auris Health, Inc.*, Case 1:18-cv-01359-MN, Doc 53-1, 2019, 86 pages.

Exhibit A, Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.’s Notice of Deposition under Fed. R. Civ. P. 30(B)(6) Directed to Defendant Auris Health, Inc.’s Motion to Transfer, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-LPS, Demand for Jury Trial, Document 23-1, Dec. 3, 2018, 7 pages.

Exhibit B, Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.’s First Set of Requests for Production of Documents to Defendant Auris Health, Inc, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-LPS, Document 23-2, Dec. 3, 2018, 9 pages.

Extended European Search Report for Application No. EP19174999.3 mailed on Nov. 26, 2019, 10 pages.

Hagn U., et al., “DLR MiroSurge: A Versatile System for Research in Endoscopic Telesurgery,” International Journal of Computer Assisted Radiology and Surgery, 2010, vol. 5 (2), 11 pages.

Hansen Medical, Inc., “Bibliography,” Jun. 22, 2005, 1 page, retrieved from the internet [URL: https://web.archive.org/web/20060714042735if_/http://hansenmedical.com/bibliography.aspx].

Hansen Medical, Inc., “Sensei: Discover Your Sixth Sense”, Brochure, 2007, 10 pages.

Hansen Medical, Inc., “Sensei-X: Robotic Catheter System”, Brochure, 2009, 5 pages.

Hansen Medical, Inc., “System Overview”, 2005, 2 pages, retrieved from the internet [URL: https://web.archive.org/web/20060714043118if_/http://hansenmedical.com/system.aspx].

Hansen Medical, Inc., “Technology Advantages”, 2005, 1 page, retrieved from the internet [URL: https://web.archive.org/web/20060713011151if_/http://hansenmedical.com/advantages.aspx].

International Search Report and Written Opinion for Application No. PCT/US2018/039604 dated Sep. 14, 2018, 6 pages.

Ion by Intuitive, A New Robotic Endoluminal Platform for Minimally Invasive Peripheral Lung Biopsy, Aug. 29, 2019, Retrieved from the internet: (<https://www.intuitive.com/en-us/products-and-services/ion>), 5 pages.

Joint Claim Construction Brief, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, Document 113, Oct. 29, 2019, 103 pages.

Joint Claim Construction Chart, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 76, Aug. 2, 2019, 31 pages.

Kenneth Salisbury Jr., “The heart of microsurgery,” The American Society of Mechanical Engineers, 1998, 12 pages.

Kukuk M., et al., “TBNA-protocols: Guiding TransBronchial Needle Aspirations Without a Computer in the Operating Room”, International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI), Oct. 5, 2001, LNCS 2208, pp. 997-1006.

(56)

References Cited**OTHER PUBLICATIONS**

Le Roux, P.D., et al., "Robot-assisted Microsurgery: A Feasibility Study in the Rat," *Neurosurgery*, Mar. 2001, vol. 48 (3), pp. 584-589.

Letter Response, Kelly E. Farnan, by CM/ECF, Richards Layton & Finger, Case 1:18-cv-01359- MN, Document 24, RLF1 20392700v. 1, Document 24, Dec. 4, 2018, 3 pages.

Letter, Shaw Keller LLP, by CM/ECF & Hand Delivery, Case 1:18-cv-01359-MN, Oct. 29, 2019, Document 112, 1 page.

Markman Hearing, Before: The Honorable Maryellen Noreika, Case No. 18-1359(MN), Plaintiffs: *Intuitive Surgical, Inc.*, Defendant: *Auris Health, Inc.*, held on Nov. 20, 2019, pp. 1-162.

Marrouche N.F., et al., "AB32-1: Preliminary Human Experience Using a Novel Robotic Catheter Remote Control", May 6, 2005, 1 page.

Memorandum Opinion, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359 (MN), May 31, 2019, 13 pages.

Memorandum Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359 (MN), 2019, 16 pages.

Minute Entry for proceedings held before Judge Maryellen Noreika, Telephone Conference held on Aug. 21, 2019, 1 page.

Motion to Stay, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 117, Oct. 30, 2019, 2 pages.

Nambi M., et al., "A Compact Telemanipulated Retinal-Surgery System that Uses Commercially Available Instruments with a Quick-Change Adapter," *Journal of Medical Robotics Research*, 2016, vol. 1 (2), 14 pages.

Oh S., et al., "P5-75: Novel Robotic Catheter Remote Control System: Safety and Accuracy in Delivering RF Lesions in All 4 Cardiac Chambers", 2005, pp. S277-S278.

Olympus , Your Vision, Our Future, "Endoscope Overview 2008," *Evis Exera II, HDTV 1080*, Case 1:18-cv-01359-MN, Document 114-1, 6 pages.

Oral Order, *Intuitive Surgical, Inc. et al v. Auris Health, Inc.*, 1:18-cv-01359 (DED), docket entry 25, 2018, 1 Page.

Oral Order, re 37 Proposed Scheduling Order, *Intuitive Surgical, Inc. et al v. Auris Health, Inc.*, 1:18-cv-01359 (DED), 2019, 1 page.

Order Conduct of the Proceeding, Before the Patent Trial and Appeal Board, Case IPR2019-01173, Case IPR2019-01189, Case IPR2019-01496, Case IPR2019-01547, Dated Dec. 9, 2019, 04 pages.

Order Regarding Access to Source Code, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Mar. 21, 2019, 3 pages.

Order Scheduling Adr Teleconference, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 142, 2019, 4 pages.

Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359 (MN), Document 70, 2019, 1 page.

Partial European Search Report for Application No. EP19174999.3 mailed on Aug. 21, 2019, 11 pages.

Patent Owner's Mandatory Notices of U.S. Pat. No. 9,452,276, Before The Patent Trial and Appeal Board, Petitioner: *Auris Health, Inc.*, Patent Owner: *Intuitive Surgical Operations, Inc.*, IPR2019-01496, Sep. 3, 2019, 6 pages.

Patent Owner's Preliminary Response for U.S. Pat. No. 9,452,276, Review No. IPR2019-01496 dated Nov. 22, 2019, 33 pages.

Patent Owner's Response to Supplemental Paper Regarding Claim Construction Arguments and Rulings in a Related District Court Action of U.S. Pat. No. 9,452,276, Review No. IPR2019-01496 dated Dec. 20, 2019, 4 pages.

Petitioner's Updated Exhibit List of U.S. Pat. No. 9,452,276, review No. IPR2019-01496 dated Oct. 15, 2019, 04 pages.

Petitioner's Updated Exhibit List of U.S. Pat. No. 9,452,276, review No. IPR2019-01496 dated Dec. 5, 2019, pp. 1-4.

Petitioner's Request for Rehearing of the Institution Decision of U.S. Pat. No. 9,452,276, Review No. IPR2019-01496 dated Mar. 16, 2020, 9 pages.

Petitioner's Updated Exhibit List of U.S. Pat. No. 9,452,276, review No. IPR2019-01496 dated Dec. 9, 2019, pp. 1-4.

Plaintiffs' First Notice of Rule 30(B)(6) Deposition of Defendant *Auris Health, Inc.*, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Document 129, Case No. 18-1359-MN, 2019, 14 Pages.

Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Corporate Disclosure Statement, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Aug. 31, 2018, 1 page.

Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Notice of Subpoenas to Produce Documents, Information, or Objects or to Permit Inspection of Premises in a Civil Action, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 82, 2019, 20 pages.

Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant *Auris Health, Inc.*'s Motion to Transfer, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 26, Dec. 11, 2018, 23 pages.

Plaintiffs' Motion for Reargument Regarding Mar. 11, 2019 Scheduling Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 43, Mar. 15, 2019, 8 pages.

Plaintiffs' Opposition to Defendant's Motion to Stay, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 121, Nov. 13, 2019, 21 pages.

[Proposed] Amended Scheduling Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, Document 61, 2019, 14 pages.

[Proposed] Order Regarding Access to Source Code, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 46, Mar. 21, 2019, 3 pages.

Proposed Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, C.A. No. 18-1359-MN, Document 43-1, 2019, 1 page.

Proposed Scheduling Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case 1:18-cv-01359-MN, Document 37, 2019, 17 pages.

Proposed Scheduling Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case 18-1359-MN, Document 41, 2019, 17 pages.

[Proposed] Stipulated Protective Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-MN, Document 45, Mar. 21, 2019, 31 pages.

PTAB Teleconference for review No. IPR2019-01496 dated Dec. 6, 2019, Petitioner *Auris Health, Inc.*, pp. 1-33.

(56)

References Cited

OTHER PUBLICATIONS

Rassweiler J., et al., "The Role of Imaging and Navigation for Natural Orifice Translumenal Endoscopic Surgery," *Journal of Endourology*, May 2009, vol. 23 (5), pp. 793-802.

Reddy V.Y., et al., "P1-53: Porcine Pulmonary VEIN Ablation Using a Novel Robotic Catheter Control System and Real-time Integration of CT Imaging with Electroanatomical Mapping", 2005, p. S121.

Report on the Filing or Determination of an Action Regarding a Patent or Trademark, to: Mail Stop 8, Director of USPTO, Alexandria, VA, Case 1:18-cv-01359-MN, Document 3, 2018, 2 pages.

Rosenberg J.M., *Artificial Intelligence & Robotics*, 1986, 3 pages.

Rule 7.1.1 Certificate, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-01359-MN, Document 117-2, Oct. 30, 2019, 2 pages.

Scheduling Order, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, C.A. No. 18-1359-MN, Document 42, 2019, 17 pages.

Shaw Keller LLP, Letter, Karen E. Keller, Case 1:18-cv-01359-MN, *Intuitive Surgical, Inc., et al. v. Auris Health, Inc.*, Document 23, by CM/ECF & Hand Delivery, Dec. 3, 2018, 4 pages.

Shaw Keller LLP, Letter Proposed Scheduling Order, by CM/ECF & Hand Delivery, Case 1:18-cv-01359-MN, Document 39, Feb. 28, 2019, 1 page.

Shaw Keller LLP, Letter to Request Scheduling of a Discovery Teleconference, by CM/ECF & Hand Delivery, Case 1:18-cv-01359-MN, Document 20, Nov. 8, 2018, 1 page.

Shaw Keller LLP, Letter, Written to Advise the Court that Auris has "Entered into a Definitive Agreement", by CM/ECF & Hand Delivery, Case 1:18-cv-01359-MN, Document 36, Feb. 20, 2019, 1 page.

Shaw Keller LLP, Responsive Letter to Honorable Maryellen Noreika from David M. Fry, Plaintiffs: *Intuitive Surgical, Inc.* vs Defendant: *Auris Health, Inc.*, Redacted—Public Version, C.A. No. 18-1359-MN, Document 236, Apr. 1, 2020, 1-117 pages.

Shaw Keller LLP, Letter, The Honorable Maryellen Noreika from David M. Fry, Case No. 18-1359(MN), Plaintiffs: *Intuitive Surgical, Inc.*, Defendant: *Auris Health, Inc.*, held on Mar. 31, 2020, pp. 1-77.

Sheila Weller, He Helped Pioneer Robotic Surgery. Now He Wants to Reinvent Lung Cancer Care, JNJ.com, Apr. 2019, Case 1:18-cv-01359-MN, Document 114-2, Retrieved from the internet : [https://www.jnj.com/personal-stories/why-robotic-surgery-pioneer-frederic-moll-is-now-tackling-lung-cancer-care], 6 pages.

Slepian M.J., "Robotic Catheter Intervention: The Hansen Medical Sensei™ Robotic Catheter System," 2010, 28 pages.

Stipulation Regarding U.S. Pat. No. 8,142,447, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, C.A. No. 18-1359-MN, Mar. 20, 2020, 2 pages.

Sturges R.H. Jr., et al., "A Voice-Actuated, Tendon-Controlled Device for Endoscopy", 1996, pp. 603-617.

Super Dimension, "How it Works", 2005, 2 pages, retrieved from the internet [URL: https://web.archive.org/web/20070510094239/http://www.superdimension.com/new_resources.html].

Super Dimension, "Overview", 2005, 2 pages, retrieved from the internet [URL: https://web.archive.org/web/20070510094239/http://www.superdimension.com/new_resources.html].

Super Dimension, "System Elements", 2005, 2 pages, retrieved from the internet [URL: https://web.archive.org/web/20070510094239/http://www.superdimension.com/new_resources.html].

Supplemental Briefing Regarding Claim Construction Arguments and Rulings in Parallel District Court Action of U.S. Pat. No. 9,452,276, Review No. IPR2019-01496 dated Dec. 13, 2019, 5 pages.

Tab 1, "Declaration of Stephen J. Blumenkranz in Support of Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant Auris Health, Inc.'s Motion to Transfer," United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations,*

Inc., V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, Demand for Jury Trial, Case 1:18-cv-01359-MN, Document 29-1, 2018, 3 pages.

Tab 2, "Declaration of Thomas G. Cooper in Support of Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant Auris Health, Inc.'s Motion to Transfer," United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Demand for Jury Trial, Case No. 1:18-cv-01359-MN, Document 29-2, 2018, 3 pages.

Tab 3, "Declaration of Nicola Diolaiti in Support of Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant Auris Health, Inc.'s Motion to Transfer," United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Demand for Jury Trial, Case No. 1:18-cv-01359-MN, Document 29-3, 2018, 3 pages.

Tab 4, "Declaration of Vincent Duindam in Support of Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant Auris Health, Inc.'s Motion to Transfer," Demand for Jury Trial, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 1:18-cv-01359-MN, Document 29-4, Demand for Jury Trial, 2018, 3 pages.

Tab 5, "Declaration of Carolyn M. Fenech in Support of Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant Auris Health, Inc.'s Motion to Transfer," United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Demand for Jury Trial, Case No. 1:18-cv-01359-MN, Document 29-5, 2018, 3 pages.

Tab 6, "Declaration of Gary S. Guthart in Support of Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant Auris Health, Inc.'s Motion to Transfer," United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Demand for Jury Trial, Case No. 1:18-cv-01359-MN, Document 29-6, 2018, 3 pages.

Tab 7, "Declaration of Catherine J. Mohr in Support of Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant Auris Health, Inc.'s Motion to Transfer," Demand for Jury Trial, Case 1:18-cv-01359-MN, Document 29-7, 2018, 3 pages.

Tab 8, "Declaration of Robert Matthew Ohline in Support of Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant Auris Health, Inc.'s Motion to Transfer," United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Demand for Jury Trial, Case No. 1:18-cv-01359-MN, Document 29-8, 2018, 3 pages.

Tab 9, "Declaration of David J. Rosa in Support of Plaintiffs Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.'s Opposition to Defendant Auris Health, Inc.'s Motion to Transfer," United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Demand for Jury Trial, Case No. 1:18-cv-01359-MN, Document 29-9, 2018, 3 pages.

The Da Vinci Surgical system, Retrieved from the internet: [http://web.archive.org/web/20080724022504/http://www.intuitivesurgical.com/products/davinci_surgicalsystem/], 2 pages.

Transcript Teleconference, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359(MN), Document 58, 2019, 11 pages.

Transcript, United States District Court for the District of Delaware, Plaintiffs: *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*, V. Defendant: *Auris Health, Inc.*, Case No. 18-1359-(MN), Document 83, 9 pages.

Verdaasdonk R., et al., "Effect of Microsecond Pulse Length and Tip Shape on Explosive Bubble Formation of 2.78 μm Er:Cr:YSGG and 2.94 μm Er:YAG Laser", *Proceedings of SPIE*, Jan. 23, 2012, vol. 8221 (12), 1 page.

(56)

References Cited**OTHER PUBLICATIONS**

Waldman H., Dictionary of Robotics, 1985, 4 pages.

Exhibit I, Plaintiffs *Intuitive Surgical, Inc. and Intuitive Surgical Operations, Inc.*'s vs Defendant *Auris Health, Inc.*, United States District Court for the District of Delaware, Claim Construction, Case No. 18-1359 (MN), Nov. 20, 2019, 59 pages.

Exhibit J, Decision Denying Institution of Inter Partes Review 35 U.S.C. § 314, Before the Patent Trial and Appeal Board, Petitioner: Auris Health, Inc., Patent Owner Intuitive Surgical Operations, Inc., IPR2019-01496 U.S. Pat. No. 9,452,276 B2, Before Ulrike W. Jenks, Tina E. Hulse, and James A. Worth, Administrative Patent Judges, Feb. 13, 2020, 21 pages.

Exhibit K, Declaration of William Cimino Regarding U.S. Pat. No. 9,452,276, Sep. 27, 2016, in the United States Patent and Trademark, inventors: Vincent Duindam et al., 126 pages.

Request for Ex Parte Reexamination of U.S. Pat. No. 9,452,276, Filed: Oct. 14, 2011, 113 pages.

Abbott, Daniel J. et al., "Design of an Endoluminal NOTES Robotic System," Conference on Intelligent Robots and Systems, 2007, pp. 410-416.

Anisfield, Nancy, "Ascension Technology Puts Spotlight on DC Field Magnetic Motion Tracking," HP Chronicle, Aug. 2000, vol. 17, No. 9, 3 Pages.

Ascari, Luca et al., "A New Active Microendoscope for Exploring the Sub-Arachnoid Space in the Spinal Cord," Proc. IEEE International Conference on Robotics and Automation, 2003, pp. 2657-2662, vol. 2, IEEE.

Barnes Industries, Inc., "How a Ball Screw Works," 4 pages, Copyright 2007; Internet: <http://www.barnesballscrew.com/ball.htm>.

Berthold III, John W., "Historical Review of Microbend Fiber-Optic Sensors," Journal of Lightwave Technology, vol. 13, No. 7, Jul. 1995, pp. 1193-1199.

Blue Road Research, "Overview of Fiber Optic Sensors," 40 pages, first posted Dec. 8, 2004. Internet www.bluer.com/papers/Overview_of_FOS2.pdf.

Cao, Caroline G.L., "Designing Spatial Orientation in Endoscopic Environments," Proceedings of the Human Factors and Ergonomics Society 45th Annual Meeting, 2001, pp. 1259-1263.

Cao, Caroline G.L., "Disorientation in Minimal Access Surgery: A Case Study," Proceedings of the IEA 2000/HFES 2000 Congress, pp. 4-169-4-172.

Childers, Brooks A., et al., "Use of 3000 Bragg grating strain sensors distributed on four eight-meter optical fibers during static load tests of a composite structure," SPIE 8th International Symposium on Smart Structures and Materials, Mar. 4-8, 2001, Newport Beach, California, 10 Pages.

Choi, Dong-Geol et al., "Design of a Spring Backbone Micro Endoscope," Conference on Intelligent Robots and Systems, 2007, pp. 1815-1821.

Co-pending U.S. Appl. No. 11/762,185, filed Jun. 13, 2007.

Co-pending U.S. Appl. No. 60/813,028, filed Jun. 13, 2006.

Co-pending U.S. Appl. No. 60/813,029, filed Jun. 13, 2006.

Co-pending U.S. Appl. No. 60/813,030, filed Jun. 13, 2006.

Co-pending U.S. Appl. No. 60/813,075, filed Jun. 13, 2006.

Co-pending U.S. Appl. No. 60/813,125, filed Jun. 13, 2006.

Co-pending U.S. Appl. No. 60/813,126, filed Jun. 13, 2006.

Co-pending U.S. Appl. No. 60/813,129, filed Jun. 13, 2006.

Co-pending U.S. Appl. No. 60/813,131, filed Jun. 13, 2006.

Co-pending U.S. Appl. No. 60/813,172, filed Jun. 13, 2006.

Co-pending U.S. Appl. No. 60/813,198, filed Jun. 13, 2006.

Co-pending U.S. Appl. No. 60/813,207, filed Jun. 13, 2006.

Co-pending U.S. Appl. No. 60/813,328, filed Jun. 13, 2006.

Co-pending U.S. Appl. No. 61/334,978, filed May 14, 2010.

Co-pending U.S. Appl. No. 60/813,173, filed Jun. 13, 2006.

Cowie, Barbara M., et al., "Distributive Tactile Sensing Using Fibre Bragg Grating Sensors for Biomedical Applications," 1st IEEE / RAS-EMBS International Conference on Biomedical Robotics and Biomechatronics (BioRob 2006), Feb. 2006, pp. 312-317.

Danisch, Lee et al., "Spatially continuous six degree of freedom position and orientation sensor," Sensor Review, 1999, vol. 19, Issue 2, pp. 106-112.

Dario, Paolo et al., "A Miniature Device for Medical Intracavitary Intervention," Micro Electro Mechanical Systems '91 Proc IEEE 'An Investigation of Micro Structures, Sensors, Actuators, Machines and Robots', 1991, pp. 171-175, IEEE.

Duncan, Roger, "Sensing Shape: Fiber-Bragg-grating sensor arrays monitor shape at a high resolution," 2005, pp. 18-21, SPIE.

Extended European Search Report for Application No. 12840613.9 mailed on Oct. 6, 2015, 9 pages.

Extended European Search Report for Application No. EP20070798487, mailed on Jan. 30, 2015, 8 pages.

Gagarina, T. et al., "Modeling and experimental analysis of a new bellows type actuators for active catheter end-effector," Proc. 10th IEEE International Workshop on Robot and Human Interactive Communication, 2001, pp. 612-617, IEEE.

Gander, M.J. et al., "Bend measurement using Bragg gratings in multicore fibre," Electronics Letter, Jan. 20, 2000, vol. 36, No. 2, 2 Pages.

Hill, Kenneth O., "Fiber Bragg grating technology fundamentals and overview," IEEE Journal of Lightwave Technology, vol. 15, Issue 8, Aug. 1997, pp. 1263-1276.

Ikuta, Koji et al., "Development of remote microsurgery robot and new surgical procedure for deep and narrow space," Proc. IEEE International Conference on Robotics & Automation, 2003, pp. 1103-1108, vol. 1, IEEE.

Ikuta, Koji et al., "Shape memory alloy servo actuator system with electric resistance feedback and application for active endoscope," Proc. IEEE International Conference on Robotics and Automation, 1988, pp. 427-430, vol. 1, IEEE.

International Search Report and Written Opinion for Application No. PCT/US2012/059889, mailed on Mar. 29, 2013, 14 pages.

International Search Report for application No. PCT/US07/71085, Mailed on Sep. 17, 2008, 2 pages.

Jin, Long et al., "Two-dimensional bend sensing with a cantilever-mounted FBG [Fiber Bragg Grating]," Meas. Sci. Technol., 2006, pp. 168-172, vol. 17, Institute of Physics Publishing.

Kreger, Stephen et al., "Optical Frequency Domain Reflectometry for High Density Multiplexing of Multi-Axis Fiber Bragg Gratings," 16th International Conference on Optical Fiber Sensors (OFS-16), Oct. 2003, Nara, Japan, pp. 526-529.

Lertpiriyasuwat, Vatchara et al., "Extended Kalman Filtering Applied to a Two-Axis Robotic Arm with Flexible Links," International Journal of Robotics Research, 2000, vol. 19, No. 3, pp. 254-270.

Lunwei Z., et al., "FBG Sensor Devices for Spatial Shape Detection of Intelligent Colonoscope," IEEE International Conference on Robotics and Automation, Apr. 2004, New Orleans, Louisiana, pp. 835-840.

Martinez, A. et al., "Vector Bending Sensors Based on Fibre Bragg Gratings Inscribed by Infrared Femtosecond Laser," Electronics Letters, 2005, pp. 472-474, vol. 41—Issue 8.

Measurand, "Shape Tape Overview," Measurand Shape Tape Advantage, pp. 1-3, first posted Nov. 3, 2004. Internet www.measurand.com/products/ShapeTape_overview.html.

Meltz, Gerald, "Overview of Fiber Grating-Based Sensors," Proceedings of SPIE Distributed Multiplexed Fiber Optic Sensors VI, Nov. 27, 1996, Eds. Kersey et al., vol. 2838, pp. 2-22.

Office Action mailed Jun. 17, 2014 for Japanese Application No. 20130179563 filed Aug. 30, 2013, 7 pages.

Olympus Medical Systems, "Olympus ScopeGuide Receives FDA Clearance," Press Release dated May 24, 2011, 2 pages.

Partial European Search Report for Application No. EP20120840613, mailed on Jun. 5, 2015, 5 pages.

PCT/US07/71085 Written Opinion, mailed Sep. 17, 2008, 5 pages.

PCT/US09/46446 International Search Report and Written Opinion of the International Searching Authority, mailed Dec. 14, 2009, 21 pages.

PCT/US09/46446 Partial International Search Report and Invitation to Pay Additional Fees, mailed Sep. 18, 2009, 9 pages.

PCT/US2011/035113 International Search Report and Written Opinion of the International Searching Authority, mailed Aug. 4, 2011, 13 pages.

(56)

References Cited

OTHER PUBLICATIONS

Shang, J. et al., "An Articulated Universal Joint Based Flexible Access Robot for Minimally Invasive Surgery," 2011 IEEE Conference on Robotics and Automation (ICRA), May 9-13, 2011, London, UK, pp. 1147-1152.

Stieber, Michael E. et al., "Vision-Based Sensing and Control for Space Robotics Applications," IEEE Transactions on Instrumentation and Measurement, Aug. 1999, vol. 48, No. 4, pp. 807-812.

Sturges, Robert H. et al., "A Flexible, Tendon-Controlled Device for Endoscopy," The International Journal of Robotics Research, 1993, vol. 12(2), pp. 121-131.

Szewczyk, Jerome et al., "An active tubular polyarticulated micro-system for flexible endoscope," Lecture Notes in Control and Information Sciences, vol. 271, Experimental Robotics VII, 2000, pp. 179-188, Springer-Verlag.

Vertut, Jean and Phillipe Coiffet, Robot Technology: Teleoperation and Robotics Evolution and Development, English translation, Prentice-Hall, Inc., Englewood Cliffs, NJ, USA 1986, vol. 3A, 332 pages.

Wang, Yi-Ping et al., "A novel long period fiber grating sensor measuring curvature and determining bend-direction simultaneously," IEEE Sensors Journal, 2005, pp. 839-843, vol. 5—Issue: 5, IEEE.

Webster, Robert J. III et al., "Toward Active Cannulas: Miniature Snake-Like Surgical Robots," 2006, 7 pages.

Wong, Allan C. L. et al., "Multiplexed fibre Fizeau interferometer and fibre Bragg grating sensor system for simultaneous measurement of quasi-static strain and temperature using discrete wavelet transform," Measurement Science and Technology, 2006, pp. 384-392, vol. 17—Issue 2, Institute of Physics Publishing.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3A




FIG. 3B




FIG. 4




FIG. 5




FIG. 6

CATHETERS WITH CONTROL MODES FOR INTERCHANGEABLE PROBES

CROSS-REFERENCE TO RELATED APPLICATIONS

This patent application is a continuation of U.S. patent application Ser. No. 16/283,039, filed Feb. 22, 2019, which is a continuation of U.S. patent application Ser. No. 13/274,198, filed Oct. 14, 2011, both of which are incorporated by reference herein in their entireties. U.S. patent application Ser. No. 13/274,198 is related to and incorporates by reference the following patent applications: U.S. patent application Ser. No. 13/274,208; U.S. patent application Ser. No. 13/274,229; U.S. Pat. App. No. 13/274,237, all filed on Oct. 14, 2011, which are also incorporated by reference herein in their entireties.

BACKGROUND

Medical devices that navigate body lumens need to be physically small enough to fit within the lumen. Lung catheters, for example, which may be used to perform minimally invasive lung biopsies or other medical procedures, may need to follow airways that decrease in size as the catheter navigates branching passages. To reach a target location in a lung, a catheter may need to follow passages having diameters as small as 3 mm or less. Manufacturing a catheter that includes the mechanical structures suitable for remote or robotic operation and that has a diameter that is sufficiently small to navigate such small lumens can be challenging. In particular, one desirable configuration for remotely operated catheter would provide a tool mounted on a flexible distal tip; tendons or pull wires that extend down the length of the catheter to an external drive system that pulls on the tendons to actuate the tool or distal tip; lumens for suction and/or irrigation; a vision system for viewing of the target location; and sensors to identify the location of the instrument relative to a patient's body. Accommodating all of the desired features and elements of a lung catheter or other device having a diameter about 3 mm or less can be difficult.

SUMMARY

In accordance with an aspect of the invention, a catheter control system has a control mode (sometimes referred to herein as a holding mode) that actively maintains the catheter in a working configuration desired for a medical procedure. This holding mode facilitates use of the catheter system with interchangeable probes. In particular, a vision probe can be deployed in the catheter while the catheter navigates to a work site, to view the work site, or to assist in identifying the desired working configuration for the catheter during performance of a medical task. The catheter control system can then switch into the holding mode, and the vision system can be removed. A medical probe can then be deployed through the catheter in place of the removed vision probe, and the control system maintains the working configuration and allows performance of a medical task without the vision probe, while the desired working configuration is fixed and held. In one implementation, the control system actively keeps the catheter in the desired working configuration while the medical probe is inserted through the catheter, reaches the work site, and performs a medical function. In an alternative implementation, the control system returns the catheter to the recorded working

configuration before the medical function is performed. Since the catheter only needs to accommodate the vision or medical probe and not both, the diameter of the catheter may be smaller than might otherwise be possible for a convention system that provides similar functionality.

In accordance with another aspect of the invention, a feedback control method and system for a robotically controlled flexible device implements multiple different modes of closed-loop device actuation or stiffening for different applications and usage scenarios. The different stiffening modes can cause the device to respond in a desired way in case of externally applied forces, for example, tissue reaction forces as the device navigates through a clinical space or as the device interacts with tissue as part of a medical procedure. Details concerning feedback control methods and systems for robotically controlled flexible devices may be found in U.S. patent application Ser. No. 12/780,417 (filed May 14, 2010; disclosing "Drive Force Control in Medical Instrument Providing Position Measurements") and in U.S. patent application Ser. No. 12/945,734 (filed Nov. 12, 2010; disclosing "Tension Control in Actuation of Multijoint Medical Instrument"), both of which are incorporated herein by reference.

In one embodiment, a flexible device such as a catheter uses real-time feedback from a sensor system in generation of signals for actuators attached to tendons that are used to articulate a distal portion of the device. For example, a catheter may include a flexible section at its distal tip that can bend in two directions (pitch and yaw). A fiber-optic shape sensor can measure the bending of the flexible section and return measurement data indicating the position and orientation of the distal tip relative to a base of the shape sensed. The position of the base may be determined, for example, using electromagnetic sensors that provide measurements of a position and orientation of the base relative to an external reference that may be attached to a patient. Multiple actuation tendons (e.g., pull wires or cables) attach to the distal tip and run along the length of the catheter to the actuators. Control logic that controls the actuators to pull the tendons and hence move the distal tip in any pitch/yaw direction can operate in different modes for different purposes. In particular, for a holding mode, the control logic can use the sensor data and fixed information on a target shape of the catheter to compute control signals for the actuators.

The control logic for a robotic catheter or other flexible system may have multiple modes of operation including one or more of the following: 1.) A position stiffness mode in which the control system controls actuators to minimize a difference between desired and measured positions of the distal tip of the catheter or probe; 2.) An orientation stiffness mode in which the control system controls the actuators to minimize a difference between desired and measured pointing directions of the distal tip; 3.) A target position stiffness mode in which the control system uses a combination of the measured tip position and pointing direction to control the distal tip to always point towards a specified target point; and 4.) A target axial motion stiffness mode in which the control system uses a combination of the measured tip position and pointing direction, together with sensor measurements from other parts of the device, and controls actuators to ensure that the distal tip is positioned on a specific line in space and has a pointing direction also along that line. The selection of which of the available modes the control system uses can be made through user selection, according to the type of probe being used (e.g. forceps, camera, laser, brush, or needle), or according to the action the catheter is performing (e.g., navigating or performing a

3

biopsy). Any of these modes can be used to hold the catheter for a medical procedure by fixing the desired location, direction, target point, or line.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows a robotic catheter system in accordance with an embodiment of the invention having multiple control modes.

FIG. 2 shows an embodiment of an actuated distal tip that can be employed in the system of FIG. 1.

FIGS. 3A and 3B show cross-sectional views of proximal and distal sections of a catheter in accordance with an embodiment of the invention.

FIG. 4 shows a cross-sectional view of a vision probe that may be deployed in the catheter of FIGS. 3A and 3B and swapped out for use of medical probes in the catheter shown in FIGS. 3A and 3B.

FIG. 5 is a flow diagram of a process for using the catheter system with a removable vision system and multiple control modes.

FIG. 6 is a flow diagram of a catheter control process in a steering mode.

Use of the same reference symbols in different figures indicates similar or identical items.

DETAILED DESCRIPTION

A catheter system can employ a vision probe that is interchangeable with one or more medical probes or tools. The vision probe can be removed and replaced with a medical probe used in a medical procedure. The interchanging of the vision and medical probes may permit the catheter system to have a smaller diameter and thus navigate smaller passages than would a similar system that simultaneously accommodates both vision and medical systems. Alternatively, interchanging probes allow more space for vision and medical systems having greater functionality than might a catheter that must simultaneously accommodate both vision and medical systems.

One method for using a catheter system includes steering a catheter along a body lumen for at least part of the path to a work site for a medical procedure. A vision system may then be deployed in the catheter during the steering and/or used to view the work site reached when navigation is complete. The vision system can also be used to help identify a desired working configuration for the catheter and when manipulating the catheter into the desired working configuration. The control system of the catheter can then record the working configuration and may be placed in a "holding" mode in which the pose of the catheter relative to a patient is monitored and the catheter is actuated to actively maintain or return to the recorded working configuration. The control system may provide different types of control modes, which may be useful for different types of medical probes or different types of medical procedures. For example, if the medical probe includes a laser, a combination of the location and orientation of the distal tip of the catheter can be controlled so that the distal tip remains targeted on a specific location in the patient. An alternative holding mode can maintain the location of the distal tip of the catheter while permitting the orientation of the distal tip to change or maintain a distal tip along a line.

FIG. 1 schematically illustrates a catheter system 100 in accordance with one embodiment of the invention. In the illustrated embodiment, catheter system 100 includes a

4

catheter 110, a drive interface 120, control logic 140, an operator interface 150, and a sensor system 160.

Catheter 110 is a generally flexible device having one or more lumens including a main lumen that can accommodate interchangeable probes such as described further below. Flexible catheters can be made using a braided structure such as a woven wire tube with inner or outer layers of a flexible or low friction material such as polytetrafluoroethylene (PTFE). In one embodiment, catheter 110 includes a bundle of lumens or tubes held together by a braided jacket and a reflowed (i.e., fused by melting) jacket of a material such as Polyether Block Amide (Pebax). An additional tip section (e.g., a metal structure such as shown in FIG. 2 and described further below) can be attached at the distal end of catheter 110. Alternatively, an extrusion of a material such as Pebax can similarly be used to form multiple lumens in catheter 110. Catheter 110 particularly includes a main lumen for interchangeable probe systems and smaller lumens for pull wires and sensor lines. In the illustrated embodiment, catheter 110 has a proximal section 112 attached to drive interface 120 and a distal section 114 that extends from the proximal section 112. Pull wires extend from drive system 120 through proximal section 112 and distal section 114 and connect to a steerable distal steerable segment 116.

The overall length of catheter 110 may be about 60 to 80 cm or longer with distal section 114 being about 15 cm long and steerable segment 116 being about 4 to 5 cm long. In accordance with an aspect of the invention, distal section 114 has a smaller diameter than does proximal section 112 and thus can navigate smaller natural lumens or passages. During a medical procedure, at least a portion of proximal section 112 and all of distal section 114 may be inserted along a natural lumen such as an airway of a patient. The smaller diameter of distal section 114 permits use of distal section 114 in lumens that may be too small for proximal section 112, but the larger diameter of distal section 114 facilitates inclusion of more or larger structures or devices such as electromagnetic (EM) sensors 162 that may not fit in distal section 114.

Steerable segment 116 is remotely controllable and particularly has a pitch and a yaw that can be controlled using pull wires. Steerable segment 116 may include all or part of distal section 114 and may be simply implemented as a multi-lumen tube of flexible material such as Pebax. In general, steerable segment 116 is more flexible than the remainder of catheter 110, which assists in isolating actuation or bending to steerable segment 116 when drive interface 120 pulls on actuating tendons. Catheter 110 can also employ additional features or structures such as use of Bowden cables for actuating tendons to prevent actuation from bending proximal section 112 (or bending any portion the section of 114 other than steerable segment 116) of catheter 110. FIG. 2 shows one specific embodiment in which steerable segment 116 is made from a tube 210 that in catheter 110 of FIG. 1 contains multiple tubes defining a main lumen for a probe system and smaller lumens for actuation tendons 230 and a shape sensor not shown in FIG. 2. In the illustrated embodiment, tendons 230 are placed 90° apart surrounding lumen 312 to facilitate steering catheter 110 in pitch and yaw directions defined by the locations of tendons 230. A reflowed jacket, which is not shown in FIG. 2 to better illustrate the internal structure of steerable segment 116, may also cover tube 210. As shown in FIG. 2, tube 210 is cut or formed to create a series of flexures 220. Tendons 230 connect to a distal tip 215 of steerable segment 116 and extend back to a drive interface 120. Tendons 230

5

can be wires, cables, Bowden cables, hypotubes, or any other structures that are able to transfer force from drive interface 120 to distal tip 215 and limit bending of proximal section 112 when drive interface 120 pulls on tendons 230. In operation, pulling harder on any one of tendons 230 tends to cause steerable segment 116 to bend in the direction of that tendon 230. To accommodate repeated bending, tube 210 may be made of a material such as Nitinol, which is a metal alloy that can be repeatedly bent with little or no damage.

Drive interfaces 120 of FIG. 1, which pulls on tendons 230 to actuate distal steerable segment 116, includes a mechanical system or transmission 124 that converts the movement of actuators 122, e.g., electric motors, into movements of (or tensions in) tendons 230 that run through catheter 110 and connect to distal steerable segment 116. (Push rods could conceivably be used in catheter 110 instead of pull wires but may not provide a desirable level of flexibility.) The movement and pose of distal steerable segment 116 can thus be controlled through selection of drive signals for actuators 122 in drive interface 120. In addition to manipulating tendons 230, drive interface 120 may also be able to control other movement of catheter 110 such as range of motion in an insertion direction and rotation or roll of the proximal end of catheter 110, which may also be powered through actuators 122 and transmission 124. Backend mechanisms or transmissions that are known for flexible-shaft instruments could in general be used or modified for drive interface 120. For example, some known drive systems for flexible instruments are described in U.S. Pat. App. Pub. No. 2010/0331820, entitled "Compliant Surgical Device," which is hereby incorporated by reference in its entirety. Drive interface 120 in addition to actuating catheter 110 should allow removal and replacements of probes in catheter 110, so that the drive structure should be out of the way during such operations.

A dock 126 in drive interface 120 can provide a mechanical coupling between drive interface 120 and catheter 110 and link actuation tendons to transmission 124. Dock 126 may additionally contain electronics for receiving and relaying sensor signals from portions of sensor system 160 in catheter 110 and an electronic or mechanical system for identifying the probe or the type of probe deployed in catheter 110.

Control logic 140 controls the actuators in drive interface 120 to selectively pull on the tendons as needed to actuate and steer distal steerable segment 116. In general, control logic 140 operates in response to commands from a user, e.g., a surgeon or other medical personnel using operator interface 150, and in response to measurement signals from sensor system 160. However, in holding modes as described further below, control logic 140 operates in response to measurement signals from sensor system 160 to maintain or acquire a previously identified working configuration. Control logic 140 may be implemented using a general purpose computer with suitable software, firmware, and/or interface hardware to interpret signals from operator interface 150 and sensor system 160 and to generate control signals for drive interface 120.

In the illustrated embodiment, control logic 140 includes multiple modules 141, 142, 143, and 144 that implement different processes for controlling the actuation of catheter 110. In particular, modules 141, 142, 143, and 144 respectively implement a position stiffening mode, an orientation stiffening mode, a target position mode, and a target axial

6

selection on user input, the type or status of the probe deployed in catheter 110, and the task being performed. Control logic 140 also includes memory storing parameters 148 of a working configuration of distal steerable segment 116 that is desired for a task, and each of the modules 141, 142, 143, and 144 can use their different control processes to actively maintain or hold the desired working configuration.

Operator interface 150 may include standard input/output hardware such as a display, a keyboard, a mouse, a joystick, or other pointing device or similar I/O hardware that may be customized or optimized for a surgical environment. In general, operator interface 150 provides information to the user and receives instructions from the user. For example, operator interface 150 may indicate the status of system 100 and provide the user with data including images and measurements made by system 100. One type of instruction that the user may provide through operator interface 150, e.g., using a joystick or similar controller, indicates the desired movement or position of distal steerable segment 116, and using such input, control logic 140 can generate control signals for actuators in drive interface 120. Other instructions from the user can select an operating mode of control logic 140.

Sensor system 160 generally measures a pose of distal steerable segment 116. In the illustrated embodiment, sensor system 160 includes EM sensors 162 and a shape sensor 164. EM sensors 162 include one or more conductive coils that may be subjected to an externally generated electromagnetic field. Each coil of EM sensors 162 then produces an induced electrical signal having characteristics that depend on the position and orientation of the coil relative to the externally generated electromagnetic field. In an exemplary embodiment, EM sensors 162 are configured and positioned to measure six degrees of freedom, e.g., three position coordinates X, Y, and Z and three orientation angles indicating pitch, yaw, and roll of a base point. The base point in system 100 is at or near the end of proximal section 112 and the start of distal section 114 of catheter 110. Shape sensor 164 in the exemplary embodiment of the invention includes a fiber grating that permits determination of the shape of a portion of catheter 110 extending from the base point, e.g., the shape of distal section 114 or distal steerable segment 116. Such shape sensors using fiber gratings are further described in U.S. Pat. No. 7,720,322, entitled "Fiber Optic Shape Sensor," which is hereby incorporated by reference in its entirety. An advantage of the illustrated type of sensor system 160 is that EM sensors 162 can provide measurements relative to the externally generated electrical field, which can be calibrated relative to a patient's body. Thus, system 160 can use EM sensors 162 to reliably measure the position and orientation of a base point for shape sensor 164, and shape sensor 164 need only provide shape measurement for a relatively short distance. Additionally, distal section 114 only contains shape sensor 164 and may have a diameter that is smaller than the diameter of proximal section 112. More generally, sensor system 160 need only be able to measure the pose of distal steerable segment 116, and other types of sensors could be employed.

FIGS. 3A and 3B respectively show cross-sections of the proximal and distal sections 112 and 114 of catheter 110 in one embodiment of the invention. FIG. 3A shows an embodiment of catheter 110 having a body 310 that includes a main lumen 312 for a vision or medical probe, lumens 314 containing tendons 230, lumens 316 containing EM sensors 162 or associated signal wires, and a lumen 318 containing a fiber shape sensor 164. Main lumen 312, wire lumens 314,

and a shape sensor lumen **318** extend into distal section **114** as shown in FIG. **3B**, but lumens **316** for EM sensors **162** are not needed in distal section **114** because EM sensors **162** are only in proximal section **112**. Accordingly, distal section **114** can be smaller than proximal section **112**. In an exemplary embodiment, body **310** in proximal section **112** has an outer diameter of about 4 mm (e.g., in a range from 3 to 6 mm) and provides main lumen **312** with a diameter of about 2 mm (e.g., in a range from 1 to 3 mm) and in distal section **114** has an outer diameter of about 3 mm (e.g., in a range from 2 to 4 mm) while maintaining the diameter of main lumen **312** at about 2 mm. A smooth taper (as shown in FIG. **1**) or an abrupt step in body **310** can be used at the transition from the larger diameter of proximal section **112** to the smaller diameter of distal section **116**.

The specific dimensions described in above are primarily for a catheter that accommodates probes having a diameter of about 2 mm, which is a standard size for existing medical tools such as lung biopsy probes. However, alternative embodiments of the invention could be made larger or smaller to accommodate medical probes with a larger or smaller diameter, e.g., 1 mm diameter probes. A particular advantage of such embodiments is that a high level of functionality is provided in a catheter with relative small outer diameter when compared to the size of probe used in the catheter.

FIGS. **3A** and **3B** also show a sheath **360** that may be employed between catheter body **310** and a probe in main lumen **312**. In one embodiment of catheter **110**, sheath **360** is movable relative to body **310** can be extended beyond the end of distal steerable segment **116**. This may be advantageous in some medical procedures because sheath **360** is even smaller than distal section **114** and therefore may fit into smaller natural lumens or passages. For example, if catheter **110** reaches a branching of lumens that are too small to accommodate distal steerable segment **116**, distal steerable segment **116** may be pointed in the direction of the desired branch, so that sheath **360** can be pushed beyond the end of distal steerable segment **116** and into that branch. Sheath **360** could thus reliably guide a medical probe into the desired branch. However, sheath **360** is passive in that it is not directly actuated or steerable. In contrast, distal section **116** accommodates pull wires **230** that connect to distal steerable segment **116** and can be manipulated to steer or pose distal steerable segment **116**. In some medical applications, the active control of distal steerable segment **116** is desirable or necessary during a medical procedure, and passive sheath **360** may not be used in some embodiments of the invention.

Main lumen **312** is sized to accommodate a variety of medical probes. One specific probe is a vision probe **400** such as illustrated in FIG. **4**. Vision probe **400** has a flexible body **410** with an outer diameter (e.g., about 2 mm) that fits within the main lumen of catheter **110** and with multiple inner lumens that contain the structures of vision probe **400**. Body **410** may be formed using an extruded flexible material such as Pebax, which allows creation of multiple lumens. In the illustrated embodiment, the structure of vision probe **400** includes a CMOS camera **420**, which is at the distal end of the probe and connected through one or more signal wires (not shown) that extend along the length of vision probe **400**, e.g., to provide a video signal to control logic **140** or operator interface **150** as shown in FIG. **1**. Vision probe **400** also includes illumination fibers **430** that provide light for imaging within a body lumen and fluid ports **326** for suction and irrigation that may be useful, for example, for rinsing of a lens of camera **420**. Additionally, vision probe **400** may

include an electromagnetic sensor (not shown) embedded just proximally to camera **420** to provide additional pose information about the tip of vision probe **400**.

Vision probe **400** is adapted to be inserted or removed from catheter **110** while catheter **110** is in use for a medical procedure. Accordingly, vision probe **400** is generally free to move relative to catheter **110**. While movement relative to catheter **110** is necessary or desirable during insertion or removal of vision probe **400**, the orientation of a vision probe **400** (and some medical probes) may need to be known for optimal or easier use. For example, a user viewing video from vision probe **400** and operating a controller similar to a joystick to steer catheter **110** generally expects the directions of movement of the controller to correspond to the response of distal steerable segment **116** and the resulting change in the image from vision probe **400**. Operator interface **150** needs (or at least can use) information on the orientation of vision probe **400** relative to tendons **230** in order to provide a consistency in directions used in the user interface. In accordance with an aspect of the invention, a keying system (not shown) can fix vision probe **400** into a known orientation relative to catheter **110** and tendons **230**. The keying system may, for example, include a spring, fixed protrusion, or latch on vision probe **400** or distal steerable segment **116** and a complementary notch or feature in distal steerable segment **116** or vision probe **400**.

Vision probe **400** is only one example of a probe system that may be deployed in catheter **110** or guided through catheter **110** to a work site. Other probe systems that may be used include, but are not limited to, biopsy forceps, biopsy needles, biopsy brushes, ablation lasers, and radial ultrasound probes. In general, catheter **110** can be used with existing manual medical probes that are commercially available from medical companies such as Olympus Europa Holding GmbH.

The catheter system **100** of FIG. **1** can be used in procedures that swap a vision probe and a medical probe. FIG. **5** is a flow diagram of one embodiment of a process **500** for using the catheter system **100** of FIG. **1**. In process **500**, vision probe **400** is deployed in catheter **110** in step **510**, and catheter **110** is inserted along a path including a natural lumen of a patient. For example, for a lung biopsy, distal steerable segment **116** of catheter **110** may be introduced through the mouth of a patient into the respiratory tract of the patient. Vision probe **400** when fully deployed in catheter **110** may fit into a keying structure that keeps vision probe **400** in a desired orientation at or even extending beyond distal steerable segment **116** to provide a good forward view from the distal steerable segment **116** of catheter **110**. As noted above, distal steerable segment **116** of catheter **110** is steerable, and vision probe **320** can provide video of the respiratory tract that helps a user when navigating catheter **110** toward a target work site. However, use of vision probe **400** during navigation is not strictly necessary since navigation of catheter **110** may be possible using measurements of sensor system **160** or some other system with or without vision probe **400** being deployed or used in catheter **110**. The path followed to the work site may be entirely within natural lumens such as the airways of the respiratory track or may pierce and pass through tissue at one or more points.

When steerable segment **116** reaches the target work site, vision probe **400** can be used to view the work site as in step **530** and to pose steerable segment **116** for performance of a task at the target work site as in step **540**. Posing of steerable segment **116** may use images or visual information from vision probe **400** and measurements from sensor system **160**

to characterize the work site and determine the desired working configuration. The desired working configuration may also depend on the type of tool that will be used or the next medical task. For example, reaching a desired working configuration of catheter **110** may bring the distal tip of steerable segment **116** into contact with tissue to be treated, sampled, or removed with a medical tool that replaces vision probe **400** in catheter **110**. Another type of working configuration may point steerable segment **116** at target tissue to be removed using an ablation laser. For example, tissue could be targeted in one or more 2D camera views while vision probe **400** is still in place in catheter **110**, or target tissue can be located on a virtual view of the work site using pre-operative 3D imaging data together with the position sensing relative to patient anatomy. Still another type of working configuration may define a line for the insertion of a needle or other medical tool into tissue, and the working configuration includes poses in which the distal tip of steerable segment **116** is along the target line. In general, the desired working configuration defines constraints on the position or the orientation of the distal tip of steerable segment **116**, and the shape of more proximal sections of catheter **110** is not similarly constrained and may vary as necessary to accommodate the patient.

Step **550** stores in memory of the control logic parameters that identify the desired working configuration. For example, the position of a distal tip or target tissue can be defined using three coordinates. A target line for a need can be defined using the coordinates of a point on the line and angles indicating the direction of the line from that point. In general, control logic **120** uses the stored parameters that define the desired working configuration when operating in a holding mode that maintains distal steerable segment **116** of catheter **110** in the desired working configuration as described further below.

Step **560** selects and activates a holding mode of the catheter system after the desired working configuration has been established and recorded. Control logic **140** for catheter **110** of FIG. **1** may have one or more modules **141**, **142**, **143**, and **144** implementing multiple stiffening modes that may be used as holding modes when the desired configuration of steerable segment **116** has fixed constraints. The available control modes may include one or more of the following.

- 1.) A position stiffness mode compares the position of the distal tip of steerable segment **116** as measured by sensor system **160** to a desired tip position and controls the actuators to minimize the difference in desired and measured tip positions. The position stiffness mode may particularly be suitable for general manipulation tasks in which the user tries to precisely control the position of the tip and for situations where the distal tip contacts tissue.
- 2.) An orientation stiffness mode compares the measured orientation or pointing direction of the distal tip to a desired pointing direction of the distal tip and controls the actuators to minimize the difference in desired and actual tip pointing direction. This orientation stiffening that may be suitable, e.g., when controlling an imaging device such as vision probe **400** attached steerable segment **116**, in which case the viewing direction is kept as desired, while the exact position of steerable segment **116** may be less important.
- 3.) A target position stiffness mode uses a combination of the measured tip position and pointing direction to control catheter **110** to always point the distal tip of steerable segment **116** towards a specified target point

some distance in front of steerable segment **116**. In case of external disturbances, control logic **140** may control the actuators to implement this target position stiffening behavior, which may be suitable, e.g., when a medical probe inserted through the catheter contains an ablation laser that should always be aimed at a target ablation point in tissue.

- 4.) A target axial motion stiffness mode uses a combination of the measured tip position and pointing direction to ensure that the distal tip of steerable segment **116** is always on a line in space and has a pointing direction that is also along that line. This mode can be useful, e.g., when inserting a biopsy needle along a specified line into tissue. Tissue reaction forces could cause the flexible section of catheter **110** to bend while inserting the needle, but this control strategy would ensure that the needle is always along the right line.

The selection of a mode in step **560** could be made through manual selection by the user, based on the type of probe that is being used (e.g., grasper, camera, laser, or needle) in catheter **110**, or based on the activity catheter **110** is performing. For example, when a laser is deployed in catheter **110**, control logic **120** may operate in position stiffness mode when the laser deployed in catheter **110** is off and operate in target position stiffness mode to focus the laser on a desired target when the laser is on. When “holding” is activated, control logic **140** uses the stored parameters of the working configuration (instead of immediate input from operator interface **150**) in generating control signals for drive interface **120**.

The vision probe is removed from the catheter in step **570**, which clears the main lumen of catheter **110** for the step **580** of inserting a medical probe or tool through catheter **110**. For the specific step order shown in FIG. **5**, control logic **140** operates in holding mode and maintains distal steerable segment **116** in the desired working configuration while the vision system is removed (step **570**) and the medical probe is inserted (step **580**). Accordingly, when the medical probe is fully deployed, e.g., reaches the end of distal steerable segment **116**, the medical probe will be in the desired working configuration, and performance of the medical task as in step **590** can be then performed without further need or use of the removed vision probe. Once the medical task is completed, the catheter can be taken out of holding mode or otherwise relaxed so that the medical probe can be removed. The catheter can then be removed from the patient if the medical procedure is complete, or the vision or another probe can be inserted through the catheter if further medical tasks are desired.

In one alternative for the step order of process **500**, catheter **110** may not be in a holding mode while the medical probe is inserted but can be switched to holding mode after the medical probe is fully deployed. Once holding mode is initiated, control logic **140** will control the drive interface **130** to return distal steerable segment **116** to the desired working configuration if distal steerable segment **116** has moved since being posed in the desired working configuration. Thereafter, control logic **140** monitors the pose of distal steerable segment **116** and actively maintains distal steerable segment **116** in the desired working configuration while the medical task is performed in step **590**.

FIG. **6** shows a flow diagram of a process **600** of a holding mode that can be implemented in control logic **140** of FIG. **1**. Process **600** begins in step **610** with receipt of measurement signals from sensor system **160**. The particular measurements required depend on the type of holding mode being implemented, but as an example, the measurements

11

can indicate position coordinates, e.g., rectangular coordinates X, Y, and Z, of the distal tip of steerable segment 116 and orientation angles, e.g., angles θ_x , θ_y , and θ_z of a center axis of the distal tip of steerable segment 116 relative to coordinate axes X, Y, and Z. Other coordinate systems and methods for representing the pose of steerable segment 116 could be used, and measurements of all coordinates and direction angles may not be necessary. However, in an exemplary embodiment, sensor system 160 is capable of measuring six degrees of freedom (DoF) of the distal tip of steerable segment 116 and of providing those measurements to control logic 140 in step 610.

Control logic 140 in step 620 determines a desired pose of distal steerable segment 116. For example, control logic 140 can determine desired position coordinates, e.g., X', Y', and Z', of the end of distal steerable segment 116 and desired orientation angles, e.g., angles θ'_x , θ'_y , and θ'_z of the center axis of distal steerable segment 116 relative to coordinate axes X, Y, and Z. The holding modes described above generally provide fewer than six constraints on the desired coordinates. For example, position stiffness operates to constrain three degrees of freedom, the position of the end of distal steerable segment 116 but not the orientation angles. In contrast, orientation stiffness mode constrains one or more orientation angles but not the position of end of distal steerable segment 116. Target position stiffness mode constrains four degrees of freedom, and axial stiffness mode constrains five degrees of freedom. Control logic 610 can impose further constraints to select one of set of parameters, e.g., X', Y', and Z' and angles θ'_x , θ'_y , and θ'_z , that provides the desired working configuration. Such further constraints include but are not limited to mechanical constraints required by the capabilities of distal steerable segment 116 and of catheter 110 generally and utilitarian constraints such as minimizing movement of distal steerable segment 116 or providing desired operating characteristics such as smooth, non-oscillating, and predictable movement with controlled stress in catheter 110. Step 620 possibly includes just keeping a set pose distal steerable segment 116 by finding smallest movement from the measured pose to a pose satisfying the constraints, e.g., finding the point on the target line closest to the measure position for axial motion stiffness or finding some suitable pose from registered pre-op data that is close to the current pose.

Control logic 140 in step 630 uses the desired and/or measured poses to determine corrected control signals that will cause drive interface 120 to move distal steerable segment 116 to the desired pose. For example, the mechanics of catheter 110 and drive interface 120 may permit development of mappings from the desired coordinates X', Y', and Z' and angles θ'_x , θ'_y , and θ'_z to actuator control signals that provide the desired pose. Other embodiments may use differences between the measured and desired pose to determine corrected control signals. In general, the control signals may be used not only to control actuators connected through tendons to distal steerable segment 116 but may also control (to some degree) insertion or roll of catheter 110 as a whole.

A branch step 650 completes a feedback loop by causing process 600 to return to measurement step 610 after control system 140 applies new control signals drive interface 120. The pose of distal tip is thus actively monitored and controlled according to fixed constraints as long as control system 120 remains in the holding mode. It may be noted, however, that some degrees of freedom of distal steerable segment 116 may not require active control. For example, in orientation stiffness mode, feedback control could actively

12

maintain pitch and yaw of distal steerable segment 116, while the mechanical torsional stiffness of catheter 110 is relied on to hold the roll angle fixed. However, catheter 110 in general may be subject to unpredictable external forces or patient movement that would otherwise cause catheter 110 to move relative to the work site, and active control as in process 600 is needed to maintain or hold the desired working configuration.

Some embodiments or elements of the above invention can be implemented in a computer-readable media, e.g., a non-transient media, such as an optical or magnetic disk, a memory card, or other solid state storage containing instructions that a computing device can execute to perform specific processes that are described herein. Such media may further be or be contained in a server or other device connected to a network such as the Internet that provides for the downloading of data and executable instructions.

Although the invention has been described with reference to particular embodiments, the description is only an example of the invention's application and should not be taken as a limitation. Various adaptations and combinations of features of the embodiments disclosed are within the scope of the invention as defined by the following claims.

What is claimed is:

1. A medical system comprising:

a catheter comprising a lumen, a distal steerable segment, and a distal tip;

a sheath disposed within the lumen of the catheter; and

a control system coupled to the catheter, wherein the control system includes:

a memory operable to store desired position coordinates; and

a plurality of modes including a stiffening mode in which the control system actively maintains the distal tip at the desired position coordinates, wherein the sheath is extendable from the distal tip of the catheter while the control system actively maintains the distal tip at the desired position coordinates in the stiffening mode.

2. The medical system of claim 1, further comprising at least one sensor operable to determine measured position coordinates of the distal tip.

3. The medical system of claim 2, wherein the at least one sensor includes at least one electromagnetic sensor.

4. The medical system of claim 2, wherein during operation in the stiffening mode, the control system is configured to:

receive the measured position coordinates of the distal tip; determine a difference between the measured position coordinates and the desired position coordinates; and without user input directing movement of the catheter, move the distal steerable segment to minimize a difference between the measured and desired position coordinates.

5. The medical system of claim 4, wherein during operation in the stiffening mode, the control system constrains three degrees of freedom of the distal tip.

6. The medical system of claim 4, wherein during operation in the stiffening mode, the control system constrains at least four degrees of freedom of the distal tip.

7. The medical system of claim 1, further comprising at least one sensor operable to determine a measured orientation angle of the distal tip.

8. The medical system of claim 7, wherein the at least one sensor includes an optical fiber shape sensor.

9. The medical system of claim 7, wherein the memory is further operable to store a desired orientation angle of the

13

distal tip, and wherein the control system is further operable to actively maintain the distal tip in the desired orientation angle during operation in the stiffening mode.

10. The medical system of claim **9**, wherein during operation in the stiffening mode, the control system is further configured to:

receive the measured orientation angle of the distal tip;
determine a difference between the measured orientation angle and the desired orientation angle; and
rotate the distal steerable segment to minimize a difference between the measured and desired orientation angles.

11. The medical system of claim **9**, wherein during operation in the stiffening mode, the control system constrains three or more degrees of freedom of the distal tip.

12. The medical system of claim **1**, wherein the plurality of modes further includes a mode in which the control system steers the catheter in response to commands received from an operator interface.

13. The medical system of claim **1**, wherein the sheath is sized for extension into a natural passage during operation in

14

the stiffening mode, the natural passage having a diameter less than an outer diameter of the catheter.

14. The medical system of claim **1**, wherein the sheath comprises a passive sheath.

15. The medical system of claim **1**, wherein the control system is configured to:

steer the catheter to point in a direction of a natural passage, wherein the sheath is extendable into the natural passage after the catheter points in the direction of the natural passage.

16. The medical system of claim **1**, further comprising at least one removable probe deployable through the lumen and the sheath.

17. The medical system of claim **16**, wherein the at least one removable probe comprises a laser.

18. The medical system of claim **16**, wherein the at least one removable probe comprises a biopsy needle.

19. The medical system of claim **16**, wherein the at least one removable probe comprises a camera.

* * * * *