

(12) United States Design Patent (10) Patent No.:

Kemppi et al.

US D1,088,799 S

(45) **Date of Patent:** ** Aug. 19, 2025

(54)	HANDLE					
(71)	Applicant:	Fiskars Finland Oy Ab, Espoo (FI)				
(72)	Inventors:	Mikko Kemppi, Espoo (FI); Sami Lyytikäinen, Espoo (FI); Petteri Masalin, Espoo (FI); Kari Kunnas, Espoo (FI)				
(73)	Assignee:	Fiskars Finland Oy Ab, Espoo (FI)				
(**)	Term:	15 Years				
(21)	Appl. No.:	29/947,841				
(22)	Filed:	Jun. 18, 2024				
(30)	Foreign Application Priority Data					
Jan. 5, 2024 (EM) 015046714-0003						
(51)	LOC (15)	Cl 08-06				
(52)	U.S. Cl. USPC	D8/307 ; D8/107				
(58)	Field of C	Classification Search				

	0510	Do/307 , Do/107						
(58)	Field of Classification Search							
	USPC	D8/83, 107, 300, 303, 307, 310, 321,						
		D8/322; D7/393, 394, 395, 396;						
		D4/104, 138; D12/179; D32/50, 51, 52						
	CDC	COEC 1/06, COEC 0/047, COEC 1/01,						

CPC G05G 1/06; G05G 9/047; G05G 1/01; G05G 1/04; G05G 1/00; Y10T 74/2014; Y10T 74/20159; Y10T 74/20201; Y10T 74/20828; B25G 1/04; B25G 1/06; B25G 1/102; B25G 3/34

See application file for complete search history.

(56)**References Cited**

U.S. PATENT DOCUMENTS

D86,179	S	31/4	2/1932	Pelouch et al D8/14.1
D187,842	S	*	5/1960	Jeys D8/307

D194,834	\mathbf{S}	*	3/1963	Parker et al D21/756
D296,296	S	*	6/1988	Lee D8/107
D331,932	S	*	12/1992	Lenski D15/28
D441,162	S	*	4/2001	Grove D34/27
D554,455	S	*	11/2007	Ranieri D8/47
7,396,187	B	*	7/2008	Meyers A47G 27/0487
				16/110.1
D646,384	S	*	10/2011	Gauthier D8/83
D647,201	\mathbf{S}	*	10/2011	Gauthier D8/83
D649,423	\mathbf{S}	*	11/2011	Robinson D8/83
D976,348	S	*	1/2023	Medina D21/694
D1,008,772	\mathbf{S}	*	12/2023	Djuren D8/107
D1,059,142	\mathbf{S}	*	1/2025	Teng D8/21
2009/0313780	A.	1 *	12/2009	Martin B25G 3/32
				15/236.01
2023/0027314	A	1*	1/2023	Davis B25G 3/38

^{*} cited by examiner

Primary Examiner — Lauren R Calve (74) Attorney, Agent, or Firm — Leason Ellis LLP

(57)CLAIM

The ornamental design for a handle as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a handle according to our

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a left-side view thereof;


FIG. 5 is a right-side view thereof;


FIG. 6 is a top plan view thereof; and,


FIG. 7 is a bottom plan view thereof.

The broken lines shown represent portions of the handle that form no part of the claimed design.

1 Claim, 7 Drawing Sheets










FIG. 3

