US 20250257359A1

(19) United States
(12) Patent Application Publication
Page et al.
(10) Pub. No.: US 2025/0257359 A1
(43) Pub. Date: Aug. 14, 2025

(54) **MUSK-TARGETING OLIGONUCLEOTIDES**

(71) Applicant: **Bolden Therapeutics, Inc.**, Providence, RI (US)

(72) Inventors: **John Page**, Providence, RI (US); **Anne Valat**, Cambridge, MA (US); **Sudhir Agrawal**, Shrewsbury, MA (US); **Duncan Brown**, Berkeley, CA (US)

(21) Appl. No.: **18/730,084**

(22) PCT Filed: **Jan. 20, 2023**

(86) PCT No.: **PCT/US23/11286**

§ 371 (c)(1),
(2) Date: **Jul. 18, 2024**

Related U.S. Application Data

(60) Provisional application No. 63/301,416, filed on Jan. 20, 2022.

Publication Classification

(51) **Int. Cl.**
C12N 15/113 (2010.01)

(52) **U.S. Cl.**
CPC .. ***C12N 15/1138*** (2013.01); ***C12Y 207/10001*** (2013.01); *C12N 2310/14* (2013.01); *C12N 2310/313* (2013.01); *C12N 2310/321* (2013.01); *C12N 2320/33* (2013.01)

(57) **ABSTRACT**

The present disclosure provides, among other things, MuSK-targeting oligonucleotide compositions that alter the splicing of MuSK transcripts through exon skipping, and methods of treating diseases with said compositions.

Specification includes a Sequence Listing.

Our objective: Identify ASOs that reduce the level of 6-7 containing MuSK (FL) but maintain the total MuSK levels.


Exon-skipping ASO
RNA Sequence
MuSK-FL
MuSK-ΔIg3
exon 4
exon 5
exon 6
exon 7
exon 8
exon 9
Protein
Ig1
Ig2
Ig3
BMP
Outcomes
BMP Signal
Neurogenesis and Cognition

FIG. 1



Our objective: Identify ASOs that reduce the level of 6-7 containing MuSK (FL) but maintain the total MuSK levels.

FIG. 2


MuSK/YWHAZ - LHCN-M2 - Sybrgreen
1.4
1.2
1
0.8
0.6
0.4
0.2
0
Ctrl 1
Ctrl 2
Ctrl 3
SiNanos 1
SiNanos 2
SiNanos 3
Si-Solid 1
Si-Solid 2
Si-Solid 3


MuSK/YWHAZ - LHCN-M2 - Taqman
1.4
1.2
1
0.8
0.6
0.4
0.2
0
Control ...
Control ...
SiNanos 1
SiNanos 2
SiNanos 3
Si-Solid 1
Si-Solid 2
Si-Solid 3

FIG. 3



FIG. 4


Human mRNA
5'3'
ASOs 3'5
Bid1
Bid2
Bid3
Bid4
Bid5
Bid6
Bid7
Bid8
Bid9
Bid10
Bid11
Bid12
Bid13
Bid14
Bid15
Bid16
Bid17
Bid18

FIG. 5


control
Bld1
Bld2
Bld3
Bld4
Bld6
Bld7
Bld9
Bld11
Bld12
Bld13
Bld14
Bld15
Bld16
Bld17

FIG. 6


MuSK34/HKG 100nM
MuSK67/HKG 100nM
MuSK34/HKG 50nM
MuSK67/HKG 50nM
2
1.8
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
Bi01
Bi02
Bi03
Bi04
Bi05
Bi06
Bi07
Bi08
Bi09
Bi10
Bi11
Bi12
Bi13
Bi14
Bi15
Bi16
Bi17
Bi18

FIG. 7


Human mRNA
5' 3'
ASOs 3' 5'
AUGGUCUAAUUUGCAUUUCUAAAAGACCACCCUAGCUUGACCAUCUACCACUUCUGUCUUCUAACAGCUUCCUGCAGGAGCGU


Human
mRNA, 5'3'
ASOs 3'5
E1d19
E1d20
E1d21
E1d22
E1d23
E1d24
E1d25
E1d26
E1d27
E1d28
E1d29
E1d30
E1d31
E1d32
E1d33
E1d34
E1d35
E1d36
E1d37
E1d38

FIG. 9


control
Bld19
Bld20
Bld21
Bld22
Bld29
Bld30
Bld31
Bld32
Bld33
Bld34

FIG. 10


MuSK34/HKG 50nM
MuSK34/HKG 100nM
MuSK67/HKG 50nM
MuSK67/HKG 100nM

FIG. 11


B1d19
B1d20
B1d21
B1d22
B1d23
B1d24
B1d25
B1d26
B1d27
B1d28
B1d29
B1d30
B1d31
B1d32
B1d33
B1d34
B1d35
B1d36
B1d37
B1d38

FIG. 12


A Bld25
IC50 = 11.5nM
→ MuSK34 75%
B Bld26
IC50 = 11.4 nM
→ MuSK34 84%
C Bld27
MuSK34
MuSK67
IC50 = 14 nM
→ MuSK34 76%
D Bld28
IC50 = 15.8 nM
→ MuSK34 85%
E Bld35
IC50 = 125nM
→ MuSK34 62%
F Bld38
IC50 = 55nM
→ MuSK34 77%
Relative gene expression
Concentration (nM)

FIG. 13


A Bld25
B Bld26
MuSK34
MuSK67
Relative gene expression
1.2
1.0
0.8
0.6
0.4
0.2
0.0
4.0
5nM
7.5nM
12.5nM
25nM
40.0
Concentration (nM)

FIG. 14


Total MuSK
Ig3 domain
72%
6%
Gene expression
1.2
1.0
0.8
0.6
0.4
0.2
0.0
Untreated
Bld25+Bld26

FIG. 15


A
2500
800
350
hu7-10 ctrl
hu7-10 5nM
hu7-10 25nM
hu73 ctrl
hu73 5nM
hu73 25nM
Long
Short
B
2500
800
350
hu7-10 ctrl
1-FL-972
2/3- Δ3
738/708
B'
hu7-10 25nM
1-Δig3 (Δ6,7)
687
2/3-Δig3
(Δ(5+),6,7,8)
453

FIG. 16

Human mRNA 5′3′	…GACTGAGTTCTTTTATTTTCCTTTACTCTGTCAG[illegible]
ASOs 3′5:	
Bld51	AAAGAAGACCCAGGTAAGTT
Bld52	AAGAAGACCCAGGTAAGTTC
Bld53	AGAAGACCCAGGTAAGTTCT
Bld54	GAAGACCCAGGTAAGTTCTC
Bld55	AAGACCCAGGTAAGTTCTCT
Bld56	AGACCCAGGTAAGTTCTCTC
Bld57	GACCCAGGTAAGTTCTCTCA
Bld58	ACCCAGGTAAGTTCTCTCAC
Bld59	CCCAGGTAAGTTCTCTCACA
Bld60	CCAGGTAAGTTCTCTCACAC
Bld61	CAGGTAAGTTCTCTCACACT
Bld62	AGGTAAGTTCTCTCACACTT
Bld63	GGTAAGTTCTCTCACACTTT
Bld64	GTAAGTTCTCTCACACTTTC
Bld65	TAAGTTCTCTCACACTTTCT
Bld66	AAGTTCTCTCACACTTTCTG

FIG. 17


A
Gene expression – ASO at 12.5 nM
Total MuSK
Ig3 domain
2
1.5
1
0.5
0
BID51
BID52
BID53
BID54
BID55
BID56
BID57
BID58
BID59
BID60
BID61
BID62
BID63
BID64
BID65
BID66
B
Gene expression – ASO at 100 nM
2
1.5
1
0.5
0
BID51
BID52
BID53
BID54
BID55
BID56
BID57
BID58
BID59
BID60
BID61
BID62
BID63
BID64
BID65
BID66

FIG. 18

region1

exon7

Human mRNA 5'3'	GACTGAGTTCTTTTATTTTCCTTTACTCTGTCAGGTTTCTTCTGGGTCCATTCAAGAGAGTCTGAAAGACCCAGTGATTGACTCAACACTGCAGCT
ASOs 3'5:	
Bld25-1	GAAATGAGACAGTCCAAAGAAGACC
Bld25-2	AATGAGACAGTCCAAAGAAGACCCA
Bld25	TGAGACAGTCCAAAGAAGACCCAGG
Bld25-3	AGACAGTCCAAAGAAGACCCAGGTA
Bld25-4	ACAGTCCAAAGAAGACCCAGGTAAG
Bld25-5	GTCCAAAGAAGACCCAGGTAAGTTC
Bld26-1	CCAAAGAAGACCCAGGTAAGTTCTC
Bld26-2	AAAGAAGACCCAGGTAAGTTCTCTC
Bld26	AGAAGACCCAGGTAAGTTCTCTCAC
Bld26-3	AAGACCCAGGTAAGTTCTCTCACAC
Bld26-4	GACCCAGGTAAGTTCTCTCACACTT
Bld27	AGTTCTCTCACACTTTCTGGCTCAC
Bld28	TTTCTGGCTCACTAACTGAGTTCTG

region2

exon7

Human mRNA 5'3'	GGGCAGAAGTTCAGTACTGCCAAGGCTGCAGCCACCATCAGCATAGCAGGTAGGATGCCCCTTCACATTTGCGTTGTTCC
Bld35	CCCCTCTTCAAGTCATGACGGTTCC
Bld38	TCCATCCTACGGGGAAGTGTAAACG

FIG. 19


A
25 mers - MuSK67
gene expression - MuSK67
ASO concentration (nM)
0.0
0.5
1.0
1.5
0
50
100
Bld25-1
Bld25-2
Bld25
Bld25-3
Bld25-4
Bld25-5
Bld26-1
Bld26-2
Bld26
Bld26-3
Bld26-4
Bld27
Bld28
Bld35
Bld38
B
25 mers - MuSK34
gene expression - MuSK34
ASO concentration (nM)
0.0
0.5
1.0
1.5
0
50
100
Bld25-1
Bld25-2
Bld25
Bld25-3
Bld25-4
Bld25-5
Bld26-1
Bld26-2
Bld26
Bld26-3
Bld26-4
Bld27
Bld28
Bld35
Bld38

FIG. 20


A
25 mers - MuSK67
gene expression - MuSK67
1.5
1.0
0.5
0.0
0
50
100
ASO concentration (nM)
Bld25
Bld25-3
Bld25-4
Bld25-5
Bld26-2
Bld26
Bld26-4
B
25 mers - MuSK34
gene expression - MuSK34
1.5
1.0
0.5
0.0
0
50
100
ASO concentration (nM)
Bld25
Bld25-3
Bld25-4
Bld25-5
Bld26-2
Bld26
Bld26-4

FIG. 21


A
Bld25 - 24h
% of correction
ASO concentration [nM]
B
Bld25-5 24h
Total MuSK
Ig3 domain
% of correction
ASO concentration [nM]
C
Bld25 - 48h
% of correction
ASO concentration [nM]
D
Bld25-5 - 48h
% of correction
ASO concentration [nM]

FIG. 22

Human mRNA 5′3′	GACTGAGTTCTTTTATTTTCCTTTACTCTGTCAG[redacted]
ASOs 3′5:	
Bld25	TGAGACAGTCCAAAGAAGACCCAGG
Bld25-A	TGAGACAGTCCAAAGAAGACCCA
Bld25-B	TGAGACAGTCCAAAGAAGACC
Bld25-C	AGACAGTCCAAAGAAGACCCAGG
Bld25-D	AGACAGTCCAAAGAAGACCCA
Bld25-E	ACAGTCCAAAGAAGACCCAGG
Bld25-5	GTCCAAAGAAGACCCAGGTAAGTTC
Bld25-5-A	AGTCCAAAGAAGACCCAGGTAAG
Bld25-5-B	AGTCCAAAGAAGACCCAGGTA
Bld25-5-C	TCCAAAGAAGACCCAGGTAAGTT
Bld25-5-D	TCCAAAGAAGACCCAGGTAAG
Bld25-5-E	CAAAGAAGACCCAGGTAAGTT
Bld26-2	AAAGAAGACCCAGGTAAGTTCTCTC
Bld26-2-A	AAAGAAGACCCAGGTAAGTTCTC
Bld26-2-B	AAAGAAGACCCAGGTAAGTTC
Bld26-2-C	AGAAGACCCAGGTAAGTTCTCTC
Bld26-2-D	AAGACCCAGGTAAGTTCTCTC
Bld26	AGAAGACCCAGGTAAGTTCTCTCAC
Bld26-B	AGAAGACCCAGGTAAGTTCTC
Bld26-C	AAGACCCAGGTAAGTTCTCTCAC
Bld26-D	GACCCAGGTAAGTTCTCTCAC

FIG. 23


MuSK34 - MuSK67
Bid25 A
Bid25 B
Bid25 C
Bid25 D
Bid25 E
% of correction
ASO concentration [nM]

FIG. 24


MuSK34 - MuSK67
Bld25-5-A
Bld25-5-B
Bld25-5 C
Bld25-5-D
Bld25-5 E
% of correction
ASO concentration [nM]

FIG. 25


Variant1, NM_005592.4, full length: 972b – Δlg3: 687b
AF006464.1
Exon 3
Exon 4
Exon 5
Exon 6
Exon 7
Exon 8
Exon 9/RV
Variant2, NM_001166280.2, full length: 738b – Δlg3: 453b
BC109098.1, Strausberg et al., PNAS December 24, 2002 99 (26) 16899-16903; https://doi.org/10.1073/pnas.242603899
Exon 3
Exon 4
Exon 5
Exon 6
Exon 7
Exon 9/RV
Variant3, NM_001166281.2, full length: 708b – Δlg3: 423b
BC109099.1, Strausberg et al., PNAS December 24, 2002 99 (26) 16899-16903; https://doi.org/10.1073/pnas.242603899
Exon 3
Exon 4
Exon 5
Exon 6
Exon 7
Exon 9/RV
Exon size (bp): 17 128 142 30 125 160 7 264 129

FIG. 26


Bid25
Intensity – Arbitrary units
2.5
2
1.5
1
0.5
0
C1
C2
C3
Bid25
Bid25
Bid25
1
2
3
upper band MuSK
lower band MuSK
4/5/6/7/EWS/8/9
4/5/6/7/EWS/9
MuSK39
4/5/EWS/8/9
4/5/9*
YWHAZ
Bid25-5
2
1.5
1
0.5
0
C1
C2
C3
Bid25-5
Bid25-5
Bid25-5
1
2
3
4/5/EWS/8/9
4/5/9*

FIG. 27


Untreated
+
Bld25-5
Untreated:
3
4
5
6
7
8
9
+ Bld25-5:
Sequence of the first band with Bolden ASO:
...agLggLgaagctggaagLgagg
aaLggag
LaaaccacagaaagaaLaacaaagggc...
Exon 5
EWS exon
Exon 8

FIG. 28


Day 2
Day 3
Day 4
Day 5
Scale 50um
untreated
+ siRNA
Day 5
Scale 50um
untreated
+ siRNA

FIG. 29

MUSK-TARGETING OLIGONUCLEOTIDES

CROSS REFERENCE TO RELATED APPLICATIONS

[0001] This application is a National Phase entry of International Application No. PCT/US23/11286, filed Jan. 20, 2023, which claims the benefit of U.S. Provisional Application No. 63/301,416, filed Jan. 20, 2022, the contents of which are hereby incorporated by reference in their entirety.

BACKGROUND

[0002] Neurodegenerative diseases represent a major public health challenge, expected to impact one in five people in their lifetimes. Alzheimer's disease (AD) is the most common cause of age-related dementia. There is a critical and urgent need for therapeutics to prevent and treat AD and other neurodegenerative conditions.

[0003] Skeletal muscle has the ability to regenerate after injury. Muscle regeneration is dependent upon resident stem cells, referred to as muscle satellite cells. In mature muscle tissue, satellite cells constitute a small, scattered population of mitotically and physiologically quiescent cells. Satellite cells are also implicated in normal muscle growth and maintenance throughout life, indicating that they could be exploited to treat muscle wasting conditions.

[0004] Skeletal muscle makes up about 35% of body weight and is essential for metabolism, locomotion, and breathing, which highlights its importance in human health. Muscle wasting reduces mobility, metabolism, and quality of life for the majority of cancer patients, elderly patients, and many others with no history of neuromuscular dysfunction. In addition, muscular dystrophies are an often fatal group of genetic diseases leading to severe muscle loss, including Duchenne Muscular Dystrophy which affects children.

[0005] Neurogenesis and muscle regeneration are dependent on neural stem cells (NSCs) and muscle satellite cells. A roadblock to development of treatments of neurodegeneration and muscle wasting is that the signaling that regulates neural stem cells and satellite cells and their regeneration is poorly understood. Accordingly, there is a need for compositions and methods for promoting neurogenesis and muscle regeneration.

SUMMARY

[0006] Among other things, the present disclosure provides an insight that presence and/or activity of a particular form(s) of the muscle-specific tyrosine kinase (MuSK) protein, specifically lacking a functional Ig3 domain, may achieve or contribute to beneficial biological events including, for example, neurogenesis and/or muscle regeneration.

[0007] The present disclosure provides certain technologies for enhancing neurogenesis, including in particular in adult humans. In some embodiments, technologies provided herein may be useful in medicine, including specifically treatment of diseases, disorders or conditions associated with neurodegeneration, or otherwise with low or reduced neuronal activity (e.g., neuronal activity in an adult hippocampus and/or in subventricular zone(s)). For example, in some embodiments, technologies provided herein may be useful in the treatment of one or more of Alzheimer's Disease (AD), Parkinson's disease, dementia (e.g., Frontotemporal dementia), stroke, Major Depressive Disorder (MDD), bipolar disorder, Schizophrenia, Post-Traumatic Stress Disorder (PTSD), substance-related and addictive disorders (e.g., chronic cocaine use and lifelong cigarette smoking), Temporal-Lobe Epilepsy, Hippocampal Sclerosis, Niemann Pick Type C, Diabetes-mediated hippocampal neuronal loss, brain injury (e.g., traumatic and/or anoxic brain injury), and Huntington's disease.

[0008] Bone morphogenetic protein (BMP) signaling regulates at least two important NSC decision points: 1) quiescence, where proliferating stem cells exit the cell cycle and return to replenish a reserve pool that can supply fresh stem cells; and: 2) differentiation into mature progeny (Mira et al., 2010). The present disclosure contemplates that manipulating the BMP pathway in NSCs is an attractive target for regulating neurogenesis in the adult brain. Additionally, BMP signaling regulates skeletal muscle stem cell activity in both normal and pathological states. The present disclosure provides technologies for increasing level and/or activity of MuSK form(s) that functionally participate in neurogenesis and/or muscle regeneration, including, in some embodiments, by reducing alternative splicing that would otherwise generate MuSK form(s) that do not so participate. In some embodiments, such increase is in a relevant tissue such as muscle. Alternatively or additionally, in some embodiments, such increase is in a tissues such as a brain tissue (e.g., hippocampal and/or subventricular) and/or lung tissue.

[0009] Among other things, the present disclosure provides an insight that presence and/or activity of a particular form(s) of the muscle-specific tyrosine kinase (MuSK) protein, specifically lacking a functional Ig3 domain, may achieve or contribute to neurogenesis in adult humans, or otherwise provide neurological benefit(s). The MuSK transcript can be alternatively spliced, including to generate at least one form (i.e., ΔIg3-MuSK) that lacks the Ig3 domain. The present disclosure appreciates that increasing presence and/or level of ΔIg3-MuSK, and/or of other functional form(s) in which its Ig3 domain is altered (e.g., mutated, blocked, etc.) or removed, may provide benefits as described herein.

[0010] In some embodiments, the present disclosure provides technologies for increasing level and/or activity of one or more forms of MuSK whose Ig3 domain is altered (e.g., mutated, blocked, removed, etc.) for example so that it fails to effectively participate in interaction(s) with BMP. In some embodiments, the present disclosure provides technologies for reducing $Ig3^+$ MuSK, for example by reducing level and/or activity of one or more forms of MuSK whose Ig3 domain effectively participates in interaction(s) with BMP.

[0011] In some embodiments, an agent that targets the MuSK Ig3 domain, as described herein (e.g., a MuSK-targeting oligonucleotide), so that level and/or activity of a MuSK/BMP complex is reduced is useful in contexts of neurogenesis and/or muscle regeneration and/or of muscle growth.

[0012] In some embodiments, provided agent(s) may enhance muscle growth. In some embodiments, muscle growth occurs in uninjured tissue. In some embodiments, muscle growth occurs in injured tissue. In some embodiments, enhanced and/or increased muscle growth is determined by a decrease in satellite cell number and/or increase in muscle fiber size. In this regard, muscle growth can be characterized by a decrease in satellite cell number and/or increase in muscle fiber size, which is indicative of satellite

cells differentiating and fusing into/augmenting existing muscle fibers and forming new muscle fibers.

[0013] Embodiments of the present invention provide methods of enhancing neurogenesis and/or muscle regeneration and/or growth, for example in a subject in need thereof, by administering a composition that downregulates MuSK Ig3 domain protein expression, MuSK Ig3 domain gene expression, and/or MuSK Ig3 activation of BMP signaling, thereby upregulating muscle satellite cells which results in enhancement of muscle regeneration and/or growth. In some embodiments, such a composition can comprise and/or deliver a MuSK-targeting oligonucleotide (e.g., a MuSK Ig3-targeting exon-skipping oligonucleotide).

[0014] In some embodiments, enhancing neurogenesis is used in the context of treating a disease or disorder associated with reduced Adult Hippocampal Neurogenesis (AHN). As AHN occurs throughout life in humans and is dramatically reduced in AD (Moreno-Jimenez et al., 2019: Steiner et al., 2019), the present disclosure provides compositions and methods for promoting AHN, enhancing cognitive function and combating neurodegeneration (e.g., Alzheimer's disease).

[0015] In some embodiments, enhancing neurogenesis is used in the context of treating a disease or disorder associated with reduced Subventricular Zone Neurogenesis. As NSCs reside in the subventricular zone (SVZ) lining the lateral ventricles and generate astrocytes and oligodendrocytes that support the existing circuitry as well as neurons in the olfactory bulb that are critical for olfactory discrimination. The present disclosure provides compositions and methods for compensating for the degeneration of neurons in the SVZ through enhancing endogenous neurogenesis. In some embodiments, the present disclosure provides compositions and methods for treating diseases specifically associated with striatal neurogenesis such as Parkinson's disease (which could benefit both from increasing AHN and striatal neurogenesis in the SVZ: Pitcher et al. 2012: Sterling et al. 2013) and Huntington's disease (Sassone et al., 2018). In some embodiments, the present disclosure provides compositions and methods for treating other diseases including addiction (e.g., chronic cocaine use and lifelong cigarette smoking).

[0016] In some embodiments, a subject of interest can be at risk of, or afflicted with, a disease or disorder including, but not limited to, neuromuscular dysfunction, neurodegenerative disorder, cardiac disorder (e.g., myocardial infarction, cardiomyopathy), or genetic diseases characterized by muscle wasting. Alternatively or additionally, in some embodiments, a subject of interest can be at risk of, or afflicted with a disease or disorder associated with lung damage, including, for example, idiopathic pulmonary fibrosis (IPF), acute respiratory distress syndrome (ARDS), pneumonia, and/or certain infections, including viral infections including coronaviral infections such as COVID19.

[0017] Exemplary neuromuscular dysfunctions or disorders that can be treated by technologies of the present invention include, but are not limited to, Becker muscular dystrophy, Congenital muscular dystrophy, Distal muscular dystrophy, Duchenne muscular dystrophy, Emery-Dreifuss muscular dystrophy, Facioscapulohumeral muscular dystrophy, Limb-girdle muscular dystrophy, Myotonic muscular dystrophy, and Oculo-pharyngeal muscular dystrophy.

[0018] In some embodiments, enhancing muscle growth is used in the context of treating a disease or disorder associated with muscle atrophy or muscle wasting. Muscle atrophy or muscle wasting may be observed in connection with various diseases and conditions described herein, such as neuromuscular disorders, or direct or indirectly caused by prolonged inactivity, bed rest, hospitalization, aging, malnutrition, cancer cachexia, chronic inflammatory diseases, etc. Example chronic inflammatory diseases include rheumatoid arthritis, chronic heart failure, and chronic obstructive pulmonary disease (COPD).

[0019] Duration of hospitalization and type and severity of the illness can affect the extent of muscle wasting in a subject, and muscle wasting is common in patients suffering from sepsis, organ failure, hyperglycemia, and diseases associated with chronic and systemic inflammation or oxidative stress. Additionally, hospitalization requiring complete immobilization/bed rest contributes significantly to muscle wasting.

[0020] Additional disorders associated with muscle atrophy/wasting include disorders associate with decreased mobility, such as rheumatoid arthritis, osteoarthritis, and injury. (2016 Powers, Scott K., et al. *Medicine and science in sports and exercise* 48(11): 2307). Thus, in some embodiments, the present disclosure provides therapies for preventing/treating muscle wasting or muscle atrophy related to or as a result of a number of diseases or conditions described herein.

[0021] In some embodiments, methods of the present invention can also be used when a subject is in need of enhanced muscle regeneration and muscle growth following surgery, trauma and/or prolonged immobilization (e.g., from bed-rest or casting). As muscle stem cell activity is known to decrease with age, methods of the present invention can also be used to prevent or reverse sarcopenia in patients that are otherwise healthy and could lead to significant improvements in quality of life and autonomy.

[0022] Embodiments of the present invention also provide methods of preventing or treating neurodegenerative diseases (e.g., AD) and/or muscle fibrosis, e.g., in a subject in need thereof, by administering a composition that downregulates the MuSK Ig3 domain protein expression, the MuSK Ig3 domain gene expression, and/or the MuSK Ig3 activation of BMP signaling. The composition can comprise, e.g., a MuSK-targeting oligonucleotide (e.g., a MuSK Ig3-targeting exon-skipping oligonucleotide). The subject can be at risk of, or afflicted with, various neurodegenerative diseases, such as Alzheimer's Disease (AD), Parkinson's disease, dementia (e.g., Frontotemporal dementia), stroke, Major Depressive Disorder (MDD), bipolar disorder, Schizophrenia, Post-Traumatic Stress Disorder (PTSD), substance-related and addictive disorders (e.g., chronic cocaine use and lifelong cigarette smoking), Temporal-Lobe Epilepsy; Hippocampal Sclerosis, Niemann Pick Type C, Diabetes-mediated hippocampal neuronal loss, brain injury (e.g., traumatic and/or anoxic brain injury), and Huntington's disease or muscle fibrosis resulting from a disease or condition including, but not limited to, trauma, heritable disease, muscle disorder and aging. The trauma can result from, for example, radiation treatment, crush injury, laceration, and amputation. The heritable disease or muscle disorder include, but are not limited to, Congenital Muscular Dystrophy, Duchenne Muscular Dystrophy, Becker's Muscular Dystrophy: Amyotrophic Lateral Sclerosis (ALS), and age-associate sarcopenia.

[0023] The present invention features, inter alia, an oligonucleotide composition comprising plurality of oligonucleotides, the oligonucleotide composition being characterized in that, when it is contacted with a MuSK transcript in a transcript splicing system, relative amounts of transcripts that do and do not include Ig3 domain-encoding sequences are altered as compared with such relative amounts observed under reference conditions selected from the group consisting of absence of the composition, presence of a reference composition, and combinations thereof.

[0024] In some embodiments, the oligonucleotides mediate skipping of at least one exon of the MuSK gene. In some embodiments, the exon skipping lowers levels of mRNAs encoding MuSK protein form that participate in BMP signaling compared with levels observed absent the exon skipping. In some embodiments, the MuSK protein form participating in BMP signaling is or comprises a MuSK protein form that forms a MuSK/BMP complex.

[0025] In some embodiments, the exon skipping reduces the level and/or activity of a MuSK/BMP complex. In some embodiments, at least one skipped exon is selected from the group consisting of exons 3, 4, 6, and 7. In some embodiments, the relative amounts are amounts of transcripts including exons 6 and 7 relative to those lacking exons 6 and 7. In some embodiments, relative amounts are amounts of transcripts including exons 3 and 4 relative to those lacking exons 6 and 7.

[0026] In some embodiments, the alteration comprises skipping one or more of exons 6 and 7 of MuSK. In some embodiments, the alteration comprises skipping one or more of exons 3 and 4 of MuSK. In some embodiments, the alteration comprises skipping one or more of exons 6 and 7 of MuSK, but skipping none of exons 3 and 4 of MuSK.

[0027] In some embodiments, MuSK splicing is altered in that level of MuSK transcripts including exons 6 and 7 is decreased or level of MuSK protein forms including sequences encoded by exons 6 and 7 is decreased, or both. In some embodiments, MuSK splicing is altered in that level of MuSK transcripts including exons 3 and 4 is decreased or level of MuSK protein forms including sequences encoded by exons 3 and 4 is decreased, or both. In some embodiments, MuSK splicing is altered in that level of MuSK transcripts including exons 6 and 7 is increased or level of MuSK protein forms including sequences encoded by exons 6 and 7 is increased, or both. In some embodiments, MuSK splicing is altered in that level of MuSK transcripts including exons 3 and 4 is increased or level of MuSK protein forms including sequences encoded by exons 3 and 4 is increased, or both. In some embodiments, MuSK splicing is altered in that level of MuSK transcripts including exons 3 and 4 remains substantially unchanged and level of MuSK transcripts including exons 6 and 7 is decreased. In some embodiments, MuSK splicing is altered in that level of MuSK protein forms including sequences encoded by exons 3 and 4 remains substantially unchanged and I level of MuSK protein forms including sequences encoded by exons 6 and 7 is decreased. In some embodiments, MuSK splicing is altered in that total level of MuSK transcripts remained substantially unchanged and level of MuSK transcripts including exons 6 and 7 is decreased.

[0028] In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 10%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 50%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 80%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 100%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 120%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 150%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 180%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 200%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 250) %. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 300%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 350%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 400%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 450%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 500%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 600%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 700%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 800%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 900%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by about 1000%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is increased by at least 1000%.

[0029] In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased. In some embodiments, MuSK splicing is altered in that ratio of

MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 10%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 50%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 80%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 100%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 120%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 150%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 180%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 200%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 250%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 300%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 350%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 400%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 450%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 500%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 600%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 700%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 800%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 900%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by about 1000%. In some embodiments, MuSK splicing is altered in that ratio of MuSK transcripts including exons 3 and 4 to MuSK transcripts including exons 6 and 7 is decreased by at least 1000%.

[0030] In some embodiments, prior to contact with one or more exon-skipping oligonucleotides as described herein, ratio of MuSK transcripts including exons 3 and 4 (i.e., total MuSK transcripts) to MuSK transcripts in a cell or system including exons 6 and 7 is between about 1:1 and 1:0.1. In some embodiments, prior to contact with one or more exon-skipping oligonucleotides as described herein, ratio of MuSK transcripts including exons 3 and 4 (i.e., total MuSK transcripts) to MuSK transcripts in a cell or system including exons 6 and 7 is about 1:1, 1:0.9, 1:0.8, 1:0.7, 1:0.6, 1:0.5, 1:0.4, 1:0.3, 1:0.2, or 1:0.1. In some embodiments, prior to contact with one or more exon-skipping oligonucleotides as described herein, ratio of MuSK transcripts including exons 3 and 4 (i.e., total MuSK transcripts) to MuSK transcripts in a cell or system including exons 6 and 7 is about 1:0.8.

[0031] In some embodiments, after contact with one or more exon-skipping oligonucleotides as described herein, ratio of MuSK transcripts including exons 3 and 4 (i.e., total MuSK transcripts) to MuSK transcripts in a cell or system including exons 6 and 7 is between about 1:0.9 and 1:0.0001. In some embodiments, after contact with one or more exon-skipping oligonucleotides as described herein, ratio of MuSK transcripts including exons 3 and 4 (i.e., total MuSK transcripts) to MuSK transcripts in a cell or system including exons 6 and 7 is about 1:0.9, 1:0.8, 1:0.7, 1:0.6, 1:0.5, 1:0.4, 1:0.3, 1:0.2, or 1:0.1, 1:0.05, 1:0.01, 1:0.001, or 1:0001. In some embodiments, after contact with one or more exon-skipping oligonucleotides as described herein, ratio of MuSK transcripts including exons 3 and 4 (i.e., total MuSK transcripts) to MuSK transcripts in a cell or system including exons 6 and 7 is between about 1:0.9 and 1:0.8, 1:08 and 1:0.7, 1:0.7 and 1:0.6, 1:0.6 and 1:0.5, 1:0.5 and 1:0.4, 1:0.4 and 1:0.3, 1:0.3 and 1:0.2, 1:0.2 and 1:0.1, 1:0.1 and 1:0.05, 1:0.05 and 1:0.01, 1:0.01 and 1:0.001, or 1:0.001 and 1:0001. In some embodiments, after contact with one or more exon-skipping oligonucleotides as described herein, ratio of MuSK transcripts including exons 3 and 4 (i.e., total MuSK transcripts) to MuSK transcripts in a cell or system including exons 6 and 7 is between about 1:0.9 and 1:0.5.

[0032] In some embodiments, the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases at a level at least 2 fold greater than the decrease observed for the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both.

[0033] In some embodiments, the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases at a level at least 3 fold greater than the decrease observed for the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both. In some embodiments, the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases at a level at least 4 fold greater than the decrease observed for the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both.

[0034] In some embodiments, the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases at a level at least 5 fold greater than the decrease observed for the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both. In some embodiments, the level of MuSK transcripts including

exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases at a level at least 10 fold greater than the decrease observed for the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both.

[0035] In some embodiments, the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 60% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 40%.

[0036] In some embodiments, the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 70% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 40%.

[0037] In some embodiments, the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 80% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 40%.

[0038] In some embodiments, the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 90% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 40%.

[0039] In some embodiments, the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 60% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 30%.

[0040] In some embodiments, the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 60% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 20%. In some embodiments, the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 60% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 10%. In some embodiments, the base sequence of the oligonucleotide comprises a sequence having no more than 5 mismatches from a 18-25 base long portion of the MuSK gene or its complement.

[0041] In some embodiments, the oligonucleotides correspond to positions 83776-83800 and on 83854-83878 of the MuSK gene sequence represented in SEQ ID NO: 77.

[0042] In some embodiments, the oligonucleotides described herein target a region on the MuSK genomic sequence within a region defined by nucleotides 83841-83905 and 83962-84032 on the MuSK gene sequence represented in SEQ ID NO: 77.

[0043] In some embodiments, oligonucleotides target a region on the MuSK genomic sequence within or comprising at least a portion of sequence ACTCTGTCAGGTTTCTTCTGGGTCCATT-CAAGAGAGTGTGAAAGACCGAGTGATT GACTCAA-GAC (region 1, SEQ ID: 126). In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is at least 10%, 15%, 20%, 25%, 30%, 35%, 40%, 45%, or 50% identical to region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to at least 10, 15, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to no more than 30 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MUSK transcript comprising a sequence that is identical to at least 15 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 15-30 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MUSK transcript comprising a sequence that is identical to 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 15 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 16 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 17 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 18 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 19 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 20 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 21 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 22 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 23 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 24 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 25 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 26

consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 27 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 28 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 29 consecutive bases of region 1, SEQ ID: 126. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 30 consecutive bases of region 1, SEQ ID: 126.

[0044] In some embodiments, oligonucleotides target a region on the MuSK genomic sequence within or comprising at least a portion of sequence GGGGAGAAGTTCAGTACTGCCAAGGCTGCAGCCACCATCAGCATAGCAGGTAGG ATGCCCCTTCACATTTG (region 2, SEQ ID 211). In some embodiments, oligonucleotides target a portion of MUSK transcript comprising a sequence that is at least 10%, 15%, 20%, 25%, 30%, 35%, 40%, 45%, or 50% identical to region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MUSK transcript comprising a sequence that is identical to at least 10, 15, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MUSK transcript comprising a sequence that is identical to no more than 30 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MUSK transcript comprising a sequence that is identical to at least 15 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MUSK transcript comprising a sequence that is identical to 15-30 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MUSK transcript comprising a sequence that is identical to 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 15 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 16 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 17 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 18 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 19 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 20 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 21 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 22 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 23 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 24 consecutive bases of region 2. SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 25 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 26 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 27 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 28 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 29 consecutive bases of region 2, SEQ ID: 211. In some embodiments, oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 30 consecutive bases of region 2, SEQ ID: 211.

[0045] In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to a sequence within or comprising at least a portion of ACTCTGTCAGGTTTCTTCTGGGTCCATTCAAGAGAGTGTGAAAGACCGAGTGATT GACTCAAGAC (region 1, SEQ ID: 126). In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to a sequence that is at least 10%, 15%, 20%, 25%, 30%, 35%, 40%, 45%, or 50% identical to region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 95% identical to a portion of region 1 (SEQ ID: 126) that includes at least 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 10 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 11 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 12 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 13 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 14 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 15 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that

is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 16 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 17 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 18 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 19 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 20 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 21 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 22 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 23 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 24 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 25 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 26 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 27 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 28 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 29 consecutive bases of region 1 (SEQ ID: 126). In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of region 1 (SEQ ID: 126) that includes at least 30 consecutive bases of region 1 (SEQ ID: 126).

[0046] In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 10, 15, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to no more than 30 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 15-30 consecutive bases of region 1, SEQ ID: 126.

[0047] In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 15 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 16 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 17 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 18 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 19 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 20 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 21 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 22 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 23 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 24 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 25 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 26 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 27 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 28 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 29 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 30 consecutive bases of region 1, SEQ ID: 126.

[0048] In some embodiments, an oligonucleotide has a length of 30 bases. In some embodiments, an oligonucleotide has a length of 29 bases. In some embodiments, an oligonucleotide has a length of 28 bases. In some embodiments, an oligonucleotide has a length of 27 bases. In some embodiments, an oligonucleotide has a length of 26 bases. In some embodiments, the oligonucleotide has a length of 25 bases. In some embodiments, the oligonucleotide has a length of 24 bases. In some embodiments, the oligonucleotide has a length of 23 bases. In some embodiments, the oligonucleotide has a length of 22 bases. In some embodiments, the oligonucleotide has a length of 21 bases. In some embodiments, the oligonucleotide has a length of 20 bases. In some embodiments, the oligonucleotide has a length of 19 bases. In some embodiments, the oligonucleotide has a length of 18 bases. In some embodiments, the oligonucleotide has a length of 17 bases. In some embodiments, the oligonucleotide has a length of 16 bases. In some embodiments, the oligonucleotide has a length of 15 bases.

[0049] In some embodiments, the oligonucleotide has a length of less than about 50 bases. In some embodiments, the oligonucleotide has a length of less than about 40 bases. In some embodiments, the oligonucleotide has a length of less than about 30 bases. In some embodiments, the oligonucleotide has a length of more than about 10 bases. In some embodiments, the oligonucleotide has a length of more than about 15 bases. In some embodiments, the oligonucleotide has a length of more than about 20 bases. In some embodiments, the base sequence of the oligonucleotide comprises from 5' to 3":

SEQ ID	Oligo ID	5' to 3' Sequence
1	Bld1	GCTAGGGTGGTCTTTTAGAAATGCA
2	Bld2	GGTCAAGCTAGGGTGGTCTTTTAGA
3	Bld3	CTGCAGGAAATGGTCAAGCTAGGGT
4	Bld4	GAAGTGGTGAGTGACGCTCCTGCAG
5	Bld5	GTTAGGAAGACAGAAGTGGTGAGTG
6	Bld6	ATCCTGGCAAAAACTGTTAGGAAGA
7	Bld7	GTGGGATTCAGGAGCCCGCAGGATC
8	Bld8	GGTGACATTGTGGGATTCAGGAGCC
9	Bld9	GGAGCCAAAGGTGACATTGTGGGAT
10	Bld10	GGTCACAAAGGAGCCAAAGGTGACA
11	Bld11	ACAGTGCAGGGTCACAAAGGAGCCA
12	Bld12	CTGTTGCTGTACAGTGCAGGGTCAC
13	Bld13	GGGACAGGAATGCCTGTTGCTGTAC
14	Bld14	CAGGTGATGGTGGGGACAGGAATGC
15	Bld15	CCGTTTTCAATCCAGGTGATGGTGG
16	Bld16	TGACACTCACAGCATTTCCGTTTTC
17	Bld17	AAGTCCCCACACACATGACACTCAC
18	Bld18	GGTCTTCCCCAGACAAGTCCCCACA
19	Bld19	ACTATGTCAGTAGATTTGAAGGGAA
20	Bld20	TCCCACTATACTATGTCAGTAGATT
21	Bld21	TCAGTCAAGGATTTCCCACTATACT
22	Bld22	AAAAGAACTCAGTCAAGGATTTCCC
23	Bld23	GTAAAGGAAAATAAAAGAACTCAGT
24	Bld24	AACCTGACAGAGTAAAGGAAAATAA
25	Bld25	GGACCCAGAAGAAACCTGACAGAGT
26	Bld26	CACTCTCTTGAATGGACCCAGAAGA
27	Bld27	CACTCGGTCTTTCACACTCTCTTGA
28	Bld28	GTCTTGAGTCAATCACTCGGTCTTT
29	Bld29	GATAAACAGCTGCAGTCTTGAGTCA
30	Bld30	AGTCCTGGCTTGGTGATAAACAGCT
31	Bld31	ATGTGTAGAGTCCTGGCTTGGTGAT

-continued

SEQ ID	Oligo ID	5' to 3' Sequence
32	Bld32	GTAGCTATGCATGTGTAGAGTCCTG
33	Bld33	TGCTTATTGGTAGCTATGCATGTGT
34	Bld34	ACTTCTCCCCATGCTTATTGGTAGC
35	Bld35	CCTTGGCAGTACTGAACTTCTCCCC
36	Bld36	CCTGCTATGCTGATGGTGGCTGCAG
37	Bld37	GGGCATCCTACCTGCTATGCTGATG
38	Bld38	GCAAATGTGAAGGGGCATCCTACCT
127	Bld51	TTGAATGGACCCAGAAGAAA
128	Bld52	CTTGAATGGACCCAGAAGAA
129	Bld53	TCTTGAATGGACCCAGAAGA
130	Bld54	CTCTTGAATGGACCCAGAAG
131	Bld55	TCTCTTGAATGGACCCAGAA
132	Bld56	CTCTCTTGAATGGACCCAGA
133	Bld57	ACTCTCTTGAATGGACCCAG
134	Bld58	CACTCTCTTGAATGGACCCA
135	Bld59	ACACTCTCTTGAATGGACCC
136	Bld60	CACACTCTCTTGAATGGACC
137	Bld61	TCACACTCTCTTGAATGGAC
138	Bld62	TTCACACTCTCTTGAATGGA
139	Bld63	TTTCACACTCTCTTGAATGG
140	Bld64	CTTTCACACTCTCTTGAATG
141	Bld65	TCTTTCACACTCTCTTGAAT
142	Bld66	GTCTTTCACACTCTCTTGAA
159	Bld25-1	CCAGAAGAAACCTGACAGAGTAAAG
160	Bld25-2	ACCCAGAAGAAACCTGACAGAGTAA
161	Bld25-3	ATGGACCCAGAAGAAACCTGACAGA
162	Bld25-4	GAATGGACCCAGAAGAAACCTGACA
163	Bld25-5	CTTGAATGGACCCAGAAGAAACCTG
164	Bld26-1	CTCTTGAATGGACCCAGAAGAAACC
165	Bld26-2	CTCTCTTGAATGGACCCAGAAGAAA
166	Bld26-3	CACACTCTCTTGAATGGACCCAGAA
167	Bld26-4	TTCACACTCTCTTGAATGGACCCAG
177	Bld25-A	ACCCAGAAGAAACCTGACAGAGT
178	Bld25-B	CCAGAAGAAACCTGACAGAGT
179	Bld25-C	GGACCCAGAAGAAACCTGACAGA
180	Bld25-D	ACCCAGAAGAAACCTGACAGA
181	Bld25-E	GGACCCAGAAGAAACCTGACA

-continued

SEQ ID	Oligo ID	5' to 3' Sequence
182	Bld25-5-A	GAATGGACCCAGAAGAAACCTGA
183	Bld25-5-B	ATGGACCCAGAAGAAACCTGA
184	Bld25-5-C	TTGAATGGACCCAGAAGAAACCT
185	Bld25-5-D	GAATGGACCCAGAAGAAACCT
186	Bld25-5-E	TTGAATGGACCCAGAAGAAAC
187	Bld26-2-A	CTCTTGAATGGACCCAGAAGAAA
188	Bld26-2-B	CTTGAATGGACCCAGAAGAAA
189	Bld26-2-C	CTCTCTTGAATGGACCCAGAAGA
190	Bld26-2-D	CTCTCTTGAATGGACCCAGAA
191	Bld26-B	CTCTTGAATGGACCCAGAAGA
192	Bld26-C	CACTCTCTTGAATGGACCCAGAA, or
193	Bld26-D	CACTCTCTTGAATGGACCCAG

[0050] In some embodiments, the oligonucleotide is complementary to a nucleotide sequence that is at least 90% identical to any one of SEQ ID NOs: 39-76 and 212-253.

[0051] In some embodiments, the oligonucleotides comprise one or more types of base modifications, sugar modification, and internucleotidic linkage modifications. In some embodiments, the oligonucleotides comprise non-natural sugar moieties, or non-natural internucleotidic linkages, or both.

[0052] In some embodiments, the oligonucleotides comprise internucleotidic linkage modifications. In some embodiments, the internucleotidic linkages of the oligonucleotide comprises natural phosphate, phosphorothioate, or phosphodithioate linkages. In some embodiments, each internucleotidic linkages of the oligonucleotide is a phosphorothioate linkage. In some embodiments, each internucleotidic linkage of the oligonucleotide is a natural phosphate linkage. In some embodiments, oligonucleotide comprises at least one natural phosphate linkage and at least one phosphodithioate linkage. In some embodiments, at least 50%, 60%, 70%, 80%, 90%, 94%, or 95% of internucleotidic linkages of an oligonucleotide are phosphodithioate linkages. In some embodiments, at least 50%, 60%, 70%, 80%, 90%, 94%, or 95% of internucleotidic linkages of an oligonucleotide are natural phosphate linkages.

[0053] In some embodiments, the oligonucleotides comprise sugar modification. In some embodiments, the modified sugar moiety has a 2'-modification. In some embodiments, the modified sugar moiety comprises a bicyclic sugar modification. In some embodiments, the modified sugar moiety comprises a 2'-modification, wherein a 2'-modification is 2'-OR^1, wherein R^1 is optionally substituted C_{1-6} alkyl. In some embodiments, the modified sugar moiety comprises a 2'-modification, wherein a 2'-modification is 2'-MOE. In some embodiments, the modified sugar moiety comprises a 2'-modification, wherein a 2'-modification is 2'-OMe. In some embodiments, each sugar of the oligonucleotide is a 2'-MOE modified sugar. In some embodiments, an oligonucleotide comprises 2'-OH sugar (RNA sugar). In some embodiments, an oligonucleotide comprise 2'-H sugar (DNA sugar). In some embodiments, an oligonucleotide comprises 2'-MOE sugar. In some embodiments, an oligonucleotide comprises 2'-OMe sugar. In some embodiments, an oligonucleotide comprises 2'-MOE, 2'-OMe, 2'-OH, 2'-H sugar, or any combination thereof. In some embodiments, an oligonucleotide comprises at least one 2'-MOE sugar and at least one 2'-OH sugar (RNA sugar). In some embodiments, an oligonucleotide comprises at least one 2'-MOE sugar and at least one 2'-H sugar (DNA sugar).

[0054] In some embodiments, the oligonucleotide has the structure from 5' to 3' of:

SEQ-ID	Oligo ID	Oligonucleotide structure, 5' to 3'
78	Bld1	G*C*T *A*G*G *G*T*G *G*T*C *T*T*T *T*A*G *A*A*A *T*G*C *A
79	Bld2	G*G*T *C*A*A *G*C*T *A*G*G *G*T*G *G*T*C *T*T*T *T*A*G *A
80	Bld3	C*T*G *C*A*G *G*A*A *A*T*G *G*T*C *A*A*G *C*T*A *G*G*G *T
81	Bld4	G*A*A *G*T*G *G*T*G *A*G*T *G*A*C *G*C*T *C*C*T *G*C*A *G
82	Bld5	G*T*T *A*G*G *A*A*G *A*C*A *G*A*A *G*T*G *G*T*G *A*G*T *G
83	Bld6	A*T*C *C*T*G *G*C*A *A*A*A *A*C*T *G*T*T *A*G*G *A*A*G *A
84	Bld7	G*T*G *G*G*A *T*T*C *A*G*G *A*G*C *C*C*G *C*A*G *G*A*T *C
85	Bld8	G*G*T *G*A*C *A*T*T *G*T*G *G*G*A *T*T*C *A*G*G *A*G*C *C
86	Bld9	G*G*A *G*C*C *A*A*A *G*G*T *G*A*C *A*T*T *G*T*G *G*G*A *T
87	Bld10	G*G*T *C*A*C *A*A*A *G*G*A *G*C*C *A*A*A *G*G*T *G*A*C *A
88	Bld11	A*C*A *G*T*G *C*A*G *G*G*T *C*A*C *A*A*A *G*G*A *G*C*C *A
89	Bld12	C*T*G *T*T*G *C*T*G *T*A*C *A*G*T *G*C*A *G*G*G *T*C*A *C
90	Bld13	G*G*G *A*C*A *G*G*A *A*T*G *C*C*T *G*T*T *G*C*T *G*T*A *C

-continued

SEQ-ID	Oligo ID	Oligonucleotide structure, 5' to 3'
91	Bld14	C*A*G *G*T*G *A*T*G *G*T*G *G*G*G *A*C*A *G*G*A *A*T*G *C
92	Bld15	C*C*G *T*T*T *T*C*A *A*T*C *C*A*G *G*T*G *A*T*G *G*T*G *G
93	Bld16	T*G*A *C*A*C *T*C*A *C*A*G *C*A*T *T*T*C *C*G*T *T*T*T *C
94	Bld17	A*A*G *T*C*C *C*C*A *C*A*C *A*C*A *T*G*A *C*A*C *T*C*A *C
95	Bld18	G*G*T *C*T*T *C*C*C *C*A*G *A*C*A *A*G*T *C*C*C *C*A*C *A
96	Bld19	A*C*T *A*T*G *T*C*A *G*T*A *G*A*T *T*T*G *A*A*G *G*G*A *A
97	Bld20	T*C*C *C*A*C *T*A*T *A*C*T *A*T*G *T*C*A *G*T*A *G*A*T *T
98	Bld21	T*C*A *G*T*C *A*A*G *G*A*T *T*T*C *C*C*A *C*T*A *T*A*C *T
99	Bld22	A*A*A *A*G*A *A*C*T *C*A*G *T*C*A *A*G*G *A*T*T *T*C*C *C
100	Bld23	G*T*A *A*A*G *G*A*A *A*A*T *A*A*A *A*G*A *A*C*T *C*A*G *T
101	Bld24	A*A*C *C*T*G *A*C*A *G*A*G *T*A*A *A*G*G *A*A*A *A*T*A *A
102	Bld25	G*G*A *C*C*C *A*G*A *A*G*A *A*A*C *C*T*G *A*C*A *G*A*G *T
103	Bld26	C*A*C *T*C*T *C*T*T *G*A*A *T*G*G *A*C*C *C*A*G *A*A*G *A
104	Bld27	C*A*C *T*C*G *G*T*C *T*T*T *C*A*C *A*C*T *C*T*C *T*T*G *A
105	Bld28	G*T*C *T*T*G *A*G*T *C*A*A *T*C*A *C*T*C *G*G*T *C*T*T *T
106	Bld29	G*A*T *A*A*A *C*A*G *C*T*G *C*A*G *T*C*T *T*G*A *G*T*C *A
107	Bld30	A*G*T *C*C*T *G*G*C *T*T*G *G*T*G *A*T*A *A*A*C *A*G*C *T
108	Bld31	A*T*G *T*G*T *A*G*A *G*T*C *C*T*G *G*C*T *T*G*G *T*G*A *T
109	Bld32	G*T*A *G*C*T *A*T*G *C*A*T *G*T*G *T*A*G *A*G*T *C*C*T *G
110	Bld33	T*G*C *T*T*A *T*T*G *G*T*A *G*C*T *A*T*G *C*A*T *G*T*G *T
111	Bld34	A*C*T *T*C*T *C*C*C *C*A*T *G*C*T *T*A*T *T*G*G *T*A*G *C
112	Bld35	C*C*T *T*G*G *C*A*G *T*A*C *T*G*A *A*C*T *T*C*T *C*C*C *C
113	Bld36	C*C*T *G*C*T *A*T*G *C*T*G *A*T*G *G*T*G *G*C*T *G*C*A *G
114	Bld37	G*G*G *C*A*T *C*C*T *A*C*C *T*G*C *T*A*T *G*C*T *G*A*T *G
115	Bld38	G*C*A *A*A*T *G*T*G *A*A*G *G*G*G *C*A*T *C*C*T *A*C*C *T
143	Bld51	T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A
144	Bld52	C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A
145	Bld53	T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A
146	Bld54	C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G
147	Bld55	T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A
148	Bld56	C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A
149	Bld57	A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G
150	Bld58	C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A
151	Bld59	A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C
152	Bld60	C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C
153	Bld61	T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C
154	Bld62	T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A

-continued

SEQ-ID	Oligo ID	Oligonucleotide structure, 5' to 3'
155	Bld63	T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G
156	Bld64	C*T*T* *C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G
157	Bld65	T*C*T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T
158	Bld66	G*T*C*T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A
168	Bld25-1	C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T*A*A*A*G*
169	Bld25-2	A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T*A*A*
170	Bld25-3	A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*
171	Bld25-4	G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*
172	Bld25-5	C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*
173	Bld26-1	C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*
174	Bld26-2	C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*
175	Bld26-3	C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*
176	Bld26-4	T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*
194	Bld25-A	A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T
195	Bld25-B	C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T
196	Bld25-C	G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A
197	Bld25-D	A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A
198	Bld25-E	G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A
199	Bld25-5-A	G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A
200	Bld25-5-B	A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A
201	Bld25-5-C	T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T
202	Bld25-5-D	G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T
203	Bld25-5-E	T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C
204	Bld26-2-A	C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A
205	Bld26-2-B	C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A
206	Bld26-2-C	C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A
207	Bld26-2-D	C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A
208	Bld26-B	C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A
209	Bld26-C	C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A, or
210	Bld26-D	C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G.

wherein * represents a phosphorothioate linkage, and each sugar of the oligonucleotides is a 2'-MOE modified sugar.

[0055] In some embodiments, an oligonucleotide composition comprising a mixture of two or more oligonucleotides according to any one of the embodiments.

[0056] In some embodiments, the composition comprises oligonucleotides that targets regions of the MuSK gene that correspond to positions 83776-83800 and on 83854-83878 of SEQ ID NO: 77.

[0057] In some embodiments, a pharmaceutical composition comprises a therapeutically effective amount of an oligonucleotide, and at least one pharmaceutically acceptable inactive ingredient selected from pharmaceutically acceptable diluents, pharmaceutically acceptable excipients, and pharmaceutically acceptable carriers, wherein the oligonucleotide is an oligonucleotide of any one of the embodiments.

[0058] In some embodiments, the oligonucleotides are formulated a nanocarrier. In some embodiments, the oligo-

nucleotides are formulated in lipid nano-particles (LNPs). In some embodiments, the oligonucleotides are covalently conjugated to an additional moiety selected from lipids (for example, cholesterol), peptides, aptamers, antibodies, and sugars (for example, N-acetylgalactosamine (GalNAc). In some embodiments, the oligonucleotides are covalently conjugated to N-acetylgalactosamine (GalNAc).

[0059] In another aspect, the disclosure features, a method of altering relative amounts of MuSK spliced transcripts, the method comprising a step of administering to a subject a pharmaceutical composition that comprises or delivers a composition of any one of previous embodiments.

[0060] In some embodiments, the disclosure features the alteration of MuSK spliced transcripts being characterized in that, the ratio of MuSK transcripts containing Ig3 domain-encoding sequences to MuSK transcription containing no Ig3 domain-encoding sequences is increased. In some embodiments, the alteration of MuSK spliced transcripts being characterized in that, the ratio of MuSK transcripts containing Ig3 domain-encoding sequences to MuSK transcription containing no Ig3 domain-encoding sequences decreases. In some embodiments, the alteration of MuSK spliced transcripts being characterized in that, MuSK transcripts containing Ig3 domain-encoding sequences decreases and level of total MuSK transcripts remains substantially the same.

[0061] In some embodiments, the alteration of MuSK spliced transcripts is characterized in that, the level of MuSK transcripts including exons 6 and 7 decreases or level of MuSK protein forms including sequences encoded by exons 6 and 7 decreases, or both.

[0062] In some embodiments, the alteration of MuSK spliced transcripts being characterized in that, level of MuSK transcripts including exons 6 and 7 is increased or level of MuSK protein forms including sequences encoded by exons 6 and 7 is increased, or both. In some embodiments, the alteration of MuSK spliced transcripts is characterized in that, the level of MuSK transcripts including exons 3 and 4 decreases or level of MuSK protein forms including sequences encoded by exons 3 and 4 decreases, or both. In some embodiments, the alteration of MuSK spliced transcripts is characterized in that, the level of MuSK transcripts including exons 3 and 4 is increased or level of MuSK protein forms including sequences encoded by exons 3 and 4 is increased, or both.

[0063] In some embodiments, the alteration of MuSK spliced transcripts being characterized in that, the level of MuSK transcripts including exons 3 and 4 remains substantially the same, or level of MuSK protein forms including sequences encoded by exons 3 and 4 remains substantially the same, or both. In some embodiments, the alteration of MuSK spliced transcripts is characterized that, the level of MuSK transcripts including exons 3 and 4 remains substantially the same, or level of MuSK protein forms including sequences encoded by exons 3 and 4 remains substantially the same, or both; and level of MuSK transcripts including exons 6 and 7 decreases or level of MuSK protein forms including sequences encoded by exons 6 and 7 decreases, or both.

[0064] In another aspect, the disclosure features, a method of treating a subject suffering from one or more features of neurodegenerative diseases, the method comprising a step of administering to a subject a pharmaceutical composition that comprises or delivers a composition of any one of the previous embodiments.

[0065] In another aspect, the disclosure features, a method of increasing neurogenesis, the method comprising a step of administering to a subject a pharmaceutical composition that comprises or delivers a composition of any one of the previous embodiments.

[0066] In another aspect, the disclosure features, a method of treating a subject suffering from one or more features of neuromuscular dysfunction or a muscular dystrophy, the method comprising a step of administering to a subject a pharmaceutical composition that comprises or delivers a composition of any one of the previous embodiments.

[0067] In another aspect, the disclosure features, a method of increasing muscle regeneration and/or muscle growth, the method comprising a step of administering to a subject a pharmaceutical composition that comprises or delivers a composition of any one of the previous embodiments.

[0068] In another aspect, the disclosure features, a method of treating muscle fibrosis, the method comprising a step of administering to a subject a pharmaceutical composition that comprises or delivers a composition of any one of the previous embodiments.

[0069] In some embodiments, the subject is at risk of, or afflicted with, a disease or disorder selected from the group consisting of: neuromuscular dysfunction, neurodegenerative disorder, cardiac disorder, and diseases characterized by muscle wasting. In some embodiments, the neurodegenerative disorder is selected from the group consisting of Alzheimer's Disease (AD), Parkinson's disease, dementia (e.g., Frontotemporal dementia), stroke, Major Depressive Disorder (MDD), bipolar disorder, Schizophrenia, Post-Traumatic Stress Disorder (PTSD), substance-related and addictive disorders (e.g., chronic cocaine use and lifelong cigarette smoking), Temporal-Lobe Epilepsy, Hippocampal Sclerosis, Niemann Pick Type C, Diabetes-mediated hippocampal neuronal loss, brain injury (e.g., traumatic and/or anoxic brain injury), and Huntington's disease. In some embodiments, the neurodegenerative disease is Alzheimer's Disease (AD).

[0070] In some embodiments, the neuromuscular dysfunction is a muscular dystrophy selected from the group consisting of: Becker, Congenital, Distal, Duchenne, Emery-Dreifuss, Facioscapulohumeral, Limb-girdle, Myotonic, and Oculo-pharyngeal muscular dystrophy. In another aspect, the disclosure features,

[0071] In some embodiments, the cardiac disorder is myocardial infarction or cardiomyopathy. In some embodiments, the subject is in need of enhanced muscle regeneration and/or growth following a condition selected from the group consisting of: surgery, trauma and prolonged immobilization. In some embodiments, the prolonged immobilization results from bed-rest or casting. In some embodiments, the subject is at risk of, or afflicted with, sarcopenia. In some embodiments, the subject is at risk of, or afflicted with, muscle fibrosis resulting from a disease or condition selected from the group consisting of: trauma, heritable disease, muscle disorder, and aging. In some embodiments, the trauma is the result of a condition selected from the group consisting of: radiation treatment, crush injury, laceration, and amputation.

[0072] In some embodiments, the heritable disease or muscle disorder selected from the group consisting of:

Congenital Muscular Dystrophy, Duchenne Muscular Dystrophy, Becker's Muscular Dystrophy: Amyotrophic Lateral Sclerosis (ALS), and age-associate sarcopenia.

[0073] In some embodiments, the composition is delivered to the CNS. In some embodiments, the composition is delivered to the cerebrospinal fluid. In some embodiments, the composition is delivered to the muscle. In some embodiments, the composition is delivered to the liver. In some embodiments, the composition can be formulated for systemic or localized administration. In some embodiments, the composition is formulated for delivery by a route selected from intravenous injection, intravenous infusion, intramuscular injection, intrathecal administration, oral administration, buccal administration, inhalation, nasal administration, topical administration, ophthalmic administration or otic administration.

[0074] In some embodiments, the composition is formulated for delivery by intramuscular administration. In some embodiments, the composition is formulated for delivery by intravenous administration. In some embodiments, the composition is formulated for delivery by oral administration.

BRIEF DESCRIPTION OF THE DRAWING

[0075] For the purpose of illustration, certain embodiments of the present invention are shown in the drawings described below. Like numerals in the drawings indicate like elements throughout. It should be understood, however, that the invention is not limited to the precise arrangements, dimensions, and instruments shown. In the drawings:

[0076] FIG. **1** is a schematic representation of an interaction between BMP and Ig3 domain of MuSK and its implications in BMP signaling and neurogenesis and cognition.

[0077] FIG. **2** is a schematic representation of the full-length and MuSKΔIg3 transcripts and encoded proteins and exemplary primer design to selectively detect total MuSK and full-length MuSK transcripts.

[0078] FIG. **3** shows relative MuSK expression measured by qPCR using Taqman or SYBR green technology in LHCN-M2 cells.

[0079] FIG. **4** is a schematic representation of "region 1" and "region 2" of exon 7 of MuSK transcript.

[0080] FIG. **5** shows an alignment of the ASOs Bld1-Bld18 on the genetic sequence of MuSK.

[0081] FIG. **6** shows microscopic acquisitions of LHCN-M2 24 h after being transfected with the ASOs Bld1-Bld4, Bld6, Bld7, Bld9, Bld11, Bld12, Bld13, Bld14, Bld15, Bld16, Bld17, and untreated control at 100 nM (scale 100 nm).

[0082] FIG. **7** shows relative MuSK expression measured by qPCR of LHCN-M2 cells transfected with ASOs Bld1-Bld18 at 50 and 100 nM. Panel A shows total MuSK expression (i.e., of MuSK34, a primer spanning exon/exon junction 3-4) and Panel B shows expression of MuSK exons 6-7 (i.e., using MuSK67, a primer spanning exon/exon junction 6-7). All samples are normalized to the housekeeping genes GAPDH and YWHAZ and to controls.

[0083] FIG. **8** shows alignment of the ASOs Bld1-Bld18 on the genetic sequence of MuSK and their effect on MuSK expression. Green: no effect or increase in MuSK expression (MuSK expression comprised between 90 and 300% of the untreated condition). Orange: moderate decrease in MuSK expression (MuSK expression comprised between 40 and 70% of the untreated condition). Red: high decrease in MuSK expression (MuSK expression below 40% of the untreated condition). Red areas indicate regions important for the expression of MuSK where ASOs induced a decrease of MuSK67>80%.

[0084] FIG. **9** shows an alignment of the ASOs Bld19-Bld38 on the genetic sequence of MuSK.

[0085] FIG. **10** shows microscopic acquisitions of LHCN-M2 24 h after being transfected with the ASOs Bld 19-22, Bld29-34, and untreated control at 100 nM (scale 100 nm).

[0086] FIG. **11** shows relative MuSK expression measured by qPCR of LHCN-M2 cells transfected with ASOs (control, Bld19-Bld28) at 50 and 100 nM. Panel A shows MuSK34 expression and panel B shows MuSK67 expression. All samples are normalized to the housekeeping genes GAPDH and YWHAZ and to controls.

[0087] FIG. **12** shows the alignment of the ASOs Bld19-Bld38 on the genetic sequences and their effect on MuSK expression. Green: no effect or increase in MuSK expression (MuSK expression comprised between 90 and 300% of the untreated condition). Orange: moderate decrease in MuSK expression (MuSK expression comprised between 40 and 70% of the untreated condition). Red: high decrease in MuSK expression (MuSK expression below 40% of the untreated condition). Red areas indicate regions important for the expression of MuSK where ASOs induced a decrease of MuSK67>80%. Purple areas indicate regions that can be targeted to selectively inhibit MuSK67 expression (with lower effect on other exons).

[0088] FIG. **13** shows relative MuSK expression in response to various doses of ASOs (Bld25 (panel A), Bld26 (panel B), Bld27 (panel C), Bld28 (panel D), Bld35 (panel E), Bld38 (panel F)). MuSK34 (in blue) and MuSK67 (in red) expressions were measured by qPCR and normalized to housekeeping genes and to the controls. The estimated IC is indicated on each graph. The 5 tested doses were 2.5, 5, 25, 125, and 400 nM.

[0089] FIG. **14** shows relative MuSK expression in response to various doses of ASOs (Bld25 (panel A), Bld26 (panel B)). MuSK34 (in blue) and MuSK67 (in red) expressions were measured by qPCR and normalized to housekeeping genes and to the controls. The 4 tested doses were 5, 7.5, 12.5 and 25 nM.

[0090] FIG. **15** shows relative MuSK expression in response to combination of ASOs Bld25 and Bld26 at 12.5 nM final concentration compared to an untreated control. MuSK34 (in blue) and MuSK67 (in red) expressions were measured by qPCR and normalized to housekeeping genes and to controls.

[0091] FIG. **16** shows migration of PCR products from exon 3 to exon 9 on gel electrophoresis. cDNA of ASO-treated cells (Bld25, i.e., "hu7-10 or Bld26, i.e., "hu73") was amplified by PCR and deposited on gel electrophoresis to be migrated (panel A). Predicted products are presented in panel B and panel B'.

[0092] FIG. **17** shows an alignment of sequences of various target portion of "region 1". ASOs Bld25, Bld26, and Bld51-Bld66 target various portions of "region 1."

[0093] FIG. **18** shows the relative change of gene expression of total MuSK (MuSK34) and MuSK containing Ig3 domain (MuSK67) for ASOs Bld51-Bld66 at a concentration of 12.5 nM (Panel A) and at a concentration of 100 nM (Panel B).

[0094] FIG. **19** shows an alignment of ASOs Bld25-1, Bld25-2, Bld25, Bld25-3, Bld25-4, BLd25-5, Bld26-1,

Bld26-2, Bld26, Bld26-3, Bld26-4, Bld27, Bld28, Bld35, Bld 38 on various target portions of "region 1" and "region 2" of exon 7 of human MuSK.

[0095] FIG. **20** shows MuSK gene expression analyzed in qPCR. Panel A shows relative gene expression of MuSKIg3 (MuSK67) and Panel B shows relative gene expression of total MuSK (MuSK34).

[0096] FIG. **21** shows MuSK gene expression from only the ASOs which showed relative expression of MuSK67 of less than 50% and total MuSK (MuSK34) of greater than 60% compared to the control. Panel A shows relative gene expression of MuSKIg3 (MuSK67) and Panel B shows relative gene expression of total MuSK (MuSK34).

[0097] FIG. **22** shows a comparison of Bld25-5 to Bld25 after transfection with ASO for 24 hours (Panels A and B) and 48 hours (Panels C and D).

[0098] FIG. **23** shows an alignment of ASOs Bld25, Bld25-A, Bld25-B, Bld25-C, Bld25-D, Bld25-E, Bld25-5, Bld25-5-A, Bld25-5-B, Bld25-5-C, Bld25-5-D, Bld25-5-E, Bld26-2, Bld26-2-A, Bld26-2-B, Bld26-2-C, Bld26-2-D, Bld26, Bld26-B, Bld26-C, Bld26-D, on various target portions of "region 1" of exon 7 of human MuSK.

[0099] FIG. **24** shows relative gene expression (MuSK34 and MuSK67) for ASOs Bld25-A, Bld25-B, Bld25-C, Bld25-D, and Bld25-E.

[0100] FIG. **25** shows relative gene expression (MuSK34 and MuSK67) for ASOs Bld25-5-A, Bld25-5-B, Bld25-5-C, Bld25-5-D, and Bld25-5-E.

[0101] FIG. **26** shows a graphical representation of the 3 variants of MuSK RNA. Full length and ΔIg3 indicate the lengths of the full-length sequence and the sequence comprising a deletion of exon 6, 7, respectively, amplified by PCR from exon 3 to exon 9.

[0102] FIG. **27** shows the gel migration of pcr products from cells treated with Bld25 and Bld25-5 and intensity of bands from Bld25 and Bld25-5 products.

[0103] FIG. **28** shows that the sequence of the band lower band positioned, where Δ6,7 variant 1 (687 bases) was expected, was indeed the sequence of this splice variant.

[0104] FIG. **29** shows images of HCN-M2 cells being treated for 48 h with 10 nM of siRNA against MuSK and were then stained for MuSK protein on days 2, 3, 4, and 5 following siRNA treatment.

DEFINITIONS

[0105] For convenience, the meaning of some terms and phrases used in the specification, examples, and appended claims, are provided below. Unless stated otherwise, or implicit from context, the following terms and phrases include the meanings provided below.

[0106] These definitions are provided to aid in describing particular embodiments, and are not intended to limit the claimed invention, because the scope of the invention is limited only by the claims.

[0107] Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. If there is an apparent discrepancy between the usage of a term in the art and its definition provided herein, the definition provided within the specification shall prevail.

[0108] About or Approximately: The term "about" or "approximately", when used herein in reference to a value, refers to a value that is similar, in context to the referenced value. In general, those skilled in the art, familiar with the context, will appreciate the relevant degree of variance encompassed by "about" in that context. For example, in some embodiments, the term "about" may encompass a range of values that within 25%, 20%, 19%, 18%, 17%, 16%, 15%, 14%, 13%, 12%, 11%, 10%, 9%, 8%, 7%, 6%, 5%, 4%, 3%, 2%, 1%, or less of the referred value.

[0109] Administration: As used herein, the term "administration" typically refers to the administration of a composition to a subject or system, for example to achieve delivery of an agent (e.g., an agonizing agent) that is, or is included in or otherwise delivered by, the composition. Those of ordinary skill in the art will be aware of a variety of routes that may, in appropriate circumstances, be utilized for administration to a subject, for example a human. For example, in some embodiments, administration may be ocular, oral, buccal, dermal (which may be or comprise, for example, one or more of topical to the dermis, intradermal, interdermal, transdermal, etc), enteral, intra-arterial, intradermal, intragastric, intramedullary, intramuscular, intranasal, intraperitoneal, intrathecal, intravenous, intraventricular, within a specific organ (e.g., intrahepatic), mucosal, nasal, oral, rectal, subcutaneous, sublingual, topical, tracheal (e.g., by intratracheal instillation), vaginal, vitreal, etc. In some embodiments, an agent (e.g., an agonizing agent) is delivered to the central nervous system (CNS), e.g., delivered via intracerebroventricular administration. In some embodiments, administration may involve only a single dose. In some embodiments, administration may involve application of a fixed number of doses. In some embodiments, administration may involve dosing that is intermittent (e.g., a plurality of doses separated in time) and/or periodic (e.g., individual doses separated by a common period of time) dosing. In some embodiments, administration may involve continuous dosing (e.g., perfusion) for at least a selected period of time.

[0110] Agent: In general, the term "agent", as used herein, may be used to refer to a compound or entity of any chemical class including, for example, a polypeptide, nucleic acid, saccharide, lipid, small molecule, metal, or combination or complex thereof. In appropriate circumstances, as will be clear from context to those skilled in the art, the term may be utilized to refer to an entity that is or comprises a cell or organism, or a fraction, extract, or component thereof. Alternatively or additionally, as context will make clear, the term may be used to refer to a natural product in that it is found in and/or is obtained from nature. In some instances, again as will be clear from context, the term may be used to refer to one or more entities that is man-made in that it is designed, engineered, and/or produced through action of the hand of man and/or is not found in nature. In some embodiments, an agent may be utilized in isolated or pure form: in some embodiments, an agent may be utilized in crude form. In some embodiments, potential agents may be provided as collections or libraries, for example that may be screened to identify or characterize active agents within them. In some cases, the term "agent" may refer to a compound or entity that is or comprises a polymer: in some cases, the term may refer to a compound or entity that comprises one or more polymeric moieties. In some embodiments, the term "agent" may refer to a compound or entity that is not a polymer and/or is substantially free of any polymer and/or of one or more particular polymeric moieties. In some embodiments,

the term may refer to a compound or entity that lacks or is substantially free of any polymeric moiety.

[0111] Agonist: Those skilled in the art will appreciate that the term "agonist" may be used to refer to an agent (i.e., an "agonizing agent"), condition, or event whose presence, level, degree, type, or form correlates with increased level or activity of another agent (i.e., the agonized agent or the target agent). In general, an agonist may be or include an agent of any chemical class including, for example, small molecules, polypeptides, nucleic acids, carbohydrates, lipids, metals, and/or any other entity that shows the relevant activating activity: In some embodiments, an agonist may be direct (in which case it exerts its influence directly upon its target): in some embodiments, an agonist may be indirect (in which case it exerts its influence by other than binding to its target: e.g., by interacting with a regulator of the target, so that level or activity of the target is altered). In some embodiments, an agonist is a binding agent that is a protein (e.g., an antibody) or a nucleic acid (e.g., an antisense oligonucleotide) that binds a target (e.g., a protein or nucleic acid) so that level, form, and/or or activity of the target is altered. In some embodiments, the altered level, form and/or activity is an increased level of altered protein expressed from the target nucleic acid sequence. Those skilled in the art, reading the present disclosure, will appreciate that, in some embodiments, an agonizing agent may bind to (and potentially agonize) a binding target, which binding causes an increase in level or activity of a further agonized target. To give a specific example, in some embodiments, an agonizing agent that binds to a nucleic acid target may alter level and/or activity of that target, and in some specific embodiments may agonize an activity of that nucleic acid target (e.g., by increasing its modification, splicing, 5' cap formation, and/or 3' end formation, transport, and/or translation, etc, so that a level of a desired product—e.g., mRNA, is increased) and/or may agonize a downstream target, such as a polypeptide encoded by such nucleic acid target. To give one particular such example, in some embodiments, an agonizing agent may be or comprise an oligonucleotide that binds to a primary transcript and alters its splicing pattern so that level and/or activity of a particular spliced form (e.g., mature mRNA) is increased, which may, in turn achieved increased level of a product (e.g., a polypeptide) that is or is encoded by such particular spliced form.

[0112] Antagonist: Those skilled in the art will appreciate that the term "antagonist", as used herein, may be used to refer to an agent (i.e., an "antagonizing agent"), condition, or event whose presence, level, degree, type, or form correlates with decreased level or activity of another agent (i.e., the inhibited agent, or target). In general, an antagonist may be or include an agent of any chemical class including, for example, small molecules, polypeptides, nucleic acids, carbohydrates, lipids, metals, and/or any other entity that shows the relevant inhibitory activity. In some embodiments, an antagonist may be direct (in which case it exerts its influence directly upon its target): in some embodiments, an antagonist may be indirect (in which case it exerts its influence by other than binding to its target: e.g., by interacting with a regulator of the target, so that level or activity of the target is altered). In some embodiments, an antagonist is binding agent that is a protein (e.g., an antibody) or a nucleic acid (e.g., an antisense oligonucleotide) that binds a target (e.g., a protein or nucleic acid) so that the level, form, and/or activity of the target is altered. In some embodiments, the altered level, form and/or activity is a decreased level of altered protein expressed from the target nucleic acid sequence. Those skilled in the art, reading the present disclosure, will appreciate that, in some embodiments, an antagonizing agent may bind to (and potentially antagonize) a binding target, which binding causes a decrease in level or activity of a further antagonized target. To give a specific example, in some embodiments, an antagonizing agent that binds to a nucleic acid target may alter level and/or activity of that target, and in some specific embodiments may antagonize an activity of that nucleic acid target (e.g., by decreasing its modification, splicing, 5' cap formation, and/or 3' end formation, transport, and/or translation, etc, so that a level of an undesired product—e.g., mRNA, is suppressed) and/or may antagonize a downstream target, such as a polypeptide encoded by such nucleic acid target. To give one particular such example, in some embodiment, an antagonizing agent may be or comprise an oligonucleotide that binds to a primary transcript and alters its splicing pattern so that level and/or activity of a particular spliced form (e.g., mature mRNA) is suppressed, which may, in turn achieved decreased level of a product (e.g., a polypeptide) that is or is encoded by such particular spliced form.

[0113] Antibody agent: As used herein, the term "antibody agent" refers to an agent that specifically binds to a particular antigen (e.g., that may be or comprise an epitope of a protein of interest—e.g., a MuSK protein). In some embodiments, the term encompasses any polypeptide or polypeptide complex that includes immunoglobulin structural elements sufficient to confer specific binding. Exemplary antibody agents include, but are not limited to monoclonal antibodies or polyclonal antibodies. In some embodiments, an antibody agent may include one or more constant region sequences that are characteristic of mouse, rabbit, primate, or human antibodies. In some embodiments, an antibody agent may include one or more sequence elements are humanized, primatized, chimeric, etc, as is known in the art. In many embodiments, the term "antibody agent" is used to refer to one or more of the art-known or developed constructs or formats for utilizing antibody structural and functional features in alternative presentation. For example, embodiments, an antibody agent utilized in accordance with the present invention is in a format selected from, but not limited to, intact IgA, IgG, IgE or IgM antibodies: bi- or multi-specific antibodies (e.g., Zybodies®, etc): antibody fragments such as Fab fragments, Fab' fragments, F(ab)2 fragments, Fd' fragments, Fd fragments, and isolated CDRs or sets thereof: single chain Fvs: polypeptide-Fc fusions: single domain antibodies (e.g., shark single domain antibodies such as IgNAR or fragments thereof): cameloid antibodies: masked antibodies (e.g., Probodies®): Small Modular ImmunoPharmaceuticals ("SMIPs™"); single chain or Tandem diabodies (TandAb®): VHHs: Anticalins®; Nanobodies R; minibodies: BiTE®s: ankyrin repeat proteins or DARPINs®; Avimers R: DARTs: TCR-like antibodies; Adnectins®; Affilins®; Trans-Bodies®; Affibodies®; TrimerX®; MicroProteins: Fynomers®, Centyrins®; and KALBITOR®s. In some embodiments, an antibody may lack a covalent modification (e.g., attachment of a glycan) that it would have if produced naturally. In some embodiments, an antibody may contain a covalent modification (e.g., attachment of a glycan, a payload [e.g., a detectable moiety, a therapeutic moiety, a catalytic moiety, etc], or other pendant group [e.g., poly-ethylene glycol,

etc.]. In many embodiments, an antibody agent is or comprises a polypeptide whose amino acid sequence includes one or more structural elements recognized by those skilled in the art as a complementarity determining region (CDR): in some embodiments an antibody agent is or comprises a polypeptide whose amino acid sequence includes at least one CDR (e.g., at least one heavy chain CDR and/or at least one light chain CDR) that is substantially identical to one found in a reference antibody. In some embodiments an included CDR is substantially identical to a reference CDR in that it is either identical in sequence or contains between 1-5 amino acid substitutions as compared with the reference CDR. In some embodiments an included CDR is substantially identical to a reference CDR in that it shows at least 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% sequence identity with the reference CDR. In some embodiments an included CDR is substantially identical to a reference CDR in that it shows at least 96%, 96%, 97%, 98%, 99%, or 100% sequence identity with the reference CDR. In some embodiments an included CDR is substantially identical to a reference CDR in that at least one amino acid within the included CDR is deleted, added, or substituted as compared with the reference CDR but the included CDR has an amino acid sequence that is otherwise identical with that of the reference CDR. In some embodiments an included CDR is substantially identical to a reference CDR in that 1-5 amino acids within the included CDR are deleted, added, or substituted as compared with the reference CDR but the included CDR has an amino acid sequence that is otherwise identical to the reference CDR. In some embodiments an included CDR is substantially identical to a reference CDR in that at least one amino acid within the included CDR is substituted as compared with the reference CDR but the included CDR has an amino acid sequence that is otherwise identical with that of the reference CDR. In some embodiments an included CDR is substantially identical to a reference CDR in that 1-5 amino acids within the included CDR are deleted, added, or substituted as compared with the reference CDR but the included CDR has an amino acid sequence that is otherwise identical to the reference CDR. In some embodiments, an antibody agent is or comprises a polypeptide whose amino acid sequence includes structural elements recognized by those skilled in the art as an immunoglobulin variable domain. In some embodiments, an antibody agent is a polypeptide protein having a binding domain which is homologous or largely homologous to an immunoglobulin-binding domain.

[0114] Antibody: As used herein, the term "antibody" refers to an immunoglobulin or a derivative thereof containing an immunoglobulin domain capable of binding to an antigen (e.g., that may be or comprise an epitope of a protein of interest—e.g., a MuSK protein). The antibody can be of any species, e.g., human, rodent, rabbit, goat, chicken, etc. The antibody may be a member of any immunoglobulin class, including any of the human classes: IgG. IgM, IgA. IgD, and IgE, or subclasses thereof such as IgG1, IgG2, etc. In various embodiments of the invention the antibody is a fragment such as an Fab', F(ab)2, scFv (single-chain variable) or other fragment that retains an antigen binding site, or a recombinantly produced scFv fragment, including recombinantly produced fragments. See, e.g., Allen, T., *Nature Reviews Cancer*, Vol. 2, 750-765, 2002, and references therein. The antibody can be monovalent, bivalent or multivalent. The antibody may be a chimeric or "humanized" antibody in which, for example, a variable domain of rodent origin is fused to a constant domain of human origin, thus retaining the specificity of the rodent antibody. The domain of human origin need not originate directly from a human in the sense that it is first synthesized in a human being. Instead, "human" domains may be generated in rodents whose genome incorporates human immunoglobulin genes. See, e.g., Vaughan, et al., (1998), *Nature Biotechnology,* 16:535-539. The antibody may be partially or completely humanized. An antibody may be polyclonal or monoclonal, though for purposes of the present invention monoclonal antibodies are generally preferred. Methods for producing antibodies that specifically bind to virtually any molecule of interest are known in the art. For example, monoclonal or polyclonal antibodies can be purified from blood or ascites fluid of an animal that produces the antibody (e.g., following natural exposure to or immunization with the molecule or an antigenic fragment thereof), can be produced using recombinant techniques in cell culture or transgenic organisms, or can be made at least in part by chemical synthesis. In some embodiments, the antibody can act as an antagonist, e.g., by binding to a target antigen, resulting in a decreased level or activity of said antigen. In some embodiments, the antibody can act as an agonist, e.g., by binding to a target antigen, resulting in an increased level or activity of said antigen.

[0115] Antisense: The term "antisense" is used herein to refer to a nucleic acid whose nucleotide sequence is complementary to part or all of a sequence found in a coding strand nucleic acid. Typically, a "coding strand" nucleic acid is one whose sequence includes part or all of an open reading frame or other stretch of residues that encodes part or all of a polypeptide. In some embodiments, the term "antisense" may particularly be used herein in reference to an oligonucleotide that binds specifically to a coding strand (i.e., to a target sequence within such coding strand). In some embodiments, a coding strand may include both coding and non-coding sequences (e.g., to give but one example, may be a transcript, such as a primary transcript, that includes both intron and exon sequences). Those skilled in the art, reading the present disclosure, will appreciate that, in some embodiments, an oligonucleotide may be considered or referred to as an "antisense" oligonucleotide when some or all of its sequence is complementary to non-coding portion(s) of its target strand. In some embodiments, an antisense oligonucleotide binds to coding sequences in a target sense strand: in some embodiments, an antisense oligonucleotide binds to non-coding sequences in a target coding strand. In some embodiments, an antisense oligonucleotide binds to both coding and non-coding sequences in a target coding strand. In some embodiments, an antisense oligonucleotide is characterized in that, when bound to its target sequence in a coding strand (e.g., a transcript), it alters post-transcriptional processing (e.g., one or more of modification, splicing, 5' cap formation, and/or 3' end formation, 5' cap formation, and/or 3' end formation, transport, and/or translation) of such coding strand. In some particular embodiments, an antisense oligonucleotide alters splicing of its target coding strand, Alternatively or additionally, in some embodiments, an antisense-coding strand complex is or can be degraded, e.g., by RNase H.

[0116] Approximately: As used herein, the terms "approximately" or "about" in reference to a number are

generally taken to include numbers that fall within a range of 5%, 10%, 15%, or 20% in either direction (greater than or less than) of the number unless otherwise stated or otherwise evident from the context (except where such number would be less than 0% or exceed 100% of a possible value).

[0117] Binding agent: In general, the term "binding agent" is used herein to refer to any entity that binds to a target of interest as described herein. In many embodiments, a binding agent of interest is one that binds specifically with its target in that it discriminates its target from other potential binding partners in a particular interaction context. In general, a binding agent may be or comprise an entity of any chemical class (e.g., polymer, non-polymer, small molecule, polypeptide, carbohydrate, lipid, nucleic acid, etc). In some embodiments, a binding agent is a single chemical entity. In some embodiments, a binding agent is a complex of two or more discrete chemical entities associated with one another under relevant conditions by non-covalent interactions. For example, those skilled in the art will appreciate that in some embodiments, a binding agent may comprise a "generic" binding moiety (e.g., one of biotin/avidin/streptavidin and/or a class-specific antibody) and a "specific" binding moiety (e.g., an antibody or aptamers with a particular molecular target) that is linked to the partner of the generic biding moiety. In some embodiments, such an approach can permit modular assembly of multiple binding agents through linkage of different specific binding moieties with the same generic binding poiety partner. In some embodiments, binding agents are or comprise polypeptides (including, e.g., antibodies or antibody fragments). In some embodiments, binding agents are or comprise small molecules. In some embodiments, binding agents are or comprise nucleic acids (e.g., antisense oligonucleotides). In some embodiments, binding agents are aptamers. In some embodiments, binding agents are polymers: in some embodiments, binding agents are not polymers. In some embodiments, binding agents are non-polymeric in that they lack polymeric moieties. In some embodiments, binding agents are or comprise carbohydrates. In some embodiments, binding agents are or comprise lectins. In some embodiments, binding agents are or comprise peptidomimetics. In some embodiments, binding agents are or comprise scaffold proteins. In some embodiments, binding agents are or comprise mimeotopes. In some embodiments, binding agents are or comprise stapled peptides. In certain embodiments, binding agents are or comprise nucleic acids, such as DNA or RNA (e.g., antisense oligonucleotides).

[0118] Complementary: As used herein, in accordance with its art-accepted meaning. "complementary" refers to the capacity for precise pairing between particular bases, nucleosides, nucleotides or nucleic acids. For example, adenine (A) and uridine (U) are complementary; adenine (A) and thymidine (T) are complementary; and guanine (G) and cytosine (C), are complementary and are referred to in the art as Watson-Crick base pairings. If a nucleotide at a certain position of a first nucleic acid sequence is complementary to a nucleotide located opposite in a second nucleic acid sequence when the strands are aligned in anti-parallel orientation, the nucleotides form a complementary base pair, and the nucleic acids are complementary at that position. The percent complementarity of a first nucleic acid to a second nucleic acid may be evaluated by aligning them in antiparallel orientation for maximum complementarity over a window of evaluation, determining the total number of nt in both strands that form complementary base pairs within the window; dividing by the total number of nt within the window; and multiplying by 100. For example, AAAAAAAA and TTTGTTAT are 75% complementary since there are 12 nt in complementary base pairs out of a total of 16 nt. When computing the number of complementary nt needed to achieve a particular % complementarity; fractions are rounded to the nearest whole number. A position occupied by non-complementary nucleotides constitutes a mismatch, i.e., the position is occupied by a non-complementary base pair. In certain embodiments a window of evaluation has the length described herein for duplex portions or target portions. Complementary sequences include base-pairing of a polynucleotide comprising a first nucleotide sequence to a polynucleotide comprising a second nucleotide sequence over the entire length of both nucleotide sequences (if the same length) or over the entire length of the shorter sequence (if different lengths). Such sequences can be referred to as "perfectly complementary." (100% complementarity) with respect to each other herein. Nucleic acids that are at least 70% complementary over a window of evaluation are considered "substantially complementary" over that window: In certain embodiments complementary nucleic acids are at least 75%, at least 80%, at least 85%, at least 90%, or at least 95% complementary over the window of evaluation. Where a first sequence is referred to as "substantially complementary" with respect to a second sequence herein, the two sequences may be perfectly complementary or they may comprise one or more unmatched bases upon hybridization, e.g., up to about 5%, 10%, 15%, 20%, or 25% unmatched bases upon hybridization, e.g., 1, 2, 3, 4, 5, or 6 mismatched base pairs upon hybridization for a duplex up to 30 base pairs, while retaining the ability to hybridize under the conditions most relevant to their intended use. It should be understood that where two oligonucleotides are designed to form, upon hybridization, one or more single stranded overhangs, such overhangs are not regarded as mismatches or unpaired nucleotides with regard to the determination of percent complementarity: For example, the two strands of a dsRNA comprising one oligonucleotide 21 nucleotides in length and another oligonucleotide 23 nucleotides in length, wherein the longer oligonucleotide comprises a sequence of 21 nucleotides that is perfectly complementary to the shorter oligonucleotide and a 2 nucleotide overhang, may be referred to as "perfectly complementary" herein. "Complementary" sequences, as used herein may include one or more non-Watson-Crick base pairs and/or base pairs formed from non-natural and other modified nucleotides, in so far as the requirements with respect to their ability to hybridize are fulfilled. Such non-Watson-Crick base pairs include, but are not limited to, G: U Wobble or Hoogsteen base pairing. Those of ordinary skill in the art are aware that guanine, cytosine, adenine, and uracil can be replaced by other bases without substantially altering the base pairing properties of a polynucleotide comprising a nucleotide bearing such bases, according to the so-called "wobble" rules (see, e.g., Murphy, FV IV & V Ramakrishnan, V., Nature Structural and Molecular Biology 11:1251-1252 (2004)). For example, a nucleotide comprising inosine as its base can base pair with nucleotides containing adenine, cytosine, or uracil. Thus, nucleotides containing uracil, guanine, or adenine can be replaced in the nucleotide sequences of an Inhibitory

RNA described herein by a nucleotide containing, for example, inosine. It will be understood that the terms "complementary", "perfectly complementary", and "substantially complementary." can be used with respect to the base matching between any two nucleic acids, e.g., the base matching between the sense strand and the antisense strand of a double stranded nucleic acid, or portion thereof. "Hybridize", as used herein, refers to the interaction between two nucleic acid sequences (which in some embodiments may be part of the same nucleic acid molecule and in other embodiments may be or include part(s) of different nucleic acid molecules) comprising or consisting of complementary portions such that a duplex structure (i.e., an intramolecular or intermolecular duplex) is formed that is stable under the particular conditions of interest, as will be understood by the ordinary skilled artisan.

[0119] Comprising: The term "comprising" means that other elements can also be present in addition to the defined elements presented. The use of "comprising" indicates inclusion rather than limitation.

[0120] Consisting of: The term "consisting of" refers to compositions, methods, and respective components thereof as described herein, which are exclusive of any element not recited in that description of the embodiment. As used herein the term "consisting essentially of" refers to those elements required for a given embodiment. The term permits the presence of additional elements that do not materially affect the basic and novel or functional characteristic(s) of that embodiment of the invention.

[0121] Combination therapy: As used herein, the term "combination therapy" refers to those situations in which a subject is simultaneously exposed to two or more therapeutic regimens (e.g., two or more therapeutic agents). In some embodiments, the two or more regimens may be administered simultaneously: in some embodiments, such regimens may be administered sequentially (e.g., all "doses" of a first regimen are administered prior to administration of any doses of a second regimen); in some embodiments, such agents are administered in overlapping dosing regimens. In some embodiments, "administration" of combination therapy may involve administration of one or more agent(s) or modality(ies) to a subject receiving the other agent(s) or modality(ies) in the combination. For clarity, combination therapy does not require that individual agents be administered together in a single composition (or even necessarily at the same time), although in some embodiments, two or more agents, or active moieties thereof, may be administered together in a combination composition, or even in a combination compound (e.g., as part of a single chemical complex or covalent entity).

[0122] Comparable: As used herein, the term "comparable" refers to two or more agents, entities, situations, sets of conditions, etc., that may not be identical to one another but that are sufficiently similar to permit comparison there between so that one skilled in the art will appreciate that conclusions may reasonably be drawn based on differences or similarities observed. In some embodiments, comparable sets of conditions, circumstances, individuals, or populations are characterized by a plurality of substantially identical features and one or a small number of varied features. Those of ordinary skill in the art will understand, in context, what degree of identity is required in any given circumstance for two or more such agents, entities, situations, sets of conditions, etc to be considered comparable. For example, those of ordinary skill in the art will appreciate that sets of circumstances, individuals, or populations are comparable to one another when characterized by a sufficient number and type of substantially identical features to warrant a reasonable conclusion that differences in results obtained or phenomena observed under or with different sets of circumstances, individuals, or populations are caused by or indicative of the variation in those features that are varied.

[0123] Domain: The term "domain" as used herein refers to a section or portion of an entity: In some embodiments, a "domain" is associated with a particular structural and/or functional feature of the entity so that, when the domain is physically separated from the rest of its parent entity, it substantially or entirely retains the particular structural and/or functional feature. Alternatively or additionally, a domain may be or include a portion of an entity that, when separated from that (parent) entity and linked with a different (recipient) entity, substantially retains and/or imparts on the recipient entity one or more structural and/or functional features that characterized it in the parent entity. In some embodiments, a domain is a section or portion of a molecule (e.g., a small molecule, carbohydrate, lipid, nucleic acid, or polypeptide). In some embodiments, a domain is a section of a polypeptide (e.g., the Ig3 domain of a MuSK protein): in some such embodiments, a domain is characterized by a particular structural element (e.g., a particular amino acid sequence or sequence motif, a-helix character, b-sheet character, coiled-coil character, random coil character, etc.), and/or by a particular functional feature (e.g., binding activity, enzymatic activity, folding activity, signaling activity, etc.).

[0124] Dosing regimen: Those skilled in the art will appreciate that the term "dosing regimen" may be used to refer to a set of unit doses (typically more than one) that are administered individually to a subject, typically separated by periods of time. In some embodiments, a given therapeutic agent has a recommended dosing regimen, which may involve one or more doses. In some embodiments, a dosing regimen comprises a plurality of doses each of which is separated in time from other doses. In some embodiments, individual doses are separated from one another by a time period of the same length: in some embodiments, a dosing regimen comprises a plurality of doses and at least two different time periods separating individual doses. In some embodiments, all doses within a dosing regimen are of the same unit dose amount. In some embodiments, different doses within a dosing regimen are of different amounts. In some embodiments, a dosing regimen comprises a first dose in a first dose amount, followed by one or more additional doses in a second dose amount different from the first dose amount. In some embodiments, a dosing regimen comprises a first dose in a first dose amount, followed by one or more additional doses in a second dose amount same as the first dose amount. In some embodiments, a dosing regimen is correlated with a desired or beneficial outcome when administered across a relevant population (i.e., is a therapeutic dosing regimen).

[0125] Expression: As used herein, "expression" of a nucleic acid sequence refers to one or more of the following events: (1) production of an RNA template from a DNA sequence (e.g., by transcription); (2) processing of an RNA transcript (e.g., by splicing, editing, 5' cap formation, and/or 3' end formation): (3) transport of an RNA transcript (e.g., from nucleus to cytoplasm; and/or (4) translation of an RNA

into a polypeptide or protein; and/or (4) post-translational modification of a polypeptide or protein.

[0126] Isolated or Partially Purified: The term "isolated" or "partially purified" as used herein refers, in the case of a nucleic acid or polypeptide, to a nucleic acid or polypeptide separated from at least one other component (e.g., nucleic acid or polypeptide) that is present with the nucleic acid or polypeptide as found in its natural source and/or that would be present with the nucleic acid or polypeptide when expressed by a cell, or secreted in the case of secreted polypeptides. A chemically synthesized nucleic acid or polypeptide or one synthesized using in vitro transcription/translation is considered "isolated." The terms "purified" or "substantially purified" refer to an isolated nucleic acid or polypeptide that is at least 95% by weight the subject nucleic acid or polypeptide, including, for example, at least 96%, at least 97%, at least 98%, at least 99% or more. In some embodiments, the antibody, antigen-binding portion thereof, or chimeric antigen receptor (CAR) described herein is isolated. In some embodiments, the antibody, antibody reagent, antigen-binding portion thereof, or CAR described herein is purified.

[0127] Engineered: As used herein, "engineered" refers to the aspect of having been manipulated by the hand of man. For example, an antibody, antibody reagent, antigen-binding portion thereof, CAR or bispecific antibody is considered to be "engineered" when the sequence of the antibody, antibody reagent, antigen-binding portion thereof, CAR or bispecific antibody is manipulated by the hand of man to differ from the sequence of an antibody as it exists in nature. As is common practice and is understood by those in the art, progeny and copies of an engineered polynucleotide and/or polypeptide are typically still referred to as "engineered" even though the actual manipulation was performed on a prior entity.

[0128] Fragment: A "fragment" of a material or entity as described herein has a structure that includes a discrete portion of the whole, but lacks one or more moieties found in the whole. In some embodiments, a fragment consists of such a discrete portion. In some embodiments, a fragment consists of or comprises a characteristic structural element or moiety found in the whole. In some embodiments, a polymer fragment comprises or consists of at least 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500 or more monomeric units (e.g., residues) as found in the whole polymer. In some embodiments, a polymer fragment comprises or consists of at least about 5%, 10%, 15%, 20%, 25%, 30%, 25%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or more of the monomeric units (e.g., residues) found in the whole polymer. The whole material or entity may in some embodiments be referred to as the "parent" of the fragment.

[0129] Gene: As used herein, the term "gene" refers to a DNA sequence in a chromosome that codes for a product (e.g., an RNA product and/or a polypeptide product). In some embodiments, a gene includes coding sequence (i.e., sequence that encodes a particular product); in some embodiments, a gene includes non-coding sequence. In some particular embodiments, a gene may include both coding (e.g., exonic) and non-coding (e.g., intronic) sequences. In some embodiments, a gene may include one or more regulatory elements that, for example, may control or impact one or more aspects of gene expression (e.g., cell-type-specific expression, inducible expression, etc.).

[0130] Gene product or expression product: As used herein, the term "gene product" or "expression product" generally refers to an RNA transcribed from the gene (pre- and/or post-processing) or a polypeptide (pre- and/or post-modification) encoded by an RNA transcribed from the gene. In some embodiments, a gene product may be or comprise a particular processed form of an RNA transcript (e.g., a particular edited form, a particular splice form, a particular capped form, etc).

[0131] Homology: As used herein, the term "homology" refers to the overall relatedness between polymeric molecules, e.g., between nucleic acid molecules (e.g., DNA molecules and/or RNA molecules) and/or between polypeptide molecules. In some embodiments, polymeric molecules are considered to be "homologous" to one another if their sequences are at least 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, or 99% identical. In some embodiments, polymeric molecules are considered to be "homologous" to one another if their sequences are at least 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, or 99% similar.

[0132] Identity: As used herein, the term "identity" refers to the overall relatedness between polymeric molecules, e.g., between nucleic acid molecules (e.g., DNA molecules and/or RNA molecules) and/or between polypeptide molecules. In some embodiments, polymeric molecules are considered to be "substantially identical" to one another if their sequences are at least 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, or 99% identical. Calculation of the percent identity of two nucleic acid or polypeptide sequences, for example, can be performed by aligning the two sequences for optimal comparison purposes (e.g., gaps can be introduced in one or both of a first and a second sequences for optimal alignment and non-identical sequences can be disregarded for comparison purposes). In certain embodiments, the length of a sequence aligned for comparison purposes is at least 30%, at least 40%, at least 50%, at least 60%, at least 70%, at least 80%, at least 90%, at least 95%, or substantially 100% of the length of a reference sequence. The nucleotides at corresponding positions are then compared. When a position in the first sequence is occupied by the same residue (e.g., nucleotide or amino acid) as the corresponding position in the second sequence, then the molecules are identical at that position. The percent identity between the two sequences is a function of the number of identical positions shared by the sequences, taking into account the number of gaps, and the length of each gap, which needs to be introduced for optimal alignment of the two sequences. The comparison of sequences and determination of percent identity between two sequences can be accomplished using a mathematical algorithm. For example, the percent identity between two nucleotide sequences can be determined using the algorithm of Meyers and Miller (CABIOS, 1989, 4:11-17), which has been incorporated into the ALIGN program (version 2.0). In some exemplary embodiments, nucleic acid sequence comparisons made with the ALIGN program use a PAM120 weight residue table, a gap length penalty of 12 and a gap penalty of 4. The percent identity between two nucleotide

sequences can, alternatively; be determined using the GAP program in the GCG software package using an NWSgapdna.CMP matrix.

[0133] Improve, "increase", "inhibit" or "reduce": As used herein, the terms "improve", "increase", "inhibit", "reduce", or grammatical equivalents thereof, indicate values that are relative to a baseline or other reference measurement. In some embodiments, an appropriate reference measurement may be or comprise a measurement in a particular system (e.g., in a single individual, a single cell, or cell population) under otherwise comparable conditions absent presence of (e.g., prior to and/or after) a particular agent or treatment, or in presence of an appropriate reference agent (e.g., a positive control agent or a negative control agent). In some embodiments, an appropriate reference measurement may be or comprise a measurement in comparable system known or expected to respond in a particular way, in presence of the relevant agent or treatment. Those skilled in the art will appreciate that an "improvement", "increase", "reduction", etc typically refers to a statistically significant change. Moreover, those skilled in the art will understand from context what magnitude of change may be relevant. For example, in some embodiments, a change may be a "fold" change—i.e., so that a "changed" value represents a 1.1, 1.2, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 30, 40, 50 or more (e.g., 500, 1000 times) (including all integers and decimal points in between and above 1), e.g., 1.5, 1.6, 1.7. 1.8, etc.)-fold difference relative to the relevant reference. Alternatively or additionally, in some embodiments, a "change" may be a "percentage" change, so that a "changed" value represents a 1%, 2%, 3%, 4%, 5%, 6%, 7%, 8%, 9%, 10%, 11%, 12%, 13%, 14%, 15%, 16%, 17%, 18%, 19%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, or 100% increase or decrease, including all integers and decimal points in between), relative to the relevant reference.

[0134] Linked: As used herein, the term "linked", when used with respect to two or more moieties, means that the moieties are physically associated or connected with one another to form a molecular structure that is sufficiently stable so that the moieties remain associated under the conditions in which the linkage is formed and, preferably, under the conditions in which the new molecular structure is used, e.g., physiological conditions. In certain preferred embodiments of the invention the linkage is a covalent linkage. In other embodiments the linkage is noncovalent. Moieties may be linked either directly or indirectly. When two moieties are directly linked, they are either covalently bonded to one another or are in sufficiently close proximity such that intermolecular forces between the two moieties maintain their association. When two moieties are indirectly linked, they are each linked either covalently or noncovalently to a third moiety, which maintains the association between the two moieties. In general, when two moieties are referred to as being linked by a "linker" or "linking moiety" or "linking portion", the linkage between the two linked moieties is indirect, and typically each of the linked moieties is covalently bonded to the linker. The linker can be any suitable moiety that reacts with the two moieties to be linked within a reasonable period of time, under conditions consistent with stability of the moieties (which may be protected as appropriate, depending upon the conditions), and in sufficient amount, to produce a reasonable yield.

[0135] Internucleotidic linkage: As used herein, the phrase "internucleotidic linkage" refers generally to the phosphorus-containing linkage between nucleotide units of an oligonucleotide, and is interchangeable with "inter-sugar linkage" and "phosphorus atom bridge," as used above and herein. In some embodiments, an internucleotidic linkage is a phosphodiester linkage, as found in naturally occurring DNA and RNA molecules. In some embodiments, an internucleotidic linkage is a "modified internucleotidic linkage" wherein each oxygen atom of the phosphodiester linkage is optionally and independently replaced by an organic or inorganic moiety. In some embodiments, such an organic or inorganic moiety is selected from but not limited to ═S, ═Se, ═NR', —SR', —SeR', —N(R')$_2$, B(R')$_3$, —S—, —Se—, and —N(R')—, wherein each R' is independently as defined and described below. In some embodiments, an internucleotidic linkage is a phosphotriester linkage, phosphorothioate diester linkage



( ),

or modified phosphorothioate triester linkage. It is understood by a person of ordinary skill in the art that the internucleotidic linkage may exist as an anion or cation at a given pH due to the existence of acid or base moieties in the linkage. In some embodiments, an internucleotide linkage may be a chiral linkage.

[0136] Long-term Administration: As used herein, the term "long-term" administration means that the therapeutic agent or drug is administered for a period of at least 12 weeks. This includes that the therapeutic agent or drug is administered such that it is effective over, or for, a period of at least 12 weeks and does not necessarily imply that the administration itself takes place for 12 weeks, e.g., if sustained release compositions or long acting therapeutic agent or drug is used. Thus, the subject is treated for a period of at least 12 weeks. In many cases, long-term administration is for at least 4, 5, 6, 7, 8, 9 months or more, or for at least 1, 2, 3, 5, 7 or 10 years, or more.

[0137] Moiety: Those skilled in the art will appreciate that a "moiety" is a defined chemical group or entity with a particular structure and/or or activity, as described herein.

[0138] Nanoparticle: As used herein, the term "nanoparticle" refers to a particle having a diameter of less than 1000 nanometers (nm). In some embodiments, a nanoparticle has a diameter of less than 300 nm, as defined by the National Science Foundation. In some embodiments, a nanoparticle has a diameter of less than 100 nm as defined by the National Institutes of Health. In some embodiments, nanoparticles are micelles in that they comprise an enclosed compartment, separated from the bulk solution by a micellar membrane, typically comprised of amphiphilic entities which surround and enclose a space or compartment (e.g., to define a lumen). In some embodiments, a micellar membrane is comprised of at least one polymer, such as for example a biocompatible and/or biodegradable polymer.

[0139] Nucleic acid: As used herein, in its broadest sense, refers to any compound and/or substance that is or can be incorporated into an oligonucleotide chain. In some embodi-

ments, a nucleic acid is a compound and/or substance that is or can be incorporated into an oligonucleotide chain via a phosphodiester linkage. As will be clear from context, in some embodiments, "nucleic acid" refers to an individual nucleic acid residue (e.g., a nucleotide and/or nucleoside): in some embodiments, "nucleic acid" refers to an oligonucleotide chain comprising individual nucleic acid residues. In some embodiments, a "nucleic acid" is or comprises RNA: in some embodiments, a "nucleic acid" is or comprises DNA. In some embodiments, a nucleic acid is, comprises, or consists of one or more natural nucleic acid residues. In some embodiments, a nucleic acid is, comprises, or consists of one or more nucleic acid analogs. In some embodiments, a nucleic acid analog differs from a nucleic acid in that it does not utilize a phosphodiester backbone. For example, in some embodiments, a nucleic acid is, comprises, or consists of one or more "peptide nucleic acids", which are known in the art and have peptide bonds instead of phosphodiester bonds in the backbone, are considered within the scope of the present invention. Alternatively or additionally, in some embodiments, a nucleic acid has one or more phosphorothioate and/or 5'-N-phosphoramidite linkages rather than phosphodiester bonds. In some embodiments, a nucleic acid is, comprises, or consists of one or more natural nucleosides (e.g., adenosine, thymidine, guanosine, cytidine, uridine, deoxyadenosine, deoxythymidine, deoxy guanosine, and deoxycytidine). In some embodiments, a nucleic acid is, comprises, or consists of one or more nucleoside analogs (e.g., 2-aminoadenosine, 2-thiothymidine, inosine, pyrrolopyrimidine, 3-methyl adenosine, 5-methylcytidine, C-5 propynyl-cytidine, C-5 propynyl-uridine, 2-aminoadenosine, C5-bromouridine, C5-fluorouridine, C5-iodouridine, C5-propynyl-uridine, C5-propynyl-cytidine, C5-methylcytidine, 2-aminoadenosine, 7-deazaadenosine, 7-deazaguanosine, 8-oxoadenosine, 8-oxoguanosine, 0 (6)-methylguanine, 2-thiocytidine, methylated bases, intercalated bases, and combinations thereof). In some embodiments, a nucleic acid comprises one or more modified sugars (e.g., 2'-fluororibose, ribose, 2'-deoxyribose, arabinose, and hexose) as compared with those in natural nucleic acids. In some embodiments, a nucleic acid has a nucleotide sequence that encodes a functional gene product such as an RNA or protein. In some embodiments, a nucleic acid includes one or more introns. In some embodiments, nucleic acids are prepared by one or more of isolation from a natural source, enzymatic synthesis by polymerization based on a complementary template (in vivo or in vitro), reproduction in a recombinant cell or system, and chemical synthesis. In some embodiments, a nucleic acid is at least 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 20, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 600, 700, 800, 900, 1000, 1500, 2000, 2500, 3000, 3500, 4000, 4500, 5000 or more residues long. In some embodiments, a nucleic acid is partly or wholly single stranded: in some embodiments, a nucleic acid is partly or wholly double stranded. In some embodiments a nucleic acid has a nucleotide sequence comprising at least one element that encodes, or is the complement of a sequence that encodes, a polypeptide. In some embodiments, a nucleic acid has enzymatic activity.

[0140] Oligonucleotide: As used herein, the term "oligonucleotide" refers to a polymer or oligomer of nucleotide monomers, containing any combination of nucleobases, modified nucleobases, sugars, modified sugars, phosphate bridges, or modified phosphorus atom bridges (also referred to herein as "internucleotidic linkage", defined further herein). Oligonucleotides can be single-stranded or double-stranded. A single-stranded oligonucleotide can have double-stranded regions and a double-stranded oligonucleotide can have single-stranded regions. Example oligonucleotides include, but are not limited to structural genes, genes including control and termination regions, self-replicating systems such as viral or plasmid DNA, single-stranded and double-stranded siRNAs and other RNA interference reagents (RNAi agents or iRNA agents), shRNA, antisense oligonucleotides, ribozymes, microRNAs, microRNA mimics, supermirs, aptamers, antimirs, antagomirs, Ul adaptors, triplex-forming oligonucleotides, G-quadruplex oligonucleotides, RNA activators, immuno-stimulatory oligonucleotides, and decoy oligonucleotides. Double-stranded and single-stranded oligonucleotides that are effective in inducing RNA interference are also referred to as siRNA, RNAi agent, or iRNA agent, herein. In some embodiments, these RNA interference inducing oligonucleotides associate with a cytoplasmic multi-protein complex known as RNAi-induced silencing complex (RISC). In many embodiments, single-stranded and double-stranded RNAi agents are sufficiently long that they can be cleaved by an endogenous molecule, e.g., by Dicer, to produce smaller oligonucleotides that can enter the RISC machinery and participate in RISC mediated cleavage of a target sequence, e.g. a target mRNA.

[0141] Operably linked: As used herein, the term "operably linked" refers to a juxtaposition wherein the components described are in a relationship permitting them to function in their intended manner. A control element "operably linked" to a functional element is associated in such a way that expression and/or activity of the functional element is achieved under conditions compatible with the control element. In some embodiments, "operably linked" control elements (e.g., promoters, enhancers, etc.) are contiguous (e.g., covalently linked) with the coding elements of interest: in some embodiments, control elements act in trans- or cis-with the coding functional element of interest.

[0142] Patient: As used herein, the term "patient" refers to any organism to which a provided composition (e.g., an agonizing agent such as an ASO) is or may be administered, e.g., for experimental, diagnostic, prophylactic, cosmetic, and/or therapeutic purposes. Typical patients include animals (e.g., mammals such as mice, rats, rabbits, non-human primates, and/or humans). In some embodiments, a patient is a human. In some embodiments, a patient is suffering from or susceptible to one or more disorders or conditions. In some embodiments, a patient displays one or more symptoms of a disorder or condition. In some embodiments, a patient has been diagnosed with one or more disorders or conditions. In some embodiments, the disorder or condition is Alzheimer's disease or other disease characterized by neurodegeneration. In some embodiments, the disorder or condition is muscular dystrophy or other disease characterized by neuromuscular dysfunction. In some embodiments, the patient is receiving or has received certain therapy to diagnose and/or to treat a disease, disorder, or condition.

[0143] Pharmaceutical composition: As used herein, the term "pharmaceutical composition" refers to an active agent (e.g., MuSK-targeting oligonucleotide), formulated together with one or more pharmaceutically acceptable carriers. In some embodiments, active agent is present in unit dose amount appropriate for administration in a therapeutic regi-

men that shows a statistically significant probability of achieving a predetermined therapeutic effect when administered to a relevant population. In some embodiments, pharmaceutical compositions may be specially formulated for administration in solid or liquid form, including those adapted for the following: oral administration, for example, drenches (aqueous or non-aqueous solutions or suspensions), tablets, e.g., those targeted for buccal, sublingual, and systemic absorption, boluses, powders, granules, pastes for application to the tongue: parenteral administration, for example, by subcutaneous, intramuscular, intravenous, intraperitoneal, intrathecal, intravenous, intraventricular or epidural injection as, for example, a sterile solution or suspension, or sustained-release formulation: topical application, for example, as a cream, ointment, or a controlled-release patch or spray applied to the skin, lungs, or oral cavity: intravaginally or intrarectally, for example, as a pessary, cream, or foam: sublingually: ocularly: transdermally: or nasally, pulmonary, and to other mucosal surfaces.

[0144] Pharmaceutically acceptable: As used herein, the phrase "pharmaceutically acceptable" refers to those compounds, materials, compositions and/or dosage forms which are, within the scope of sound medical judgment, suitable for use in contact with the tissues of human beings and animals without excessive toxicity, irritation, allergic response, or other problem or complication, commensurate with a reasonable benefit/risk ratio.

[0145] Pharmaceutically acceptable carrier: As used herein, the term "pharmaceutically acceptable carrier" means a pharmaceutically-acceptable material, composition or vehicle, such as a liquid or solid filler, diluent, excipient, or solvent encapsulating material, involved in carrying or transporting the subject compound from one organ, or portion of the body, to another organ, or portion of the body. Each carrier must be "acceptable" in the sense of being compatible with the other ingredients of the formulation and not injurious to the patient. Some examples of materials which can serve as pharmaceutically-acceptable carriers include: sugars, such as lactose, glucose and sucrose; starches, such as corn starch and potato starch; cellulose, and its derivatives, such as sodium carboxymethyl cellulose, ethyl cellulose and cellulose acetate; powdered tragacanth; malt; gelatin; talc; excipients, such as cocoa butter and suppository waxes; oils, such as peanut oil, cottonseed oil, safflower oil, sesame oil, olive oil, corn oil and soybean oil; glycols, such as propylene glycol; polyols, such as glycerin, sorbitol, mannitol and polyethylene glycol; esters, such as ethyl oleate and ethyl laurate; agar; buffering agents, such as magnesium hydroxide and aluminum hydroxide; alginic acid; pyrogen-free water; isotonic saline; Ringer's solution; ethyl alcohol; pH buffered solutions; polyesters, polycarbonates and/or polyanhydrides; and other non-toxic compatible substances employed in pharmaceutical formulations.

[0146] Pharmaceutically acceptable salt: The term "pharmaceutically acceptable salt", as used herein, refers to salts of such compounds that are appropriate for use in pharmaceutical contexts, i.e., salts which are, within the scope of sound medical judgment, suitable for use in contact with the tissues of humans and lower animals without undue toxicity, irritation, allergic response and the like, and are commensurate with a reasonable benefit/risk ratio. Pharmaceutically acceptable salts are well known in the art. For example, S. M. Berge, et al. describes pharmaceutically acceptable salts in detail in J. Pharmaceutical Sciences, 66:1-19 (1977). In some embodiments, pharmaceutically acceptable salt include, but are not limited to, nontoxic acid addition salts, which are salts of an amino group formed with inorganic acids such as hydrochloric acid, hydrobromic acid, phosphoric acid, sulfuric acid and perchloric acid or with organic acids such as acetic acid, maleic acid, tartaric acid, citric acid, succinic acid or malonic acid or by using other methods used in the art such as ion exchange. In some embodiments, pharmaceutically acceptable salts include, but are not limited to, adipate, alginate, ascorbate, aspartate, benzenesulfonate, benzoate, bisulfate, borate, butyrate, camphorate, camphorsulfonate, citrate, cyclopentanepropionate, digluconate, dodecylsulfate, ethanesulfonate, formate, fumarate, glucoheptonate, glycerophosphate, gluconate, hemisulfate, heptanoate, hexanoate, hydroiodide, 2-hydroxy-ethanesulfonate, lactobionate, lactate, laurate, lauryl sulfate, malate, maleate, malonate, methanesulfonate, 2-naphthalenesulfonate, nicotinate, nitrate, oleate, oxalate, palmitate, pamoate, pectinate, persulfate, 3-phenylpropionate, phosphate, picrate, pivalate, propionate, stearate, succinate, sulfate, tartrate, thiocyanate, p-toluenesulfonate, undecanoate, valerate salts, and the like. In some embodiments, a provided compound comprises one or more acidic groups. e.g., an oligonucleotide, and a pharmaceutically acceptable salt is an alkali, alkaline earth metal, or ammonium (e.g., an ammonium salt of $N(R)_3$, wherein each R is independently defined and described in the present disclosure) salt. Representative alkali or alkaline earth metal salts include sodium, lithium, potassium, calcium, magnesium, and the like. In some embodiments, a pharmaceutically acceptable salt is a sodium salt. In some embodiments, a pharmaceutically acceptable salt is a potassium salt. In some embodiments, a pharmaceutically acceptable salt is a calcium salt. In some embodiments, pharmaceutically acceptable salts include, when appropriate, nontoxic ammonium, quaternary ammonium, and amine cations formed using counterions such as halide, hydroxide, carboxylate, sulfate, phosphate, nitrate, alkyl having from 1 to 6 carbon atoms, sulfonate and aryl sulfonate. In some embodiments, a provided compound comprises more than one acid groups, for example, an oligonucleotide may comprise two or more acidic groups (e.g., in natural phosphate linkages and/or modified internucleotidic linkages). In some embodiments, a pharmaceutically acceptable salt, or generally a salt, of such a compound comprises two or more cations, which can be the same or different. In some embodiments, in a pharmaceutically acceptable salt (or generally, a salt), all ionizable hydrogen (e.g., in an aqueous solution with a pKa no more than about 11, 10, 9, 8, 7, 6, 5, 4, 3, or 2; in some embodiments, no more than about 7; in some embodiments, no more than about 6; in some embodiments, no more than about 5; in some embodiments, no more than about 4; in some embodiments, no more than about 3) in the acidic groups are replaced with cations. In some embodiments, each internucleotidic linkage, e.g., phosphate group, independently exists in its salt form (e.g., if sodium salt, —O—P(O)(ONa)—O—). In some embodiments, a pharmaceutically acceptable salt is a sodium salt of an oligonucleotide. In some embodiments, a pharmaceutically acceptable salt is a sodium salt of an oligonucleotide, wherein each acidic phosphate and modified phosphate group, if any, exists as a salt form (all sodium salt).

[0147] Polypeptide: As used herein, the term "polypeptide," which is interchangeably used herein with the term "protein," refers to a polymer of at least three amino acid residues. In some embodiments, a polypeptide comprises one or more, or all, natural amino acids. In some embodiments, a polypeptide comprises one or more, or all non-natural amino acids. In some embodiments, a polypeptide comprises one or more, or all, D-amino acids. In some embodiments, a polypeptide comprises one or more, or all, L-amino acids. In some embodiments, a polypeptide comprises one or more pendant groups or other modifications, e.g., modifying or attached to one or more amino acid side chains, at the polypeptide's N-terminus, at the polypeptide's C-terminus, or any combination thereof. In some embodiments, a polypeptide comprises one or more modifications such as acetylation, amidation, aminoethylation, biotinylation, carbamylation, carbonylation, citrullination, deamidation, deimination, eliminylation, glycosylation, lipidation, methylation, pegylation, phosphorylation, sumoylation, or combinations thereof. In some embodiments, a polypeptide may participate in one or more intra- or intermolecular disulfide bonds. In some embodiments, a polypeptide may be cyclic, and/or may comprise a cyclic portion. In some embodiments, a polypeptide is not cyclic and/or does not comprise any cyclic portion. In some embodiments, a polypeptide is linear. In some embodiments, a polypeptide may comprise a stapled polypeptide. In some embodiments, a polypeptide participates in non-covalent complex formation by non-covalent or covalent association with one or more other polypeptides (e.g., as in an antibody). In some embodiments, a polypeptide has an amino acid sequence that occurs in nature. In some embodiments, a polypeptide has an amino acid sequence that does not occur in nature. In some embodiments, a polypeptide has an amino acid sequence that is engineered in that it is designed and/or produced through action of the hand of man. In some embodiments, the term "polypeptide" may be appended to a name of a reference polypeptide, activity, or structure: in such instances it is used herein to refer to polypeptides that share the relevant activity or structure and thus can be considered to be members of the same class or family of polypeptides. For each such class, the present specification provides and/or those skilled in the art will be aware of exemplary polypeptides within the class whose amino acid sequences and/or functions are known: in some embodiments, such exemplary polypeptides are reference polypeptides for the polypeptide class or family. In some embodiments, a member of a polypeptide class or family shows significant sequence homology or identity with, shares a common sequence motif (e.g., a characteristic sequence element) with, and/or shares a common activity (in some embodiments at a comparable level or within a designated range) with a reference polypeptide of the class: in some embodiments with all polypeptides within the class). For example, in some embodiments, a member polypeptide shows an overall degree of sequence homology or identity with a reference polypeptide that is at least about 30-40%, and is often greater than about 50%, 60%, 70%, 80%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more and/or includes at least one region (e.g., a conserved region that may in some embodiments comprise a characteristic sequence element) that shows very high sequence identity: often greater than 90% or even 95%, 96%, 97%, 98%, or 99%. Such a conserved region usually encompasses at least 3-4 and often up to 20 or more amino acids: in some embodiments, a conserved region encompasses at least one stretch of at least 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 or more contiguous amino acids. In some embodiments, a useful polypeptide may comprise a fragment of a parent polypeptide. In some embodiments, a useful polypeptide as may comprise a plurality of fragments, each of which is found in the same parent polypeptide in a different spatial arrangement relative to one another than is found in the polypeptide of interest (e.g., fragments that are directly linked in the parent may be spatially separated in the polypeptide of interest or vice versa, and/or fragments may be present in a different order in the polypeptide of interest than in the parent), so that the polypeptide of interest is a derivative of its parent polypeptide. In some embodiments, the polypeptide described herein (or a nucleic acid encoding such a polypeptide) can be a functional fragment of one of the amino acid sequences described herein. As used herein, a "functional fragment" is a fragment or segment of a peptide which retains at least 50% of the wildtype reference polypeptide's activity according to the assays described below herein. A functional fragment can comprise conservative substitutions of the sequences disclosed herein. In some embodiments, the polypeptide described herein can be a variant of a sequence described herein. In some embodiments, the variant is a conservatively modified variant. Conservative substitution variants can be obtained by mutations of native nucleotide sequences, for example. A "variant," as referred to herein, is a polypeptide substantially homologous to a native or reference polypeptide, but which has an amino acid sequence different from that of the native or reference polypeptide because of one or a plurality of deletions, insertions or substitutions. Variant polypeptide-encoding DNA sequences encompass sequences that comprise one or more additions, deletions, or substitutions of nucleotides when compared to a native or reference DNA sequence, but that encode a variant protein or fragment thereof that retains activity. A wide variety of PCR-based site-specific mutagenesis approaches are known in the art and can be applied by the ordinarily skilled artisan. In the various embodiments described herein, it is further contemplated that variants (naturally occurring or otherwise), alleles, homologs, conservatively modified variants, and/or conservative substitution variants of any of the particular polypeptides described are encompassed. As to amino acid sequences, one of skill will recognize that individual substitutions, deletions or additions to a nucleic acid, peptide, polypeptide, or protein sequence which alters a single amino acid or a small percentage of amino acids in the encoded sequence is a "conservatively modified variant" where the alteration results in the substitution of an amino acid with a chemically similar amino acid and retains the desired activity of the polypeptide. Such conservatively modified variants are in addition to and do not exclude polymorphic variants, interspecies homologs, and alleles consistent with the disclosure.

[0148] Prevent or prevention: as used herein when used in connection with the occurrence of a disease, disorder, and/or condition, refers to reducing the risk of developing the disease, disorder and/or condition and/or to delaying onset of one or more characteristics or symptoms of the disease, disorder or condition. Prevention may be considered complete when onset of a disease, disorder or condition has been delayed for a predefined period of time.

[0149] Recombinant: As used herein, the term "recombinant" is intended to refer to polypeptides that are designed, engineered, prepared, expressed, created, manufactured, and/or or isolated by recombinant means, such as polypeptides expressed using a recombinant expression vector transfected into a host cell: polypeptides isolated from a recombinant, combinatorial human polypeptide library: polypeptides isolated from an animal (e.g., a mouse, rabbit, sheep, fish, etc.) that is transgenic for or otherwise has been manipulated to express a gene or genes, or gene components that encode and/or direct expression of the polypeptide or one or more component(s), portion(s), element(s), or domain (s) thereof; and/or polypeptides prepared, expressed, created or isolated by any other means that involves splicing or ligating selected nucleic acid sequence elements to one another, chemically synthesizing selected sequence elements, and/or otherwise generating a nucleic acid that encodes and/or directs expression of the polypeptide or one or more component(s), portion(s), element(s), or domain(s) thereof. In some embodiments, one or more of such selected sequence elements is found in nature. In some embodiments, one or more of such selected sequence elements is designed in silico. In some embodiments, one or more such selected sequence elements results from mutagenesis (e.g., in vivo or in vitro) of a known sequence element, e.g., from a natural or synthetic source such as, for example, in the germline of a source organism of interest (e.g., of a human, a mouse, etc.).

[0150] Small molecule: As used herein, the term "small molecule" means a low molecular weight organic and/or inorganic compound. In general, a "small molecule" is a molecule that is less than about 5 kilodaltons (KD) in size. In some embodiments, a small molecule is less than about 4 kD, 3 kD, about 2 kD, or about 1 kD. In some embodiments, the small molecule is less than about 800 daltons (D), about 600 D, about 500 D, about 400) D, about 300 D, about 200 D. or about 100 D. In some embodiments, a small molecule is less than about 2000 g/mol, less than about 1500 g/mol, less than about 1000 g/mol, less than about 800 g/mol, or less than about 500 g/mol. In some embodiments, a small molecule is not a polymer. In some embodiments, a small molecule does not include a polymeric moiety. In some embodiments, a small molecule is not and/or does not comprise a protein or polypeptide (e.g., is not an oligopeptide or peptide). In some embodiments, a small molecule is not and/or does not comprise a polynucleotide (e.g., is not an oligonucleotide). In some embodiments, a small molecule is not and/or does not comprise a polysaccharide: for example, in some embodiments, a small molecule is not a glycoprotein, proteoglycan, glycolipid, etc.). In some embodiments, a small molecule is not a lipid. In some embodiments, a small molecule is a modulating agent (e.g., is an inhibiting agent or an activating agent). In some embodiments, a small molecule is biologically active. In some embodiments, a small molecule is detectable (e.g., comprises at least one detectable moiety). In some embodiments, a small molecule is a therapeutic agent. Those of ordinary skill in the art, reading the present disclosure, will appreciate that certain small molecule compounds described herein may be provided and/or utilized in any of a variety of forms such as, for example, crystal forms, salt forms, protected forms, prodrug forms, ester forms, isomeric forms (e.g., optical and/or structural isomers), isotopic forms, etc. Those of skill in the art will appreciate that certain small molecule compounds have structures that can exist in one or more steroisomeric forms. In some embodiments, such a small molecule may be utilized in accordance with the present disclosure in the form of an individual enantiomer, diastereomer or geometric isomer, or may be in the form of a mixture of stereoisomers: in some embodiments, such a small molecule may be utilized in accordance with the present disclosure in a racemic mixture form. Those of skill in the art will appreciate that certain small molecule compounds have structures that can exist in one or more tautomeric forms. In some embodiments, such a small molecule may be utilized in accordance with the present disclosure in the form of an individual tautomer, or in a form that interconverts between tautomeric forms. Those of skill in the art will appreciate that certain small molecule compounds have structures that permit isotopic substitution (e.g., ^{2}H or ^{3}H for H; ^{11}C, ^{13}C or ^{14}C for 12C; ^{13}N or ^{15}N for 14N; ^{17}O or ^{18}O for 16O; ^{36}Cl for XXC; ^{18}F for XXF; 131I for XXXI; etc). In some embodiments, such a small molecule may be utilized in accordance with the present disclosure in one or more isotopically modified forms, or mixtures thereof. In some embodiments, reference to a particular small molecule compound may relate to a specific form of that compound. In some embodiments, a particular small molecule compound may be provided and/or utilized in a salt form (e.g., in an acid-addition or base-addition salt form, depending on the compound): in some such embodiments, the salt form may be a pharmaceutically acceptable salt form. In some embodiments, where a small molecule compound is one that exists or is found in nature, that compound may be provided and/or utilized in accordance in the present disclosure in a form different from that in which it exists or is found in nature. Those of ordinary skill in the art will appreciate that, in some embodiments, a preparation of a particular small molecule compound that contains an absolute or relative amount of the compound, or of a particular form thereof, that is different from the absolute or relative (with respect to another component of the preparation including, for example, another form of the compound) amount of the compound or form that is present in a reference preparation of interest (e.g., in a primary sample from a source of interest such as a biological or environmental source) is distinct from the compound as it exists in the reference preparation or source. Thus, in some embodiments, for example, a preparation of a single stereoisomer of a small molecule compound may be considered to be a different form of the compound than a racemic mixture of the compound: a particular salt of a small molecule compound may be considered to be a different form from another salt form of the compound; a preparation that contains only a form of the compound that contains one conformational isomer ((Z) or (E)) of a double bond may be considered to be a different form of the compound from one that contains the other conformational isomer ((E) or (Z)) of the double bond: a preparation in which one or more atoms is a different isotope than is present in a reference preparation may be considered to be a different form: etc.

[0151] Specific binding: As used herein, the term "specific binding" refers to an ability to discriminate between possible binding partners in the environment in which binding is to occur. A binding agent that interacts with one particular target when other potential targets are present is said to "bind specifically" to the target (e.g., a target amino acid or nucleic acid sequence on a target protein/gene of interest)

with which it interacts. In some embodiments, specific binding is assessed by detecting or determining degree of association between the binding agent and its partner: in some embodiments, specific binding is assessed by detecting or determining degree of dissociation of a binding agent-partner complex: in some embodiments, specific binding is assessed by detecting or determining ability of the binding agent to compete an alternative interaction between its partner and another entity. In some embodiments, specific binding is assessed by performing such detections or determinations across a range of concentrations.

[0152] Specificity: As is known in the art, "specificity" is a measure of the ability of a particular ligand to distinguish its binding partner from other potential binding partners.

[0153] Subject: As used herein, the term "subject" refers an organism, typically a mammal (e.g., a human, in some embodiments including prenatal human forms). In some embodiments, a subject is suffering from a relevant disease, disorder or condition (e.g., Alzheimer's disease (AD), muscular dystrophy or other disease characterized by neurodegeneration or neuromuscular dysfunction). In some embodiments, a subject is susceptible to a disease, disorder, or condition. In some embodiments, a subject displays one or more symptoms or characteristics of a disease, disorder or condition. In some embodiments, a subject does not display any symptom or characteristic of a disease, disorder, or condition. In some embodiments, a subject is someone with one or more features characteristic of susceptibility to or risk of a disease, disorder, or condition. In some embodiments, a subject is a patient. In some embodiments, a subject is an individual to whom diagnosis and/or therapy is and/or has been administered.

[0154] Substantially: As used herein, the term "substantially" refers to the qualitative condition of exhibiting total or near-total extent or degree of a characteristic or property of interest. One of ordinary skill in the biological arts will understand that biological and chemical phenomena rarely, if ever, go to completion and/or proceed to completeness or achieve or avoid an absolute result. The term "substantially" is therefore used herein to capture the potential lack of completeness inherent in many biological and chemical phenomena.

[0155] Substantial identity: as used herein refers to a comparison between amino acid or nucleic acid sequences. As will be appreciated by those of ordinary skill in the art, two sequences are generally considered to be "substantially identical" if they contain identical residues in corresponding positions. As is well known in this art, amino acid or nucleic acid sequences may be compared using any of a variety of algorithms, including those available in commercial computer programs such as BLASTN for nucleotide sequences and BLASTP, gapped BLAST, and PSI-BLAST for amino acid sequences. Exemplary such programs are described in Altschul et al., Basic local alignment search tool, J. Mol. Biol., 215 (3): 403-410, 1990; Altschul et al., Methods in Enzymology: Altschul et al., Nucleic Acids Res. 25:3389-3402, 1997: Baxevanis et al., Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins, Wiley, 1998; and Misener, et al, (eds.), Bioinformatics Methods and Protocols (Methods in Molecular Biology, Vol. 132), Humana Press, 1999. In addition to identifying identical sequences, the programs mentioned above typically provide an indication of the degree of identity. In some embodiments, two sequences are considered to be substantially identical if at least 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more of their corresponding residues are identical over a relevant stretch of residues. In some embodiments, the relevant stretch is a complete sequence. In some embodiments, the relevant stretch is at least 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 125, 150, 175, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500 or more residues.

[0156] Suffering from: An individual who is "suffering from" a disease, disorder, and/or condition (e.g., muscular dystrophy or other disease characterized by neuromuscular dysfunction) has been diagnosed with and/or displays one or more symptoms of a disease, disorder, and/or condition.

[0157] Susceptible to: An individual who is "susceptible to" a disease, disorder, and/or condition (e.g., Alzheimer's disease (AD), muscular dystrophy or other disease characterized by neurodegeneration or neuromuscular dysfunction) is one who has a higher risk of developing the disease, disorder, and/or condition than does a member of the general public. In some embodiments, an individual who is susceptible to a disease, disorder and/or condition may not have been diagnosed with the disease, disorder, and/or condition. In some embodiments, an individual who is susceptible to a disease, disorder, and/or condition may exhibit symptoms of the disease, disorder, and/or condition. In some embodiments, an individual who is susceptible to a disease, disorder, and/or condition may not exhibit symptoms of the disease, disorder, and/or condition. In some embodiments, an individual who is susceptible to a disease, disorder, and/or condition will develop the disease, disorder, and/or condition. In some embodiments, an individual who is susceptible to a disease, disorder, and/or condition will not develop the disease, disorder, and/or condition.

[0158] Symptoms are reduced: According to the present invention, "symptoms are reduced" when one or more symptoms of a particular disease, disorder or condition (e.g., Alzheimer's disease (AD), muscular dystrophy or other disease characterized by neurodegeneration or neuromuscular dysfunction) is reduced in magnitude (e.g., intensity, severity, etc.) and/or frequency. For purposes of clarity, a delay in the onset of a particular symptom is considered one form of reducing the frequency of that symptom.

[0159] Target gene: A "target gene", as used herein, refers to a gene whose expression is to be modulated, e.g., through modifying splice activity (e.g., by inducing exon-skipping). As used herein, the term "target portion" or "target region" refers to a contiguous portion of the nucleotide sequence of a target gene. In some embodiments, a target portion or target region is one or more exons within the target gene sequence. A target portion may be from about 8-36 nucleotides in length, e.g., about 10-20 or about 15-30 nucleotides in length. A target portion length may have specific value or subrange within the afore-mentioned ranges. For example, in certain embodiments a target portion may be between about 15-29, 15-28, 15-27, 15-26, 15-25, 15-24, 15-23, 15-22, 15-21, 15-20, 15-19, 15-18, 15-17, 18-30, 18-29, 18-28, 18-27, 18-26, 18-25, 18-24, 18-23, 18-22, 18-21, 18-20, 19-30, 19-29, 19-28, 19-27, 19-26, 19-25, 19-24, 19-23, 19-22, 19-21, 19-20, 20-30, 20-29, 20-28, 20-27, 20-26, 20-25, 20-24, 20-23, 20-22, 20-21, 21-30, 21-29, 21-28, 21-27, 21-26, 21-25, 21-24, 21-23, or 21-22 nucleotides in length.

[0160] Therapeutic agent: As used herein, the phrase "therapeutic agent" refers to any agent that, when administered to a subject, has a therapeutic effect and/or elicits a desired biological and/or pharmacological effect. In some embodiments, a therapeutic agent is any substance that can be used to alleviate, ameliorate, relieve, inhibit, prevent, delay onset of, reduce severity of, and/or reduce incidence of one or more symptoms or features of a disease, disorder, and/or condition (e.g., one or more symptoms or features of Alzheimer's disease (AD), muscular dystrophy or other disease characterized by neurodegeneration or neuromuscular dysfunction).

[0161] Therapeutically effective amount: As used herein, the term "therapeutically effective amount" means an amount of a substance (e.g., a therapeutic agent, composition, and/or formulation) that elicits a desired biological response when administered as part of a therapeutic dosing regimen. In some embodiments, a therapeutically effective amount of a substance is an amount that is sufficient, when administered to a subject suffering from or susceptible to a disease, disorder, and/or condition, to treat, diagnose, prevent, and/or delay the onset of the disease, disorder, and/or condition. As will be appreciated by those of ordinary skill in this art, the effective amount of a substance may vary depending on such factors as the desired biological endpoint, the substance to be delivered, the target cell or tissue, etc. It will be appreciated that there will be many ways known in the art to determine the effective amount for a given application. For example, the pharmacological methods for dosage determination may be used in the therapeutic context. In the context of therapeutic or prophylactic applications, the amount of a composition administered to the subject will depend on the type and severity of the disease and on the characteristics of the individual, such as general health, age, sex, body weight and tolerance to drugs. It will also depend on the degree, severity and type of disease. The skilled artisan will be able to determine appropriate dosages depending on these and other factors. For example, the effective amount of compound in a formulation to treat a disease, disorder, and/or condition is the amount that alleviates, ameliorates, relieves, inhibits, prevents, delays onset of, reduces severity of and/or reduces incidence of one or more symptoms or features of the disease, disorder, and/or condition. As used herein, the terms "effective amount" and "therapeutically-effective amount" include an amount sufficient to prevent or ameliorate a manifestation of disease or medical condition, such as Alzheimer's disease (AD), Parkinson's disease, or another disease characterized by neurodegeneration, reduced mobility, metabolism, and quality of life resulting from muscle wasting in cancer patients, elderly patients, and many others with no history of neuromuscular dysfunction, in addition to muscular dystrophies such as Becker, Congenital, Distal, Duchenne, Emery-Dreifuss, Facioscapulohumeral, Limb-girdle, Myotonic. Oculopharyngeal Muscular Dystrophy: It will be appreciated that there will be many ways known in the art to determine the effective amount for a given application. For example, the pharmacological methods for dosage determination may be used in the therapeutic context. In the context of therapeutic or prophylactic applications, the amount of a composition administered to the subject will depend on the type and severity of the disease and on the characteristics of the individual, such as general health, age, sex, body weight and tolerance to drugs. It will also depend on the degree, severity and type of disease. The skilled artisan will be able to determine appropriate dosages depending on these and other factors. The compositions can also be administered in combination with one or more additional therapeutic compounds. In some embodiments, a therapeutically effective amount is administered in a single dose: in some embodiments, multiple unit doses are required to deliver a therapeutically effective amount.

[0162] Treating: As used herein, the term "treating" refers to providing treatment. i.e., providing any type of medical or surgical management of a subject. The treatment can be provided in order to reverse, alleviate, inhibit the progression of, prevent or reduce the likelihood of a disease, disorder, or condition, or in order to reverse, alleviate, inhibit or prevent the progression of, prevent or reduce the likelihood of one or more symptoms or manifestations of a disease, disorder or condition. Beneficial or desired clinical results include, but are not limited to, alleviation of one or more symptom(s), diminishment of extent of the deficit, stabilized (i.e., not worsening) state of a muscular dystrophy, delay or slowing of muscle wasting, and an increased lifespan as compared to that expected in the absence of treatment. Treating can include administering an agent to the subject following the development of one or more symptoms or manifestations indicative of Alzheimer's disease (AD), muscular dystrophy or other disease characterized by neurodegeneration or neuromuscular dysfunction, e.g., in order to reverse, alleviate, reduce the severity of, and/or inhibit or prevent the progression of the condition and/or to reverse, alleviate, reduce the severity of, and/or inhibit or one or more symptoms or manifestations of the condition. A composition of the disclosure can be administered to a subject who has developed Alzheimer's disease, muscular dystrophy or other disease characterized by neurodegeneration, neuromuscular dysfunction or is at increased risk of developing such a disorder relative to a member of the general population. A composition of the disclosure can be administered prophylactically, i.e., before development of any symptom or manifestation of the condition. Typically in this case the subject will be at risk of developing the condition.

[0163] Variant: As used herein in the context of molecules, e.g., nucleic acids (e.g., ASOs), proteins, or small molecules, the term "variant" refers to a molecule that shows significant structural identity with a reference molecule but differs structurally from the reference molecule, e.g., in the presence or absence or in the level of one or more chemical moieties as compared to the reference entity. In some embodiments, a variant also differs functionally from its reference molecule. In general, whether a particular molecule is properly considered to be a "variant" of a reference molecule is based on its degree of structural identity with the reference molecule. As will be appreciated by those skilled in the art, any biological or chemical reference molecule has certain characteristic structural elements. A variant, by definition, is a distinct molecule that shares one or more such characteristic structural elements but differs in at least one aspect from the reference molecule. To give but a few examples, a polypeptide may have a characteristic sequence element comprised of a plurality of amino acids having designated positions relative to one another in linear or three-dimensional space and/or contributing to a particular structural motif and/or biological function: a nucleic acid may have a characteristic sequence element comprised of a plurality of nucleotide residues having designated positions

relative to on another in linear or three-dimensional space. In some embodiments, a variant polypeptide or nucleic acid may differ from a reference polypeptide or nucleic acid as a result of one or more differences in amino acid or nucleotide sequence and/or one or more differences in chemical moieties (e.g., carbohydrates, lipids, phosphate groups) that are covalently components of the polypeptide or nucleic acid (e.g., that are attached to the polypeptide or nucleic acid backbone). In some embodiments, a variant polypeptide or nucleic acid shows an overall sequence identity with a reference polypeptide or nucleic acid that is at least 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, or 99%. In some embodiments, a variant polypeptide or nucleic acid does not share at least one characteristic sequence element with a reference polypeptide or nucleic acid. In some embodiments, a reference polypeptide or nucleic acid has one or more biological activities. In some embodiments, a variant polypeptide or nucleic acid shares one or more of the biological activities of the reference polypeptide or nucleic acid. In some embodiments, a variant polypeptide or nucleic acid lacks one or more of the biological activities of the reference polypeptide or nucleic acid. In some embodiments, a variant polypeptide or nucleic acid shows a reduced level of one or more biological activities as compared to the reference polypeptide or nucleic acid. In some embodiments, a polypeptide or nucleic acid of interest is considered to be a "variant" of a reference polypeptide or nucleic acid if it has an amino acid or nucleotide sequence that is identical to that of the reference but for a small number of sequence alterations at particular positions. Typically, fewer than about 20%, about 15%, about 10%, about 9%, about 8%, about 7%, about 6%, about 5%, about 4%, about 3%, or about 2% of the residues in a variant are substituted, inserted, or deleted, as compared to the reference. In some embodiments, a variant polypeptide or nucleic acid comprises about 10, about 9, about 8, about 7, about 6, about 5, about 4, about 3, about 2, or about 1 substituted residues as compared to a reference. Often, a variant polypeptide or nucleic acid comprises a very small number (e.g., fewer than about 5, about 4, about 3, about 2, or about 1) number of substituted, inserted, or deleted, functional residues (i.e., residues that participate in a particular biological activity) relative to the reference. In some embodiments, a variant polypeptide or nucleic acid comprises not more than about 5, about 4, about 3, about 2, or about 1 addition or deletion, and, in some embodiments, comprises no additions or deletions, as compared to the reference. In some embodiments, a variant polypeptide or nucleic acid comprises fewer than about 25, about 20, about 19, about 18, about 17, about 16, about 15, about 14, about 13, about 10, about 9, about 8, about 7, about 6, and commonly fewer than about 5, about 4, about 3, or about 2 additions or deletions as compared to the reference. In some embodiments, a reference polypeptide or nucleic acid is one found in nature. In some embodiments, a reference polypeptide or nucleic acid is a human polypeptide or nucleic acid.

[0164] Vector: As used herein, the term "vector" refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a "plasmid", which refers to a circular double stranded DNA loop into which additional DNA segments may be ligated. Another type of vector is a viral vector, wherein additional DNA segments may be ligated into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (e.g., bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (e.g., non-episomal mammalian vectors) can be integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome. Moreover, certain vectors are capable of directing the expression of genes to which they are operatively linked. Such vectors are referred to herein as "expression vectors". Standard techniques may be used for recombinant DNA, oligonucleotide synthesis, and tissue culture and transformation (e.g., electroporation, lipofection). Enzymatic reactions and purification techniques may be performed according to manufacturer's specifications or as commonly accomplished in the art or as described herein. The foregoing techniques and procedures may be generally performed according to conventional methods well known in the art and as described in various general and more specific references that are cited and discussed throughout the present specification. See e.g., Sambrook et al., Molecular Cloning: A Laboratory Manual (2d ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1989)), which is incorporated herein by reference for any purpose.

DETAILED DESCRIPTION OF CERTAIN EMBODIMENTS

Neurogenesis

[0165] Neurogenesis occurs in distinct regions of the adult mammalian brain. Neural stem cells (NSCs) are the endogenous source of new neurons and are active throughout life in virtually all mammals, including humans (Eriksson et al., 1998: Ernst et al., 2014; Moreno-Jiménez et al., 2019; Spalding et al., 2013). Extensive work in rodent models shows that neurogenesis supports learning and memory, sensory functions, and mood regulation (Enwere et al., 2004: Gage, 2019; Imayoshi et al., 2008: Zhang et al., 2008b). NSCs reside in two neurogenic niches: the subgranular zone (SGZ) in the dentate gyrus of the hippocampus and the subventricular zone (SVZ) lining the lateral ventricles. NSCs in the SVZ generate astrocytes and oligodendrocytes that support the existing circuitry as well as neurons in the olfactory bulb that are critical for olfactory discrimination. NSCs in the dentate gyrus give rise to granule neurons important for learning and memory. The majority of NSCs in the human brain are located in the hippocampus. Most hippocampal NSCs reside in a state of dormancy, termed quiescence. For neurogenesis to occur, quiescent NSCs must become activated in response to extrinsic or intrinsic cues. Newly born neurons functionally integrate into the local circuitry within the hippocampus and contribute to cognitive functions. The capacity of quiescent NSCs to activate declines during healthy and pathological aging and this loss precedes the decline in cognition (Enwere et al. 2004; Giachino et al. 2014; Capilla-Gonzalez et al. 2014).

[0166] Recent work indicates that endogenous or exogenous NSCs may be a valuable source of new neurons for the millions of individuals suffering from cognitive decline or brain injury. Activation of endogenous NSCs through exercise, re-feeding, or young blood improves age-related cognitive impairments in mice (Brandhorst et al., 2015: van Praag et al., 2005: Villeda et al., 2011, 2014). Accumulation

of negative signals that degrade the neurogenic niche may contribute to reduction in newborn neurons in aging and AD. However, it has been difficult to harness the neurogenic potential of NSCs due to the lack of a specific therapeutic target that has the ability to overcome inhibitory signals. The present disclosure appreciates that recent mechanistic studies suggest that BMP signaling may represent a promising pathway to target in the context of AD and other diseases characterized by neurodegeneration. BMPs negatively regulate activation of NSCs (Mira et al., 2010) and are upregulated in AD and APP transgenic mice (Crews et al., 2010). The present disclosure provides technologies to specifically modulate BMP signaling in the neurogenic niche.

Adult Hippocampal Neurogenesis

[0167] Adult Hippocampal Neurogenesis (AHN) is critical for normal learning and memory: AHN is abundant in healthy aged humans but is reduced from the earliest stages of Alzheimer's Disease (AD). AHN occurs throughout life in humans and is dramatically reduced in AD (Moreno-Jimenez et al., 2019; Steiner et al., 2019). Work in animal models has underscored the role of AHN in improving cognition in the face of AD pathology. Thus, restoring AHN may be an attractive target for an AD therapy: Interventions that promote adult hippocampal neurogenesis could enhance cognitive function and combat neurodegeneration.

[0168] AHN is critical for learning and memory. Newborn dentate granule cells are hyperexcitable and exhibit robust synaptic plasticity. Thus, dysregulation of the quiescent state and/or a failure to integrate into the mature circuitry are thought to contribute to the age-associated decline in neurogenesis and cognitive performance in aging and dementia.

[0169] AHN in Humans. Although AHN has been established in rodents and other species for decades, the existence of this process in human has been controversial until quite recently. Reports using BrdU incorporation (Eriksson et al., 1998), 14C dating (Ernst et al., 2014: Spalding et al., 2013) and markers of immature neuron (Boldrini et al., 2018; Moreno-Jiménez et al., 2019; Tobin et al., 2019) have provided independent lines of support from multiple labs supporting human AHN. Mathematical modeling of radiocarbon birth dating data yielded estimates that in humans 35% of hippocampal neurons are replaced by newborn neurons during adulthood at a rate of 1.75% per year (Spalding et al., 2013). On the other hand, another recent report using markers for immature neurons failed to detect significant levels of AHN in adult humans (Sorrells et al., 2018). In depth comparison of these reports have revealed several methodological and sample differences that seem likely to explain the failure to detect adult neurogenesis in the Sorrells et al., paper (Kempermann et al., 2018: Lucassen et al., 2019).

[0170] AHN and Alzheimer's Disease. Alzheimer's Disease is a devastating disorder. It is progressive, fatal and has an enormous societal and economic cost. 5.8 million Americans are living with AD. By 2050 this number is projected to rise to 14M. In 2019, AD and other dementias cost the nation $290 billion. By 2050, these costs could rise as high as $1.1 trillion. There are no effective treatments. There have been several recent high profile drug trials. Almost all of these trails have been based upon the 'amyloid hypothesis'. There is an enormous unmet need for innovative and effective therapies for AD. Alzheimer's Disease devastates the hippocampus, a brain region necessary for encoding memories. The hippocampus is one of the two sites of adult neurogenesis in the brain. A large number of animal studies have shown that these adult-born neurons are necessary for learning and memory. A recent crucial study provided convincing evidence for robust neurogenesis in the adult human brain. Importantly, the level of adult neurogenesis in AD brain is greatly diminished compared to age-matched controls. (See E. P. Moreno-Jimenez et al. Nature Med. https://doi. org/10.1038/s41591-019-0375-9; 2019; See also related Editorial in Nature 567:433; 28 Mar. 2019). Thus, promoting adult neurogenesis is emerging as a highly attractive target in treating AD.

[0171] The hippocampus is one of the earliest and most affected brain regions in AD and its atrophy is a hallmark of disease progression (Allison et al., 2019). Moreover, work in both rodents and humans has demonstrated that hippocampal-dependent learning is impaired in the Alzheimer's setting (Crews et al., 2010). Notably, AHN levels in AD patients are only 30% of those observed in age-matched controls (Moreno-Jiménez et al., 2019). Critically, a recent mouse study using genetically diverse AD mouse models showed that the total number of hippocampal neurons (NeuN+cells) correlates with cognition (Neuner Neuron 2019). Finally, a recent study has shown that exercise-mediated rescue of pathology in AD mice requires AHN, and that AHN ablation alone exacerbates cognitive defects in these mice (Choi et al., 2018). Thus, strategies to compensate for the degeneration of hippocampal neurons through enhancing endogenous neurogenesis have the potential to open a new pathway for treating Alzheimer's disease.

[0172] Other diseases associated with impaired AHN include e.g., diseases and disorders associated with progressive memory loss, such as Frontotemporal Dementia (Terreros-Roncal et al., 2019), stroke (Lindvall et al., 2015). Impaired AHN is also associated with psychiatric disorders such as major depressive disorder (MDD), bipolar disorder, schizophrenia, post-traumatic stress disorder (PTSD), substance-related and addictive disorders (Yun et al., 2016), and other diseases such as Temporal-Lobe Epilepsy (Cook et al., 1992), Hippocampal Sclerosis (Tai et al. 2018), Niemann Pick Type C (Hong et al., 2015), and Diabetes-mediated hippocampal neuronal loss (Ho et al, 2013: Gold et al., 2007).

Subventricular Zone Neurogenesis

[0173] In addition to the hippocampus (i.e., the subgranular zone (SGZ) in the dentate gyrus of the hippocampus), NSCs reside in the subventricular zone (SVZ) lining the lateral ventricles. NSCs in the SVZ generate astrocytes and oligodendrocytes that support the existing circuitry as well as neurons in the olfactory bulb that are critical for olfactory discrimination. Recent evidence suggests that SVZ NSCs can give rise to terminally differentiated neurons in the striatum in response to ischemic stroke or neurodegenerative diseases (Arvidsson et al. 2002: Parent et al. 2002: Thored et al. 2006; Ernst et al. 2014).

[0174] The present disclosure recognizes that strategies to compensate for the degeneration of neurons in the SVZ through enhancing endogenous neurogenesis have the potential to open a new pathway for treating diseases specifically associated with striatal neurogenesis such as Parkinson's disease (which could benefit both from increasing AHN and striatal neurogenesis in the SVZ: Pitcher et al. 2012: Sterling et al. 2013) and Huntington's disease (Sas-

sone et al., 2018). Other diseases including addiction (e.g., chronic cocaine use and lifelong cigarette smoking) are also associated with reduced striatal volume (Barros-Loscertales et al. 2011; Das et al., 2012) and have the potential to be treated through enhancing endogenous neurogenesis in the SVZ.

MuSK and Neurogenesis

[0175] MuSK is a receptor tyrosine kinase comprised extracellularly of three Ig and one CRD/Fz domain and an intracellular tyrosine domain (TK: FIG. **1**). The best understood function of MuSK is at the neuromuscular junction (NMJ) where agrin-LRP4 binding to the Ig1 domain triggers MuSK TK activity and synapse differentiation (Kim et al., 2008: Zhang et al., 2008a).

[0176] The MuSK-BMP Pathway. The brain harbors neural stem cells (NSCs) that generate neurons and glial cells throughout life (Moreno-Jiménez et al., 2019; Steiner et al., 2019). BMPs regulate at least two important NSC decision points: 1) quiescence, where proliferating stem cells exit the cell cycle and return to replenish a reserve pool that can supply fresh stem cells; and: 2) differentiation into mature progeny (Mira et al., 2010). The present disclosure contemplates that manipulating the BMP pathway in NSCs is an attractive target for regulating neurogenesis in the adult brain.

[0177] It was recently discovered that MuSK is also a BMP co-receptor that binds BMP and its receptors ALK3 and 6, upregulates BMP signaling and shapes the composition of the transcriptional response in myogenic cells (Yilmaz et al., 2016). This BMP signaling pathway neither regulates nor requires MuSK TK activity nor is it activated by agrin-LRP4. Importantly, the MuSK Ig3 domain is necessary for high affinity BMP binding but is dispensable for agrin-LRP4 TK activation. Moreover, the Ig3 domain is endogenously alternatively spliced, including in the brain (Garcia-Osta et al., 2006; Hesser et al., 1999). Since BMP signaling induces NSC quiescence and can inhibit integration of newborn neurons we have found that restraining BMP drive by reducing MuSK-BMP signaling could increase neurogenesis (FIG. **1**).

[0178] Yilmaz et al. 2016 discloses that the 'Ig3' domain of MuSK is required for high affinity binding of BMPs. The major species of MuSK expressed endogenously is full length. This Ig3 domain can be alternatively spliced endogenously, creating an isoform termed "Δg3MuSK". This splicing entails the coordinated removal of exons 6 and 7 from the MuSK pre-mRNA.

[0179] Exemplary amino acid sequences of human and mouse MuSK Ig3 domains (i.e., of MuSK Ig3 domain polypeptides) are as set out below:

```
MuSK HUMAN_Ig3_Domain:
                                        (SEQ ID NO: 116)
ARILRAPESHNVTFGSFVTLHCTATGIPVPTITWIENGNAVSSGSIQES
VKDRVIDSRLQLFITKPGLYTCIATNKHGEKFSTAKAAATIS

MuSK MOUSE Ig3 Domain
                                        (SEQ ID NO: 117)
ARILRAPESHNVTFGSFVTLRCTAIGIPVPTISWIENGNAVSSGSIQES
VKDRVIDSRLQLFITKPGLYTCIATNKHGEKFSTAKAAATVS
```

[0180] Among other things, the present disclosure provides compositions such as MuSK-targeting oligonucleotides that regulate MuSK alternative splicing as a strategy for increasing AHN in AD.

MuSK and Muscle Regeneration and/or Growth

[0181] Satellite cells account for about 5% of muscle nuclei and are distributed along mature, multinucleated myofibers, usually in a state of quiescence. When muscle is injured, satellite cells usually proliferate before either returning to quiescence or differentiating. Upon differentiation, satellite cells become committed myoblasts that fuse into myotubes, eventually forming mature myofibers in a process termed myogenesis. Bone morphogenetic protein (BMP) signaling regulates satellite cell dynamics and muscle regeneration both in vivo and in vitro by modulating transcriptional outputs. BMP signaling is not detectable in quiescent satellite cells, it is upregulated in proliferating satellite cells, and it is downregulated during differentiation. However, mediators regulating the balance between satellite cell proliferation and differentiation are unknown.

[0182] Muscle-Specific Kinase (MuSK), also known as Muscle-Associated Receptor Tyrosine Kinase, is a transmembrane protein that was first recognized for its essential role in the formation and maintenance of the neuromuscular junction (NMJ). MuSK has three extracellular Immunoglobulin (Ig)-like domains and a cysteine-rich frizzled (CRD/Fz) domain, as well as an intracellular tyrosine kinase (TK) domain. The Ig1, TK and potentially the CRD/Fz domains are required for NMJ formation and maintenance. The Ig1 and TK domains are essential for agrin-LRP4 signaling directing synaptic differentiation. For this reason, global deletion MuSK mice are neo-natal lethal. Two isoforms of MuSK that exist in vivo are: full-length (FL) MuSK and a naturally-occurring splice variant that lacks the Ig3 domain (ΔIg3-MuSK). FL MuSK mRNA levels are 10× higher than mRNA of ΔIg3-MuSK but the two are expressed coordinately.

[0183] Among other things, the present disclosure provides compositions such as MuSK-targeting oligonucleotides that regulate MuSK alternative splicing as a strategy for increasing muscle regeneration.

[0184] MuSK is activated by a nerve-derived proteoglycan called agrin. Agrin has been characterized for its role in the development of the neuromuscular junction during embryogenesis. Agrin is named based on its involvement in the aggregation of acetylcholine receptors during synaptogenesis. In humans, this protein is encoded by the AGRN gene. The agrin protein has nine domains homologous to protease inhibitors.

[0185] MuSK is expressed in muscle and is upregulated during muscle regeneration. Data suggest that MuSK is implicated in BMP signaling in myogenesis. MuSK can act as a BMP co-receptor that binds BMP2, BMP4, and BMP7 as well as the Type I BMP receptors ALK3 and ALK6. See, for example, Yilmaz et al., *Sci. Signal.* 9:ra87, doi: 10.1126/scisignal.aaf0890, 2016, incorporated herein by reference. The Ig3 domain of MuSK is required for high-affinity binding to BMP. MuSK upregulates BMP signaling as measured by BMP4-dependent phosphorylation of SMAD1/5/8. Importantly, MuSK-BMP signaling shapes the magnitude and composition of BMP-induced transcriptome in myoblasts and myotubes and this role is independent of any MuSK tyrosine kinase activity. MuSK is a BMP co-receptor

that potentiates BMP signaling and regulates myogenic factors, such as myogenic factor 5 (Myf5), in immortalized myogenic cells.

[0186] Activated satellite cells express MuSK protein and disruption of MuSK-BMP signaling alters satellite cell proliferation in regenerating muscle in vivo. Additionally, previous studies have suggested the role of the MuSK-BMP pathway in satellite cells and muscle regeneration and that targeting MuSK-BMP pathway enhances muscle growth (see e.g., PCT Publication No. WO 2021/076883, which is incorporated by reference herein).

MuSK-Targeting Oligonucleotides

[0187] As described herein, a strategy for regulating the MuSK-BMP pathway includes MuSK-targeting oligonucleotides (e.g., MuSK Ig3 targeting oligonucleotides). Specifically, the disclosure provides, among other things, oligonucleotides and compositions thereof that target regions spanning exon 6 and/or exon 7 of MuSK to induce exon-skipping of exon 6 and/or exon 7. Such alternative splicing activity leads to an increased expression of ΔIg3-MuSK.

[0188] The present disclosure also describes regions within the MuSK transcript at or near exon 6 and/or exon 7 that are particularly useful as target sequences for oligonucleotides in inducing exon skipping of exon 6 and/or exon 7, thereby generating and ΔIg3-MuSK transcripts.

[0189] In some embodiments, the present disclosure also provides specific oligonucleotides and combinations thereof that induce alternative splicing activity of MuSK and generate ΔIg3-MuSK transcripts.

[0190] In addition, the present disclosure provides compositions comprising one or more MuSK-targeting oligonucleotides that induce exon skipping of MuSK exons 6 and/or 7, and can be administered to a subject in a therapeutically effective amount to increase neurogenesis and/or muscle regeneration in the subject.

[0191] The disclosure includes compositions and methods related to one or more nucleotide sequences that are, comprise, or encode an oligonucleotide that binds to and inhibits expression of messenger RNA (mRNA) produced by a target gene (e.g., MuSK). Oligonucleotides can be single stranded (e.g., an antisense oligonucleotide) or double stranded nucleic acid. In some embodiments, an oligonucleotide comprises a double stranded RNA duplex such as microRNA (miRNA) or small interfering RNA (siRNA). In some embodiments, an oligonucleotide is an siRNA or miRNA, or a vector comprising a nucleotide sequence encoding an siRNA or miRNA. In some embodiments, an oligonucleotide is an antisense oligonucleotide (ASO), or a vector comprising a nucleotide sequence encoding an ASO.

[0192] In some embodiments, an oligonucleotide is capable of inhibiting expression of the full-length MuSK sequence comprises three extracellular Immunoglobulin (Ig)-like domains (Ig1, Ig2, and Ig3), a cysteine-rich frizzled (CRD/Fz) domain, as well as an intracellular tyrosine kinase (TK) domain.

[0193] As described herein, the oligonucleotides may target the MuSK sequence of human MuSK or one or more non-human species, e.g., a non-human primate MuSK, e.g., *Macaca fascicularis* MuSK (Gene ID 102127677), or e.g., chlorocebus sabaeus (Gene ID: 103219025), or murine MuSK (Gene ID: 18198). In some embodiments, a MuSK-targeting oligonucleotide comprises an antisense strand that is complementary to a target portion that is identical in the human and/or murine MuSK transcripts. In some embodiments, an oligonucleotide comprises a sequence that is complementary to a target portion of a human MuSK transcript that differs by 1, 2, or 3 nucleotides from a sequence in a murine or human MuSK transcript. It will be appreciated that an oligonucleotide that alters splicing of human MuSK may also alter splicing (i.e., induce exon skipping) of non-primate MuSK, e.g., rat or mouse MuSK, particularly if conserved regions of MuSK transcript are targeted.

[0194] The amino acid and nucleotide sequences of human MuSK are known in the art and can be found in publicly available databases, for example, the National Center for Biotechnology Information (NCBI) Reference Sequence (RefSeq) database, where the genomic nucleotide sequence is listed under RefSeq accession numbers NG_016016.2 (SEQ ID NO: 77) and forms of the mRNA/protein sequences are listed under NM_005592.4/NP_005583.1 (muscle, skeletal receptor tyrosine-protein kinase isoform 1), NM_001166280.2/NP_001159752.1 (muscle, skeletal receptor tyrosine-protein kinase isoform 2), NM_001166281.2/NP_001159753.1 (muscle, skeletal receptor tyrosine-protein kinase isoform 3) and NM_001369398.1/NP_001356327.1 (muscle, skeletal receptor tyrosine-protein kinase isoform 4). See www.ncbi.nlm.nih.gov/gene?Db-gene& Cmd=Details Search&Term=4593, which is incorporated herein by reference.

[0195] In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to a target portion of a MuSK transcript, e.g., MuSK mRNA (e.g., complementary to a nucleotide sequence that is at least 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to a target portion of SEQ ID NO: 77, e.g., Bld25/hu7-10 (SEQ ID NO: 63), Bld26/hu73 (SEQ ID NO: 64), etc.). In some embodiments, the target portion comprises a region that corresponds to positions 83776-83800 and/or 83854-83878 of SEQ ID No: 77 or a corresponding region of a different version of the genomic sequence MuSK. The target portion may be 15-30 nucleotides long, e.g., 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 nucleotides long, although shorter and longer target portions are also contemplated.

[0196] In some embodiments, a target portion of a MuSK transcript, e.g., MuSK mRNA, comprises a sequence of ACTCTGTCAGGTTTCTTCTGGGTCCATT-CAAGAGAGTGTGAAAGACCGAGTGATT GACTCAA-GAC (region 1, SEQ ID: 126), or a region within or a portion thereof. In some embodiments, a target portion comprises a sequence that is at least 10%, 15%, 20%, 25%, 30%, 35%, 40%, 45%, or 50% identical to region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 10 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 15 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 18 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 19 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 20 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 21

consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 22 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 23 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 24 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 25 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 30 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 35 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to at least 15 consecutive bases and no more than 30 consecutive bases of region 1, SEQ ID: 126.

[0197] In some embodiments, a target portion comprises a sequence that is identical to 10 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 11 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 12 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 13 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 14 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 15 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 16 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 17 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 18 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 19 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 20 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 21 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 22 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 23 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 24 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 25 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 26 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 27 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 28 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 29 consecutive bases of region 1, SEQ ID: 126. In some embodiments, a target portion comprises a sequence that is identical to 30 consecutive bases of region 1, SEQ ID: 126.

[0198] In some embodiments, a target portion of a MuSK transcript, e.g., MuSK mRNA, comprises a sequence of GGGGAGAAGTTCAGTACTGCCAAGGCTGCAGC-CACCATCAGCATAGCAGGTAGG ATGCCCCTTCA-CATTTG (region 2, SEQ ID 211), or a region within or a portion thereof. In some embodiments, a target portion comprises a sequence that is at least 10%, 15%, 20%, 25%, 30%, 35%, 40%, 45%, or 50% identical to region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to at least 10 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to at least 15 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to at least 18 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to at least 19 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to at least 20 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to at least 21 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to at least 22 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to at least 23 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to at least 24 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to at least 25 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to at least 30 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to at least 35 consecutive bases of region 2, SEQ ID: 211.

[0199] In some embodiments, a target portion comprises a sequence that is identical to 10 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 11 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 12 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 13 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 14 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 15 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 16 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 17 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 18 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 19 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 20 consecutive bases of region

2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 21 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 22 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 23 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 24 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 25 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 26 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 27 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 28 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 29 consecutive bases of region 2, SEQ ID: 211. In some embodiments, a target portion comprises a sequence that is identical to 30 consecutive bases of region 2, SEQ ID: 211.

[0200] In some embodiments, the target portion comprises a sequence that is at least 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to any one of the sequences listed below in Table 1.

TABLE 1

Region Description	SEQ ID	5' to 3' Sequence
Exon 6	39	TGCATTTCTAAAAGACCACCCTAGC
Exon 6	40	TCTAAAAGACCACCCTAGCTTGACC
Exon 6	41	ACCCTAGCTTGACCATTTCCTGCAG
Exon 6	42	CTGCAGGAGCGTCACTCACCACTTC
Exon 6	43	CACTCACCACTTCTGTCTTCCTAAC
Exon 6	44	TCTTCCTAACAGTTTTTGCCAGGAT
Exon 6	45	GATCCTGCGGGCTCCTGAATCCCAC
Exon 6	46	GGCTCCTGAATCCCACAATGTCACC
Exon 6	47	ATCCCACAATGTCACCTTTGGCTCC
Exon 6	48	TGTCACCTTTGGCTCCTTTGTGACC
Exon 6	49	TGGCTCCTTTGTGACCCTGCACTGT
Exon 6	50	GTGACCCTGCACTGTACAGCAACAG
Exon 6	51	GTACAGCAACAGGCATTCCTGTCCC
Exon 6	52	GCATTCCTGTCCCCACCATCACCTG
Exon 6	53	CCACCATCACCTGGATTGAAAACGG
Exon 6	54	GAAAACGGAAATGCTGTGAGTGTCA
Exon 6	55	GTGAGTGTCATGTGTGTGGGGACTT
Exon 6	56	TGTGGGGACTTGTCTGGGGAAGACC
Exon 7	57	TTCCCTTCAAATCTACTGACATAGT
Exon 7	58	AATCTACTGACATAGTATAGTGGGA

TABLE 1-continued

Region Description	SEQ ID	5' to 3' Sequence
Exon 7	59	AGTATAGTGGGAAATCCTTGACTGA
Exon 7	60	GGGAAATCCTTGACTGAGTTCTTTT
Exon 7	61	ACTGAGTTCTTTTATTTTCCTTTAC
Exon 7	62	TTATTTTCCTTTACTCTGTCAGGTT
Exon 7	63	ACTCTGTCAGGTTTCTTCTGGGTCC
Exon 7	64	TCTTCTGGGTCCATTCAAGAGAGTG
Exon 7	65	TCAAGAGAGTGTGAAAGACCGAGTG
Exon 7	66	AAAGACCGAGTGATTGACTCAAGAC
Exon 7	67	TGACTCAAGACTGCAGCTGTTTATC
Exon 7	68	AGCTGTTTATCACCAAGCCAGGACT
Exon 7	69	ATCACCAAGCCAGGACTCTACACAT
Exon 7	70	CAGGACTCTACACATGCATAGCTAC
Exon 7	71	ACACATGCATAGCTACCAATAAGCA
Exon 7	72	GCTACCAATAAGCATGGGGAGAAGT
Exon 7	73	GGGGAGAAGTTCAGTACTGCCAAGG
Exon 7	74	CTGCAGCCACCATCAGCATAGCAGG
Exon 7	75	CATCAGCATAGCAGGTAGGATGCCC
Exon 7	76	AGGTAGGATGCCCCTTCACATTTGC
Exon 7	212	TTTCTTCTGGGTCCATTCAA
Exon 7	213	TTCTTCTGGGTCCATTCAAG
Exon 7	214	TCTTCTGGGTCCATTCAAGA
Exon 7	215	CTTCTGGGTCCATTCAAGAG
Exon 7	216	TTCTGGGTCCATTCAAGAGA
Exon 7	217	TCTGGGTCCATTCAAGAGAG
Exon 7	218	CTGGGTCCATTCAAGAGAGT
Exon 7	219	TGGGTCCATTCAAGAGAGTG
Exon 7	220	GGGTCCATTCAAGAGAGTGT
Exon 7	221	GGTCCATTCAAGAGAGTGTG
Exon 7	222	GTCCATTCAAGAGAGTGTGA
Exon 7	223	TCCATTCAAGAGAGTGTGAA
Exon 7	224	CCATTCAAGAGAGTGTGAAA
Exon 7	225	CATTCAAGAGAGTGTGAAAG
Exon 7	226	ATTCAAGAGAGTGTGAAAGA
Exon 7	227	TTCAAGAGAGTGTGAAAGAC
Exon 7	228	CTTTACTCTGTCAGGTTTCTTCTGG
Exon 7	229	TTACTCTGTCAGGTTTCTTCTGGGT
Exon 7	230	TCTGTCAGGTTTCTTCTGGGTCCAT

TABLE 1-continued

Region Description	SEQ ID	5' to 3' Sequence
Exon 7	231	TGTCAGGTTTCTTCTGGGTCCATTC
Exon 7	232	CAGGTTTCTTCTGGGTCCATTCAAG
Exon 7	233	GGTTTCTTCTGGGTCCATTCAAGAG
Exon 7	234	TTTCTTCTGGGTCCATTCAAGAGAG
Exon 7	235	TTCTGGGTCCATTCAAGAGAGTGTG
Exon 7	236	CTGGGTCCATTCAAGAGAGTGTGAA
Exon 7	237	ACTCTGTCAGGTTTCTTCTGGGT
Exon 7	238	ACTCTGTCAGGTTTCTTCTGG
Exon 7	239	TCTGTCAGGTTTCTTCTGGGTCC
Exon 7	240	TCTGTCAGGTTTCTTCTGGGT
Exon 7	241	TGTCAGGTTTCTTCTGGGTCC
Exon 7	242	TCAGGTTTCTTCTGGGTCCATTC
Exon 7	243	TCAGGTTTCTTCTGGGTCCAT
Exon 7	244	AGGTTTCTTCTGGGTCCATTCAA
Exon 7	245	AGGTTTCTTCTGGGTCCATTC
Exon 7	246	GTTTCTTCTGGGTCCATTCAA
Exon 7	247	TTTCTTCTGGGTCCATTCAAGAG
Exon 7	248	TTTCTTCTGGGTCCATTCAAG
Exon 7	249	TCTTCTGGGTCCATTCAAGAGAG
Exon 7	250	TTCTGGGTCCATTCAAGAGAG
Exon 7	251	TCTTCTGGGTCCATTCAAGAG
Exon 7	252	TTCTGGGTCCATTCAAGAGAGTG
Exon 7	253	CTGGGTCCATTCAAGAGAGTG

[0201] Administration of MuSK-targeting oligonucleotide (s) as described herein can reduce the level of full-length MuSK transcript or full-length MuSK protein in a subject or in a biological sample (e.g., a blood, serum or plasma sample, or a sample comprising hepatocytes) compared to a level before the administration of the composition. In some embodiments, the level of full-length MuSK transcript or full-length MuSK protein is reduced by at least 10%, at least 15%, at least 20%, at least 25%, at least 30%, at least 35%, at least 40%, at least 45%, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, or at least 90%, relative to a level before the administration.

[0202] In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to a target portion of a MuSK transcript, e.g., MuSK mRNA. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to a nucleotide sequence that is at least 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to a target portion of a MuSK transcript, e.g., MuSK mRNA.

[0203] In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of ACTCTGTCAGGTTTCTTCTGGGTCCATTCAAGAGAGTGTGAAAGACCGAGTGATT GACTCAGAC (region 1, SEQ ID: 126) that includes at least 10, 15, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 95% identical to a portion of SEQ ID: 126 that includes at least 10, 15, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 10 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 15 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 18 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 19 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 20 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 21 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 22 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 23 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 24 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 25 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 26 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 27 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 28 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 29 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes at least 30 consecutive bases of region 1, SEQ ID: 126.

[0204] In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of ACTCTGTCAGGTTTCTTCTGGGTCCATTCAAGAGAGTGTGAAAGACCGAGTGATT GACTCAA-

GAC (region 1, SEQ ID: 126) that includes 10, 15, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 95% identical to a portion of SEQ ID: 126 that includes 10, 15, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 1. SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 10 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 15 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 18 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 19 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 20 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 21 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 22 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 23 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 24 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 25 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 26 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 27 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 28 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 29 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 126 that includes 30 consecutive bases of region 1, SEQ ID: 126.

[0205] In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to a sequence of ACTCTGTCAGGTTTCTTCTGGGTCCATTCAAGAGAGTGTGAAAGACCGAGTGATT GACTCAAGAC (region 1, SEQ ID: 126). In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to a sequence of that is at least 10%, 15%, 20%, 25%, 30%, 35%, 40%, 45%, or 50% identical to region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 10 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 15 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 18 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 19 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 20 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 21 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 22 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 23 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 24 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 25 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 26 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 27 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 28 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 29 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 30 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 35 consecutive bases of region 1, SEQ ID: 126.

[0206] In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 10 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 11 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 12 consecutive bases of region 1. SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 13 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 14 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 15 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 16 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 17 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a

nucleic acid strand that is complementary to 18 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 19 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 20 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 21 consecutive bases of region 1. SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 22 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 23 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 24 consecutive bases of region 1. SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 25 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 26 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 27 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 28 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 29 consecutive bases of region 1, SEQ ID: 126. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 30 consecutive bases of region 1, SEQ ID: 126.

[0207] In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion sequence GGGGAGAAGTTCAGTACTGCCAAGGCTGCAGCCACCATCAGCATAGCAGGTAGGATGCCCCTTCACATTTG (region 2, SEQ ID 211) that includes at least 10, 15, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a sequence that is at least 95% identical to a portion of SEQ ID: 211 that includes at least 10, 15, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a sequence that is at least 90% identical to a portion of SEQ ID: 211 that includes 10, 15, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a sequence that is at least 95% identical to a portion of SEQ ID: 211 that includes 10, 15, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 2, SEQ ID: 211.

[0208] In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to a portion of sequence GGGGAGAAGTTCAGTACTGCCAAGGCTGCAGCCACCATCAGCATAGCAGGTAGGATGCCCCTTCACATTTG (region 2, SEQ ID 211). In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 10 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 15 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 18 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 19 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 20 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 21 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 22 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 23 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 24 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 25 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 30 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to at least 35 consecutive bases of region 2, SEQ ID: 211.

[0209] In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 10 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 11 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 12 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 13 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 14 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 15 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 16 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 17 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 18 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 19 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 20 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 21 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 22 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 23 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is

complementary to 24 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 25 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 26 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 27 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 28 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 29 consecutive bases of region 2, SEQ ID: 211. In some embodiments, an oligonucleotide comprises a nucleic acid strand that is complementary to 30 consecutive bases of region 2, SEQ ID: 211.

[0210] In some embodiments, MuSK-targeting oligonucleotides of the disclosure are antisense oligonucleotides comprising a nucleotide sequence that is at least 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to any one of SEQ ID NOs: 1-38, 127-142, 159-167, 177-193 in the following Table 2:

TABLE 2

SEQ ID	MuSK Targeting Region ID	Oligo ID	5' to 3' Sequence
1	hu6-75	Bld1	GCTAGGGTGGTCTTTTAGAAATGCA
2	hu6-69	Bld2	GGTCAAGCTAGGGTGGTCTTTTAGA
3	hu6-58	Bld3	CTGCAGGAAATGGTCAAGCTAGGGT
4	hu6-39	Bld4	GAAGTGGTGAGTGACGCTCCTGCAG
5	hu6-27	Bld5	GTTAGGAAGACAGAAGTGGTGAGTG
6	hu6-12	Bld6	ATCCTGGCAAAAACTGTTAGGAAGA
7	hu610	Bld7	GTGGGATTCAGGAGCCCGCAGGATC
8	hu619	Bld8	GGTGACATTGTGGGATTCAGGAGCC
9	hu628	Bld9	GGAGCCAAAGGTGACATTGTGGGAT
10	hu637	Bld10	GGTCACAAAGGAGCCAAAGGTGACA
11	hu646	Bld11	ACAGTGCAGGGTCACAAAGGAGCCA
12	hu656	Bld12	CTGTTGCTGTACAGTGCAGGGTCAC
13	hu669	Bld13	GGGACAGGAATGCCTGTTGCTGTAC
14	hu681	Bld14	CAGGTGATGGTGGGGACAGGAATGC
15	hu693	Bld15	CCGTTTTCAATCCAGGTGATGGTGG
16	hu6110	Bld16	TGACACTCACAGCATTTCCGTTTTC
17	hu6125	Bld17	AAGTCCCCACACACATGACACTCAC
18	hu6139	Bld18	GGTCTTCCCCAGACAAGTCCCCACA
19	hu7-75	Bld19	ACTATGTCAGTAGATTTGAAGGGAA
20	hu7-66	Bld20	TCCCACTATACTATGTCAGTAGATT
21	hu7-53	Bld21	TCAGTCAAGGATTTCCCACTATACT
22	hu7-45	Bld22	AAAAGAACTCAGTCAAGGATTTCCC

TABLE 2-continued

SEQ ID	MuSK Targeting Region ID	Oligo ID	5' to 3' Sequence
23	hu7-33	Bld23	GTAAAGGAAAATAAAAGAACTCAGT
24	hu7-22	Bld24	AACCTGACAGAGTAAAGGAAAATAA
25	hu7-10	Bld25	GGACCCAGAAGAAACCTGACAGAGT
26	hu73	Bld26	CACTCTCTTGAATGGACCCAGAAGA
27	hu717	Bld27	CACTCGGTCTTTCACACTCTCTTGA
28	hu730	Bld28	GTCTTGAGTCAATCACTCGGTCTTT
29	hu744	Bld29	GATAAACAGCTGCAGTCTTGAGTCA
30	hu758	Bld30	AGTCCTGGCTTGGTGATAAACAGCT
31	hu766	Bld31	ATGTGTAGAGTCCTGGCTTGGTGAT
32	hu776	Bld32	GTAGCTATGCATGTGTAGAGTCCTG
33	hu785	Bld33	TGCTTATTGGTAGCTATGCATGTGT
34	hu796	Bld34	ACTTCTCCCCATGCTTATTGGTAGC
35	hu7111	Bld35	CCTTGGCAGTACTGAACTTCTCCCC
36	hu7136	Bld36	CCTGCTATGCTGATGGTGGCTGCAG
37	hu7146	Bld37	GGGCATCCTACCTGCTATGCTGATG
38	hu7158	Bld38	GCAAATGTGAAGGGGCATCCTACCT
127		Bld51	TTGAATGGACCCAGAAGAAA
128		Bld52	CTTGAATGGACCCAGAAGAA
129		Bld53	TCTTGAATGGACCCAGAAGA
130		Bld54	CTCTTGAATGGACCCAGAAG
131		Bld55	TCTCTTGAATGGACCCAGAA
132		Bld56	CTCTCTTGAATGGACCCAGA
133		Bld57	ACTCTCTTGAATGGACCCAG
134		Bld58	CACTCTCTTGAATGGACCCA
135		Bld59	ACACTCTCTTGAATGGACCC
136		Bld60	CACACTCTCTTGAATGGACC
137		Bld61	TCACACTCTCTTGAATGGAC
138		Bld62	TTCACACTCTCTTGAATGGA
139		Bld63	TTTCACACTCTCTTGAATGG
140		Bld64	CTTTCACACTCTCTTGAATG
141		Bld65	TCTTTCACACTCTCTTGAAT
142		Bld66	GTCTTTCACACTCTCTTGAA
159		Bld25-1	CCAGAAGAAACCTGACAGAGTAAAG
160		Bld25-2	ACCCAGAAGAAACCTGACAGAGTAA
161		Bld25-3	ATGGACCCAGAAGAAACCTGACAGA
162		Bld25-4	GAATGGACCCAGAAGAAACCTGACA

TABLE 2-continued

SEQ ID	MuSK Targeting Region ID	Oligo ID	5' to 3' Sequence
163		Bld25-5	CTTGAATGGACCCAGAAGAAACCTG
164		Bld26-1	CTCTTGAATGGACCCAGAAGAAACC
165		Bld26-2	CTCTCTTGAATGGACCCAGAAGAAA
166		Bld26-3	CACACTCTCTTGAATGGACCCAGAA
167		Bld26-4	TTCACACTCTCTTGAATGGACCCAG
177		Bld25-A	ACCCAGAAGAAACCTGACAGAGT
178		Bld25-B	CCAGAAGAAACCTGACAGAGT
179		Bld25-C	GGACCCAGAAGAAACCTGACAGA
180		Bld25-D	ACCCAGAAGAAACCTGACAGA
181		Bld25-E	GGACCCAGAAGAAACCTGACA
182		Bld25-5-A	GAATGGACCCAGAAGAAACCTGA
183		Bld25-5-B	ATGGACCCAGAAGAAACCTGA
184		Bld25-5-C	TTGAATGGACCCAGAAGAAACCT
185		Bld25-5-D	GAATGGACCCAGAAGAAACCT
186		Bld25-5-E	TTGAATGGACCCAGAAGAAAC
187		Bld26-2-A	CTCTTGAATGGACCCAGAAGAAA
188		Bld26-2-B	CTTGAATGGACCCAGAAGAAA
189		Bld26-2-C	CTCTCTTGAATGGACCCAGAAGA
190		Bld26-2-D	CTCTCTTGAATGGACCCAGAA
191		Bld26-B	CTCTTGAATGGACCCAGAAGA
192		Bld26-C	CACTCTCTTGAATGGACCCAGAA
193		Bld26-D	CACTCTCTTGAATGGACCCAG

[0211] In some embodiments, an oligonucleotide has a sequence that differs from that explicitly set forth in Table 2, for example by substitution of one or more residues, or types of residues, with an alternative residue or residue type—e.g., an analog or otherwise corresponding residue type. For example, in some embodiments, one or more "T" residues (or all "T" residues) of a sequence presented in Table 2 is a "U" residue or analog thereof.

[0212] In some embodiments, an oligonucleotide comprises mismatch(es) with the target. The base pair may be ranked on the basis of their propensity to promote dissociation or melting (e.g., on the free energy of association or dissociation of a particular pairing, the simplest approach is to examine the pairs on an individual pair basis, though next neighbour or similar analysis can also be used). In terms of promoting dissociation: A:U is preferred over G:C:G:U is preferred over G:C; and I:C is preferred over G:C (I=inosine).

[0213] In some embodiments, an oligonucleotide can include one or more (e.g., 2, 3, 4, or 5) nucleotides on the 3' and/or 5' end that is not complementary to the target sequence.

Chemical Structures of MuSK-Targeting Oligonucleotides

[0214] Synthetic oligonucleotides provide useful molecular tools in a wide variety of applications. For example, oligonucleotides are useful in therapeutic, diagnostic, research, and new nanomaterials applications. The use of naturally occurring nucleic acids (e.g., unmodified DNA or RNA) is limited, for example, by their susceptibility to endo- and exo-nucleases. As such, various synthetic counterparts have been developed to circumvent these shortcomings. These include synthetic oligonucleotides that contain chemical modification, e.g., base modifications, sugar modifications, backbone modifications, etc., which, among other things, render these molecules less susceptible to degradation and improve other properties of oligonucleotides.

[0215] Among other things, the present disclosure encompasses the recognition that structural elements of oligonucleotides, such as base sequence, chemical modifications (e.g., modifications of sugar, base, and/or internucleotidic linkages, and patterns thereof), and/or stereochemistry (e.g., stereochemistry of backbone chiral centers (chiral internucleotidic linkages), and/or patterns thereof), can have significant impact on properties, e.g., stability, splicing-altering capabilities, etc. In some embodiments, oligonucleotide properties can be adjusted by optimizing chemical modifications (modifications of base, sugar, and/or internucleotidic linkage) and/or stereochemistry (pattern of backbone chiral centers).

[0216] In some embodiments, the present disclosure demonstrates that oligonucleotide compositions comprising oligonucleotides with controlled structural elements, e.g., controlled chemical modification, provide unexpected properties, including but not limited to those described herein. In some embodiments, provided compositions comprising oligonucleotides having chemical modifications (e.g., base modifications, sugar modification, internucleotidic linkage modifications, etc.) have improved properties, such as improved splicing-altering capabilities, or improved protein binding profile, and/or improved delivery, etc. Particularly, in some embodiments, the present disclosure provides compositions and methods for altering splicing of transcripts (e.g., MuSK transcripts). In some embodiments, the present disclosure provides compositions and methods for improving splicing of transcripts. In some embodiments, altered transcript splicing by provided compositions and methods include production of products having desired and/or improved biological functions, and/or knockdown of undesired product by, e.g., modifying splicing products so that undesired biological functions can be suppressed or removed.

[0217] In some embodiments, a splicing product is mRNA. In some embodiments, alteration comprises skipping one or more exons. In some embodiments, splicing of a transcript is improved in that exon skipping increases levels of mRNA and proteins that have improved beneficial activities compared with absence of exon skipping.

[0218] In some embodiments, splicing of a transcript is improved in that exon skipping lowers levels of mRNA and proteins that have undesired activities compared with absence of exon skipping. In some embodiments, a target is knocked down through exon skipping which, by skipping one or more exons, causes premature stop codon and/or frameshift mutations.

[0219] In some embodiments, an oligonucleotide of the disclosure includes one or more natural nucleobase and/or

one or more modified nucleobases derived from a natural nucleobase. Examples include, but are not limited to, uracil, thymine, adenine, cytosine, and guanine having their respective amino groups protected by acyl protecting groups, 2-fluorouracil, 2-fluorocytosine, 5-bromouracil, 5-iodouracil, 2,6-diaminopurine, azacytosine, pyrimidine analogs such as pseudoisocytosine and pseudouracil and other modified nucleobases such as 8-substituted purines, xanthine, or hypoxanthine (the latter two being the natural degradation products).

[0220] Modified nucleobases also include expanded-size nucleobases in which one or more aryl rings, such as phenyl rings, have been added.

[0221] In some embodiments, modified nucleobases are of any one of the following structures, optionally substituted:



[0222] In some embodiments, a modified nucleobase is unsubstituted. In some embodiments, a modified nucleobase is substituted. In some embodiments, a modified nucleobase is substituted such that it contains, e.g., heteroatoms, alkyl groups, or linking moieties connected to fluorescent moieties, biotin or avidin moieties, or other protein or peptides. In some embodiments, a modified nucleobase is a "universal base" that is not a nucleobase in the most classical sense, but that functions similarly to a nucleobase. One representative example of such a universal base is 3-nitropyrrole.

[0223] In some embodiments, an oligonucleotide described herein includes nucleosides that incorporate modified nucleobases and/or nucleobases covalently bound to modified sugars. Some examples of nucleosides that incorporate modified nucleobases include 4-acetylcytidine; 5-(carboxyhydroxylmethyl) uridine; 2'-O-methylcytidine; 5-carboxymethylaminomethyl-2-thiouridine; 5-carboxy methylaminomethyluridine; dihydrouridine; 2'-O-methylpseudouridine; beta,D-galactosylqueosine; 2'-O-methylguanosine; N^6-isopentenyladenosine; 1-methyladenosine; 1-methylpseudouridine; 1-methylguanosine; 1-methylinosine; 2,2-dimethylguanosine; 2-methyladenosine; 2-methylguanosine; N^7-methylguanosine; 3-methyl-cytidine; 5-methylcytidine; 5-hydroxymethylcytidine; 5-methylcytosine, 5-formylcytosine; 5-carboxylcytosine; N^6-methyladenosine; 7-methylguanosine; 5-methylaminoethyluridine; 5-methoxyaminomethyl-2-thiouridine; beta, D-mannosylqueosine; 5-methoxy carbonylmethyluridine; 5-methoxyuridine; 2-methylthio-N^6-isopentenyladenosine; N-((9-beta, D-ribofuranosyl-2-methylthiopurine-6-yl) carbamoyl) threonine; N-((9-beta,D-ribofuranosylpurine-6-yl)-N-methylcarbamoyl) threonine; uridine-5-oxyacetic acid methylester; uridine-5-oxyacetic acid (v); pseudouridine; queosine; 2-thiocytidine; 5-methyl-2-thiouridine; 2-thiouridine; 4-thiouridine; 5-methyluridine; 2'-O-methyl-5-methyluridine; and 2'-O-methyluridine.

[0224] In some embodiments, nucleosides include 6'-modified bicyclic nucleoside analogs that have either (R) or (S)-chirality at the 6'-position and include the analogs described in U.S. Pat. No. 7,399,845. In other embodiments, nucleosides include 5'-modified bicyclic nucleoside analogs that have either (R) or (S)-chirality at the 5'-position and include the analogs described in U.S. Publ. No. 20070287831. In some embodiments, a nucleobase or modified nucleobase is 5-bromouracil, 5-iodouracil, or 2,6-diaminopurine. In some embodiments, a nucleobase or modified nucleobase is modified by substitution with a fluorescent moiety.

[0225] In some embodiments, an oligonucleotide described herein includes one or more modified nucleotides wherein a phosphate group or linkage phosphorus in the nucleotides are linked to various positions of a sugar or modified sugar. As non-limiting examples, the phosphate group or linkage phosphorus can be linked to the 2', 3', 4' or 5' hydroxyl moiety of a sugar or modified sugar. Nucleotides that incorporate modified nucleobases as described herein are also contemplated in this context.

[0226] Other modified sugars can also be incorporated within an oligonucleotide molecule. In some embodiments, a modified sugar contains one or more substituents at the 2' position including one of the following: —F; —CF_3, —CN, —N_3, —NO, —NO_2, —OR', —SR', or —$N(R')_2$, wherein each R' is independently as defined above and described herein: —O—(C_1-C_{10} alkyl), —S(C_1-C_{10} alkyl), —NH—(C_1-C_{10} alkyl), or —N(C_1-C_{10} alkyl)$_2$; —O—(C_2-C_{10} alkenyl), —S—(C_2-C_{10} alkenyl), —NH—(C_2-C_{10} alkenyl), or —N(C_2-C_{10} alkenyl)$_2$; —O—(C_2-C_{10} alkynyl), —S—(C_2-C_{10} alkynyl), —NH—(C_2-C_{10} alkynyl), or —N(C_2-C_{10} alkynyl)$_2$; or —O—(C_1-C_{10} alkylene)-O—(C_1-C_{10} alkyl), —O—(C_1-C_{10} alkylene)-NH—(C_1-C_{10} alkyl) or —O—(C_1-C_{10} alkylene)-NH—(C_1-C_{10} alkyl)$_2$, —NH—(C_1-C_{10} alkylene)-O—(C_1-C_{10} alkyl), or —N(C_1-C_{10} alkyl)-(C_1-C_{10} alkylene)-O—(C_1-C_{10} alkyl), or salt thereof, wherein the alkyl, alkylene, alkenyl and alkynyl may be substituted or unsubstituted. Examples of substituents include, and are not limited to, —$O(CH_2)_nOCH_3$, and —$O(CH_2)_nNH_2$ or salt thereof, wherein n is from 1 to about 10, —OCH_2CH_2OMe (MOE) or salt thereof, —$OCH_2CH_2N(CH_3)_2$ (DMAOE) or salt thereof, —$OCH_2CH_2OCH_2CH_2N(CH_3)_2$ (DMAEOE) or salt thereof.

[0227] In some embodiments, the 2'-OH of a ribose is replaced with a substituent including one of the following: —H, —F; —CF_3, —CN, —N_3, —NO, —NO_2, —OR',

—SR', or —N(R')$_2$, wherein each R' is independently as defined above and described herein: —O—(C_1-C_{10} alkyl), —S(C_1-C_{10} alkyl), —NH—(C_1-C_{10} alkyl), or —N(C_1-C_{10} alkyl)$_2$; —O—(C_2-C_{10} alkenyl), —S(C_2-C_{10} alkenyl), —NH—(C_2-C_{10} alkenyl), or —N(C_2-C_{10} alkenyl)$_2$; —O—(C_2-C_{10} alkynyl), —S—(C_2-C_{10} alkynyl), —NH—(C_2-C_{10} alkynyl), or —N(C_2-C_{10} alkynyl)$_2$; or —O—(C_1-C_{10} alkylene)-O—(C_1-C_{10} alkyl), —O—(C_1-C_{10} alkylene)-NH—(C_1-C_{10} alkyl) or —O—(C_1-C_{10} alkylene)-NH(C_1-C_{10} alkyl)$_2$, —NH—(C_1-C_{10} alkylene)-O—(C_1-C10 alkyl), or —N(C_1-C_{10} alkyl)-(C_1-C_{10} alkylene)-O—(C_1-C_{10} alkyl), wherein the alkyl, alkylene, alkenyl and alkynyl may be substituted or unsubstituted. In some embodiments, the 2'-OH is replaced with —H (deoxyribose). In some embodiments, the 2'-OH is replaced with —F. In some embodiments, the 2'-OH is replaced with —OR'. In some embodiments, the 2'-OH is replaced with —OMe. In some embodiments, the 2'-OH is replaced with —OCH_2CH_2OMe (MOE).

[0228] Modified sugars also include locked nucleic acids (LNAs). In some embodiments, the locked nucleic acid has the structure indicated below. A locked nucleic acid of the structure below is indicated, wherein Ba represents a nucleobase or modified nucleobase as described herein, and wherein R^{2s} is —OCH_2C4'-



C2'OCH2C4' = LNA (Locked Nucleic Acid

R^{2s} = OCH_2C4'

[0229] In some embodiments, each sugar of the oligonucleotide is or comprises a modified sugar moiety. In some embodiments, each sugar of the oligonucleotide is or comprises a 2'-MOE modified sugar. In some embodiments, each sugar of the oligonucleotide is or comprises a 2'-OMe modified sugar. In some embodiments, each sugar of the oligonucleotide is or comprises a 2'-OH modified sugar. In some embodiments, each sugar of the oligonucleotide is or comprises a 2'-H modified sugar.

[0230] In some embodiments, the present disclosure provides an oligonucleotide comprising 2'-MOE modified sugar, 2'-OMe modified sugar, 2'-OH modified sugar, 2'-H modified sugar, or combinations thereof. In some embodiments, a provided oligonucleotide comprises at least one 2'-MOE sugar and at least one 2'-OH sugar (RNA sugar). In some embodiments, a provided oligonucleotide comprises at least one 2'-MOE sugar and at least one 2'-H sugar (DNA sugar).

[0231] In some embodiments, the present invention provides an oligonucleotide comprising one or more modified internucleotidic linkages independently having the structure of formula I:



(I)

[0232] wherein:

[0233] P* is an asymmetric phosphorus atom and is either Rp or Sp configuration:

[0234] W is O, S or Se:

[0235] each of X, Y and Z is independently-O—, —S—, —N(-L-R^1)—, or L;

[0236] L is a covalent bond or an optionally substituted, linear or branched C_1-C_{10} alkylene, wherein one or more methylene units of L are optionally and independently replaced by an optionally substituted C_1-C_6 alkylene, C_1-C_6 alkenylene, —C≡C—, —C(R')$_2$—, —Cy—, —O—, —S—, —S—S—, —N(R')—, —C(O)—, —C(S)—, —C(NR')—, —C(O)N(R')—, —N(R')C(O)N(R')—, —N(R')C(O)—, —N(R')C(O)O—, —OC(O)N(R')—, —S(O)—, —S(O)$_2$—, —S(O)$_2$N(R')—, —N(R')S(O)$_2$—, —SC(O)—, —C(O)S—, —OC(O)—, or —C(O)O—;

[0237] R^1 is halogen, R, or an optionally substituted C_1-C_{50} aliphatic wherein one or more methylene units are optionally and independently replaced by an optionally substituted C_1-C_6 alkylene, C_1-C_6 alkenylene, —C≡C—, —C(R')$_2$—, —Cy—, —O—, —S—, —S—S—, —N(R')—, —C(O)—, —C(S)—, —C(NR')—, —C(O)N(R')—, —N(R')C(O)N(R')—, —N(R')C(O)—, —N(R')C(O)O—, —OC (O)N(R')—, —S(O)—, —S(O)$_2$—, —S(O)$_2$N(R')—, —N(R')S(O)$_2$—, —SC(O)—, —C(O)S—, —OC (O)—, or —C(O)O—;

[0238] each R' is independently-R, —C(O)R, —CO_2R, or —SO_2R, or:

[0239] two R' on the same nitrogen are taken together with their intervening atoms to form an optionally substituted heterocyclic or heteroaryl ring, or

[0240] two R' on the same carbon are taken together with their intervening atoms to form an optionally substituted aryl, carbocyclic, heterocyclic, or heteroaryl ring:

[0241] —Cy— is an optionally substituted bivalent ring selected from phenylene, carbocyclylene, arylene, heteroarylene, or heterocyclylene:

[0242] each R is independently hydrogen, or an optionally substituted group selected from C_1-C_6 aliphatic, phenyl, carbocyclyl, aryl, heteroaryl, or heterocyclyl; and

[0243] each

independently represents a connection to a nucleoside.

[0244] In some embodiments, the internucleotidic linkage having the structure of formula I is















-continued















or

-continued



[0245] In some embodiments, an oligonucleotide comprises both non-natural internucleotidic linkage as described herein and natural phosphate linkage. In some embodiments, each internucleotidic linkages of the oligonucleotide is a non-natural internucleotidic linkage. In some embodiments, each internucleotidic linkages of the oligonucleotide is a chiral internucleotidic linkage. In some embodiments, each internucleotidic linkages of the oligonucleotide is a phosphorothioate linkage



[0246] In some embodiments, each internucleotidic linkages of an oligonucleotide is a natural phosphate linkage. In some embodiments, an oligonucleotide comprises at least one natural phosphate linkage and at least one phosphodithioate linkage. In some embodiments, at least 50% internucleotidic linkages of an oligonucleotide are phosphodithioate linkages. In some embodiments, at least 60% internucleotidic linkages of an oligonucleotide are phosphodithioate linkages. In some embodiments, at least 70% internucleotidic linkages of an oligonucleotide are phosphodithioate linkages. In some embodiments, at least 80% internucleotidic linkages of an oligonucleotide are phosphodithioate linkages. In some embodiments, at least 90% internucleotidic linkages of an oligonucleotide are phosphodithioate linkages. In some embodiments, at least 94% internucleotidic linkages of an oligonucleotide are phosphodithioate linkages. In some embodiments, at least 95% internucleotidic linkages of an oligonucleotide are phosphodithioate linkages.

[0247] In some embodiments, at least 50% internucleotidic linkages of an oligonucleotide are natural phosphate linkages. In some embodiments, at least 60% internucleotidic linkages of an oligonucleotide are natural phosphate linkages. In some embodiments, at least 70% internucleotidic linkages of an oligonucleotide are natural phosphate linkages. In some embodiments, at least 80% internucleotidic linkages of an oligonucleotide are natural phosphate linkages. In some embodiments, at least 90% internucleotidic linkages of an oligonucleotide are natural phosphate linkages. In some embodiments, at least 94% internucleotidic linkages of an oligonucleotide are natural phosphate linkages. In some embodiments, at least 95% internucleotidic linkages of an oligonucleotide are natural phosphate linkages.

[0248] Among other things, the present disclosure provides oligonucleotides of various designs, which may comprises various nucleobases and patterns thereof, sugars and patterns thereof, internucleotidic linkages and patterns thereof, and/or additional chemical moieties and patterns thereof as described in the present disclosure. In some embodiments, provided oligonucleotides can downregulate the MuSK Ig3 domain protein expression, the MuSK Ig3 domain gene expression, and/or the MuSK Ig3 activation of BMP signaling level, thereby increasing adult hippocampal neurogenesis (AHN) and improving cognition in AD. In some embodiments, provided oligonucleotides can downregulate the MuSK Ig3 domain protein expression, the MuSK Ig3 domain gene expression, and/or the MuSK Ig3 activation of BMP signaling level, thereby increasing muscle regeneration. In some embodiments, provided oligonucleotides can direct a decrease in the expression, level and/or activity of MuSK Ig3 domain and/or one or more of its products in a cell of a subject or patient. In some embodiments, provided oligonucleotides can direct a decrease in the expression, level and/or activity of MuSK Ig3 domain and/or one or more of its products in a cell of a subject or patient, while the expression, level, and/or activity of all forms of MuSK remains substantially the same. In some embodiments, a cell normally expresses or produces protein encoded by MuSK Ig3 domain. In some embodiments, provided MuSK-targeting oligonucleotides can direct a decrease in the expression, level and/or activity of MuSK Ig3 domain gene or a gene product and have a base sequence which consists of, comprises, or comprises a portion (e.g., a span of 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 or more contiguous bases) of the base sequence of a oligonucleotide disclosed herein, wherein each T can be independently substituted with U and vice versa, and the oligonucleotide comprises at least one non-naturally-occurring modification of a base, sugar and/or internucleotidic linkage.

[0249] As described herein, the naturally highly abundant full length MuSK harbors the BMP-binding Ig3 domain and potentiates BMP signaling and thus restrains neurogenesis. In contrast, ΔIg3-MuSK has lower BMP signaling and promotes AHN and improves cognition. In some embodiments, the present disclosure provides exon-skipping MuSK-targeting oligonucleotides that switch MuSK from the AHN restraining full length MuSK to AHN permissive ΔIg3-MuSK splice form.

[0250] As described herein, the highly abundant full length MuSK harbors the BMP-binding Ig3 domain and potentiates BMP signaling and affects muscle regeneration. In contrast, ΔIg3-MuSK has lower BMP signaling and promotes muscle regeneration and/or prevents muscle fibrosis. In some embodiments, the present disclosure provides exon-skipping MuSK-targeting oligonucleotides that switch MuSK from the full length MuSK to the muscle-promoting ΔIg3-MuSK splice form.

[0251] In some embodiments, one or more skipped exons are selected from exon 6 and/or 7 of the MuSK gene. In some embodiments, exon 6 of MuSK is skipped. In some embodiments, exon 7 of MuSK is skipped. In some embodiments, both exons 6 and 7 of MuSK are skipped.

[0252] In some embodiments, a MuSK-targeting oligonucleotide described herein can provide exon-skipping of exon 6 and/or 7, but does not provide exon-skipping of exon 3 and/or 4.

[0253] In some embodiments, a MuSK-targeting oligonucleotide described herein can provide exon-skipping of exon 6 and/or 7 at a greater level than it provides exon-skipping of exon 3 and/or 4.

[0254] In some embodiments, a MuSK-targeting oligonucleotide described herein provides exon-skipping such that the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 60% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 40%.

[0255] In some embodiments, a MuSK-targeting oligonucleotide alters the splicing of MuSK transcripts such that the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 60% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 40%.

[0256] In some embodiments, a MuSK-targeting oligonucleotide alters the splicing of MuSK transcripts such that the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 70% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 40%.

[0257] In some embodiments, a MuSK-targeting oligonucleotide alters the splicing of MuSK transcripts such that the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 80% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 40%.

[0258] In some embodiments, a MuSK-targeting oligonucleotide alters the splicing of MuSK transcripts such that the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 90% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 40%.

[0259] In some embodiments, a MuSK-targeting oligonucleotide alters the splicing of MuSK transcripts such that the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 60% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 30%.

[0260] In some embodiments, a MuSK-targeting oligonucleotide alters the splicing of MuSK transcripts such that the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 60% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 20%.

[0261] In some embodiments, a MuSK-targeting oligonucleotide alters the splicing of MuSK transcripts such that the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 60% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 10%.

[0262] In various embodiments, an active compound is an oligonucleotide that directs skipping of one or more exons in a MuSK gene. In various embodiments, an active compound is an oligonucleotide that directs skipping of multiple exons in a MuSK gene. In some embodiments, an active compound is an oligonucleotide that directs skipping of exon 6, exon 7, or both in a MuSK gene. In some embodiments, an active compound is an oligonucleotide that directs skipping of exon 6 in a MuSK gene. In some embodiments, an active compound is an oligonucleotide that directs skipping of exon 7 in a MuSK gene. In some embodiments, an active compound is an oligonucleotide that directs skipping of exons 6 and 7 in a MuSK gene. In some embodiments, a plurality of oligonucleotides may be used together. In some such embodiments, two or more different exon skipping oligonucleotides (e.g., at least one that directs skipping of exon 6 and one that directs skipping of exon 7) may be used in combination. Alternatively or additionally, in some embodiments, at least one exon skipping oligonucleotide may be used in combination with at least one degrading oligonucleotide (e.g., that targets a transcript for RNase H degradation) which, for example, may target MuSK transcript(s) that include a functional Ig3 domain, or portion thereof.

[0263] In some embodiments, oligonucleotides are provided and/or utilized in salt forms. In some embodiments, oligonucleotides are provided as salts comprising negatively-charged internucleotidic linkages (e.g., phosphorothioate internucleotidic linkages, natural phosphate linkages, etc.) existing as their salt forms. In some embodiments, oligonucleotides are provided as pharmaceutically acceptable salts. In some embodiments, oligonucleotides are provided as metal salts. In some embodiments, oligonucleotides are provided as sodium salts. In some embodiments, oligonucleotides are provided as metal salts, e.g., sodium salts, wherein each negatively-charged internucleotidic linkage is independently in a salt form (e.g., for sodium salts, —O—P(O)(SNa)—O— for a phosphorothioate internucleotidic linkage, —O—P(O)(ONa)—O— for a natural phosphate linkage, etc.).

[0264] In some embodiments, individual oligonucleotides within a composition may be considered to be of the same constitution and/or structure even though, within such composition (e.g., a liquid composition), particular such oligonucleotides might be in different salt form(s) (and may be dissolved and the oligonucleotide chain may exist as an anion form when, e.g., in a liquid composition) at a particular moment in time. For example, those skilled in the art will appreciate that, at a given pH, individual internucleotidic linkages along an oligonucleotide chain may be in an acid (H) form, or in one of a plurality of possible salt forms (e.g., a sodium salt, or a salt of a different cation, depending on which ions might be present in the preparation or composition), and will understand that, so long as their acid forms (e.g., replacing all cations, if any, with H+) are of the same constitution and/or structure, such individual oligonucleotides may properly be considered to be of the same constitution and/or structure.

[0265] In some embodiments, an oligonucleotide composition comprises two or more oligonucleotides. In some embodiments, an oligonucleotide composition comprises two or more pluralities of oligonucleotides, wherein each plurality is independently a plurality of oligonucleotides as described herein. For example, in some embodiments, each plurality independently shares a same base sequence and the same internucleotidic linkages. In some embodiments, at least two pluralities or each plurality independently targets the same exon(s) of the same transcript (e.g., exons 6 and/or 7 of MuSK). In some embodiments, at least two pluralities or each plurality independently targets different exons of the same transcript (e.g., exons 3, 4, 6, and/or 7 of MuSK). In some embodiments, at least two pluralities or each plurality independently targets a different transcript of the same or different nucleic acids. In some embodiments, at least two pluralities or each plurality independently targets transcripts of a different gene. In some embodiments, at least two pluralities or each plurality independently targets different regions on the MuSK transcript. Among other things, such compositions may be utilized to target two or more targets, in some embodiments, simultaneously and in the same system.

Characterization of MuSK-Targeting Oligonucleotides

[0266] MuSK-targeting oligonucleotides provided herein may be identified, assessed and/or characterized for one or more their physical/chemical properties and/or biological activities. Those skilled in the art will be aware of a variety of approaches, including particular assays, that may be utilized for such identification, assessment, and/or characterization.

[0267] In some embodiments, a MuSK-targeting oligonucleotide as described herein is characterized in that, for example, the MuSK-targeting oligonucleotide, when contacted with a cell expressing MuSK, will increase the level or activity of MuSK ΔIg3 mRNA and/or protein, e.g., relative to another MuSK form or other appropriate reference. In some embodiments, achieving such increase may be considered to represent "agonizing" MuSK ΔIg3.

[0268] In some embodiments, a MuSK-targeting oligonucleotide is characterized by its ability to alter splicing activity of MuSK pre-mRNA in a cell. For example, a cell may be transfected with a MuSK-targeting oligonucleotide, and after a period of incubation, expression of an alternative form of processed form of a MuSK RNA transcript (e.g., where exons 6 and 7 have been skipped), can be measured by RT-PCR. For example, the efficiency of MuSK exon skipping in cultured cells greater than 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95%, or 95%.

[0269] In some aspects, a MuSK-targeting oligonucleotide increases of MuSK ΔIg3 mRNA. In some aspects, a MuSK-targeting oligonucleotide alters splicing of MuSK pre-mRNA. In some aspects, a MuSK-targeting oligonucleotide promotes the skipping of exon 6 and/or exon 7.

[0270] Modulation of expression of MuSK ΔIg3 can be measured in a bodily fluid of a subject treated with MuSK MR-targeting oligonucleotide, which may or may not contain cells: tissue: or organ of the animal. Methods of obtaining samples for analysis, such as body fluids (e.g., sputum, serum, CSF), tissues (e.g., biopsy), or organs, and methods of preparation of the samples to allow for analysis are well known to those skilled in the art. The effects of treatment on a subject can be assessed by measuring biomarkers associated with the target gene expression in one or more biological fluids, tissues or organs, collected from an animal contacted with one or more compositions described in this application.

[0271] In some embodiments, an increase in MuSK ΔIg3 mRNA means that the intracellular level of MuSK ΔIg3 mRNA is higher than a reference level, such as the level of MuSK ΔIg3 mRNA in a control (for example in a subject that is not being administered an MuSK-targeting oligonucleotide). An increase in intracellular MuSK ΔIg3 mRNA can be measured as an increase in the level of MuSK ΔIg3 protein and/or mRNA produced. In some embodiments, an increase in MuSK ΔIg3 mRNA can be determined by e.g., methods as described below in the examples, and/or by assay techniques such as RNA solution hybridization, nuclease protection, Northern hybridization, reverse transcription, gene expression monitoring with a microarray, antibody binding, enzyme linked immunosorbent assay (ELISA), nucleic acid sequencing, Western blotting, radioimmunoassay (RIA), other immunoassays, fluorescence activated cell analysis (FACS), or any other technique or combination of techniques that can detect the presence of MuSK ΔIg3 mRNA or protein (e.g., in a subject or a sample obtained from a subject).

[0272] In some embodiments, by comparing the level of MuSK ΔIg3 mRNA in a sample obtained from a subject receiving a MuSK-targeting oligonucleotide treatment to a level of MuSK ΔIg3 mRNA in a subject not treated with a MuSK-targeting oligonucleotide, the extent to which the MuSK-targeting oligonucleotide treatment increased MuSK ΔIg3 mRNA can be determined. In some embodiments, the reference level of MuSK ΔIg3 mRNA is obtained from the same subject prior to receiving MuSK-targeting oligonucleotide treatment. In some embodiments, the reference level of MuSK ΔIg3 mRNA is a range determined by a population of subjects not receiving MuSK-targeting oligonucleotide treatment. In some embodiments, the level of full-length MuSK mRNA is compared to the level of MuSK ΔIg3 mRNA. In some embodiments, the ratio of the MuSK ΔIg3 mRNA to a full length MuSK mRNA (e.g., MuSK mRNA without exons 6 and 7) in a subject receiving a MuSK-targeting oligonucleotide treatment, for example, greater than 1 fold, 1.5-5 fold, 5-10 fold, 10-50 fold, 50-100 fold, about 1.1-, 1.2-, 1.5-, 2-, 3-, 4-, 5-, 6-, 7-, 8-, 9-, 10-, 15-, 20-, 30-, 40-, 50-, 60-, 70-, 80-, 90-, 100-fold or more higher than a reference ratio.

[0273] In some embodiments, an increased level of MuSK ΔIg3 mRNA is, for example, greater than 1 fold, 1.5-5 fold, 5-10 fold, 10-50 fold, 50-100 fold, about 1.1-, 1.2-, 1.5-, 2-, 3-, 4-, 5-, 6-, 7-, 8-, 9-, 10-, 15-, 20-, 30-, 40-, 50-, 60-, 70-, 80-, 90-, 100-fold or more higher than a reference value.

[0274] In some embodiments, the increase of MuSK ΔIg3 mRNA in a subject can be indicated by the increase of MuSK ΔIg3 protein as compared to a reference level. In some embodiments, the reference level of MuSK ΔIg3 protein is the MuSK ΔIg3 protein level obtained from a subject having or at risk of having e.g., AD or a disease characterized by neurodegeneration. In some embodiments, the reference level of MuSK ΔIg3 protein is the MuSK ΔIg3 protein level obtained from a subject having or at risk of having e.g., neuromuscular dysfunction, a neurodegenerative disorder, a cardiac disorder (e.g., myocardial infarction, cardiomyopathy), or genetic diseases characterized by muscle wasting prior to treatment. Methods whereby bodily

fluids, organs or tissues are contacted with an effective amount of one or more compositions described herein are also contemplated. Bodily fluids, organs or tissues can be contacted with one or more compositions comprising MuSK-targeting oligonucleotides, resulting in expression of MuSK ΔIg3 and modulation of MuSK expression in the cells of bodily fluids, organs or tissues. An effective amount of can be determined by monitoring the effect on functional MuSK ΔIg3 protein expression of MuSK-targeting oligonucleotides that are administered to a subject or contacted to a cell.

[0275] In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same, when administered to a population of cells, (e.g., comprising NSCs and/or neural progenitor cells (MPCs)), increases the number of cells that are in an activated state (e.g., active proliferation). Cells within a population can be assessed for whether they are in an activated state by known methods in the art, including e.g., an EdU assay, where EdU+ cycling cells are compared with total cell counts. In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same, when administered to a population of cells comprising NSCs, decreases the number of quiescent NSCs in the population and/or increases the number of activated NSCs.

[0276] In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same, when administered to a population of cells, (e.g., comprising satellite cells (SCs), myoblasts, myogenic progenitor cells (MPCs)), increases the number of cells that are in an activated state (e.g., active proliferation). Cells within a population can be assessed for whether they are in an activated state by known methods in the art, including e.g., an EdU assay, where EdU+cycling cells are compared with total cell counts. In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same, when administered to a population of cells comprising satellite cells, decreases the number of quiescent satellite cells in the population and/or increases the number of activated satellite cells.

[0277] In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same, when administered to a population of cells comprising NSCs and/or NPCs, increases the number of cells expressing genes associated with early neurons (e.g., Dex) and/or decreases the number of cells expressing genes associated with mature neurons (e.g., Map2), astrocytes (e.g., GFAP and S100b), and/or oligodendrocytes (e.g., CNPase and O4). In some embodiments, a MuSK-targeting oligonucleotide, when administered to a population of cells comprising NSCs and/or NPCs, increases the level of expression of genes associated with early neurons (e.g., Dex) and/or decreases the level of expression of genes associated with mature neurons (e.g., Map2), astrocytes (e.g., GFAP and S100b), and/or oligodendrocytes (e.g., CNPase and O4) in the population of cells.

[0278] In some embodiments, a population of cells comprises NSCs that have been induced to be NSCs (e.g., from stem cells such as embryonic stems cells or pluripotent stem cells).

[0279] In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same, when administered to a population of cells comprising SCs, MPCs, and/or myoblasts, increases the number of cells expressing genes or myogenic factors (e.g., Pax7, MyoD, myogenin, and MERGE) and/or decreases the number of cells expressing genes associated with the MuSK-BMP signaling pathway (e.g., RGS4, Msx2, Myf5, Ptx3, Id1). In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same, when administered to a population of cells comprising satellite cells and/or myoblasts, increases the level of expression of genes associated with myogenic factors (e.g., Pax7, MyoD, myogenin, and MERGE) and/or decreases the level of expression of genes associated the MuSK-BMP signaling pathway (e.g., RGS4, Msx2, Myf5, Ptx3, Id1) in the population of cells.

[0280] In some embodiments, a population of cells comprises satellite cells and/or myoblasts that have been induced to be satellite cells and/or myoblasts (e.g., from stem cells such as embryonic stems cells or pluripotent stem cells).

[0281] In some embodiments, a population of cells is obtained from a healthy subject. In some embodiments, a population of cells is obtained from a subject having or at risk of having e.g., AD or a disease characterized by neurodegeneration or a subject suffering from a disease or disorder such as a neuromuscular dysfunction, a neurodegenerative disorder, a cardiac disorder (e.g., myocardial infarction, cardiomyopathy), or genetic diseases characterized by muscle wasting.

[0282] In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same, when contacted with a population of cells from a subject, increases neurogenesis in a subject. In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same is contacted with the population of cells in vivo, for example, by injection into a subject. In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same is contacted with the population of cells ex vivo by obtaining a population of cells from a subject, and neurogenesis is increased when the treated cells are re-introduced into the subject.

[0283] In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same, when contacted with a population of cells from a subject, increases muscle regeneration and/or growth in a subject. In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same is contacted with the population of cells in vivo, for example, by injection into a subject. In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same is contacted with the population of cells ex vivo by obtaining a population of cells from a subject, and muscle regeneration is increased when the treated cells are re-introduced into the subject.

[0284] In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same, when administered to a subject, will increase neurogenesis and/or growth, and/or improve cognition. Examples of methods to assess these biological effects are detailed, e.g., in the below examples.

[0285] In some embodiments, a MuSK-targeting oligonucleotide or composition comprising the same, when administered to a subject, will increase muscle regeneration and/or growth, and/or neuromuscular function, and/or myogenesis. Examples of methods to assess these biological effects are detailed, e.g., in the below examples.

Production of MuSK-Targeting Oliogonucleotides

[0286] A MuSK-targeting oligonucleotide described herein can be synthesized by standard methods known in the art, e.g., by use of an automated synthesizer. Following chemical synthesis (e.g., solid-phase synthesis using phosphoramidite method), oligonucleotide molecules can be deprotected, annealed to ds molecules, and purified (e.g., by gel electrophoresis or HPLC). Protocols for preparation of MuSK-targeting oligonucleotide oligonucleotides are known in the art.

[0287] In some embodiments, the present disclosure provides technologies for preparing chirally controlled oligonucleotides and compositions thereof. In some embodiments, the present disclosure provides technologies for preparing stereopure oligonucleotides and compositions thereof. In some embodiments, provided oligonucleotides and compositions thereof are of high purity. In some embodiments, oligonucleotides of the present disclosure are at least 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, or 99% stereochemically pure at linkage phosphorus of chiral internucleotidic linkages. In some embodiments, oligonucleotides of the present disclosure are prepared stereoselectively and are substantially free of stereoisomers. In some embodiments, in provided compositions comprising a plurality of oligonucleotides which share the same base sequence of the same pattern of chiral linkage phosphorus stereochemistry (e.g., comprising one or more of Rp and/or Sp, wherein each chiral linkage phosphorus is independently Rp or Sp), at least 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, or 99% of all oligonucleotides in the composition that share the same base sequence as oligonucleotides of the plurality share the same pattern of chiral linkage phosphorus stereochemistry or are oligonucleotides of the plurality. In some embodiments, in provided compositions comprising a plurality of oligonucleotides which share the same base sequence of the same pattern of chiral linkage phosphorus stereochemistry, at least 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, or 99% of all oligonucleotides in the composition that share the same constitution as oligonucleotides of the plurality share the same pattern of chiral linkage phosphorus stereochemistry or are oligonucleotides of the plurality.

[0288] MuSK-targeting oligonucleotides can also be formed within a cell by transcription of RNA from an expression construct introduced into the cell (see, e.g., Yu et al., Proc. Natl. Acad. Sci. USA 2002:99:6047-6052). An expression construct for in vivo production of oligonucleotide molecules can include one or more antisense encoding sequences operably linked to elements necessary for the proper transcription of the antisense encoding sequence(s), including, e.g., promoter elements and transcription termination signals. Preferred promoters for use in such expression constructs include the polymerase-III HI-RNA promoter (see, e.g., Brummelkamp et al., Science 2002; 296: 550-553) and the U6 polymerase-III promoter (see, e.g., Sui et al., Proc. Natl. Acad. Sci. USA 2002; Paul et al., Nature Biotechnol. 2002; 20:505-508; and Yu et al., Proc. Natl. Acad. Sci. USA 2002 99:6047-6052). A MuSK-targeting oligonucleotide expression construct can further comprise one or more vector sequences that facilitate the cloning of the expression construct. Standard vectors that can be used include, e.g., pSilencer 2.0-U6 vector (Ambion Inc., Austin, Tex.).

Pharmaceutical Compositions

[0289] The present disclosure provides pharmaceutical compositions that comprise and/or deliver MuSK-targeting oligonucleotides as described herein. The present disclosure also provides pharmaceutical compositions that are or comprise cell populations that have been exposed to MuSK-targeting oligonucleotides as described herein.

[0290] For example, in some embodiments, a provided pharmaceutical composition may comprise and/or deliver MuSK-targeting oligonucleotides that, when administered, achieves an increase in level and/or activity of a MuSK polypeptide (e.g., a MuSK ΔIg3 polypeptide, or another MuSK variant polypeptide with disrupted Ig3) that lacks an Ig3 domain functional for interaction with BMP. Alternatively or additionally, in some embodiments, a provided pharmaceutical composition may comprise and/or deliver a population of cells that has been exposed to a MuSK-targeting oligonucleotide, so that neuronal cell number and/or activity is increased in the population.

[0291] In many embodiments, a pharmaceutical composition will be or comprise an active agent (e.g., a MuSK-targeting oligonucleotide as described herein or a precursor thereof) in combination with one or more pharmaceutically acceptable excipients. Those skilled in the art will appreciate that components of a particular pharmaceutical composition may be influenced by route of administration of the pharmaceutical composition.

[0292] The compositions of the disclosure can be formulated for a variety of modes of administration, including systemic and topical or localized administration. Techniques and formulations generally may be found in Remington, The Science and Practice of Pharmacy, (20th ed. 2000).

[0293] Compositions of the present invention can be prepared and administered in a wide variety of oral, parenteral, and topical dosage forms. Thus, the compositions of the present invention can be administered by injection (e.g. intravenously, intramuscularly, intracutaneously, subcutaneously, intraduodenally, or intraperitoneally). Also, the compositions described herein can be administered by inhalation, for example, intranasally. Additionally, the composition of the present invention can be administered transdermally. It is also envisioned that multiple routes of administration (e.g., intramuscular, oral, transdermal) can be used to administer the compositions of the invention.

[0294] In some embodiments, a pharmaceutical composition as described herein may be formulated for delivery by a route selected from intravenous injection, intrathecal administration, oral administration, buccal administration, inhalation, nasal administration, topical administration, ophthalmic administration or otic administration. In some embodiments, a pharmaceutical composition may be formulated for delivery by intrathecal administration. In some embodiments, a pharmaceutical composition may be formulated for delivery by intravenous administration. In some embodiments, a pharmaceutical composition may be formulated for delivery by oral administration.

[0295] In certain embodiments, oligonucleotides and compositions are delivered to the CNS. In certain embodiments, oligonucleotides and compositions are delivered to the cerebrospinal fluid. In certain embodiments, oligonucleotides and compositions are administered to the brain parenchyma. In certain embodiments, oligonucleotides and compositions are delivered to an animal/subject by intrathecal administration, or intracerebroventricular administration. Broad dis-

tribution of oligonucleotides and compositions, described herein, within the central nervous system may be achieved with intraparenchymal administration, intrathecal administration, or intracerebroventricular administration.

[0296] In certain embodiments, parenteral administration is by injection, by, e.g., a syringe, a pump, etc. In certain embodiments, the injection is a bolus injection. In certain embodiments, the injection is administered directly to a tissue, such as striatum, caudate, cortex, hippocampus and cerebellum.

[0297] In certain embodiments, methods of specifically localizing a pharmaceutical agent, such as by bolus injection, decreases median effective concentration (EC50) by a factor of 20, 25, 30, 35, 40, 45 or 50. In certain embodiments, the pharmaceutical agent in an antisense compound as further described herein. In certain embodiments, the targeted tissue is brain tissue. In certain embodiments the targeted tissue is hippocampus tissue. In certain embodiments, decreasing EC50 is desirable because it reduces the dose required to achieve a pharmacological result in a patient in need thereof.

[0298] In certain embodiments, an antisense oligonucleotide is delivered by injection or infusion once every month, every two months, every 90 days, every 3 months, every 6 months, twice a year or once a year.

[0299] In addition to the active ingredients, these pharmaceutical compositions may contain suitable pharmaceutically acceptable carriers comprising excipients and auxiliaries, which facilitate processing of an active compound into preparations which can be used pharmaceutically: The preparations formulated for oral administration may be in the form of tablets, dragees, capsules, or solutions.

[0300] Pharmaceutical preparations for oral use can be obtained by combining an active compound with solid excipients, optionally grinding a resulting mixture, and processing the mixture of granules, after adding suitable auxiliaries, if desired, to obtain tablets or dragee cores. Suitable excipients are, in particular, fillers such as sugars, including lactose, sucrose, mannitol, or sorbitol: cellulose preparations, for example, maize starch, wheat starch, rice starch, potato starch, gelatin, gum tragacanth, methyl cellulose, hydroxypropylmethyl-cellulose, sodium carboxymethyl-cellulose (CMC), and/or polyvinylpyrrolidone (PVP: povidone). If desired, disintegrating agents may be added, such as the cross-linked polyvinylpyrrolidone, agar, or alginic acid or a salt thereof such as sodium alginate.

[0301] Dragee cores are provided with suitable coatings. For this purpose, concentrated sugar solutions may be used, which may optionally contain gum arabic, talc, polyvinylpyrrolidone, carbopol gel, polyethylene glycol (PEG), and/or titanium dioxide, lacquer solutions, and suitable organic solvents or solvent mixtures. Dye-stuffs or pigments may be added to the tablets or dragee coatings for identification or to characterize different combinations of active compound doses.

[0302] Pharmaceutical preparations that can be used orally include push-fit capsules made of gelatin, as well as soft, sealed capsules made of gelatin, and a plasticizer, such as glycerol or sorbitol. The push-fit capsules can contain the active ingredients in admixture with filler such as lactose, binders such as starches, and/or lubricants such as talc or magnesium stearate and, optionally, stabilizers. In soft capsules, an active compound may be dissolved or suspended in suitable liquids, such as fatty oils, liquid paraffin, or liquid polyethylene glycols (PEGs). In addition, stabilizers may be added.

[0303] In some embodiments, the pharmaceutical composition is a tablet, a pill, a capsule, a liquid, an inhalant, a nasal spray solution, a suppository, a suspension, a gel, a colloid, a dispersion, a suspension, a solution, an emulsion, an ointment, a lotion, an eye drop or an ear drop.

[0304] Depending on the specific conditions being treated, pharmaceutical composition of the present disclosure may be formulated into liquid or solid dosage forms and administered systemically or locally. The pharmaceutical composition may be delivered, for example, in a timed- or sustained-low release form as is known to those skilled in the art. Techniques for formulation and administration may be found in Remington, The Science and Practice of Pharmacy (20th ed. 2000). Suitable routes may include oral, buccal, by inhalation spray, sublingual, rectal, transdermal, vaginal, transmucosal, nasal or intestinal administration: parenteral delivery, including intramuscular, subcutaneous, intramedullary injections, as well as intrathecal, direct intraventricular, intravenous, intra-articular, intra-sternal, intra-synovial, intra-hepatic, intralesional, intracranial, intraperitoneal, intranasal, or intraocular injections or other modes of delivery.

[0305] For injection, the pharmaceutical composition of the disclosure may be formulated and diluted in aqueous solutions, such as in physiologically compatible buffers such as Hank's solution, Ringer's solution, or physiological saline buffer. For such transmucosal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art.

[0306] Use of pharmaceutically acceptable inert carriers to formulate the compositions herein disclosed for the practice of the disclosure into dosages suitable for systemic administration is within the scope of the disclosure. With proper choice of carrier and suitable manufacturing practice, the compositions of the present disclosure, in particular, those formulated as solutions, may be administered parenterally, such as by intravenous injection.

[0307] In some embodiments, compositions as described herein can be formulated using pharmaceutically acceptable carriers available in the art into dosages suitable for oral administration. Such carriers enable the compounds of the disclosure to be formulated as tablets, pills, capsules, liquids, gels, syrups, slurries, suspensions and the like, for oral ingestion by a subject (e.g., patient) to be treated.

[0308] For nasal or inhalation delivery, one or more solubilizing, diluting, or dispersing substances such as, saline, preservatives, such as benzyl alcohol, absorption promoters, and fluorocarbons, may be employed.

[0309] In some embodiments, a provided composition may comprise and/or deliver a precursor of an active agent, wherein the precursor becomes or releases active therapeutic agent upon administration. In some embodiments, for example, a precursor may be or comprise a prodrug of a small molecule agonizing agent, or a nucleic acid that encodes a protein agonizing agent, etc.

[0310] In some particular embodiments, a provided pharmaceutical composition comprises or delivers a therapeutically effective amount (e.g., an amount that is effective when administered according to an established protocol) of a provided oligonucleotide (which may, as described herein,

be provided in a pharmaceutically acceptable salt form, e.g., as a sodium salt, ammonium salt, etc.); in some embodiments, such a provided pharmaceutical composition includes a relevant oligonucleotide and at least one pharmaceutically acceptable inactive ingredient selected from pharmaceutically acceptable diluents, pharmaceutically acceptable excipients, and pharmaceutically acceptable carriers. In some embodiments, a salt form of a provided oligonucleotide comprises two or more cations, for example, in some embodiments, up to the number of negatively charged acidic groups (e.g., phosphate, phosphorothioate, etc.) in an oligonucleotide.

[0311] Pharmaceutically acceptable salts are generally well known to those of ordinary skill in the art, and may include, by way of example but not limitation, acetate, benzenesulfonate, besylate, benzoate, bicarbonate, bitartrate, bromide, calcium edetate, carnsylate, carbonate, citrate, edetate, edisylate, estolate, esylate, fumarate, gluceptate, gluconate, glutamate, glycollylarsanilate, hexylresorcinate, hydrabamine, hydrobromide, hydrochloride, hydroxynaphthoate, iodide, isethionate, lactate, lactobionate, malate, maleate, mandelate, mesylate, mucate, napsylate, nitrate, pamoate (embonate), pantothenate, phosphate/diphosphate, polygalacturonate, salicylate, stearate, subacetate, succinate, sulfate, tannate, tartrate, or teoclate. Other pharmaceutically acceptable salts may be found in, for example, Remington, The Science and Practice of Pharmacy (20th ed. 2000). Preferred pharmaceutically acceptable salts include, for example, acetate, benzoate, bromide, carbonate, citrate, gluconate, hydrobromide, hydrochloride, maleate, mesylate, napsylate, pamoate (embonate), phosphate, salicylate, succinate, sulfate, or tartrate.

[0312] As appreciated by a person having ordinary skill in the art, oligonucleotides may be formulated as a number of salts for, e.g., pharmaceutical uses. In some embodiments, a salt is a metal cation salt and/or ammonium salt. In some embodiments, a salt is a metal cation salt of an oligonucleotide. In some embodiments, a salt is an ammonium salt of an oligonucleotide. Representative alkali or alkaline earth metal salts include sodium, lithium, potassium, calcium, magnesium, and the like. In some embodiments, a salt is a sodium salt of an oligonucleotide. In some embodiments, pharmaceutically acceptable salts include, when appropriate, nontoxic ammonium, quaternary ammonium, and amine cations formed with counterions such as hydroxide, carboxylate, sulfate, phosphate, nitrate, sulfonate, phosphorothioate, etc. that may be within provided oligonucleotides. As appreciated by a person having ordinary skill in the art, a salt of an oligonucleotide may contain more than one cations, e.g., sodium ions, as there may be more than one anions within an oligonucleotide.

[0313] In some embodiments, provided oligonucleotides, and compositions thereof, may be effective over a wide dosage range. For example, in the treatment of adult humans, dosages from about 0.01 to about 1000 mg, from about 0.5 to about 100 mg, from about 1 to about 50 mg per day, and from about 5 to about 100 mg per day are examples of dosages that may be used. The exact dosage will depend upon the route of administration, the form in which the compound is administered, the subject to be treated, the body weight of the subject to be treated, and the preference and experience of the attending physician.

[0314] In some embodiments, the present disclosure provides technologies (e.g., compositions, methods, etc.) for combination therapy, for example, with other therapeutic agents and/or medical procedures. In some embodiments, provided oligonucleotides and/or compositions may be used together with one or more other therapeutic agents. In some embodiments, provided compositions comprise provided oligonucleotides, and one or more other therapeutic agents. In some embodiments, the one or more other therapeutic agents may have one or more different targets, and/or one or more different mechanisms toward targets, when compared to provided oligonucleotides in the composition. In some embodiments, a therapeutic agent is an oligonucleotide. In some embodiments, a therapeutic agent is a small molecule drug. In some embodiments, a therapeutic agent is a protein. In some embodiments, a therapeutic agent is an antibody. A number of a therapeutic agent may be utilized in accordance with the present disclosure. In some embodiments, provided oligonucleotides or compositions thereof are administered prior to, concurrently with, or subsequent to one or more other therapeutic agents and/or medical procedures. In some embodiments, provided oligonucleotides or compositions thereof are administered concurrently with one or more other therapeutic agents and/or medical procedures. In some embodiments, provided oligonucleotides or compositions thereof are administered prior to one or more other therapeutic agents and/or medical procedures. In some embodiments, provided oligonucleotides or compositions thereof are administered subsequent to one or more other therapeutic agents and/or medical procedures. In some embodiments, provide compositions comprise one or more other therapeutic agents.

Production of Pharmaceutical Compositions

[0315] For preparing pharmaceutical compositions from the compositions of the present invention, pharmaceutically acceptable carriers can be either solid or liquid. Solid form preparations include powders, tablets, pills, capsules, cachets, suppositories, and dispersible granules. A solid carrier can be one or more substance that may also act as diluents, flavoring agents, binders, preservatives, tablet disintegrating agents, or an encapsulating material.

[0316] In powders, the carrier is a finely divided solid in a mixture with the finely divided active component. In tablets, the active component is mixed with the carrier having the necessary binding properties in suitable proportions and compacted in the shape and size desired.

[0317] The powders and tablets preferably contain from 5% to 70% of the therapeutic agent. Suitable carriers are magnesium carbonate, magnesium stearate, talc, sugar, lactose, pectin, dextrin, starch, gelatin, tragacanth, methylcellulose, sodium carboxymethylcellulose, a low melting wax, cocoa butter, and the like. The term "preparation" is intended to include the formulation of the active therapeutic agent with encapsulating material as a carrier providing a capsule in which the active component with or without other carriers, is surrounded by a carrier, which is thus in association with it. Similarly, cachets and lozenges are included. Tablets, powders, capsules, pills, cachets, and lozenges can be used as solid dosage forms suitable for oral administration.

[0318] For preparing suppositories, a low melting wax, such as a mixture of fatty acid glycerides or cocoa butter, is first melted and the active component is dispersed homogeneously therein, as by stirring. The molten homogeneous

mixture is then poured into convenient sized molds, allowed to cool, and thereby to solidify.

[0319] Liquid form preparations include solutions, suspensions, and emulsions, for example, water or water/propylene glycol solutions. For parenteral injection, liquid preparations can be formulated in solution in aqueous polyethylene glycol solution.

[0320] When parenteral application is needed or desired, particularly suitable admixtures for compositions of the invention are injectable, sterile solutions, preferably oily or aqueous solutions, as well as suspensions, emulsions, or implants, including suppositories. In particular, carriers for parenteral administration include aqueous solutions of dextrose, saline, pure water, ethanol, glycerol, propylene glycol, peanut oil, sesame oil, polyoxyethylene-block polymers, and the like. Ampoules are convenient unit dosages. The compositions of the invention can also be incorporated into liposomes or administered via transdermal pumps or patches. Pharmaceutical admixtures suitable for use in the present invention include those described, for example, in Pharmaceutical Sciences (17th Ed., Mack Pub. Co., Easton, PA) and WO 96/05309, which is herein incorporated by reference.

[0321] Aqueous solutions suitable for oral use can be prepared by dissolving the active component in water and adding suitable colorants, flavors, stabilizers, and thickening agents as desired. Aqueous suspensions suitable for oral use can be made by dispersing the finely divided active component in water with viscous material, such as natural or synthetic gums, resins, methylcellulose, sodium carboxymethylcellulose, and other well-known suspending agents.

[0322] Also included are solid form preparations that are intended to be converted, shortly before use, to liquid form preparations for oral administration. Such liquid forms include solutions, suspensions, and emulsions. These preparations may contain, in addition to the active component, colorants, flavors, stabilizers, buffers, artificial and natural sweeteners, dispersants, thickeners, solubilizing agents, and the like.

[0323] The pharmaceutical preparation is preferably in unit dosage form. In such form the preparation is subdivided into unit doses containing appropriate quantities of the active component. The unit dosage form can be a packaged preparation, the package containing discrete quantities of preparation, such as packeted tablets, capsules, and powders in vials or ampoules. Also, the unit dosage form can be a capsule, tablet, cachet, or lozenge itself, or it can be the appropriate number of any of these in packaged form.

[0324] The quantity of active component in a unit dose preparation may be varied or adjusted according to the particular application and the potency of the active component. The composition can, if desired, also contain other compatible therapeutic agents.

Patient Populations

[0325] In some embodiments, an appropriate patient or population is one suffering from and/or susceptible to a disease, disorder or a condition associated with neurodegeneration (e.g., AD) or that otherwise would benefit from increased neurogenesis. In some embodiments, an appropriate patient or population is one suffering from and/or susceptible to a disease, disorder such as neuromuscular dysfunction, a cardiac disorder (e.g., myocardial infarction, cardiomyopathy), or genetic diseases characterized by muscle wasting or that otherwise would benefit from increased muscle regeneration).

[0326] In some embodiments, such neurodegenerative disease, disorder, or condition is one or more of Alzheimer's Disease (AD), Parkinson's disease, dementia (e.g., Frontotemporal dementia), stroke, Major Depressive Disorder (MDD), bipolar disorder, Schizophrenia, Post-Traumatic Stress Disorder (PTSD), substance-related and addictive disorders (e.g., chronic cocaine use and lifelong cigarette smoking), Temporal-Lobe Epilepsy, Hippocampal Sclerosis, Niemann Pick Type C, Diabetes-mediated hippocampal neuronal loss, brain injury (e.g., traumatic and/or anoxic brain injury), and Huntington's disease.

[0327] In some embodiments, population may additionally or alternatively be suffering from and/or susceptible to a disease or disorder of the lung. In some embodiments, such a disease or disorder is one or more of idiopathic pulmonary fibrosis (IPF), acute respiratory distress syndrome (ARDS), pneumonia, and lung complications due to viral infections.

[0328] In some embodiments, an appropriate patient or population is model organisms. In some embodiments, an appropriate patient or population is humans. In some embodiments, a human has an age in a range of from about 0 months to about 6 months old, from about 6 to about 12 months old, from about 6 to about 18 months old, from about 18 to about 36 months old, from about 1 to about 5 years old, from about 5 to about 10 years old, from about 10 to about 15 years old, from about 15 to about 20 years old, from about 20 to about 25 years old, from about 25 to about 30 years old, from about 30 to about 35 years old, from about 35 to about 40 years old, from about 40 to about 45 years old, from about 45 to about 50 years old, from about 50 to about 55 years old, from about 55 to about 60 years old, from about 60 to about 65 years old, from about 65 to about 70 years old, from about 70 to about 75 years old, from about 75 to about 80 years old, from about 80 to about 85 years old, from about 85 to about 90 years old, from about 90 to about 95 years old or from about 95 to about 100 years old.

[0329] In some embodiments, a human is a human infant. In some embodiments, a human is a human toddler. In some embodiments, a human is a human child. In some embodiments, a human is a human adult. In yet other embodiments, a human is an elderly human.

[0330] In some embodiments, an appropriate patient or population may be characterized by one or more criterion such as age group, gender, genetic background, preexisting clinical conditions, prior exposure to therapy.

[0331] In some embodiments, an appropriate patient or population is one suffering from e.g., neuromuscular dysfunction, a neurodegenerative disorder, a cardiac disorder (e.g., myocardial infarction, cardiomyopathy), or genetic diseases characterized by muscle wasting. In some embodiments, an appropriate patient or population is one suffering that has received surgery or experienced injury, trauma and/or prolonged immobilization (e.g., from bed-rest or casting). In some embodiments, an appropriate patient or population is one suffering from sarcopenia. In some embodiments, an appropriate patient or population is one suffering from or at risk of muscle fibrosis resulting from a disease or condition including, but not limited to, trauma, heritable disease, muscle disorder, and aging. Trauma can result from, for example, radiation treatment, crush injury, laceration, and amputation. In some embodiments, an appropriate patient or population is one suffering from or at risk

of heritable disease associated with muscle fibrosis such as Congenital Muscular Dystrophy, Duchenne Muscular Dystrophy, Becker's Muscular Dystrophy; Amyotrophic Lateral Sclerosis (ALS), age-associated sarcopenia, Distal muscular dystrophy, Emery-Dreifuss muscular dystrophy, Facioscapulohumeral muscular dystrophy, Limb-girdle muscular dystrophy, Myotonic muscular dystrophy, and Oculo-pharyngeal muscular dystrophy.

[0332] In some embodiments, an appropriate patient or population maybe defined by those in accordance with the screening tools for diseases or disorders associated with Alzheimer's disease. In some embodiments, an appropriate patient or population maybe defined by those in accordance with the screening tools for other diseases characterized by neurodegeneration, e.g., Parkinson's disease, dementia (e.g., Frontotemporal dementia), stroke, Major Depressive Disorder (MDD), bipolar disorder, Schizophrenia, Post-Traumatic Stress Disorder (PTSD), substance-related and addictive disorders (e.g., chronic cocaine use and lifelong cigarette smoking), Temporal-Lobe Epilepsy, Hippocampal Sclerosis, Niemann Pick Type C, Diabetes-mediated hippocampal neuronal loss, brain injury (e.g., traumatic and/or anoxic brain injury), and Huntington's disease.

[0333] In some embodiments, an appropriate patient or population maybe defined by those in accordance with the screening tools for diseases or disorders associated with muscle fibrosis and/or muscle wasting. In some embodiments, an appropriate patient or population may be defined by those in accordance with the screening tools and methods for diagnosing a disease associated with muscle fibrosis and/or muscle wasting.

[0334] In some embodiments, an appropriate patient or population may be defined according to the results obtained in structural imaging (e.g., magnetic resonance imaging (MRI), computed tomography (CT), ultrasound etc.). In some embodiments, an appropriate patient or population may be defined according to the results of cognitive tests. In some embodiments, an appropriate patient or population may be defined according to the results of neurological tests. In some embodiments, the cognitive tests involve one or more tests of Motor Screening Task (MOT), Reaction Time (RTI), Paired Associates Learning (PAL), Spatial Working Memory (SWM), Pattern Recognition Memory (PRM), Delayed Matching to Sample (DMS), Rapid Visual Information Processing (RVP). Rapid Visual Information Processing (RVP), Delayed Matching to Sample (DMS), Match to Sample Visual Search (MTS). In some embodiments, an appropriate patient or population may be defined according to the results of assessments such as measuring muscle enzymes, EMG, muscle biopsy, genetic testing, heart testing (e.g., ECG), assessments of strength and respiratory function.

Administration

[0335] Those skilled in the art will appreciate that, in some embodiments, dosage administered to a subject, particularly a human, may vary, for example depending on the particular therapeutic and/or formulation employed, the method of administration, the dosing regimen, one or more characteristics of the particular subject being treated, etc. In some embodiments, a clinician skilled in the art will determine the therapeutically effective amount of a therapeutic to be administered to a human or other subject in order to treat or prevent a particular medical condition. The precise amount of the therapeutic required to be therapeutically effective will depend upon numerous factors, e.g., such as the specific activity of the therapeutic, and the route of administration, in addition to many subject-specific considerations, which are within those of skill in the art.

[0336] In some embodiments, administration may be ocular, oral, buccal, dermal (which may be or comprise, for example, one or more of topical to the dermis, intradermal, interdermal, transdermal, etc), enteral, intra-arterial, intradermal, intragastric, intramedullary, intramuscular, intranasal, intraperitoneal, intrathecal, intravenous, intraventricular, within a specific organ (e.g., intrahepatic), mucosal, nasal, oral, rectal, subcutaneous, sublingual, topical, tracheal (e.g., by intratracheal instillation), vaginal, vitreal, etc.

[0337] Those skilled in the art, reading the present disclosure will appreciate that, in some embodiments, it may be desirable to achieve delivery of a MuSK-targeting oligonucleotide composition to muscle. Alternatively or additionally, in some embodiments, it may be desirable to achieve delivery of a MuSK-targeting oligonucleotide composition to the CNS (e.g., the brain, such as the hippocampus and/or the subventricular region) and/or to the lung.

[0338] In some embodiments, a MuSK-targeting oligonucleotide composition is delivered via systemic delivery and/or local delivery to muscle (e.g., via intramuscular injection).

[0339] In some embodiments, a MuSK-targeting oligonucleotide composition is administered using a viral vector to effectively deliver a MuSK-targeting oligonucleotide composition in the form of a nucleic acid payload. In some embodiments, a viral vector targets certain cell types (e.g., myoblasts, myocytes, myotubes, satellite cells and myofibers). AAV1, AAV6, and AAV9 vectors have been used to target different muscle cell types (See. for example, Arnett et al., *Mol Ther Methods Clin Dev.* 1. pii: 14038, 2014 and Riaz et al., *Skeletal Muscle* 5 $(37)_{2015}$).

[0340] Those skilled in the art, reading the present disclosure will appreciate that, in some embodiments, it may be desirable to achieve delivery of a MuSK-targeting oligonucleotide composition to the CNS, and, in some embodiments to the brain.

[0341] In some embodiments systemic administration achieves delivery to CNS (e.g., brain e.g., hippocampus and/or subventricular zone). In some embodiments, an agent (e.g., an agonizing agent or MuSK-targeting oligonucleotide) is delivered to the central nervous system (CNS), via intracerebroventricular administration.

[0342] Additionally, certain viral vectors are known to selectively target neurons, and to effectively deliver genetic payloads to the brain. For example, AAV2/1 vectors have been established to effectively deliver nucleic acid payloads (e.g., gene therapy, encoded RNAs, etc) to neuronal cells in the hippocampus. See, for example, Hammond et al *PLOS One* 12:e0188830, 2017: Guggenhuber et al *PLOS One* 5:e15707, 2010; Lawlor et al *Mol. Neurodeg.* 2:11, 2007). Analogously, certain AAV vectors (e.g., AAV2/1 and/or AAV4 vectors) have been established to target and effectively deliver nucleic acid payloads to certain cells in the subventricular zone cells. See, for example, Liu et al *Gene Thep* 12:1503, 2005; Bockstael et al *Hum Gene Therap* 23:doi.org/10.1089/hum.2011.216, 2012).

[0343] For subjects suffering from or susceptible to a disease, disorder or condition associated with neurodegeneration, administration that achieves delivery to the CNS,

e.g., to the brain (e.g., to the hippocampus and/or the subventricular region) may be desirable.

[0344] In some embodiments, effective delivery may be achieved by systemic administration of a composition as described herein. Alternatively or additionally, in some embodiments, effective delivery may be achieved by local administration to the CNS and/or to the brain, for example by intrathecal and/or intracavitary (e.g., intracerebroventricular) delivery.

[0345] Technologies for local administration to the CNS and/or to the brain have been developed and demonstrated to be effective, for example, for various protein therapeutics (see, for example Calias et al., *Pharmacol. & Therap.* 144:122, 2014), for small molecules (see, for example, Dodou *Pharm. J.* 289:501, 2012), for cell compositions (see, for example, Eftekharzadeh et al., *Iran J Basic Med Sci* 18:520, 2015); and nucleic acid therapeutics (see, for example, Otsuka et al, *J. Neurotrauma* 28:1063, 2011: see also prescribing information for onasemnogene abeparvovec-xioi [sold under the brand name Zolgensma™] and that for nusinersen [sold under the brand name Spinraza™]).

[0346] Those skilled in the art will be aware that intrathecal delivery may be particularly effective to achieve delivery to the hippocampus, including for cellular, protein, and nucleic acid therapeutics.

[0347] Systemic administration technologies (including, e.g., oral, parenteral, mucosal, etc) are well established for a wide variety of agents. Systemic administration that achieves CNS and/or brain delivery, in some embodiments, may depend on ability to cross the blood brain barrier (BBB).

[0348] Certain active agents and/or delivery systems are known to cross the BBB. Recent technologies have been shown to achieve CNS and/or brain delivery even of agents, such as oligonucleotides, that had historically been considered to be particularly challenging in that regard. To give but one example, Min et al. *Angew Chem Int Ed Engl* doi: 10.1002/anie.201914751, 2020, incorporated herein by reference, describes glucose-coated polymeric nanocarriers that transport oligonucleotides across the BBB.

[0349] It has also been reported that incorporation of certain particular chemistries into oligonucleotide therapeutics can facilitate their travel across the BBB. For example, Khorkova et al (*Nature Biotech* 35:249, 2017, incorporated herein by reference) have described that:

> **[0350]** "2'-modified phosphorothioate oligonucleotides . . . may be particularly adaptable for CNS disorders, given their long half-life, with effects in the brain lasting up to 6 months following a single injection. In another type of sugar moiety modification, locked nucleic acids (LNAs), a bridge is introduced that connects the 2' oxygen and 4' carbon. This modification substantially elevates the melting temperature of the LNA-DNA and LNA-RNA hybrids, thus allowing the creation of shorter ODN-based compounds with increased bioavailability and reduced manufacturing costs. A recently proposed tricyclo-DNA, a conformationally constrained oligonucleotide analog, has three additional C-atoms between C (5') and C (3') of the sugar (FIG. **2**). This modification increases stability, hydrophobicity and RNA affinity, and improves tissue uptake and BBB permeability".

(Citations Omitted).

[0351] For subjects suffering from or susceptible to a disease or disorder such as idiopathic pulmonary fibrosis (IPF), acute respiratory distress syndrome (ARDS), pneumonia, and lung complications due to viral infections, administration that achieves delivery to the lungs may be desirable.

[0352] In some embodiments, oligonucleotides (e.g., antisense oligonucleotides) are developed to enhance their delivery to target site(s). As described in the art, oligonucleotide is covalently or non-covalently bound to additional chemical moieties (e.g., a carrier or ligand) to enhance the delivery. See Thomas C. Roberts et al. Nature Reviews Drug Discovery volume 19, pages 673-694 (2020), the entirety of which is incorporated herein by reference).

[0353] As appreciated by those skilled in the art, various technologies of bioconjugation can be utilized to enhance the delivery oligonucleotides to target site(s). For example, oligonucleotides can be covalently conjugated to lipids (e.g., cholesterol that facilitates interactions with lipoprotein particles in the circulation), peptides (for cell targeting and/or cell penetration), aptamers, antibodies and sugars (e.g., N-acetyl galactosamine to enhance safer delivery to the target site (See Verma, *Ann Indian Acad Neurol.* 2018 21 (1): 3-8. doi: 10.4103/aian.AIAN_298_17), N-acetylgalactosamine (GalNAc)).

[0354] As appreciated by those skilled in the art, lipid conjugates include, e.g., oligonucleotides bound to Cholesterol, α-tocopherol (vitamin E), long-chain (>C_{18}) fatty acids, lipoprotein particles (for example, HDL and LDL), etc.

[0355] As appreciated by those skilled in the art, conjugation of N-acetylgalactosamine (GalNAc) can enhance the uptake of oligonucleotides into target sites (e.g., hepatocytes).

[0356] As appreciated by those skilled in the art, antibody and aptamer conjugates can be used to enhance oligonucleotide delivery. Various receptors have been successfully targeted for oligonucleotide delivery, including, e.g., the HIV gp160 protein, HER2, CD7 (T cell marker), CD71 (transferrin receptor, highly expressed in cardiac and skeletal muscle) and TMEFF2. Similarly, oligonucleotides have also been conjugated with antibodies against CD44 (a neural stem cell marker), EPHA2 and EGFR193. Additionally, aptamers can be conjugated to oligonucleotide to enhance its delivery.

[0357] As appreciated by those skilled in the art, various nanocarriers can be used to enhance oligonucleotide delivery. For example, oligonucleotide can form non-covalent complex with cationic polymers (for example, polyethylenimine), dendrimers, CPPs (for example, MPG-8, PepFect6, RVG-9R228, and Xentry-KALA229) and inorganic methods (for example, calcium phosphate nanoparticles).

[0358] As appreciated by those skilled in the art, various lipoplexes and liposomes (e.g., lipid nano-particles (LNPs)) can be used to enhance oligonucleotide delivery.

[0359] In some embodiments, a MuSK-targeting oligonucleotide is modified to form a bioconjugate (e.g., conjugated with sugar, peptide, antibody, aptamer, lipid, etc.) to enhance its delivery to target site(s). In some embodiments, a MuSK-targeting oligonucleotide is formulated as lipoplexes and liposomes (e.g., lipid nano-particles (LNPs)) to enhance its delivery to target site(s).

[0360] Certain technologies have been developed to improve the efficiency of cellular delivery of ASOs to target site, e.g., muscle. For example, aminoglycosides (AGs) are shown to improve the delivery of antisense phosphorodiamidate morpholino oligomer (PMO) both in vitro and in vivo (See Wang, et al., *Mol Ther Nucleic Acids.* 2019; 16: 663-674, doi: 10.1016/j. omtn.2019.04.023). Short cell-penetrating peptides (CPPs) that can be either directly attached to oligonucleotides through covalent linkages or through the formation of noncovalent nanoparticle complexes can facilitate cellular uptake (See McClorey et al.: *Biomedicines* 2018, 6 (2), 51). ASO fatty acid conjugates are also reported to enhance the functional uptake of antisense oligonucleotide (ASO) in the muscle (See Prakash et al.: *Nucleic Acids Research,* 47, 2019, 6029-6044).

[0361] Those skilled in the art will be familiar with eteplirsen (ExonDys 51), an approved treatment for Duchenne muscular dystrophy (DMD), which is a third-generation phosphorodiamidate morpholino ASO.

[0362] Eteplirsen, sold under the brand name Exondys 51™, (Sarepta Therapeutics') causes exon 51 to be spliced out in pre-mRNA, restoring the reading frame in the 13% of patients with amenable frame-shifting mutations (See Crudele et al. *Human Molecular Generics*, Volume 28, Issue R1, pp. R102-R107, 2019).

[0363] Eteplirsen is administered via intravenous infusion over 35 to 60 minutes. In particular, its recommended dosage is 30 mg/kg body weight weekly. In a single-dose vial, the pharmaceutical composition is formulated as a 100 mg/2 ml or 500 mg/mL (50 mg/mL) solution.

[0364] Those skilled in the art will further be familiar with other delivery systems used with oligonucleotide therapeutics. For example, the first approved RNAi oligonucleotide therapeutic, Patisiran (Onpattro), which is developed by Alnylam Pharma for treatment for TTR (hereditary transthyretin amyloidosis, polyneuropathy), utilizes a nanoparticle delivery system (i.e., lipid nano-particles, LNP formulation); it also includes co-treatment with steroids and antihistamines.

[0365] Patisiran is administered via intravenous infusion. In particular, for patients weighing less than 100 kg, its recommended dosage is 0.3 mg/kg once every 3 weeks. For patients weighing 100 kg or more, the recommended dosage is 30 mg once every 3 weeks.

[0366] Other approved oligonucleotide therapeutics are typically administered via intravenous infusion to various organs, e.g., eyes, liver, skeletal muscle, spinal cord, etc.

[0367] In some embodiments, an oligonucleotide therapeutic as described herein may be administered intravenously. In some such embodiments, such oligonucleotide therapeutic may be administered according to a regimen reasonably comparable to that used for eteplirsen [sold under the brand name Exondys 51™]. In some such embodiments, such oligonucleotide therapeutic may be administered according to a regimen reasonably comparable to that used for Patisiran [sold under the brand name Onpattro].

[0368] In some embodiments a lower dose of an MuSK-targeting oligonucleotide oligonucleotide as described herein is 12 mg. In some embodiments, a total of 5 mg to 60 mg per dose of MuSK-targeting oligonucleotide is administered to a subject. In some embodiments, a total of 12 mg to 48 mg per dose of MuSK-targeting oligonucleotide is administered to a subject. In some aspects, a total of 12 mg to 36 mg per dose of MuSK-targeting oligonucleotide is administered to a subject. In some aspects, a total of 12 mg per dose of MuSK-targeting oligonucleotide is administered to a subject.

[0369] Those skilled in the art will be familiar with nusinersen [sold under the brand name Spinraza™], an antisense oligonucleotide therapeutic that targets the survival motor neuron-2 (SMN2)-directed gene transcript and is indicated for the treatment of spinal muscular atrophy (SMA) in pediatric and adult patients. Spinraza is administered intrathecally: In particular, its recommended dosage is 12 mg/5 ml (2.4 mg/mL) in a single-dose vial per administration, according to a regiment that involves four loading doses: the first three of which are administered at 14-day intervals, and the fourth of which is administered 30 days after the 3rd dose: a maintenance dose is administered once every 4 months thereafter. It is recommended that platelet count, coagulation laboratory testing, and quantitative spot urine protein testing is done at baseline, and prior to each dose.

[0370] In some embodiments, an oligonucleotide therapeutic as described herein may be administered intrathecally. In some such embodiments, such oligonucleotide therapeutic may be administered according to a regimen reasonably comparable to that used for nusinersen [sold under the brand name Spinraza™].

[0371] In some embodiments, an oligonucleotide therapeutic as described herein may be administered intrathecally. In some such embodiments, such oligonucleotide therapeutic may be administered according to a regimen reasonably comparable to that used for nusinersen [sold under the brand name Spinraza™].

[0372] An oligonucleotide therapeutic as described herein may be administered according to any of the dosing regimens described herein.

Cell Therapy

[0373] In light of the ability of MuSK-targeting oligonucleotide compositions, as described herein, to promote neurogenesis (e.g., in cell populations that are or comprise neural progenitor cells), those skilled in the art reading the present disclosure will appreciate that, among other things, the present disclosure provides technologies for enhancing level of neural cells present in a cell population. That is, contacting an original cell population with a MuSK-targeting oligonucleotide composition as described herein can generate a resulting population with an increased level and/or percentage of neural cells as compared with that in the original population: administration of such MuSK-targeting oligonucleotide composition as described herein can achieve such increase.

[0374] Additionally, MuSK-targeting oligonucleotide compositions, as described herein, promote muscle regeneration (e.g., in cell populations that are or comprise SCs, MPCs, and/or myoblasts), and those skilled in the art reading the present disclosure will appreciate that, among other things, the present disclosure provides technologies for enhancing level of SCs, MPCs, and/or myoblasts present in a cell population. That is, contacting an original cell population with a MuSK-targeting oligonucleotide composition as described herein can generate a resulting population with an increased level and/or percentage of SCs, MPCs, and/or myoblasts as compared with that in the original population: administration of such MuSK-targeting oligonucleotide composition as described herein can achieve such increase.

[0375] In some embodiments, an original cell population may be or comprise NSCs and/or NPCs. In some embodiments, an original cell population may be or comprise SCs, MPCs, and/or myoblasts. In some embodiments, an original cell population is or comprises embryonic stems cells and/or pluripotent stem cells. In some embodiments, embryonic stems cells and/or pluripotent stem cells are or have been differentiated into neural or neural precursor cells, for example using techniques known in the art (see e.g., U.S. Pat. No. 9,631,175). In some embodiments, embryonic stems cells and/or pluripotent stem cells are or have been differentiated into myogenic progenitor cells, for example using techniques known in the art (See e.g., Miyagoe-Suzuki et al . . . , Stem Cells Int. 7824614 2017).

[0376] In some embodiments, as discussed above, administration to a cell population delivers the MuSK-targeting oligonucleotide composition such that it is exposed to (i.e., contacts) a relevant original cell population in vivo (e.g., in a human, and in particular in an adult human, for example into in the brain—e.g., the hippocampus and/or subventricular region of the brain, of such human).

[0377] In some embodiments, as discussed above, administration delivers the MuSK-targeting oligonucleotide composition such that it is exposed to (i.e., contacts) a relevant original cell population in vivo (e.g., in a human, and in particular in an adult human, for example into muscle tissue, of such human).

[0378] In some embodiments, administration in accordance with the present disclosure contacts a MuSK-targeting oligonucleotide composition with a population of cells (e.g., an original population of cells), that for example, may be or comprise neural progenitor cells, SCs, MPCs, and/or myoblasts, ex vivo. For example, in some embodiments, a MuSK-targeting oligonucleotide composition is administered ex vivo (e.g., in vitro) to a population of cells from a subject. In some embodiments, a population of cells obtained from a subject.

[0379] Oligonucleotides that direct exon skipping of MuSK transcript(s) to favor forms that lack functional Ig3, and/or that direct degradation (and/or block translation) of forms that include functional Ig3, may be utilized.

[0380] In some embodiments, a population of cells is contacted with a MuSK-targeting oligonucleotide composition and simultaneously or subsequently stimulated and/or expanded. Alternatively or additionally, a population of cells is enriched and/or selected for cells exhibiting characteristics of activated NSCs (e.g., expression of Dex) or satellite cells or for expression of myogenic factors (e.g., Pax7, MyoD, myogenin, and MERGE) or for decreased/lack of expression of genes associated with the MuSK-BMP signaling pathway (e.g., RGS4, Msx2, Myf5, Ptx3, Id1).

[0381] In some embodiments, a resulting population of cells, achieved by contacting an original population of cells with a MuSK-targeting oligonucleotide composition ex vivo is then administered to a subject. In some embodiments, a resulting population of cells is administered to a subject suffering from or susceptible to a disease or disorder such as a neuromuscular dysfunction, a neurodegenerative disorder (e.g., AD), a cardiac disorder (e.g., myocardial infarction, cardiomyopathy), or genetic diseases characterized by muscle wasting. In some embodiments, a resulting population of cells is administered to the subject from whom the original population of cells was obtained. In some embodiments, a resulting population of cells is administered to a different subject than the one from which the original population of cells was obtained: in some such embodiments, the original population was obtained from a healthy subject and the resulting population is administered to a subject suffering from or susceptible to a disease or disorder such as a neurodegenerative disorder (e.g., AD), a neuromuscular dysfunction, a cardiac disorder (e.g., myocardial infarction, cardiomyopathy), or genetic diseases characterized by muscle wasting.

[0382] In some embodiments, administering a population of cells, contacted with a MuSK-targeting oligonucleotide composition effectively treats a disease or disorder such as a neuromuscular dysfunction, a neurodegenerative disorder (e.g., AD), a cardiac disorder (e.g., myocardial infarction, cardiomyopathy), or genetic diseases characterized by muscle wasting in the subject.

[0383] In some embodiments, a population of stimulated and/or expanded NSCs, SCs, MPCs, and/or myoblasts described herein can be formulated into a cellular therapeutic. In some embodiments, a cellular therapeutic includes a pharmaceutically acceptable carrier, diluent, and/or excipient. Pharmaceutically acceptable carriers described herein, for example, vehicles, adjuvants, excipients, and diluents, are well known and readily available to those skilled in the art. Preferably, the pharmaceutically acceptable carrier is chemically inert to the active agent(s), e.g., a cellular therapeutic, and does not elicit any detrimental side effects or toxicity under the conditions of use.

[0384] In some embodiments, a cellular therapeutic can be formulated for administration by any suitable route, such as, for example, intravenous, intratumoral, intraarterial, intramuscular, intraperitoneal, intrathecal, epidural, and/or subcutaneous administration routes. Preferably, the cellular therapeutic is formulated for a parenteral route of administration. In some embodiments, a cellular therapeutic is administered to a subject via an infusion.

[0385] In some embodiments, a cellular therapeutic suitable for parenteral administration can be an aqueous or non-aqueous, isotonic sterile injection solution, which can contain anti-oxidants, buffers, bacteriostats, and solutes, for example, that render the composition isotonic with the blood of the intended recipient. An aqueous or nonaqueous sterile suspension can contain one or more suspending agents, solubilizers, thickening agents, stabilizers, and preservatives.

[0386] In some embodiments, a single therapeutic cell described herein is capable of expanding and providing a therapeutic benefit. In some embodiments, 10^2 or more, e.g., 10^3 or more, 10^4 or more, 10^5 or more, or 10^8 or more, therapeutic cells are administered as a cellular therapeutic. Alternatively, or additionally 10^{12} or less, e.g., 10^{11} or less, 10^9 or less, 10^7 or less, or 10^5 or less, therapeutic cells described herein are administered to a subject as a cellular therapeutic. In some embodiments, 10^2-10^5, 10^4-10^7, 10^3-10^9, or 10^5-10^{10} therapeutic cells described herein are administered as a cellular therapeutic.

[0387] A dose of a cellular therapeutic described herein can be administered to a subject at one time or in a series of subdoses administered over a suitable period of time, e.g., on a daily, semi-weekly, weekly, bi-weekly, semi-monthly, bi-monthly, semi-annual, or annual basis, as needed. A dosage unit comprising an effective amount of a cellular therapeutic may be administered in a single daily dose, or the total daily dosage may be administered in two, three,

four, or more divided doses administered daily, as needed. In some embodiments, a cellular therapeutic is administered in combination with another therapy.

Combination Therapy

[0388] In some embodiments, a MuSK-targeting oligonucleotide therapy as described herein is administered in combination with another therapy—e.g., so that a subject is simultaneously or sequentially exposed to both therapies.

[0389] The dosage of the MuSK-targeting oligonucleotide therapy as described herein and the dosage of another therapy administered in combination, as well as the dosing schedule can depend on various parameters, including, but not limited to, the disease being treated (e.g., a neuromuscular dysfunction, a neurodegenerative disorder, a cardiac disorder, or a genetic disease characterized by muscle wasting), the subject's general health, and the administering physician's discretion.

[0390] MuSK-targeting oligonucleotide therapy can be administered prior to (e.g., 5 minutes, 15 minutes, 30 minutes, 45 minutes, 1 hour, 2 hours, 4 hours, 6 hours, 12 hours, 24 hours, 48 hours, 72 hours, 96 hours, 1 week, 2 weeks, 3 weeks, 4 weeks, 5 weeks, 6 weeks, 8 weeks, or 12 weeks before), concurrently with, or subsequent to (e.g., 5 minutes, 15 minutes, 30 minutes, 45 minutes, 1 hour, 2 hours, 4 hours, 6 hours, 12 hours, 24 hours, 48 hours, 72 hours, 96 hours, 1 week, 2 weeks, 3 weeks, 4 weeks, 5 weeks, 6 weeks, 8 weeks, or 12 weeks after) the administration of the other therapy, to a subject in need thereof. In various embodiments MuSK-targeting oligonucleotide therapy and the other therapy are administered 1 minute apart, 10 minutes apart, 30 minutes apart, less than 1 hour apart, 1 hour apart, 1 hour to 2 hours apart, 2 hours to 3 hours apart, 3 hours to 4 hours apart, 4 hours to 5 hours apart, 5 hours to 6 hours apart, 6 hours to 7 hours apart, 7 hours to 8 hours apart, 8 hours to 9 hours apart, 9 hours to 10 hours apart, 10 hours to 11 hours apart, 11 hours to 12 hours apart, no more than 24 hours apart or no more than 48 hours apart. In one embodiment, MuSK-targeting oligonucleotide therapy and the other therapy are administered within 3 hours. In another embodiment, MuSK-targeting oligonucleotide therapy and the other therapy are administered at 1 minute to 24 hours apart.

[0391] A synergistic combination of MuSK-targeting oligonucleotide therapy and the other therapy, might allow the use of lower dosages of one or both of these agents and/or less frequent administration of the therapies to a subject suffering from neuromuscular dysfunction, a neurodegenerative disorder, a cardiac disorder, or genetic diseases characterized by muscle wasting. A synergistic effect might result in the improved efficacy of these agents and/or the reduction of any adverse or unwanted side effects associated with the use of either agent alone.

[0392] In some embodiments, MuSK-targeting oligonucleotide therapy is administered in combination with a standard of care treatment for a relevant disease, disorder, or condition (e.g., a neuromuscular dysfunction, a neurodegenerative disorder, a cardiac disorder, or genetic diseases characterized by muscle wasting).

[0393] Therapies for DMD include deflazacort (Emflaza; PTC Therapeutics) eteplirsen (Exondys 51; Sarepta Therapeutics), Ataluren (Translarna; PTC Therapeutics), and glucocorticoids such as prednisone. In some embodiments, MuSK-targeting oligonucleotide therapy is administered in combination with one or more therapies for DMD.

[0394] Approved therapies for ALS include Radicava, Rilutek, Tiglutik, and Nuedexta. In some embodiments, MuSK-targeting oligonucleotide therapy is administered in combination with one or more therapies for ALS.

[0395] Approved therapies for cardiomyopathy include but are not limited to angiotensin II-converting enzyme (ACE) inhibitors, angiotensin II receptor blockers (ARBs) and spironolactone. In some embodiments, MuSK-targeting oligonucleotide therapy is administered in combination with one or more therapies for cardiomyopathy.

[0396] In some embodiments, MuSK-targeting oligonucleotide therapy is administered in combination with one or more therapies that relieves a symptom or characteristic of a relevant disease, disorder or condition, or of a therapy therefor. In some embodiments, MuSK-targeting oligonucleotide therapy is administered in combination with one or more other therapies that relieves a symptom or characteristic so that the side effects associated with said other therapies are relieved. In some embodiments, the side effect associated with therapy is characterized by one or more of nausea, vomiting, loss of appetite, muscle cramps and spasms, increased frequency of bowel movements, headache, confusion and dizziness, constipation, fatigue, excessive saliva and phlegm, pain, depression, sleep problems, and uncontrolled outbursts of laughing or crying.

[0397] Any therapy which is known to be useful, or which has been used, will be used or is currently being used for the treatment or prevention of neuromuscular dysfunction, a neurodegenerative disorder, a cardiac disorder, or genetic diseases characterized by muscle wasting, can be used in combination with the MuSK-targeting oligonucleotide therapy in accordance with the invention described herein.

EXEMPLIFICATION

Example 1: Design and Screening of MuSK-Targeting Oligonucleotides

[0398] In this Example, human MuSK-targeting oligonucleotides were designed and tested for their ability to induce exon skipping of the MuSK exon 6 and/or exon 7.

Methods

A. Cell Types

[0399] The choice of cell type was based on the expression of MuSK and the relevance of the cell type for the study. Two cell types were retained and tested:

[0400] 1. HEK293 (ATCC, CRL-1573) is a cell line commonly used in neuroscience studies because of its ability to differentiate to neurogenic lineage (Shaw et al., 2002).

[0401] 2. LHCN-M2 (Evercyte, CKHT-040-231-2) is a cell line that was shown to highly express MuSK (19.8NX according to ProteinAtlas). In HEK293, MuSK expression was variable, and sometimes not high enough to be detected with qPCR. In LHCN-M2, MuSK expression was more consistent and detectable. Therefore, LHCN-M2 was chosen.

B. Cell Culture

[0402] LHCN-M2 were obtained from Evercyte (CKHT-040-231-2) and were cultured according to their protocol.

[0403] The cell vessels were pre-coated with 80 μl/cm^2 of 0.1% porcine gelatin (Sigma-Aldrich, Cat #G1890) in water for at least 4 h in 37° C. and up to one week. Before plating the cells, excess gelatin was removed.

[0404] For detachment, cells were rinsed twice with PBS (Thermofisher, 14190144) and were incubated with Trypsin-EDTA solution (Sigma, T3924-100ML) (room-temperature: 20 μl/cm^2) for 2 minutes.

[0405] Once the cells are detached, about 160 μl/cm^2 of growth medium was added to the trypsin. Cells were detached by pipetting and diluted at the appropriate density (between ½ to ⅙). Final volume of growth medium was 240 μl/cm^2.

[0406] LHCN-M2 cells were grown in MyoUp medium at 37° C. in a humidified atmosphere with 5% CO_2. Cells were passaged twice a week when having reached about 30-40% confluence.

MyoUp Medium:

[0407] DMEM (Thermofisher Cat #10566016)/M199 (Gibco, Cat #31150022) (4+1)

[0408] 15% Fetal bovine serum (FBS) (Hyclone, SH30071.03)

[0409] 20 mM Hepes (Sigma Aldrich, Cat #H0887)

[0410] 3 μg/ml Zinc sulfate (Sigma, Cat #Z0251)

[0411] 1.4 μg/ml Vitamin B12 (Sigma, Cat #V2876)

[0412] 0.055 μg/ml Dexamethasone (Sigma Aldrich, Cat #D4902)

[0413] 2.5 ng/ml HGF (Merck Millipore, Cat #GF116)

[0414] 10 ng/ml bFGF (Peprotech, Cat #100-18C)

C. ASO Transfection

[0415] ASOs were diluted in cell culture grade water to reach a concentration of 100 UM and were preserved at −20° C.

[0416] LHCN-M2 cells were plated in gelatin-coated 6 well plates at 35,000 cells/well in 2.25 mL. After 2 days, cells reached 60% confluency and were ready to be transfected with the ASOs and lipofectamine RNAiMAX (Invitrogen, 13778150) according to the manufacturer's protocol:

		Volume (μL) Oligos	
		50 nM final	100 nM final
1- Dilution of Lipofectamine in Opti-MEM	Opti-MEM	400	
	Lipofectamine	24	
2- Dilution of siRNA in OptiMEM	Opti-MEM	400	400
	siRNA	8 of 50 μM	8 of 100 μM
3- Add siRNA/Opti-MEM in lipo-OptiMEM	siRNA/Opti-MEM	400	
	Lipo/Opti-MEM	400	
4- Incubate 5 min at RT			
5- Add siRNA-lipo to cells	mix siRNA/Lipo/Opti-MEM	250 μL per well	

[0417] 24 hours after transfection, cells were rinsed with PBS and the RNA was extracted.

D. RNA Extraction

[0418] To obtain the best RNA extraction ratio, two kits were tested: Zymo Research Quick-RNA™ Miniprep Kit (cat #50444597) and Qiagen RNeasy Plus Mini Kit (cat #74136).

[0419] Cells were seeded in 6-well plates at a density of 45 000 cells/well. The RNA was extracted 2 days after seeding. The RNA concentration was measured using a nanodrop (Thermofisher, NanoDrop™ 8000 Spectrophotometer) and the results are given in Table 3.

TABLE 3

Table 3: Yield of RNA extraction from LHCN-M2 cells with ZYMO or QIAGEN extraction kits.

ZYMO			QIAGEN		
	Total (ug)	A260/A280		Total (ug)	A260/A280
Control1	4.14	1.99	Control1	2.56	2.08
Control2	3.51	1.98	Control2	2.86	1.98
Control3	3.81	2.00	Control3	3.27	1.9

[0420] With the Zymo kit, a yield of RNA extraction of 3.82 μg/well was obtained, while 2.9 μg/well was obtained with the Qiagen kit. Therefore, the Zymo kit was chosen for the study.

[0421] The Zymo Research Quick-RNA™ Miniprep Kit is used for RNA extraction (cat #50444597).

Zymo Kit Protocol:

[0422] All steps at room temperature and centrifugation at 13,000×g for 30 seconds, unless specified.

[0423] 1. Cells are lysed in 400 μL of RNA Lysis buffer using a cell scraper.

[0424] 2. Lysates are vortexed for 20 s to be homogenized and centrifuged for 30 s at 13,000×g to remove the cell debris.

[0425] 3. The supernatants are transferred into a Spin-Away™ Filter (yellow) in a Collection Tube and centrifuged to remove the majority of genomic DNA.

[0426] 4. 0.5 volume of ethanol (95-100%) is added to the flow-through and well mixed. The samples are transferred into a Zymo-Spin™ IIICG Column (green) in a Collection Tube and centrifuged.

[0427] 5. The RNA, attached to the column, is DNase treated.

[0428] (D1) Wash the column with 400 μl RNA Wash Buffer and centrifuge. Discard the flow-through.

[0429] (D2) In a nuclease-free tube, 5 μl DNase I (1 U/μl) is added to 75 μl DNA Digestion Buffer

[0430] and mix. Mixture is directly added into the column matrix.

[0431] (D3) The column incubates at room temperature (20-30° C.) for 15 minutes.

[0432] 6. 400 μl of RNA Prep Buffer is added to the column and centrifuged. The flow-through is discarded.

[0433] 7. 700 μl of RNA Wash Buffer is added to the column and centrifuged. The flow-through is discarded.

[0434] 8. 400 μl of RNA Wash Buffer is added to the column and centrifuged for 1 min to ensure complete removal of the wash buffer. Then, the column is transferred into a 1.5 mL nuclease-free tube.

[0435] 9. 100 μl of DNase/RNase-Free Water is added directly to the column matrix and centrifuged.

[0436] 10. Extracted RNA is usually immediately transcripted to cDNA, or stored at −80° C. if necessary.

cDNA Transcription:

[0437] The reverse transcriptase SuperScript™ IV VILO™ Master Mix from Thermofisher (11756050) is used 4 μL of the enzyme is added to 16 al of RNA (corresponding to ~550-650 ng).

[0438] According to the manufacturer's protocol, the reverse transcription is obtained by the following steps:

[0439] 10 min at 25° C. to anneal the primers

[0440] 10 min at 50° C. to perform the reverse transcription

[0441] 5 min at 85° C. to inactivate the enzyme

[0442] The cDNA is then diluted by 2 in DNase RNase free water and conserved at −20° C. until the qPCR is done.

[0443] For MuSK analyses, the cDNA was used at this concentration.

[0444] For housekeeping gene analyses, the cDNA was further diluted by 5.

E. qPCR

[0445] Two qPCR technologies were tested, TaqMan and SYBR Green.

[0446] Relative MuSK expression was measured by qPCR using Taqman or SYBR green technology in LHCN-M2 cells. Both gave similar results regarding MuSK inhibition by siRNA (Thermofisher, 4392420) (FIG. **3**). However, the Cq, related to the level of detection, was lower with SYBR green than for Taqman-around 22 and 27 respectively for the controls, indicating better detection with SYBR green technology. Since the level of detection is important to discriminate the level of MuSK inhibition between conditions, SYBR Green technology was chosen for the study.

SYBR Green qPCR Protocol:

[0447] To analyze the gene expression, SYBR Green technology was used. Results were normalized to two housekeeping genes (GAPDH and YWHAZ). qPCR was performed in 384-well plates. cDNA was used at ½ to analyze MuSK expression and at 1/10 to analyze HKG expressions. Measures were performed in duplicates or triplicates.

[0448] The primer sequences are shown below in Table 4:

TABLE 4

Gene	Forward	Reverse
MuSK 34 (spanning the exon/exon junction 3-4)	CCTGCAAGTGAAGATGAAACCTAAA (SEQ ID NO: 118)	ATGAATCCTCAAGCTCCCAGA (SEQ ID NO: 119)
MuSK 67 (spanning the exon/exon junction 6-7)	GGCTCCTGAATCCCACAATG (SEQ ID NO: 120)	GAATGGACCCAGAAGAAACAGCA (SEQ ID NO: 121)
GAPDH (HKG)	CCTCAACGACCACTTTGTCA (SEQ ID NO: 122)	TTACTCCTTGGAGGCCATGT (SEQ ID NO: 123)
YWHAZ (HKG)	CGAAGCTGAAGCAGGAGAAG (SEQ ID NO: 124)	TTTGTGGGACAGCATGGATG (SEQ ID NO: 125)

[0449] In each well, 9 μL of the premix [3.5 μL RNAse/DNAse free water, 5 μL SYBR Green (Biorad, 1725120), 0.5 μL primer at 10 μM] is deposited and 1 μL of the cDNA at the appropriate dilution was added. After being sealed, the plate was centrifuged, briefly vortexed and centrifuged a second time. The Thermocycler QuantStudio 6 or 7 Pro (Thermofisher) was used to perform the qPCR. The steps are:

[0450] 30 s at 95° C.

[0451] PCR (X40 cycles):

[0452] 3 s at 95° C.

[0453] 30 s at 60° C.

[0454] Melting curve (step and hold, 4 s):

[0455] 20 s at 65° C.

[0456] 15 s at 95° C.

Design and Screen of Human ASOs

[0457] A first batch of 38 human antisense oligonucleotides (ASOs) were designed and then subsequently produced by Microsynth (Switzerland). The ASO sequences are shown below in Table 5.

TABLE 5

Oligo ID	SEQ ID	5' to 3' Sequence
Bld1	1	GCTAGGGTGGTCTTTTAGAAATGCA
Bld2	2	GGTCAAGCTAGGGTGGTCTTTTAGA
Bld3	3	CTGCAGGAAATGGTCAAGCTAGGGT
Bld4	4	GAAGTGGTGAGTGACGCTCCTGCAG
Bld5	5	GTTAGGAAGACAGAAGTGGTGAGTG
Bld6	6	ATCCTGGCAAAAACTGTTAGGAAGA
Bld7	7	GTGGGATTCAGGAGCCCGCAGGATC
Bld8	8	GGTGACATTGTGGGATTCAGGAGCC
Bld9	9	GGAGCCAAAGGTGACATTGTGGGAT
Bld10	10	GGTCACAAAGGAGCCAAAGGTGACA
Bld11	11	ACAGTGCAGGGTCACAAAGGAGCCA
Bld12	12	CTGTTGCTGTACAGTGCAGGGTCAC
Bld13	13	GGGACAGGAATGCCTGTTGCTGTAC

TABLE 5-continued

Oligo ID	SEQ ID	5' to 3' Sequence
Bld14	14	CAGGTGATGGTGGGGACAGGAATGC
Bld15	15	CCGTTTTCAATCCAGGTGATGGTGG
Bld16	16	TGACACTCACAGCATTTCCGTTTTC
Bld17	17	AAGTCCCCACACACATGACACTCAC
Bld18	18	GGTCTTCCCCAGACAAGTCCCCACA
Bld19	19	ACTATGTCAGTAGATTTGAAGGGAA
Bld20	20	TCCCACTATACTATGTCAGTAGATT
Bld21	21	TCAGTCAAGGATTTCCCACTATACT
Bld22	22	AAAAGAACTCAGTCAAGGATTTCCC
Bld23	23	GTAAAGGAAAATAAAAGAACTCAGT
Bld24	24	AACCTGACAGAGTAAAGGAAAATAA
Bld25	25	GGACCCAGAAGAAACCTGACAGAGT
Bld26	26	CACTCTCTTGAATGGACCCAGAAGA
Bld27	27	CACTCGGTCTTTCACACTCTCTTGA
Bld28	28	GTCTTGAGTCAATCACTCGGTCTTT
Bld29	29	GATAAACAGCTGCAGTCTTGAGTCA
Bld30	30	AGTCCTGGCTTGGTGATAAACAGCT
Bld31	31	ATGTGTAGAGTCCTGGCTTGGTGAT
Bld32	32	GTAGCTATGCATGTGTAGAGTCCTG
Bld33	33	TGCTTATTGGTAGCTATGCATGTGT
Bld34	34	ACTTCTCCCCATGCTTATTGGTAGC
Bld35	35	CCTTGGCAGTACTGAACTTCTCCCC
Bld36	36	CCTGCTATGCTGATGGTGGCTGCAG
Bld37	37	GGGCATCCTACCTGCTATGCTGATG
Bld38	38	GCAAATGTGAAGGGGCATCCTACCT

[0458] All ASOs Bld1-Bld38 were designed to include 2'-MOE modification on each sugar and where there is a phosphorothioate internucleotidic linkage between each nucleotide. Sequences were designed so that they would avoid activation of RNase H. All ASOs were 25 nucleotides in length. Alignment of ASOs Bld1-Bld38 to the MuSK genomic sequence along regions including exons 6 and 7 is shown in FIG. **4**.

Antisense Oligonucleotides Targeting Exon6

i. Alignment to the Genetic Sequence

[0459] The ASOs were designed to be complementary to regions of the MuSK Exon6 genetic sequence, presented in FIG. **5**.

ii. Cell Observations

[0460] Cells were plated at 30,000 cells/well in gelatin pre-coated 6-well plates and were transfected 48 h after seeding with ASO at 50 nM and 100 nM. 24 h after transfection, cells were observed (FIG. **4**) and the RNA was extracted and analyzed. FIG. **6** shows microscopic acquisitions of LHCN-M2 cells 24 h after being transfected with the ASO at 100 nM (Scale=100 nm). The data of Bld5, Bld8, Bld10, and Bld18 are not shown.

[0461] Some ASOs induced a visible effect to the cells after 24 h: Bld8 (data not shown), Bld5 (data not shown), Bld10 (data not shown), Bld126 and Bld14 appeared to have a negative effect on the cell health. Other ASOs induced small differences. For example, cells transfected with the ASOs Bld11, Bld13, and Bld15 were shorter. Otherwise, cells in the other treatment groups were healthy and similar to the control, including Bld18, the data of which are not shown in FIG. **6** and Bld9.

iii. MuSK Expression Analyses

[0462] 24 h after transfection, RNA was extracted and MuSK expression was measured by qPCR. The primers were designed to span either the 3-4 exon/exon junction (named MuSK34) or the 6-7 exon/exon junction (named MuSK67). The MuSK34 primer therefor detects all forms of the MuSK transcript (both the long form (i.e., containing the Ig3 domain and the short form (i.e., MuSKΔIg3)) while the MuSK67 primer detects only the long form of MuSK and not MuSKΔIg3. The primer design rationale is shown in FIG. **2**. Results were normalized to two housekeeping genes, YWHAZ and GAPDH, whose stabilities were assessed using the software BestKeeper and are shown in FIG. **7**.

[0463] The qPCR results show that the ASOs Bld7, Bld8, Bld9, Bld11, Bld13, Bld16, Bld15, and Bld18 induced a decrease in the expression of MuSK34 (>75%) and of MuSK67 (>90%). The ASOs Bld13, Bld4, Bld5, Bld6, Bld12 and Bld14 and Bld17 induced a decrease of MuSK34 (between 50-75%) and a higher decrease of MuSK67 (70-85%). The ASOs Bld3 and Bld17 induced slighter effects on MuSK34 and MuSK67 expression (20-50%). Finally, the two ASOs Bld1 and Bld18 induced an increase in the expression of MuSK34 and 67.

[0464] The goal of the screen of ASOs was to identify an ASO that would induce a moderate/important decrease of MuSK67 with no effect on MuSK34 (i.e., would induce an increase in MuSKΔIg3). The results shown in FIG. **7** indicate that the ASOs tested targeting Exon 6 may not be targeting the appropriate region to obtain a good skipping of Exons 6 and 7.

[0465] The results were correlated with the ASO alignment (FIG. **8**) in order to identify key regions on the sequence important for MuSK expression. In FIG. **8**, Green indicates a slight decrease or an increase in MuSK expression (between 90-300% of the control). Orange indicates a moderate decrease in MuSK expression (MuSK34 between 40 and 70% of the control, MuSK67<45% of the control). Red indicates high decrease in MuSK expression (MuSK34<40% of the control, MuSK67<20% of the control). Red areas indicate key regions for the expression of MuSK where ASOs induced a decrease of MuSK34 by >60% and MuSK67 by >80%.

[0466] The relative expression of MuSK 67 for each of the ASOs Bld1-Bld18 at 50 nM are shown in Table 6 below:

TABLE 6

Oligo ID	SEQ ID NO:	Sequence-(5' to 3')[a]	Relative MuSK 67 expression[b]
		ASOs targeting exon 6	
Bld1	78	G*C*T *A*G*G *G*T*G *G*T*C *T*T*T *T*A*G *A*A*A *T*G*C *A	1.0449
Bld2	79	G*G*T *C*A*A *G*C*T *A*G*G *G*T*G *G*T*C *T*T*T *T*A*G *A	0.4366
Bld3	80	C*T*G *C*A*G *G*A*A *A*T*G *G*T*C *A*A*G *C*T*A *G*G*G *T	0.5139
Bld4	81	G*A*A *G*T*G *G*T*G *A*G*T *G*A*C *G*C*T *C*C*T *G*C*A *G	0.1545
Bld5	82	G*T*T *A*G*G *A*A*G *A*C*A *G*A*A *G*T*G *G*T*G *A*G*T *G	0.2419
Bld6	83	A*T*C *C*T*G *G*C*A *A*A*A *A*C*T *G*T*T *A*G*G *A*A*G *A	0.3612
Bld7	84	G*T*G *G*G*A *T*T*C *A*G*G *A*G*C *C*C*G *C*A*G *G*A*T *C	0.0180
Bld8	85	G*G*T *G*A*C *A*T*T *G*T*G *G*G*A *T*T*C *A*G*G *A*G*C *C	0.0098
Bld9	86	G*G*A *G*C*C *A*A*A *G*G*T *G*A*C *A*T*T *G*T*G *G*G*A *T	0.0091
Bld10	87	G*G*T *C*A*C *A*A*A *G*G*A *G*C*C *A*A*A *G*G*T *G*A*C *A	0.0099
Bld11	88	A*C*A *G*T*G *C*A*G *G*G*T *C*A*C *A*A*A *G*G*A *G*C*C *A	0.0103
Bld12	89	C*T*G *T*T*G *C*T*G *T*A*C *A*G*T *G*C*A *G*G*G *T*C*A *C	0.0053
Bld13	90	G*G*G *A*C*A *G*G*A *A*T*G *C*C*T *G*T*T *G*C*T *G*T*A *C	0.0088
Bld14	91	C*A*G *G*T*G *A*T*G *G*T*G *G*G*G *A*C*A *G*G*A *A*T*G *C	0.0911
Bld15	92	C*C*G *T*T*T *T*C*A *A*T*C *C*A*G *G*T*G *A*T*G *G*T*G *G	0.0222
Bld16	93	T*G*A *C*A*C *T*C*A *C*A*G *C*A*T *T*T*C *C*G*T *T*T*T *C	0.0558
Bld17	94	A*A*G *T*C*C *C*C*A *C*A*C *A*C*A *T*G*A *C*A*C *T*C*A *C	0.6501
Bld18	95	G*G*T *C*T*T *C*C*C *C*A*G *A*C*A *A*G*T *C*C*C *C*A*C *A	1.6763

[a]* represents a phosphorothioate linkage, and each sugar of the oligonucleotides is a 2'-MOE modified sugar.
[b]a value of 1.0 represents the level of MuSK67 expression for untreated cells.

Antisense Oligonucleotides Targeting Exon7

i. Alignment to the Genetic Sequence

[0467] The alignment of the ASOs Bld19-Bld38 on the genetic sequence of Exon7 of MuSK is presented in FIG. **9**.

ii. Cell Observations

[0468] Cells were plated at 30,000 cells/well in gelatin pre-coated 6-well plates and were transfected 48 h after seeding with ASO at 50 nM and 100 nM. 24 h after transfection, cells were observed (FIG. **10**) and the RNA was extracted and analyzed. FIG. **10** shows microscopic acquisitions of LHCN-M2 cells 24 h after being transfected with the ASO at 100 nM (Scale=100 nm).

[0469] After 24 h of transfection, cells looked healthy in all conditions. Cells transfected with the ASOs Bld19 and Bld30 were shorter than the control, while cells transfected with the ASOs Bld32 and Bld34 were more elongated. Cell transfected with the ASOs Bld23, Bld24, Bld25, Bld26, Bld27, Bld28, Bld35, Bld36, Bld37, Bld38 did not present any significant differences compared to the control (data not shown).

iii. MuSK Expression Analyses

[0470] 24 h after transfection, RNA was extracted, and MuSK gene expression was analyzed in qPCR (FIG. **11**). Methods described for screen of ASOs to Exon6 were used.

[0471] Relative expression of each ASO at 50 nM is shown in Table 7 below:

TABLE 7

Oligo ID	SEQ ID NO:	Sequence-(5' to 3')[a]	Relative MuSK 67 expression[b]
		ASOs targeting exon 7	
Bld19	96	A*C*T *A*T*G *T*C*A *G*T*A *G*A*T *T*T*G *A*A*G *G*G*A *A	1.1548

TABLE 7-continued

Oligo ID	SEQ ID NO:	Sequence-(5' to 3')[a]	Relative MuSK 67 expression[b]
Bld20	97	T*C*C *C*A*C *T*A*T *A*C*T *A*T*G *T*C*A *G*T*A *G*A*T *T	1.7641
Bld21	98	T*C*A *G*T*C *A*A*G *G*A*T *T*T*C *C*C*A *C*T*A *T*A*C *T	0.4483
Bld22	99	A*A*A *A*G*A *A*C*T *C*A*G *T*C*A *A*G*G *A*T*T *T*C*C *C	1.0207
Bld23	100	G*T*A *A*A*G *G*A*A *A*A*T *A*A*A *A*G*A *A*C*T *C*A*G *T	1.8924
Bld24	101	A*A*C *C*T*G *A*C*A *G*A*G *T*A*A *A*G*G *A*A*A *A*T*A *A	1.1254
Bld25	102	G*G*A *C*C*C *A*G*A *A*G*A *A*A*C *C*T*G *A*C*A *G*A*G *T	0.1010
Bld26	103	C*A*C *T*C*T *C*T*T *G*A*A *T*G*G *A*C*C *C*A*G A*A*G *A	0.1450
Bld27	104	C*A*C *T*C*G *G*T*C *T*T*T *C*A*C *A*C*T *C*T*C *T*T*G *A	0.1570
Bld28	105	G*T*C *T*T*G *A*G*T *C*A*A *T*C*A *C*T*C *G*G*T *C*T*T *T	0.1024
Bld29	106	G*A*T *A*A*A *C*A*G *C*T*G *C*A*G *T*C*T *T*G*A *G*T*C *A	0.0555
Bld30	107	A*G*T *C*C*T *G*G*C *T*T*G *G*T*G *A*T*A *A*A*C *A*G*C *T	0.1978
Bld31	108	A*T*G *T*G*T *A*G*A *G*T*C *C*T*G *G*C*T *T*G*G *T*G*A *T	0.0871
Bld32	109	G*T*A *G*C*T *A*T*G *C*A*T *G*T*G *T*A*G* A*G*T *C*C*T *G	0.3343
Bld33	110	T*G*C *T*T*A *T*T*G *G*T*A *G*C*T *A*T*G *C*A*T *G*T*G *T	1.0718
Bld34	111	A*C*T *T*C*T *C*C*C *C*A*T *G*C*T *T*A*T *T*G*G *T*A*G *C	0.3860
Bld35	112	C*C*T *T*G*G *C*A*G *T*A*C *T*G*A *A*C*T *T*C*T *C*C*C *C	0.3559
Bld36	113	C*C*T *G*C*T *A*T*G *C*T*G *A*T*G *G*T*G *G*C*T *G*C*A *G	0.3926
Bld37	114	G*G*G *C*A*T *C*C*T *A*C*C *T*G*C *T*A*T *G*C*T *G*A*T *G	0.4601
Bld38	115	G*C*A *A*A*T *G*T*G *A*A*G *G*G*G *C*A*T *C*C*T *A*C*C *T	0.3908

[a]*represents a phosphorothioate linkage, and each sugar of the oligonucleotides is a 2'-MOE modified sugar.
[b]a value of 1.0 represents the level of MuSK67 expression for untreated cells.

[0472] ASOs Bld29 and Bld31 induced a decrease in the expression of MuSK34 (>75%) and of MuSK67 (>90%). ASOs Bld30, Bld32 and Bld34 induced a decrease of MuSK34 (between 40-60%) and a higher decrease of MuSK67 (55-85%). ASO Bld19 induced slighter effects on MuSK34 and MuSK67 expression (<20%). ASOs Bld19, Bld20, Bld24, Bld23 and Bld33 induced an increase in expression of MuSK34 and 67.

[0473] ASOs Bld25, Bld26, Bld27, Bld28, Bld35 and Bld38 induced a decrease of MuSK67>60% at 50 nM and a decrease of MuSK34<40% for both concentrations. Therefore, these ASOs were considered good candidates to be tested at additional doses.

[0474] The alignment of these results to the genetic sequences indicated that one region is key region to regulate the splicing of the exons 6 and 7 without affecting the transcription of the other exons (indicated in purple in FIG. **12**).

[0475] The alignment of these results to the MuSK exon7 genetic sequence indicated that some regions may be key regions to regulate the splicing of the exons 6 and 7 without affecting the transcription of the other exons (indicated in purple in FIG. **12**). In FIG. **12**, green indicates a slight decrease or an increase in MuSK expression (between 90-300% of the control). Orange indicates a moderate decrease in MuSK expression (MuSK34 between 40 and 70% of the control, MuSK67<45% of the control). Red indicates high decrease in MuSK expression. MuSK34<40% of the control, MuSK67<20% of the control Purple and grey areas indicate regions that may be targeted to obtain an efficient skipping of exons 6/7 with lower effect on other exons based on the results shown in FIG. **11** (i.e., the regions targeted by ASOs hu7-10, hu73, hu717, hu730, hu711 and hu7158). These regions "region 1" and "region 2" are shown in FIG. **4**.

Dose Response of Exemplary ASO Candidates

[0476] The first ASO screen at 50 and 100 nM indicated that Bld25, Bld26, Bld27, Bld28, Bld35 and Bld38 were potential candidates that could induce efficient skipping of exons 6/7 to generate MuSKΔIg3 transcript expression. These ASOs were tested at different concentrations: 2.5, 5, 25, 125 and 400 nM to examine the dose response. Results are shown in FIG. **13** (panels A-F).

[0477] Specifically, FIG. **13** shows relative MuSK expression in response to various doses of the 6 candidate ASOs (Bld25 (A), Bld26 (B), Bld27 (C), Bld28 (D), Bld35 (E), Bld38 (F)). MuSK34 (in blue) and MuSK67 (in red) expres-

sion was measured by qPCR and each was normalized to the housekeeping genes and to the values obtained for untreated cells. The estimated IC is indicated on each graph. The 5 tested doses were 2.5, 5, 25, 125, 400 nM.

[0478] The results from the dose response study indicated that ASO Bld35 induced both a decrease of MuSK34 and of MuSK67 of 20-40% and 50-70%, respectively. Therefore, the difference between the expression of MuSK34 and MuSK67 is too low to obtain a high ratio of ΔIg3 MuSK without affecting the transcription of the other exons.

[0479] For the ASOs that Bld25, Bld26, Bld27, Bld28 and Bld38, MuSK34 expression was between 75 and 85% of the control level while MuSK67 was at 50% of the control level, making them potential candidates.

[0480] For ASO Bld38, the inhibition of MuSK67 was limited at 60% of the control level, even at high concentrations (400 nM).

[0481] For ASOs Bld27 and Bld28, a concentration higher than 125 nM induced a decrease in MuSK34 expression >75%.

[0482] For ASOs Bld25 and Bld26, MuSK34 expression reached a plateau of 60% of the control level when the ASO concentration was between 25 and 400 nM, while MuSK67 expression decreased to 10% of the control. These results indicate that ASOs Bld25 and Bld26 result in a targeted decrease in expression of MuSK67, with less of an effect on MuSK34 expression, making them the 2 best candidates of this study. The estimated IC50 values were 11.5 nM and 11.4 nM for Bld25 and Bld26, respectively.

[0483] A more targeted dose response was performed in this area to refine these results (FIG. **14**). These additional data indicated that the IC50 is actually between 5 and 7.5 nM for both Bld25 and Bld26. With ASO Bld26, MuSK34 expression dropped at the same ASO concentration as MuSK67 (7.5 nM). With ASO Bld25, at a concentration of 7.5 nM, MuSK67 expression decreased by 70% while MuSK34 expression was at 94% of the control. Therefore, Bld25 may be a better candidate than Bld26 to obtain a selective skipping of exons 6 and 7.

[0484] An additional test was done by combining both Bld25 and Bld26 at a final concentration of 12.5 nM. Results are shown in FIG. **15**. Specifically, FIG. **19** shows MuSK34 expression in green and MuSK67 expression in red measured by qPCR and normalized to housekeeping genes and to the controls.

[0485] The Bld25/Bld26 mix resulted in MuSK34 expression at a level of 72% of the control level, while MuSK67 expression was at a level of 6% of the control level. Of note, MuSK67 expression was at 8% when inhibited by siRNA (Thermofisher, cat #4392420, Assay Id s224071) against MuSK at 10 nM (data not shown). These results suggest that combining several oligos (e.g., Bld25 and Bld26) may be a good strategy to obtain a selective skipping of exons 6 and 7.

Confirmation of Exon Skipping by Gel Migration

[0486] To verify the ASO-induced splicing of the RNA, we amplified the genetic sequence from exon 3 to exon 9 by PCR and the size of the PCR product was measured by migrating it on gel electrophoresis.

[0487] Several forms of MuSK RNA exist naturally in human. 3 variants were identified in the literature (FIG. **26**):

[0488] Variant 1, NM_005592.4 (full length: 972 bp and ΔIg3: 687 bp)

[0489] Variant 2, NM_001166280.2 (full length: 783 bp and ΔIg3: 453 bp)

[0490] Variant 3, NM_001166281.2 (full length: 708 bp and ΔIg3: 423 bp)

[0491] Full length and ΔIg3 indicate the lengths of the full-length sequence and ΔIg3 (6,7) sequence amplified by PCR from exon 3 to exon 9. Compared to variant 1, the exon 8 is missing in variant 2 and variant 3. In addition, a small exon of 30 bases is present only in variant 2. Therefore, skipping exons 6 and 7 would produce 3 additional MuSK RNA forms.

[0492] The sequence of exon3-9 of the cDNA from the dose response presented in FIG. **10** was amplified by PCR in the conditions without or with hu7-10 (Bld25) and hu73 (Bld26) at 5 and 25 nM. Results from the gel electrophoresis are shown in FIG. **16**. In FIG. **16**, "Long" (with exon6-7) and "Short" (without exon 6-7, i.e., ΔIg3) designed synthetic sequences were based on variant 1.

[0493] As shown in FIG. **16**, several bands were detected. In the control conditions, major bands were visible at approximately 1 kb, 970b (red arrow), and a double band at 700-750b (green arrows) (see FIG. **16**, panel B). In conditions where splicing of the exons 6/7 occurred (confirmed previously by qPCR), major bands were observed at approximately 690b (yellow arrow) and 450b (blue arrow) (FIG. **16**, panel B'), and a lighter band at 970b. An additional double band was detected at 600b (orange arrow).

[0494] Based on the sequences presented in FIG. **16** it appears that:

[0495] The red arrow indicated the cDNA of variant 1 full-length (972 bases), while the double bands highlighted by the green arrow correspond to the variant 2 and 3 full-length (738 and 708 bases respectively). This would explain why we observed a small fraction of the red band in the Bld25 at 25 nM condition (see FIG. **16** B') and the fraction of the green band was too light to be detected.

[0496] For the ASO hu7-10 (Bld25) at 25 nM, the yellow band corresponded to Δ6,7 variant 1 (687 bases) and the blue band corresponded to Δ5+,6,7 variant 2 and Δ6,7 variant 3 (453 bases).

[0497] Next the bands were sequenced to confirm these bands correspond to the indicated variants.

CONCLUSIONS

[0498] This study aimed to find ASOs that would induce the skipping of the exons 6 and 7 in MuSK protein without affecting the other exons. 38 ASOs were designed and manufactured to be tested. LHCN-M2 cell line was chosen for its qPCR detectable MuSK expression.

[0499] In the first screening, we tested each of the 38 ASOs at concentrations of 50 and 100 nM. From this screen, the 6 best candidates in a key region near/on the exon 7 were selected or further testing. These 6 candidates were further tested at different doses: 2.5, 5, 25, 125 and 400 nM. The results indicated that a dose below 25 nM would be enough to obtain the desired splicing without affecting the transcription of the other exons, and that 2 ASOs, Bld25 and Bld26, were better to obtain the desired splicing, while maintaining stability of the expression of the other exons at higher doses. These 2 candidates were tested at additional doses, 5, 7.5, 12.5 and 25 nM. These results indicated that the IC50 would be between 5 and 7.5 nM for both ASOs. Additionally, Bld25 was considered the best candidate since there is a dose (7.5 nM) where we obtained an efficient skipping of exons

6/7 (by 70%) with little effect on the other exons (expression was 94% of the control level).

[0500] Additionally, a combination of these 2 candidates (Bld25 and Bld26) at 12.5 nM was also shown to be efficient in reducing the level of expression of full-length MuSK transcripts by 94% (indicated by MuSK67 in FIG. **15**), where the total MuSK expression (indicated by MuSK34 in FIG. **15**) was only reduced by 28%. Migration on gel electrophoresis and further sequence confirmed this was due to exon skipping.

Example 2: In Vivo Evaluation of Exon-Skipping Induced by MuSK-Targeting Oligonucleotides

[0501] Preliminary confirmation of activities for oligonucleotides provided herein have been confirmed by testing corresponding murine oligonucleotide sequences in an established mouse model. See, e.g., Renault et al., 2009, the entirety of which is incorporated herein by reference.

[0502] In this experiment, the corresponding murine oligonucleotides are further evaluated in vivo in wild-type mice at ages where AHN has declined. Further evaluations such as pharmacodynamic and safety studies are conducted to establish optimal conditions for ASO-mediated MuSK exon skipping in aging wild type mice.

Experiment #1: Tolerability, Exon Skipping and PK

[0503] ASOs are delivered by intracerebroventricular (ICV) stereotactic injection in 4 doses ranging from 5-100 μg, n=6/group. A scrambled ASO (with the same number of bases) will serve as a control.

[0504] Mice are monitored for potential immediate safety signals (e.g. seizures, hindlimb weakness, prolonged lethargy) and animals where these issues do not resolve within the first hours after dosing are euthanized.

[0505] Mice receiving doses that do not show tolerability signals are monitored daily.

[0506] Unfixed brains are harvested at 4 weeks. One-half of the brains are sectioned and analyzed by histology for signs of inflammation or other toxicity by a board-certified veterinary pathologist.

[0507] The hippocampus and cortex from the other half are dissected and further divided for RNA isolation and PK analysis. The level of MuSK alternative splicing (i.e., skipping of exons 6-7) are assessed by TaqMan assays and gel-based PCR as described in Examples 1-2. For the latter, gel bands are excised and sequenced to confirm correct skipping. The remaining portion for of cortex are used for HPLC quantification of the ASO (PK).

Experiment #2. Neurogenesis (Fixed Brains)

[0508] Neurogenesis Group size: To determine the number of animals required to assess increased neurogenesis, a power analysis using G*Power version 3.1 was performed (Faul et al., 2007). To allow for possible loss of animals during the experiment 6 animals/group are allocated. Analyses is performed using either GraphPad Prism or R.

[0509] In this experiment, ASOs are delivered to a second set of animals with at least three non-toxic doses (as determined in Experiment 1).

[0510] For these animals EdU is delivered from 3 to 4 weeks post-injection. Animals are perfused, fixed and immunohistochemistry is performed against EdU and DCX to assess the numbers of new neurons (EdU+/DCX+ cells).

[0511] Maturation of the newborn cells is assessed by performing a 30-day chase after administration of the EdU and measuring Edu+/NeuN+ cells.

Experiment #3. Cognition

[0512] Cognition group size: An analysis using G*Power 3.1.9.4. (Faul et al., 2007) was performed to determine the group size of cognition experiment. Based on the prior studies, 18 animals per group is sufficient to observe an effect size (d) of 1 (a=0.05: power=0.80).

[0513] Aged wild-type mice are dosed by ICV at 11 months of age and are assessed for cognition at 12 months of age. A single dose is performed to promote AHN as determined from Experiment #2 (18 animals per group).

[0514] The mice are evaluated using tests including Novel Object Location task, a hippocampal-dependent spatial learning task, and a Conditioned Fear and a Y-maze to measure spatial working memory (Gotz and Ittner, 2008), two tasks commonly used to test cognition.

[0515] Pairwise comparisons will be analyzed by using the Student's t test. Experiments with more than two groups will be analyzed using a Bonferroni correction for multiple comparisons.

[0516] Female mice. Efficacy of ASO treatment on promoting neurogenesis using the optimal dose determined above in female mice is also assessed.

[0517] Discussion Experiments 1-3 are designed such that they will relate the dose delivered to safety, PK, level of MuSK splicing, degree of AHN promotion and cognitive improvement.

[0518] A 4 week period of exposure was utilized since this is the time course over which NSCs are born and mature (Babcock et al., 2021). However, additionally studies with longer exposures, with and without repeat dosing will also be performed.

[0519] In addition to the HPLC measurement of ASO in the brain hybridization-based method will also be utilized.

Example 3: In Vivo Evaluation of Exon-Skipping Induced by MuSK-Targeting Oligonucleotides in FAD Model

[0520] In this experiment, the corresponding murine oligonucleotides from Example 2 are evaluated in Familial Alzheimer's Disease (FAD) mouse model where plaque burden is well established and tangles are present. This experiments aims to determine whether corresponding murine oligonucleotides and the exon-skipping approach is effective in the hostile, inflammatory milieu along with a high plaque burden and neurofibrillary tangles that characterize the AD brain, and whether corresponding oligonucleotides promote AHN in an FAD mouse model.

[0521] FAD Mouse Model. 3×Tg is used in this experiment, which harbors transgenes for Tau, PSEN1 and APP FAD alleles (Oakley et al., 2006; Kimura and Ohno, 2009; Belfiore et al., 2019). This model has been characterized and develops both amyloid plaques at 6 months and neurofibrillary tangles by 12 months. AHN is decreased as early as 3 months of age and is essentially undetectable by 12 months. We have confirmed a reduction AHN at 6 months in these mice. This decrease in AHN is strongly correlated with the increase in amyloid burden (Rodríguez et al., 2008). Animals are dosed with ASO at 11 months and analyzed at 12 months of age, when AHN and cognitive phenotypes are

evident. Female 3×Tg mice are used since they show an earlier and more consistent pathological profile (Belfiore et al., 2019).

[0522] Experimental Approach. The dosing strategy (level, duration) is based on the results from Example 3. Three groups are dosed: scrambled ASO, and two doses of MuSK exon-skipping ASOs. Group sizes will be n=18 in order to assess both AHN and cognition. 6 animals from each group are also treated with EdU once a day for 7 days for neurogenesis analysis. In order to control for potential effects of handling, the remaining animals are injected with saline. Neurogenesis and cognition analyses are performed as described in Example 3. The effects of ASO treatment on AD histopathology is also assessed.

Example 4: Formulation and Administration of MuSK-Targeting Oligonucleotides

A. Formulation

[0523] In this Example, human MuSK-targeting oligonucleotides as described herein are formulated into suitable forms to enhance the delivery to target site(s) and are administered to human subject via various means.

[0524] In some embodiments, human MuSK-targeting oligonucleotides are formulated into lipid complex, as a homogeneous solution in a single-dose vial. In some embodiments, single-dose vial is 10 mg/5 ml (2 mg/mL).

B. Administration

1. Indication

[0525] MuSK-targeting oligonucleotides are indicated for the treatment of the AD in adults.

2. Dosage and Administration

2.1 Dosing Information

[0526] MuSK-targeting oligonucleotides are administered by a healthcare professional.

[0527] MuSK-targeting oligonucleotides are administered via intravenous (IV) infusion. Dosing is based on actual body weight. For patients weighing less than 100 kg, the recommended dosage is 0.3 mg/kg once every 3 weeks. For patients weighing 100 kg or more, the recommended dosage is 30 mg once every 3 weeks.

[0528] Missed Dose: If a dose is missed, administer MuSK-targeting oligonucleotides as soon as possible. If MuSK-targeting oligonucleotides are administered within 3 days of the missed dose, continue dosing according to the patient's original schedule. If MuSK-targeting oligonucleotides are administered more than 3 days after the missed dose, continue dosing every 3 weeks thereafter.

2.2 Preparation

[0529] MuSK-targeting oligonucleotides are filtered and diluted prior to intravenous infusion. The diluted solution for infusion is prepared by a healthcare professional using aseptic technique as follows:

[0530] 1. Remove MuSK-targeting oligonucleotides vial from the refrigerator and allow to warm to room temperature. Do not shake or vortex.

[0531] 2. Inspect visually for particulate matter and discoloration. Do not use if discoloration or foreign particles are present.

[0532] 3. Calculate the required dose of MuSK-targeting oligonucleotides based on the recommended weight-based dosage [see Dosage and Administration (2.1)].

[0533] 4. Withdraw the entire contents of one or more vials into a single sterile syringe.

[0534] 5. Filter MuSK-targeting oligonucleotides through a sterile 0.45 micron polyethersulfone (PES) syringe filter into a sterile container.

[0535] 6. Withdraw the required volume of filtered MuSK-targeting oligonucleotides from the sterile container using a sterile syringe.

[0536] 7. Dilute the required volume of filtered MuSK-targeting oligonucleotides into an infusion bag containing 0.9% Sodium Chloride Injection, USP for a total volume of 200 mL. Use infusion bags that are di(2-ethylhexyl) phthalate-free (DEHPfree).

[0537] 8. Gently invert the bag to mix the solution. Do not shake. Do not mix or dilute with other drugs.

[0538] 9. Discard any unused portion of MuSK-targeting oligonucleotides.

[0539] 10. The diluted solution should be administered immediately after preparation. If not used immediately, store in the infusion bag at room temperature (up to 30° C. [86° F.]) for up to 16 hours (including infusion time). Do not freeze.

2.3 Infusion

[0540] MuSK-targeting oligonucleotides are infused as follows:

[0541] 1. Use a dedicated line with an infusion set containing a 1.2 micron polyethersulfone (PES) in-line infusion filter. Use infusion sets and lines that are DEHP-free.

[0542] 2. Infuse the diluted solution of MuSK-targeting oligonucleotides intravenously, via an ambulatory infusion pump, over approximately 80 minutes, at an initial infusion rate of approximately 1 mL/min for the first 15 minutes, then increase to approximately 3 mL/min for the remainder of the infusion.

[0543] 3. Administer only through a free-flowing venous access line. Monitor the infusion site for possible infiltration during drug administration. Suspected extravasation should be managed according to local standard practice for non-vesicants.

[0544] 4. Observe the patient during the infusion.

[0545] 5. After completion of the infusion, flush the intravenous administration set with 0.9% Sodium Chloride Injection, USP to ensure that all ONPATTRO has been administered.

REFERENCES

[0546] Shaw, G., Morse, S., Ararat, M., & Graham, F. L. (2002). Preferential transformation of human neuronal cells by human adenoviruses and the origin of HEK 293 cells. *The FASEB Journal: Official Publication of the Federation of American Societies for Experimental Biology,* 16(8), 869-871

Example 5: Design and Screening of 20-Mer MuSK-Targeting Oligonucleotides

[0547] In this Example, additional human MuSK-targeting oligonucleotides were designed based on the lead candidates from Example I targeting exon 7 of MuSK. The screen in Example 1 identified 6 lead ASOs that targeted two regions within the MuSK exon 7. Upon further dose response experiments and analysis of the resulting MuSK transcripts, one of these regions was identified as a key region to modulate the splicing of Ig3 domain. This region, or "region 1" corresponds to the core sequence SEQ ID NO: 126 (ACTCTGTCAGGTTTCTTCTGGGTCCATT-CAAGAGAGTGTGAAAGACCGAGTGATTGACTCA AGAC) which is located at positions 83841-83905 of the MuSK transcript (SEQ ID NO: 77) (or corresponding regions within other MuSKvariant sequences). In this Example, additional ASOs are designed to target the region corresponding to SEQ ID NO: 126 ("region 1") of exon 7 and specifically to include different portions of the sequences of ASOs Bld25 and Bld26. These ASOs were designed to test whether shorter ASOs of 20 nucleotides, rather then 25 nucleotides (as tested in Example 1) would have increased activity.

[0548] The additional oligonucleotides were tested for their ability to induce exon skipping of the MuSK exon 6 and/or exon 7.

Design of Human ASOs

[0549] Human antisense oligonucleotides (ASOs) were designed as described above and as shown in FIG. **17**, and produced by Microsynth (Switzerland). The ASO sequences are shown below in Table 8.

TABLE 8

Oligo ID	SEQ ID	5' to 3' Sequence
Bld51	127	TTGAATGGACCCAGAAGAAA
Bld52	128	CTTGAATGGACCCAGAAGAA
Bld53	129	TCTTGAATGGACCCAGAAGA
Bld54	130	CTCTTGAATGGACCCAGAAG
Bld55	131	TCTCTTGAATGGACCCAGAA
Bld56	132	CTCTCTTGAATGGACCCAGA
Bld57	133	ACTCTCTTGAATGGACCCAG
Bld58	134	CACTCTCTTGAATGGACCCA
Bld59	135	ACACTCTCTTGAATGGACCC
Bld60	136	CACACTCTCTTGAATGGACC
Bld61	137	TCACACTCTCTTGAATGGAC
Bld62	138	TTCACACTCTCTTGAATGGA
Bld63	139	TTTCACACTCTCTTGAATGG
Bld64	140	CTTTCACACTCTCTTGAATG
Bld65	141	TCTTTCACACTCTCTTGAAT
Bld66	142	GTCTTTCACACTCTCTTGAA

[0550] All ASOs in Table 8 were designed to include 2'-MOE modification on each sugar and where there is a phosphorothioate internucleotidic linkage between each nucleotide. All ASOs in Table 8 were 20 nucleotides in length.

Screen of Shorter Antisense Oligonucleotides Targeting Exon7 Region 1

[0551] ASO transfection and cell culture, RNA extraction, cDNA transcription, qPCR were performed according to the methods described in Example 1, unless indicated otherwise.

i. Alignment to the Genetic Sequence

[0552] The alignment of the ASOs in Table 8 on the genetic sequence of Exon7 of MuSK is presented in FIG. **17**.

ii. Cell Observations

[0553] LHCN-M2 cells were plated at 30,000 cells/well in gelatin pre-coated 6-well plates and were transfected 48 h after seeding with ASO at 12.5 nM and 100 nM. 24 h after transfection, cells were observed (data not shown) and the RNA was extracted and analyzed.

[0554] After 24 h of transfection, cells looked healthy in all conditions except for cells treated with ASOs Bld54, Bld55, and Bld56 at the 100 nM dose (data not shown).

iii. MuSK Expression Analyses

[0555] 24 h after transfection, RNA was extracted, and MuSK gene expression was analyzed in qPCR. Relative gene expression of total MuSK (MuSK34) and MuSKIg3 domain (MuSK67) is shown in FIG. **18**. Methods described for screening of ASOs in Example 1 were used.

[0556] ASOs with the modifications used in this Example are shown in Table 9 below.

TABLE 9

Oligo ID	SEQ ID NO:	Sequence-(5' to 3')*
Bld51	143	T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A
Bld52	144	C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A
Bld53	145	T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A
Bld54	146	C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G
Bld55	147	T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A
Bld56	148	C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A
Bld57	149	A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G
Bld58	150	C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A
Bld59	151	A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C
Bld60	152	C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C
Bld61	153	T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C
Bld62	154	T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A
Bld63	155	T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G
Bld64	156	C*T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G

TABLE 9-continued

Oligo ID	SEQ ID NO:	Sequence-(5' to 3')*
Bld65	157	T*C*T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T
Bld66	158	G*T*C*T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A

*represents a phosphorothioate linkage, and each sugar of the oligonucleotides is a 2'-MOE modified sugar.
[b]a value of 1.0 represents the level of MuSK67 expression for untreated cells.

[0557] Results from the screen showed that these shorter ASOs (20-mers) targeting region 1 of Exon 7 resulted in less potent activity than the ASOs Bld25 and Bld26 (25mers) and had either little/no effect on MuSKdelIg3 level or inhibited levels of total MuSK.

Example 6: Design and Screening of Additional MuSK-Targeting Oligonucleotides Targeting Region 1 of Exon 7

[0558] In this Example, additional human MuSK-targeting oligonucleotides were designed based on the lead candidates from Example 1 targeting region 1 of exon 7 of MuSK SEQ ID NO: 126 (CTCTGTCAGGTTTCTTCTGGGTCCATT-CAAGAGAGTGTGAAAGACCGAGTGATTGACTCAA GAC), which is located at positions 83841-83905 of the MuSK transcript (SEQ ID NO: 77) (or corresponding regions within other MuSK variant sequences).

[0559] Sequences were designed to specifically to include different portions of the sequences of ASOs Bld25 and Bld26. Because shortening the length of the ASOs targeting this region was showed less activity, ASOs designed in this Example were produced to be 25 nucleotides in length.

[0560] The additional oligonucleotides were tested for their ability to induce exon skipping of the MuSK exon 6 and/or exon 7.

Design of Human ASOs

[0561] Human antisense oligonucleotides (ASOs) were designed as described above and are shown in FIG. **19**. These ASOs were produced by Microsynth (Switzerland). The ASO sequences are shown below in Table 10.

TABLE 10

Oligo ID	SEQ ID	5' to 3' Sequence
Bld25-1	159	CCAGAAGAAACCTGACAGAGTAAAG
Bld25-2	160	ACCCAGAAGAAACCTGACAGAGTAA
Bld25-3	161	ATGGACCCAGAAGAAACCTGACAGA

TABLE 10-continued

Oligo ID	SEQ ID	5' to 3' Sequence
Bld25-4	162	GAATGGACCCAGAAGAAACCTGACA
Bld25-5	163	CTTGAATGGACCCAGAAGAAACCTG
Bld26-1	164	CTCTTGAATGGACCCAGAAGAAACC
Bld26-2	165	CTCTCTTGAATGGACCCAGAAGAAA
Bld26-3	166	CACACTCTCTTGAATGGACCCAGAA
Bld26-4	167	TTCACACTCTCTTGAATGGACCCAG

[0562] All ASOs in Table 10 were designed to include 2'-MOE modification on each sugar and where there is a phosphorothioate internucleotidic linkage between each nucleotide. All ASOs in Table 10 were 25 nucleotides in length.

Screen of Antisense Oligonucleotides Targeting Exon7 Region 1

[0563] ASO transfection and cell culture, RNA extraction, cDNA transcription, qPCR were performed according to the methods described in Example 1, except as where indicated otherwise.

i. Alignment to the Genetic Sequence

[0564] The alignment of the ASOs in Table 10 on the genetic sequence of Exon7 of MuSK is presented in FIG. **19**.

ii. Cell Observations

[0565] LHCN-M2 cells were plated at 35,000 cells/well in gelatin pre-coated 6-well plates and were transfected 48 h after seeding with ASO at 5 nM, 12.5 nM, 25 nM, 50 nM, and 125 nM. Each of the ASOs in Table 10 were tested with Bld25, Bld26, Bld27, Bld28, Bld35 and Bld38 (leads identified in Example 1). 24 h after transfection, cells were observed (data not shown) and the RNA was extracted and analyzed.

[0566] After 24 h of transfection, cells looked healthy in all conditions except for cells treated with ASOs Bld25-3 and Bld25-4 at the 140 nM dose (data not shown).

iii. MuSK Expression Analyses

[0567] 24 h after transfection, RNA was extracted, and MuSK gene expression was analyzed in qPCR (FIG. **20**). Panel A shows relative gene expression of MuSK67 and Panel B shows relative gene expression of total MuSK (MuSK34). The new sequences were compared to Bld25 and Bld26 from Example 1. FIG. **21** shows the same data from only the ASOs which showed relative expression of MuSK67 of less than 50% and total MuSK (MuSK34) of greater than 60% compared to the untreated control.

[0568] FIG. **22** shows a comparison of Bld25-5 to Bld25 after transfection with ASO for 24 hours (Panels A and B) and 48 hours (Panels C and D). Methods described for screen of ASOs in Example 1 were used.

[0569] ASOs with the modifications used in this Example are shown in Table 11 below:

TABLE 11

Oligo ID	SEQ ID NO:	Sequence-(5' to 3')[a]
Bld25-1	168	C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T*A*A*A*G*
Bld25-2	169	A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T*A*A*
Bld25-3	170	A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*
Bld25-4	171	G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*

TABLE 11-continued

Oligo ID	SEQ ID NO:	Sequence-(5' to 3')[a]
Bld25-5	172	C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G
Bld26-1	173	C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*
Bld26-2	174	C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A
Bld26-3	175	C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*
Bld26-4	176	T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G

[a]*represents a phosphorothioate linkage, and each sugar of the oligonucleotides is a 2'-MOE modified sugar.

TABLE 12

Potency		
	MuSK 67 (IC in nM)	
	IC50	IC75
Bld25-5	15.6	30.2
Bld25	16.5	30.4
Bld26	17.0	20.8
Bld25-4	18.0	n/a
Bld25-3	20.8	34.4
Bld26-2	22.8	n/a
Bld26-4	28.8	n/a

TABLE 13

Selectivity		
	MuSK 34 (IC in nM)	
	IC50	IC75
Bld26-2	n/a	n/a
Bld25-4	49.7	52.4
Bld26	23.7	24.5
Bld26-4	19.2	69.5
Bld25	13.3	n/a
Bld25-5	8.4	30.4
Bld25-3	0.9	15.0

[0570] Table 12 shows the concentration at which there is either 50% (IC50) or 75% (IC75) inhibition in total MuSK67 expression. Table 13 shows the IC10 and IC25 values of MuSK34 (nM) of each ASO, and represents concentration in which there is either 10% (IC10) or 25% (IC25) inhibition in total MuSK expression (MuSK34). ASOs performing exon skipping of exon 6 and/or 7, are expected to show lower IC50/IC75 values of MuSK67 and higher IC10/25 values of MuSK34.

[0571] Results from this screen showed that ASOs Bld25, Bld25-5, Bld26-2, and Bld26 showed the best potency and selectivity (see Tables 12 and 13).

Confirmation of Exon Skipping by Gel Migration

[0572] To verify the ASO-induced splicing of the RNA, the genetic sequence from exon 3 to exon 9 was amplified by PCR and the size of the PCR product was measured by migrating it on gel electrophoresis.

[0573] Several forms of MuSK RNA exist naturally in human. 3 variants were identified in the literature (FIG. **26**):

[0574] Variant 1, NM_005592.4 (full length: 972 bp and ΔIg3: 687 bp)

[0575] Variant 2, NM_001166280.2 (full length: 783 bp and ΔIg3: 453 bp)

[0576] Variant 3, NM_001166281.2 (full length: 708 bp and ΔIg3: 423 bp)

[0577] Full length and ΔIg3 indicate the lengths of the full-length sequence and ΔIg3 (6,7) sequence amplified by PCR from exon 3 to exon 9. Compared to variant 1, the exon 8 is missing in variant 2 and variant 3. In addition, a small exon of 30 bases is present only in variant 2. Therefore, skipping exons 6 and 7 would produce 3 additional MuSK RNA forms.

[0578] The sequence of exon3-9 of the cDNA from the dose response presented in this Example was amplified by PCR in the conditions without or with Bld25 and Bld25-5 at 50 nM. Results from the gel electrophoresis are shown in FIG. **27**. In FIG. **27**, "4/5/6/7/EWS/8/9" indicates full length variant 1, "4/5/5+/6/7/EWS/9" indicates full length variant 2, and "4/5/6/7/EWS/9" indicates full length variant 3. Similarly, "4/5/EWS/8/9" indicates ΔIg3 (6,7) in variant 1, "4/5/9" indicates A5+/Ig3 (6,7) of variant 2, and indicates the ΔIg3 (6,7) of variant 3.

[0579] As shown in FIG. **27**, several bands were detected. In the control conditions, major bands were visible where the full length variants would be expected. In conditions where splicing of the exons 6/7 occurred (confirmed previously by qPCR), major bands were observed at for the spliced versions of the variants.

[0580] Intensity of the bands was also examined. Intensity of bands from Bld25 and Bld25-5 products are also shown above the gel images in FIG. **27**. These results show that amount of MuSK PCR product with ASO is about 80-90% of the amount of MuSK PCR product in untreated conditions (controls). Therefore, total MuSK is decreased by only a small amount.

[0581] Next, the bands of pcr products from cells treated with ASO 25-5 were sequenced to confirm these bands correspond to the indicated variants. FIG. **28** shows that the sequence of the band lower band positioned where Δ6,7 variant 1 (687 bases) was indeed the sequence of this splice variant.

Example 7: Design and Screening of Shortened MuSK-Targeting Oligonucleotides Targeting Region 1 of Exon 7

[0582] In this Example, additional human MuSK-targeting oligonucleotides were designed by reducing the size of the lead ASOs identified in Example 1 and Example 6 (Bld25,

Bld25-5, Bld26, and Bld26-2). These ASOs target region 1 of exon 7 of MuSK SEQ ID NO: 126 (ACTCTGTCAGGTTTCTTCTGGGTCCATT-CAAGAGAGTGTGAAAGACCGAGTGATTGACTCA AGAC) which is located at positions 83841-83905 of the MuSK transcript (SEQ ID NO: 77) (or a corresponding regions within other MuSK variant sequences).

[0583] Sequences were designed by shortening the sequences of ASOs Bld25, Bld25-5, Bld26- and Bld26-2 by different amounts. ASOs designed in this Example were produced to be 21 and 23 nucleotides in length.

[0584] These ASOs were then tested for their ability to induce exon skipping of the MuSK exon 6 and/or exon 7.

Design of Human ASOs

[0585] Human antisense oligonucleotides (ASOs) were designed as described above and as shown in FIG. **23**. The ASOs were produced by Microsynth (Switzerland). The ASO sequences are shown below in Table 14.

TABLE 14

Oligo ID	SEQ ID	5' to 3' Sequence
Bld25-A	177	ACCCAGAAGAAACCTGACAGAGT
Bld25-B	178	CCAGAAGAAACCTGACAGAGT
Bld25-C	179	GGACCCAGAAGAAACCTGACAGA
Bld25-D	180	ACCCAGAAGAAACCTGACAGA
Bld25-E	181	GGACCCAGAAGAAACCTGACA
Bld25-5-A	182	GAATGGACCCAGAAGAAACCTGA
Bld25-5-B	183	ATGGACCCAGAAGAAACCTGA
Bld25-5-C	184	TTGAATGGACCCAGAAGAAACCT
Bld25-5-D	185	GAATGGACCCAGAAGAAACCT
Bld25-5-E	186	TTGAATGGACCCAGAAGAAAC
Bld26-2-A	187	CTCTTGAATGGACCCAGAAGAAA
Bld26-2-B	188	CTTGAATGGACCCAGAAGAAA

TABLE 14-continued

Oligo ID	SEQ ID	5' to 3' Sequence
Bld26-2-C	189	CTCTCTTGAATGGACCCAGAAGA
Bld26-2-D	190	CTCTCTTGAATGGACCCAGAA
Bld26-B	191	CTCTTGAATGGACCCAGAAGA
Bld26-C	192	CACTCTCTTGAATGGACCCAGAA
Bld26-D	193	CACTCTCTTGAATGGACCCAG

[0586] All ASOs in Table 14 were designed to include 2'-MOE modification on each sugar and where there is a phosphorothioate internucleotidic linkage between each nucleotide. All ASOs in Table 14 were 21 or 23 nucleotides in length.

Screen of 21-Mer and 23-Mer Antisense Oligonucleotides Targeting Exon7 Region 1

[0587] ASO transfection and cell culture, RNA extraction, cDNA transcription, qPCR were performed according to the methods described in Example 1, except as where indicated otherwise.

i. Alignment to the Genetic Sequence

[0588] The alignment of the ASOs in Table 14 on the genetic sequence of Exon7 of MuSK is presented in FIG. **23**.

ii. Cell Observations

[0589] LHCN-M2 cells were plated at 35,000 cells/well in gelatin pre-coated 6-well plates and were transfected 48 h after seeding with ASO at 5 nM, 12.5 nM, 25 nM, 50 nM, and 125 nM. Each of the ASOs in Table 14 were tested in addition to Bld25, Bld25-5, Bld26, and Bld26-2 (leads identified in Examples 1 and 6). 24 h after transfection, cells were observed (data not shown) and the RNA was extracted and analyzed.

[0590] After 24 h of transfection, cells looked healthy in all conditions (data not shown).

iii. MuSK Expression Analyses

[0591] 24 h after transfection, RNA was extracted, and MuSK gene expression was analyzed in qPCR (FIGS. **24-25**).

[0592] ASOs with the modifications used in this Example are shown in Table 15 below.

TABLE 15

Oligo ID	SEQ ID NO:	Sequence-(5' to 3')[a]
Bld25-A	194	A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T
Bld25-B	195	C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T
Bld25-C	196	G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A
Bld25-D	197	A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A
Bld25-E	198	G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A
Bld25-5-A	199	G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A
Bld25-5-B	200	A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A
Bld25-5-C	201	T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T
Bld25-5-D	202	G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T
Bld25-5-E	203	T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C

TABLE 15-continued

Oligo ID	SEQ ID NO:	Sequence-(5' to 3')[a]
Bld26-2-A	204	C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A
Bld26-2-B	205	C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A
Bld26-2-C	206	C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A
Bld26-2-D	207	C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A
Bld26-B	208	C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A
Bld26-C	209	C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A
Bld26-D	210	C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G

[a]*represents a phosphorothioate linkage, and each sugar of the oligonucleotides is
a 2'-MOE modified sugar.

[0593] Results from this screen showed that ASOs Bld25-E and Bld25-5-A showed the best activity (see FIG. **24** and FIG. **25**). Bld25-E showed MuSK67 maximum correction of 80%, with less of an effect on total MuSK (MuSK34), and an IC50 of MuSK67 of about 21 nM. Bld25-5-A showed MuSK67 maximum correction of 80%, with less of an effect on total MuSK (MuSK34) and an IC50 of MuSK67 about 35 nM. These results indicate that ASOs Bld25-E and Bld25-5-A are additional candidates to effectuate exon6-7 skipping in MuSK and have shorter lengths (21-mer and 23-mer) than the lead ASOs identified from Examples 1 and 6.

Example 8: Analysis of MuSK Protein

[0594] This Example aims to examine the resulting MuSK protein after treatments with the ASOs described herein.

Timing of Effect on MuSK Protein

[0595] In order to examine resulting MuSK protein produced from ASO-treated cells, it is important to understand the relative timing of the effect of targeting MuSK with RNA.

[0596] Length of time from RNA treatment was examined to determine how long after treatment will there be an effect on MuSK protein (i.e., production of MuSKΔIg3).

[0597] In this experiment, LHCN-M2 cells were treated for 48 h with 10 nM of siRNA (Thermofisher, 4392420, assay ID s224071) against MuSK and were then stained for MuSK protein on days 2, 3, 4, and 5 (with MuSK antibodies isolated from patients with a disease involving the natural production of MuSK antibodies followed by goat anti-human (A-2133)) following siRNA treatment. Results for each timepoint in treated and untreated cells are shown in FIG. **29**. Results show that in the untreated wells, MuSK protein amount increases while cells start to be confluent. In wells treated with siRNA, MuSK protein amount decreases, especially 5 days after the transfection. Overall, these results show that MuSK protein amount can be modulated, and the best timing to observe an effect is 5 days after modulating the RNA.

[0598] FIG. **29** shows the cells at Day 5 magnified and stained for MuSK (red) (with MuSK antibodies isolated from patients with a disease involving the natural production of MuSK antibodies followed by goat anti-human (A-2133)) and actin phalloidin (green) (ab ab176743 at 1:1000). These results confirm that (i) the MuSK antibody used to stain for MuSK protein works in immunofluorescence, (ii) MuSK protein level increases over time, probably along with cell differentiation, and (iii) MuSK siRNA ("Si-MuSK") induces a reduction of MuSK protein, especially after 5 days of exposure.

Measuring Removal of Ig3 Domain of MuSK

[0599] Since ASOs as described herein are targeting the Ig3 domain and inducing exon skipping (6,7) to produce MuSKΔIg3, there needs to be a way to detect MuSKΔIg3 protein. Timing of the effects of the ASOs/RNA on MuSK protein has been established. An assessment (e.g., Western blot analysis) will be performed. Such an assessment includes assessment of MuSKΔIg3 protein produced from cells treated with ASOs described herein. A MuSK antibody that targets the MuSK cytoplasmic domain will be utilized for identification of MuSKΔIg3 protein. Antibodies are produced and tested using the recombinant MuSK cytoplasmic domain.

[0600] Since human and murine MuSK protein sequences vary, human MuSK controls should be used for assessment (e.g., by Western Blot). Positive controls (i.e., MuSKΔIg3 protein and human FL MuSK protein) are used to confirm the forms of MuSK that are present. Plasmids coding for the different WT and D3 (Ig3) isoforms of MuSK protein are obtained. Cells are transfected with the plasmids and positive control isoforms are expressed and obtained.

[0601] Human MuSK antibodies targeting the cytoplasmic domain of MuSK and human MuSK positive controls (i.e., MuSKΔIg3 protein and human FL MuSK protein) are obtained, and such reagents are used in a assessment (e.g., Western Blot) to characterize the MuSK protein produced from cells treated with ASOs described herein.

I. LISTING OF SEQUENCES

Oligonucleotide (SEQ ID NO: 1)
GCTAGGGTGGTCTTTTAGAAATGCA

-continued

I. LISTING OF SEQUENCES

Oligonucleotide (SEQ ID NO: 2)
GGTCAAGCTAGGGTGGTCTTTTAGA

Oligonucleotide (SEQ ID NO: 3)
CTGCAGGAAATGGTCAAGCTAGGGT

Oligonucleotide (SEQ ID NO: 4)
GAAGTGGTGAGTGACGCTCCTGCAG

Oligonucleotide (SEQ ID NO: 5)
GTTAGGAAGACAGAAGTGGTGAGTG

Oligonucleotide (SEQ ID NO: 6)
ATCCTGGCAAAAACTGTTAGGAAGA

Oligonucleotide (SEQ ID NO: 7)
GTGGGATTCAGGAGCCCGCAGGATC

Oligonucleotide (SEQ ID NO: 8)
GGTGACATTGTGGGATTCAGGAGCC

Oligonucleotide (SEQ ID NO: 9)
GGAGCCAAAGGTGACATTGTGGGAT

Oligonucleotide (SEQ ID NO: 10)
GGTCACAAAGGAGCCAAAGGTGACA

Oligonucleotide (SEQ ID NO: 11)
ACAGTGCAGGGTCACAAAGGAGCCA

Oligonucleotide (SEQ ID NO: 12)
CTGTTGCTGTACAGTGCAGGGTCAC

Oligonucleotide (SEQ ID NO: 13)
GGGACAGGAATGCCTGTTGCTGTAC

Oligonucleotide (SEQ ID NO: 14)
CAGGTGATGGTGGGGACAGGAATGC

Oligonucleotide (SEQ ID NO: 15)
CCGTTTTCAATCCAGGTGATGGTGG

Oligonucleotide (SEQ ID NO: 16)
TGACACTCACAGCATTTCCGTTTTC

Oligonucleotide (SEQ ID NO: 17)
AAGTCCCCACACACATGACACTCAC

Oligonucleotide (SEQ ID NO: 18)
GGTCTTCCCCAGACAAGTCCCCACA

Oligonucleotide (SEQ ID NO: 19)
ACTATGTCAGTAGATTTGAAGGGAA

Oligonucleotide (SEQ ID NO: 20)
TCCCACTATACTATGTCAGTAGATT

Oligonucleotide (SEQ ID NO: 21)
TCAGTCAAGGATTTCCCACTATACT

Oligonucleotide (SEQ ID NO: 22)
AAAAGAACTCAGTCAAGGATTTCCC

Oligonucleotide (SEQ ID NO: 23)
GTAAAGGAAAATAAAAGAACTCAGT

Oligonucleotide (SEQ ID NO: 24)
AACCTGACAGAGTAAAGGAAAATAA

Oligonucleotide (SEQ ID NO: 25)
GGACCCAGAAGAAACCTGACAGAGT

-continued

I. LISTING OF SEQUENCES

Oligonucleotide (SEQ ID NO: 26)
CACTCTCTTGAATGGACCCAGAAGA

Oligonucleotide (SEQ ID NO: 27)
CACTCGGTCTTTCACACTCTCTTGA

Oligonucleotide (SEQ ID NO: 28)
GTCTTGAGTCAATCACTCGGTCTTT

Oligonucleotide (SEQ ID NO: 29)
GATAAACAGCTGCAGTCTTGAGTCA

Oligonucleotide (SEQ ID NO: 30)
AGTCCTGGCTTGGTGATAAACAGCT

Oligonucleotide (SEQ ID NO: 31)
ATGTGTAGAGTCCTGGCTTGGTGAT

Oligonucleotide (SEQ ID NO: 32)
GTAGCTATGCATGTGTAGAGTCCTG

Oligonucleotide (SEQ ID NO: 33)
TGCTTATTGGTAGCTATGCATGTGT

Oligonucleotide (SEQ ID NO: 34)
ACTTCTCCCCATGCTTATTGGTAGC

Oligonucleotide (SEQ ID NO: 35)
CCTTGGCAGTACTGAACTTCTCCCC

Oligonucleotide (SEQ ID NO: 36)
CCTGCTATGCTGATGGTGGCTGCAG

Oligonucleotide (SEQ ID NO: 37)
GGGCATCCTACCTGCTATGCTGATG

Oligonucleotide (SEQ ID NO: 38)
GCAAATGTGAAGGGGCATCCTACCT

hu6-75; SEQ ID NO: 39
TGCATTTCTAAAAGACCACCCTAGC

hu6-69; SEQ ID NO: 40
TCTAAAAGACCACCCTAGCTTGACC

hu6-58; SEQ ID NO: 41
ACCCTAGCTTGACCATTTCCTGCAG

hu6-39; SEQ ID NO: 42
CTGCAGGAGCGTCACTCACCACTTC

hu6-27; SEQ ID NO: 43
CACTCACCACTTCTGTCTTCCTAAC

hu6-12; SEQ ID NO: 44
TCTTCCTAACAGTTTTTGCCAGGAT

hu610; SEQ ID NO: 45
GATCCTGCGGGCTCCTGAATCCCAC

hu619; SEQ ID NO: 46
GGCTCCTGAATCCCACAATGTCACC

hu628; SEQ ID NO: 47
ATCCCACAATGTCACCTTTGGCTCC

hu637; SEQ ID NO: 48
TGTCACCTTTGGCTCCTTTGTGACC

hu646; SEQ ID NO: 49
TGGCTCCTTTGTGACCCTGCACTGT

hu656; SEQ ID NO: 50
GTGACCCTGCACTGTACAGCAACAG

-continued

I. LISTING OF SEQUENCES

hu669; SEQ ID NO: 51
GTACAGCAACAGGCATTCCTGTCCC

hu681; SEQ ID NO: 52
GCATTCCTGTCCCCACCATCACCTG

hu693; SEQ ID NO: 53
CCACCATCACCTGGATTGAAAACGG

hu6110; SEQ ID NO: 54
GAAAACGGAAATGCTGTGAGTGTCA

hu6125; SEQ ID NO: 55
GTGAGTGTCATGTGTGTGGGGACTT

hu6139; SEQ ID NO: 56
TGTGGGGACTTGTCTGGGGAAGACC

hu7-75; SEQ ID NO: 57
TTCCCTTCAAATCTACTGACATAGT

hu7-66; SEQ ID NO: 58
AATCTACTGACATAGTATAGTGGGA

hu7-53; SEQ ID NO: 59
AGTATAGTGGGAAATCCTTGACTGA

hu7-45; SEQ ID NO: 60
GGGAAATCCTTGACTGAGTTCTTTT

hu7-33; SEQ ID NO: 61
ACTGAGTTCTTTTATTTTCCTTTAC

hu7-22; SEQ ID NO: 62
TTATTTTCCTTTACTCTGTCAGGTT

hu7-10; SEQ ID NO: 63
ACTCTGTCAGGTTTCTTCTGGGTCC

hu73; SEQ ID NO: 64
TCTTCTGGGTCCATTCAAGAGAGTG

hu717; SEQ ID NO: 65
TCAAGAGAGTGTGAAAGACCGAGTG

hu730; SEQ ID NO: 66
AAAGACCGAGTGATTGACTCAAGAC

hu744; SEQ ID NO: 67
TGACTCAAGACTGCAGCTGTTTATC

hu758 ; SEQ ID NO: 68
AGCTGTTTATCACCAAGCCAGGACT

hu766; SEQ ID NO: 69
ATCACCAAGCCAGGACTCTACACAT

hu776; SEQ ID NO: 70
CAGGACTCTACACATGCATAGCTAC

hu785; SEQ ID NO: 71
ACACATGCATAGCTACCAATAAGCA

hu796; SEQ ID NO: 72
GCTACCAATAAGCATGGGGAGAAGT

hu7111; SEQ ID NO: 73
GGGGAGAAGTTCAGTACTGCCAAGG

hu7136; SEQ ID NO: 74
CTGCAGCCACCATCAGCATAGCAGG

-continued

I. LISTING OF SEQUENCES

hu7146; SEQ ID NO: 75
CATCAGCATAGCAGGTAGGATGCCC

hu7158; SEQ ID NO: 76
AGGTAGGATGCCCCTTCACATTTGC

MuSK Genomic Sequence (SEQ ID NO: 77)

```
   1  tatacagtca tttatcactt aacatcaggg atatgttctg agaaatgcat ccatagttca
  61  ttttgttatt gtgtgaacat catagagtat acttacagaa accttgatgg tatagcccac
 121  tgcacaccta ggctgtatgg atagcctatt gcccgtaggc tacaaacctg tcagcatgtt
 181  actacactga atactgtagg caattgtagc acaatggtac gtatttgtgt atctaaacat
 241  agaaaacata cagtaaaaat acagtataaa agataaaaat ggtacacctg cattgggcac
 301  ttaccatgaa cgaagatttc agcactgaag tttgctctgg gtaagtcagt gagtgagtga
 361  tgtgtgaatg tgaaggccta ggacattact gtacactgct gtaaacttta taaatactgt
 421  acacttagac tacgctaaat ttatttttaa aatatttttc tttctttaat aataaattaa
 481  ccttagctta ccacaactat tttattttat aaacttttaa aatttgtaat ctttttgact
 541  cttttgtaat aatactctgt ttgaaacaca aatatattgt acagttatac aaaaatagtt
 601  tttcttcata tccttaagct cttttctatc ttaaaatttt atttttattt tttactttct
 661  aaactttttt tgttaaacac taagacaaaa acacacaata gccttggcct acacagggtc
 721  aggatcaaaa catcactgcc tttcaacagc ttgtcctact ggaaggtcct caggggcaat
 781  aacacacatg gagctgccat ctcctatggt aacaatgtat tcttctagaa tacctgcctg
 841  aggctgtttt acaatcaatt ttttatttat ttttattttt tatgttttta aataagtaca
 901  gggtatacac agtaaaataa taataaaaat atagtacatt aaaaaaacca gcaacatggt
 961  catttattat cattatcaac tattatgtac tctacataat tgtatgtgct tttttattca
1021  aaaagaaaat cattaagaac acagcaatat taatatttat tctttttttt agaagaacct
1081  gatttattta tttaattttt ttattatact ttaagttctg ggatacatgt gcaaaacgtg
1141  taggtttgtt acacaggtat acatgtgcca tggtggtttg ctgtatccat caacccatca
1201  tctacattag gcatttctcc taatgctatc cctcccctag ccccccaccc cttgacaggc
1261  cccagtatgt gattctcccc tccctgtgtc catgtgttct cattgttagc tcccacttat
1321  gagtgagaac atgtggtgtt tggttttctg ttcctgtatt agtttgctga gaatgatggt
1381  ttccagcttc atccatgtcc ctgcaaagga tataaactca ttgtttttta tggctgcata
1441  gtattccgta gtgtatatgt gccacatttt ctttatctag tctatcattg attggcattt
1501  gggttggttc caagtctttg ccattgtgaa tagtgctgaa ataaacatat atgtgcatgt
1561  gtctttatag tagaatgatt tatagtcctt tgggtatata cccagtaatg agattgctgg
1621  gtcaaatggt atttctggtt ctaatccttg aagaattgcc acactgtctc ccacaatggt
1681  tgaactaatt tacactccca caaacagtgt aaaagcattc ctatttttcc acattctctc
1741  cagcatcggt tgcttcctga ctttttaatg attgccactc taacaggcat gagatggtat
1801  ctcattgtgg ttttgatttg catttctcta atgaccaata atgatgagct ttatttcata
1861  tgtttgttgg ctgcataaat gtcttatttt gagaagtgtc tgttcatatc cttcgcccac
1921  tttttgatgg ggttgtttgt ttttttcttg taaatttgtt taagttcttt gtagattctg
1981  gatattagcc ctttgtcaga tggatagatt gcaaaaattt tctcccactc tgtaggttgc
2041  ctgctcactc taatgatagt tccttttgct gagcagatgg tctttagttt aattaggtcc
2101  catttgtcaa ttttgacttt tgttgccatt gcttttgggg ttttagtcat gaagtctttg
2161  cccatgccta tgtcctgaat ggtattgcct aggttttctt ctagggtttt tatggtttta
2221  ggttttacat ttaagtattt aatccatctt gagttaattt ttgtatgaga tataaggaag
2281  gggtccagtt ccagttttcc gcatatggct agccagtttt cccaacacca tttattaaat
2341  agggaatcct ttccctactg cttgtttttg tcaggtttgt caaagatcag atggttgtag
2401  atgtgtggca ttatttctta ggcctctgtt ctgttccatt ggtctatata tctgttttgg
2461  taccagtacc atgctgtttt ggcaaaccag gaagaagctg aatccctgaa tataccaata
2521  agaagttctg aaattgaggc agtaattaat agcctaccga gcaaaaaaaa aaaaaaaaaa
2581  aaaaaaatcc aggaccagac ggattcacag ccgaattcta ccagaggtac aaagaggagc
2641  tggtaccatt ccttctgaaa ctattccaat caatagaaaa agagggaatc ctctctaact
2701  aattttatga gtccagcatc atcctgatac caaaacctgg cagaggcaca accaaaaaca
2761  gaaaatttca ggccaatatc cctgatgaat attgatgtga aaattctcaa taaaatactg
2821  gcaaactgaa tccaacagca catcaaaaag cttacccacc acgatcaagt tggcttcatc
2881  cctgggatgc aaggctggtt aaacatatgc aaatcaataa atgtaatcca tcacataaac
2941  agaaccagtg acaaaaacca catgattatc tcaatagatg cagaaaaggc tttcaataaa
3001  atttaacacc cctttatgct aaaaactctc aataaactag gtattgatgg aacccatcga
3061  aaaaaaatga gctatttatg acaaacccac agccaatgtc acactgaatg agaaaaagct
3121  ggaagtattc cctttgaaaa ctggcacgag acaaggatgc cctctctcac cactcgtatt
3181  caacctacta ttggaagttc tggccagggc aatcaggcaa gagaaagaaa taaagcgtat
3241  tcaaatagga agagagaaag tcaaattgtc tctgtttgca gatgacatga ttgtatattt
3301  agaaaacccc atcatctcag ccccaaatct ccttaagctg ataagcaact tcagcaaagt
3361  cccaggatac aaaatcaatg tgcaaagatc acaagattcc tatataccaa taacagacaa
3421  acagagagcc aaatcatgag tgaactccca ttcacaattg ctacaaagag aataaaatac
3481  ctaggaatcc aacttacaag ggatatgaag gacctcttca aggagaacta caaaccactg
3541  ctcaagggaa taaaagagga cacaaataaa tggaaaaaca ttccatgctc atgataggaa
3601  gaatcaatat tgtgaaaatg gctgtactgc ccaaggtaat ttatagattc aatgctatcc
3661  ccatcaagct accattgact ttcttcacag aattagaaaa aactacttta aatttcatat
3721  ggaaccaaaa aagagcccat atagccaagg caatcctaag caaaaagaac aaagctggcg
3781  gcatcacact acctgactct aaagttctat aaatgaactc acgaggccaa agaatgaaga
3841  agacaccaac acaaagggga aaaaatcaaa acaatatggt cattgcaatg tagagatat
3901  gcacagtata ttatggaaac ccagagaaga caaacgtaac acagctttgg gaagatatgg
3961  aatttttctc ccaggaggag aggatgatca agctgagaga tgtgtgaact gagtggaaag
4021  gaggggagta gtattccaag agaagcaaac agtatgagca attcatggag gtaggaaagc
```

-continued

I. LISTING OF SEQUENCES

```
4081  tgtatacagg gaaccatcag caggttgttg aataaaggaa gctgaatgag gctgggcaca
4141  gtagctcacg cctgcattcc cagcactttg agaggccgag gtggaatcat catttgaggc
4201  cagcagtttg agaccagcct gggtaacata gcctgaccac atctctccaa aaaataaaaa
4261  taaattagcc tgctgtagtg gcagtgcctg tagtcctagc tactctgaaa ggatcacttg
4321  agtccaggag gctgaggttg cagtgagcta tgattacccc attgcactcc agcctgggca
4381  acagagcaag accctgactc tgaaaaaaaa aaaaaacaaa aaacaaaaac aggatcgtaa
4441  aagacaatac taacatacaa caaagcatgc agattccagt aaagcctgtc atattaggca
4501  gattaggcag gtttaaatat atttttatgt gatgatgagc ccctaaaggc ttttgagcag
4561  gagggactat ctgaaaaaag atatagaatg gttaagaccc aagacagaga gaaggtacaa
4621  ggactatttg gttgataaaa tctgtaggaa ttggaatggg ctgaatgtgg gagtgggggt
4681  ggggtgagag atggggagga ctgaagactg aatagaccca gatttctggt ttgagtccgg
4741  gagaggtggg gtgctgaatt cgaaggtcag gacacctata cctctgggaa tacagcgatg
4801  gttgcaaaag gcatctggta ttgtccttct gccactgtct taaaagggat tctaaaggga
4861  ttttcttgcc cttgttcctc cagccctaca cttgcattac tggcctacgt ggatgctcac
4921  cagctggctg tgtccatcat tgcagccaag tctgagaatt cctgattata cttagagcct
4981  gtggagctgc tgacacaaac agtcattagc agacaaccct tttgcaacaa agtatgcttt
5041  aaaatgtaaa ctgtggagcc attttccttg cgttgtccag aaggaacttc gtcctgcgtg
5101  agcctggatt aatcatgaga gagctcgtca acattccact ggtacatatt cttactctgg
5161  ttgccttcag cggaactgag aaacttccaa aaggttggtt tgagcaatcg tgtcttcttg
5221  ttgtcttgtc atggttgtaa agtgtgtgta tatgagatat gaccaagact gatttatagt
5281  atggtgggct tgggttttac ttgaagaagt aagggtgaaa tgtatgatga gggaggaaat
5341  tatatacata agcaattggt tgatggtctc tctaccaata ttttactccg aagttctgca
5401  ataaaaggct tagccacata gtgcatgcag agctctgact tctagggcaa aacataagca
5461  tgtacactgc aagttatcaa ggtctatttt gtttatgcga atgtcaaatt tcagggtggt
5521  ctaagtggat gatgacaacc ttttcgcatc aggtttgcca ggaatagaat caaccccatt
5581  ctcagacatc cagagcattt gcttctgaat aaaaatcact tttattttca gttttagctt
5641  tgccaaactc ttaataaata ttttagttgc taaaaattgg aaatacagaa agacgtacac
5701  aatttgcctg tgtaacaaac ccggaagaca atggatttta aataactttg aggctggagt
5761  catgatttgg cttggcaaga gactgcaaaa gtttttttca gagcctttgg aatgtaccgg
5821  aaataacacc acctcagggg aaaggaaagc aacttaagaa actgacaaac acctgttgca
5881  gtagcaagaa tgtccagtga tatagtttct ggccagtgta ttatgaaact gggactagcg
5941  tatttgaaat cagaaagact ggaaagtctg tgatttgcaa agtgactaag ggtatcactg
6001  aaatcttttt ttaaaaagac atgagaaagc agatcgagtg gtatcaatac aagagttttc
6061  aaatttaatg ttataccata gagtaaaaag agatttttgc ttcaggacat gttcaaatta
6121  atcattttcc ctttatatta atcaaagcac tgaaacagtt tgtattgtgt agataaatga
6181  aggtggtatc tgtatataga tgcaaaatgt atctttagat tttctggttc actaaaaatt
6241  ctggagccat aaggtcaaag ttcacatgca aataagatgc gggtttcttc acaaacaatc
6301  tgatttcaca gatttttttg tttcattttg ttgcttctct ttttccattt tacttgagta
6361  taatggtatc ttcaaatgta tttaaacatt taatttctaa tgaatacttt aaggcatcta
6421  cagataaaag agactctaga tcttttcaaa cagctaataa tagtcagaaa gacttaacat
6481  tggcttcaga ttattttaat acttcctgat caaacaacgg atgtccggta aggccccacc
6541  tggatgtttg aacgtatggg ttgtcttaag tattatttgt atatttctaa accacgcagt
6601  tacataaaaa tgatagggtt aaatactaaa atacagtctt ataaagagca ggacaattga
6661  ttttgatgat tcaaataagg atttgttgta cacacacaca aaacccccaa aatctctcta
6721  tctgaataag tcttaattta tattctagaa agaattgatt ttcatttcca aactttacaa
6781  ataaagccct taattcaaat gcacactatc tctattttga aaatattgaa atatagtggc
6841  atagagataa caaagccaaa caccctgact tttaaataaa ctaaccagat cattcaccca
6901  atttcatttc ttataattta tttactacta gaattaggtt ttaaaatcaa aaaatttaag
6961  caattttttc tcagtctatt gtactgtaaa atctaaatta gtatgagttt aacatcactc
7021  ttagccaaaa taccatgtct aggagaacaa acatttattt actacataca gcagttctga
7081  gaataactaa tatcatgaaa gcataatcct taaaatttta aatgttgaag ggtgaggaat
7141  acattggtag aaaagaacca caataaaatt ttattatttt cattattatt attattattt
7201  gagacagagt ctcgttctgt tgccaggctg cagtgcagtg gtgtgatctc agctcactgc
7261  aacctcctcc tcccaggttc aagctatact cctgcctcag actcgcaaat acctgggact
7321  acaggtgcaa gccaccacac tcggctaatt tttatatttt tagtagagac agggtttcac
7381  catgttggcc aagatggtct ccatctcttg acctcgtgat ctgcctgcct cggcctccca
7441  aagtgctggg attacaggca tgagccactg cgccagccat tatactactg aaactaataa
7501  aaatggccca cccaaactat ttctactatt tctagaaaac tactgttttc cctattcttg
7561  gcagacggta ataacaaaaa gagtttttta gataatatac ttcttcctaa gtcctttatc
7621  atgaatgcat aaaggaaatt gtacaatatg tattagctaa taaattgaca tatttaaaat
7681  aacacaaaag tattcagtgg attattttct gactttctgc acatcatttt ttgataaaaa
7741  ttaatatcca actttgtaga attaattgtt catagttttc attttagttt aattaaggct
7801  actaatgccc aatgataagg ggaagaatca ttgtctttct gaatcatttc aactagtgat
7861  attttcaatg atgaattcag tgccataacc caagtagtag aatttcacaa actgtcattt
7921  atgaaagtag ccaatgttcc actggataat tggcttaact acatacatca ataacattta
7981  atgctttatt agggagtatt aaatgtatgg tgcaatgtta gattctgcag gagcataaga
8041  gttcatgtaa gcagctctgg atttgcttaa tatgcacaaa gaactatcaa aagtctcact
8101  ttcaaaacac ccgacttact acaatacgtt gaagtgtttg agcgtacgtg attttatctt
8161  tagatagatt tgaataacct cctcttttaa attgtatgta tataaggata ggattcacag
8221  atttgacata tgactaagtc atgactgaca cagctgtcat tgaaatccag gacacacagt
8281  cctggatgaa tattttatat tgacatgcat tgaaagagtt actcattgca tgtttgagta
8341  aacagagttg cttcaaatat tattgacctt aaagaaaaga aggaaggagc agaaatttca
8401  agatctcttt aaactctacc ttatttccaa aggtaaatga agtaggcagc ttctcagtga
8461  aataaaacct gatgtcgttg aaggagagta acaagtgagg ggtggaaaga gggcctgaaa
```

-continued

I. LISTING OF SEQUENCES

```
 8521  ggagtggctc tattcaggaa gatgagagga tcacatgggc catgctgaag acccagctgg
 8581  ggctaggaac tgcagctttc tttatagtgc ccctgacctg aacatttact gcactatacc
 8641  cagcagtgct atgtgaacat agggtaggga ggacagatgg ctggattaat tcaggattgg
 8701  cactttccag ggtcagtaca gctaaagaac tagagagtaa aggagttgga gttatatggc
 8761  agcgtaccat gagatacaga ttggatcagg aagaaagtaa aacaaggata tttaatgctt
 8821  ggaagagaag gttaaaaagt ttaaaccaac cccaaagtgt tttgttgtac taaaaaaaaa
 8881  atactgcatt cataatgtta gagaaacatg aatattttcc aagtcagagc cctaatttta
 8941  ctaaaataga aaggagcaaa tacaccttgt ttctttatgt acccaatcat tgggtcatgt
 9001  caatccaaaa ataatcaatc aaaagttggt aagtcaatag tcatatgcga gagcccataa
 9061  aatacaaagg aaaggtaatg tcatgtcctt ctcatcaagc agttgatatc caagtcaagc
 9121  ttttcttcgg gtccagaaaa ggattgtgtt cattttcatg tatttgttat tcatgtagtc
 9181  cttggattga gagaagaaat agtgccctag tttaaacgag ctctggctga gatgaaagct
 9241  ggatagtaga atgaaagtaa acaagagaca gtgtgctgag tcaacaaata tcattaaata
 9301  caactgatcc atgtgattgt gtcagtgaaa accggaaagc agatttggat aactggaaat
 9361  atggacaatg tggacttggc attctgtgtg tagaaactga tattgatgta catcttctct
 9421  tatccatctg tgcataatca gtatgatctt gaagatgcag tatgtcttag agaaaggaag
 9481  tataaaccaa ctttaaccct gaagttcagc tagttcagct ctatcacttc ctatttttgt
 9541  gatatgtaga caagttgtgc aaccattttt agtccccatt tctggtctgc aagtggaaat
 9601  attaatagta tctacctttt ttgtgttaaa taaaaagata atgaataaaa agtataatgc
 9661  atggcacata ccagattctt aatcactttt agatgctaat attagtaaaa acagtcaaac
 9721  ttcacacaag actgttatgt cactgaatct tatgggaagg tgttaactta ataaagttct
 9781  tagtaacacc ttccatattt ctccatgtct attttccaag acattctaag actcacttct
 9841  ttgatcttaa ctgatctcaa cagttcatgt gacatctcca gtgtgtcacc tcattggaaa
 9901  gataacatta atagtaagtc tattacctct gccacttctg catctgtgta ttgagtgaaa
 9961  ataacactag tgcataaagt ttctctctta taaaagtagc acatggtatt taagattgat
10021  tttgaaaatg caaaatacat aaagtttaag acagaagaag tcatccatac ttccaggact
10081  attaacacat tggcatattt tcttccattt ttttctacat atttttaaag tccttattaa
10141  cattgtgctg cctgctattt ttacttagca ctaaagcatg agcatattct atattattag
10201  taatcttcca aacgtcatgt gtggtgacta aataatattc tgtttagata acagtgtgct
10261  agtatatgtt taatattcac ctcactgaga aaaaaaaaga cgtggatttg ttgctcttgt
10321  ttatttctgc agtaaaatac tctatagtaa aaaactctat tgtgtctgtg gccagtctca
10381  agctactatc aaataatgag cactgagttg ggaaatagca tgtgtagtag catccttcat
10441  atattatttc taccacacag acacattaca gataacctca agaacttata taataataaa
10501  atgtagttaa atcattggga atttcaagta ttaatacttt gtttttaata tatttgatta
10561  taaatgtata caacttagtt tttaataatg attgtatata acaatcacct ctcaaaattc
10621  ctaaaaaatt accaagtggc tcttgcaaac ctgcggaaga caaaacttgt gtgcctcaat
10681  cttctcccac ttgactacga ttaatagaat ttagtacaat tgatctgttt tctgcagtaa
10741  aagtcaccta tatgcctttc tatatgtgag attatttcct taggatagat tcccagagat
10801  gatgatgatg atgatgatga tattattatt attttagaga tagagtcttg ctctgtcaca
10861  caggctggag tacagaggtg caatcacagc tcactgaaac tttgaactcc taggctcagt
10921  tgatcctccc acctcagctt cttcccaagt agctgggatt acaaagtgtg tgccaccatg
10981  ccggctaatt tttaaatttt ttgtagagat gtggtttctc tgtgctgccc agcctggtct
11041  caaactccta ggctcaagtg atcctcccac ctcggcctca aaagtgctgg gattacagac
11101  atgagccacc aaccacaccc agcctgagat aaaatattaa cggtataata catttgaatg
11161  taataaagac aaggaaaaca atcaaacagc ctgggtttct ttttctaaat tatagaatca
11221  agtaacattt gcacagtgct ccatgtggac caaggacaat tttaaatggt ttccatttat
11281  ttattccttg tgacaagtta tgtggaggct atacattatc tccgtctata gctgagacac
11341  tgaggttaag tgtggttaag tgacttgcag agtcggtaag tgatggagct gggatgtgaa
11401  ttcaagtcct gtgccacatt gcctcttttt tttttttttt tttttttttg agacagagtc
11461  ttgcactgtc gcccaggctg gagtgcagtg tcgcgatctc agctcattac aagctccgcc
11521  tccctggttc acgccattct cctgcctcag cctcccgagt tgctgggact acaggcaccc
11581  gccaccacgc ccggctaatt ttttgtattt ttagtagaga tggggtttca ccctgttagc
11641  caggatggtc tcgatctcct gacctcgtga tccgcccgcc tcggcctctc aaagtgctag
11701  gattacaggc gtgagccacc gtgcctggcc gctacattgc ctcttaatgt gtagttgctc
11761  aatagtcttc cctttttttt tttttttttt tttttttggg actgagtctc actctgttgc
11821  ccaggctgga gtgcagcggt gcggtctcgg ctcactgcaa tctccacctc ctgggttcaa
11881  gtgattctcc tgcctcagcc tcccgagtag ctgggattac aggcctgcac caccacaccc
11941  agctaatttt tgtattttta gtagagatgg gatttcacca tgttggccag gaatctcttg
12001  aactcgtggt cctccccgcc tcggcctccc aaagtgctcg gattacaggc gtgagccacc
12061  gcacctggcc tagtctttct ttttaaacag taaaagcatt caacatcatc aattaacctt
12121  tgggctcatt gttaaccaca ctccacaagc ttaataaaat attgtttttg ttctttatct
12181  ctcaatatct agatgattat actattaatt gcttatttca ttcattcgtt gtttagaaaa
12241  taactttttta ttgagattga ctttctcaaa ctttatgaat tataagtttg cctccattgc
12301  attttgaaaa ttaacacttc tttggcattc tatctgctac aatttttttc tattatgaaa
12361  gcaatatgta ttcatttttt taaaaaatcc tgtaagatac agaaaaacaa aaatataaaa
12421  ttacacataa tgctcatagc aagggataag tgctcttagc attttgctat tcattctttc
12481  agtctctttc tctcatatat gtgtgtgtgt atatgtaagt gtatatatgt tgtatatata
12541  cacatacaca cacatatatt atatattata tattatatat gtgtgtgtat gtgtatgtaa
12601  ttttattttg taaattttaa gttccggggt acaagtgcag gatgtgcagt tttgttacat
12661  aggtaaacgt gtgccatggt ggtttgctgc acctgtcacc catcacctaa ataactgggc
12721  tcagcatgta ttagctattt ttcataatgc tctccctccc ccaatcccac ctgctgacag
12781  gccccagtgt gtgttgttcc cttccctgtg tccatgtgtt ctcattgttc agttcccact
12841  tataagtgaa aacgtggtgt ttgcttttct gttcctgcat tagtttgctg aagagaatgg
12901  cttccagctc tatccatgtc cctgcaaagg acataatctc attccttttt atggctgcat
```

-continued

I. LISTING OF SEQUENCES

```
12961  agtattccat ggtgtatatg tatcacattt tctttatcca gtctatcatt gatggtcact
13021  tgggttgctt ccatgtcttt gctattgtga atagtgctgc agtgaacata ggtgtgcatg
13081  tatctttaca aatttcagag gctgttattt cattgaggaa agagaagcat ttaaataaga
13141  agctctctct tcagctgcct accagcaaag gggaaaaacc tacctctctg catccatctt
13201  gtcctccttc tccctcactg tgctttaaga ggactttctc ttcctatccg tggttaaccc
13261  gtctttcttc ctctgagccc cacataaatc tgctttctca gggacctatt tccctcaatt
13321  atctcctgtc tttctccaat gtcctacatt tttgcttcta ctaggtgctt ccagtcagca
13381  tttaaaccca ctcttgtcac catactcacc tccagcacca tgcagcccct ttcttccctt
13441  ttattgttaa actctgctgc aaaaagatgt cttccctctc ctcttagttt ccacttcctt
13501  atcacaacct aacccccacc actgcaatct ggcttccgcc aaatctgcaa gcaccaaaat
13561  caacatgacc tcctcatcag gaaactcagt gggcactttt aggtccttat ttaacttaac
13621  gtctcggcag catttgattc tccctctttt gtgaaacgtg tgctactctt gggctctgcc
13681  aatagcctcc actggctttg cttacaactc tgatttcttc ctctcagtct cttttctaaa
13741  ctcttcattc tcccacccat cttttataaa tgtttgtgtt ttcttctaat tggcttaggg
13801  caccagcctc cctccgtctt caggctttca cgggtaccgt ttcctctgcc tggaacactc
13861  ttctctctcc actgcaccaa gccaaatttg aatcatcctg tgaatgtgtg tgaatgtatt
13921  gtgtagtttt tttttattcc tagttttatc aagttcagtg gttgagaaac attatttatc
13981  atgttaaaga aatactatta tattccgact ctactaatgg ttttcaagta gggaatggat
14041  agttaactct gttactgcct ttttgactgt gataggtatc ttttaaacta tgactatagt
14101  aaatcctgtt taaaggactt ttctattaaa ttatccttat atttttgcaa ggatttttt
14161  tctgcctaaa tgcatagtaa taattttgaa atttatgatt taatttaatt tgctttttaa
14221  aattttactt tagggcttta catcctgctt gacttacatt agcattgttt tattccaaag
14281  attgatttga gaagctttct atactttata ttccctatag cttttgtttg tttgtttttg
14341  agacaaggtc tttctctgtc acccaggctg gagtgcagtg gtgcaatcac agctcactgc
14401  agccttgacc tcctgggctc aagtgatcct cctgcctcag gctcccaagt agctgggact
14461  acagatgtgt gccacctgta cccggctaat ttttttattt ttgtattttt tgtagagatg
14521  cagtcttgcc atgttgccca ggctggtctc aaaacacctg gatccttcag tggatccttc
14581  tgggctcaat ggatcatcct gcctcagcct cccaaagtgt tgagattaca ggtatgagcc
14641  actgcacctg gctccttgta gcttttatgt aactggagac ttaattcttt cttaagagtt
14701  ttttaaaact tatctgaaaa actttggggc attatatttt tttcagaagt gttctttgct
14761  aatctaatct ttttcttctg tgagtattgt tgatgatttt accccaccct ttactacatg
14821  tgaacaattt tgtttttaaa attcttaatt ctttagattt tcatctttaa atattcatta
14881  ctgtttagct ctgttgaatt gtggtccaag aatgtgacat ataatctgtt tttaaaattt
14941  atttaagctt taattttcat gggcatttga aaatatgtgt catctatcag ggcttacagt
15001  tgatgtgcat atctgtttaa ttaattttac taattctgct attctgtttt actacatata
15061  taattatatt tttgtctttt gatctataaa caggattggg atttttttgtt tttttgctat
15121  ctttttattg tctatttctt acagatttta ttatggttag aaaatataga ctatataaaa
15181  tcaattcttt gagctgggtt aaaatctcct atgtagcttg gtatattttc tttatgtttg
15241  aatgtttcat ctatgcatca tttacaaaat gtattctgta attgtttcat tgttttataa
15301  atgtacatta tatctagtgt taattttgat gtttatatct tctatatctt tactgtagtt
15361  ctgtttgata tattagtgtc tgaaggagat ctcttaaagg gttacactat gttaaaacat
15421  ttctccatgt actcttgtga taattttact tttgggtttg agtccatatt tttaaataat
15481  taagtttcat gattgtcata tctttttagg gcttgttcct tttatcatta agcaatgttt
15541  cttttttct tataaatgca tatgccccta tattacattt ttcttatatt actattgcta
15601  tgtcactttc tttgggatat cgtttgcttt atacatattt tccctcccct ttatttttaa
15661  catttctgtt ttattttatt taagtgtgtc ttttgtgttt gatagcatct gtcatttcat
15721  aggtcagctt ataccattgg cacttactgt gatttctggt atatttggac ttgtttcttc
15781  catattattt tatgtcttct gttaaccatg ctttttcttg gcttatttat tcctcctctt
15841  cttcctgttt gtttttgctt ttgtttttga ttgataaagc ctttctggta cctctttttt
15901  tctctgttgt tttggaattt ttgaatttta tttatttttt agtagtaacc attaataagg
15961  ttttaacata atcatttaac catagatgct tctttctgtt tgaagttatt caatatttct
16021  gtcctcttgt ttatggcaaa gagcttagca ttttttaatt acttagcatt ttaaacttct
16081  ttcctgaact ttgatcttat agttgtttgt ctagaattta attccactct ttttaaacac
16141  aaaaatttgt gatttttaa tattccatag tgtgttaaaa ttgcaatggt atttcaccac
16201  catttatgct attgtttttt ataactcacc cctttctttc tggtataaat tattccttag
16261  tgagtttatt tactctagta actatttcag agaaagtctg tgagtggtaa acactctcaa
16321  tatttgttta taagtgttct gagtttaaaa ttattaccta agctagctgt gtaattctaa
16381  gctaacagtt atttttacgc agtcatgtaa aggtattagc ctattgcctt ttggtatcaa
16441  ttgttgttgc tgaataatct caggttaccc aaaattggca ttcctattaa ggaattaaac
16501  tttttctttc tggtagagtt taagatttta tttatcttta atttttacag ttttaattca
16561  atgtgtccaa gtatgaattt ctttcttttt ttctttttt tttttcttc tgagacagag
16621  tctccctcta tcactcaggc tggagtgcag tggtgcgatc tcagctcact gcagcctcca
16681  cctcctgggt tcaagcgatt atagtacttc agcctcccac atagctggga ctacaggtgt
16741  gcaccaccat gtccagctaa atttttttgta tttttagtag agacagggtt tcaccatgtt
16801  agccaggctg gtcttgaact cctgagctca agtgatctgc cctcctcggc ctcccaaagt
16861  gctgggatga caggtgtgag ccaccatgcc cagctgtatt tctttttaa atctgtcttg
16921  tcatttggtg ggtactttcg accttaatat tccagggttt gtttttcagt tttgaaaaat
16981  tatcagccat ttatctcttt atatattgct tctaggctgc tcccctcttt tatttttctc
17041  aaactcctat cagaggtgta ttagtgcctg tcactgtata ctttatatct cctaactatt
17101  ctttaatagt gtccatgtct gtatttcttt gtattatgtt ctgtatatta taatgatcct
17161  tatgatatat atatcatata tatgatatat ataatgatcc ttataatata ttatattata
17221  tataatatat attatatatt atatattata taatatatat tatatattat atatataata
17281  ttatatatat tatataatat atattatata atatatatta tatataatat atattatata
17341  tattataagg atcgttataa tatatattat aaaaattatt ataatatata ttataacaat
```

-continued

I. LISTING OF SEQUENCES

```
17401  ccttataata tatattataa tgattattct gttgaaaagc tgggaagaaa gtggccctga
17461  tgactgtgta taagatgtca ttttacataa aaattctgct ttcttatttc aactactatg
17521  tttcaacttt tttatttact ccttttgtga aggccttata aatacagttt tgttcattta
17581  aacagtacat cagtcactgt gctcaccctg ggaattaaat gatgtctaaa acatgatccc
17641  tgacctaaag ctcaaggttt taataattga gtgtgggtca aagacgtaaa cagatcattt
17701  taatagtatc tgtgtgacaa gtggcattat aagaatgaca tttcaggata acataaggtt
17761  aaggaaagag gcatttgggt ctgcctagca tgtcagggga agtggaagga gatggatgct
17821  taaactgaat cgtaaaagac aaaataacat tagcaaggga gatatggggc aagtaaaacg
17881  ctcccactca ccatttttt tcactctcag cagatgagct tgcctttgac tttaccaaaa
17941  aataataata ataataaggt ttattcagaa agtggatgta tcttttatgg ccaaacaacg
18001  tgccagtctg ttctagatgc tctataagtc tgtcactgac tatttcactt ctaaatgtca
18061  atcatactac ttatttggct ttgatgtata ccttgccctt taactgaagg gaccatataa
18121  tttactgtat aaatgcaggt agccctcatt tcacagagga gtgagaaaaa agaaaggacg
18181  atgtctatag cctttcctcc tgttgtctta aaaaaaataa aatagaacaa aacagctttg
18241  agatctaatt cacataccgt gcgctttacc cattaaagtg tacaattcac aaagtggtgt
18301  ctcttcattt tctagttgta tgcccaagtg aattctctat gaatctgatg aagcttaagc
18361  ttcagattct ctcatttgca ggagcccttt ctaagaccct cagtgggctt tagcaatgtg
18421  cttttatgag tgtctatttt tataaaatta ggggaaaatt gttcttaaaa aacaattttt
18481  taaattatta tccttttcca ccctgacttc ccttcagact cacttccctt tatgctgatg
18541  atattggggt ggacacagaa attttgtatt cataatttta tatttttct ttaaaaagta
18601  caaattgcac aaacttgggc cccataaaac ttggatctgc ctctcctcgt atatcataaa
18661  ctctaagccc tgctctcctg agagacttct cttttgattt tcaaatgcct agtttggaag
18721  tagaaacaac attctttaca taagctcttc ctttcttttg gcaaatttct actctgggga
18781  aacagaattc tcattcaggt atgtaatggc ttctgactgc ttaaggaagg gttagtaaac
18841  aaaattctag aatgttctct tttgatttct cctttccttt cagctcctgt catcaccact
18901  cctcttgaaa cagtggatgc cttagttgaa gaagtggcta ctttcatgtg tgcagtggaa
18961  tcctaccccc agcctgagat ttcctggact agaaataaaa ttctcattaa gtaagtattc
19021  cacattttaa tttttttaaa tttttgtggg tatatagtag gtgtatatat atgtatatat
19081  ttatgaagta gatgagatgt tttgatacag gcatgcaatg taaaataagt acctcatgga
19141  gaatggggta tccatcccct caagcattaa tcatttgaat tacaaacaat ccaattacac
19201  actttaagtt attttaaaat gtacaactaa gttattgttg actatagtca ctctgttgtc
19261  ttatcaaata gtaggacttt ttcattcttt ctattttttt tgcacccact aaacatcccc
19321  tactcccccc gatccctgta ctacccttc cagcctctgg taaccatcct tttacgctcc
19381  atgtccatga gttcaattgt tttgatgttt agatcccaca aataagtgag aacatgcaat
19441  gtttgtcttt ctgtgcctgg ctaatttcat ttaacataat gatctccagt tccatccatg
19501  tctttgcaaa tgactggatc tcattctttt tatggctgaa tagtactcca ttgtgtatat
19561  gtaccacatt ttctttatcc attcatctgt taatgaacac ataggttgct ttcaaatctt
19621  agttactgaa aacagtgctg caacaaacat aggagtatag atatctcttt gatatactga
19681  tttcctttca tttgcttata tatgcagcag tggggttgct ggatcatatg gtagctcaat
19741  ttttagtttt ttgaggaaac ttcaaactat tctccatagt ggttgtacca atttacattc
19801  ccacatcaac agtgtacaag gattccctta tctacacatc cttgcgagca tttgttattg
19861  cctgtctttt ggctctaagc cattttcact gaggtgagat gatatcttat tgtagttttt
19921  atttgcattt ctctgatgat cagtgatgtt gagcactttt tcatatgcct gtttgccatc
19981  tgcatgtctt ctttcgagaa attgttcaaa ctttttgcc tatttttgat tggattaata
20041  tattttttac tatagagttg tttgagctcc atatatattc tggttattaa tcctttgtca
20101  gatgggtagt ttgcaaatat ttcctcccat tctatttgtt gtctcttcac tttgtttatt
20161  gtatcctttg ctgtgcagaa ggccttttaa cttgatgtga tcccatttgt ccatttttgt
20221  tttggttgcc tatgcctgtg ggtatctctc aagaaatttt tccccagacc aatgtcctgg
20281  agagtttccc caatgttttc ttggagtagt ttcatagatt gaagtcttag atttaaatct
20341  ttaatccatt ttgatttgat ttttgtatat ggagagagat aggggtctag ttttattctt
20401  ctgtacatgg atatccagtt ttccacacat catttactga agagactgtc tttttcccag
20461  tgtatgttct tggtacctct gtcaaaaatg aaatgagttc actgcaggtg catgaattta
20521  tttctgggtt ctctgttttt tcccattggt ctatgtgtct cttttgatga aagtactgtg
20581  ctgttttggt tactctagct ctgtagtatg atttgaagta aggcaatgtg attcctccag
20641  tttttttctt ttttcttttg gctattctgg gcctttcgtg gtttcacata aattttagga
20701  tttttttttt ctatttctgt gaagaatgtc atcggtattt tgataggaat tgcatggaat
20761  ctatagactg cttttggtag tatgaacatt ttaataatat tgattcttcc aatccattaa
20821  tatggaatat ttttccattt ttttggtgtc ctcatgaatt tctttcattg atgtcttaca
20881  gttttcatta tagagatctt tcacttcttt gattaattcc tagctattta attttatgtg
20941  tggctattgt aaataggatt atttttaaat ttatttttca tattgttcat tgttggtata
21001  tacaaatgtt actgattttt gtacattgat tttgtatcct gcaacttcat tgaatttatc
21061  agttctaata gttttctgtg gagtatttaa gtttttccaa atataagagc atatcatttg
21121  taaacaaaga taattcttcc cttccaattt ggatggccct taatatcttt ctcttgtctg
21181  attgctctag gtaggacttc caggactgtg ttgaattaac agtggtgaca gtgagcatcc
21241  ttgttgcatt ccagactaga ggaaaggctt tcagtttttc cccattcagt atgatactac
21301  tagctgtggg tctgtcatat atggctttta ttattttgag gcattttcca tctatttttt
21361  gagggttttt atcacaaagg gatgctgaat ttttatcaaa tgctttttca gcatatattg
21421  aaataatcgt atgtttctta cccttcatct gttgatatga tgtatcacat tgattgattt
21481  gcatatgttg aactatcctt gtatcccagg gataagtttc acttggtgat gatatatgat
21541  ctttctaatg tattgttgaa tttggtttgc tagtattttg tgcagtctgg ataggccaat
21601  aatcccaaat catcaagtcc tggttccttt tttgcttagc agtttttccc acttatcttt
21661  tcctcttgaa ttttactata accagaaaaa agaaatgagg ccgcagcttc gacacatttc
21721  ttagaaattt cctcagctaa atatctgagt tcatcattca caagctttgt tttccacata
21781  actgcaggac accattcagc taagttctct gtcctgcata acaaggatcc ccctttcttc
```

-continued

I. LISTING OF SEQUENCES

```
21841  ttttcccagt agcatgctcc tcatttccac tcaagtcctc accagtagtg ctttgaacat
21901  acatatttct acgaatagtc tgttcatgat aatttaggta ttctttaaga tgatgtagat
21961  tttctctacc atggaactct cttccttcca attcctcagg agcagaatca ttaacacacg
22021  tatttctatt aacagtctct ttgaggaaat acaggctttt tctagcatgc ttttcaaatt
22081  tttttcggtt ctaactattc atcaattgca aagccacatc cacatgttta ggtatttgtt
22141  gcagcagcac cacacttcca ggtaccaaaa cctgtattta tttattatcc ttgctgtaac
22201  aaattaccac aaacttagtg gcctaaaaca acataaacgt actatgttac agttctggag
22261  ttcacacgta tgaaataaat ctctctgggc taaaatcaaa gtgttggcag ggctgagttc
22321  cttctggagg ctctagggaa gaatctgatt tcttgccttt cctagcttct agaggccacc
22381  tgcgttcctt ggccccctac tccacttata agtctagcaa tggcactact ctgacctctg
22441  cctccattgt catacctccc tttatcaatc tgcctctctc ttccatcttt taaggatact
22501  tattatcaca cagggaccat tcgaatagtc cagaacactc cattttaaga ttcttaacat
22561  ctgcaaaata aggtaacata ttgacagatt ttggtgatta aaacaagaac ctctgtggga
22621  gtgttattct gcttaccaca cgcatttggc ataaaaaaac tcttatttgg ttaaaagaaa
22681  ctctctttta tattgctgct tctcttccta tttctttcta ctgccctaat tcccttctca
22741  acaaatggtt tgcatataat taaataggta atatatgtaa agcatatatt tttatagttg
22801  gaaattgttt tcctccctta tgtatcccaa gtaactagaa gtgtgcctgg cacttgttag
22861  caatcagtaa gtaattgttt aatgaaagaa taaatattca actaatcatt agttacttct
22921  ataagtaatt aaccctttct gttcatcgta tttatacata tgcatgttct ttatctatta
22981  atagctgcta cttcccagaa cttattggga gaagacacct atgtcttggt tttatatgct
23041  tttctgaata aagtaaactt tacattttgt cttatcagtg ggcatcaccc tttgaaagca
23101  tttttgaagg actatggtac tttgactatt ggagcctaag aaagatgaga atataatgtt
23161  agctttatat tatcaagtaa ggttattcta ttattcagaa gtcactcaag tttcctctca
23221  cctttattct acttcctcat taacaagtca tcggtttgat acattaatca tggcaaaaaa
23281  atcacagagg aagcactaat ctgtcatttt tttctgtgac ctgcagactc tttgacaccc
23341  ggtacagcat ccgggagaat gggcagctcc tcaccatcct gagtgtggaa gacagtgatg
23401  atggcattta ctgctgcacg gccaacaatg gtgtgggagg agctgtggag agttgtggag
23461  ccctgcaagt gaagatgagt gagtgggaaa cagattcgtc tattgatttg aaagttgact
23521  tggtacactt agttttgtat ttatttttta catttttttt ttgagacaga gtctcactct
23581  gttgctcagg ctggagtgca gtggcatgat ctcggttcac tgcaacctcc acctcctggg
23641  ttcaagtgat tctcctgcct caggctcctg agtagctggg actacaggtg cgtgccacca
23701  agctcagcta atttttctat tttcagaata tacagggttt cactatgttg gacaggctgg
23761  tctcgaactc ctgacctctg gtgatccgcc caccttggca tcctgaagtg ctggaattac
23821  aggcgtgagc cactgtgccc ccgctgactt ggtacacttt aaaacagtca gtaaatagag
23881  attttctcag gcctggtgat tcagcactga gacaagttca agttcaagca caaccctgag
23941  gccaattaat cccacacctc ttatgcctgc tatcaaccac taccctaagg caagcctctc
24001  aattctctat cctctcccat tttcttacct tcactcatct cctgacttct tccaccctga
24061  attctttcac caggaaaact tcctctgaaa catttaccct acacctgtga aacacaacca
24121  aacacacttt ttatttctaa cctctttgca gacacttttg ccttatttca aatttgatat
24181  tcttctgagt gattttctgc ttcagtggaa gctgttctat tttctccact tcatgtctac
24241  aagactgcca aacactagta ggtaatctcc cagccctcag tgttgctttt aaaccattct
24301  attttgtatt cctatacaaa atctttcctc tgatgagggc ttatgccatt ctgacctatc
24361  ttttctctaa ctgtattcat catgtcatct gctcttctag gcacttcccc atatttatta
24421  aaaactttga ttccaggctt actatctttc tatccatctc tactcctgca attaccctaa
24481  gaaattttaa cagccatgaa atagaaccac tagccactta attctcataa ttccttgacc
24541  tgcagaaatc cagtgatgtt tgtctttttt tttcaatttt aaggctcata cttttaatct
24601  ctatgtacac acgtatgtag tcgttaaggt aagtctgcca ctgtgaggaa aggtagtttc
24661  attttatttt tttaactttc attttgagtt caggggtaca tctgcagaat gtgcagttgt
24721  tttacatagg taaacatgtg ccatggtggt atactgcaca gatcatccca tcacctaggt
24781  attaagccta gcatccattc tattcttctt gatgttctcc ctccccacac caacaccccc
24841  gacaggcccc gtgtgtgctg tttcccccca tgtgttcatg tgttcccatc gttagctccc
24901  acttctaagt gagaacatgc agtgtttggt tatctgttcc tgcattagtt tactgaggat
24961  aatggcttcc aactccatcc atgtccctgc aaaggacatg atttcattcc attttatggc
25021  tctgtagtat tccatggtgt ttaggtacca cattttcttt atccagtcca tcattaatgg
25081  gcatttaggt tgtttgtgtt aactgtttta ttgtttttt gttatatata tttatatata
25141  aatatatgta aacatatatt taaatataaa tacatacata tatttaaata tatacaaata
25201  tatacttaaa tatataaaaa catatttaaa tataaatacg tataactata tatttaaata
25261  tataaatata tagctatagt tatatatagt tatatattta catttaaata tatagtttta
25321  taatttattt atataaacta cataaataaa ctatatattt atataaaata taaataaact
25381  atatatttat ataaatatat catatatata ttcatatttt atataatata taatatataa
25441  atatataaat atataaacta tatatttata tattgtatag ttatatttat atataaatat
25501  atagctatat atttatattt aaatatatat taaatatata tttaaatata aatatataaa
25561  tatatataaa tacatattta tatatatgta aaaaatataa aaatatgtga aaaatacata
25621  tttatatata atatatgtaa aaaatattaa aatatgtaaa aaatacatat ttatatatat
25681  gtaaaaaata taaaaatatg taaaaaatac atatttatat ataaatatat acaactatat
25741  ataaatatat agttatatat atttatatat tatatatatt tatatatttt ttactacata
25801  atatataaca tattatatat tttagtatat atattatata ttagtatata ttagtaatat
25861  accatataat atacatagta tattatatat aactatatat agttatatat aaatatataa
25921  ctatatatgt tatatatagt ttatatataa tattatatat tatatataaa ctatatatat
25981  cacatatagt ttatatattt tttaatatat aatatataac tatatattta aatatataaa
26041  tatgtaacta tatatttata tataactata tatttaaata taaatatata tttaaatata
26101  aattatataa atatacataa aaatacatat ttaaatataa tatataaata tatatttaaa
26161  tataaatata tatttatata ttatattata aatattataa ttatatatta tatattataa
26221  atatataata tatattatat attaatataa gtataaatat ataaatatat attatgtaag
```

-continued

I. LISTING OF SEQUENCES

```
26281  tataaatata taaatatata ttatataagt ataaatatag aaatatatat tatataagta
26341  taaatataga aatatatatt taagtataaa tatataaata tataaatata tatttaagta
26401  tatataaata tatataaata tatatttaag tataaatata tatttaagta tatataaata
26461  tatataaata tatatttaag tacaaatata taaatatata taaatatata tttaagtata
26521  aatatagaaa tatatattta aatataagta tatatatatt taaatataag tatatacata
26581  aatatatata tttaaatata agtatataca taaatatata tatttaaata taaatatata
26641  tttcaatata agtatatata aatatatatt taaatataag tatatatata aatatatatt
26701  taaatataag tatatatata aatatatatt taaatataag tatatatata aatatatatt
26761  taaatataag tatatatata aatatatata tttaaatata agtatatata taaatatata
26821  tatttaaata taagtatata tataaatata tatatttaaa tataagtata tatataaata
26881  tatatattta aatataagta tatatataaa tatatatatt taaatataag tatatatata
26941  aatatatata tttaaatata agtatatata taaatatata tatttaaata taagtatata
27001  tataaatata tatatttaaa tataagtata tatataaata tatataaata taagtatata
27061  tataaatata tatatttaaa taaatatata tatatttttt gagacggagt ctcgctcagg
27121  ctggagtgca gtggcatgat catggctcac tgcaacctct gcctcctgag ttcaagcaat
27181  tctcctgcct cagcctccca agtagctgag attacaggca tgtgccaccg gaccctgcta
27241  atttttgtat ttttggtaga gtcagagttt cgccaagttg gccaggccag tctcaaactc
27301  ctaaccttga gtaatctgcc cactttggcc tcccaaagtt ctgggattac aggcatgagc
27361  ctgtttgtgt taactcttta tcagcgtagc caatcgatga ctcactcttg gccttgtcac
27421  ccactggaag tagtctgcat ttaaaatctt cagcttcagt atgtcactct catcatggac
27481  atttttttggt acagccttgt cagatgagca aaacagtttc ccatactcat gatttgcctc
27541  caagtagagt ttgtgggcac aaacttccat tgtctccttc tcagctaaca acagtgtctc
27601  agtctctctc attctcctac tcttgctata caacctcaac atcaccagca tcatcatgtt
27661  ctcttacctt gattcgtctc tgttctcctt tccattgatt ccccaatggg gcttttattt
27721  ccttccatac ttagttcttt cttctacctg gtgatgtatc atcaaacact gccttaccag
27781  catctttaaa tctcatggcc tcctgtcctg taagcatctg ctacttgcaa actgtcaatc
27841  ttacaatgat gtaaccttca tcttctcttc tctgacatgc ttataaccat acatacgggc
27901  accacacaaa ttagaggaat ttaggtctac ttgggacatt tatttttagt ttttgtgttg
27961  ttgtctttcc tcattatttc ttatcttttg ttattttgct ggaggaaatc attaggtact
28021  tttttcagag tgtgaagatg taaaatattt cctgaatttg tgcacgattg gaagtcttca
28081  ttttgctcgc attgttggat aataattttg ctgcatgcag aatgagagtt ttaaaatccc
28141  ttttctttag ttttagtaga tatcctctgt tgcagatgag aagtcttttt cttatttctt
28201  tacaagtaaa tctgatgtct ctcttaaaaa gtttaggatt tttctttttt ttctagagtt
28261  cataaatttc acaaattgac aagaatatat taggtgtatt tttaagaatt attgctactc
28321  agttttaggt gggccttgtt tttttgtttg tttggttggt tggtttttgt tttgttttgg
28381  tttttttgag acaagatctc actctgtaac tcaggctgta gtgcagttgt gtgaccatgg
28441  ctcactgcag ccttgactgc ttgggctaaa gcaatcctcc tgcttcagcc tcccaagtag
28501  ctaggactac aggcatgagc caccatacca ggctactttt atttatttat ttactttttt
28561  ttggtagaga taagttctca gtgtgttgca catactgagt cttgaagtcc tgtgctcaag
28621  tgatcctccc accttggcct tccaaagtat cgagattata ggagtgagcc actgcaccca
28681  gcctaggtgg gccttttttga tctaaagacc aaagcttttt agaaaggtac attttctcta
28741  tttttttct tttttctttc tctatgactt caaatttttc ttctcatatt ttctgcatgt
28801  cttaatattc tactctcttg aagattcctt ttactttttc ttcatattat gaatgtggtc
28861  tccagtatga ctattctgtc attctgagtg ttttggtctt aaaaactata tttttaattt
28921  ctaagaattt ccttgatgtc tctgttgtca taacaaactc acttgtatga tacaatattc
28981  acttaagctt ctaaggatat cactagtgca tcttttaaaa agacattttc ttttttcccc
29041  tgcattactt ttatttcctt cagaaaaaaa aaaattgatt ttgtttgggt tccatccttt
29101  tatgtttaca atttttctca aattgatctt ttatttttttg atcataataa atatacatgg
29161  agtgttcagt taattaggat aaaaagctgg tgggaatagc atgactttat ggaatactga
29221  tttggtactt actgtgagta agtaggtggg gatctgccta tatgcaggct tcccttcagt
29281  atgcagagaa gtaagaaatc aaataaggaa gttggaatgc tctcatttgc taaataatga
29341  agacttcatt ctgaggatga aacacattca agtatttcct tactttgtga cactaccttt
29401  cttttgaata tttttgcata ttctctctgg cccaattgtt cttgatttgg gttctatact
29461  aaatcccctt ttcttttctt gccttctttt ttccaacctc tcctttggag atctcatcca
29521  ttcatgtgga tatacaccgg tgtggccatt ccaattgcta aaattttgga atgcttccat
29581  acttcttgga aagatccgtt ttataaggct cccgagatcc cccaacccct atcactactc
29641  cagctctctt aagccctccc ccaagagctc cctcccctaa attcctaatg gtccatcagc
29701  taaagtctca atgctggcac agcgggatac ttccagcatc ctgctttaag gtgaccagtt
29761  ctgattggtc agtacttatg actccaccct gaatcatgtt cccttacagt ggggatccat
29821  ggctatgcgt caatacccta gtcattccta gttgacttta cattcaattt cccaaaaggg
29881  aattcctcac ccctcaccta acagatgacc aagacatcaa gtcactgaga agataggaga
29941  tttttgcttt aagcaaaggt ctttacctaa gacattatct gtgcctcagc tttaccatag
30001  agatcttgtt cagggaacct atggaaggca tagataacac tttatttgac tgtcatagga
30061  atatcaagtg ctcagctaag tttttcccag caactgtatg acaatacaac tcacaattga
30121  ggaacctggc cagtactgta tttacatgta ggtatttaca gtttattaga aggagagttg
30181  tatgctatag atagcaggca aagtaataaa gttgttattt tcctatattt taaagccttt
30241  cttgtatttt tgctataaca cagggccgca ggaactctaa atgacagtga atgcttagat
30301  taaaaaccaa caggtctcac gcctgtaatc ccggcacttt gggaggccga ggcgggcaga
30361  acacgaggtc aggagatcaa gatcatcctg acaacagggt gaaaccccgt ctccactaaa
30421  aatacaaaaa aaaaaaaaaa aaaaaattag ccgggtgtgg tggtgggcgc ctgtagtccc
30481  agctactcgg gaagctgagg caggacaatg gcatgaaccc gggaggcgga acttgcagtg
30541  ggccgagatc gcgccactgc actccagcct gggcgacaga gcgagactcc gtctcaaaaa
30601  aaaaaaaaaa aaaaaacaaa aaaacaaaac ccaacaggtc atgaaggctt tgcaagtatc
30661  tcttaccacc aacaacacca aagcccccat tcctctccct cacattgaag tagaagaaaa
```

-continued

I. LISTING OF SEQUENCES

```
30721  caaagtccat atttcatgcg ttcctttgtc aaaataacaa attggttacg gcacatgtcc
30781  tgcaagaaat aaaatgtgtc cattgctcag tagtctctct tgcgaagtcc ccctctgtat
30841  ctgtaacgta aaattcctaa ggacataaat gtagttttaa ctattttacg aatagtacta
30901  aaataactgg catcctgaac ttatcaattc ttttgtatat tagatttaat aactttcttt
30961  gaaagtttca tatttgagaa taaaaattaa ctggcataaa ctatttcttc tgaaagatta
31021  aaagtgtttg aacagtaaat tacatgtttg agtccccccca aattgtatga cagaatttct
31081  tctgattgtt aatataataa tatctggttt actttctaga gaatgaatgt atttaattaa
31141  taatcataaa atttaatagt caaattaaga tggaagctaa agggaaaata ggtcataatt
31201  tctaactagg taagaatata gttatatcaa aattttcttt tcaaatgttt tatgtctatc
31261  agtatgaatt aaataatgtt gaattgctat ggtgacagtc tatgttaatc agcttttatt
31321  aactatcttt taaaatgaag aatgctatgg taacttcaca ctgttaatat ttttcataaa
31381  tttgtgtttt gctagtaaga ttctaataaa gcagagacaa ccaagtgttt ctaaactgat
31441  ttctgtttga gatctactga ggaaaactgt ctttgcattt ggtgaatttt gtaatgtaac
31501  atgcctcaaa tgattctcaa aacagatgtt tagaattaaa ttgaaagtta gaaactctag
31561  gtttaataaa gccatattgc cttatttatt ttgaattttc atttcttttt agaacctaaa
31621  ataactcgtc ctcccataaa tgtgaaaata atagagggat taaaagcagt cctaccatgt
31681  actacaatgg gtaatcccaa accatcagtg tcttggataa agggagacag ccctctcagg
31741  gtaagtggtt atgatgttaa aacacatata taaaatgtat tttaaaatat aacatttctt
31801  tacacactca gttacacact tacaaacttc tagtataaag tagtttccat gtacatttta
31861  accaaatgta aatatttctg tttgcatata tgcaaactgc atggcatttc atttgggtct
31921  ggctagggaa aaaagagatg ggaaccaata atgttaaaga tagaaaagga ggcaatgaaa
31981  aagcaaacct ggaatccttt gtatttgttg gctggctaaa tcatttattt ttttttaatg
32041  ttgaatctga gacttagggg atgaaaaaga aaaactaaaa cccaggcttt agaactgaca
32101  gtttctggaa ggagggaggg agacaaggtt cggaagaaaa gaaatgagat ctctggagag
32161  aagttaggcg aaaagactca agactcatac acaaatacct tggcaaatcc ctcctgagtc
32221  atgaagagta gtcacgcctg taattccagc acttcaggat gccaaggcct gaggtcagaa
32281  gttcaagacc agcctggcca acatggcgaa atcctgtctc tactaaaaat acaaaaatta
32341  gctgggtgtg gtggtgtgtg cctataatcc cagctactca ggaggctgag gcaggagaat
32401  aacttgaacc cgagaggcag aggttgcaag tgagccaaga tctcaccact gcactccagc
32461  ctgggcaaca gaatgagact ccatctcaaa aaaaaaaaaa gttattatcc atatgcttat
32521  tttgtactgc ctctgtatct tatccccaca tttattgata aattattatg aggcatcatt
32581  attgtctttc catctttata tcacctaaaa gattacagac tatgtttttc atttaacaat
32641  gcatagtata ttttaagagg aatacaaagg tgtcacttta tgtcaattaa ctgaactaag
32701  gtataaaatt gctcagcttt gctttattta aaataaaata aatattgcta atttttaatg
32761  attaattatc tggctttcct cttgttataa atcttggtgc atttcctaca atgacaaaca
32821  agggtggttg tacttatgtt actgaattta gggttcaaaa cagaaaagac agatgtaata
32881  tttaaactcc aaagagtaat tttaatatta tgtgtgaaat tttctagtat ttcaaaggac
32941  atgtactctt ctaaagatac catctagggt gcaaggtaaa cctgatagtt aaaagcaatg
33001  tgtttattta ttcatatttc aatagctttt ggggtactag tggtttttgg ttgcaaggat
33061  gaactgtata gtggccaagt ctgagatttt agcgtgccta ttacctgagt gctgtacatt
33121  atacccagta tatagttttg tatgtctcac caccccactc tgcaacattt ccccttcta
33181  aaagcaatgc ttttaatcag atttagctgt gactttgggg aagcaaaata agcccatata
33241  catatatata ttatacatat acatattata tatataatat atatatacac acactcatgg
33301  gatgaaagaa aataaaaata aactatacct cataggaccc tggtgaagat taatttaggt
33361  actcttgcac tatttcattt aatattgtat gttttacata ataagtggcc aataaaggtc
33421  aaagcgatat ctttgatgat gataatagtg atgacaataa gttgatgata tttggcaaat
33481  gtatccttga tagacccata aacatttttg aattcacgtc cctatctctg gcaggaaaat
33541  tcccgaattg cagttcttga atctgggagc ttgaggattc ataacgtaca aaaggaagat
33601  gcaggacagt atcgatgtgt ggcaaaaaac agcctcggga cagcatattc caaagtggtg
33661  aagctggaag ttgagggtaa ggagctgcat ttcttcccct gactgtgtga ccaggggcct
33721  cactgtctac tgtgaaggct gcacctgggc ttgggagaga agagatgtgg gcagcccact
33781  tccctcagtt gttccagata ttaggccata agttcaagcg tatgataaca gaaaaggaaa
33841  actgaaaaaa gaaagaaatt ttcactagta taaaaggtca tattccattg attactcaca
33901  atcactggta atttttacca aaacagacta aatttactgt aacagtaaaa taatagaaac
33961  ccattttaga atgccttcct ggtttggaca attcttccct catttaaaga cttgggcata
34021  ataattttaa tctttttaat catacagaac aactttaaaa agatgtgata aggaggaaaa
34081  agtagctatt ttcagatagt gttctatcac aaagcttgaa aaaaaaaaca ttaactcaaa
34141  tcgtaaagcc aaaaataatc ccagttctgt gagttatgtt atcaaaatcg tttttctttt
34201  ctttctgaaa atatttttta atcagctaat tcaataactt ggtgtgaaag gtcttcactg
34261  agaaatcaga atccaaatag gtctaggtgt tctatttgct tgttagtcgg gtccttcttg
34321  acctaaaatt gcaccacatt ttgcttaaaa agaactatca gcacacctct attaggcgaa
34381  taaactgagt acaaacccctt cctagctctt cctgttgtat gccagagaat taacattttt
34441  ggctcctagc tttctcacct gttaagtggg gtttgctcta tttaatgaag ttaggtgttg
34501  atagtgttta gcagagcatc tggtcctttg tgcaccctca ataaatgttg gctataagaa
34561  ttatcatcta tttttctgct tttctcttat ctgattgata agtgttagag tatcacatac
34621  tggcacaaat tacagttcaa tcaggaaaag acttgaagag ttctccatat tttactttga
34681  ttctgtccta ctttccttag gccaaaatct atctttttct gcatatttcc ttctcattca
34741  tatagttttc tattaactcc tttaagatta tttttatttc cttgatggac attcctgtca
34801  cagctttaat gatctcgttt cccacgtttg cctccaattg aggtaacatc tttattatgt
34861  cattgtacca attgctcata aaattttcat taattcctca tggaaaataa tgaggttggt
34921  gggaatagtg gctgtcagaa tataaaaata cattttcatc aagttgctgt aatttaatat
34981  cttctaaata atcagtgcta tttgaagctc cgtattcaac aaccagttga tatgatttat
35041  tcagtaaaaa ctaaataaac ctacaaaccc acccagacac acattcagac tcactgaata
35101  tctgtctgcc tagatccagt gttttcttgt tctgtctaag gaatgatgca gaattaatgc
```

-continued

I. LISTING OF SEQUENCES

35161 tatccatttg tataaaatat cacaaagagt ttttctcttt aagatattaa aaataagctt
35221 tctgtattat aatatttaat actgatcatt taggtcacta gcttcataga tattaaaaca
35281 acttgcttta cctttgacct agagaaaatt atcaccgaac tccattagtt ggagttatta
35341 tacagtttgg ttttgtgtta ccatttaatt ttgtatcatg cctgtcagta acattgaata
35401 ctgcctcttt tctcgtaacc tttaaatggt catgcttagt gctttaaaag ttaatatatg
35461 ctagagatag tattaaattt gctagaactg agagctcata atatcattta aagttattct
35521 aactgtaggt aagatgattt tcgcacacat ttagcacaca tgcctatttc taccctcatc
35581 ttagtcccta ttaaaatagc caaaatatgt gacatgctta gcacaattgc tggtacataa
35641 taagcattta ataaatggaa tctactatac ttattatgat taaaacataa aattgtaaca
35701 aatttgcttt ggctctggaa gctctgaaag gttgacttcc acttgaataa atagttgagg
35761 tattttcata agatataatg tagacgtgac ctatttagag gtaaggctaa ctcaacctac
35821 aactcagaac aagtttttt ttaaaaaaaa gcaactgaga aatgactgga aaaacctcaa
35881 aagtacatgc agatgcctgc tagtttggca atgatgagga ctgaagatga tgaggcaggg
35941 ccatcgtcag ttggggcaga cgagcatatg tatgtatcaa gtcgtaactc tgcaaattag
36001 ttatgcagtg actatatcga atcagaactc tatggtgcca tttgatgctg ggctacatgt
36061 aacacagatg ggcatacagg aaaagataga gttttgtcat tgatagcctc taataaagat
36121 aaacatgcca ggccatggat tgggtaccat gtgttaacta aatctttgtt gttacaactg
36181 tgaaagaaac accctaccac acagaagtaa agctcccttt ccagattgcc attctcagac
36241 tgctggacct ctgcaatgga aatgtaaagg tatcctatac tttggtcttg ccttaaaatg
36301 ttcaaacggt gacatacata attattgatg gaaccatcta actcaagcgt ggtgcagcat
36361 ggatgtcttt ctgaaaggat gtccaatggg aaggctaaca ttttaaaaag ttccattgag
36421 gctaaatgtt ttatgtggat tatcttgttt aattctcact aaaagtctgt aacaagggcc
36481 ctatattctg ccattttagg aaacagagga atagagagga tagctaactt acacaaggct
36541 gcacagatag ctgtgtctaa gaatttgagt caggctgaat actgtctgtt ctattaaaga
36601 atgagatagt cctgtgtgac attgtcaaga gaagtatcta gatgaaaatg aggggaaaac
36661 cagaattctg caaatgaagg agaggatggg agctgaaaaa aaatagacag gaggtattga
36721 caaatttttt gataaatttt tcagagaaaa gggaggagtc aaaaaaggaa gcagtagctg
36781 gagctatgtt tggtgtgtag atcacgttgc attgcaagat ttctcttcga aaaatattga
36841 aatgtaaaaa aatttaaatg ttaaaatatt aatgacactg agctcagaga gaagaaaaat
36901 ttgaacatac ataagagaac aaaatactca atgaaatgtg gtgctggata atgcacaagg
36961 gttgtatttg ggggccaagt agaatgataa actgtataca gagggtgacc acatgttctg
37021 gttttcccag gacagttctg gtttacacct gttgtcctgg aatcattatt aatagagtct
37081 ctcttttact ttcagaagta tccaagcttc cacgataaat tatatggtta ctctccttag
37141 acaggaagac agaatgtcct tgtaatagga agaaaagaga agagggaagt tttcagtata
37201 aatcagttca taagtatgat ggatggaatt tgagaaaatt ctgttcttat ggtctctatt
37261 tcctctagga aggagaaatt agggttatct tttgaaaaca cttttgttaa agggtcaggg
37321 aagggggtga ggatgaagtg agttctaaaa tagctgtgga atgggagaga tgactcacaa
37381 agtaaaccag gattgtaggg cagcattaaa gttttagtag agagcaggac cgtgaatatg
37441 gagtagcatc aatccacatg gttgcagggt ttttccctcc agtgttgctc tgctgtacag
37501 gtgtaagttc agaaaatagc agaaagctaa attcaaaggc aagacataaa tgttggagtt
37561 ttgtcaggaa ggaaaatagg gcaaaggatt tgagactatt gcaaaagaga gattgaagca
37621 tgaatcatgg aatctttagg taccaaatac acctataatt tctctttctt ttcttttctt
37681 tctttccgtc tttcttgttt gtttgttttg ttttgtgaca aagtctcact ctgttgctca
37741 ggctggagtg caatggcaca atcatagctt actatagcct caaactccta ggcttaagtg
37801 attctcccac ctcagcttct tgattagctg gggctacagg tgtgcactac tgtgctcagc
37861 tatttatttt atttatttta ttttattttt tttactttac tttattttat tttattttat
37921 tttattttat tttattttat tttattttat tttattttat tttattttat tttattttat
37981 tttattttat tttattttat tttattttat tttattttat tttattttat tttattttat
38041 tttattttat tttattttat tttattttat tttattttat tttattttat tttattttat
38101 tttattttat tttattttat tttattttat tttatttcat agagacaggg tcttgctatg
38161 ttgcccaggc tggtctcaaa ctcctcaagc aatcctccag ccttgacctc ccaaaatgtt
38221 gggattatag gcatgagcta ccatgcccag ccatacctat gatttaatat ccaaatatga
38281 aatatcctcg gatatgagcc taggattaaa cactatagct ccagcaatat aacagacaag
38341 ataatatgaa aatcttccaa ctagcccgga aatgctgggc tagttgtata actgataaga
38401 ataaaatata aatctctgga agctcaaaat ggacaggaac tgcaaaaacc ataagctcaa
38461 tgagctggtt tcttattgtt ctaaaggtaa tgggacaggt gctcatctcc ataacctagg
38521 agattggttt taagaccctt aaaggggcag gagacagggt cttggcccat gtgaaatgga
38581 ggttagcatt caaaaccttg tataaagctg agaaccacaa aagtagaaag atgggccaga
38641 aattccatct tcaggcacaa aaacacaaca caatggcttg tctgtcttta gtcgtgaggg
38701 agaaaaaacc aggtcatctt aggagtgaat attcaacact caggactata gcttccatag
38761 gcttgatatt gacttaatac catcagcaca gtctgggaat tctcagctgg aaaaatgaac
38821 atacaaactg gtttcaggct gggcacagtg gctcacccct gtaatcccag cacattggga
38881 ggctgatggc ttgagcactg gagaccaacc tgggcgacat ggcaaaactc catctctaca
38941 aaaaatataa aaattagcca ggtgtggtgg tacatgcctc tagtctcaac tatttgggag
39001 cctgaagtgg gaggatggct tgaacctggg aggtggaggc tgcagtaagc caagattgtg
39061 ccactgcact tcagcctggg caacagagtg agaccctgtc tcaaaataaa aaaataataa
39121 taaaaaacct acatacacat aaaacattgg ttccaggcca aaaaacccac acacacacaa
39181 aacattggtt ccaggccaaa aatttaacaa gaaaaaaaag ctaaaagaag aagcacttta
39241 cccaagttac ataggctttt catggatata cctacactga ggatgagttc acaatgcaaa
39301 attgtcacac ctacagaaaa caacctacct tgagtgagtg ttgtccaaca taatatacaa
39361 agaaaattca gttaaccaca taacatcata gaaattataa aataagtatg cttaaagtaa
39421 ttaaaaatgc aaaaggagga ataaggaaaa caaaaataca ttagggccag gcacagtgac
39481 tcacgcctgt aatcccagaa ctttgggagg ccaaggcagg cagattactt gaggtcagga
39541 gttcaagacc agcctggcca acattgtgaa accctgtctc tatacaaaaa ttagccgggc

-continued

I. LISTING OF SEQUENCES

```
39601  gtggtggtgc acgcctgtag ttccagctac tcagaaggct gagacaaaag gatctcttaa
39661  acccaggagg cagaggttgc agtgagccaa gattgcacca ctacactcca gcctgggcaa
39721  cagagtgaga ctttgtctaa aaaaaaaaat taaataaata aataaattag gaagacaggc
39781  ggttttgata aataattaaa cacaatttta acacataaaa atataattaa aattaaaatt
39841  caatggatga gtaatagtat attagagata aagagataat tcagccatta gaaatcagct
39901  cttcagaatt tagaattcag tgcagaaaga ttttgaaagc atagaaaaga tgaaattgaa
39961  tttaagaaat gataaaagat acattacaga aagagaaaat acagaaaata tgagaggcaa
40021  tactcaaaaa catgatgact aagaactttc cagcattgat gaaagactta aatcttcaag
40081  tacgtgaagc ataccaagtc ccaatcggta aaaatgaaga gcagagaaat aagcatttca
40141  cacccagtca aatcataagg aaacatcaaa gacaaagaga ttatcttaaa atattgaaga
40201  cagattattt ataagggaca acaattagga taacaataga gtgtggggaa actatcactt
40261  tcatctatcc ttacaatttg gtatagccgc atgaaggttt atgaaaaata aaaatcaaac
40321  tttaaaatgt atatagattt gtctcagcaa tttaacttct gacaatttat ctaaaagaat
40381  atttgcacaa gtgtatgttc aagattattt gttacaaagt tacttagtaa aaagttgtaa
40441  agaacttaaa tttgcttcaa taggacacca tctaaatatg tgatgtaatt ccatgcagcc
40501  attaaaaaga atgagatgga tttatataca ttaacttcta aaattatcta ccgtatatgt
40561  gacttgggtc tgctttccat ctctgagcct cagcttcctc ttctctaaaa tagagataaa
40621  agcagaacct acctcttagg atgcttgatt attagttatt atagacacat agtgtgtact
40681  atataattat ttgctgtttt attatttatt tcatgtattt aataagtact tgtatagtgc
40741  ttaccatgtg caaggtactg ttctaagtgc tttagaatat taattcatta tcaatataat
40801  atgttcataa gtgaaaaagt aagtaaagaa cagtatatct tattattata tattagagta
40861  catgtatatc gaactcttaa gtcatcatct ctgcatagag aattatatgg ggggtcccgg
40921  cacgatggct cacgcctata atcccagcac tttgggaggc cgaggtgggc gaatcacgag
40981  gttaggagtt tgagaccagc ctggccaaca tggtgaaacc ccatctctac taaaaataca
41041  aaaaattatc tgggcatggt ggcaggcacc tgaaattcta gctactcagg aggctgaggc
41101  aggaaaatca cttgaaccca ggaggcagag gttgcagtga gcagagattg tgccactgca
41161  ctccagccca ggcaacagtg caagattcca tctcaaaaaa aaaaaaaaga aagaaagaaa
41221  attatatggg gggtaacttc tattttatac tttatgtagg cctatacttt ttgcatcttt
41281  ataaagagaa ctttataatt aggaagaatt aatacatgta tttatgcttt ggaaaaaaaa
41341  cacttcttcc aaatattata ctatttttga taaagtaaca tgaatctttc tgttcattag
41401  tttgatattt ttgcagttct gttgctccat tgatctccaa gacaaactca gggatgggaa
41461  aagttttgtc aaaggtaatt gattcctatg ttgcttaggt tttcacaact cttggatatt
41521  ggctgaagaa ttttgaaggt ggaggttctg atgaacagga catagaacat gccatttctt
41581  tagggaagga atcaatccat aaagctgcta agcttgagac ctacaagagg aagctggcag
41641  agtcacctag atggaggaag tgaagggggt cagagaacag cagctgctgc tgaagtctcc
41701  actcatctga ctcttctttt ctatgtatag atggaaatct gaaatttatg attttatagt
41761  ctggaatagt ttgcaggatc cagcacaaaa gttttgttag ggttctgatt tctcagtgaa
41821  cattttccac actttgttgg gtgttactga cttacagcat aaagggaaaa gtaaaacaaa
41881  gggaagttcc tataggaaag ggaagcaccg ctaggtaaga actatttagg tatactgatt
41941  tgacattgac agggaagcct cagtcatctg ggaggcagaa gaaagttttc agtctcacaa
42001  ctgtggaggc tcttctggaa aggttaagcc ctgtctcagg cccccatgtg ccaaagggct
42061  ctaggagagg attcacggca ggatgtgacc agggaacatc ttattgtctg atgtcaccag
42121  agaaatctac atatcatatt tcatacattc taagatgctc attatttcat attttggcat
42181  atctgggtta catctcatca ttaatccctt acaatcacaa ttgaataaat tttagtttct
42241  ttgttgcaca ttttaatatc tctgaaattg agatttttct tacaggtgct aaaggcattc
42301  acacccagtt tgtggcttct gccctccagc taagatcgtt ccttagctgt ccccaaatat
42361  gagaatgaat atacaatgat aaaacaaaaa taaatcaacc atattggctc ataaagcttt
42421  ctttattttt aactagaaat tttccttctg cttgagatca tttcatttgt tcctcacaga
42481  aatgaaagca ttattttcag tgagatgatg ccacctagcc tttttccctc aaaacctttt
42541  atttgctgcc tattcatttt attaggttga aatagagact aagtggcttt tcagggccat
42601  atagaggaaa ttatctttta agagacaatt ttgtctgctt ctctaatcca cttcacattc
42661  tactttaggt atggtgtgta gccaaagagt gatctatgtt gtttttctta tatatctgaa
42721  accattttct cctgagtacc tctaaaggac aggaagacag atactcaggg gcagagggat
42781  atggcagtgg aacatgctga tttgaatggc agggctggaa ttttcagtga gggtttgcta
42841  tcatgattgc ttgggacaac ttttgaaatt ctgattttat ttccctgttt tgaccagtgg
42901  catatgcccc ctttaaaacg ctagaccaga gggccaacca tagtggctca cacctgtcat
42961  ctcggcactt tgggaggtcg aggcaggcgg atcacttgag gtcaggagtt agagaccagc
43021  ctgggcaaca tggtgaagcc acgtctctac taaaaataca aaaattagcc gggcatggtg
43081  gtgcacacct gtaatcccag ctactcagga ggctgaggca ggagaactgc ttgagcctgg
43141  gaggtggagg ttgcagtgag ctgagatgga gccactgaac tccagcctgg gcaacagatt
43201  gagaccctgt ctcaaaaaaa tagagagaga gagagagaaa caaataaaga gagagagaga
43261  gagagaatta actcctctga ccagtgcagg ggctcatgcc tgtaatccca atacattgga
43321  aggccaaggt aggtgaacct cttgaatcca ggagttcgag acaagcctgg gtgacatggc
43381  aaaaacctca tctctacact gaagtaaaat aaagtaaaat aaaaataaaa taccagacca
43441  tacaaatcaa atcttttaag gtgataacat aattactgtt ttttatagct gggggtgtc
43501  tttgttataa gatttttaa acattgcaaa agactcattt aaaatttata aatatctaat
43561  tttctttttt cccctcacat tctctgcctt aactaagatt ttttaaaatg cacttattta
43621  tttgaggctg aatgtggctc ttactacatt ctgtgaatat cacattcaga tgaatactgc
43681  tttgtatata gaaactggct gaatgtagtg tacttgagac ccaaattaaa atagatggat
43741  gctggagtgt atcaagctct tgttaattgc attttctatt attatcttgt ttacccttga
43801  agctttaagc cattaaggaa aatattgggc agaagctgga atcaagagag ggctgtcagt
43861  cagcaattgc tggtgggaag aggtgtcttg gcaccaatac aaaactgcaa ataagagcca
43921  gggagggtct agaagcagaa caaaaagaag agagtccttc tgggtacagg gttattgtag
43981  ggctccttca tgtttaaaca actccttatt tcctcagggc tttgaaaagc agcctcttgt
```

-continued

I. LISTING OF SEQUENCES

```
44041  caaaacgtgg agaggcattt tggggagtag caagggaagg caagtcatat ggagaattta
44101  agtggcttca gtgcatgagt ctccatcact tgtcaggaca cctgcgtgct gccagcccag
44161  tttctttgca atctgaaagg ctgcactatc tacccttaag gccaacaaat ctattcagaa
44221  actttttatc tgaagatatt tttgcagaca tatgaaatag gtaagacaag tagaattcca
44281  aaagatgaaa ataaataatt cctatctatc tatctatcta tctatctatc tatctatcta
44341  tctatctatc atgtcacaga agcagatgtc aatagacata actataaaag atcagcattg
44401  tcttcaaaat tttagacttc tggctgcctt ctttcctaga gatcaaattt acttgttgca
44461  tctacaaaag tggaagcaat catgtaatgt ttataccaca tttgatttgc tttttccttt
44521  gtttatgctg cagctcttaa tatcacaaat gccacagaga gaggtattta aaaccccacc
44581  gtgtgctgtg ctctcagtga ttgcagtttt aataaaattt gcagtggtcc tgttcccggc
44641  atcagtccta attgtttgat gccactaaca ggtttgattt gctgtcatga gtacattgtg
44701  catttgaaaa ccaaacaaag aaaaaaatca caaacctctg atatccctgg aggctatcat
44761  tgggaaaatt aaatctgcat gatttaatag gatgcatgtt ctaaaagagg agcttgaccc
44821  attgattttg actttagggg atattatggt atattatggt atggtttcat ctaaaaagtt
44881  ctataaggct ttcagagaag aatggtaaag tggtccttta gttgaacagt tgtcactgca
44941  tttctctaag aaaaagtcac ttgtataata atgatagcac tgaatagata atacataatg
45001  cttcaagtca acacatagtt aggccctctt aaagtgcagt gttaaagaaa atgtacttta
45061  aagtaattaa attgtttagt ataatgttga cattatatta tttgaaatga aaagttatcg
45121  tgacctgaaa tacatatact ctaattggag tgagttttta atatcagttt tcagatatta
45181  aaatgagatg cataagttca agcatacata cacagtaaag gaaaattgct ttctattcaa
45241  tgcattagtt catccaacaa agacacactg agcaatgttc caggtgcgac atgagacaga
45301  gaaggccatg cctccactgg gcttaatttc aaaatgtgac tattttgatt catgcaaaga
45361  tatcatggaa agctattaga attctatggc aagaaggagt tcaagtaatt ttatattcag
45421  ttattttctt cagatatcaa atacatgact ctgagactgt aattgttata tttatttccg
45481  tgaacaacaa actatacaag gcattatttt tggagaggac ttaatatagt ggttaataac
45541  atgggtggta ggatctcaag aaaactgcat gggctctaga gtctcaggta aacttcttga
45601  gtccaaatcc tggttctacc acctatcaca tgtgtaactt ccagtaggtt acttatctct
45661  ttgtgcttca gtttccctac ttgtaaaatt aggttaataa tactatctac ttcataaatt
45721  gaagaatgta gaagtagatg atatatttat agctcttaca agagtgactg acacagagta
45781  aacactcaaa tagaaattat caatgttagt tctagggcta atataacttc tgtgcaacag
45841  aagcagtgat ttacgcactt gtgcagacaa ttatagctcc cttttccatg tgtcatcttt
45901  atctctgagg tacaagcaat aaagtccaat ggcaaaaact aaatttttat ttttaatagt
45961  ttatttgtat taattttggt tctagcaaaa gaataataac caactttaaa tctgcaagga
46021  gaccccaaag tcatatagtt caattcctta gtttgtagat aaagaaattt gagactaggg
46081  gcagtggctc acgcctgtaa tcccagccct ttgggaggct gaggcaggag gattgcttga
46141  ggccaggagt tcgaggccag cctgggaaac atagtgagac ccccctctct aaaaaaagta
46201  tttatttaaa aatatttaaa aaaaataaat ttgagaccgg aaacatcttt tattttatag
46261  ataaagacac ttgagaccaa acaaattgtg actttgccca ggttggcaaa ggaacttgag
46321  tgtcttattc ctagtctagg acatgttcca ctacctattc cgattctttc ctctttttaa
46381  tatttatgtt gtgtagataa tactctgcag agttcacatg ctttagtatc agacagacct
46441  gggtgttaat cctgactgtg ctgcttacca gttatgtgag gtaggataat ttacttgacc
46501  tctgcaagtc tatttcctca tttgtgaaat gggggggtaat attatctaga acacagagtt
46561  cttaaaatgg actcagatag catattcaca gtgtctatgc agtagctctt tgataagtat
46621  ttgctgttgt tggtattgtt gtctgttgtt tacattgtta taaagctgga tgacatctat
46681  ccagagaata ccactagtca agcttcttga atttcataaa tagaatgtca acattaacaa
46741  ctgctcatct ggtctccaaa gaacataaat ctactttcaa tcagcaatgc tttgtacctg
46801  cattcttgtt acttgttaga gattataact ttggtgtggc ttcaccgtga caagtgataa
46861  agggaagctt atctaagaag ctgtgtaaag aggtgccttt aatggctaac aggagagagg
46921  ctatttggag tcaacctgtt aaaaaaaaaa atagtacaac aacataaaag tgaaggcggc
46981  cttcgtgtgt atcctgagct tatatcatat tttattcact atagaaatag atatttgcca
47041  aaaatcttgt tgaaaatact gatccattct agcactcact gctcccaagt aaatcccaag
47101  tgagaaatca ctttaaaaat ttagtgccat aaaaaatgat gagttcatgt cctttgtagg
47161  gacatagatg aagctggaaa ccatcattct cagcaaacta ttgcaaggac aaaaaaccaa
47221  acaccgcatg ttctcactca taggtgggaa ttgaacaatg agaacacttg gacacaggaa
47281  gggggacatc acacaccgga gcctgttgtg gggtcggggg agaggggagg gatagatagc
47341  attaggagat atacctaatg taaatgatga gttaatgggt gcagcacacc aacatggcac
47401  atgtatacat atgtaacaaa cctgcacgtt gtgcacaggt accctagaac ttaaagtata
47461  ataataataa aaaaaattta gtgcctggct gaagctctgt gaacaatggc tgcagaggag
47521  cttcctgcca gcctggggaa gccatagcct gcacatgatc tgtccctttt agtgaactaa
47581  ggttgacttg atggagccaa tgctggcaaa ggtctctgag gaaaactgac ctggatttat
47641  acaaggtcca gccttgcagg ttgtaaggga ggtcactttc atggcaggcc aagatccttg
47701  agatgttttg aaaatttgaa ggagaaagga attaggccaa aatgaataga tactgcagac
47761  gaaatcttat ggagaaattt ccttggactt acatccttag cctcagcaca gcaaattaat
47821  agaagcttgc agaagaccaa gctgagattt cttatagaga cctccagtgg aacaaactta
47881  aagaaggccc atatggttaa cgttcttgat gcccatatgg ttaacattgt tgatgcacct
47941  gtgtaaagaa ccaggctaaa tctaataagg ccatactcac tttgtcgtca agaatctttg
48001  agattctttt taatcaaaag tggggagact ataaggaaca atttgtgctt aaatggaaaa
48061  ttgtgtgttg tcattctaga gcacacctgt gttgtgtgat tccaattctg tgggagctgt
48121  tttaaagctt tataaattgt agataactgg cagcaatgct aaatcgttct cctccataga
48181  cttgcaaatg aattctgtcc agtggaaaag caaccaaaaa acccaatctg gctctgtttg
48241  cacagtcatt ttaatattcc tgatctataa atgggtctgt ccttgggatt ctcttttcac
48301  ctggttgcaa cacttcactg gtttccttgt gaatgagtta aataaaacct ttaactcatg
48361  tttattctga aaaaaaaaaa aaaaatcagt gcctgggttg gggagaaggg tctctgctga
48421  gaaactgaca ttttatccat tcctatagta agtactgtgt actttatttt cttttacttt
```

-continued

I. LISTING OF SEQUENCES

```
48481  atttttgct cggcctggca tgtatcttag aatccaattt gaagcttagt catagtatct
48541  gttacaccaa accatccaga ggttttctcc ctgatcctaa tatattgtta ttcatttaat
48601  ttatggccat atcaatatac cttccttaag atctctatgg aaagagaaag aaataactaa
48661  gttgacggat tcatggaact tctcctccaa gtggttctca aatgccagtg cacatcagaa
48721  gcatctggag atcttactaa atgacacagc ttcaggatgc attccccagt tattcatatt
48781  tgataggttt atgttagtgc tttttaacaa caccccaaag gatccttaat gcagtgaccc
48841  atgaaccaca ctttgaaaaa cactgacttc aggttttcta cttagaggga ctttattcca
48901  gatgaatcta aacaattcaa ggagaaagct tatctgcaaa tagtaagata tcaatgttag
48961  gatagcttca aattcatcca tttgtggaat gcctactatg ttctatgcaa tgaggtaatt
49021  cttaaggata cagacgaaag agagatgtgg ttcatttctt gaaaagtgtt caaattcagt
49081  gaggaagatg gatatgcaaa caagtaaaat gcaatatatt tacaatgata gaagtttgtg
49141  tagggttata tacacaggac agaggagata gggaaaggtc agggaaatct tcagagaggt
49201  gaaggccaac agggctttga ttgatgaaga gtgaggagct cttggtgagg atcatatcac
49261  attgagggag gaaaaagaaa atagaggaaa aaattcagat ttaccatgca agcacagcct
49321  gacactgact cataaccagg gagtaaaaga aggattagag agtttgggac agtatctatt
49381  agtggtgcta taaaaacaga ataaaccatg atttgactca caggctaaca tggagatcat
49441  cttcttggta tcttctcttg gacctttttt tctttttttt ttttttgag acagagtctc
49501  tctctgtcat tcaggctgaa gtgcagtggt gcaatctctg ctcactgcaa cctccgcctc
49561  ccaggttcaa gcgattctta tgcttcagcc tcctgagtag ctaggattac aggcatgtgc
49621  caccatgccc agctaattct tgtattttta gtggagatgg ggcttcacca tgttggccag
49681  tctgctctca agctcctggc ctcaagtgat ccacctgcct cagtcttcca aagtgctagg
49741  attacaggtg tgagccacca tgcctagccc tctcttagac ataattttaa acgggtagat
49801  acctaacatc ctgacaatgt gggaacctat ggtttggagg catatggcct tatctggcat
49861  ccagaattcc atctaaaagg ttacagaaat gttcccaacc caagccactt taggcaactg
49921  ggatactgtg gtatgattta agattaagtt tatggcttct atttattttt ccaactaaaa
49981  tttccggttg gctaaaacaa aaatcttatt cttaatagac ctcagctcgt ttaacgcatg
50041  tcagagtgca ggcatcttcc agagcttaga tcaaaaaagt tatttaaaag taaactaaga
50101  ttttgataaa cgtaccatgg ttatacagga tgctaacatt aggggaagtt gggtgaacag
50161  tacatggaaa ccttctatac tatctttgca actcttatgt aaatctaaaa ttatttcaaa
50221  ataaaaatgt tttaaaaagg taaactaaga aatacttctt tgtcctggta attaagcagt
50281  ttagcatctc ctcccatcaa aaacagaaaa tgaactttct ttaagaagaa aaaagtgaat
50341  caggaatgaa gtcacatatt ttattggctg atgattaaac ttctaatata ttttcagaac
50401  cagtttaaca aaagtgcggt tgctttatat acacctaaga ctgaaacaaa aacaagtaaa
50461  ctttgtgtag ctcttgtctg atttacatgg taaacatttc ttgctcgtac ccactattca
50521  ccatccatat ttacaagtga gaaaaacgtt accatctcaa aggccacaga aatgttccca
50581  acccaagcca tgggagggaa tcccacatca ttgaggcagg cagcccttat tttgtcctgg
50641  agaagagagt cactgtattt gaggatgatg tgtatgtttt ctaaaggagc ttgccttctg
50701  actccttcag agttggagcc acagtgggta aacctcttca ggcattgccc tgcttcaaag
50761  cagacagaaa cgtaaacagt ggcagtacac caggatcggg tttctttgct ttagctacca
50821  agagtcagga aagagaaacc aggtatttat ttaggtttgt cattattgct aggttttctt
50881  ttaatgataa gggtttgaga aaagaagtat ctgttcagaa acaaagtatc acagagcctc
50941  aataggatta ctttttcaac cacccagggc cacgtgtttt ttaagtcaaa tataaaaaca
51001  atttaaccca ttttgttctt tgtagtcctt gccttctaac aggcatctcc aactcagtta
51061  ttcttaaaat atgatgctag atgagacaaa tagtctattt aagagcagat tcaaataatc
51121  tgtatagatg agcatctatg ttttaataac agggtcgaaa gaatttctct ctctacagag
51181  tgatttctct gtctcaaata attcagttta tgaaaggagt taaggatatg ctttttaaca
51241  ccggaaaagg gtacttaaca tgatcaatat ctaggataca gccagctaaa gcagattgac
51301  gttacaaaat aaaataaagc cttctccctt tgaagtccgc taaaggaaca gctttcatga
51361  ctcagaaaga tatcctagag atcaaaaaag ctctggagaa agaaaaagaa ctagaagacc
51421  tggcttcaaa atttacctct agtacttccc agttatgagt tagctgctat attaattaat
51481  tgctttatat aaatcatgtc atttaatctt ctccacaatt ctatgagttg aaagttaata
51541  actacgtttt ctggataaaa aacctgaagt tcagagaagt tgaacagcaa ctcagaaaaa
51601  acagctagtg agagtgaagt gaggatccaa ttctaccacc tggattgctg ttagggtatt
51661  gtacatgagt gtaaggaaag tatcctacta ctaagatttt gacttcccaa cctctgagtt
51721  tgtcctttga aaaagccctg caatggtgtt cttatttacc aaatggtcag agattttctc
51781  aagatattga ctataaggaa aatgataaac aacttaatga aatggcacta tgaaaataaa
51841  ataatctagg aacaaatatt attttatttt catagtgcca tttcattaaa ttgcagcact
51901  attcacaata gcaaagactt ggaaccaacc taaaagccca tcaatgatag actggataaa
51961  gaaaatgtgg tacatatatg ccatggaata ctatgcagcc ataaaaagga aagagatcat
52021  gccctttgaa gggacataga tggagctgga agccattatc ctcagcaaac taacacagga
52081  acacaaaacc aaacaccaca tgttgtcact tataagtggg agctgaacga tgagaacaca
52141  tggacacatg gggggaacaa tacacactgg ggcctgttgg aggctgggag tgggaggaag
52201  gagagcttca ggaagagtag ctaacggatg ctaggcttat tacctaagtg atgggctgat
52261  ctgtgcagca aaccaccgtg gcacacgttt acctatgtaa caaacctgca catcctgcac
52321  ttgtacccct gaacttaaaa tagaagttgg gggaaaaaaa agaaaaaaga aaatattagc
52381  ttggtgcaaa agaaataatg gcaaaaactg caattacttt ttttgcacta acctaataaa
52441  gtgatcttca gaaaacagtc tactttttta aaaggcaaaa aacagagtgg tttatataat
52501  tggaataatt tttacatctc tttttgatac acacttctta ttttctaaaa ttttcacaaa
52561  tcatcttaaa cattaatgct gtcaccaaat aaattctcac aaagtaatag aaagctcagg
52621  aaattaatat ttgagaagta aatttagagg caaggataac ttaaactgag aagcatttat
52681  aattttccat tttgagaaat actctgtagc atttataaac attatatttt aattttctat
52741  ttcaataaat taatattgta ccagaatacc aaactgcatt tggaatcata ggcaactgtt
52801  atgtttgtcc tttcttgata tttgaaaaaa atgaccttcc ttttgaatgc tgccctcata
52861  atttaaaatt ggccttctcc ttcacagggg acattcacga taaactctca ataggcttta
```

-continued

I. LISTING OF SEQUENCES

```
52921  atttggagaa ttttagtttt gccttagcag cttttcttat atcttctctt aattctataa
52981  gtttaggctt tatatgtttt gaaattatat tgttaagtgc atacacatta attattgttg
53041  taattcctcc tctgcagatt gcatttttaa cctttggatg atgttcctct tcatcccttt
53101  tttataatac cttttagcat aattctgtat tgtttgatat taatatcatt accacatttt
53161  tcctttgttt tgtgttttcc tgtgctcttt gtttggtatt cttctatccc tttcttccaa
53221  cctccccaca atcttgtaag cagaatatag ataaatactt ttgtaattca atccaaaaga
53281  ctttattttt agtagataag tgtaggtctt tgtatttatt ctgaaaattt atttctatta
53341  ttctttagac gatttctatc atgtattatg ctgtttcttt tctctgcttc tttttttaat
53401  tccttttctg ttttctggta gatcattata tattttttta attctccact ttaacccaca
53461  ccacaaccac tttgctgatt ttgaaattgt ggatcacaat gttatatttc agtgattact
53521  tttacatttt aatatacata tatgatgcta taattctaac agtttaagat catgtaggat
53581  cttctccagt ctctttaact aaagcaagca tcttatcatt ctttaaaatc ttatctaaca
53641  gcaccttccc tcatcctctg tcactttcct tggcattatc caaaatttta tttatcttaa
53701  aacactgaat tattttatgg tccataaata gttctatcaa tatatgccac caattgctgt
53761  gttcatcatt caattttcat gtgccttttt tcttctgttt ccaatttctt atttctgaaa
53821  catattattc attagttcat tcaattagat ctgtgagcag atatctttgt ctttgtcttt
53881  gtatgtttga aaatgccact attttaccct gatcattcag gtgaacattg aaatctaagt
53941  tgacagatat tttccctcag tgttgtccta tgtcttctta catcaattga tgagaagtgt
54001  tctgtcattg taactataat tctttggtag gtaacagagt tcttctatct ggtcttttta
54061  cctttgatta ccagtacttt taccataatt tgtcatagaa tctgtattag ttatctgttt
54121  ctctgtaacg aattacacag aaactcaatg ttttaaaaca ataaacgatt atcacttcat
54181  agtttctata actcaggaag tacagagtga ctttcccagg ccaatgtatg gattatgttt
54241  gcagtaaaga tgttggccac ttctgcagtc atctgaaagc ttgaatgggc tgaaggatct
54301  aattcaaatg tggttgactc ataagttggt ataaattgat gctggccagt gcagagcctc
54361  cctttgtccc catgtgggtc tctcctcagg ctgcttgagt gtccccacac tatggtgcct
54421  tccttcccta agagtagatg atctaataga gaacaaggag gagttagtaa tgtttttcat
54481  ggtctagctt caaaagccac acacagtcac ttctgccaca tcctatttgt tagaagtgag
54541  tctaagtcca gcctacttcc aaggagagca gaggaactat actctacttt tccaagggag
54601  aatttgtgga caggttttaa aactacaata gtgtcaatgc aaaatgcacc agaaagtctc
54661  agtaacagaa tcacacaagc agaagaaaga acttcagagc ttgaagacaa ggcttgaact
54721  aaccaaatcc atcaaagaca aagaaaaaat aatttttaaa aatggacaaa gcctccaaga
54781  agtttaggac tatgttaaaa gtcaaaacct aagaatagtt ggaaggaaga agagaaagaa
54841  gataaatcta aaagtctgga aaacatattt gaggaaataa tcaaggaaaa cttccctggc
54901  ctcgctagag atctagacat ccgaatacaa gaagctcaaa gaacacctgg gaaattcatt
54961  gcaaaaaaat cattgcctag acacatagtt atcaggttat ctagaatcaa gacaaagaaa
55021  agaatcttga gagctgtgag gcaaaagcat caggcatctt ataaaggaaa atctatcaga
55081  gtaacagcag atttctcagc agaaacccta caagctagaa gaaattgggg tcctattttt
55141  agcctcctaa aacaaagcaa ttatcagcca agaattttgt atccagtaaa actaagcttc
55201  ataaatgaag gaaagataca gtctttccag acaaatgctg aattagccac cacaaagcca
55261  gcactacaat ctcaaatgaa ctctaaatct tgaaacagat tctggaaata caccaaaata
55321  gaacctcttt aaagtttaca tctcacagga cctatataac agtaacacaa tgaaaacaac
55381  aacaacaaca acaacaaggt attcaggcaa caaatagcac aatgaataga atagtacctc
55441  tcatctcaat actaacgtgg aatgtaaatg gcctaagtgc tccacttaaa agatacagaa
55501  tagcagaatg gataagaatt tcaccaacca agtttctact gtcttcaaga gactcaccta
55561  acacataagg actaacataa acttaaggta aaggggtaga aaaacatatt ccatacaaac
55621  agacaccaaa agcgagcagg agtcgctatt cttatatcag acaaaacaaa ctatagagca
55681  atagcagtta agaaagacaa agagggagat tatataatga taaaaacact agttcaacag
55741  gaaaatatca caatcctaaa tatatataca ccttaacact ggagctccca aatttataaa
55801  acaattatta ctagacctta aaaataagat agatggcaac acactaacag tgagggactt
55861  taatactaca ctgatagcac tagacagatc atcaggacag aaagtcaaca aataaacaat
55921  ggaattaaac tataccctac aacaaatgga cctaacagat atttacagaa cattctaccc
55981  aacaaatgca gaatatacat tgtaatcatc agcacatgga acattctcca agacagacca
56041  tatgataggc cacaaaacaa gtctcagtga atttgagaaa atagaaatta tatcaaatat
56101  tctctcacac cacagtgaaa taaaactgga aatcaactcc aaaaggaacc ctcaaaacca
56161  tgaaaataca tggaaattaa atgacctgct cctgaatgat tgttgggtca acaatgaagt
56221  caagatggaa atttaaaaat tatttggact gaacgataat agtaacaaat agtgagacaa
56281  cctatcaaaa cctctgggat acagcaaaaa cggtactaag aggaaaattc atagcattat
56341  ctgaaaaagc acatatagac aatccaaggc cacacctcca attctccatg caattggtga
56401  aacaagaaca atctaaacac aaatgcagaa gaagaaaaga aatataaaag atgagagcag
56461  aactaaatga aattgaaatg gaaaaaaata caaaagataa atgaaacaaa aagctggttc
56521  tttgaaaaga taaataaaat cgatagacca ttagctagat taaccaagaa aagaagacag
56581  aaaattcaaa taagctttat tagaaatgaa atggaaggta ttacaactga tatcacagaa
56641  atatgaaaca ttattcaagg ctaatatgaa cacctttatg gacataaact agaaaaccta
56701  gaggagatgg ataaactcct ggaagtatac aaccctccta gattaaacca ggaagatgta
56761  gaaactctga gcagaccaat aacaagcaga aagattgaaa tggtaatttt aaaattgcca
56821  agaaaaagca gtccaggacc agacagattc atagctgaat tgtatcagac attcaaagaa
56881  gaattggtac caatcctatt gacactattc cacaagatag acaaagaggg aatcctccct
56941  aaattattct atgaaggcag tatcacccta atactaaacc aggaaagagc ataaccaaaa
57001  aagaaaacta cagaccaata cacctgatga acacagatgc aaaaattctc aacaaagtac
57061  tagtgaactg aatccaacaa cataccaaaa atataatcta ccatgatcaa gtgggtttca
57121  taccagggat gcagggatgg tttaacatat gtaactcaat aaatgtgata caccacataa
57181  acagaatcaa aaacaaaaat cacgatcatc tcagtagaca cagaaaaagc atttgacaaa
57241  attaagcatc ccattatgat taaaaccctc agcaaaatca gcatagaaaa gacatacctt
57301  aaggtaataa aagccatcta tgacaaaccc acagccaacg ttatactgaa tggggaaaag
```

-continued

I. LISTING OF SEQUENCES

```
57361  ctgaaagtgt taccccctgag aactgaaaca agacaaggat gcccactttc accacttcta
57421  ttcaacatag tactggaagt cctagccaga gcaatcagac aagagaaaga aataaagggc
57481  atccaaatca gtaaagagga agtcagaatg tcactgtttg ctgatgatat aatcttatac
57541  ctagaaaacc ctaaagactc atccaaaaaa ctcttagaac tggtagatga attcagcaaa
57601  gtttcaggat acaaaattaa tgtacacaaa tcagtagttc tcctatacag caacagtgac
57661  caagctgaaa atcaaatcaa gaactcaact gcttttacaa tagctacaaa aataaaataa
57721  aatacttaag aatatatcta accaaggagg tgaaagacct ctacaaggaa aactacaaaa
57781  tactgctgaa agaaatcata gatggcacaa agaaatggaa acacatcccg tgctcataga
57841  taggtagaat caatattgtg aaaatgacca tactgcctaa agcaatctat aattcaatgc
57901  aattcccatg gaaataccac gattactctt tacagaacta gaaaaagcaa tcctaaaatt
57961  catatggaac ctaaaaagag cccacatggc caaagcaaga ctaagcaaaa agaacaaatc
58021  tggatgcatt accttaccca acttcaaacc atactacaac gccacagaca ccaaaacagc
58081  atggtactgg tataaaaatg ggcacagaga tcagtggaac tgaattgtga acccagaaat
58141  gaagccaaat acttacagtt aaccgatctt tgacaaagca aacaaaagta taaagtgggg
58201  aaaggacacc ctattcaata aatggtgctg ggataattgg caagccacat gtagaagaat
58261  gaaactggat cctcacctct cacctttttac aaaaatcaac tcaagataga tcaaggactt
58321  aaattgaaga cctggaacca taaaaattct agaagataac atcagaaaaa ctcttctaga
58381  cattggctta ggcaaagact tcataaccaa gaactaaaag caaatgcaac aaaaacaaag
58441  aaaaatagat gggacttggc cgggtgcatt ggctcatgcc tgtaatccct gcactttggg
58501  aggccaaggc tggcagatca cttaaggtca ggagttgaag accagcctgg ccaatatggt
58561  gaaaccccat ctctactaaa aatacaaaaa ttagctgggt gtggtggtac gtgcctgtag
58621  tctcagctgc cctggaggct gaggcagagg aatcacttga aactgggagg tggaggttgc
58681  agtgatccta gatagtgcaa ctgcactcca gcctgggcaa cagagcgaga caccatcatg
58741  ggaagaaaaa aaaaaacatg ggacttaatt aaactaaaaa gcttctgtac agcaaaagaa
58801  ataatcagca gagttaacag acaaccccca gagtgggaga aaattttgca aataatggat
58861  ctgaccaagg agtaatattc agaatctaca aagaactgaa acagcaagaa aaaaaaaatc
58921  ccatcaaaaa gtgggctaag gacatgaaca gacaatctca aaagaagata tacaaatggc
58981  caacaagcat ggaaaaatgc tccacatcac taattatcag ggaaatgcaa atcaaaacca
59041  caacgtgata tcaccttact cctgcaagaa tggctataat aaaaaataat agatgttggc
59101  atgggatgtg gtgaaaaggg aacactttta tattgttgtt gggaacgtaa actagtacaa
59161  ccactatgga aaacagtgtg gtgattcttt aaagaactaa aagtagatct accatttgat
59221  ccagcaatcc cactactagg catgtaccca gaggaaaaga agtgattata caaaaaagat
59281  acctgcacat gcatgttcat agcagcacaa tttgcaattg caaaaatata gaaccagccc
59341  aaatgctcat caatcaacca gtggataaag aaaatgtgag acatataaat acacacacat
59401  acatacatat acacacacac catggaatac tactacatat acatacacac acacacacac
59461  acacacacac acatacatac catggaatac tacttatcca taaaaaggaa tgaaataatg
59521  gcattcacag caacctggtt ggaattggag atcattattc taagtgaagt aactcaggaa
59581  tggaaaacca aacattgtat gttttcatgc ataagtggga gctaagataa tgaggatgca
59641  aaggcataag aacgacacat tagactttgg ggactcaggg gaaaagagtg gaagggggat
59701  gagggataaa agactatata ttacgtacag tttaccctgc tcaggtgatg ggtgcaccaa
59761  aatctcagaa atgaaaaaat tttaaaaact acaacaatgt caaattgttt gtattaatcc
59821  tcctatgcaa tcccagtgcc acttgaaagg cagtcttcaa gtacttctga aaaatactca
59881  tccccaaaac acaggcaaaa aattttgatt cagtaaccta aattgtgtgt ctggcattta
59941  attgtttgtt tgtttgcttg cttaaacttc ataagtgatt caatgaattt cgagttttaa
60001  aagccaccac tttaactgat ctggggtttc atgtattgct tcaagcctag aaaatctcca
60061  ccactatgtc ttcaaatata acctctctgc tcttccttct cttctctact gctcacactc
60121  ctgtaagcat atattagagc tctaaatctg ttcttcccat cttttagtta atctttcaca
60181  tttctgtcca tctttctctc tggcctcagg gctgtatgat ggcttaagtg ccatcttctg
60241  attcattaat tcttcacttg accttgtcca agcttgagtt tatcatatct tttgtgtctc
60301  tgcttgttat tatcaatttc tagcatttct actattatat gtatttcaat tttgcctgtt
60361  tgttttataa tttattttta tacatatact attatttaag gttcttaaac tccttttgaa
60421  cttctttgtt ttcttccaga gtaaattaat cccccagtta ctgaattcat taagttgaaa
60481  gtcaatttat tattgcttag caattgtttt cctaatgtgc tttgaaatta tgatttgcca
60541  ctgtaaatct tatcatcatc tctctgaaat gatttattcc ttttccagta attttggggg
60601  ttgccctcta cttccttcat tcatataaga tatttcaggg agcaatttta ggactctatt
60661  ctgtaatgtt ttgacattca atccagaccc agtcactaaa ccgtcaaaag cataacacat
60721  gttctgacta cgatactatg actgctttgg tttcaagcag cgagcctcca atcccccatc
60781  tcatatagta cacttctaga gaaatcaaac ttcaagcccc tttctctgtt tatagaattg
60841  gaactcagca gtgactactt atctgttgtg ttttgtctac tttcttatac actgagatat
60901  tcatcttgtt ttttaatatg gctttgtctt tttaggtagc aaaaaattat atcttcatta
60961  ttgctatgta cttatattct acctagatga ctgaattgta atatcataac accaacttga
61021  gtagtactct ttgtgctata attattatat atcatcatat aaattctatc cagctgaata
61081  tataaaaata aaaatttata ttattgtttg aaagaggtca aaagtattga tgtttaaaag
61141  tgatattttt atccatctag aaaacacaag agtatcaact ccaaagctac tttaactaat
61201  atgataatta atcctattta caaataaaat gcacttatgt acacatatat taacagtttt
61261  cctatatagc agaaataacg cattagaaat taattgaaat aatggcattc acagcaacct
61321  ggttggaatt ggagatcatt attctaagtg aagtaactca ggaatggaaa accaaacatt
61381  gtatgttttc atgcataagt gggagctaag ataatgagga tgcaaaggca taagaatgac
61441  acattagact ttggggactc aggggaaaag agtggaaggg ggatgaggga taaaagacta
61501  catattacgt acagtttcat tcttgttagg tggatagaag tgggaaaagg gtcttataga
61561  tagtaagtat aaagagattg gttttggttt gattttgatt tacagatatt ctctctcctt
61621  tacaacacag ttgatcaaaa tggattgcta ctatggtact gagtttctca taaataaaac
61681  ttttcaagaa aattatggat tactatttac cttggatgtt gaagtgaagt gaataaatta
61741  tatctcagat tagtccaata agagcagtca ttgattattc taaataccct attggacagt
```

-continued

I. LISTING OF SEQUENCES

```
61801  tccaacaaaa taggatgaaa atgccccact aatgcaactg gcaaataact tgtttaacaa
61861  taaatgtgtt cttctttcta caagagactg tgctggactt tagaggaaaa taaagcagca
61921  acaaaagtct gatactaatc ccagtttaat tctagcccta acctccctaa agaagattac
61981  aaatcaattt ggaagacaag aacaatgcat tacatataaa gcagttaaat aaaaatttag
62041  taattaaatg ggaataaaga ctatgaagca gaatatttta aaaatgataa gtggtaaaac
62101  aataagttca gaagtcaaga gtgatcctag taggctaggc gagcaggata tgtggaaaaa
62161  ctaggactac tgtttgagct cgaaatgacc aaaaaagtca tacagcgaat aactatacct
62221  gagcttaaat aggcctatag acttttcttg cataattttc tctaatttaa agtaacctca
62281  attgtgtgtg catgcatgta aatgtgtgta tgttaatgca taaacatata taaatttgta
62341  tctataaaga ggtataatat atttgcatta gaaagaaatt ttgatagtct ataactgaaa
62401  ctataatttc tggtagaact tctaagcttc ctcccaggaa aatgacaaat cttagacatt
62461  ctttcatgtc ttgagttcat ccactgttta cttacagtgg atgaaatagg tgtattcttt
62521  caaaattttg cactgcttcc aatcccaaat aaggcaaaat gaacaatagt agcaacaata
62581  acatcaaact gaaaaatttc aaaggaaaat taatattatc taaaattgag cctacgctca
62641  aagtagagtt caagtatagt cctgtataga tcatggagtg aaactgaaac gagactcaga
62701  attgacctgc agttgccctt gaaccctgac aaagaacact ctaagagaag aaaatgacaa
62761  gtgaatataa ttctcaaaat ttactaatgg aaaaagttta ctgatactct ttaactttag
62821  tggaataaag ttttggagat accacagttg cagaataaag acacttaata tccctataaa
62881  aacaccatgg ccatcccaac cactctaagt tacttggctg ataaaggaaa tagaaaaaga
62941  gagagaggga gagagttttt gttttgtttt gttttgtttg tttgtttttc caaacttaga
63001  aacaaacaca ttgttctggg gctctagaaa gatgtgtcca gcccgaaggc attcaaatgc
63061  aatttttcaa gtctaatctg gcccagtcat ggaccttctt tcatttctcc tgattgaggt
63121  atgtgataca gacagggaat ctgcagtttc ctaatgtcca gatgaccagt tttaaatatg
63181  aaagaaacta atatttatcc aatacctatg ctttaccagg aaccgttacg aatattgtaa
63241  aaaaaagatt tcttcatttg aaggtacatt tgacagacga cctctaaatc tccttttaac
63301  gataaatata ttcaattcag aagttttaaa tagtttttga acttgatgct tataaacaaa
63361  aaccaagaat gtaccactga gttgatggag gtagggaaag ttcagacagt agaatctaaa
63421  tgaggaatca caaattcact taaatgtaag gggattgggt gttaagtgta aatatgagac
63481  cttctcattg ggaagactca atgtctgaaa agggggttga atttctggct ctgcacctgc
63541  agcaaatctc caagacttag atcctttgtc cggaaaatgg gctaattttg gcggggagga
63601  agtgaagggt ttcactattt atttatgaca aatattcaac actcacaatt ctctccaatc
63661  agaagttctt tgagatgctg ttggtcttga ccagtcagag aatggagtca tctgactcac
63721  ccattctgag aatggtccta cagacactat aggttttaaa ttggccatta aacctgccta
63781  taaccttgtc aaccttggct aagttcatct ggatggatgc atggtccttg gcacccatga
63841  tgcggttgct ggcggaacat ttccactgca tgttcaggtc cacaaactca ggctggataa
63901  tatcaattat gttcaattac agagacatgg ggagagtcaa atgagatcga gtaaaaaatg
63961  tgcatgaaaa tatccacaat ctgtgaaaga ctatgcaagt gtattattgt cattgaatgt
64021  tgttagcaat agcatggcca ttttttactt acaaataaat attgcagttg acatattact
64081  aactctaaga aaggttcaaa tttacatgaa caaataaaac ttcaggaaag aaaactagag
64141  ttccacttgg ggactacgtc tgacatggtt atattaaaca ttttggaaca attaatttgg
64201  ttttgttgtc tctcttctag gatttttaaa catttataaa ttctcaattc tttctattca
64261  atctaaacat tttacaatat cctgtggacc ttacttcctt agtagattcc cagaaggtaa
64321  tgatttgctc ctttctgctc tccaagcagc ttctgtgttg gtgcagagtt gcagatctct
64381  gttggtggta ggttctattc tgcagaaacc ccctaatcct ctgtttacca caacatgagt
64441  ctattgccat agaaatgata gctgagatcc cagattgaac accactgact tcacagcagg
64501  gcctggtaag aggagactct aagctacaag gggggaacgc aatgtatgag aatagtaggc
64561  actctgtagc cttgaaagaa agggtaactg tcaacattag aataaaaatt catgaaagag
64621  ctacattgtt aggtatgctg tagtttattt tctgtataat actgcctggc taaaagtaat
64681  cattctgaaa tcttatgtca tttaacagtt tgctttcaaa aggtctgcag ttttccttga
64741  ttgcatttgt ttcttattga aataagaaac aagcagcttc taattaatct tgttgcacaa
64801  ctgatgtttc tgtggtcaaa gatttccctt ttcatgatgt gttgttttgt ttgcgtgttt
64861  attgtgtgtg tttgttttgt cttgttttta ttaacagaag aaagtgaacc cgaacaagat
64921  actaaaggta tttttttttc tttctgcatg gcttcttttt aattgtgtag ctcttttcaa
64981  ttgtttattt ttgttgacct tataaacagc tctaagtgcc atttttaaag aaataacaaa
65041  caatgtatgg ggaatattaa gtcacagcac ttaacggtgt tattagatag gcttctttat
65101  tatataatat gcttactgac catttgcatt tcttaagcaa gattgagtta aaagtaatgt
65161  ttaaatttgg tgtctctgga aatacaaaca aaatgaaatg aaataaatca gcatgagagt
65221  ataaatccca catagattgg aaaagaaaga taccctttga ctaaaagact tttggtgggg
65281  gttgggggc tttacagtct ttggataaat gttaggatgt caaggtgcca atttggtttt
65341  tattgtgatg atttcaacaa gatcaggagt attatgcaat tgctccaaat caataaaaat
65401  taagttattt taattgcaca gagacatatg tttgtagtgg aatatgttta gaggaaaata
65461  gctggaaatt aaatttgtat gggaaaaatt ctacttttc cccaacagtt ttctgtcaac
65521  agtttctgtt ttctgtaaaa aaaaaaaaaa aaaagaaaaa agaaaaaaaa aaaaggtacc
65581  ttgcattctg attaagcccc aaactttgtg ctcttctaac ctaaaatttg atatttgggg
65641  gatgaaattt gtgagttctc atgtaataga gttgactgta ggaattaatc tcaaactggt
65701  attatttaaa acagtacctc cttatcttag tatctcatat aaagtacaga taatgttttc
65761  ttatttttaa ataccaggtt gcttacaatt aaatacaggt aaaaaagcat tttacctggt
65821  cctatgtgaa tttttttct taatttattc ctatcagtca ttgctggttt gaatcatgta
65881  acctaaaaac ccttttcaaa ggaagctaga aaataacaaa agaggaaggg aaaataaaat
65941  ccatgggagc tccttgtgtc ctttgaaata actgctcaga aatagaaatt gataagagac
66001  ttaagtattc ctctggcact gctcccttac caagaaaaga gaggtagttc atctccagcc
66061  aaaccactca tttatttcag gacttaacat ggatgccctg tcccttgggc tttttattac
66121  actccagtgc aatttcagag tgaattatgc ctttatcttt ttactatacc ttactcctta
66181  agatgacaat caataataaa actgattaca tatctgaaag tgctttgaaa taaggagaga
```

-continued

I. LISTING OF SEQUENCES

```
66241  gagagaatat aatgtgggta tgttataaaa gattttagaa ttgctggctt cttgagccca
66301  attttgaata taggattctc cacttgcagt tagcctgcaa gtctgctcaa gagacattaa
66361  agccccaaac tcatgaatag atcccatgag agaaaaccca gagttaaata tattaccttg
66421  gtctattttc catgttgcag atgcacttgc ttacccacag gaaaccaagt ggtttagggc
66481  tcacagtgaa ttggagaagg atggataaga ctatgtacag aaagaggggt ttgatgattt
66541  ttttgtttaa aaatccatat caaaacagtt ataaatgctt tccaacttac taagtaattt
66601  aatgttcctt ctattaagtg gtttaattgt ttatgtaaca aaaacacttt tatattcttt
66661  tatgcagata aaacacaaaa tagggatatt ctatgcccat tttatttaat aagaaacatg
66721  tcatataact ttttaaattg atgacctaga atgcattttc agattgtgac taccactgaa
66781  ataatgggat ttactgttga cttgtgtcca agtttgttat tgccggtgta ttattattca
66841  tggaggttaa tctggcattt atttttaatt gcaactgact ttattgttta caatgcttga
66901  aaaacatgtc aaaatttccc tcatcacctt tttacctttc atatttgaaa aatggtaaat
66961  ttgagtatta tgcaattgct cagatagagt tgggtaaaaa catatcagct ttattgctga
67021  taaggctgga atgaaaaata aagatttcta ttccatgtga ggattagact aacataactt
67081  atgtttcctc atcctcttcc tccccacccc actctttccc cttgactctt agttgtagga
67141  tgaagaagcc ctgacctggt aaacttactt acacacatca accctatatc cttcttagat
67201  gcaagagagc tgggagactg atagctcaga ataggattga gatacacata acatatccaa
67261  gtcccttccc ccaaccttac cagagaagtc atcatgttcg ttcatttatt tattcgttca
67321  ctcagcaaat attcattgag tgcctaccat atatatatac catgcagggt tctagaaata
67381  gagacagata tgtagataga tatatagatt gtatcagtca gctcatgtta aaaagcaaag
67441  caaaccttgc ccttgtgatg cttacattct agagaggaga gactgacaaa aaacaaacaa
67501  gcaaacaaat aaatcagtaa ttaccaaatg attcagatag tggtgatatg atacaatata
67561  aacaagggta aggggaatgg ggatgagaaa gtactatgat aaggaaacat ttgagtagaa
67621  acccagaaga catctgctat ctcctttgag aagggaggaa gactgggagg aagggtggaa
67681  actaactttc aatactgaaa aaagggggtt gagtttctat tttatcattt agagagcatg
67741  tgagagtgca ggagaaagca gcttcccttt aatccctggc cttattgtcc tcttaaccta
67801  atccactgca cttaatgaaa cccatggtca gccatagcct atctgccccc ttcagggaga
67861  agtttatcag cagtctcata ttcatgaagc tacctataat gtcagcagta ctcctgtacc
67921  tgcctgtgcc acactggagc ccccagaaag ttcccatgga gggcagagta ttacattagt
67981  taaattaatt ccaaagtcac gttgaattga ctctgtttta tttaccatac cacactatgc
68041  ttagttgtgt tgtgcaatgt ggataatcag aggtttcaca ataagcccaa atgatattcc
68101  aaatataata acagccaaaa gaaaaaaaac tgctataaat taggacaaaa taaaaccttt
68161  ccaagaagaa tttaaagtcc ccaaattaaa actcttggct tcataaatta aagcagcaaa
68221  acataatcga aattacatta ttctccaatt ttttattctg ctcatcttca gccagaaggc
68281  tttcattcaa aaggcgtttt tgattcaaaa agttcaaggg tatagtcaat gttactagaa
68341  cagttttcta gcacatgtga ggttgaaatg tgctagattt tccaaatctc tcaaagatcc
68401  tgcttgtttc agattctcgg gcagtgggat ccatagatgg tcatgcagta gtcccacact
68461  caaaaaattt aggaaacaca agcatagccc caacccctac aagagttatt ttagccagat
68521  gatgcacatg gactctaagt ctccattatt gtaaccagaa aacattagaa gagtacctgg
68581  acgcaccctc actacgatgc ctgtcagtgt tagttgtcaa gagtctgtaa cgtgtgaatt
68641  tagattaagt tgggagaata agaatccaag cagaggcaca cattgcattt gggtgatatg
68701  tctcttaagt ctcttttaat ctataatgga tcactctttc ttttttaccc cctaatgcta
68761  atgattttcc ctgttaaata tctgggtttg attgaattgc atctccatag tgttctttga
68821  aatgttcctc aaccctttaa tttttgtaga ttgttaattg gaccccagga cttacttaaa
68881  atcaggctca attttgcttc tgggggacag attcagcttc attttaaaca tttgatagca
68941  ttctttgtta ttttttaata atctcttttt gccttgaaga cagcaccttc cttgcatttc
69001  ttttctcctg gttttgggac ccacatttct atatctaaaa tatcaatatc aaaagatagg
69061  aagtcaaatt aatttaaatc tgcaaaaagc ccccaatagt caaacaaatc aaatgttcct
69121  taatctcttt aaattatgca atgcttttta agaggtactc aacaatgaga ccaactggaa
69181  acactactct ggacctgttc tatcattgtc ctgcgtatct ccttatgtag cacatgtggt
69241  ctcccatact ttagtttaga atccaatatt cacaaatttc aatttaacta gaattaagtt
69301  tcaaagcatt gtgctaattg gggcttcata ctctaatatt atattctgtg cttaagtcct
69361  agaaatcaaa aagtaggagc ataaaatata cttacagtat aataggccat ccaaaagatt
69421  ccgtaatagt ttaaacaaac actgaatttg aagtcagaag acttgagtcc aggtttctca
69481  ctcatcattc ttgttacctt gggaaaccaa cttacttaaa ttaacaaaga tttggttttc
69541  actgctataa gataagaaca ggaatctagc caatctctgg agtctcttcc aagtttaatg
69601  attctgtgaa tctaagtacc ctccaatttg taatgcattg tgagcctcaa tcccactgtt
69661  tagttaaagg taaaatttct tcctacatca aaataacctc ctcttactta atcagtgggg
69721  attcagggtc agaaaggaat agaaattact cattctgctg cctacacttt atctaaaata
69781  tcctttttt tttttgccca atatatcatc tgaaaagttt gacacaattt gtctgccctc
69841  ccactatgat acagttgagg gtgtaaagtg taattatttg attaattcaa taaaatacta
69901  tcctgtgctt gctctggtca ggaactctgc ctgaaacaat acagcagtca acgaaaggca
69961  aggcttttgg cttcaaacaa tctaatggga aaggggaata atagacaagt aaaaaataaa
70021  taaggtaatt tcagatagtt gtaaggtctg taaagacaat aatgtaggct gatgaaaagt
70081  gaatgggggg aggattacac ttgatgttgt gtgagtaaga aggacctttc tgagaaaatg
70141  tcacttaaac agagacttga atgattcaag gaacctacta cttgaggatc tgggggatga
70201  gtggtctagg cagaggaaga acaagggcaa gtttccatgt taagaacaag ctcagtgtgt
70261  ccttgagtgg tgagaaatat agggttataa cataaagggc ttggaggctc ggccatggca
70321  tgtggtatta tccttaaaac agagcaaaca ctgaagaact gcacacaggg gaacatggtc
70381  taatttgcat ttctaaaaga ccaccctagc ttgaccattt cctgcaggag cgtcactcac
70441  cacttctgtc ttcctaacag tttttgccag gatcctgcgg gctcctgaat cccacaatgt
70501  cacctttggc tcctttgtga ccctgcactg tacagcaaca ggcattcctg tccccaccat
70561  cacctggatt gaaaacggaa atgctgtgag tgtcatgtgt gtggggactt gtctggggaa
70621  gacccattgg tggtgaactt caggatagac catatagttg tagttaccca gatctctgtc
```

-continued

I. LISTING OF SEQUENCES

```
70681  attggtctca cctacaccac ttttcaaagc ctcccaatat ctttgtccta gaagccattg
70741  ccatagaaat caaactccaa gagtttgctt ccttccatgt atcatgagga atactagaaa
70801  accaatttct ttctttgtgc ctttgtgtaa atgggaagtg gtaataatat cttcccatat
70861  aagtaaaata attttcatta aactcatcac cgaaagatta gttccctgct agaggctact
70921  ttgatggaaa gtaatccgga gttagaatca gtgtcagttc agcattcttt tcttcatttt
70981  caatagtggt aataataact gatgtatatt aagtagttat tttcagccag gctctattcc
71041  aagcacttta cctacataca tttatttatt tatttattca ttctacaaat atgtattgag
71101  cttctgaaca tcaaacacta ttctaggccc tgtggataca ggagtaaaca aaacaggcaa
71161  agttctctgc cctcaaagag cttaccttct catggggaaa tacgggaaaa tatatgttgt
71221  atgtgtatgg tgtcaaatgc catgcagaaa aataaatcag gaaaaggaga cagaaagttc
71281  aaccttagga gaaatcagaa ctctcctaca ctgttcatgg gaatgggaat tactacagtc
71341  actatggaaa acagtatggc ggttactcaa aaagctaaaa atggaattgc catatgatcc
71401  accaatccac tactgggtat acagtcaaaa gaaagaaaat cagtatatct aagaggtatc
71461  tgcactccca tgtttattgc ggcactattc acaataacca agatatagaa tcaaactaag
71521  tatccatcaa tggatgaatg gatacagaaa atgtggtaca tatacacaat gaaagaaata
71581  ttactaatcc ataagaagaa taaaatcctg ttatttgcaa caacatggat ggaaccgcag
71641  gacattatgt taagtgaaat aaaccagaca cagcaagaaa agtatttcat gttctctttc
71701  ataactaaaa aaattgatct catggagata gagagtagaa tgatggatat cagaggctgg
71761  gaaaggtagt ggggaaggga ggataaagag gggttcgttc atgggtacat aagttagaag
71821  gaacaatatt gagtgcttag tagctttatt agtcagttct cgcatcgcga taaagaaata
71881  cctgagactg ggtaatttat aaagaaaaga ggtttaattg gctcatggtt ctgcaggcta
71941  ttcaggaagc ataatggctt ctgcttctgg ggaggcctcc agaaacttac aatcatggca
72001  gaaagcaaag tgggagcaag acatctcaca tggccagagc aggaaggaga ggaaaggtgc
72061  cacacacgtt taaacaacca gatctcacaa ttcactcact cactatcatg agaacagcac
72121  tgaggggatg gtgttaaccc attcatgaga cttctgtccc catgatccaa tcaccccacg
72181  ccaggcccaa ctccaacact gggaattaca attcgacttg agatttggtg gggacacaga
72241  tctaaaccat agcaatagca caacaggaca actatacata gttcacgata ttgaactaca
72301  tagcacaata caatatttaa gtatttcaaa atatcaagaa gagtggaatt ggaatgttcc
72361  tagcacaaaa aaatgacaaa ttacttaggt gatggatatc ccaattatcc taatttgatc
72421  attacacatt gtatgcttat atcaaaattt cacatgtacc ccataaatat gtacaactat
72481  tatatatcca taaaatttta aattaagaaa cattttaaac agaaagttag acctcaggag
72541  gaagattata tttttaaaag aatgatcagt gaaggctcat ttggacaaag acatttgaac
72601  aaagatctga aggagttgaa gggtgaagtt acatagataa ctgggggaac ataactagac
72661  aaagtctctg agataatggt atacatggca tgtcagaaaa acagcaagga gaccaatgtg
72721  gttagtgggg agtaagcaaa gggtcaagag atgagaggca ggcattgtgg atcctatagg
72781  ccgtgtggtc atttagacaa ctttgctttt atttgagtga gatgaggtgc cactgtaggt
72841  ctgtttctgt tgtctgtttt cccactgatt cttgttcatt ttgtgttgtt tccttgtgtg
72901  cctagctatc tttgattacc tgctgtgcat tgttttgtat aaaaatatca ggaactattt
72961  tgaggtctag atgaaggtat tttcctccaa agagaatttt gcttgtttct gccagggaca
73021  agaggttact gctaatcttg taccaccttc aactaagctc aaggtatgaa gctccttggg
73081  catcccagat aattataaca tgaccagtaa ttcattatgt ggactattta acttgtagtt
73141  cacactgata gctccctgat atctagttct tttatatctt aatttattat atctcttatt
73201  agactcttaa gggcatgaag ttttgattta tctcctgact ccctaaggcc atccaaagga
73261  aagttcaaat tttctgggtt tggaaaactc tctaagggta aataagattt tcttagtttg
73321  ttacatctgt taaaaatttt tttttcaaaa ttttaatttt ctcactgtgt agctttgtct
73381  gaataaccta acatcaacat ctgagacaga aacctaccat ggatttttat tgtcattata
73441  tagactttaa ccactttggt ttgcaccgag tctttagttt ctgatactct ttatgaggtt
73501  aagaaaatgt atttttattc ttaatttgat aattattttt aatataaata tattttaaaa
73561  tcaataaaac acttcatcat caattacatc ctctttttga tgtcattttt cactttaaat
73621  tgcaaagttt cccttatatt gaaccattct ttcatttctg aatacattgc tttttgttt
73681  aatttttaa ttgtgttgtt tcaattttct gtatttcttt caggattatt tgcatctatt
73741  ttcaataaca gaaatggttt tgtcttttag taggctatca tgatcaggct ttgttaatat
73801  ttttccaatc ttatagaata gactgccaag tttacatagt ttcctttgat acagagcttg
73861  aggtgagaaa gttgagatgc aagtctttct tatactccaa gacattttcc tctactatac
73921  caataattac tgcttctctc ttctccacat cctttctatg tagactccat tgaaatgaat
73981  ttctttcaaa acttcaatct ttctcttctt tatgctctgc atatgtttgt ggaggaaata
74041  gggggcccta ttttatctgt caggttattc tcaagctcta gtgtccacca tgattgtcaa
74101  ctataggaac ccacaacaga aaatctcatt cgcaatctct atctcacagg tagatgcctc
74161  agcctggtgc catatgcata cattatagct cccagagttc ttcaattact ttgctgactt
74221  tcttaaagtt ggctcctgct tacagcccct gctatctgaa gtttgaaatt ttccatgact
74281  ttgtagggaa aatgtatcca ttctcctctc agtaaacctc ttcttttgtg ctaggtttca
74341  gctacttagt tgatgttaat ttttctatct atcaaatcac ctctttttat cttccagaat
74401  ttgctggaaa tatctgatcc tttgattata ataccatctt tctatatatt tacttttctt
74461  aattttgtat ttatctttta ggatttcagg tccataaaca agggttaaac atgtgagcta
74521  agattattat tactgtaact ctgatgttaa tgaacatgac ttgcatagag cactatctta
74581  ttattttctt tgtcatttaa aaatattcag cagagcaagt tcttttgcta ctatctaagc
74641  ctaccttaag caggctctgt gatttttctg gttactatta gatgatttga aatcattaac
74701  attatcccaa cttagtcatt taagtgtcta gtcctaagta ataaccaaag catccaatgg
74761  cattcacagt tcctcccttc tcagggatat ttcagcttaa ctttcatata agaaaaaatt
74821  gcagttggct tcttacctca tgctcactca ttcttccccc atttcctagc tgctctttat
74881  gaccccagaa ggggtgggtg ggaggtaggg aggagcaata actggtgcaa gagagctcta
74941  attcaactga tgcacttgta agttggcttt ataccttctg tgcctgccag atatttaaaa
75001  ctgactctta ccctcataga cctattcatg attcttcaga aatcagggaa cattaagatg
75061  ataccagtga tgcattttcc tcaggctatc catctttggc cacattagca agtccccaat
```

-continued

I. LISTING OF SEQUENCES

```
75121  ttgttagttg atggaaagtc tctttgtgtt ggggtctaat cagtccccca aaaagtcatc
75181  ttgggaggac tgaaaatgac tcccaatcag atcttctata aaacctttt attgacaaac
75241  tctggaagcc cagaccattg gactctgtct tctttgttcc ttccattgga gctgccagac
75301  atcctttaga ttttacaggt gggaattaca tacttgtcta atgtgtctcc aaattgcaag
75361  tgtgttagag tccccaagat cacattcatg tctgatgatt catgagaagg actcacagat
75421  tttagataag ctgttatgat tatggcttat tgcaggaaaa ggatatagat taaaatcatc
75481  aaagaggcat cagttttcct cttctagtga agttgcatgg acagcacttc attctcccag
75541  caacaatgtg tgacagcatg catgaagtat tgtcaaccaa ggaggctcac cctaaccttg
75601  gtgtccagag tttttactgg agctcagtta catagatgtg gagtgctcac ataactagtc
75661  ttagctagtt tccagcccct ccaaaggtca aactaataca acgtggccta ggattccaag
75721  tattcactat cattcacatt attatcataa accatccagc attgcccaaa atctcagata
75781  tataaagata ttcttattac acaggatatt ccaaggggca gaggtcatct ctcaggagcc
75841  aaaggccaga cctttctttg gaatgtgtag ggtttgagca cctcgagccc attgagttag
75901  cccttcaact ttttactgca cagcagtaaa acacatttat aactctccgg gtggtcccat
75961  ggaggatact tttatccctt aaggagatgg gtgcatgtcc aacccagtcc tttgggtgga
76021  ttgagaatgg ctttcaatat ggctgaacaa cccaaacctt tataactcat ctaactggtg
76081  gctattttca gttttcattt cctccaggac aggctgtcca actttttggt atcttggctg
76141  tagtgaacat atattatcat attacaatat attaatggta ccatttggag atcaaagaag
76201  tgtcccaaat cgggacactt taatatccac atcatcccaa attgtgttta atgcaagcat
76261  cacaacaaga aaatggggga cttctttta aggaaggcaa aaccttatgg tataattcaa
76321  atgatattaa gtataatttc tacccaatcc aaggcacatt ccttcatgga cttgaactat
76381  ttcatgtctt catgactttc tcttctccag gattacatta gtatttaggg ctgccataat
76441  agaataccac agatagggtg tcttaaaaaa cagaattttt tttcctacag ttctaaaagc
76501  tggaagtcca aggtcaaggt gctatcaggg ttggtttctg gtaaggcctc tcttcctggc
76561  ttgcagatgg cttcacatgg ttatctccct gtattctcac agggctttct ctccttgtgt
76621  gtgcacttct ggtgtctgtg cctacaatga tgagcgccaa aaatcccaga gtgtttttc
76681  ataacacagt tctcattcca aaatagtttt tattcctctc ttttatagac cattataagg
76741  tttcttcctc taaattaaat aacagtgact aaaactaagg caaatactct ggagcaaaat
76801  aaaaactaaa aaacagatag ccttaaagca ggaagttacc ctgtcactag ggcttggcat
76861  actgtaggct ttagaagcat ttcgcggcat gaaagaatgg taaccctgag gcatctccat
76921  gtaataagtt aatttgtata ctgcttttaa ataaagttaa acaacttaca gtttcagaaa
76981  gatagaaggg aagagcattc ggaagactgg gagtgaagtt tcccgggcct gaacccttat
77041  tcaaaggcgt ctcgacatgg ataacctcga gaacattatg ctaagtgaaa taagccagat
77101  acagaaaggc aaataccaaa tgatctcact tatatgtgga atctaagagt tgaactcata
77161  gaagcacaga atagaatagt ggctgtcagg gatgggagga tggggagatg atcatcaaag
77221  ggtacaaagt ttcagtcatg caagatgaat taagtactgt agatgtaatg tacaatatgg
77281  tgactacagc taacaacact gtattgcgca cttgaaattt gctaagaggg tagatcctaa
77341  gtgttctcaa aacacacaca caaaggtaac catgtgagat gatacttcac tagcttgatt
77401  gcagtaatca tttcataata tacatatata tctcaaaaca tcaccttgtt caccttaaat
77461  atatacaatt tctatttgtg agttatacca ccaataagct aaaaaaaatt aaaagtctaa
77521  atttttttaa aggagtttca aaaactaatg ctttgctcta tacttgtacc tggccccacc
77581  cttgtctctc taaagcaggg tgccctagga agactgattg gctgtagccc caaaaggtga
77641  gaactaggac ataagataag aaagggaaga agggaaaggg agagaaggaa gtggggaaca
77701  aagtgcgtca atgtgtgaaa ttttagttgg atgttgtaaa acaggaaaaa aaatgccaaa
77761  ttctatggct accccaataa caaagaatgt cttatggcaa tggcaccctc caagtcatat
77821  aattcattta ttattgtcac tttcactatt gttttcgctg aagtcttttt tctgttactt
77881  gaacaaaatc atttttttcg taatttgtta ataaaattgt ttcattttat ctgtctatcc
77941  tacatccctt caaatacagt acacaaacaa atgaacgtgc ttttccagct tgtaacttga
78001  ggcatggtag aatgagaatt agatggggag ttggaagact gaggttgtaa atgcccctct
78061  ttagttaatg tgattttggg gtccgtttac aactcagaca ctgattttct catatctatc
78121  tacactaaca cagacgtcag gtggctgtca aagatgatct ctaatggtat aattagagac
78181  atcagggcta atgttctcta attttgtcca gttatgataa agtaacttgg agtgcctgtt
78241  ctttacctct ctaagaacgt ttcaagtgtc atttaaaatt tgattcttat ttgtcaatgt
78301  gtttttttggc tcctctgtgg aaactgttat agtcttaagc ctgtcaaggg agtataaaga
78361  catcctaaga aaatttggag actgggccgg gtgcggtgac tcactcctgt aatcccagca
78421  cttttggagg ccaaggtggg aggattatga ggtcaggatg gagaccatcc tggctaacac
78481  ggtgaaaacc tcgtatctac taaaaataca aaaaatttag tcaggcgtgg tggcacatgt
78541  ctgtagtccc agctacttgg gaggctgagg cagaagaatc acttgaatcc aggaggtgga
78601  ggttacagtg agccaagatt gcgccactgc actccagtct gggcaacaga gagaaactcc
78661  atctcaaaaa ataaacaaaa taaaattggg agactgacaa tataacttca ctaatttgtc
78721  tatgtaaaaa tagtaataaa gaaaatggaa aggtatatac tttttaaatt tctagtattt
78781  tcaaaagatt catatgaggt tataaatgga agataaatga ttattctctg tcgaagttta
78841  ggaataacaa gagtaggata gtttaagata gttgaggcct tattgagacc ccaacttatt
78901  cattcaacat gtgactcaca aaaagtgaaa ggcaaaatag atttatcacc tcagattcta
78961  aaacaggaat aaaacaaaca aagtgacttt catccaggaa gaaagcaaaa gtacatccgc
79021  agttcttacg gtcagagagt gtgtgctgct cttagagcca agtttagttc ttggtaattc
79081  tacccaagtc tgaaaggaaa tcaagatgac tgtccacatt gacgcaaatc acaggacatg
79141  gaggcaatgt caggcattta atgttgtaaa agttgcaaac cagaaatccc atggaggaga
79201  acacagagaa tcctatagtc ctgatatcat ttttggtgga atgaacaaag acgaacgcag
79261  agctgggaga tatttggcac agaatgaaac agagtttgaa ctgtggctct tcactcacta
79321  cgagttagta aactaatgcc atagcacgct gctcagtaca atgggtactc tgaaagaagt
79381  gagtgctccc tttctcccct gctgtgaacc tgccagtgaa ccaaaaccct taacagttag
79441  agccaaagag caggagaaag tccagcaacg tgtcccaaag tgattagaaa ctatcttgct
79501  ttcctcctat ggaaatacca agcatttttt gtggaaatct gaattcacag atgaagttca
```

-continued

I. LISTING OF SEQUENCES

```
79561  gagtgaatag taacattcct tttgttttac aatcttggaa atagtagttt ggcatggaaa
79621  gagcagagct tactttttaa aaagaaaatt atttgtattt ttataaccag atttatttat
79681  agttatacca gtaatatctc tgttattttg gcatgcaact aaaaaatata gaaaaatttc
79741  atgtccctct tgctttgtcc aataaatata atttctaaaa tattgtagaa gttgaataat
79801  tttaacttgt tagaagaatt ttataaaata aacagccaaa tcacctaggt tgaaggttgt
79861  cttttagaat tttcttaaag ggaggcatat ctatatttag acatattttt aagaggcagt
79921  agttttgctt taaaatatat gacctgtgaa gtccttttat cttactagct gtgtaaacca
79981  aaataattac atgtaacaag tcttatgtgg aataattcag cagccagttt gaaagaggct
80041  aattaatatt tgtggctaca ttaatcagaa aaactatgga aatgtctctt ggtttattat
80101  cccttttctt atgattcata aacagacatt attacaactg cataaacatg aaccctactg
80161  ggcaacatcc tttttttttt ttttattttt ttccccaaga tggagtcttg ctctgtcatg
80221  aggctggagt gcagtggcgc gatctcagct cactgcaacc tccacctcct gggttcaagc
80281  aatgctcctg cctcagcctc tggagtagct gggactacag gtgggtgcca tcaagcccag
80341  ctaacttttt gtattcttag tagagacagg gtttcaccat gtgagccagg atggtcttga
80401  tctcctaacc tcgtgatctg cctgccttgg tcttccaaag cgctgggatt acaggcatga
80461  gccactgcac ccggccctgg gccatattct aacagttcca caggatattt ccagccagct
80521  ggaactatct gcaagacagg gccattgagg ccagaatacc tttcagaggt cttccctagc
80581  taaggtcaaa tcataaaatt atcggattat ccatagctgg gggtggattc tctcaagacc
80641  gcattagtaa tgtattaatg atacattaag aagtactcca caggtctata actgctcaat
80701  caccttcaaa gagtttttac acacattatg tcaggcatga attattatgc ctatttaata
80761  gagcttccta tcctactgcc tctttttaga aaaaaaagtt ttattgtgat ctttattgta
80821  tacatttaag gtacaaaaca tgatgtttag ataaacatat acagtgaaat gattactata
80881  gtcaagcaaa ttaacaagtc catctcctca catagttaca gctaacttag aaagacagaa
80941  catcacaccc agagcaggga gctgtgtctc cagctccctc aggtccatat acctgagtga
81001  cttggagaaa atcatgcatt tcctgtaact accagacgta gtcacctcaa ttaagtaatc
81061  tgttttgctt aggcatacct tggtaaaagc tcacagtact aatctggacc cacccctttg
81121  atctttgaaa cctgaggtgc gaaaaaatat caaaatggag ggcagaggga tttgttttta
81181  ttttcagatc atcaaaaata ctaaactgtt gatcagaacc atccatgaag aaagaaaaac
81241  aaattcaaac tatgactaat ggggcctgct gtgcgtgagt cacaaactga atcaagcaag
81301  gcctctggaa gcagggggaa aagcattcag gagtcacttt gtactcaagc atgaacctcc
81361  taaagtgttg gtctctttgc tgaactattt caacacctgg atgaagtcca ggagaagaga
81421  cgtcaggcag tttaaaaatt gcttctcttt cctactaagg atgttttcag tgaccttgag
81481  gaggtgttta agaatgactt tcttaggtgt gaacatgaaa acagtgggac ttagggcaac
81541  atttggggag attccttgct tcaaagttgt ctctaaggca ttgcacattc ctacttcttg
81601  caggagggaa ctgtctttcc aaaggatttt gcaaactgtt ctgcttttgc ttatctaaac
81661  tggaaagaga tatataaaca aaatataaaa tacaaaataa cataaagtct gttgattgag
81721  catagaggct tggggtcttt agctttttt cttattgttg ctttgtatta aaattcaagg
81781  gagtccaaat attttcagtc cccttgatct aactgggata ctcatacaat gagacattgc
81841  acttctgata aatatgataa tgatgagttt agtttgaatt cccaactgag tgcatgtctc
81901  ttaaaaacat ttttctcttc actttgtaaa tttcttatag agtctaggtt gctcatctgg
81961  ggaaaatgcc acaatacttg atctgacctg gaaagattcc cagtgaaggt aaattgatac
82021  tcacataagc cagtttttat cataagaatt gagactagta ctgaaggtaa agaataaaaa
82081  gctagttgga caaacgttca ctgcatgatt gctacacagt gcttggtgcc agggatagcc
82141  agccacctgg cagctaggaa gaaagctggc cttacctcag agctttcttc ttcctggcta
82201  gtcaaactgt gaaaatcctt tctcatgcaa cacaataaaa taattggctc caaaatgtct
82261  cattctcagc ctcattccct aatactggac acaggaatct ctttcagcca agcagccaag
82321  ctcaggccaa catgggacgt acctccactc ctttaagata aagtcaaagc ataacaccag
82381  ctgattcctt aactgtcatt tcactccagt ttccctcaat tggcatcatg tttccctgat
82441  ataagcagcg ttaattaaag attagttatt gaaaaggtgg tattgtgctc aagaaaacag
82501  tgaaaaaaga accaccattt aaaaaaaatg ccaccacctt aacaatgaca tttgtcagat
82561  atgtattttg ttcatggttg gttgatttgt taaggtagtt gttactcttg ttttctaatg
82621  actgctcatt tgttctctct tctaggacta gggaaggcac tgtaacataa tgattaaaag
82681  cataggcttt ggtgtcagac acgctaggat gcaaattcta actatgcaac cttgtaaaat
82741  gtgctgggca gctatctttc ctacagagtt ggagtaatgt tgactaatat atatgcattt
82801  gtataaatta agctgttaat tgtgtgtcaa tattgcattg atatcttggc tctttaagga
82861  catttgattt tctggtttaa gtagtacctc ctgcatgaac ttcctgacgt gttgaactat
82921  ttcaacacct ggatgaagtc caggagaaga gaggtcaggc agtttaaaaa ctgcttctgt
82981  ttcctactaa ggatgttttc ggtgaccttg aggtattatg tatgtattat gtatgtcatg
83041  cctcagagac agacttggct tcacaaccat ttttcctgac aaccatccac ctatctgaca
83101  tgcatttatg gggaactgaa caggagttat gaaaataagt ccttaagtct gcaacctctc
83161  atacttaact gtcatctgta ggacactgaa gacatatatc agaggatcca caccgtatat
83221  aattcatgcc ttgtattggt tatctatggt tgtatcacaa atcagcccaa agcttagtga
83281  cttaaaccaa taactattag tgctcacaag tctgtggttc aactgggtgg ttttgctgat
83341  ttggttttgc tgctgggcag gactgcctga tcttggctgg tcaagttcct gtgatcggca
83401  gattgaaaag gtggtagttg gttcagaata gccttatgcg taccttggat ggttgttgtt
83461  ggttcccacc tggggcagag gggataaacg ggccaggtgt gtttcatctt ctaccatgct
83521  ggctcttgct tgtttatagg cagtcccagg ttccataaac aagaaagcaa gccacaatgt
83581  gcaagaacgt tagtttctgc tcattcattc caaaacacat cacaaggcta atctagattc
83641  aaattatgga ggaaaatgct acttcttgag ggaagagcta caaagtcaca ttgcaagggc
83701  atggacacag ggagggaaaa tcttttggct atgtttgcag tgtaccacat gcacttgatt
83761  ataatcttaa tgcttttccc ttcaaatcta ctgacatagt atagtgggaa atccttgact
83821  gagttctttt attttccttt actctgtcag gtttcttctg ggtccattca agagagtgtg
83881  aaagaccgag tgattgactc aagactgcag ctgtttatca ccaagccagg actctacaca
83941  tgcatagcta ccaataagca tggggagaag ttcagtactg ccaaggctgc agccaccatc
```

-continued

I. LISTING OF SEQUENCES

```
84001  agcatagcag gtaggatgcc ccttcacatt tgcgttgttc caggagaggg gagagttgat
84061  actattctac aatatcgagc attggagaaa atctcccttt tcttttatct cttatttcag
84121  ttgcatttgg gctatttcct cccccatggg gatactccgg aggtgaccta gatatggatt
84181  ttggcagatt tgctgcctgg aaaactaaat cctcaatacc tacccaagtg gtaggtaaca
84241  gcttccagga actcacttct tccttccttc ttgtttttct tatctttttt ccttttctcc
84301  atttctcttt cctccctccc tccttccctc cctcgctccc ttttttcctt ccttctttcc
84361  ttccttccct tattccctcc ttcattcctc cctccttccc tccctccctc ttcccttccc
84421  tccctccctc ttttcctttt ctttaatttc ctttcctttt ccccactcct cgttctctct
84481  tttggttgat caaactttcc aagtctctca tggagaaagt tggcagacat tcaacatggt
84541  catgccaatt tctgcatggc tatttcttgc gggcattttt acctgtgagc atgatccctg
84601  tggtctttcc cttccctgct tcagcaagcc acagcaggtc ttacaggtgt tttcaagaaa
84661  aaggctgaca cacggatttc taggatgttt gtgttgagtt ctaaaggttt atttttaaaa
84721  tgtaaatgtc ccaaaggctt ctgagaacat ttatagaatt cctagagatg gaaataatcc
84781  ctgtatcagg aaatgccagg catattagat tcatagcgtg cctagggctc aagggtcagg
84841  agagaggtgc ttggcctgac atgtaaggca agcacggata gagcttgtgc ctagggccaa
84901  ctccccacag cctgctgttt cttattacag tgccacctct ttgatcttcc ctgatgggga
84961  actttccagt aatgtctgtg atttgtaata tgaggtgaat aaaaaccaca gataaatgat
85021  aaggagcact ggacaaggct ggccctctgg gactgcctat gaaggaaaag gaagacttca
85081  aaattaaggt tccctctcct ttctcccccc agtgatatct ctgcctacca tgtcttcaga
85141  caccatatca gttattctag catttccaca ggtgggaaat tatttctccc agaaaatgaa
85201  aagtcttcta aaagtaaatt caactcaatt taacaaataa taataatatc acataataag
85261  taatagtata atcatataat ataaatagta ataagaatta ctatttacat agcactttgc
85321  tgtttataaa gcacttttac atgcatttat caaatactct agatgacgcc cattgtgttg
85381  ggtagagtaa gagatgaaaa gttaatttaa aaatgggtcc tgccttccag ggactctgca
85441  tctagaagga agtcagtcag tcacgtatat tatggcactg gctgtattct attgcagaag
85501  catacacaaa atacaacagc agaacaagag aggcaggatg tcagggaatc cttggaaaag
85561  aggtatcatt ggagcagaag atgtggatat gagatgacta ggttgaagtc aaacctttca
85621  aacctgttca aaaaacagca aatcagtggt caaggctaga ccacgagaga gacagcaggg
85681  aggtggaaag tggaaacaaa agttgaaaca tgggctctag ccaggttatg aagagcctgc
85741  ataggtttag tatattattt cattgatgag aagtcattta atgatttaga agaaataagt
85801  gcaatagata tatcctctag caaattaaca gatgctgagg tgttaggagg ttgagaagtg
85861  cggcaagctg tcaggaggct cttccaggtg tctcaaaaag tcatgaaggt ctgaacagca
85921  gcagcagcat tggttcaaag ggaagaggag agatgcacag gacaaatcag gatagaaata
85981  aggtttgcaa atgcttgaaa atggcagtgg gctagaagga tgagttcaga tgtgtctgat
86041  tttgaaaggt gcccaggaca agcaataata tataaacaca aagcatatga acaggagaag
86101  gtccaggaga taatagaata ctcaaaaatg ttgatgcctt tgaattacct ggaattattc
86161  tggtctcact gtctttgtat tatttgacat ttgatcaaga cctactgtta aataaacata
86221  tatttataaa aatctatcaa tatatattta tataacatat atgtatgtat gtgtgtttat
86281  atacacacac atggagagag agagagaatc acatttaaat atgaatactc catccaagaa
86341  aataaactga tctactttaa tttaacctgc actttcactg gcagaagaaa aatactaatg
86401  ttactaatct taggagagtc tcatttcagg tcattattca gtcactcaaa gatacccgtg
86461  ccagagctct ttctcccttt tcttccttct ttctctttcc ctagatggca aaggagaaga
86521  ggatttgtat ttaggcagtg gtgtcttctg gacacccccc acaccactgc taaccccccgg
86581  atctctagtg aagtctgcag ctgaacttgt gattttatct cttggcttgg ttagggccca
86641  ggggacctcc ctggctggct tagcctgttt gagacatctt ttggagcagc acagccctct
86701  gcatctcagc caaatccttc atcatgccat tgtctacact ctgctctgca acctcagaag
86761  ctaggtctcc ctgtctgtcc ctactgtggc cctgtggctg gcctgctgaa ttccaactca
86821  gctccttcag tactcctcac agggcctgaa gcaacttcta gatcactttc aaggcataca
86881  gaattcagga gagatttggg cttgctaact cagttctgct gtctgcccaa ccttgtcatg
86941  ctaccatttt cacattaatg ttgccatcca tgttggagta agggatccct gtggggtgtt
87001  ttacttatag catcctaaat aagaagttag aaaaactcca tctgcttttg gctttttcct
87061  taattgatca atacacctct attctaggat ttgcattcag aaaagggatc tataaaatct
87121  ataaaatatc caaattttta atctccctac cttcctcctt ttcacagcat atgaagctgg
87181  aagagcaggt ggtcaggaat ctcccccaac cttcagtgca gtaatcttta gagcctactc
87241  atcataagta caaaggtggt tgtgaaggca gtgctataac cactgagggg aacctaataa
87301  aatgggtata tctactccac acaagggaag attcatccca tggacacaat ctttaagatg
87361  ccgagaggac tacagggcat gattgccacc atactatatg cagcaacatc atgacttcat
87421  tcctgtccta gcccagatga gaacctgatc caactccata aacggaacac caacagggaa
87481  atctgtaacc ttaaaaaaac ggcatcttcc agtggtagaa agagcctaaa ggtctgagac
87541  aggcagtata ggaaggccat gtcctagggt gtagggagag gtcatcttag atatcagtgt
87601  tgagaaagac cagaatgagg atggggacaa tcagcaatgg ccacccagga aaaataacag
87661  tggaatttgc atgggggaag ggatggtggg agcaatgcaa agattggcat gtggcagcag
87721  agagcaactt gcaatctgct gcagcagcag aggtgagtgc ctatgaagag cagttatctc
87781  tgtaggaata atggttgtgt agactagaac cagctatgac ttttcatgag cttgacaatg
87841  gcagtgcgat ggaggtcagc tttagagtgg ggagaagttg gggaccctgg aagtgaggct
87901  tgaagccact ctggacaggg gtatgtttac agtagctacc caaggaactt gggtagaggt
87961  agagaaggca gcataaggag agggttaacc tataactggg acctgggact ttgctcttct
88021  gaaccacaaa ggcaacaatt aaatctgacc atatacagaa tcatagtgct gcacgatgtt
88081  cggagtcaag taaagaaatg agagttgtta ctcgaaaact gaaaaatgga aaagactaaa
88141  aaggtctaga gtggatatga taaatgagaa acatgcctat taattaaaaa attgctacac
88201  atctagtgtt attccctgga ataagaccct tttgtccaac ccctgatttg tttgtctggt
88261  tgattctcac tgattattag gggacttgac actcctcgac ttttcccaaa atttcccgag
88321  gcagacctaa taagggtgtg tcatgagtgt gattgaataa gacttctgaa ctcccatgag
88381  acaacttcca ttttctcttc ctctttgacc tgctcttgtg agttagacct gctagaagcc
```

-continued

I. LISTING OF SEQUENCES

```
88441  ccatgaaggt ccctctggaa tcactgagga aactacctcc caacactggg gtgctccgtg
88501  gactgatatt ttagggaaat gaggctactt cgatgaaaaa gggatccttg gagcctcttt
88561  cattcagggt catttgaaag aagcatggcc ttatgctccc cagatctccc agaactcaag
88621  tatggtatct gctttctcca tttctgcttt tggcccctct ctcggcatcc gatgaggctg
88681  gccagaagtc cagaacttca agtcagacat ggcgcctctt ttgccattct ggcaatgctt
88741  ccttaatgcc aaactctgct gtctcattta accatctcca tcctccccta tgtgactagt
88801  acccctagta gtcaacagcc ccctctgtca tgttcctcgt gtttcccttt gaaatttcta
88861  ctccatctgt ttatttgctc ttcccagcag gaaaactgga aatggaaaaa gctgatctta
88921  tgcttatgct taggattatg tctaatgata tttctagtgt ttgaaggaca acaaaaaata
88981  aagatcaggc ttcatttttc caaaaccctt ccatgtgtct gcccaaatcc ttatgcattg
89041  ttttagaaat gtgatatatt tctttctgac tcatttacat ttactgttag tcatcaaaag
89101  gagtcagaaa aacttttgga acctctccct atgaaccagg aagttgcatt tcccctccag
89161  tcacaacccc ataaagcctc aagttgcaaa gtaaacttgc caggatgctg ggcatttggc
89221  aagatgcttc tctttgtcat cagaaccctc agccctgtgg aagaaagcaa gacagcctat
89281  gataccaata gtgagcatag tcctaaaaca gccggagacc atgaaaatgg acacagggat
89341  tcagaagaga aaaatacagg ccgggtgtgg tgactcacac ctgtaacccc aacactttgg
89401  gagtccgagg tgggcagatc acctgaagtc aggagttcga gaccagcttg ggcaacatgg
89461  tgaaactcca tctctactaa aaaatacaaa aattagccag gtatggtgac gcatgcctgt
89521  aatcccagct acttgggagg ccgaggcatg agagtcactt gcacctggga gatggaggct
89581  gcaatgagct gaaattgcac cactgcacca cggcactcca gcctgagcaa tagagtgaga
89641  cttcatctca aaaaggaaaa aaaaaaaaaa gagagagaga gagagagaga aataaaatac
89701  atatttgtat ttcccattct caatggcacc aacaggtcct tcatcagaga gtgcagtcca
89761  tggttctatc catgtttatc cagtctcaga gtacagggac gagcctatgg tcacacaccc
89821  ctctaatgta agccgctccc cattctacca acaacccccca ctttctatat tgccccttct
89881  ttgaatcgac ctcagggtct aagccttttg gtcactaaat ttaaaagtca catgaataca
89941  agtagtatca aaactgagca ggagggaaaa atctgatgtg gtaatactgg agtctcccaa
90001  actccccaga tgaaccacat ggttttattt ttcttatttc aaaagaggtg atgtttcaca
90061  ctactacaga aaaaaaaaat ggaactttga acactatttc ataatcagta tagctgattg
90121  aatgtactga catgtttcat gctctttctc atgtctgata gccacactcc tgtttcctcc
90181  caatgttgga gataattctt gagacttggt aacagagcag tagcacgtaa tttgctttac
90241  cactcagtgc ttcaaccatc ataggtaaag agtgttctta tcaacaaaac agacaccatc
90301  cctggcattc catgctggct ttctctggtt ttaaattaat taaagtcatt ttgtttttgt
90361  tcttaataaa agggaaaagg ataaatgagt aacagccagt agccacatta aattgctacc
90421  agatgttctg cagttaggca taaaaggtaa gcatcctttt acaatcaggc agctttctta
90481  tattagaaca gttctgtttc agaagagagc caatgttttt gctgacttct agataatttt
90541  aaagatacta taatattggt ggatatttta agaattttta aatactacaa atattggtgg
90601  gatattttga gaatttttta aaattgaatt ctgagcttaa agcactttat agttgcaagg
90661  ttcttggacc ccttcctcat ctcctagcca tacaccccca caaaaataaa agaaaatgca
90721  agtggagaca tttcctatag aagctcatta tcccctccca ggtactatgg ctggattctc
90781  ttttgcattg gcttatctcc atgctccttc cacattacaa aatgagggct ctatcattta
90841  cataaccttg gcccccttgc ttttcaatag atcttcctgc tcagctgcta ttagaatctg
90901  cctttgtatt tccaaattat atgccatttt ctctggaaga attttccagt gttccactgt
90961  ctttcttccc actattgtat ttgtataatg gcagaactgc catgagattt gggggcatga
91021  aggcacttct ttcctgagtt cagcagtgac atagagttct cttcattctc tttcatagcc
91081  tttggtcatt ttaattaaga gactcttgca ggcctctagc ccggttcact aaaatttaaa
91141  ttctctctaa tttataattt gttgacatca ttggcatcac ctcttagatg atcaaaatga
91201  caatcctata acccagcctg cctatctcag taaaacagaa agaatctact agatgttttt
91261  cagaatgtaa atagatataa catttataat gattttccta ttgtccagca aattatctcg
91321  cagttggagt cctgcaaatg ttagagacat cttgatgttt ccttcatagt cactccagag
91381  tctgttagtt cttatgtata aagaaatttc acaaagaaat ccagcttttc tcactgctaa
91441  aaggatgtgg ccttctgtcc ctaagcaaag tgacccattt aggggaggga taaaatttta
91501  gagcttatta ttggctaaaa ccctactctg gatcaaaagt ttgtttttaa agtgcattgt
91561  agattgcaga acaactatga atcactcata aagagaggta acaaagacct gaggctatat
91621  gtgtaaccag tgtattgaac aatttaaacc tgacaggtac acagagaaaa tggtgttttc
91681  tccaaccaat ggggactgag gaattatgcc ttttagaatc tccttgccct tctcaagagc
91741  aaacccttta caaactttca ggcagattcc ataatttcca ggtaatgttt agagattaaa
91801  aacccagcct gatctagttt aaaactctcc tcttacataa tttaaacctc atctgcttca
91861  ctctctccac tgccagccaa tcttccattc aggaacatgg agagtagaca aaatgggtct
91921  gctactatta tacacccttc ccttcttccc tttcctcctg ttcctcttca tctctggcat
91981  atttaaggag aagaggattt acaaggaagg cggcaaatgt gttttcctaa atggaatatg
92041  ttttagttct ttctctgtta attgttattg cttctctgac taataataat aatgttaaca
92101  attgcaaggt acattctcag tgcccagtgc catatatata tacatatata tatatatata
92161  cacatatata tatacatata tatatataca tatatatata tatatatgaa tttatttaac
92221  acccacaact caatgaaatg gatactttta ttatccccat ttcacagatg agcaaactaa
92281  tgctcagaaa ggtgcccagt ctgacacagc tagtaaatgg cagaaccggt attgaaaccc
92341  agcaggtgca gcatccaggc ttttaatgcc ttgatgggtt attaatgtct ctctattgca
92401  ggtggtacct gaatactgac tgtctcctag gacatttggg ttctttggag ggtccttcgg
92461  aagactgtgt attgcacagt gccctgatgt gggagattct ttactggttc aacctctcat
92521  aatccccagt ccttgatctc aatccctatt gaggtaacct gcaattgctt atgactgggg
92581  ttctttgtct ggtgtccagt cttcttggta acttagctac cttcatagca tccactgaac
92641  acacaggaat gtcccatgtc cctaccatcc caatggtggg gagttctatt cctggaccct
92701  ctcactctgc cctcagattg ttgcaattct ttttagacag taatattatt aaaaaaaaaa
92761  aaagacaaaa caaatgcttt ccttgtctct gagtcctagt ctcttaattc ttaggcagtt
92821  gaaaaatgac tccatgagat gtgttgttac catttacatt gtatcattca agaatgagaa
```

-continued

I. LISTING OF SEQUENCES

```
92881  gatctaggga aataattcat ccccttctc cttatatttg ctgagatgcc cttcatcttt
92941  acttgaaggc tgagaaccaa agctatttgt ctggttatag ggcctacaaa ttgcaacaaa
93001  ggttggggtg attgtgcctt ttagtaaatt ccaaggaaaa atgtcaagtt gtatgtgtgt
93061  gtgtgtctgt gtatgtttac atatttccta cgtgtgtgtg tctgtgtgtg tgtgtttaca
93121  tgtttcctat aatcatttgt cttgcttttt gagggcattc caactactgg tggaaaaaat
93181  aaataaatac aagggggtcc atgctgtgag tagttgaaat gaaaatactg gtgttttgat
93241  gggattaatt cagtacattt ataatagact aattcaccca aaatcaactt ctaaaaccag
93301  tttgccttaa ctcacttaac tcaatttcag ttagcctgat gactattgca tctaatgttg
93361  aaaattcaga attaaaaatg aaatattggc tggatacagt ggctcatgcc tgtatcccag
93421  cactttggga ggctgaggcg ggtggataat ttgaggttgg gagttcgaga ctagcctggc
93481  caacatggtg ataccccatc tctactaaaa atacaaaaat tagccaggca gggcagcagg
93541  tgcctgtagt cccagctact caggaggctg aagcaggata atcgcttgaa cctgggaggc
93601  aaaggttaca gtgagccaag attgtgccac tgagctccag cctgggcaac agagtgagac
93661  tctgtcttga aaaaaaaaaa aaagaaaaag aaagaaagaa acatttacca aataatatgg
93721  ctgagtattt atgactaatt tttgtattgc taatacttta tcacatatag ggaatcatga
93781  gattgttaca tattgttgtg actgtctttt tctgttccag tcattttgaa cacttgcatt
93841  attctttagc caatttgtca aaaaaaaaaa gtctttttct ttacaatttt gaatttctgc
93901  taaaaatatt tagtggaatg aaatttattc cattaaaaaa acgaaccttt tgattattat
93961  tgtctccttg ctactttcct ttattataag agtctatgaa ctctacatgt atgtgtatat
94021  atatacatat gtatgcatta accaaattag catactctca gagctcattt ctgtttagtg
94081  aggtattcgt attttaaaag aataaagaaa aatgggtccc tcttttgatc accattccat
94141  gttatttatc aagagatgta attgataaag gttttatttt gttttgtttt gagacagagt
94201  ctctctctct tcctcccaag ttggaatgca gtggtgtgtg atctcggctc attgcagcct
94261  ctgcctgagc tcaagagatc ctcctgccac agccttccaa atagctggga ctacaggtgt
94321  gtgccataac gcccagctaa tttttgtatt ttttgtaaag aaggagtttc accatgttgc
94381  tcagactggt cttgaattcc tgggctcaaa tgatcctcct gcctgggtct cccaaagtgc
94441  tggaattaca ggcatgagcc accatgcctg gccctaattg ataaagtttt aaaatgcaaa
94501  atgtgcatca tttccaaatg aatttatagt gagaatcata acattttgaa aaacagtttt
94561  caaaatgcca ctggagtgtt aacaaattaa taccatctgt gatgactttt ccattctgcc
94621  aaaacctgat aaagctctgc tgaagtaaag aaattggttt cacagagcca gcacactgaa
94681  tgggcaaaag ctggaagtat tccccttgaa aaccagaata agacaaggat gcccactctc
94741  accactccta ttcaacatag tactagaagc cctggccata gcaatcagat aagggaaaga
94801  agtaaaaggc atccaaatag gaagagggga actcaaagta tccctgtttg cagataacat
94861  gattctatat ctagaaaacc ccatagtctc tgcccaaaag ctccttgagc tgttaagcaa
94921  catcagcaaa gtttcagggt acaaaattaa tgtacaaaag tcagtaaatt cctatatacc
94981  aacaatcacc aagccaaatc agaaacacaa tcccattcac gattgccaca aaagaataaa
95041  taccgaggaa tacagctaac caggaaggtg aaagatctct gcaataagaa ttacaaaaca
95101  ctgctcaatg tgcttaaagc aatttataga ttcaatgcta ctgctatcaa acaaccaacg
95161  acattcttca cagaactaga aacaaaacta ttctaaaatt catatagaat caaaaaaggg
95221  cccaaacagc caaggcaacc ctaaacaaaa agaacaaagc tggaggaatc atgctatctt
95281  acttcaaact atactacagg actgcagtaa ccaaaacagc atggtactgg tacaaaaaca
95341  gacatataga ccactggaag agaatagaga gctcagaaat aaaaccacac acttacaacc
95401  atctagtctt aggcaaagct ggcaaaaaca ggcaatgggg aaagaatccc tatttaataa
95461  atggtgctgt gatagcaggc tagccatatg taaaagattg aagctggatc ccttccttac
95521  accatataca aaaatcaact caagatggat tatagaccta ataaaaccta aaacagtaaa
95581  cctgaaagat aacttaggaa atacattttg gccataggaa ctggcaaaaa tttcatgatg
95641  aaaatgccaa aagcacttgc agccaaagca aatctgacaa atggaactta attaaactta
95701  agagcttcta catagcaaaa gaaactatca acagagtaaa caggcaactt acagagtgga
95761  gaaaatattt acaaaccata catctgacaa aggtctaata tttcagaatc tacagggaaa
95821  ttatacatac aaggaaaaaa acaaacaacc tcatttaaaa gtgagcaaag gacataaaca
95881  gacacttttg aaaagaagac atacatgcag ccaacaagca tatgaaaaaa tgctcaatat
95941  cactaatcat tagagaaatg caaatcaaaa ccacaatgag ataccatgtc actccagtta
96001  gagtggctat tattaaaaag tcaaaacata acagatgctg tctgagacca gcctggacaa
96061  catggcaaaa cctcgtctct actagaaatc caaaagttag ccaggtgtgg tggcacatgc
96121  ctgtaatccc agctgcttgg gaggctgagg caggaaaata acttgaaccc aggaggcaga
96181  ggctgcagtg agccaagatc acaccactgc actccctcct gggccacaca gtgagactcc
96241  acctcaaaag aaataaaaaa ttaaaaaata acagacactg gcgaggttgc tgagaaaagg
96301  gaactcttat acactgctgc tggtggtgta aattagttca accactgtgg aaagcagtgt
96361  ggtaagtcct aagataacaa aaacagaact accattcgac ccagcaattc cgctactgag
96421  tatatattca aaggaatata aatcagtcta ccataaagac acatgcatgc aaatgttcgt
96481  tgcagcacta ttcataatag ccaagatgtg gaatcaacct aaatgcctat caatgacaga
96541  ttggacaaag gaaatgtggc acatatacac catggaatac tacgtggtca taaaaaataa
96601  taagatcatg tcctttgcag gaacatgtat ggaactggag gccactatcc ttagcaaact
96661  aatgcaggaa caggaaacta aatactgcat gttcccactt ataagtggga gctaaataat
96721  gagaacacat ggacagaaag aggggaacaa cagacactgg gatctacctg agggtagagg
96781  gttggagaaa ggagaggatt aggaaaaaaa aaaatagaac aactttcggg cactatggtt
96841  agtacgcggg tgatgaaata atctatacac caaactcgca agtcacaagt ttacctacac
96901  aacaaacctg aattatgtac ccccgaacct aaaatcaaag ttaaaatatt cttcaggatc
96961  actgaataaa aagctcataa agattcaaaa aagtcataca ctcaaagtta taaaaacctt
97021  ctagttacca accctcacca atctcaaaga gaatgattag aaatacaagc tcattgtatt
97081  ttaagaagat tgacctctca gagaaattca tgttacagcc cttaaaaatc ccccccaaaa
97141  taacacccaa atggatctaa aaccttcaaa acggagttag acctcaacat taggagaaat
97201  tttaatatgg caaattggtt ttagacaaag catatgtttt actgtttatt ttcgtaatga
97261  gggttgagag gacaggacga agtaaccata aagcacttgg taaagagtgt gaagttttta
```

-continued

I. LISTING OF SEQUENCES

```
 97321 atttacaaga aagaaaatgg aataattcag aaatgctggt tatatcacac ccttgccggg
 97381 attctcatgc cttggcagag tctgagttgg ggctgtttgt cctgggaatc acataccacc
 97441 agaggagagg cgtattctcc tcagagccct gagtttttac atccgtgagc atgggcagct
 97501 acataatttg cagggctagg tgttccaaaa acggtaagga tttcaaggta gggagagcag
 97561 aacattaaat taagcccgag gcccttctga gtgcagatgc catgcagcta cccagggcac
 97621 acagccttga ggcagccagg tctatgagaa caaccattgc ctactttctc ttctaccctc
 97681 tctcctctgc atgttctttt cttttctcct tctccttctt ttttcttttt ttccaagtct
 97741 gctttatgca tcttctctgt taacctccac atcttgcttt tttttttttt tttttttttt
 97801 tttgagacgg agtctcgctg tcgcccaggc tggagtgcac tggcgcgatc ttggttcact
 97861 gcaggctccg ccccccgggg gttcacgcca ttctcctgcc tcagcctccc acgtagcggg
 97921 attacaggcg cccgccacct cgcccggcta atttttgta tttttagtag agatggggtt
 97981 tcaccgtgtt agccaggatg gtctcgatct cctgacctca tgatccgccc acctcggcct
 98041 tccaaagtgc tgggattaca ggcgtgagcc accgcgcccg gcccacatct tgatttctta
 98101 atgtaaagtc cctgggtagc taatggaggg aaattctgag cttagatatt gccttggtgg
 98161 atgttaccca tgattgactc agtttgaaaa gaacctgctt cctaaagata ctcaatattt
 98221 tcttcatttc ctccgaatct gcccattaat gcagcatctg gcctcctagc agaagcggag
 98281 aacttttcag aaacttagag atcagtagta tcaaaacaat ctcagccaaa gcataagatg
 98341 aaaatgtact aacgttcttt cttttctcct ttaatttgac ttcctgtggg aacttccttt
 98401 cctgttaata gaatggaggt aagaaactgt tattgtaaca attgtttcca atgttttgtt
 98461 ttgtagggat ttcgtttgtt tgtttttgtc tgtgagaggg tcttgtgttg cccaggctgg
 98521 agtgcggtgg agtatgtttt gtttttgtta tttgacatgc catttattga gtgtttacta
 98581 tttgctgagc actgtaacat tttagaaact ttctaatttc taatcctttt agtaagtatg
 98641 atgaagtgaa agacaggtaa cctctactga atacttacta tggatcgggc actgtgctga
 98701 gcttcacatg cattatttaa atctatcttc aagacatccc catggaatgg gtattattgt
 98761 tatctctatt ttgcagaaaa aaaaaataaa aaaacctaag aaagtttctt tgaactggag
 98821 agttcaagtg gcttacacag ccagtaaatg ataaagttag aaatggaacc cagaactgcc
 98881 aaactccccc ttatagctct aacctatata taagaaggta tcccttgcaa tataaccttt
 98941 tgcaacttac agtgttttat ttgcagtact tttaaaactg accttcataa aactctatgg
 99001 agtgtaatta attttaagac agcattctta gcacatagcc tacgtttaaa aacaggcagc
 99061 aggatacaaa attttggtta gatagcaaaa ataagttcaa gagatttaga gtacaataca
 99121 gtgactatca ttaataacaa tgtattgtat tcttgacaac cactgagaat agattttaag
 99181 tgttctcatc atcagaaaat ggtaagtatg tgaggtaatg catttgttaa ttagctcaat
 99241 ttagtcatcc cacaatgcgt acatgtttta aaacatcatg tggtacacaa taaaaaaaac
 99301 agtttttttt aactaaaaac acctttttaaa gttttactgt taaaaaggtc ttaagaaata
 99361 ccatttggat gtatatattg ctctgaaaag cagtgaaaat catgatacac attatatgaa
 99421 aaattaaact agttttaagt atataggata gtgatttgtc ataattgact gcattccagt
 99481 ttgttaatgt ggtatcaaaa attctcagtt caaaaaaaag aaaaaattct gagtccattt
 99541 tttaatctaa atattgcttt aataattttt attaacaatt ttggagctac tgccttagca
 99601 gagtaaagtt tatctaaact aaaattaata aaagtgccat ttaataaccc tccttctgaa
 99661 aaaaacaggc agcaggccaa atttgtcctg tgggttgtac ttgctgaccc ctgccttgga
 99721 gaataaatta tatacaaaga cactagacgc gaaagaatag aaacagttcc cgtttgcttt
 99781 gaaggttgga agtagcacag aatctgtcat tacctttgtt gggaatgttc aaggagagat
 99841 aaggcagttg ctaaaaaagg gaagatttgt ctgaagcaga ggagaggtac agctgtcaag
 99901 tgtgcctgtg cagggaggga gggaagtaag gtgtggagtt tccactagag tcttggggtt
 99961 gtcataacac aaacatgcca tggctggtca tctggaatgc ccttgggaca aaatattatg
100021 tgttcaaagg gagtagacat ctccctcaga gaaacttgaa gataacattt taaaatgttc
100081 tattgaatgt gattcatgcg tttcaaagta gagagaaata ggagtaagag gtgcagtgag
100141 aattctttac ctactccctt tgaccacata gggttgtctg ttataaaaga agttgaaaag
100201 gagatccgag atcaaatatc cattattgcc tctacaagaa agggaacttt tctgaaagag
100261 aagtcaactg agtttatatt gtaaggaggc aagagaggga ctgtttccat gtgcaatatt
100321 aactagcatt attagaagct agtctggctg atgattccga aataaccagc attctgtgaa
100381 tggatccctg tgacctctgt cccacggttc taatgagcaa caggaccagc tgcttctagt
100441 gttgccccat cagcagtacc acgaactgca ggcagagaaa cacaacttta gctggacatg
100501 gaggggtctt gtcacttaca aaagacaaca gaagacacca atggaaatta tttgcattta
100561 tctcattccc cagttcttgc tgtgagctcc ttttaaaaat gtttgaagtg atagatttag
100621 gggtttgagg gacaaaatgt tccagttggc ctctgtgtct tgcatctaga atttgatcac
100681 tgtgtaaaat tgaaggctta tatttctgca caagaggaga ggaaaaggaa gtggttgaaa
100741 cactgaaact ataggtagtt gatagataaa caaattcaga tatatataaa tttagataga
100801 tagatagata gattagatag atagatagat agatagatag atagataggt aggtagatca
100861 tcggtcttgt gtgtgcctta ccttttagag ctaatccaag cactgatata ataccaaagc
100921 caagtcctta attattccag gaacatcata gaaatgaaat gtagaaaact aataataatc
100981 atatactttg tatgtgtatg ttttttccca gcacataaag ggtttgtata agctagtggt
101041 catcaagctg ttaggaagaa aaagcaaaat taaaactaag atcttctcat ttctattcaa
101101 aacctattgt ctttttttct ttttcatttt tattttgcat tatatactta atgctgtaaa
101161 actaatgagg attcaatact agcagaaatt cagacagagg ggttcattat tagttgattg
101221 ttagtaatcc ttatctctga agttattttc attaattttt cttttgtgta ctttttctta
101281 gtttccagtt ttttaaaaaa gtgtgttttg atgtataatt aaaggaaaca tcatgaaatg
101341 tctattattt ttaaaaatac tcatggaaaa tgagtaacag catcattgaa tagttaacac
101401 atgacagcaa aacctgaatg aataattctc agctcggaga cactgagaaa tatttaattt
101461 ttacatggtg gagtttttc tgttaagcgt aaagagtcac acatgctctt attcatcccc
101521 ctttatgccg agatattacg tcaacatgtg agaccatttc gtaaaccagt ttgagatatt
101581 tctggttact ccttattata tagtttctta aagcacagtg tagaagctgg ttagggatta
101641 attcctttcc ttcccatcct aacagtcatg gctgacacct atataacaat gacaggttaa
101701 caagagaaga gcataacaaa tatgtttgat cacagtttta cataacatgg gacccttcag
```

-continued

I. LISTING OF SEQUENCES

```
101761 aataaagacc ccagatacag ggaaagcaat cctttttttc tgagacagag tctcgctctg
101821 tcacccaggc cggagtgcag aggtgcaatc tcagctcact gcaacctctg ccccccagat
101881 tcaagtgatt ctcctgcctc agcccctcga gtagctggga ttacagatgt ccgccaccac
101941 gcccggctaa tttttatgtt tttagtagag actgggtttc tcgatgtcgg ccaggctggt
102001 ctcaaactcc tgacctcagg tgatccaccc atctcggcct cccaaagtgc tgggattaca
102061 ggtgtgagcc accacactca gccaaagcaa tccattttta tgcttaggtt caatgaagta
102121 tgaacagctg tgtagaaata tgattagaca caaagggtat gatctaatgc taacaggctg
102181 agtggggaaa ctagcccatc ctgcttgttc agatttttct cagcccctct gtgcagcact
102241 cactcctccc aggcaagagg taggatccct ctggaatgag ggtctgaatt tctttatggc
102301 caggtgttac acagaaaagc tgggggtggg tagagtaaat gtttaggttt tatggctggc
102361 cttgaggaaa aggcgttctg gtgtctgatc tgacttggag aagagggatt ctagtgtcta
102421 aggtttgcct gagggaagaa agagaggaga gacaggaggg cagaaggtct gtttctgagg
102481 ctgcttctta ggccttcacc ttggggtgtc gtttactgag cctcaacaac agcatccttg
102541 tttctgtcta attttctctg gggggttttct cacctttacc ttgagaaagt ttttgtggag
102601 ttttgtgctt tcttattcaa ggccttcatt ttaaatattc ccaacaaaca aagggataca
102661 gtaaaactca tgttggctaa ttagaaaaag gccagtatga attaaaggaa gactctatat
102721 tacaaaatat tgttttaaag tatagctgtg tttcttggaa gttcatcatt ttacctgaat
102781 gtattatatc tcattccaat gaatttgctt taaagacctg ccagtggtgg tttgtaatta
102841 tagtattaat tttttaaatt caattggggt cacgtaacaa ttttaaaatt tgacacaaat
102901 tctaatttgt ttaattttct tactttaaat tctttatata aagacaatga aaaactaaat
102961 tcgatagttg tacaaatcta aatgagaata taacttaaga gttttcttaa gtcattacta
103021 acactatgga agatctgata gaacacataa gaatatactg agaccatcac agtgcctaca
103081 cataataagt attcaatata tgtttgtcag gtgagaatat gagttgttat aattcccagc
103141 attatattaa gggaacaagt agatgtgtga agagagtacc aatagcattt tccattctcc
103201 caattgtctt cagttattat agcagataag tttttaatcc tatgtttgtg ctagcactag
103261 catttacagg tttctccctg atatatggcc cattaacaca caataatccg agttcagagt
103321 aattacttac atcattcaac agaatagatc actgaggcac tgggtgacca gttgactttc
103381 catgtgatga gacatgatga gaaaacagca aagctgaagg tgctacttgg ctcctctgga
103441 agccatattt ctgctttctc ctccctacat cactttcttt ttctttaatg gaattctagg
103501 aagatgtgtg agtgggagaa tctgagtgtg gaaggtgttg caaagatgta tatgttgtca
103561 aaaattaagg taaactatca taacacataa ataaactatg ttcctaaagc tgcaaacttt
103621 ttaggtgaga gcaattattc ttatgctcaa ttatttgtta accatcatga tgaaatgtct
103681 tccagatgca tctttgctta tatcagctta ttaactaaga gtagtcagat tctatttata
103741 atgtaaaata ttaaaaatac ccaaatctat tcagtccttc atagttccca aagctttcca
103801 catctatcgt cacatttggc cttctcaata gccctgtgga gtagctagag atgatataat
103861 tgcagctgga aatgaagaca atattcaaat ggagcgtgtc aaccaattta ctagtacaat
103921 tttctcctat ttctgagaca cagatgtgaa aaccaaaaaa aaaaagaaaa gcagaatgaa
103981 tgccaagaaa tagcatgtga ttagaaatgt tgttcatttc ttctttcagt aaaccacaga
104041 aagataacaa aggctactgc gcccagtaca gaggggaggt gtgtaatgca gtcctggcaa
104101 aagatgctct tgtttttctc aacacctcct atgcggaccc tgaggaggcc caagagctac
104161 tggtccacac ggcctggaat gaactgaaag tagtgagccc agtctgccgg ccagctgctg
104221 aggctttgtt gtgtaaccac atcttccagg agtgcagtcc tggagtagtg cctactccta
104281 ttcccatttg caggtaaaat ctcaaaaata agtcaaagga aaaattccat ttttctatct
104341 gcacaacaga aggagttttt gaaaaatgtt gtaatatgca acagtaaaag gaaaagctgg
104401 ttttcatcca aaataggagg ttaatgcctg ggtgcagtgg ctcatgcctg taatcccagc
104461 acttcgggag gccgaagtgg gtggatcact tgaggtcagg agtttaacac cagcctgtcc
104521 aacatggtga aaccccgtct ctactaaaca tacaaaaatt agccaggtgt ggtggtgcac
104581 ttgtaatccc agctactcgg gaggctgagg caggagaatc acttgaactg gggaggcaga
104641 ggttgcagtg agccgagatt gcaccactgc actccagcct gagtgttgag actctgtctc
104701 aaacaaacaa acaaatagga ggtaattaat cagacaatat ttctaccata taaatcacta
104761 aagataacct aaaatacaag tacttagaac ctctagaaaa tatcataaat ggtgtaatat
104821 tccattactc ttgttattgt tcacattatt atcatatcca taaatatccc agatttctat
104881 cagatgaaag gagaaatctt aaacatggac ctcattagta agccaagata gagaaaataa
104941 aaactgtaca ttatttgtca ataaatgaga tcatgccaag catctctgaa tgttatttta
105001 aagtacattc catccaaaat tctaagttct gatgctgttg cctcatttgg gtggttatag
105061 gaaggaatta gattataaat agatattttg ttaaactccc atacttttta aatattgaaa
105121 ttgataaatt tatgttcaat agaattatct tcatctttaa ttacttctta tgtagaaaaa
105181 aaagaatcta gtttttgagc taaatagaac aaagttcaaa tactgttagt tctgctttct
105241 cgatgtgtgt ggtcttggct aaacttcagt ttcctcatct gcacggtaga attgagagga
105301 ttaaaggaaa aatcacactc atggaatatg tcagaaacta gatagacatt gttattccta
105361 aattttctgt tgaggaaacc ccatgacaac aaccaacaca gcacatttcc acttctattt
105421 tgataaaacc agaaactatt taaatattgc aataatttga ggacactctc tatttagcat
105481 tcaataacaa cagtatggtc attaaattag agttttgtat tcctcaattt actgcaaagt
105541 ttgagggttt ggagacacta taagagtaat ataatttgtt tattcatcta agaagattgt
105601 attgtgatca ggcatgttat ctaaaaatct ctagggactt cagcattgac agaataagaa
105661 ggggaaagag aaggagagaa aaagtaaaat tactgcaaaa aaaaatggga agagtgggtg
105721 aggggcagta aaatttgttt taatagaact taagaaatac tgatgctatt tcaactgtcc
105781 ttgcagttat ttgaaaaaat agtgtctctg ttaattatca cttctttagt ttagatttct
105841 ctttcttggg cttctttata ggattctcca aaattgttta tttgacgtac tgctcaacag
105901 tgaaaatcct tttgctagaa agtagcacgt gtataataaa cagaatgtaa ccagcaaaat
105961 aaagtgacag tagattctat cagcttttcc tttagtacta ctaacataat ttgtggtggc
106021 cacgggatag ttatcatact tacacagtga cactcaggca aatcagctca acaccatgga
106081 tagatgcttg agagaaataa taattagatt agaaaaattc tctgtgtgtg tgacagccat
106141 tgtggttttc tgattacaaa acccacaaga ctccattgta taaaaaaaga acacagtact
```

-continued

I. LISTING OF SEQUENCES

```
106201 ttcattgcta aaacccagaa agttggtcac tactgaggtg tgtgtttact tatatttact
106261 tatatctata tttctgtact ctgaattcta tttcatggat ggtttctcta tttttgcatt
106321 agagactttg ggtttaatta ctgtctttat aattaatttc aatttgtgct acgaatttcg
106381 caggttttca tcttttaaaa aattattgtt tactcattat ataattattt ttattacatg
106441 ttgacattgg caaaatgttt ctaaatttca tatttaaaaa taattatata agttatataa
106501 tacaattata tattaactta acaataatta tcaataataa ttaataatta ttatattaat
106561 aataaataat acttaatatg atataactaa ttataagcta tataattata tattatagta
106621 tataacttat ataattgata taatttacaa ttatatatta attatataac atataattaa
106681 tatataatta taattatagt ttataataat ataattatat attatatagc tcactatata
106741 attattttta aatataaaat ttagaaacat tttgccaatg tccacatgta aataccattt
106801 agaatttgat cagaatgatg ctaagtttat acaattaact tagggcacag agctatattt
106861 acattactga gtattctcat ttaggagtat ggtatgccat tctttttatg tagatcttgt
106921 attatgcctg ctagtaaaat ttgatgattt ctttcttact ttttttaat taaatttatg
106981 actaggtgtg ttttatagtc attgctgttg ttgcaagagt attaattata atatagttat
107041 tacaggaggc tagaatgtcc ataaaacata gagatgcaat taattccctt gttccttatt
107101 ttaataaaac tgccattaat ttctttagaa tttgtacatt ttagagttga actatgtaat
107161 tttttggatc atattaatca gatttctaaa aatgtattct tttttttgag gtagttagtt
107221 gatagaagta taatttatat acaagaaact gtgccccttt taaccatata gttcagagtt
107281 tgacaaacgt atacaacaat gtaaccacta ccccaatcaa gacatagaat gttttcacca
107341 cccataaatt tctcttatgc tcatttcctt cttttttttt tttttttttt tttgtccctg
107401 ggttcaagca attctcctgt ctcagcctcc caagtagctg ggactacagg cacctgtcac
107461 caggtatttt tgtattttta gtagagatgg ggtttcacct tgttggtcag gctggtctcg
107521 aactcctgac ctcaggtgat tcacctgcct cggtctccca aagtgctgag attacaggcg
107581 tgagccaccg cgcccagccc tcttatgctc atttctaatc aacttcccat tatctctaaa
107641 ggcatcgtcg ttctgatttc tctgacaact agttttgctt gttcctgaat ctcatactca
107701 tgaaattgta taatatatac tgctttgtgt ctgacttctt ttgttcaaca tgtttttgat
107761 attcatccac attgctacat gtaacagtgg tttgttcctt ttcattgcag cttttatttg
107821 tgtggttgag atggaaatag ttatgtgaag aagtaggtag ggtcaagctc cccttcatgc
107881 tgcctaagaa ttataaagca attaatttga acaactgcag tatcaaaagg aaagttagta
107941 tagaaatgtt aggccactca agatgacaga ctcatcagcc acaacaaaaa agtcagatac
108001 cagctttaga cacaaaggat caaccaaata atttattcct gcaatttgta gtttattcca
108061 attttgtttg gtattatacc tcctaattat tgagaggaat caagtctcat caatcataaa
108121 tcattaatcc ttgccaacaa atgtgtatta ttttccattt tgttaacgag ttgttactac
108181 tatataataa agccatttca ttttattata tttatataca acaaccgctt tacagtattc
108241 tattagattt ttgattgata gtctatggtt cctctgatgg aaaaatatgg tctataaatt
108301 attatatata gtttatatat aatataaaac tataaatctt aattagattc tactctttct
108361 taattgaaat ttcagaaatt tttactagaa ttaaaattaa attttatctt catgtgctag
108421 cacaaaatac atttattaac tttccagcat ttatgtccca gatcagttta catgcctgag
108481 ccacagatgt tctttctaat cttgaaaata attcaccttt ttgaaagaaa aaaatccctt
108541 tcattgaaat gttaaattta ttagaaaatc atagttattt cctaaatcta tgtcattcac
108601 agtatacatt taaatttttt ttctaattcc cattgttatt taaataagta gttttattgg
108661 gaaaatgtta ttttttaaaa tcctcatcat caaatatttt gttcccattg aagtaagaaa
108721 atataatcta aaaattttta cattttaata ttttatagag gtttttctc tgatatataa
108781 taataaaaat tggcatttat aaagacttag tctcttccat taacatacaa aattcatata
108841 tttatgttca atcctttctg ctcttaaatg agtattagct atttggtcca atagtttaat
108901 agtgatgcgt caaaattttc acaattgtgt ttccaagaat gttttcttgc aattctgact
108961 cctgcttttt gcaccaagaa atattaaact aaaattgaat ttactgctga taactggtaa
109021 gtttgatctt catttttttg ttatatcttt tgaaaaagtc tctaccttta ttcatcaaac
109081 tagttcagaa gttgtcaacc attttatatt ctacttctac ttgcttgtga tatttttaaa
109141 agcgtgctat cactcatggt tttctaatta ttaggttggt acaaaagtaa ttgtgttttt
109201 tttccattaa aagtaatggc aagaaccgca attacttttg ccccaaccta acataagcag
109261 tcattcaatg atgtgtgcct cttttcatga acgacatgga attttattgt ctaacaaata
109321 tttattgatc tccttctggg ctccaagtac tacactgagc atttgggata tattaatgaa
109381 cataataaac aacttatata taactttaga aggtgttaaa tgtcatggaa aaagaaaaaa
109441 ggaatgcttt aaggaagacc agaaataaca aacggagagg agaaagttgt aactttaaaa
109501 ataaggtgtt cagggtagac ttaattaagt tagcataatt gtactgaatc ttccacactt
109561 gttctttgaa actttacctg aaattatcaa ccgtatttgt attgttcaat tatattttat
109621 ttgcatatgc tcaatttttg gaacattatt cttagctttt acatttgatt tcataatcat
109681 gtataagtag atacttggag gagcttatac tatgttactt atcattgata ctcattgtca
109741 ttcatttcaa ataaaatatt tctttttctt aaattcctaa tttaaattca cttcttgttc
109801 attcatctca tctttactca tctctcattc agctggagta ggtgtttttc acatgtaaaa
109861 aaaaattctg tcattgtaca tatgtgtttt tgactgggta tttaagtctg tgttaacaca
109921 agtgttagct tttgcgttag ttctcctcac ttgtgttact tatcctcaaa actgtggact
109981 ctgaccaatt attttctggc catgttgtaa taaagaggaa gaagaaagca atcctgactt
110041 ttgttccttt gtaaggaaca ttttcctctc tccagattgt agaaagatta tttctttaat
110101 tgttgagatt caaaatattt gtaaaattca tttggggata gatttattct cattgttttc
110161 tttcatgtaa tataaataat ataaaaataa tgggtaatat gccctaaaca ttgtgccctt
110221 ttcatcttaa aaatgttttc ttataccaca tctttgatta ttttctattt tttatgtgct
110281 ctggttctct tgctaagaaa cactattatt tgattttgaa cttcttactt gctccacctt
110341 atcagttatt tcacacatta ttttcatctg tttagccctt cttgcattca gttaggtcct
110401 ttctttctgc attcaattga atatttaatt caaatttgtt tatttcttgc agtgccattt
110461 gttttctatt ttcaatgaag attgttaagt gttggtttta ttttttgtgg tttctatttt
110521 ctgtagttac ttccatgttc aaattatcct actttttagt ctatagttca tcttgatttg
110581 ttttttcttg tgaaaaactc tgctatagag ggcatgcttt agtgcatggc aatgaaaaca
```

-continued

I. LISTING OF SEQUENCES

```
110641 aagcaaacca aaagccattc attaatgtgt tcttctgttt agaataaaaa aatttcccag
110701 gtatttgctt cttctgccta atgtggagta tggagttgtt ttcatatgtc ccatattgat
110761 ttacacttta actatgctgt ctgcgtgcaa aaaaatgtgc ttatacaacc caggggtgga
110821 accaagctaa gcaactctcc tcaggtcctt tacctgctca gaagtcttga aagccccatt
110881 atactccctt ctcccttacg cacaccaaga attataaatc ccattgtttt cttcatataa
110941 gaatatattt gcatctcatc acattcatat gcacagcctt ttattctatg catactcaat
111001 tagcacatat tggcaagtta ggaaagtagg agtgtgggaa taagtatgaa aaaagacacc
111061 attgtggcat atatatacac acacacacac acacacacac actcttacaa tttcctcctc
111121 tctgaatcct tcagatactg aataaaggac atctgctatt attatgttta atttatttaa
111181 ttatctttaa tttcctctta ttattaaccc caaatacctt aatttgaaat taaccaggtt
111241 tttcctatgc agtttgtcct attttctatc aggcttaaac aaatactaat ctgcaaaatt
111301 ccaagtagtc caattagtgt ttcttcagcc ccttcactca taatacaaca tgtagatgaa
111361 cataacagct tcatattcaa acagataata ctttggcttt ctcagatgga agcacgcaga
111421 gcaatgggac aggattccgt gcctcaaagt aagggctgag taaggaccca gatgccctcc
111481 tataagctgc cagggaggtg gtggtgttct gtttcagagg acaaagcaca cagaggccca
111541 gactgtgttc ctcgagccct acccattagc cccaagatca tagaaaaatc ttccaagctg
111601 gaaactggtt gacaatgatc ctgactttca gtaggtgtgt tttttaaact ctgtatacct
111661 ttttcctcta cctgtgttgt tatttgaata tgaagttggg agaagacata tcagagattc
111721 ccaatctaat acgttttaaa tttgacgttt ttttccctta gactagcatt aattgtgttt
111781 cacaacaaaa cgagatagca tttcatctca cgggacagta cactagattt catgaggtct
111841 catattattt acagtaaaaa gtttctttca taaacgcgct tttttcaaga acaatttacc
111901 atgatgatgt cttgaaaaca cagaatttag gctctgccac aaatttgctt taacatgtaa
111961 tgattcatca agttttgttc tccatatact attttagaga gtactgcttg gcagtaaagg
112021 agctcttctg cgcaaaagaa tggctggtaa tggaagagaa gacccacaga ggactctaca
112081 gatccgagat gcatttgctg tccgtgccag aatgcagcaa gcttcccagc atgcattggg
112141 accccacggc ctgtgccaga ctgccacatc taggtaacac agagttctcc caagactttg
112201 gaggttaaga gaaatttact attttgaaga aactaaggtg tgaacttaaa gcttctaata
112261 tttctaggca tttctaattt tttttttttg agttctgcct tccttagata cctactagcg
112321 gaatcctaat gctatcctaa ttgtacagat tagcgtaaag atttatttca tttgctctaa
112381 aataaatgaa acagcacttt taattactgc ttgacatttt agattctttc atagggaatc
112441 ttatgagagc ttgtaacatt ttctggagtg tgtagaaaaa tggctaagaa acatcttata
112501 ttttgtcagc agagtggaat aaaggaataa agtccttttt cttagccaag aaagcatgct
112561 aaaataagac acatgtttga aaatgctgat ctcacaaaac aaaattgaat tgcttcatgt
112621 tgctttaatg aactttgttt gtaaggaact atgttgttat ccctaacagc tggtttaatt
112681 tcaaagaccc aattctttca cattcgaatg caaagaatgt tttccagttg tatattaaaa
112741 agctgagaga gaacttgcat ttcttagcac tcactctctc acagaatatg tgagatatct
112801 ggatgctcac ttaaaacaaa tttttatcct ttccccttca gattataaca aagaaaacct
112861 aaaaagtaag taattgtgtt tgtgcccttg aaaccttatg tgtatgtaat tggattcatg
112921 catgtgtgtt tacacttata tttcctgatg cccagaacag aatgtacagc cgctctcaaa
112981 gtcttctcac catactcatc cagggtataa catgagggaa aatcatggaa ggtctcagtt
113041 tataactttt aattagaccg tagagagtac catatttagt gagtcataca aatgctatct
113101 cccacctcaa ggtttttagt ctgttttatt tcttatatgg ctataagtaa gccaaattta
113161 aaatgtcacc ttttgatttt atattcttga ttcagtataa tctaattatg tatagatgaa
113221 acccaacatt tatttcttca ttgagccaat tcatgatctt catttgtgac aatagatccc
113281 tcttttggaa gttaggtatt tttttaagac agctgatttc cagtataaag tttataggat
113341 caaatcaaat ggctttaaaa aggtcatcac aaaaatctct gggaaagaat tcaagaaggt
113401 tgcttgaaaa gggatgtcgt acaaaataac ttgtatcaga tagtgcttta acctgtcaga
113461 atgcagaaat cctcaggatg aaattagaaa agcttttcat gtcaactaac ttcctctggt
113521 ctcagcgttc taaggcttaa atcacactta cttcctgtaa tacatattcc agccctaatc
113581 tcctctgcat ttgactaggt gccaggactt gattttacca gcttgcttaa aggaccaaca
113641 cttaaaagta ttaaaagcaa gaatgctact ggtcctagtt gaattactca gaggtattaa
113701 acaagaagag ttatggaaac cttaaaaatc tattattctg gtagcctgtc aaattgttat
113761 tcccaaatcg aaggaataaa aaaaaatttc aattctttgt tatatgagca gccaaagttt
113821 actttgattg gactttgaat tgattactgt gctctttgtt atccatcgat tgctcactca
113881 tccattcaaa cattcattga gggtttgctg tgtggaagga ccagaccatt catcttaaat
113941 tagacaggaa caatacacaa aaaagcatcc acatttctgc ctttcacact aattataaag
114001 gaattttgag cagcacaaac tagctacaat aataaatttt ctagtcttta aaaaacagct
114061 ttatgaaatc ttcgatacat gtaagaaaat gagctcctaa tgtcatgaac taaccattta
114121 aactgaaagt agggcaggga atatctgaaa gtatgctcct tgagttaagg caattattat
114181 taaaagagtt ggctttagca ggtcaatagt ggagcaaaga aaacatcctt attaggcagt
114241 gtcccatatt ttataggggt gtgtaaagac cttaagtatt ttccaaagag tgtcttgatt
114301 tctgagtaaa ctctaaagaa tatcaccagc tcatttggag gggtcacaaa agagctgtta
114361 atcatttgtt tatctttgca ttattttctt cttccttgag catagggact agaatttcag
114421 tagtttttct tttttataat ttctttggct gaagtgaaac atctttttga gcaggcaatg
114481 cctttgtgct atttacatta tttgtaagca aggattacac tattcctctc ttccgtgaga
114541 cttcacatac tttattacag aaacactcag cagtgaatct gtcttctatt tcagagcttc
114601 tgtggagaaa aggttaattt gtcttaatca ttgaaataat tacttttctc ttgaattctc
114661 tttttccttc catctttgct ctttctatac atatacatgg agaataaagg acccaatgaa
114721 tgtacccaaa tccaaactga ctagtgtgat acatacatta tctctcttaa tactcccaat
114781 agttctacaa aattaagtac tatgaacgtc ctccatttta cttacaaccc aacatgagaa
114841 agagagatta agcaatgtgt ccaattttac ccatctagta aggtgataag ccagaatttg
114901 aactgaaatc tatctgattc tggctctgtc ttcagagcca gaatgttata cctgatgcat
114961 ttctgttatt actaatgttt cttaaaaaat tccaagacct catgtgtaat aaagcttaac
115021 tgattgttta actgattcat tcttgaataa attccactac cttttcacat ttgttataat
```

-continued

I. LISTING OF SEQUENCES

115081 tgattattct taagaagctc taattgataa aaattttatt gttcacaatt ttaaatcacc
115141 caggccactt gatgatttga ctttttgtta acatttaaat gaatacatgc tttgtgtccc
115201 agaccatttt tccataatga tcagctacta ttttgcccac gaatgaaatc atgaagcgtc
115261 agtgtctctg tgtgtgtgtg tgtgtgtgtg tgtctgtgta aaactcatga attatttcat
115321 aatttgaaat gtggtttggg taatttttgt ggtaatatta aagttacaag ttcttagaaa
115381 attggagttt aaagtaactt taacagttat ttaatctaaa gtctcccaca atgaaagaat
115441 cttttctaga gcatctctga cagaaacatt ccattttccc tcctgaattt atttctcaat
115501 tcctttgtag aatacattaa ttatttcaac aatttagcta tgtagaacta aattctggtt
115561 ctctagaact gtcaacaact gatcttcact ctatttcttt gatttattta taatctgtat
115621 gatagtcctt aaaatatttg gagacaggca ctcaatctct ctgtagtctt ctcttcttca
115681 cattaaatat ctccaatttt taactttttc ttttgcaact gacttccaaa atcctcacct
115741 ccatgtttac tttttactgg ctgccacaag cttgagaata tccagaactg aacacaaagc
115801 acagaacatg atctgatcag aattgcaatg caaccatatt ttctgtgata aggccttgtt
115861 cttttatgag tatagattaa actcatgcta gctgtctaat aatttcatga cattaatagc
115921 ccttctatac acatatgggt ttactgattt ccttgatttt ctaataaatt ttctactaga
115981 ccaatccaat tcataattat ttttattaca ttcttctagc atttataata atttgtactt
116041 tacatgttta gttactatgt tctatgaggc atagtgatcc aagacacttt tctttttata
116101 tgaagctctt taccaatgta aaatgtcact cttgtcttgt tttagtgctt ttagctttaa
116161 atttctagta ttaataatgg taattttttc cttgtattta tgttaaccta gcacctcttt
116221 gttcctcttt tatttttctt ttcttataaa caacatatac ctgggtttac tccaatcaga
116281 tagccatttt ctattaatag gaggatttag cctgttcata ttttatatca caactgatat
116341 actctatttt atccctacta tcttaactgt atattttcta ttcgctttac gtttttgctt
116401 cttctttttc tttttcttta cttgttactg gttatgtttt ctccactgct aagtgaaagt
116461 cagacaccaa ttctttctac acatcgcagt gctctattta ttcttcattt ctgcccaccc
116521 catgggactt tcagaatctc caggagatcc tcagactgct tggatcttct tccttacctc
116581 ccctggtact cttaggtttc tctttgcaga gtgattctca atattgagtc ttacctagcg
116641 aattagccaa gactccaccc atcacagccc cttcacatgt atcctgaagt tattttctga
116701 ttcaattgtt attaagagtc tcctcatgta tttccttaga agggaaagtg tcttgggaga
116761 cagaatccct gaagccttgt gtgttatcaa attgttttct tttatttggg tagttgaaaa
116821 gtgtattaac tgggtatgga actcctgagt gacatttctt tgggtggttt atagatgtga
116881 tttcactctt ttctagcttc tagtgttgga agcaggtagt ctggtgtgaa tttatttttt
116941 tcctgtaagt aatttattct ttctatctag gcagaaactt tttgattttt ccctttatcc
117001 gtgatatctg tatgataaaa attgtttaat catgtgctat tgaacatctc tttccaactc
117061 catgataggg cttcatgttg ggagcttgag ataagctatg atgggaatct ttatcccatt
117121 gaaatcagga tggtagacag acctttctaa tgcaaaaagt tgatcatgct attccacctc
117181 gtaaaacact cctataagac cctccatttg ctgcagggca tagtccaaat tacttaaatt
117241 ggtatacaag gacttttatc actaaacctg atatctgcag ctttacctat agatactccc
117301 caactccaac aatgaaactt ctaggtgcac ttttagaaag gcatcacatc tgcttagttc
117361 agatcttggt atatgctatt acttctttat agaatactat ctctctaccc tgactccatt
117421 ctactctctt aattccccca tcccacacac acgtttgtgt gtgtttttt gttttgtttt
117481 gttttgtttt gttttgtttt gtttgagacg gagtctcact ctgtcgccca ggctggagtg
117541 cagtggcaca atcttggttc actgcaagct ccgcctcccg ggttcacgcc atcctcttgc
117601 ctcagcctcc cgagtagctg ggactacagg cgcccaccac catgcccagc taattttttg
117661 tatttttagt agagatgggg attcaccgtg ttagccagga tggtctcgat ctcctgacct
117721 cgtgattcac ccgccttagc ctcccaaagt gctgggatta caggcgtgag ctactgctcc
117781 cagcccacac cttttcctta gtctgttcag gttgctataa caaaatgcca cagactgggt
117841 ggcttataca cagaaattta tttctcacag ttctggagtc caagaagtcc aagatcaagg
117901 tgccagcaga tttggtatct ggtgaggacc cattcctcat agacatagct gtcttctccc
117961 tgtgtcctca catggcagaa cgggcgaggg agctttcttg gacctctttt ataagggcat
118021 taattccatt tatcaggact ctacccttat tcatttcaac acatgaatgt gggggaaaga
118081 cacaaagact cagatcatca taaccttcaa ctggttactg gctactcacc atttatgttt
118141 aacttacagt tactcactct agaaaacctt ctcagtatgt ctaaacctga gttagtgcca
118201 gccctgaacg agactcacaa gcatcgtgtt cttactactc ctataatgct tcttatattt
118261 tgttttattt ctccatttat tcacttgtgt ctcatgacaa gcaaagactt ctcatgttca
118321 ccacagtgtt ctggatacct aacagtcact attgatttag tgaatgcatt tacatatgga
118381 tgaatgagtg tataaactcc cgtagtgttc agaggaaaag aatcaagaca gaaaattggt
118441 gagagaaaag ataaaaagga aaaagaatga cgattcaaag tgatccttta gacccaaaga
118501 gatcattgat gtagttcaag ggaagatcag atcaaatcag aagcagtcat caaggaataa
118561 caaaacaaaa ctatcttgaa ggaaagaaac atttaaatcc ataaagcaaa attattgttc
118621 caactatgtc atttcttgca ttttaaaaaa actcactaaa tcatcataga tttttctttt
118681 aacatgacag taaattctac tttctgattc tttttagaaa aactaacctt atatttacca
118741 gtgaaattac actaccaact ttactaatta cattatattc cctcacatgt tatatatggt
118801 gtgagatgct ctgtaaactc caaatacaaa aatagttatt tctccctatc ttttaataat
118861 tgttccaact ttattattag cagaaagcaa agctcgtcaa tttaagccac cccctaccac
118921 caccacccac ccatcttaga tcgagaaaac ttgggatgac tcagtccaaa gagaatcaga
118981 ctagctttca agtcagtcag agaggaacct ggtcagtctg ttgagtccac cactcctgtg
119041 gtgccggatg aggcatgctg tcactgatct tgcgcagatg ttttattgct gtgctgatgt
119101 tcttccagtt ccaggtgcct gcctgagtca cagtggtgac caggcctggc atccgcaggc
119161 ttcagaatca cttgcttagc cattggtact cagggcataa tcactgggtc cacttcatgt
119221 atgactaaga agtcatacat gagcgtctct tgtagcctcc aattttgcaa gtgccctatt
119281 tcaaatgctt taggcatcta ctgccataaa ggttttattt tgactttgta atatgttata
119341 ttaatatgtc cccttctatt aaatcattat tctctgacta tgatgtagtc agttgctaat
119401 atttcgttta ggatcttcta aacttaggtt gtataatcta tgtatgctct tttcttctgt
119461 gctaacattg ccaggttgtg atattggtat tataataatt tctaaaataa tttgaaagaa

-continued

I. LISTING OF SEQUENCES

```
119521 ttttctctta ctggaacata ttataaatat ggaaatttta tctctttcaa gactaaaaga
119581 atgtctttta taatgtgatg acttaaaaat ctagtttcct gcctatggta atatttatat
119641 tttctaatgc ttcaaatttg gggattaata tgttcctatc attttcctta aggtgtgaaa
119701 tataataatt acacattatt ttaattaact ttgaatctgt tataactttt ttatcatttc
119761 taattttctg tttgtacctt ttctctttaa ttaaaattcc attgattaga ctactatatg
119821 aatatttata aaaccaacta ttgatctttt aattctatca tttgtgttac gtgtattcta
119881 acttattaac ttctgcttgt gtatggctgt tactttatta cctattatct tttgttttct
119941 gtagttattg tttcttaccc aaagtcttgg gttaaatgtt cagttcattt actttcattc
120001 ttttttatct agtggaagga gataacacta tgactttatc tttgagcaca actttggcta
120061 aataaaatac acactattaa gaggcttgtg tctaatctat aactatagtt actctctagt
120121 ttttgatcaa aaagtcattg atttttttct ttttaaaaat gtcccattgg attttattta
120181 atctattatt aattgcactt tggccattaa gtagatatgc ataatttctg cctttaaaat
120241 ttattgagat taatccacaa atatttgaaa ggaaggttta ttctctattt ttgggtacaa
120301 aggtcattct tagctattaa aacattgttg ctgattattt taaaatactc tgtatccctg
120361 tttttgtctt tactcaatct gttaagagga tttaaatgtg attaataagg ttcttttaat
120421 acatatacaa tggactttgt actctacaaa tagtggtatg agtatggcat cttttggttt
120481 ccaacagtaa tgctgatttt actttataca tatcacatcg gccttttaaa ttgaagtttg
120541 acaggagttc agtttttaga tgaattaact tctcatttgt ctcctaatat tttcattttt
120601 catcttcttt catgattttt cttctgtttg taaactgaca gtaaatgtat ataaaagctc
120661 agctctagac aatcctgatg tcaagtgtaa ttatgtgaaa atattttatt tgataatttc
120721 catgatttat gtcaggtcat agataatatg attcagtata aatggcacca gcccaagatc
120781 tacatttatc tcagaaaaaa aaaacctatt tcctctctct gagtctcatc tttaaaattc
120841 tattattcta taagctggat ttacttacaa ctagacctta ctgaacttta taaatatata
120901 accagggaga acctgataca taaatatatt attatcatga aatttatttt actgattgct
120961 taaatacaaa aaattgcttc ttaaaggttt gagaatgaat gaaataatta ttctttactt
121021 acagcattcc caccaatgac gtcctcaaag ccaagtgtgg acattccaaa tctgccttcc
121081 tcctcctctt cttccttctc tgtctcacct acatactcca tgactgtaat aatctccatc
121141 atgtccagct ttgcaatatt tgtgcttctt accataacta ctctctattg ctgccgaaga
121201 agaaaacaat ggaaaaataa gaaaaggtga gattctagtt tcagctaacc atgtgtagta
121261 atattttaaa gccttgtgtt ttatggagtt ggtatgacgt gaggaatata tatgacactg
121321 caactctcta aatatatccg tagccctgct ttaaaattaa gcacccccat catgatcttt
121381 acaaatgtca atgacttttt ggcatgggat caaatcaaat gccctagggt tactgtttca
121441 caaaaggtaa aatctaaaca ataatttgga ggaaaatggc tattcctgct ccttgtcttc
121501 tcctcaggcc tgttgccatt gctggcttgg agagctaaac atttctgaga aaatgtgcct
121561 tttgactcta gaccaaacaa aatattttat tgctctcaaa acgaaggatc tttggctgcc
121621 ttagtataac ttgttttcat tactcttaaa tgccatattt cttagaatct aagtctaagt
121681 acaaagatct aacctgcttc tgagctcatt cctgatcttg cctgtcttgc ctgcagagaa
121741 tcagcagcag taaccctcac cacactgcct tctgagctct tactagatag acttcatccc
121801 aaccccatgt accagaggat gccgctcctt ctgaacccca aattgctcag cctggagtat
121861 ccaaggaata acattgaata tgtgagagac atcggagagg gagcgtttgg aagggtgttt
121921 caagcaaggt aaagttacct atggaaaaaa aaactccatt gaaatatgtt atgtctgaaa
121981 agctaccaaa ctattagctt ggtatatata taatattagc tttatatata tatacacaca
122041 catatatata tatatatcaa gctaatgata tagtacatat atatgtacac tgtgtgtgta
122101 tatatatata cacacacaca tatacatata tacacacagt gtaatataca gtattatata
122161 gtattaatac aatattatat atgtattata tggtaataat atactatata aaatagtttt
122221 tatcaagtta gttaattctg gccaggtgcg gtggctcgtg cctgtaatcc cagcactttg
122281 ggaggctgag gcgggaggat caccttagtc aggaattcaa gaccagcctg gccaacatgg
122341 cgaaaccccg tctctactaa aaatacaaaa ttgagccagg catggtggtg cacaactgta
122401 gtcctagcta ctcgggagtc tgaggcagaa gaattgcttg aagccggaag acagaggttg
122461 cagtgagcca agatcgcgcc actgcactcc agcctgggtg acagagcaag actctgtctc
122521 aaaaaaaaaa aaaaaaagaa aagaaaaact agttaattct ttacatcatt aaccttattt
122581 gtattgcata atacacttca aatcttaatt tcccctcttt gctggaaaac agtagcctat
122641 atggagataa tatattttac tgcacttaaa ataggtaatt tattggagat gtaaatgtgt
122701 cttcacttct acgattttta aattataaga aattagtaat atagttcaat aatatttcct
122761 tttcaggaaa gaatttacca tatattttta atcataattt cttacattgt tttaaataac
122821 tccttacatt ataatataat gtatagatat taagtagatg ttcatgaaat gacaaacaga
122881 aaaggaataa aaaggcaaaa atttataaaa aatgagctca agaaaggagt atgtattagg
122941 gccaatatta gcctatgtat cacctttgtg cgaattggaa taaaataccc tttctgctgc
123001 atggatatgg ctccacagac acacagctga gccagagaat atgaatttgg ttttaatctc
123061 caactggcac ttcggcctgg tgctcttggg caagacacaa cttaatctcc acccatggtg
123121 gccctggcgt agaggttaca tgaatagtga aaatctcaca caaacatgtc ttggaaacca
123181 aaatttgcaa ggcaccactt taggctcaat ggagggtaca aagatgagta agccatagtt
123241 cctacgtcat ggaatttaga ttctggacaa agattaaaag gttaggatgt ggctgggcgc
123301 gatggctcac acctgtaatc cccgcagttt gggaggccga ggtggtcata tcacgaggtc
123361 aggagattga gaccatcctg gctaacacag tgaaaccctg tctctactaa aaatacaaaa
123421 aattagccag gtgtggtggc gggtgcctgt agacccagct actcaggagg ctgaggcagg
123481 agaatggtgt gaacccagta tgtggagctt gcagtgagcc tagatcatgc cactgcactc
123541 cagcctggat gacagagtga gactctgtct caaaaaaaaa aaaaaaaaaa aaggttagga
123601 tggcaatgat aatcctattg ggggtgtata cttcagaatt cctataattt gtaaataatg
123661 catctttcaa acttcattgt ttgaaattgt tgaaaataac accagtgatt tttattagtt
123721 gacatcaagg agttttaagt atgttgtctt tctttgattc tgtggctctg ggaaaggctg
123781 cgtgagactt aaccagcctt ttacacaggg gaggtgggag gatatgtata aatgtgggta
123841 ggtataaaga tatgatgtcc atgatctttg gtttcttttt caataaatgt atctctcagg
123901 gcaccaggct tacttcccta tgaacctttc actatggtgg cagtaaagat gctcaaagaa
```

-continued

I. LISTING OF SEQUENCES

```
123961 gaagcctcgg cagatatgca agcggacttt cagagggagg cagccctcat ggcagaattt
124021 gacaacccta acattgtgaa gctattaggt atgaaaatac aagtgaggat atgtatttca
124081 tcagaaaaca gaggctttcc aagtttttct ccccttgttc gtgctttttc cttttctcct
124141 tgatcagtga gacgtttcag ttccttttca aatttagctt cttcaccttg gtctatccca
124201 accctatagg acattcatgg cttaatggat tatccctctt taaattcatc acttcaattt
124261 gtctctgtct ttgctgcctc ctatttataa aaatgtttaa aatgtcccca ttgtaaaaaa
124321 ttaatactgc ttctccatca caaaatttat caatattgaa aagtctatat attttactta
124381 ttttgtttct cctctttctt ccctaactag aatgtcatga gcagcgattt gtatcttttc
124441 tgttcattgt tgagttccag tttattccca gattcataaa ttcaacacaa attttacaaa
124501 tatttagttt gtattaatta cacagcaatt aataaaactt ttcaaaaatc tgtgctctcg
124561 gctgggagca gtggctcatg cctataatct cagcacttta ggaggccgag gcaggcagat
124621 cacttgaggt caggagtttg acaccagcct ggcgaacaag gtgaaatccc atctctacta
124681 aaaatagaaa aattagctgg gtgtggtggt gtgggcctgt aatcctagct actcgggagg
124741 ctgaggcatg agaatcgctt acaccggggg ggcagaggtt gcagtaagcc aagattgcac
124801 cactgcacca cagcctgggt gacagagtga gattccatct ttaaaaaagg aagaaaaaaa
124861 aaatctgtgc tctcatagag catacattca ctctatatga ggagacagat aataaaaaaa
124921 aaacaaaaat atgggatgct ggatattaag ttctacagac tttttaaagt gttaaagcag
124981 agaagttgga atgtgagcta caaagtttga agacttcagt gaaaatatta catttatata
125041 aagacctggc agaggcaagg gaataacagt gtggatatct tgggaaagaa cattccaaaa
125101 agaatgagaa gcatttgcaa aggtactgtg gcaagagcag atgtggcatg cttgaggaat
125161 agcaaggaga tgaatgtggc tggagcagag tgaaagatgg ggagagttat caaagatgag
125221 atcagagagg taatggggga ggtaggcagg tcctgtcagg ccttattaaa aacattggct
125281 tttaatctaa gttgggaaac aaatggagag tttcagccaa gacatgacat gacacaactc
125341 acatttttc agatcttctc tggctgcttt cttgagcatt gcatgaaggg aagcaatgaa
125401 atcaggaaga cagtaaacag gtattgcaat gatgcagcaa gagaagatga tggcatgggc
125461 caggtggtgg tagtgaagat cgtgagaagt gattctcttc catgtgtaat gtgaaagtag
125521 agccaaataa tttgctgaca gaccaaatat gagatgtgca aaaaagggaa aagtcaaaga
125581 tagtatcgaa gtatttggct gtgcagatga gtgaatggag gtgccattgg ctgagttgag
125641 gaatactcag aaggaacagg ttcctttagt ggagagagtg ggaattcatt taaagatgtg
125701 gtttttgtcc aggcactgtg gctcacgcct gtaatttcaa cactttgtga ggccgaggcg
125761 agcagatcac ctgaggtcag gaattcgaga ctagcctggc caacatggtg aaaccccatc
125821 tctactaaaa atacaaaaat tagccgggtg tggtggcaca cgcttgtaat cccagctgct
125881 tgagaggctg aagcaggaga attgcttgaa cctgggaggc ggaggttgca gtgagccgag
125941 attgtgccat tgcactccag cctgtgtgac agagtgagac tccatctggg aaaaaaaaaa
126001 gacgtgtttt ttggcgatgc ttattcaaca tccacatgat ccacatgaag ttaaggatgc
126061 atgtggatat ggaggcctag agttctggta aggatgatct ggttagacat gaatccaagg
126121 ctattgcagt acacagagta tttaaagcca tgaggttgag taagacacct aagtatggag
126181 aaagcaagcc agaacagaga agaggtccaa ggaccaaggc ctggagcatt ccagtattta
126241 gtgtgagaaa gaggagatga acaagaaaaa caaactaaaa acgagcaacc aatgaaatag
126301 aagtaaatca agagagtgtg gtgtcctgga tgtcaaatga agtattttaa ataggtgaaa
126361 gtgagcatgt catatgcatt aagtcaagtg agaggaggac tataaagtga ccttgaattt
126421 gtaaacatgg atgttcactg gtaaccccga gaagagaggt ttcttaggaa tgttgggggc
126481 agaggaaatg taagtgagct caaaagaaga ggaagagaaa atctggagaa aaagtataaa
126541 caacttgttt tgccataaag gtgaaccaag gaacatggat agagctgaag ggggcagaaa
126601 gaagcatgct tcctttcatg tggaagtaat agcacatttg taaattaatg agaatgatcc
126661 cgtaaagaga aaaattgatg acagggttgg caaatagtgg aagtaacatc tttgaacagt
126721 gagagggaat ggaatcttgg cactgttgga tggattggcc tttgtaaaga gaatgctcag
126781 atcaaccata gtaataagag agaattggct ggagattgta gccagtctct tctgattgat
126841 ttagttttct ctgtgaggta ggaatcaaga tctcatctga gggtgaggaa tgggagaaga
126901 gttgaagatt tgaggaaaga gaagaaataa attgtcatct aagaaaatcc atttttacat
126961 aaaatataaa atggactaga gaaacataat atgattggca agaacattaa aagcttactt
127021 gaaattagag attacacatt taacatgaga ctggtcagca tggttgtgta tttatccaaa
127081 tgctgccagc tgggcataga ctcgttaaga ggagttaaat tttaccagaa ttagcatttt
127141 gccacacaag taagttgaag tcaaattgag gcaaataaga gaggtgtatg caaaggagtg
127201 attattatga ttgatcaagg aacttaagct gtttaaggaa ggaagacaaa acgtgaagaa
127261 agtagggatc attaaaaggg ggtaggatca atagattaaa agtttcaggg ggaggagcca
127321 agatggccga ataggaacag ctccggtcta cagctcccag cgtgagcgac gcagaagacg
127381 ggtgatttct gcatttccat ctgaggtacc gggttcatct cactagggag tgccagacag
127441 tgggcgcagg ccagtgtgtg tgcgcaccgt gcgcgagccg aagcagggcg aggcattgcc
127501 tcacctggga agcgcaaggg gtcagggagt tccctttctg agtcaaagaa aggggtgacg
127561 gacgcacctg gaaaatcggg tcactcccac ccgaatattg cgcttttcag accggcttaa
127621 gaaacggcgc accacgagac tatatcccac acctggctcg gagggtccta cgcccacgga
127681 atctcgctga ttgctagcac agcagtctga gaccaaactg caaggcggca acggggctgg
127741 gggaggggcg cccgccattg cccaggcttg cttaggtaaa caaagcagcc aggaagctcg
127801 aactgggtgg agcccaccac agctcaagga ggcctgcctg cctctgtagg ctccacctct
127861 gggggcaggg cacagacaaa caaaaagaca gcagtaacct ctgcagactt aagtgtccct
127921 gtctgacagc tttgaagaga gcagtggttc tcccagcacg cagctggaga tctgagaacg
127981 ggcagactgc ctcctcaagt gggtccctga cccctgaccc ccgagcagcc taactgggag
128041 gcaccccccca gcaggggcac actgacacct cacacagcag ggtattccaa cagacctgca
128101 gctgagggtc ctgtctgtta gaaggaaaac taacaaccag aaaggacatc tacaccgaaa
128161 acccatctgt acatcaccat catcaaagac caaaagtaga taaaaccaca aagatgggga
128221 aaaaacagaa cagaaaaact ggaaactcta aaacgcagag cgcctctcct cctccaaagg
128281 aacgcagttc ctcaccagca acagaacaaa gctggatgga gaatgatttt gacgagctga
128341 gagaagaagg cttcagacga tcaaattact ctgagctacg ggaggacatt caaaccaaag
```

-continued

I. LISTING OF SEQUENCES

```
128401 gcaaagaagt tgaaaacttt gaaaaaaatt tagaagaatg tataactaga ataaccaata
128461 cagagaagtg cttaaaggag ctgatggagc tgaaaaccaa ggctcgagaa ctacgtgaag
128521 aatgcagaag cctcaggagc cgatgcgatc aactggaaga aagggtatca gcaatggaag
128581 atgaaatgaa tgaaatgaag cgagaaggga agtttagaga aaaaagaata aaaagaaatg
128641 agcaaagcct ccaagaaata tgggactatg tgaaaagacc aaatctacgt ctgattggtg
128701 tacctgaaag tgatgtggag aatggaacca agttggaaaa cactctgcag gatattatcc
128761 aggagaactt ccccaatcta gcaaggcagg ccaacgttca gattcaggaa atacagagaa
128821 tgccacaaag atactcctcg agaagagcaa ctccaagaca cataattgtc agattcacca
128881 aagttgaaat gaaggaaaaa atgttaaggg cagccagaga gaaaggtcgg gttaccctca
128941 aaggaaagcc catcagacta acagcggatc tctcggcaga aaccctacaa gccagaagag
129001 agtgggggcc aatattcaac attcttaaag aaaagaattt tcaacccaga atttcatatc
129061 cagccaaact aagcttcata agtgaaggag aaataaaata ctttatagac aagcaaatgc
129121 tgagagattt tgtcaccacc aggcctgccc taaaagagct cctgaaggaa gcactaaaca
129181 tggaaaggaa caaccggtac cagccgctgc aaaatcatgc caaaatgtaa agaccatcga
129241 gactaggaag aaactgcatc aactaatgag caaaatcacc agctaacatc ataatgacag
129301 gatcaaattc acacataaca atattaactt taaatataaa tggactaaat tctgcaatta
129361 aaagacacag actggcaagt tggataaaga gtcaagaccc atcagtgtgc tgtattcagg
129421 aaacccatct catgtgcaga gacacacata ggctcaaaat aaaaggatgg aggaagatct
129481 accaagccaa tggaaaacaa aaaaaggcag gggttgcaat cctagtctct gataaaacag
129541 actttaaacc aacaaagatc aaaagagaca aagaaggcca ttacataatg gtaaagggat
129601 caattcaaca agaggagcta actatcctaa atatttatgc acccaataca ggagcaccca
129661 gattcataaa gcaagtcctg agtgacctac aaagagactt agactcccac acattaataa
129721 tgggagactt taacacccca ctgtcaacat tagacagatc aacaagacag aaagtcaaca
129781 aggataccca ggaattgaac tcagctctgc accaagcaga cctaatagac atctacagaa
129841 ctctccaccc caaatcaaca gaatatacat ttttttcagc accacaccac acctattcca
129901 aaattgacca catagttgga agtaaagctc tcctcagcaa atgtaaaaga acagaaatta
129961 taacaaacta tctctcagac cacagtgcaa tcaaactaga actcaggatt aagaatctca
130021 ctcaaagcca ctcaactaca tggaaactga acaacctgct cctgaatgac tactgggtat
130081 agaacgaaat gaaggcagaa ataaagatgt tctttgaaac caacgagaac aaagacacca
130141 cataccagaa tctctgggac gcattcaaag cagtgtgtag agggaaattt atagcactaa
130201 atgcctacaa gagaaagcag gaaagatcca aaattgacac cctaacatca caattaaaag
130261 aactagaaaa gcaagagcaa acacattcaa aagctagcag aaggcaagaa ataactaaaa
130321 tcagagcaga actgaaggaa atagagacac aaaaaaccct tcaaaaaatc aatgaatcca
130381 ggagctggtt ttttgaaagg atcaacaaaa ttgatagacc gctagcaaga ctaataaaga
130441 aaaaaagaga gaagaatcaa atagacacaa taaaaaatga taaaggggat atcaccaccg
130501 atcccacaga aatacaaact accatcagag aatactacaa acacctctac gcaaataaac
130561 tagaaaatct agaagaaatg gatacattcc tcgacacata cactctccca agactaaacc
130621 aggaagaagt tgaatctctg aatagaccaa taacaggctc tgaaattgtg gcaataatca
130681 atagtttacc aaccaaaaag agtccaggac cagatggatt cacagctgaa ttctaccaga
130741 ggtacaagga ggaactggta ccattccttc tgaaactatt ccaatcaata gaaaaagagg
130801 gaatcctccc taactcattt tatgaggcca gcatcattct gataccaaag ccgggcagag
130861 acacaaccaa aaaagagaat tttagaccaa tatccttgat gaacattgat gcaaaaatcc
130921 tcaataaaat actggcaaac cgaatccagc agcacatcaa aaagcttatc caccatgatc
130981 aagtgggctt catccctggg atgcaaggct ggttcaatat acgcaaatca ataaatgtaa
131041 tccagcatat aaacagagcc aaagacaaaa accacatgat tatctcaata gatgcagaaa
131101 aagcctttga caaaattcaa caacccttca tgctaaaaac tctcaataaa ttaggtattg
131161 atgggacgta tttcaaaata ataagagcta tctatgacaa acccacagcc aatatcatac
131221 tgaatgggca aaaactggaa gcattccctt tgaaaattgg cacaagacag ggatgccctc
131281 tctcaccgct cctattcaac atagtgttgg aagttctggc cagggcaatc aggcaggaga
131341 aggaaataaa gggtattcaa ttaggaaaag aggaagtcaa attgtccctg tttgcagacg
131401 acatgattgt ttatctagaa aaccccatcg tctcagccca aaatctcctt aagctgataa
131461 gcaacttcag caaagtctca ggatacaaaa tcaatgtaca aaaatcacaa gcattcttat
131521 acaccaacaa cagacaaaca gagagccaaa tcatgagtga acttccattc acaattgctt
131581 caaagagaat aaaataccta ggaatccaac ttacaaggga tgtgaaggac ctcttcaagg
131641 agaactacaa accactgctc aaggaaataa aagaggacac aaacaaatgg aagaacattc
131701 catgctcatg ggtaggaaga atcaatatcg tgaaaatggc catactgccc aaggtaattt
131761 acagattcaa tgccatcccc atcaagctac caatgacttt cttcacagaa ttggaaaaaa
131821 ctactttaaa gttcatatgg aaccaaaaaa gagcccgcat cgccaagtca atcctaagcc
131881 aaaagaacaa agctggaggc atcacactac ctgacttcaa actatactac aaggctacag
131941 taaccaaaac agcatggtac tggtaccaaa acagagatat agatcaatgg aagagaacag
132001 agccctcaga aataatgccg catatctaca actatctgat ctttgacaaa cctgagaaaa
132061 acaagcaatg gggaaaggat tccctattta ataaatggtg ctgggaaaac tggctagcca
132121 tatgtagaaa gctgaaactg gatcccttcc ttacacctta tacaaaaatc aattcaagat
132181 ggattaaaga tttaaacgtt agacctaaaa ccataaaaac cctagaagaa aacctaggca
132241 ttaccattca ggacataggc gtgggcaagg acttcatgtc caaaacacca aaagcaatgg
132301 caacaaaagc caaaattgac aaatgggatc taattaaact caagagcttc tgcacagcaa
132361 aagaaactac catcagagtg aacaggcaac ctacaaaatg ggagaaaatt ttcgcaacct
132421 actcatctga caaagggcta atatccagaa tctacaatga actcaaacaa atttacaaga
132481 aaaaaacaaa caaccccatc aaaaagtggg cgaaggacat gaacagacac ttctcaaaag
132541 aagacattta tgcagccaaa aaacacatga agaaatgctc atcatcactg gccatcagag
132601 aaatgcaaat caaaaccact atgagatatc atctcacacc agttagaatg gcaatcatta
132661 aaaagtcagg aaacaacagg tgctggagag gatgcggaga aataggaaca cttttacact
132721 gttggtggga ctgtaaacta gttcaaccat tgtggaagtc agtgtggcga ttcctcaggg
132781 atctagaact agaaatacca tttgacccag ccatcccatt actgggtata tacccaaagg
```

-continued

I. LISTING OF SEQUENCES

```
132841 actataaatc atgctgctat aaagacacat gcacacgtat gtttattgcg gcactattca
132901 caatagcaaa gacttggaac caacccaaat gtccaacaat gatagactgg attaagaaaa
132961 tgtggcacat atacaccatg gaatactatg cagccataaa aaatgatgag ttcatgtcct
133021 ttgtagggac atggatgaaa ttggaaacca tcattctcag taaactatcg caagaacaaa
133081 aaaccaaaca ccgcatattc tcactcatag gtgggaattg aacaatgaga tcacatggac
133141 acaggaaggg gaatatcaca ctctggggac tgtggtgggg tcaggggagg ggggagggat
133201 agcattggga gatataccta atgctagatg acacgttagt gggtgcagcg caccagcatg
133261 gcacatgtat acatatgtaa ctaacctgca caatgtgcac atgtacccta aaacttagag
133321 tataacaaaa aaataaaaaa ataaaaaata aaaaataaat gcatgaatac ccaaaaaaaa
133381 aaaaaaaaaa aaaaaaaaga aggcatttca gcatgcaaac aagtaatact tttaggaatt
133441 acactgactt cattgtaatg cataggaaaa ataaataatt cacaaataaa aaacaaacaa
133501 acaaaaaaaa agtttcagtg gggtcaaagg atttttagag ttagggcagt cgaggcagtg
133561 aactagggtg aaaaagggag gaagtgatga acaacaggta gagtaactga aaatgagatt
133621 atgggaggta tacaaatgta tggaatgaca aagtcagggg tatgacaatg tgagtgatta
133681 gctgaagttg ggcagaggtc taaggaaagg aagtaaagta atttagtggt caggatattg
133741 gaaggaatct agataaatat taaaagcaag aatttctata gtagtatctc gaatagtttc
133801 tggcacattg taggcactct ataaatattt gttcaataaa tgaataaacg atattaagta
133861 cataacaatt catcttgaaa acacttcttc catttcctca actcctaaac attcatttat
133921 tcattcttca tcacacaaaa atctgaatct ggcttctgcc ccctaccctc cttatttact
133981 ttctcaaata gtatacattt agtcattaaa caaacataca tacatgcata ttttcaagat
134041 tatcaagcaa ttcctgtttc aacttttctt aaaatgttga ctctgtattc gtatacagtt
134101 tataacatcc tgaattcctg aaattgattc aaacagaaac tatgtacagt tttccaattt
134161 aaccacagta gcatgcttat acatcactac ttggagtttt ctctcatttt tattgtccaa
134221 caagaactga aacttatgtt gccgtttgtt aaatgctata tctaaattcc atttggatat
134281 ccaatgaaca caggttctat tttttatcaa gtatacataa gcagtaatca ttcatgcaag
134341 tgattccact actctcatag tttcttgtaa gttaatccca gtgaaataag atgacaatag
134401 tggaagaaag gggaattggg aaaatccata aaattcactt ctatcaataa aagaaatcta
134461 ctttgtttta tatatttgat acatcagcca cttattgaac atgttcgtat cttaaaaatt
134521 gtttcccttt tattgaaatc ctagtggata atggttttgt agtcataaat tgggaaaaat
134581 ggtataacta aagaaatatg cagaatttta gaatgggagt aggcattgaa tattatagac
134641 tcttacggaa tattctggca gtggagcaaa cagtagaaca atcaggtgag attattcatt
134701 gaagatgtca tgctaaagtt taaagacatg gcttgggcta ggcatgaggt tttcttatgc
134761 ccatccatct atgcatccat ccttaaatct atccatgcat ccacctatgc attaattcat
134821 ccatccaccc atcaacatat attgaaaacc catagtgagc catgtgtagt attagacctg
134881 aggttacaag gatgaataaa atacagtctt cctctcaata attattatat tttgaagtcc
134941 cacctaagag ttgggttgga gtaattacaa tatagaaaac attttgaggt cttaaataaa
135001 tgtatataca tatataattg taaattatat ctatacacat gtatatataa ttgttcataa
135061 taatcacaaa gtagaaatct tttgtatagt attttcttta tcagagtgga aaatttcatt
135121 aaatcaattt agttcaaaac tttatttctc agagaaatat tttgtcattt ttttccagta
135181 taagaaatta tttttaaatc aactcaacca gcataacaat ggtaaagcca gttgatgaga
135241 taggtaagtc cctgttaact aaagattatc caaaaaggat cccacagaag aaacttctaa
135301 gtattatcca gttggtattt ctttattttt tccctttagt ttacagaaat gtgctaattg
135361 aggtccttgg aattaaaaat taatgccaaa ataaataagc caagatagca gtattcctca
135421 tttctcctct ttttcaaaca gatactttta acttttgcct gaaaaaaccc aatagatcta
135481 ataatctatt tttaagatga tgtgaaatta tgcccatctt atctaatatt ccaagttctc
135541 cagtttccct ctcaaatata tcaagacttt aagatttgaa aatgatcttc tggctttaaa
135601 tctaagactt tatttatatt aactttttg gtagcatgaa cattgtaaaa cctaaatttc
135661 aaaatgtttt actgcagcaa cttaaatact tcatctaaga cacttgaatt gtatttgtta
135721 ttgtttccaa acttgataca tctttcttat taacatcctt catagaagta aacagaaaca
135781 gacagcaatt acattacata ctcagagcaa gcatccattc ataaattaac tcaccaaaca
135841 ttatgaggca tctgctctgc cagacacgtg gtaggtgtgg ggaattttta aagaagaata
135901 aggttcaatc tctcctttca aagtgctaaa acgttgggga gaaacctcaa atagtcaaat
135961 gattataaaa taggatggta ggttctctgt gaaaggatga cagtaggaaa atctaacagt
136021 tactggaagg atcaggagct gaggcaccct agggagagtg ataaactgaa tcttaaaggc
136081 aaagaggaga tgtttaggca gagaaatagg gtcagggttc aaccatggtg ttgtcaacaa
136141 aaaaccaggg cctccagatt tcagagagaa gagccactcc agagaactga tacaccatgt
136201 acttatatgc accatgaact tgatgcacca tgtacgatgt acttatgaca agtgcccagg
136261 acaacagcgc tctgctggaa gtcctcaaaa actttagcca agggacagaa accccactac
136321 ccagagtgca tttcctagct gagactcctt ttgtgttgtg attaaaagga tacaaatatt
136381 aaaaaacaaa catacgacaa caacaacaaa aaacagggct tcatatgttc tgacatggtc
136441 gtttgctttt ggagtgctct ttccattgtt tcattgtaga aactgagact aacagggatg
136501 gtcttttggt tccaggagtg tgtgctgtcg ggaagccaat gtgcctgctc tttgaataca
136561 tggcctatgg tgacctcaat gagttcctcc gcagcatgtc ccctcacacc gtgtgcagcc
136621 tcagtcacag tgacttgtct atgagggctc aggtctccag ccctgggccc ccacccctct
136681 cctgtgctga gcagctttgc attgccaggc aggtggcagc tggcatggct tacctctcag
136741 aacgtaagtt tgttcaccga gatttagcca ccaggaactg cctggtgggc gagaacatgg
136801 tggtgaaaat tgccgacttt ggcctctcca ggaacatcta ctcagcagac tactacaaag
136861 ctaatgaaaa cgacgctatc cctatccgtt ggatgccacc agagtccatt ttttataacc
136921 gctacactac agagtctgat gtgtgggcct atggcgtggt cctctgggag atcttctcct
136981 atggcctgca gccctactat gggatggccc atgaggaggt catttactac gtgcgagatg
137041 gcaacatcct ctcctgccct gagaactgcc ccgtggagct gtacaatctc atgcgtctat
137101 gttggagcaa gctgcctgca gacagaccca gtttcaccag tattcaccga attctggaac
137161 gcatgtgtga gagggcagag ggaactgtga gtgtctaagg ttgaagacgt tcaaataaaa
137221 tgctgcagtt tcctctcaga ctctgtgagc caggggaatc ctacaccaga ggcccaacaa
```

-continued

I. LISTING OF SEQUENCES

```
137281 gacccacata ggaaagagta agagtaaaca tgagtagtgt gttgtttgct tcccagggag
137341 agcaaagaca gtgcaaaacc catgtggtag acggacccat tgaaagccag tgattggaaa
137401 cacaggctag gaaatgtgtc agataatgga gacaactatt cttcttcatg aaggtttgta
137461 atacacactg cacagggaag aatgtcatcc tgttcagttt ccaaagtagc tggtcacaga
137521 gtaaagctct gctgtattaa attttaatat gaaatgggat tcagagcttc atttttaat
137581 tgagttaatt cctgtccatt gtgaaagtag cttaatcgtc atgtaagaca cttaggtgaa
137641 gtacagaaaa ctaaaaagaa ggaaaagcca ctcattctgt ctccccccaa agacgagtct
137701 tagtgtttta ttaaatcttt cttgcattta atgcataatt ttatatttgt ttgtattctg
137761 cagagttgtg gttacatttt attgatagag ggtttctaag gaatgaaaca gcaaatcagc
137821 aagcctgtaa ctctgagttc ccttttctgt cctgtgcccc tccttttttc ctttctgtgc
137881 atttgtcatg aattaagtct gcttatttta ttcctccagt tttcttgaaa caagtttttg
137941 tatcttactg atttaccttt tcctttaaaa attgtattgg tatcttttcc attgctttaa
138001 tctttatttc ttcttctttc caggacttct gtcctttttt agttattaag ctatttttt
138061 cttttatttc attcatgtaa taaacactct ggcagaaata ataacatttt aaataccatt
138121 gtagattgat atgtatatgc cttttgcaaa gtattactat ttttcctgca tttgcctttg
138181 aagccacaca tttcaacatt ctcacctatt aatattatta ctagagtcta tttaaatctc
138241 ttaaaccata atttataata tgagatttca caagatacac ttgtggctct gagttatttc
138301 aaaactgata tttctgtgca ttctgacatt ttattccttt tagaaacaaa ttcagttggc
138361 tgtagaatta atatcgttct gcttaacaac tttgtgcatg acatattaac tgattttgtt
138421 gtatttcatg atttaaaaaa aaaagcagca gctctggaac tcagattcct gggggttcag
138481 atttttctc agtggatcct cacacaatac atctttatct aagtccatac atgatctgag
138541 tttatttctg atatagcagg aacccaaatt ctcctgaaaa cgaacaggga agagaaaata
138601 acagtctact ctataccagc ttatcttaat tcagactaat tggtagttag ggcattggag
138661 gaatggtgtg aattcttgaa agtagatttt cgctgtctgc tggaaaactc tgcctgaaat
138721 ccccaaatct gcctcatgta acagcttgac atctttggtg ggaaacctgc catttcttat
138781 tcatagtgtc tccaggcaac caagacaaaa atgtagaaat tttcctagac tttgccctct
138841 ctttcatcat cagttttcta ttagttttac ttcctaaaat cctcctgctg acatcctctt
138901 cccttcaacc caagagccaa tgactcaacc tctaccgttg cccaccctgt ctattagctg
138961 gccttcctct catttcagac ctgaacagat tctgtaggat acaacgacag taaggcggtc
139021 cttagtcaca gttctggttc ataaatagcg aggtcagcat ttaggactga gacctaaaga
139081 agtgcttcag ataaaaatca tgagtctaag tccaaaattg atactgtaat ccaaatgact
139141 gaataaagaa taaagttgca gcgtgtgtct aaagcagaaa gtcaagatgc caacaaagca
139201 gaaaagttgg agagggccac cagcaagtct agaacttgag catagatatc catggcttat
139261 tttagatggt tcatgtatgc tctgcaaaat tcaaagacag cttcgggctt tctccgctga
139321 taaagttttg ttgtaaaaga cagacataga agtcaggctg acagaaaata gagtaacagt
139381 aatcataaaa attataatat cagctagcat ttattgaaat cttaccatgt gtattctgag
139441 gcctttaaat atatgaactt aaacctcaca acatccctgt aatgttggta ctatcattat
139501 atacatttta gttttgcttt gttttgtttt gtttttgaga cggagtctcg ctctgtcgcc
139561 caggctggag tgcagtggca cgatcttggc tcactgcaag ctcagcctcc aacagtcaca
139621 gagagattgt gcaactggcc cgagtgcaca cagcaacaga gcctactttt tgaccaaaag
139681 aggccgaatt ctcaaccact atactgtaga gcctctgtac atgatagaag caataactga
139741 acctcagtaa ctctgtggaa gtgatttgta atttgcatgt cgtttcaagc acactctata
139801 tctatatttt attctattaa cttcctaagt ctttttaatg aatagcaaaa aaagtatatt
139861 tcagcattat caatttaagt taatcataac atctaatagg tgacatgttt atttttcat
139921 gagttctaat tacattttca agttaagatc actgacttat tccctaagtg ctcgatctaa
139981 tgttctgaat cacaggagta tagatgcatt attcaccaat attgtttact tttttaaata
140041 agatttttt tcatggtaga atcatcatat acattcaaaa aggtagacaa aagagagaca
140101 ctcacagtgt cactgttacc aagtgccagg acagatatca gtaaggcacc agcagtcatt
140161 tttagtgatc aaataccaaa catggtaaga taccagagta tttttcacat gacacccaaa
140221 aacatattct ctgctatcgt ggtagagcag aaaaagaaca ctttcttttc attttacagt
140281 atattacgaa cctgttccac gtcattaaat attcttctaa aaacccaatt ttggaataat
140341 attctatttt attcatatac tgtaatttag ctaatcaatc ttgtattttt gaacatttag
140401 gtttttttcca atttttatca ttataaaaaa tgctgtaatt aacatcctta tttgttcatg
140461 tccacatttc tttttatgaa aattcagaga aaggaaatgt ctggaccaaa tggcatgtac
140521 aatattaaca cttctgttat gtggtttcat attctgcaga aatattactg ccacttctac
140581 attgtacaag agatctcata gccctaaaca tttgctttca tagataattt tctgtttttt
140641 agaaatcttt tgtctctttg gttatagaaa aagagaacct ctttttaatt ttatttttta
140701 aattactagt caggttgaat gtttcttgtt cctaggtcat taacagtttt tattttggca
140761 attgtctaca gcccattttt ctgctgtgtt cattttctaa tcgaattatg ggatttatct
140821 tgtaaaaagc ctattaagcc tttttcatac tttacacaag agatcacatc tacttacttt
140881 accttaaaat aacatttact tattttctta taaaagtaat atattatgtt tgaaaagaaa
140941 aataatatgc aataatatac aataatatgt ataatcataa tagacaataa taaaaatgaa
141001 aaaacaccaa ccagaggtaa ttaacattaa catcataata ttcttccagg ctttttcaga
141061 tagacaggta ggtaagtagg ttggtaggta aatagataga tagatgatac atagagagag
141121 atagatagat aatttaaaca aaaataagat catactgcta cattacttca agccttgctt
141181 ttatcactta atatatctta aacatcttct acatgaacaa gtattcatgt gcaacattaa
141241 ttttgatggt tgaatagtat tatacagatt tatcgtaatt gacataacta ttctactgtt
141301 agacatttgg tttatttcta tttttccatt ataaaatgta atgtttggat catcctgttg
141361 ctaaattttg taagcattta tcttaagtga tttctttagc tataactcct agaagtgaaa
141421 tttctagatt aaaggataaa tgcactttta atactttttta aatatattaa aaaattacct
141481 tcctgaatta ttttattaac atgtacctct cctagtcaga taagacagcc catttatttc
141541 agtctcacca atactgagta tagcatttta atcattgcca atataatagc taatagctta
141601 aagttatttc atagcttata tttacacttc tttaaatact aataaaattg aacattgttt
141661 aatgttttga ggatacttga ttggtgattt gcctcctact attatttttc tactgggtat
```

-continued

I. LISTING OF SEQUENCES

```
141721 atctttttct tgttgctttg taagagcact ttatatatta aggagttaaa ttttgtgata
141781 tatgtttcaa ctacttttat catgttaaaa atatagactt ctatttgtct tttattgtag
141841 gttttatcaa tcagaaaaga atgttgactt ttccgtccat tcagatgatt gtggcttttt
141901 tccctaatgg atttgttaat atgttcaatt gtatgaattt atttcctaat gtagcgatat
141961 ccttgtcttc taggaataaa ctttttgggc gaatcatatc aatcttctac ttaactacca
142021 aattaattta catatatttg catcaatatt aagttcataa aattaaaagt ttatcatttt
142081 catctctgtt agagttttgt attggcatta gcatttgtat tagcattgta ttaggaaaaa
142141 ctcaggagtt tttctctata atcttggtta gtttattttt aaataattgt tatttatgaa
142201 agtaatacat aaaaatgttg tttaaaaaaa ctcacaagag ggtaaaaatt aaaaaaataa
142261 taaaagttcc cttcttcctt ttcatctcta gtcccagcct aagtgctaac cacttcaccc
142321 atttatagtg ttagttcttc tggtgattac cagtgcaatt ctaacaaata ggtttgcatt
142381 tctctttctg aattgatcaa ttttttaaaa atatgcagca ctctgactca aactcccttt
142441 ctttttcctg agatatgtta acttctaatg ttatattgtt tatcacaact ttcacaaata
142501 tttctaaata aaggttacct actgattctg gattgtgcta cataaaatta gagcttccaa
142561 atttccctcc atcacttctc cctgctctct actctcacaa tcagtcaact atacacctat
142621 ttctacgctg tcaactatat gttcatttct atgaatctgt aatatttgca ttttgttctg
142681 gaacaaatta agatttaggt gctttgacta gattgattct aaacatcaaa aaacaaaaat
142741 aaaatatctg caattatgtg atcatgtatt tatgcattgc caaataatgg tattccatta
142801 ttttaatttg ataagataaa tttaatatac attaattctt atttcctcta ttttatggaa
142861 gaaatatttt taaaaatcac aaaactttta cattcgcttc tcttcctgat atttattttt
142921 cctttttctt ctgcctctct tctttcgtgc cctttttcc gaaaattatt ttgatgattt
142981 tttttattca ccatacataa ttacaaatga agagttgctc tggttcgtat tggtagtaga
143041 agtggggtcc ctttgctgtt ttgttggtat attcacccag tgtgacctct tttccgtggg
143101 atggctacct ctgggctctg attatgtggc tcatagggaa gtataggcag cctgagtcag
143161 aatccccaca gttccaaagt gatggaagac tgtactctga gatacaatat tttgacgtat
143221 ttcactccca gggagagcta cttgctattc tttcactgct tccattaccc aaaagagtat
143281 gatattctcc ccattttctg tattgcctca cacctaggac ccttcaaacc cacaccaacg
143341 acctctcagg caaattgatc tattcagata gcagtttaca gggatagaca tgaggcctct
143401 tggcccacct gctctataca caatcttcta gtcgaccatc ctgattgaca acccacagcc
143461 cacccctgtc tctgtatttg ctgactcaga gcatggagac tttatacatg tgaaatcaca
143521 tctcccctcc cctcacgctt ggcttgtgtg tattgcaaaa gctgcaattt agtttttcct
143581 gtgccttgtc ttacccatgg ataagaacac taagatactt tccgcttttt gaatatttgt
143641 caaagtgatg gcacttggat tggtttcagc atgtacatag attgattctt attcatatac
143701 atttactgtc atattgggga aatcttgagg ggaaaagaaa agcctcttac taccatgttc
143761 atcaagagtc ctctctggaa tagttgaaat agtttaggag ttatcggttc actccttcgt
143821 cttgtttgcc tccagatttc ttttttcctt cttttcctgt ttcttaatgt tggaacagcc
143881 cacacctcaa tccttggatg acatctccct tttatctgta ttcatcccta gtgatctctt
143941 ctggttgcaa ggctataaat gccatctgta tgctgagatt ttttatttt tagttcaaac
144001 ctctctcccc aactttacac tcacatttct aactgtgtgt tatagatgat agctttagat
144061 tctcctcctc aggactaggc tttctgcttg atctaggagc aaagctgaaa actgctatgg
144121 agcttggtgt tgccttgata ccgaggagga gtctcagagc ctctccagtg caaatacaca
144181 cttgcagtgt cctagtgctg ctgacttacg tactcattct aaagagggta gattgtatcc
144241 attttaatag ctctcaatac ccttgcccat tcccattaca gctggcagaa attccccagc
144301 tgcaaatggg ttgcatttat ctgttaccca ttcctgattt gcagcacgat tgactgtttc
144361 cttttctgcg tggtctatgt gtcactccat gagaatctgg gagaggagaa ctcgatatgg
144421 tgctcattcc atcattttaa ccatagtgtt ctttattgtg aagaggtatc ccggttagag
144481 tggagtcaaa gctttatagc aagtgtattt caggtaacta ttcttttact tgtttcagat
144541 ctatttcagt agcacagcca ccaagataga acacttataa gcccttattt tggtatagat
144601 caccagagaa accactcacc actcgcactt ggccttcagt actgagtcat tacatattgg
144661 aaggtcagaa actacatcaa caggaaagac ccataggtgt gggggtctga tatatttgcc
144721 agtacatttc ttatcattac aaacaaagat ttatgtgtgt ctagatgt
```

hu6-75; SEQ ID NO: 78
G*C*T *A*G*G *G*T*G *G*T*C *T*T*T *T*A*G *A*A*A *T*G*C *A
*represents a phosphorothioate linkage, and each sugar of the oligonucleotides is a 2' -MOE modified sugar.

hu6-69; SEQ ID NO: 79
G*G*T *C*A*A *G*C*T *A*G*G *G*T*G *G*T*C *T*T*T *T*A*G *A

hu6-58; SEQ ID NO: 80
C*T*G *C*A*G *G*A*A *A*T*G *G*T*C *A*A*G *C*T*A *G*G*G *T

hu6-39; SEQ ID NO: 81
G*A*A *G*T*G *G*T*G *A*G*T *G*A*C *G*C*T *C*C*T *G*C*A *G

hu6-27; SEQ ID NO: 82
G*T*T *A*G*G *A*A*G *A*C*A *G*A*A *G*T*G *G*T*G *A*G*T *G

hu6-12; SEQ ID NO: 83
A*T*C *C*T*G *G*C*A *A*A*A *A*C*T *G*T*T *A*G*G *A*A*G *A

hu610; SEQ ID NO: 84
G*T*G *G*G*A *T*T*C *A*G*G *A*G*C *C*C*G *C*A*G *G*A*T *C

-continued

I. LISTING OF SEQUENCES

hu619; SEQ ID NO: 85
G*G*T *G*A*C *A*T*T *G*T*G *G*G*A *T*T*C *A*G*G *A*G*C *C

hu628; SEQ ID NO: 86
G*G*A *G*C*C *A*A*A *G*G*T *G*A*C *A*T*T *G*T*G *G*G*A *T

hu637; SEQ ID NO: 87
G*G*T *C*A*C *A*A*A *G*G*A *G*C*C *A*A*A *G*G*T *G*A*C *A

hu646; SEQ ID NO: 88
A*C*A *G*T*G *C*A*G *G*G*T *C*A*C *A*A*A *G*G*A *G*C*C *A

hu656; SEQ ID NO: 89
C*T*G *T*T*G *C*T*G *T*A*C *A*G*T *G*C*A *G*G*G *T*C*A *C

hu669; SEQ ID NO: 90
G*G*G *A*C*A *G*G*A *A*T*G *C*C*T *G*T*T *G*C*T *G*T*A *C

hu681; SEQ ID NO: 91
C*A*G *G*T*G *A*T*G *G*T*G *G*G*G *A*C*A *G*G*A *A*T*G *C

hu693; SEQ ID NO: 92
C*C*G *T*T*T *T*C*A *A*T*C *C*A*G *G*T*G *A*T*G *G*T*G *G

hu6110; SEQ ID NO: 93
T*G*A *C*A*C *T*C*A *C*A*G *C*A*T *T*T*C *C*G*T *T*T*T *C

hu6125; SEQ ID NO: 94
A*A*G *T*C*C *C*C*A *C*A*C *A*C*A *T*G*A *C*A*C *T*C*A *C

hu6139; SEQ ID NO: 95
G*G*T *C*T*T *C*C*C *C*A*G *A*C*A *A*G*T *C*C*C *C*A*C *A

hu7-75; SEQ ID NO: 96
A*C*T *A*T*G *T*C*A *G*T*A *G*A*T *T*T*G *A*A*G *G*G*A *A

hu7-66; SEQ ID NO: 97
T*C*C *C*A*C *T*A*T *A*C*T *A*T*G *T*C*A *G*T*A *G*A*T *T

hu7-53; SEQ ID NO: 98
T*C*A *G*T*C *A*A*G *G*A*T *T*T*C *C*C*A *C*T*A *T*A*C *T

hu7-45; SEQ ID NO: 99
A*A*A *A*G*A *A*C*T *C*A*G *T*C*A *A*G*G *A*T*T *T*C*C *C

hu7-33; SEQ ID NO: 100
G*T*A *A*A*G *G*A*A *A*A*T *A*A*A *A*G*A *A*C*T *C*A*G *T

hu7-22; SEQ ID NO: 101
A*A*C *C*T*G *A*C*A *G*A*G *T*A*A *A*G*G *A*A*A *A*T*A *A

hu7-10; SEQ ID NO: 102
G*G*A *C*C*C *A*G*A *A*G*A *A*A*C *C*T*G *A*C*A *G*A*G *T

hu73; SEQ ID NO: 103
C*A*C *T*C*T *C*T*T *G*A*A *T*G*G *A*C*C *C*A*G *A*A*G *A

hu717; SEQ ID NO: 104
C*A*C *T*C*G *G*T*C *T*T*T *C*A*C *A*C*T *C*T*C *T*T*G *A

hu730; SEQ ID NO: 105
G*T*C *T*T*G *A*G*T *C*A*A *T*C*A *C*T*C *G*G*T *C*T*T *T

hu744; SEQ ID NO: 106
G*A*T *A*A*A *C*A*G *C*T*G *C*A*G *T*C*T *T*G*A *G*T*C *A

hu758; SEQ ID NO: 107
A*G*T *C*C*T *G*G*C *T*T*G *G*T*G *A*T*A *A*A*C *A*G*C *T

hu766; SEQ ID NO: 108
A*T*G *T*G*T *A*G*A *G*T*C *C*T*G *G*C*T *T*G*G *T*G*A *T

-continued

I. LISTING OF SEQUENCES

hu776; SEQ ID NO: 109
G*T*A *G*C*T *A*T*G *C*A*T *G*T*G *T*A*G *A*G*T *C*C*T *G

hu785; SEQ ID NO: 110
T*G*C *T*T*A *T*T*G *G*T*A *G*C*T *A*T*G *C*A*T *G*T*G *T

hu796; SEQ ID NO: 111
A*C*T *T*C*T *C*C*C *C*A*T *G*C*T *T*A*T *T*G*G *T*A*G *C

hu7111; SEQ ID NO: 112
C*C*T *T*G*G *C*A*G *T*A*C *T*G*A *A*C*T *T*C*T *C*C*C *C

hu7136; SEQ ID NO: 113
C*C*T *G*C*T *A*T*G *C*T*G *A*T*G *G*T*G *G*C*T *G*C*A *G

hu7146; SEQ ID NO: 114
G*G*G *C*A*T *C*C*T *A*C*C *T*G*C *T*A*T *G*C*T *G*A*T *G

hu7158; SEQ ID NO: 115
G*C*A *A*A*T *G*T*G *A*A*G *G*G*G *C*A*T *C*C*T *A*C*C *T

MuSK HUMAN_Ig3_Domain (SEQ ID NO: 116)
ARILRAPESHNVTFGSFVTLHCTATGIPVPTITWIENGNAVSSGSIQESVKDRVIDSRLQLFITKPGLYTCIAT
NKHGEKFSTAKAAATIS

MuSK MOUSE Ig3 Domain (SEQ ID NO: 117)
ARILRAPESHNVTFGSFVTLRCTAIGIPVPTISWIENGNAVSSGSIQESVKDRVIDSRLQLFITKPGLYTCIAT
NKHGEKEFTAKAAATVS

MuSK 34 (spanning the exon/exon junction 3-4) Forward
CCTGCAAGTGAAGATGAAACCTAAA (SEQ ID NO: 118)

MuSK 34 (spanning the exon/exon junction 3-4) Reverse
ATGAATCCTCAAGCTCCCAGA (SEQ ID NO: 119)

MuSK 67 (spanning the exon/exon junction 6-7) Forward
GGCTCCTGAATCCCACAATG (SEQ ID NO: 120)

MuSK 67 (spanning the exon/exon junction 6-7) Reverse
GAATGGACCCAGAAGAAACAGCA (SEQ ID NO: 121)

GAPDH (HKG) Forward
CCTCAACGACCACTTTGTCA (SEQ ID NO: 122)

GAPDH (HKG) Reverse
TTACTCCTTGGAGGCCATGT (SEQ ID NO: 123)

YWHAZ (HKG) Forward
CGAAGCTGAAGCAGGAGAAG (SEQ ID NO: 124)

YWHAZ (HKG) Reverse
TTTGTGGGACAGCATGGATG (SEQ ID NO: 125)

Region 1 - MuSK Exon 7
ACTCTGTCAGGTTTCTTCTGGGTCCATTCAAGAGAGTGTGAAAGACCGAGTGATTGACTCA
AGAC (SEQ ID NO: 126)

Oligonucleotide Bld51 (SEQ ID NO: 127)
TTGAATGGACCCAGAAGAAA

Oligonucleotide Bld52 (SEQ ID NO: 128)
CTTGAATGGACCCAGAAGAA

Oligonucleotide Bld53 (SEQ ID NO: 129)
TCTTGAATGGACCCAGAAGA

Oligonucleotide Bld54 (SEQ ID NO: 130)
CTCTTGAATGGACCCAGAAG

Oligonucleotide Bld55 (SEQ ID NO: 131)
TCTCTTGAATGGACCCAGAA

Oligonucleotide Bld56 (SEQ ID NO: 132)
CTCTCTTGAATGGACCCAGA

-continued

I. LISTING OF SEQUENCES

Oligonucleotide Bld57 (SEQ ID NO: 133)
ACTCTCTTGAATGGACCCAG

Oligonucleotide Bld58 (SEQ ID NO: 134)
CACTCTCTTGAATGGACCCA

Oligonucleotide Bld59 (SEQ ID NO: 135)
ACACTCTCTTGAATGGACCC

Oligonucleotide Bld60 (SEQ ID NO: 136)
CACACTCTCTTGAATGGACC

Oligonucleotide Bld61 (SEQ ID NO: 137)
TCACACTCTCTTGAATGGAC

Oligonucleotide Bld62 (SEQ ID NO: 138)
TTCACACTCTCTTGAATGGA

Oligonucleotide Bld63 (SEQ ID NO: 139)
TTTCACACTCTCTTGAATGG

Oligonucleotide Bld64 (SEQ ID NO: 140)
CTTTCACACTCTCTTGAATG

Oligonucleotide Bld65 (SEQ ID NO: 141)
TCTTTCACACTCTCTTGAAT

Oligonucleotide Bld66 (SEQ ID NO: 142)
GTCTTTCACACTCTCTTGAA

Bld51; SEQ ID NO: 143
T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A

Bld52; SEQ ID NO: 144
C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A

Bld53; SEQ ID NO: 145
T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A

Bld54; SEQ ID NO: 146
C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G

Bld55; SEQ ID NO: 147
T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A

Bld56; SEQ ID NO: 148
C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A

Bld57; SEQ ID NO: 149
A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G

Bld58; SEQ ID NO: 150
C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A

Bld59; SEQ ID NO: 151
A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C

Bld60; SEQ ID NO: 152
C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C

Bld61; SEQ ID NO: 153
T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C

Bld62; SEQ ID NO: 154
T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A

Bld63; SEQ ID NO: 155
T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G

Bld64; SEQ ID NO: 156
C*T*T*T*C*A*C*A*C*T*C*T*C&T*T*G*A*A*T*G

Bld65; SEQ ID NO: 157
T*C*T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T

-continued

I. LISTING OF SEQUENCES

Bld66; SEQ ID NO: 158
G*T*C*T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A

Oligonucleotide Bld25-1 (SEQ ID NO: 159)
CCAGAAGAAACCTGACAGAGTAAAG

Oligonucleotide Bld25-2 (SEQ ID NO: 160)
ACCCAGAAGAAACCTGACAGAGTAA

Oligonucleotide Bld25-3 (SEQ ID NO: 161)
ATGGACCCAGAAGAAACCTGACAGA

Oligonucleotide Bld25-4 (SEQ ID NO: 162)
GAATGGACCCAGAAGAAACCTGACA

Oligonucleotide Bld25-5 (SEQ ID NO: 163)
CTTGAATGGACCCAGAAGAAACCTG

Oligonucleotide Bld26-1 (SEQ ID NO: 164)
CTCTTGAATGGACCCAGAAGAAACC

Oligonucleotide Bld26-2 (SEQ ID NO: 165)
CTCTCTTGAATGGACCCAGAAGAAA

Oligonucleotide Bld26-3 (SEQ ID NO: 166)
CACACTCTCTTGAATGGACCCAGAA

Oligonucleotide Bld26-4 (SEQ ID NO: 167)
TTCACACTCTCTTGAATGGACCCAG

Bld25-1; SEQ ID NO: 168
C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T*A*A*A*G*

Bld25-2; SEQ ID NO: 169
A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T*A*A*

Bld25-3; SEQ ID NO: 170
A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*

Bld25-4; SEQ ID NO: 171
G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*

Bld25-5; SEQ ID NO: 172
C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*

Bld26-1; SEQ ID NO: 173
C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*

Bld26-2; SEQ ID NO: 174
C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*

Bld26-3; SEQ ID NO: 175
C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*

Bld26-4; SEQ ID NO: 176
T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*

Oligonucleotide Bld25-A (SEQ ID NO: 177)
ACCCAGAAGAAACCTGACAGAGT

Oligonucleotide Bld25-B (SEQ ID NO: 178)
CCAGAAGAAACCTGACAGAGT

Oligonucleotide Bld25-C (SEQ ID NO: 179)
GGACCCAGAAGAAACCTGACAGA

Oligonucleotide Bld25-D (SEQ ID NO: 180)
ACCCAGAAGAAACCTGACAGA

Oligonucleotide Bld25-E (SEQ ID NO: 181)
GGACCCAGAAGAAACCTGACA

-continued

I. LISTING OF SEQUENCES

Oligonucleotide Bld25-5-A (SEQ ID NO: 182)
GAATGGACCCAGAAGAAACCTGA

Oligonucleotide Bld25-5-B (SEQ ID NO: 183)
ATGGACCCAGAAGAAACCTGA

Oligonucleotide Bld25-5-C (SEQ ID NO: 184)
TTGAATGGACCCAGAAGAAACCT

Oligonucleotide Bld25-5-D (SEQ ID NO: 185)
GAATGGACCCAGAAGAAACCT

Oligonucleotide Bld25-5-E (SEQ ID NO: 186)
TTGAATGGACCCAGAAGAAAC

Oligonucleotide Bld26-2-A (SEQ ID NO: 187)
CTCTTGAATGGACCCAGAAGAAA

Oligonucleotide Bld26-2-B (SEQ ID NO: 188)
CTTGAATGGACCCAGAAGAAA

Oligonucleotide Bld26-2-C (SEQ ID NO: 189)
CTCTCTTGAATGGACCCAGAAGA

Oligonucleotide Bld26-2-D (SEQ ID NO: 190)
CTCTCTTGAATGGACCCAGAA

Oligonucleotide Bld26-B (SEQ ID NO: 191)
CTCTTGAATGGACCCAGAAGA

Oligonucleotide Bld26-C (SEQ ID NO: 192)
CACTCTCTTGAATGGACCCAGAA

Oligonucleotide Bld26-D (SEQ ID NO: 193)
CACTCTCTTGAATGGACCCAG

Bld25-A; SEQ ID NO: 194
A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T

Bld25-B; SEQ ID NO: 195
C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T

Bld25-C; SEQ ID NO: 196
G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A

Bld25-D; SEQ ID NO: 197
A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A

Bld25-E; SEQ ID NO: 198
G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A

Bld25-5-A; SEQ ID NO: 199
G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A

Bld25-5-B; SEQ ID NO: 200
A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A

Bld25-5-C; SEQ ID NO: 201
T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T

Bld25-5-D; SEQ ID NO: 202
G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T

Bld25-5-E; SEQ ID NO: 203
T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C

Bld26-2-A; SEQ ID NO: 204
C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A

Bld26-2-B; SEQ ID NO: 205
C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A

Bld26-2-C; SEQ ID NO: 206
C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A

-continued

I. LISTING OF SEQUENCES

Bld26-2-D; SEQ ID NO: 207
C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A

Bld26-B; SEQ ID NO: 208
C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A

Bld26-C; SEQ ID NO: 209
C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A

Bld26-D; SEQ ID NO: 210
C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G

Region 2 - MuSK Exon 7
GGGGAGAAGTTCAGTACTGCCAAGGCTGCAGCCACCATCAGCATAGCAGGTAGGATGCCCC
TTCACATTTG (SEQ ID NO: 211)

SEQ ID NO: 212
TTTCTTCTGGGTCCATTCAA

SEQ ID NO: 213
TTCTTCTGGGTCCATTCAAG

SEQ ID NO: 214
TCTTCTGGGTCCATTCAAGA

SEQ ID NO: 215
CTTCTGGGTCCATTCAAGAG

SEQ ID NO: 216
TTCTGGGTCCATTCAAGAGA

SEQ ID NO: 217
TCTGGGTCCATTCAAGAGAG

SEQ ID NO: 218
CTGGGTCCATTCAAGAGAGT

SEQ ID NO: 219
TGGGTCCATTCAAGAGAGTG

SEQ ID NO: 220
GGGTCCATTCAAGAGAGTGT

SEQ ID NO: 221
GGTCCATTCAAGAGAGTGTG

SEQ ID NO: 222
GTCCATTCAAGAGAGTGTGA

SEQ ID NO: 223
TCCATTCAAGAGAGTGTGAA

SEQ ID NO: 224
CCATTCAAGAGAGTGTGAAA

SEQ ID NO: 225
CATTCAAGAGAGTGTGAAAG

SEQ ID NO: 226
ATTCAAGAGAGTGTGAAAGA

SEQ ID NO: 227
TTCAAGAGAGTGTGAAAGAC

SEQ ID NO: 228
CTTTACTCTGTCAGGTTTCTTCTGG

SEQ ID NO: 229
TTACTCTGTCAGGTTTCTTCTGGGT

SEQ ID NO: 230
TCTGTCAGGTTTCTTCTGGGTCCAT

-continued

I. LISTING OF SEQUENCES

SEQ ID NO: 231
TGTCAGGTTTCTTCTGGGTCCATTC

SEQ ID NO: 232
CAGGTTTCTTCTGGGTCCATTCAAG

SEQ ID NO: 233
GGTTTCTTCTGGGTCCATTCAAGAG

SEQ ID NO: 234
TTTCTTCTGGGTCCATTCAAGAGAG

SEQ ID NO: 235
TTCTGGGTCCATTCAAGAGAGTGTG

SEQ ID NO: 236
CTGGGTCCATTCAAGAGAGTGTGAA

SEQ ID NO: 237
ACTCTGTCAGGTTTCTTCTGGGT

SEQ ID NO: 238
ACTCTGTCAGGTTTCTTCTGG

SEQ ID NO: 239
TCTGTCAGGTTTCTTCTGGGTCC

SEQ ID NO: 240
TCTGTCAGGTTTCTTCTGGGT

SEQ ID NO: 241
TGTCAGGTTTCTTCTGGGTCC

SEQ ID NO: 242
TCAGGTTTCTTCTGGGTCCATTC

SEQ ID NO: 243
TCAGGTTTCTTCTGGGTCCAT

SEQ ID NO: 244
AGGTTTCTTCTGGGTCCATTCAA

SEQ ID NO: 245
AGGTTTCTTCTGGGTCCATTC

SEQ ID NO: 246
GTTTCTTCTGGGTCCATTCAA

SEQ ID NO: 247
TTTCTTCTGGGTCCATTCAAGAG

SEQ ID NO: 248
TTTCTTCTGGGTCCATTCAAG

SEQ ID NO: 249
TCTTCTGGGTCCATTCAAGAGAG

SEQ ID NO: 250
TTCTGGGTCCATTCAAGAGAG

SEQ ID NO: 251
TCTTCTGGGTCCATTCAAGAG

SEQ ID NO: 252
TTCTGGGTCCATTCAAGAGAGTG

SEQ ID NO: 253
CTGGGTCCATTCAAGAGAGTG

EQUIVALENTS

[0602] Those skilled in the art will recognize, or be able to ascertain using no more than routine experimentation, many equivalents to the specific embodiments of the invention described herein. The scope of the present invention is not intended to be limited to the above Description, but rather is as set forth in the following claims:

SEQUENCE LISTING

```
Sequence total quantity: 258
SEQ ID NO: 1            moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 1
gctagggtgg tcttttagaa atgca                                          25

SEQ ID NO: 2            moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 2
ggtcaagcta gggtggtctt ttaga                                          25

SEQ ID NO: 3            moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 3
ctgcaggaaa tggtcaagct agggt                                          25

SEQ ID NO: 4            moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 4
gaagtggtga gtgacgctcc tgcag                                          25

SEQ ID NO: 5            moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 5
gttaggaaga cagaagtggt gagtg                                          25

SEQ ID NO: 6            moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 6
atcctggcaa aaactgttag gaaga                                          25

SEQ ID NO: 7            moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 7
gtgggattca ggagcccgca ggatc                                          25

SEQ ID NO: 8            moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 8
ggtgacattg tgggattcag gagcc                                          25
```

-continued

```
SEQ ID NO: 9            moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 9
ggagccaaag gtgacattgt gggat                                          25

SEQ ID NO: 10           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 10
ggtcacaaag gagccaaagg tgaca                                          25

SEQ ID NO: 11           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 11
acagtgcagg gtcacaaagg agcca                                          25

SEQ ID NO: 12           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 12
ctgttgctgt acagtgcagg gtcac                                          25

SEQ ID NO: 13           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 13
gggacaggaa tgcctgttgc tgtac                                          25

SEQ ID NO: 14           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 14
caggtgatgg tggggacagg aatgc                                          25

SEQ ID NO: 15           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 15
ccgttttcaa tccaggtgat ggtgg                                          25

SEQ ID NO: 16           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 16
tgacactcac agcatttccg ttttc                                          25

SEQ ID NO: 17           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 17
aagtccccac acacatgaca ctcac                                          25

SEQ ID NO: 18           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
```

-continued

```
                        organism = Homo sapiens
SEQUENCE: 18
ggtcttcccc agacaagtcc ccaca                                          25

SEQ ID NO: 19           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 19
actatgtcag tagatttgaa gggaa                                          25

SEQ ID NO: 20           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 20
tcccactata ctatgtcagt agatt                                          25

SEQ ID NO: 21           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 21
tcagtcaagg atttcccact atact                                          25

SEQ ID NO: 22           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 22
aaaagaactc agtcaaggat ttccc                                          25

SEQ ID NO: 23           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 23
gtaaaggaaa ataaaagaac tcagt                                          25

SEQ ID NO: 24           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 24
aacctgacag agtaaaggaa aataa                                          25

SEQ ID NO: 25           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 25
ggacccagaa gaaacctgac agagt                                          25

SEQ ID NO: 26           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 26
cactctcttg aatggaccca gaaga                                          25

SEQ ID NO: 27           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 27
cactcggtct ttcacactct cttga                                          25
```

-continued

```
SEQ ID NO: 28          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
SEQUENCE: 28
gtcttgagtc aatcactcgg tcttt                                          25

SEQ ID NO: 29          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
SEQUENCE: 29
gataaacagc tgcagtcttg agtca                                          25

SEQ ID NO: 30          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
SEQUENCE: 30
agtcctggct tggtgataaa cagct                                          25

SEQ ID NO: 31          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
SEQUENCE: 31
atgtgtagag tcctggcttg gtgat                                          25

SEQ ID NO: 32          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
SEQUENCE: 32
gtagctatgc atgtgtagag tcctg                                          25

SEQ ID NO: 33          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
SEQUENCE: 33
tgcttattgg tagctatgca tgtgt                                          25

SEQ ID NO: 34          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
SEQUENCE: 34
acttctcccc atgcttattg gtagc                                          25

SEQ ID NO: 35          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
SEQUENCE: 35
ccttggcagt actgaacttc tcccc                                          25

SEQ ID NO: 36          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
SEQUENCE: 36
cctgctatgc tgatggtggc tgcag                                          25

SEQ ID NO: 37          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
```

-continued

```
                        organism = Homo sapiens
SEQUENCE: 37
gggcatccta cctgctatgc tgatg                                          25

SEQ ID NO: 38           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 38
gcaaatgtga aggggcatcc tacct                                          25

SEQ ID NO: 39           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 39
tgcatttcta aaagaccacc ctagc                                          25

SEQ ID NO: 40           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 40
tctaaaagac caccctagct tgacc                                          25

SEQ ID NO: 41           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 41
accctagctt gaccatttcc tgcag                                          25

SEQ ID NO: 42           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 42
ctgcaggagc gtcactcacc acttc                                          25

SEQ ID NO: 43           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 43
cactcaccac ttctgtcttc ctaac                                          25

SEQ ID NO: 44           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 44
tcttcctaac agtttttgcc aggat                                          25

SEQ ID NO: 45           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 45
gatcctgcgg gctcctgaat cccac                                          25

SEQ ID NO: 46           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 46
ggctcctgaa tcccacaatg tcacc                                          25
```

-continued

```
SEQ ID NO: 47          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 47
atcccacaat gtcacctttg gctcc                                          25

SEQ ID NO: 48          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 48
tgtcaccttt ggctcctttg tgacc                                          25

SEQ ID NO: 49          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 49
tggctccttt gtgaccctgc actgt                                          25

SEQ ID NO: 50          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 50
gtgaccctgc actgtacagc aacag                                          25

SEQ ID NO: 51          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 51
gtacagcaac aggcattcct gtccc                                          25

SEQ ID NO: 52          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 52
gcattcctgt ccccaccatc acctg                                          25

SEQ ID NO: 53          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 53
ccaccatcac ctggattgaa aacgg                                          25

SEQ ID NO: 54          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 54
gaaaacggaa atgctgtgag tgtca                                          25

SEQ ID NO: 55          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 55
gtgagtgtca tgtgtgtggg gactt                                          25

SEQ ID NO: 56          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
```

-continued

```
                        organism = synthetic construct
SEQUENCE: 56
tgtggggact tgtctgggga agacc                                          25

SEQ ID NO: 57           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 57
ttcccttcaa atctactgac atagt                                          25

SEQ ID NO: 58           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 58
aatctactga catagtatag tggga                                          25

SEQ ID NO: 59           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 59
agtatagtgg gaaatccttg actga                                          25

SEQ ID NO: 60           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 60
gggaaatcct tgactgagtt ctttt                                          25

SEQ ID NO: 61           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 61
actgagttct tttattttcc tttac                                          25

SEQ ID NO: 62           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 62
ttattttcct ttactctgtc aggtt                                          25

SEQ ID NO: 63           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 63
actctgtcag gtttcttctg ggtcc                                          25

SEQ ID NO: 64           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 64
tcttctgggt ccattcaaga gagtg                                          25

SEQ ID NO: 65           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 65
tcaagagagt gtgaaagacc gagtg                                          25
```

-continued

```
SEQ ID NO: 66          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 66
aaagaccgag tgattgactc aagac                                          25

SEQ ID NO: 67          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 67
tgactcaaga ctgcagctgt ttatc                                          25

SEQ ID NO: 68          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 68
agctgtttat caccaagcca ggact                                          25

SEQ ID NO: 69          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 69
atcaccaagc caggactcta cacat                                          25

SEQ ID NO: 70          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 70
caggactcta cacatgcata gctac                                          25

SEQ ID NO: 71          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 71
acacatgcat agctaccaat aagca                                          25

SEQ ID NO: 72          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 72
gctaccaata agcatgggga gaagt                                          25

SEQ ID NO: 73          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 73
ggggagaagt tcagtactgc caagg                                          25

SEQ ID NO: 74          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = synthetic construct
SEQUENCE: 74
ctgcagccac catcagcata gcagg                                          25

SEQ ID NO: 75          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
```

-continued

```
                        organism = synthetic construct
SEQUENCE: 75
catcagcata gcaggtagga tgccc                                          25

SEQ ID NO: 76           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 76
aggtaggatg ccccttcaca tttgc                                          25

SEQ ID NO: 77           moltype = DNA  length = 144768
FEATURE                 Location/Qualifiers
source                  1..144768
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 77
tatacagtca tttatcactt aacatcaggg atatgttctg agaaatgcat ccatagttca  60
ttttgttatt gtgtgaacat catagagtat acttacagaa accttgatgg tatagcccac  120
tgcacaccta ggctgtatgg atagcctatt gcccgtaggc tacaaacctg tcagcatgtt  180
actacactga atactgtagg caattgtagc acaatggtac gtatttgtgt atctaaacat  240
agaaaacata cagtaaaaat acagtataaa agataaaaat ggtacacctg cattgggcac  300
ttaccatgaa cgaagatttc agcactgaag tttgctctgg gtaagtcagt gagtgagtga  360
tgtgtgaatg tgaaggccta ggacattact gtacactgct gtaaacttta taaatactgt  420
acacttagac tacgctaaat ttatttttaa aatatttttc tttctttaat aataaattaa  480
ccttagctta ccacaactat tttattttat aaacttttaa aatttgtaat ctttttgact  540
cttttgtaat aatactctgt ttgaaacaca aatatattgt acagttatac aaaaatagtt  600
tttcttcata tccttaagct cttttctatc ttaaaatttt atttttattt tttactttct  660
aaactttttt tgttaaacac taagacaaaa acacacaata gccttggcct acacagggtc  720
aggatcaaaa catcactgcc tttcaacagc ttgtcctact ggaaggtcct caggggcaat  780
aacacacatg gagctgccat ctcctatggt aacaatgtat tcttctagaa tacctgcctg  840
aggctgtttt acaatcaatt ttttatttat ttttattttt tatgttttta aataagtaca  900
gggtatacac agtaaaataa taataaaaat atagtacatt aaaaaaacca gcaacatggt  960
catttattat cattatcaac tattatgtac tctacataat tgtatgtgct tttttattca  1020
aaaagaaaat cattaagaac acagcaatat taatatttat tctttttttt agaagaacct  1080
gatttattta tttaattttt ttattatact ttaagttctg ggatacatgt gcaaaacgtg  1140
taggtttgtt acacaggtat acatgtgcca tggtggtttg ctgtatccat caacccatca  1200
tctacattag gcatttctcc taatgctatc cctcccctag ccccccaccc cttgacaggc  1260
cccagtatgt gattctcccc tccctgtgtc catgtgttct cattgttagc tcccacttat  1320
gagtgagaac atgtggtgtt tggttttctg ttcctgtatt agtttgctga gaatgatggt  1380
ttccagcttc atccatgtcc ctgcaaagga tataaactca ttgtttttta tggctgcata  1440
gtattccgta gtgtatatgt gccacatttt ctttatctag tctatcattg attggcattt  1500
gggttggttc caagtctttg ccattgtgaa tagtgctgaa ataaacatat atgtgcatgt  1560
gtctttatag tagaatgatt tatagtcctt tgggtatata cccagtaatg agattgctgg  1620
gtcaaatggt atttctggtt ctaatccttg aagaattgcc acactgtctc ccacaatggt  1680
tgaactaatt tacactccca caaacagtgt aaaagcattc ctatttttcc acattctctc  1740
cagcatcggt tgcttcctga ctttttaatg attgccactc taacaggcat gagatggtat  1800
ctcattgtgg ttttgatttg catttctcta atgaccaata atgatgagct ttatttcata  1860
tgtttgttgg ctgcataaat gtcttatttt gagaagtgtc tgttcatatc cttcgcccac  1920
tttttgatgg ggttgtttgt ttttttcttg taaatttgtt taagttcttt gtagattctg  1980
gatattagcc ctttgtcaga tggatagatt gcaaaaattt tctcccactc tgtaggttgc  2040
ctgctcactc taatgatagt tccttttgct gagcagatgg tctttagttt aattaggtcc  2100
catttgtcaa ttttgacttt tgttgccatt gcttttgggg ttttagtcat gaagtctttg  2160
cccatgccta tgtcctgaat ggtattgcct aggttttctt ctagggtttt tatggtttta  2220
ggttttacat ttaagtattt aatccatctt gagttaattt ttgtatgaga tataaggaag  2280
gggtccagtt ccagttttcc gcatatggct agccagtttt cccaacacca tttattaaat  2340
agggaatcct ttccctactg cttgtttttg tcaggtttgt caaagatcag atggttgtag  2400
atgtgtggca ttatttctta ggcctctgtt ctgttccatt ggtctatata tctgttttgg  2460
taccagtacc atgctgtttt ggcaaaccag gaagaagctg aatccctgaa tataccaata  2520
agaagttctg aaattgaggc agtaattaat agcctaccga gcaaaaaaaa aaaaaaaaaa  2580
aaaaaaatcc aggaccagac ggattcacag ccgaattcta ccagaggtac aaagaggagc  2640
tggtaccatt ccttctgaaa ctattccaat caatagaaaa agagggaatc ctctctaact  2700
aattttatga gtccagcatc atcctgatac caaaacctgg cagaggcaca accaaaaaca  2760
gaaaatttca ggccaatatc cctgatgaat attgatgtga aaattctcaa taaaatactg  2820
gcaaactgaa tccaacagca catcaaaaag cttacccacc acgatcaagt tggcttcatc  2880
cctgggatgc aaggctggtt aaacatatgc aaatcaataa atgtaatcca tcacataaac  2940
agaaccagtg acaaaaacca catgattatc tcaatagatg cagaaaaggc tttcaataaa  3000
atttaacacc cctttatgct aaaaactctc aataaactag gtattgatgg aacccatcga  3060
aaaaaaatga gctatttatg acaaacccac agccaatgtc acactgaatg agaaaaagct  3120
ggaagtattc cctttgaaaa ctggcacgag acaaggatgc cctctctcac cactcgtatt  3180
caacctacta ttggaagttc tggccagggc aatcaggcaa gagaaagaaa taaagcgtat  3240
tcaaatagga agagagaaag tcaaattgtc tctgtttgca gatgacatga ttgtatattt  3300
agaaaacccc atcatctcag ccccaaatct ccttaagctg ataagcaact tcagcaaagt  3360
cccaggatac aaaatcaatg tgcaaagatc acaagattcc tatataccaa taacagacaa  3420
acagagagcc aaatcatgag tgaactccca ttcacaattg ctacaaagag aataaaatac  3480
```

-continued

```
ctaggaatcc aacttacaag ggatatgaag gacctcttca aggagaacta caaaccactg  3540
ctcaagggaa taaaagagga cacaaataaa tggaaaaaca ttccatgctc atgataggaa  3600
gaatcaatat tgtgaaaatg gctgtactgc ccaaggtaat ttatagattc aatgctatcc  3660
ccatcaagct accattgact ttcttcacag aattagaaaa aactacttta aatttcatat  3720
ggaaccaaaa aagagcccat atagccaagg caatcctaag caaaaagaac aaagctggcg  3780
gcatcacact acctgactct aaagttctat aaatgaactc acgaggccaa agaatgaaga  3840
agacaccaac acaaagggga aaaaatcaaa acaatatggt cattgcaatg gtagagatat  3900
gcacagtata ttatggaaac ccagagaaga caaacgtaac acagctttgg gaagatatgg  3960
aatttttctc ccaggaggag aggatgatca agctgagaga tgtgtgaact gagtggaaag  4020
gaggggagta gtattccaag agaagcaaac agtatgagca attcatggag gtaggaaagc  4080
tgtatacagg gaaccatcag caggttgttg aataaaggaa gctgaatgag gctgggcaca  4140
gtagctcacg cctgcattcc cagcactttg agaggccgag gtggaatcat catttgaggc  4200
cagcagtttg agaccagcct gggtaacata gcctgaccac atctctccaa aaaataaaaa  4260
taaattagcc tgctgtagtg gcagtgcctg tagtcctagc tactctgaaa ggatcacttg  4320
agtccaggag gctgaggttg cagtgagcta tgattacccc attgcactcc agcctgggca  4380
acagagcaag accctgactc tgaaaaaaaa aaaaaacaaa aaacaaaaac aggatcgtaa  4440
aagacaatac taacatacaa caaagcatgc agattccagt aaagcctgtc atattaggca  4500
gattaggcag gtttaaatat atttttatgt gatgatgagc ccctaaaggc ttttgagcag  4560
gagggactat ctgaaaaaag atatagaatg gttaagaccc aagacagaga gaaggtacaa  4620
ggactatttg gttgataaaa tctgtaggaa ttggaatggg ctgaatgtgg gagtgggggt  4680
ggggtgagag atggggagga ctgaagactg aatagaccca gatttctggt ttgagtccgg  4740
gagaggtggg gtgctgaatt cgaaggtcag gacacctata cctctgggaa tacagcgatg  4800
gttgcaaaag gcatctggta ttgtccttct gccactgtct taaaagggat tctaaaggga  4860
ttttcttgcc cttgttcctc cagccctaca cttgcattac tggcctacgt ggatgctcac  4920
cagctggctg tgtccatcat tgcagccaag tctgagaatt cctgattata cttagagcct  4980
gtggagctgc tgacacaaac agtcattagc agacaaccct tttgcaacaa agtatgcttt  5040
aaaatgtaaa ctgtggagcc attttccttg cgttgtccag aaggaacttc gtcctgcgtg  5100
agcctggatt aatcatgaga gagctcgtca acattccact ggtacatatt cttactctgg  5160
ttgccttcag cggaactgag aaacttccaa aaggttggtt tgagcaatcg tgtcttcttg  5220
ttgtcttgtc atggttgtaa agtgtgtgta tatgagatat gaccaagact gatttatagt  5280
atggtgggct tgggttttac ttgaagaagt aagggtgaaa tgtatgatga gggaggaaat  5340
tatatacata agcaattggt tgatggtctc tctaccaata ttttactccg aagttctgca  5400
ataaaaggct tagccacata gtgcatgcag agctctgact tctagggcaa aacataagca  5460
tgtacactgc aagttatcaa ggtctatttt gtttatgcga atgtcaaatt tcagggtggt  5520
ctaagtggat gatgacaacc ttttcgcatc aggtttgcca ggaatagaat caaccccatt  5580
ctcagacatc cagagcattt gcttctgaat aaaaatcact tttattttca gttttagctt  5640
tgccaaactc ttaataaata ttttagttgc taaaaattgg aaatacagaa agacgtacac  5700
aatttgcctg tgtaacaaac ccggaagaca atggatttta aataactttg aggctggagt  5760
catgatttgg cttggcaaga gactgcaaaa gtttttttca gagcctttgg aatgtaccgg  5820
aaataacacc acctcagggg aaaggaaagc aacttaagaa actgacaaac acctgttgca  5880
gtagcaagaa tgtccagtga tatagtttct ggccagtgta ttatgaaact gggactagcg  5940
tatttgaaat cagaaagact ggaaagtctg tgatttgcaa agtgactaag ggtatcactg  6000
aaatcttttt ttaaaaagac atgagaaagc agatcgagtg gtatcaatac aagagttttc  6060
aaatttaatg ttataccata gagtaaaaag agatttttgc ttcaggacat gttcaaatta  6120
atcattttcc ctttatatta atcaaagcac tgaaacagtt tgtattgtgt agataaatga  6180
aggtggtatc tgtatataga tgcaaaatgt atctttagat tttctggttc actaaaaatt  6240
ctggagccat aaggtcaaag ttcacatgca aataagatgc gggtttcttc acaaacaatc  6300
tgatttcaca gatttttttg tttcattttg ttgcttctct ttttccattt tacttgagta  6360
taatggtatc ttcaaatgta tttaaacatt taatttctaa tgaatacttt aaggcatcta  6420
cagataaaag agactctaga tcttttcaaa cagctaataa tagtcagaaa gacttaacat  6480
tggcttcaga ttattttaat acttcctgat caaacaacgg atgtccggta aggccccacc  6540
tggatgtttg aacgtatggg ttgtcttaag tattatttgt atatttctaa accacgcagt  6600
tacataaaaa tgatagggtt aaatactaaa atacagtctt ataaagagca ggacaattga  6660
ttttgatgat tcaaataagg atttgttgta cacacacaca aaacccccaa aatctctcta  6720
tctgaataag tcttaattta tattctagaa agaattgatt ttcatttcca aactttacaa  6780
ataaagccct taattcaaat gcacactatc tctattttga aaatattgaa atatagtggc  6840
atagagataa caaagccaaa caccctgact tttaaataaa ctaaccagat cattcaccca  6900
atttcatttc ttataattta tttactacta gaattaggtt ttaaaatcaa aaaatttaag  6960
caattttttc tcagtctatt gtactgtaaa atctaaatta gtatgagttt aacatcactc  7020
ttagccaaaa taccatgtct aggagaacaa acatttattt actacataca gcagttctga  7080
gaataactaa tatcatgaaa gcataatcct taaaatttta aatgttgaag ggtgaggaat  7140
acattggtag aaaagaacca caataaaatt ttattatttt cattattatt attattattt  7200
gagacagagt ctcgttctgt tgccaggctg cagtgcagtg gtgtgatctc agctcactgc  7260
aacctcctcc tcccaggttc aagctatact cctgcctcag actcgcaaat acctgggact  7320
acaggtgcaa gccaccacac tcggctaatt tttatatttt tagtagagac agggtttcac  7380
catgttggcc aagatggtct ccatctcttg acctcgtgat ctgcctgcct cggcctccca  7440
aagtgctggg attacaggca tgagccactg cgccagccat tatactactg aaactaataa  7500
aaatggccca cccaaactat ttctactatt tctagaaaac tactgttttc cctattcttg  7560
gcagacggta ataacaaaaa gagtttttta gataatatac ttcttcctaa gtcctttatc  7620
atgaatgcat aaaggaaatt gtacaatatg tattagctaa taaattgaca tatttaaaat  7680
aacacaaaag tattcagtgg attattttct gactttctgc acatcatttt ttgataaaaa  7740
ttaatatcca actttgtaga attaattgtt catagttttc attttagttt aattaaggct  7800
actaatgccc aatgataagg ggaagaatca ttgtctttct gaatcatttc aactagtgat  7860
attttcaatg atgaattcag tgccataacc caagtagtag aatttcacaa actgtcattt  7920
atgaaagtag ccaatgttcc actggataat tggcttaact acatacatca ataacattta  7980
atgctttatt agggagtatt aaatgtatgg tgcaatgtta gattctgcag gagcataaga  8040
```

-continued

```
gttcatgtaa gcagctctgg atttgcttaa tatgcacaaa gaactatcaa aagtctcact  8100
ttcaaaacac ccgacttact acaatacgtt gaagtgtttg agcgtacgtg attttatctt  8160
tagatagatt tgaataacct cctcttttaa attgtatgta tataaggata ggattcacag  8220
atttgacata tgactaagtc atgactgaca cagctgtcat tgaaatccag gacacacagt  8280
cctggatgaa tattttatat tgacatgcat tgaaagagtt actcattgca tgtttgagta  8340
aacagagttg cttcaaatat tattgacctt aaagaaaaga aggaaggagc agaaatttca  8400
agatctcttt aaactctacc ttatttccaa aggtaaatga agtaggcagc ttctcagtga  8460
aataaaacct gatgtcgttg aaggagagta acaagtgagg ggtggaaaga gggcctgaaa  8520
ggagtggctc tattcaggaa gatgagagga tcacatgggc catgctgaag acccagctgg  8580
ggctaggaac tgcagctttc tttatagtgc ccctgacctg aacatttact gcactatacc  8640
cagcagtgct atgtgaacat agggtaggga ggacagatgg ctggattaat tcaggattgg  8700
cactttccag ggtcagtaca gctaaagaac tagagagtaa aggagttgga gttatatggc  8760
agcgtaccat gagatacaga ttggatcagg aagaaagtaa aacaaggata tttaatgctt  8820
ggaagagaag gttaaaaagt ttaaaccaac cccaaagtgt tttgttgtac taaaaaaaaa  8880
atactgcatt cataatgtta gagaaacatg aatattttcc aagtcagagc cctaatttta  8940
ctaaaataga aaggagcaaa tacaccttgt ttctttatgt acccaatcat tgggtcatgt  9000
caatccaaaa ataatcaatc aaaagttggt aagtcaatag tcatatgcga gagcccataa  9060
aatacaaagg aaaggtaatg tcatgtcctt ctcatcaagc agttgatatc caagtcaagc  9120
ttttcttcgg gtccagaaaa ggattgtgtt cattttcatg tatttgttat tcatgtagtc  9180
cttggattga gagaagaaat agtgccctag tttaaacgag ctctggctga gatgaaagct  9240
ggatagtaga atgaaagtaa acaagagaca gtgtgctgag tcaacaaata tcattaaata  9300
caactgatcc atgtgattgt gtcagtgaaa accggaaagc agatttggat aactggaaat  9360
atggacaatg tggacttggc attctgtgtg tagaaactga tattgatgta catcttctct  9420
tatccatctg tgcataatca gtatgatctt gaagatgcag tatgtcttag agaaaggaag  9480
tataaaccaa ctttaaccct gaagttcagc tagttcagct ctatcacttc ctatttttgt  9540
gatatgtaga caagttgtgc aaccattttt agtccccatt tctggtctgc aagtggaaat  9600
attaatagta tctacctttt ttgtgttaaa taaaaagata atgaataaaa agtataatgc  9660
atggcacata ccagattctt aatcactttt agatgctaat attagtaaaa acagtcaaac  9720
ttcacacaag actgttatgt cactgaatct tatgggaagg tgttaactta ataaagttct  9780
tagtaacacc ttccatattt ctccatgtct attttccaag acattctaag actcacttct  9840
ttgatcttaa ctgatctcaa cagttcatgt gacatctcca gtgtgtcacc tcattggaaa  9900
gataacatta atagtaagtc tattacctct gccacttctg catctgtgta ttgagtgaaa  9960
ataacactag tgcataaagt ttctctctta taaaagtagc acatggtatt taagattgat 10020
tttgaaaatg caaaatacat aaagtttaag acagaagaag tcatccatac ttccaggact 10080
attaacacat tggcatattt tcttccattt ttttctacat atttttaaag tccttattaa 10140
cattgtgctg cctgctattt ttacttagca ctaaagcatg agcatattct atattattag 10200
taatcttcca aacgtcatgt gtggtgacta aataatattc tgtttagata acagtgtgct 10260
agtatatgtt taatattcac ctcactgaga aaaaaaaaga cgtggatttg ttgctcttgt 10320
ttatttctgc agtaaaatac tctatagtaa aaaactctat tgtgtctgtg gccagtctca 10380
agctactatc aaataatgag cactgagttg ggaaatagca tgtgtagtag catccttcat 10440
atattatttc taccacacag acacattaca gataacctca agaacttata taataataaa 10500
atgtagttaa atcattggga atttcaagta ttaatacttt gtttttaata tatttgatta 10560
taaatgtata caacttagtt tttaataatg attgtatata acaatcacct ctcaaaattc 10620
ctaaaaaatt accaagtggc tcttgcaaac ctgcggaaga caaaacttgt gtgcctcaat 10680
cttctcccac ttgactacga ttaatagaat ttagtacaat tgatctgttt tctgcagtaa 10740
aagtcaccta tatgcctttc tatatgtgag attatttcct taggatagat tcccagagat 10800
gatgatgatg atgatgatga tattattatt attttagaga tagagtcttg ctctgtcaca 10860
caggctggag tacagaggtg caatcacagc tcactgaaac tttgaactcc taggctcagt 10920
tgatcctccc acctcagctt cttcccaagt agctgggatt acaaagtgtg tgccaccatg 10980
ccggctaatt tttaaatttt ttgtagagat gtggtttctc tgtgctgccc agcctggtct 11040
caaactccta ggctcaagtg atcctcccac ctcggcctca aaagtgctgg gattacagac 11100
atgagccacc aaccacaccc agcctgagat aaaatattaa cggtataata catttgaatg 11160
taataaagac aaggaaaaca atcaaacagc ctgggtttct ttttctaaat tatagaatca 11220
agtaacattt gcacagtgct ccatgtggac caaggacaat tttaaatggt ttccatttat 11280
ttattccttg tgacaagtta tgtggaggct atacattatc tccgtctata gctgagacac 11340
tgaggttaag tgtggttaag tgacttgcag agtcggtaag tgatggagct gggatgtgaa 11400
ttcaagtcct gtgccacatt gcctcttttt tttttttttt tttttttttg agacagagtc 11460
ttgcactgtc gcccaggctg gagtgcagtg tcgcgatctc agctcattac aagctccgcc 11520
tccctggttc acgccattct cctgcctcag cctcccgagt tgctgggact acaggcaccc 11580
gccaccacgc ccggctaatt ttttgtattt ttagtagaga tggggtttca ccctgttagc 11640
caggatggtc tcgatctcct gacctcgtga tccgcccgcc tcggcctctc aaagtgctag 11700
gattacaggc gtgagccacc gtgcctggcc gctacattgc ctcttaatgt gtagttgctc 11760
aatagtcttc cctttttttt tttttttttt tttttttggg actgagtctc actctgttgc 11820
ccaggctgga gtgcagcggt gcggtctcgg ctcactgcaa tctccacctc ctgggttcaa 11880
gtgattctcc tgcctcagcc tcccgagtag ctgggattac aggcctgcac caccacaccc 11940
agctaatttt tgtattttta gtagagatgg gatttcacca tgttggccag gaatctcttg 12000
aactcgtggt cctccccgcc tcggcctccc aaagtgctcg gattacaggc gtgagccacc 12060
gcacctggcc tagtctttct ttttaaacag taaaagcatt caacatcatc aattaacctt 12120
tgggctcatt gttaaccaca ctccacaagc ttaataaaat attgtttttg ttctttatct 12180
ctcaatatct agatgattat actattaatt gcttatttca ttcattcgtt gtttagaaaa 12240
taacttttta ttgagattga ctttctcaaa ctttatgaat tataagtttg cctccattgc 12300
attttgaaaa ttaacacttc tttggcattc tatctgctac aattttttc tattatgaaa 12360
gcaatatgta ttcatttttt taaaaaatcc tgtaagatac agaaaaacaa aaatataaaa 12420
ttacacataa tgctcatagc aagggataag tgctcttagc attttgctat tcattctttc 12480
agtctctttc tctcatatat gtgtgtgtgt atatgtaagt gtatatatgt tgtatatata 12540
cacatacaca cacatatatt atatattata tattatatat gtgtgtgtat gtgtatgtaa 12600
```

-continued

```
ttttattttg taaattttaa gttccggggt acaagtgcag gatgtgcagt tttgttacat  12660
aggtaaacgt gtgccatggt ggtttgctgc acctgtcacc catcacctaa ataactgggc  12720
tcagcatgta ttagctattt ttcataatgc tctccctccc ccaatcccac ctgctgacag  12780
gccccagtgt gtgttgttcc cttccctgtg tccatgtgtt ctcattgttc agttcccact  12840
tataagtgaa aacgtggtgt ttgcttttct gttcctgcat tagtttgctg aagagaatgg  12900
cttccagctc tatccatgtc cctgcaaagg acataatctc attccttttt atggctgcat  12960
agtattccat ggtgtatatg tatcacattt tctttatcca gtctatcatt gatggtcact  13020
tgggttgctt ccatgtcttt gctattgtga atagtgctgc agtgaacata ggtgtgcatg  13080
tatctttaca aatttcagag gctgttattt cattgaggaa agagaagcat ttaaataaga  13140
agctctctct tcagctgcct accagcaaag gggaaaaacc tacctctctg catccatctt  13200
gtcctccttc tccctcactg tgctttaaga ggactttctc ttcctatccg tggttaaccc  13260
gtctttcttc ctctgagccc cacataaatc tgctttctca gggacctatt tccctcaatt  13320
atctcctgtc tttctccaat gtcctacatt tttgcttcta ctaggtgctt ccagtcagca  13380
tttaaaccca ctcttgtcac catactcacc tccagcacca tgcagcccct ttcttccctt  13440
ttattgttaa actctgctgc aaaaagatgt cttccctctc ctcttagttt ccacttcctt  13500
atcacaacct aacccccacc actgcaatct ggcttccgcc aaatctgcaa gcaccaaaat  13560
caacatgacc tcctcatcag gaaactcagt gggcactttt aggtccttat ttaacttaac  13620
gtctcggcag catttgattc tccctctttt gtgaaacgtg tgctactctt gggctctgcc  13680
aatagcctcc actggctttg cttacaactc tgatttcttc ctctcagtct cttttctaaa  13740
ctcttcattc tcccacccat cttttataaa tgtttgtgtt ttcttctaat tggcttaggg  13800
caccagcctc cctccgtctt caggctttca cgggtaccgt ttcctctgcc tggaacactc  13860
ttctctctcc actgcaccaa gccaaatttg aatcatcctg tgaatgtgtg tgaatgtatt  13920
gtgtagtttt tttttattcc tagttttatc aagttcagtg gttgagaaac attatttatc  13980
atgttaaaga aatactatta tattccgact ctactaatgg ttttcaagta gggaatggat  14040
agttaactct gttactgcct ttttgactgt gataggtatc ttttaaacta tgactatagt  14100
aaatcctgtt taaaggactt ttctattaaa ttatccttat atttttgcaa ggatttttt  14160
tctgcctaaa tgcatagtaa taattttgaa atttatgatt taatttaatt tgctttttaa  14220
aattttactt tagggcttta catcctgctt gacttacatt agcattgttt tattccaaag  14280
attgatttga gaagctttct atactttata ttccctatag cttttgtttg tttgtttttg  14340
agacaaggtc tttctctgtc acccaggctg gagtgcagtg gtgcaatcac agctcactgc  14400
agccttgacc tcctgggctc aagtgatcct cctgcctcag gctcccaagt agctgggact  14460
acagatgtgt gccacctgta cccggctaat ttttttattt ttgtattttt tgtagagatg  14520
cagtcttgcc atgttgccca ggctggtctc aaaacacctg gatccttcag tggatccttc  14580
tgggctcaat ggatcatcct gcctcagcct cccaaagtgt tgagattaca ggtatgagcc  14640
actgcacctg gctccttgta gcttttatgt aactggagac ttaattcttt cttaagagtt  14700
ttttaaaact tatctgaaaa actttggggc attatatttt tttcagaagt gttctttgct  14760
aatctaatct ttttcttctg tgagtattgt tgatgatttt accccaccct ttactacatg  14820
tgaacaattt tgtttttaaa attcttaatt ctttagattt tcatctttaa atattcatta  14880
ctgtttagct ctgttgaatt gtggtccaag aatgtgacat ataatctgtt tttaaaattt  14940
atttaagctt taattttcat gggcatttga aaatatgtgt catctatcag ggcttacagt  15000
tgatgtgcat atctgtttaa ttaattttac taattctgct attctgtttt actacatata  15060
taattatatt tttgtctttt gatctataaa caggattggg atttttttgtt tttttgctat  15120
ctttttattg tctatttctt acagatttta ttatggttag aaaatataga ctatataaaa  15180
tcaattcttt gagctgggtt aaaatctcct atgtagcttg gtatattttc tttatgtttg  15240
aatgtttcat ctatgcatca tttacaaaat gtattctgta attgtttcat tgttttataa  15300
atgtacatta tatctagtgt taattttgat gtttatatct tctatatctt tactgtagtt  15360
ctgtttgata tattagtgtc tgaaggagat ctcttaaagg gttacactat gttaaaacat  15420
ttctccatgt actcttgtga taattttact tttgggtttg agtccatatt tttaaataat  15480
taagtttcat gattgtcata tctttttagg gcttgttcct tttatcatta agcaatgttt  15540
cttttttct tataaatgca tatgccccta tattacattt ttcttatatt actattgcta  15600
tgtcactttc tttgggatat cgtttgcttt atacatattt tccctcccct ttatttttaa  15660
catttctgtt ttattttatt taagtgtgtc ttttgtgttt gatagcatct gtcatttcat  15720
aggtcagctt ataccattgg cacttactgt gatttctggt atatttggac ttgtttcttc  15780
catattattt tatgtcttct gttaaccatg ctttttcttg gcttatttat tcctcctctt  15840
cttcctgttt gtttttgctt ttgtttttga ttgataaagc ctttctggta cctctttttt  15900
tctctgttgt tttggaattt ttgaatttta tttatttttt agtagtaacc attaataagg  15960
ttttaacata atcatttaac catagatgct tctttctgtt tgaagttatt caatatttct  16020
gtcctcttgt ttatggcaaa gagcttagca ttttttaatt acttagcatt ttaaacttct  16080
ttcctgaact ttgatcttat agttgtttgt ctagaattta attccactct ttttaaacac  16140
aaaaatttgt gatttttttaa tattccatag tgtgttaaaa ttgcaatggt atttcaccac  16200
catttatgct attgtttttt ataactcacc cctttctttc tggtataaat tattccttag  16260
tgagtttatt tactctagta actatttcag agaaagtctg tgagtggtaa acactctcaa  16320
tatttgttta taagtgttct gagtttaaaa ttattaccta agctagctgt gtaattctaa  16380
gctaacagtt atttttacgc agtcatgtaa aggtattagc ctattgcctt ttggtatcaa  16440
ttgttgttgc tgaataatct caggttaccc aaaattggca ttcctattaa ggaattaaac  16500
tttttctttc tggtagagtt taagatttta tttatcttta atttttacag ttttaattca  16560
atgtgtccaa gtatgaattt ctttcttttt ttctttttt tttttcttc tgagacagag  16620
tctccctcta tcactcaggc tggagtgcag tggtgcgatc tcagctcact gcagcctcca  16680
cctcctgggt tcaagcgatt atagtacttc agcctcccac atagctggga ctacaggtgt  16740
gcaccaccat gtccagctaa atttttttgta tttttagtag agacagggtt tcaccatgtt  16800
agccaggctg gtcttgaact cctgagctca agtgatctgc cctcctcggc ctcccaaagt  16860
gctgggatga caggtgtgag ccaccatgcc cagctgtatt tctttttttaa atctgtcttg  16920
tcatttggtg ggtactttcg accttaatat tccagggttt gtttttcagt tttgaaaaat  16980
tatcagccat ttatctcttt atatattgct tctaggctgc tcccctcttt tatttttctc  17040
aaactcctat cagaggtgta ttagtgcctg tcactgtata ctttatatct cctaactatt  17100
ctttaatagt gtccatgtct gtatttcttt gtattatgtt ctgtatatta taatgatcct  17160
```

-continued

```
tatgatatat atatcatata tatgatatat ataatgatcc ttataatata ttatattata  17220
tataatatat attatatatt atatattata taatatatat tatatattat atatataata  17280
ttatatatat tatataatat atattatata atatatatta tatataatat atattatata  17340
tattataagg atcgttataa tatatattat aaaaattatt ataatatata ttataacaat  17400
ccttataata tatattataa tgattattct gttgaaaagc tgggaagaaa gtggccctga  17460
tgactgtgta taagatgtca ttttacataa aaattctgct ttcttatttc aactactatg  17520
tttcaacttt tttatttact ccttttgtga aggccttata aatacagttt tgttcattta  17580
aacagtacat cagtcactgt gctcaccctg ggaattaaat gatgtctaaa acatgatccc  17640
tgacctaaag ctcaaggttt taataattga gtgtgggtca aagacgtaaa cagatcattt  17700
taatagtatc tgtgtgacaa gtggcattat aagaatgaca tttcaggata acataaggtt  17760
aaggaaagag gcatttgggt ctgcctagca tgtcagggga agtggaagga gatggatgct  17820
taaactgaat cgtaaaagac aaaataacat tagcaaggga gatatggggc aagtaaaacg  17880
ctcccactca ccattttttt tcactctcag cagatgagct tgcctttgac tttaccaaaa  17940
aataataata ataataaggt ttattcagaa agtggatgta tcttttatgg ccaaacaacg  18000
tgccagtctg ttctagatgc tctataagtc tgtcactgac tatttcactt ctaaatgtca  18060
atcatactac ttatttggct ttgatgtata ccttgccctt taactgaagg gaccatataa  18120
tttactgtat aaatgcaggt agccctcatt tcacagagga gtgagaaaaa agaaaggacg  18180
atgtctatag cctttcctcc tgttgtctta aaaaaaataa aatagaacaa aacagctttg  18240
agatctaatt cacataccgt gcgctttacc cattaaagtg tacaattcac aaagtggtgt  18300
ctcttcattt tctagttgta tgcccaagtg aattctctat gaatctgatg aagcttaagc  18360
ttcagattct ctcatttgca ggagcccttt ctaagaccct cagtgggctt tagcaatgtg  18420
cttttatgag tgtctatttt tataaaatta ggggaaaatt gttcttaaaa aacaattttt  18480
taaattatta tccttttcca ccctgacttc ccttcagact cacttccctt tatgctgatg  18540
atattggggt ggacacagaa attttgtatt cataatttta tatttttct ttaaaaagta  18600
caaattgcac aaacttgggc cccataaaac ttggatctgc ctctcctcgt atatcataaa  18660
ctctaagccc tgctctcctg agagacttct cttttgattt tcaaatgcct agtttggaag  18720
tagaaacaac attctttaca taagctcttc ctttcttttg gcaaatttct actctgggga  18780
aacagaattc tcattcaggt atgtaatggc ttctgactgc ttaaggaagg gttagtaaac  18840
aaaattctag aatgttctct tttgatttct cctttccttt cagctcctgt catcaccact  18900
cctcttgaaa cagtggatgc cttagttgaa gaagtggcta ctttcatgtg tgcagtggaa  18960
tcctaccccc agcctgagat ttcctggact agaaataaaa ttctcattaa gtaagtattc  19020
cacattttaa tttttttaaa tttttgtggg tatatagtag gtgtatatat atgtatatat  19080
ttatgaagta gatgagatgt tttgatacag gcatgcaatg taaaataagt acctcatgga  19140
gaatggggta tccatcccct caagcattaa tcatttgaat tacaaacaat ccaattacac  19200
actttaagtt attttaaaat gtacaactaa gttattgttg actatagtca ctctgttgtc  19260
ttatcaaata gtaggacttt ttcattcttt ctattttttt tgcacccact aaacatcccc  19320
tactcccccc gatccctgta ctacccttc cagcctctgg taaccatcct tttacgctcc  19380
atgtccatga gttcaattgt tttgatgttt agatcccaca aataagtgag aacatgcaat  19440
gtttgtcttt ctgtgcctgg ctaatttcat ttaacataat gatctccagt tccatccatg  19500
tctttgcaaa tgactggatc tcattctttt tatggctgaa tagtactcca ttgtgtatat  19560
gtaccacatt ttctttatcc attcatctgt taatgaacac ataggttgct ttcaaatctt  19620
agttactgaa aacagtgctg caacaaacat aggagtatag atatctcttt gatatactga  19680
tttcctttca tttgcttata tatgcagcag tggggttgct ggatcatatg gtagctcaat  19740
ttttagtttt ttgaggaaac ttcaaactat tctccatagt ggttgtacca atttacattc  19800
ccacatcaac agtgtacaag gattccctta tctacacatc cttgcgagca tttgttattg  19860
cctgtctttt ggctctaagc cattttcact gaggtgagat gatatcttat tgtagttttt  19920
atttgcattt ctctgatgat cagtgatgtt gagcactttt tcatatgcct gtttgccatc  19980
tgcatgtctt ctttcgagaa attgttcaaa ctttttttgcc tatttttgat tggattaata  20040
tattttttac tatagagttg tttgagctcc atatatattc tggttattaa tcctttgtca  20100
gatgggtagt ttgcaaatat ttcctcccat tctatttgtt gtctcttcac tttgtttatt  20160
gtatcctttg ctgtgcagaa ggccttttaa cttgatgtga tcccatttgt ccatttttgt  20220
tttggttgcc tatgcctgtg ggtatctctc aagaaatttt tccccagacc aatgtcctgg  20280
agagtttccc caatgttttc ttggagtagt ttcatagatt gaagtcttag atttaaatct  20340
ttaatccatt ttgatttgat ttttgtatat ggagagagat aggggtctag ttttattctt  20400
ctgtacatgg atatccagtt ttccacacat catttactga agagactgtc tttttcccag  20460
tgtatgttct tggtacctct gtcaaaaatg aaatgagttc actgcaggtg catgaattta  20520
tttctgggtt ctctgttttt tcccattggt ctatgtgtct cttttgatga aagtactgtg  20580
ctgttttggt tactctagct ctgtagtatg atttgaagta aggcaatgtg attcctccag  20640
tttttttctt ttttcttttg gctattctgg gcctttcgtg gtttcacata aattttagga  20700
tttttttttt ctatttctgt gaagaatgtc atcggtattt tgataggaat tgcatggaat  20760
ctatagactg cttttggtag tatgaacatt ttaataatat tgattcttcc aatccattaa  20820
tatggaatat ttttccattt ttttggtgtc ctcatgaatt tctttcattg atgtcttaca  20880
gttttcatta tagagatctt tcacttcttt gattaattcc tagctattta attttatgtg  20940
tggctattgt aaataggatt atttttaaat ttatttttca tattgttcat tgttggtata  21000
tacaaatgtt actgattttt gtacattgat tttgtatcct gcaacttcat tgaatttatc  21060
agttctaata gttttctgtg gagtatttaa gtttttccaa atataagagc atatcatttg  21120
taaacaaaga taattcttcc cttccaattt ggatggccct taatatcttt ctcttgtctg  21180
attgctctag gtaggacttc caggactgtg ttgaattaac agtggtgaca gtgagcatcc  21240
ttgttgcatt ccagactaga ggaaaggctt tcagtttttc cccattcagt atgatactac  21300
tagctgtggg tctgtcatat atggctttta ttattttgag gcattttcca tctatttttt  21360
gagggttttt atcacaaagg gatgctgaat ttttatcaaa tgctttttca gcatatattg  21420
aaataatcgt atgtttctta cccttcatct gttgatatga tgtatcacat tgattgattt  21480
gcatatgttg aactatcctt gtatcccagg gataagtttc acttggtgat gatatatgat  21540
ctttctaatg tattgttgaa tttggtttgc tagtattttg tgcagtctgg ataggccaat  21600
aatcccaaat catcaagtcc tggttccttt tttgcttagc agtttttccc acttatcttt  21660
tcctcttgaa ttttactata accagaaaaa agaaatgagg ccgcagcttc gacacatttc  21720
```

-continued

```
ttagaaattt cctcagctaa atatctgagt tcatcattca caagctttgt tttccacata  21780
actgcaggac accattcagc taagttctct gtcctgcata acaaggatcc ccctttcttc  21840
ttttcccagt agcatgctcc tcatttccac tcaagtcctc accagtagtg ctttgaacat  21900
acatatttct acgaatagtc tgttcatgat aatttaggta ttctttaaga tgatgtagat  21960
tttctctacc atggaactct cttccttcca attcctcagg agcagaatca ttaacacacg  22020
tatttctatt aacagtctct ttgaggaaat acaggctttt tctagcatgc ttttcaaatt  22080
tttttcggtt ctaactattc atcaattgca aagccacatc cacatgttta ggtatttgtt  22140
gcagcagcac cacacttcca ggtaccaaaa cctgtattta tttattatcc ttgctgtaac  22200
aaattaccac aaacttagtg gcctaaaaca acataaacgt actatgttac agttctggag  22260
ttcacacgta tgaaataaat ctctctgggc taaaatcaaa gtgttggcag ggctgagttc  22320
cttctggagg ctctagggaa gaatctgatt tcttgccttt cctagcttct agaggccacc  22380
tgcgttcctt ggccccctac tccacttata agtctagcaa tggcactact ctgacctctg  22440
cctccattgt catacctccc tttatcaatc tgcctctctc ttccatcttt taaggatact  22500
tattatcaca cagggaccat tcgaatagtc cagaacactc cattttaaga ttcttaacat  22560
ctgcaaaata aggtaacata ttgacagatt ttggtgatta aaacaagaac ctctgtggga  22620
gtgttattct gcttaccaca cgcatttggc ataaaaaaac tcttatttgg ttaaaagaaa  22680
ctctctttta tattgctgct tctcttccta tttctttcta ctgccctaat tcccttctca  22740
acaaatggtt tgcatataat taaataggta atatatgtaa agcatatatt tttatagttg  22800
gaaattgttt tcctccctta tgtatcccaa gtaactagaa gtgtgcctgg cacttgttag  22860
caatcagtaa gtaattgttt aatgaaagaa taaatattca actaatcatt agttacttct  22920
ataagtaatt aaccctttct gttcatcgta tttatacata tgcatgttct ttatctatta  22980
atagctgcta cttcccagaa cttattggga gaagacacct atgtcttggt tttatatgct  23040
tttctgaata aagtaaactt tacattttgt cttatcagtg ggcatcaccc tttgaaagca  23100
tttttgaagg actatggtac tttgactatt ggagcctaag aaagatgaga atataatgtt  23160
agctttatat tatcaagtaa ggttattcta ttattcagaa gtcactcaag tttcctctca  23220
cctttattct acttcctcat taacaagtca tcggtttgat acattaatca tggcaaaaaa  23280
atcacagagg aagcactaat ctgtcatttt tttctgtgac ctgcagactc tttgacaccc  23340
ggtacagcat ccgggagaat gggcagctcc tcaccatcct gagtgtggaa gacagtgatg  23400
atggcattta ctgctgcacg gccaacaatg gtgtgggagg agctgtggag agttgtggag  23460
ccctgcaagt gaagatgagt gagtgggaaa cagattcgtc tattgatttg aaagttgact  23520
tggtacactt agttttgtat ttatttttta catttttttt ttgagacaga gtctcactct  23580
gttgctcagg ctggagtgca gtggcatgat ctcggttcac tgcaacctcc acctcctggg  23640
ttcaagtgat tctcctgcct caggctcctg agtagctggg actacaggtg cgtgccacca  23700
agctcagcta atttttctat tttcagaata tacagggttt cactatgttg gacaggctgg  23760
tctcgaactc ctgacctctg gtgatccgcc caccttggca tcctgaagtg ctggaattac  23820
aggcgtgagc cactgtgccc ccgctgactt ggtacacttt aaaacagtca gtaaatagag  23880
attttctcag gcctggtgat tcagcactga gacaagttca agttcaagca caaccctgag  23940
gccaattaat cccacacctc ttatgcctgc tatcaaccac taccctaagg caagcctctc  24000
aattctctat cctctcccat tttcttacct tcactcatct cctgacttct tccaccctga  24060
attctttcac caggaaaact tcctctgaaa catttaccct acacctgtga aacacaacca  24120
aacacacttt ttatttctaa cctctttgca gacacttttg ccttatttca aatttgatat  24180
tcttctgagt gattttctgc ttcagtggaa gctgttctat tttctccact tcatgtctac  24240
aagactgcca aacactagta ggtaatctcc cagccctcag tgttgctttt aaaccattct  24300
attttgtatt cctatacaaa atctttcctc tgatgagggc ttatgccatt ctgacctatc  24360
ttttctctaa ctgtattcat catgtcatct gctcttctag gcacttcccc atatttatta  24420
aaaactttga ttccaggctt actatctttc tatccatctc tactcctgca attaccctaa  24480
gaaattttaa cagccatgaa atagaaccac tagccactta attctcataa ttccttgacc  24540
tgcagaaatc cagtgatgtt tgtctttttt tttcaatttt aaggctcata cttttaatct  24600
ctatgtacac acgtatgtag tcgttaaggt aagtctgcca ctgtgaggaa aggtagtttc  24660
attttatttt tttaactttc attttgagtt caggggtaca tctgcagaat gtgcagttgt  24720
tttacatagg taaacatgtg ccatggtggt atactgcaca gatcatccca tcacctaggt  24780
attaagccta gcatccattc tattcttctt gatgttctcc ctccccacac caacaccccc  24840
gacaggcccc gtgtgtgctg tttcccccca tgtgttcatg tgttcccatc gttagctccc  24900
acttctaagt gagaacatgc agtgtttggt tatctgttcc tgcattagtt tactgaggat  24960
aatggcttcc aactccatcc atgtccctgc aaaggacatg atttcattcc attttatggc  25020
tctgtagtat tccatggtgt ttaggtacca catttctttt atccagtcca tcattaatgg  25080
gcatttaggt tgtttgtgtt aactgtttta ttgtttttttt gttatatata tttatatata  25140
aatatatgta aacatatatt taaatataaa tacatacata tatttaaata tatacaaata  25200
tatacttaaa tatataaaaa catatttaaa tataaatacg tataactata tatttaaata  25260
tataaatata tagctatagt tatatatagt tatatattta catttaaata tatagtttta  25320
taatttattt atataaacta cataaataaa ctatatattt atataaaata taaataaact  25380
atatatttat ataaatatat catatatata ttcatatttt atataatata taatatataa  25440
atatataaat atataaacta tatatttata tattgtatag ttatatttat atataaatat  25500
atagctatat atttatattt aaatatatat taaatatata tttaaatata aatatataaa  25560
tatatataaa tacatattta tatatatgta aaaaatataa aaatatgtga aaaatacata  25620
tttatatata atatatgtaa aaaatattaa aatatgtaaa aaatacatat ttatatatat  25680
gtaaaaaata taaaaatatg taaaaaatac atatttatat ataaatatat acaactatat  25740
ataaatatat agttatatat atttatatat tatatatatt tatatatttt ttactacata  25800
atatataaca tattatatat tttagtatat atattatata ttagtatata ttagtaatat  25860
accatataat atacatagta tattatatat aactatatat agttatatat aaatatataa  25920
ctatatatgt tatatatagt ttatatataa tattatatat tatatataaa ctatatatat  25980
cacatatagt ttatatattt tttaatatat aatatataac tatatattta aatatataaa  26040
tatgtaacta tatatttata tataactata tatttaaata taaatatata tttaaatata  26100
aattatataa atatacataa aaatacatat ttaaatataa tatataaata tatatttaaa  26160
tataaatata tatttatata ttatattata aatattataa ttatatatta tatattataa  26220
atatataata tatattatat attaatataa gtataaatat ataaatatat attatgtaag  26280
```

-continued

```
tataaatata taaatatata ttatataagt ataaatatag aaatatatat tatataagta  26340
taaatataga aatatatatt taagtataaa tatataaata tataaatata tatttaagta  26400
tatataaata tatataaata tatatttaag tataaatata tatttaagta tatataaata  26460
tatataaata tatatttaag tacaaatata taaatatata taaatatata tttaagtata  26520
aatatagaaa tatatattta aatataagta tatatatatt taaatataag tatatacata  26580
aatatatata tttaaatata agtatataca taaatatata tatttaaata taaatatata  26640
tttcaatata agtatatata aatatatatt taaatataag tatatatata aatatatatt  26700
taaatataag tatatatata aatatatatt taaatataag tatatatata aatatatatt  26760
taaatataag tatatatata aatatatata tttaaatata agtatatata taaatatata  26820
tatttaaata taagtatata tataaatata tatatttaaa tataagtata tatataaata  26880
tatatattta aatataagta tatatataaa tatatatatt taaatataag tatatatata  26940
aatatatata tttaaatata agtatatata taaatatata tatttaaata taagtatata  27000
tataaatata tatatttaaa tataagtata tatataaata tatataaata taagtatata  27060
tataaatata tatatttaaa taaatatata tatatttttt gagacggagt ctcgctcagg  27120
ctggagtgca gtggcatgat catggctcac tgcaacctct gcctcctgag ttcaagcaat  27180
tctcctgcct cagcctccca agtagctgag attacaggca tgtgccaccg gaccctgcta  27240
atttttgtat ttttggtaga gtcagagttt cgccaagttg gccaggccag tctcaaactc  27300
ctaaccttga gtaatctgcc cactttggcc tcccaaagtt ctgggattac aggcatgagc  27360
ctgtttgtgt taactcttta tcagcgtagc caatcgatga ctcactcttg gccttgtcac  27420
ccactggaag tagtctgcat ttaaaatctt cagcttcagt atgtcactct catcatggac  27480
atttttttggt acagccttgt cagatgagca aaacagtttc ccatactcat gatttgcctc  27540
caagtagagt ttgtgggcac aaacttccat tgtctccttc tcagctaaca acagtgtctc  27600
agtctctctc attctcctac tcttgctata caacctcaac atcaccagca tcatcatgtt  27660
ctcttacctt gattcgtctc tgttctcctt tccattgatt ccccaatggg gcttttattt  27720
ccttccatac ttagttcttt cttctacctg gtgatgtatc atcaaacact gccttaccag  27780
catctttaaa tctcatggcc tcctgtcctg taagcatctg ctacttgcaa actgtcaatc  27840
ttacaatgat gtaaccttca tcttctcttc tctgacatgc ttataaccat acatacgggc  27900
accacacaaa ttagaggaat ttaggtctac ttgggacatt tatttttagt ttttgtgttg  27960
ttgtctttcc tcattatttc ttatcttttg ttattttgct ggaggaaatc attaggtact  28020
tttttcagag tgtgaagatg taaaatattt cctgaatttg tgcacgattg gaagtcttca  28080
ttttgctcgc attgttggat aataattttg ctgcatgcag aatgagagtt ttaaaatccc  28140
ttttctttag ttttagtaga tatcctctgt tgcagatgag aagtcttttt cttatttctt  28200
tacaagtaaa tctgatgtct ctcttaaaaa gtttaggatt tttctttttt ttctagagtt  28260
cataaatttc acaaattgac aagaatatat taggtgtatt tttaagaatt attgctactc  28320
agttttaggt gggccttgtt tttttgtttg tttggttggt tggtttttgt tttgttttgg  28380
tttttttgag acaagatctc actctgtaac tcaggctgta gtgcagttgt gtgaccatgg  28440
ctcactgcag ccttgactgc ttgggctaaa gcaatcctcc tgcttcagcc tcccaagtag  28500
ctaggactac aggcatgagc caccatacca ggctactttt atttatttat ttactttttt  28560
ttggtagaga taagttctca gtgtgttgca catactgagt cttgaagtcc tgtgctcaag  28620
tgatcctccc accttggcct tccaaagtat cgagattata ggagtgagcc actgcaccca  28680
gcctaggtgg gccttttga tctaaagacc aaagcttttt agaaaggtac attttctcta  28740
tttttttct tttttctttc tctatgactt caaatttttc ttctcatatt ttctgcatgt  28800
cttaatattc tactctcttg aagattcctt ttactttttc ttcatattat gaatgtggtc  28860
tccagtatga ctattctgtc attctgagtg ttttggtctt aaaaactata tttttaattt  28920
ctaagaattt ccttgatgtc tctgttgtca taacaaactc acttgtatga tacaatattc  28980
acttaagctt ctaaggatat cactagtgca tcttttaaaa agacattttc ttttttcccc  29040
tgcattactt ttatttcctt cagaaaaaaa aaaattgatt ttgtttgggt tccatccttt  29100
tatgtttaca atttttctca aattgatctt ttattttttg atcataataa atatacatgg  29160
agtgttcagt taattaggat aaaaagctgg tgggaatagc atgactttat ggaatactga  29220
tttggtactt actgtgagta agtaggtggg gatctgccta tatgcaggct tcccttcagt  29280
atgcagagaa gtaagaaatc aaataaggaa gttggaatgc tctcatttgc taaataatga  29340
agacttcatt ctgaggatga aacacattca agtatttcct tactttgtga cactaccttt  29400
cttttgaata tttttgcata ttctctctgg cccaattgtt cttgatttgg gttctatact  29460
aaatcccctt ttcttttctt gccttctttt ttccaacctc tcctttggag atctcatcca  29520
ttcatgtgga tatacaccgg tgtggccatt ccaattgcta aaattttgga atgcttccat  29580
acttcttgga aagatccgtt ttataaggct cccgagatcc cccaacccct atcactactc  29640
cagctctctt aagccctccc ccaagagctc cctcccctaa attcctaatg gtccatcagc  29700
taaagtctca atgctggcac agcgggatac ttccagcatc ctgctttaag gtgaccagtt  29760
ctgattggtc agtacttatg actccaccct gaatcatgtt cccttacagt ggggatccat  29820
ggctatgcgt caatacccta gtcattccta gttgacttta cattcaattt cccaaaaggg  29880
aattcctcac ccctcaccta acagatgacc aagacatcaa gtcactgaga agataggaga  29940
tttttgcttt aagcaaaggt ctttacctaa gacattatct gtgcctcagc tttaccatag  30000
agatcttgtt cagggaacct atggaaggca tagataacac tttatttgac tgtcatagga  30060
atatcaagtg ctcagctaag tttttcccag caactgtatg acaatacaac tcacaattga  30120
ggaacctggc cagtactgta tttacatgta ggtatttaca gtttattaga aggagagttg  30180
tatgctatag atagcaggca aagtaataaa gttgttattt tcctatattt taaagccttt  30240
cttgtatttt tgctataaca cagggccgca ggaactctaa atgacagtga atgcttagat  30300
taaaaaccaa caggtctcac gcctgtaatc ccggcacttt gggaggccga ggcgggcaga  30360
acacgaggtc aggagatcaa gatcatcctg acaacagggt gaaaccccgt ctccactaaa  30420
aatacaaaaa aaaaaaaaaa aaaaaattag ccgggtgtgg tggtgggcgc ctgtagtccc  30480
agctactcgg gaagctgagg caggacaatg gcatgaaccc gggaggcgga acttgcagtg  30540
ggccgagatc gcgccactgc actccagcct gggcgacaga gcgagactcc gtctcaaaaa  30600
aaaaaaaaaa aaaaaacaaa aaaacaaaac ccaacaggtc atgaaggctt tgcaagtatc  30660
tcttaccacc aacaacacca aagcccccat tcctctccct cacattgaag tagaagaaaa  30720
caaagtccat atttcatgcg ttcctttgtc aaaataacaa attggttacg gcacatgtcc  30780
tgcaagaaat aaaatgtgtc cattgctcag tagtctctct tgcgaagtcc ccctctgtat  30840
```

-continued

```
ctgtaacgta aaattcctaa ggacataaat gtagttttaa ctattttacg aatagtacta  30900
aaataactgg catcctgaac ttatcaattc ttttgtatat tagatttaat aactttcttt  30960
gaaagtttca tatttgagaa taaaaattaa ctggcataaa ctatttcttc tgaaagatta  31020
aaagtgtttg aacagtaaat tacatgtttg agtcccccca aattgtatga cagaatttct  31080
tctgattgtt aatataataa tatctggttt actttctaga gaatgaatgt atttaattaa  31140
taatcataaa atttaatagt caaattaaga tggaagctaa agggaaaata ggtcataatt  31200
tctaactagg taagaatata gttatatcaa aattttcttt tcaaatgttt tatgtctatc  31260
agtatgaatt aaataatgtt gaattgctat ggtgacagtc tatgttaatc agcttttatt  31320
aactatcttt taaaatgaag aatgctatgg taacttcaca ctgttaatat ttttcataaa  31380
tttgtgtttt gctagtaaga ttctaataaa gcagagacaa ccaagtgttt ctaaactgat  31440
ttctgtttga gatctactga ggaaaactgt ctttgcattt ggtgaatttt gtaatgtaac  31500
atgcctcaaa tgattctcaa aacagatgtt tagaattaaa ttgaaagtta gaaactctag  31560
gtttaataaa gccatattgc cttatttatt ttgaattttc atttcttttt agaacctaaa  31620
ataactcgtc ctcccataaa tgtgaaaata atagagggat taaaagcagt cctaccatgt  31680
actacaatgg gtaatcccaa accatcagtg tcttggataa agggagacag ccctctcagg  31740
gtaagtggtt atgatgttaa aacacatata taaaatgtat tttaaaatat aacatttctt  31800
tacacactca gttacacact tacaaacttc tagtataaag tagtttccat gtacatttta  31860
accaaatgta aatatttctg tttgcatata tgcaaactgc atggcatttc atttgggtct  31920
ggctagggaa aaaagagatg ggaaccaata atgttaaaga tagaaaagga ggcaatgaaa  31980
aagcaaacct ggaatccttt gtatttgttg gctggctaaa tcatttattt ttttttaatg  32040
ttgaatctga gacttagggg atgaaaaaga aaaactaaaa cccaggcttt agaactgaca  32100
gtttctggaa ggagggaggg agacaaggtt cggaagaaaa gaaatgagat ctctggagag  32160
aagttaggcg aaaagactca agactcatac acaaatacct tggcaaatcc ctcctgagtc  32220
atgaagagta gtcacgcctg taattccagc acttcaggat gccaaggcct gaggtcagaa  32280
gttcaagacc agcctggcca acatggcgaa atcctgtctc tactaaaaat acaaaaatta  32340
gctgggtgtg gtggtgtgtg cctataatcc cagctactca ggaggctgag gcaggagaat  32400
aacttgaacc cgagaggcag aggttgcaag tgagccaaga tctcaccact gcactccagc  32460
ctgggcaaca gaatgagact ccatctcaaa aaaaaaaaaa gttattatcc atatgcttat  32520
tttgtactgc ctctgtatct tatccccaca tttattgata aattattatg aggcatcatt  32580
attgtctttc catctttata tcacctaaaa gattacagac tatgtttttc atttaacaat  32640
gcatagtata ttttaagagg aatacaaagg tgtcacttta tgtcaattaa ctgaactaag  32700
gtataaaatt gctcagcttt gctttattta aaataaaata aatattgcta atttttaatg  32760
attaattatc tggctttcct cttgttataa atcttggtgc atttcctaca atgacaaaca  32820
agggtggttg tacttatgtt actgaattta gggttcaaaa cagaaaagac agatgtaata  32880
tttaaactcc aaagagtaat tttaatatta tgtgtgaaat tttctagtat ttcaaaggac  32940
atgtactctt ctaaagatac catctagggt gcaaggtaaa cctgatagtt aaaagcaatg  33000
tgtttattta ttcatatttc aatagctttt ggggtactag tggtttttgg ttgcaaggat  33060
gaactgtata gtggccaagt ctgagatttt agcgtgccta ttacctgagt gctgtacatt  33120
atacccagta tatagttttg tatgtctcac caccccactc tgcaacattt ccccccttcta  33180
aaagcaatgc ttttaatcag atttagctgt gactttgggg aagcaaaata agcccatata  33240
catatatata ttatacatat acatattata tatataatat atatatacac acactcatgg  33300
gatgaaagaa aataaaaata aactatacct cataggaccc tggtgaagat taatttaggt  33360
actcttgcac tatttcattt aatattgtat gttttacata ataagtggcc aataaaggtc  33420
aaagcgatat ctttgatgat gataatagtg atgacaataa gttgatgata tttggcaaat  33480
gtatccttga tagacccata aacatttttg aattcacgtc cctatctctg gcaggaaaat  33540
tcccgaattg cagttcttga atctgggagc ttgaggattc ataacgtaca aaaggaagat  33600
gcaggacagt atcgatgtgt ggcaaaaaac agcctcggga cagcatattc caaagtggtg  33660
aagctggaag ttgagggtaa ggagctgcat ttcttcccct gactgtgtga ccaggggcct  33720
cactgtctac tgtgaaggct gcacctgggc ttgggagaga agagatgtgg gcagcccact  33780
tccctcagtt gttccagata ttaggccata agttcaagcg tatgataaca gaaaaggaaa  33840
actgaaaaaa gaaagaaatt ttcactagta taaaaggtca tattccattg attactcaca  33900
atcactggta atttttacca aaacagacta aatttactgt aacagtaaaa taatagaaac  33960
ccattttaga atgccttcct ggtttggaca attcttccct catttaaaga cttgggcata  34020
ataattttaa tctttttaat catacagaac aactttaaaa agatgtgata aggaggaaaa  34080
agtagctatt ttcagatagt gttctatcac aaagcttgaa aaaaaaaaca ttaactcaaa  34140
tcgtaaagcc aaaaataatc ccagttctgt gagttatgtt atcaaaatcg tttttctttt  34200
ctttctgaaa atatttttta atcagctaat tcaataactt ggtgtgaaag gtcttcactg  34260
agaaatcaga atccaaatag gtctaggtgt tctatttgct tgttagtcgg gtccttcttg  34320
acctaaaatt gcaccacatt ttgcttaaaa agaactatca gcacacctct attaggcgaa  34380
taaactgagt acaaaccctt cctagctctt cctgttgtat gccagagaat taacattttt  34440
ggctcctagc tttctcacct gttaagtggg gtttgctcta tttaatgaag ttaggtgttg  34500
atagtgttta gcagagcatc tggtcctttg tgcaccctca ataaatgttg gctataagaa  34560
ttatcatcta tttttctgct tttctcttat ctgattgata agtgttagag tatcacatac  34620
tggcacaaat tacagttcaa tcaggaaaag acttgaagag ttctccatat tttactttga  34680
ttctgtccta ctttccttag gccaaaatct atctttttct gcatatttcc ttctcattca  34740
tatagttttc tattaactcc tttaagatta tttttatttc cttgatggac attcctgtca  34800
cagctttaat gatctcgttt cccacgtttg cctccaattg aggtaacatc tttattatgt  34860
cattgtacca attgctcata aaattttcat taattcctca tggaaaataa tgaggttggt  34920
gggaatagtg gctgtcagaa tataaaaata cattttcatc aagttgctgt aatttaatat  34980
cttctaaata atcagtgcta tttgaagctc cgtattcaac aaccagttga tatgatttat  35040
tcagtaaaaa ctaaataaac ctacaaaccc acccagacac acattcagac tcactgaata  35100
tctgtctgcc tagatccagt gttttcttgt tctgtctaag gaatgatgca gaattaatgc  35160
tatccatttg tataaaatat cacaaagagt ttttctcttt aagatattaa aaataagctt  35220
tctgtattat aatatttaat actgatcatt taggtcacta gcttcataga tattaaaaca  35280
acttgcttta cctttgacct agagaaaatt atcaccgaac tccattagtt ggagttatta  35340
tacagtttgg ttttgtgtta ccatttaatt ttgtatcatg cctgtcagta acattgaata  35400
```

-continued

```
ctgcctcttt tctcgtaacc tttaaatggt catgcttagt gctttaaaag ttaatatatg  35460
ctagagatag tattaaattt gctagaactg agagctcata atatcattta aagttattct  35520
aactgtaggt aagatgattt tcgcacacat ttagcacaca tgcctatttc taccctcatc  35580
ttagtcccta ttaaaatagc caaaatatgt gacatgctta gcacaattgc tggtacataa  35640
taagcattta ataaatggaa tctactatac ttattatgat taaaacataa aattgtaaca  35700
aatttgcttt ggctctggaa gctctgaaag gttgacttcc acttgaataa atagttgagg  35760
tattttcata agatataatg tagacgtgac ctatttagag gtaaggctaa ctcaacctac  35820
aactcagaac aagtttttt ttaaaaaaaa gcaactgaga aatgactgga aaaacctcaa  35880
aagtacatgc agatgcctgc tagtttggca atgatgagga ctgaagatga tgaggcaggg  35940
ccatcgtcag ttggggcaga cgagcatatg tatgtatcaa gtcgtaactc tgcaaattag  36000
ttatgcagtg actatatcga atcagaactc tatggtgcca tttgatgctg ggctacatgt  36060
aacacagatg ggcatacagg aaaagataga gttttgtcat tgatagcctc taataaagat  36120
aaacatgcca ggccatggat tgggtaccat gtgttaacta aatctttgtt gttacaactg  36180
tgaaagaaac accctaccac acagaagtaa agctccctttt ccagattgcc attctcagac  36240
tgctggacct ctgcaatgga aatgtaaagg tatcctatac tttggtcttg ccttaaaatg  36300
ttcaaacggt gacatacata attattgatg gaaccatcta actcaagcgt ggtgcagcat  36360
ggatgtcttt ctgaaaggat gtccaatggg aaggctaaca ttttaaaaag ttccattgag  36420
gctaaatgtt ttatgtggat tatcttgttt aattctcact aaaagtctgt aacaagggcc  36480
ctatattctg ccattttagg aaacagagga atagagagga tagctaactt acacaaggct  36540
gcacagatag ctgtgtctaa gaatttgagt caggctgaat actgtctgtt ctattaaaga  36600
atgagatagt cctgtgtgac attgtcaaga gaagtatcta gatgaaaatg aggggaaaac  36660
cagaattctg caaatgaagg agaggatggg agctgaaaaa aaatagacag gaggtattga  36720
caaatttttt gataaatttt tcagagaaaa gggaggagtc aaaaaaggaa gcagtagctg  36780
gagctatgtt tggtgtgtag atcacgttgc attgcaagat ttctcttcga aaaatattga  36840
aatgtaaaaa aatttaaatg ttaaaatatt aatgacactg agctcagaga gaagaaaaat  36900
ttgaacatac ataagagaac aaaatactca atgaaatgtg gtgctggata atgcacaagg  36960
gttgtatttg ggggccaagt agaatgataa actgtataca gagggtgacc acatgttctg  37020
gttttcccag gacagttctg gtttacacct gttgtcctgg aatcattatt aatagagtct  37080
ctcttttact ttcagaagta tccaagcttc cacgataaat tatatggtta ctctccttag  37140
acaggaagac agaatgtcct tgtaatagga agaaaagaga agagggaagt tttcagtata  37200
aatcagttca taagtatgat ggatggaatt tgagaaaatt ctgttcttat ggtctctatt  37260
tcctctagga aggagaaatt agggttatct tttgaaaaca cttttgttaa agggtcaggg  37320
aagggggtga ggatgaagtg agttctaaaa tagctgtgga atgggagaga tgactcacaa  37380
agtaaaccag gattgtaggg cagcattaaa gttttagtag agagcaggac cgtgaatatg  37440
gagtagcatc aatccacatg gttgcagggt ttttccctcc agtgttgctc tgctgtacag  37500
gtgtaagttc agaaaatagc agaaagctaa attcaaaggc aagacataaa tgttggagtt  37560
ttgtcaggaa ggaaaatagg gcaaaggatt tgagactatt gcaaaagaga gattgaagca  37620
tgaatcatgg aatctttagg taccaaatac acctataatt tctctttctt ttcttttctt  37680
tctttccgtc tttcttgttt gtttgttttg ttttgtgaca aagtctcact ctgttgctca  37740
ggctggagtg caatggcaca atcatagctt actatagcct caaactccta ggcttaagtg  37800
attctcccac ctcagcttct tgattagctg gggctacagg tgtgcactac tgtgctcagc  37860
tatttatttt atttatttta ttttattttt tttactttac tttattttat tttattttat  37920
tttattttat tttattttat tttattttat tttattttat tttattttat tttattttat  37980
tttattttat tttattttat tttattttat tttattttat tttattttat tttattttat  38040
tttattttat tttattttat tttattttat tttattttat tttattttat tttattttat  38100
tttattttat tttattttat tttattttat tttatttcat agagacaggg tcttgctatg  38160
ttgcccaggc tggtctcaaa ctcctcaagc aatcctccag ccttgacctc ccaaaatgtt  38220
gggattatag gcatgagcta ccatgcccag ccatacctat gatttaatat ccaaatatga  38280
aatatcctcg gatatgagcc taggattaaa cactatagct ccagcaatat aacagacaag  38340
ataatatgaa aatcttccaa ctagcccgga aatgctgggc tagttgtata actgataaga  38400
ataaaatata aatctctgga agctcaaaat ggacaggaac tgcaaaaacc ataagctcaa  38460
tgagctggtt tcttattgtt ctaaaggtaa tgggacaggt gctcatctcc ataacctagg  38520
agattggttt taagaccctt aaaggggcag gagacagggt cttggcccat gtgaaatgga  38580
ggttagcatt caaaaccttg tataaagctg agaaccacaa aagtagaaag atgggccaga  38640
aattccatct tcaggcacaa aaacacaaca caatggcttg tctgtcttta gtcgtgaggg  38700
agaaaaaacc aggtcatctt aggagtgaat attcaacact caggactata gcttccatag  38760
gcttgatatt gacttaatac catcagcaca gtctgggaat tctcagctgg aaaaatgaac  38820
atacaaactg gtttcaggct gggcacagtg gctcacccct gtaatcccag cacattggga  38880
ggctgatggc ttgagcactg gagaccaacc tgggcgacat ggcaaaactc catctctaca  38940
aaaaatataa aaattagcca ggtgtggtgg tacatgcctc tagtctcaac tatttgggag  39000
cctgaagtgg gaggatggct tgaacctggg aggtggaggc tgcagtaagc caagattgtg  39060
ccactgcact tcagcctggg caacagagtg agaccctgtc tcaaaataaa aaaataataa  39120
taaaaaacct acatacacat aaaacattgg ttccaggcca aaaaacccac acacacacaa  39180
aacattggtt ccaggccaaa aatttaacaa gaaaaaaaag ctaaaagaag aagcacttta  39240
cccaagttac ataggctttt catggatata cctacactga ggatgagttc acaatgcaaa  39300
attgtcacac ctacagaaaa caacctacct tgagtgagtg ttgtccaaca taatatacaa  39360
agaaaattca gttaaccaca taacatcata gaaattataa aataagtatg cttaaagtaa  39420
ttaaaaatgc aaaaggagga ataaggaaaa caaaaataca ttagggccag gcacagtgac  39480
tcacgcctgt aatcccagaa ctttgggagg ccaaggcagg cagattactt gaggtcagga  39540
gttcaagacc agcctggcca acattgtgaa accctgtctc tatacaaaaa ttagccgggc  39600
gtggtggtgc acgcctgtag ttccagctac tcagaaggct gagacaaaag gatctcttaa  39660
acccaggagg cagaggttgc agtgagccaa gattgcacca ctacactcca gcctgggcaa  39720
cagagtgaga ctttgtctaa aaaaaaaaat taaataaata aataaattag gaagacaggc  39780
ggttttgata aataattaaa cacaatttta acacataaaa atataattaa aattaaaatt  39840
caatggatga gtaatagtat attagagata aagagataat tcagccatta gaaatcagct  39900
cttcagaatt tagaattcag tgcagaaaga ttttgaaagc atagaaaaga tgaaattgaa  39960
```

-continued

```
tttaagaaat gataaaagat acattacaga aagagaaaat acagaaaata tgagaggcaa  40020
tactcaaaaa catgatgact aagaactttc cagcattgat gaaagactta aatcttcaag  40080
tacgtgaagc ataccaagtc ccaatcggta aaaatgaaga gcagagaaat aagcatttca  40140
cacccagtca aatcataagg aaacatcaaa gacaaagaga ttatcttaaa atattgaaga  40200
cagattattt ataagggaca acaattagga taacaataga gtgtggggaa actatcactt  40260
tcatctatcc ttacaatttg gtatagccgc atgaaggttt atgaaaaata aaaatcaaac  40320
tttaaaatgt atatagattt gtctcagcaa tttaacttct gacaatttat ctaaaagaat  40380
atttgcacaa gtgtatgttc aagattattt gttacaaagt tacttagtaa aaagttgtaa  40440
agaacttaaa tttgcttcaa taggacacca tctaaatatg tgatgtaatt ccatgcagcc  40500
attaaaaaga atgagatgga tttatataca ttaacttcta aaattatcta ccgtatatgt  40560
gacttgggtc tgctttccat ctctgagcct cagcttcctc ttctctaaaa tagagataaa  40620
agcagaacct acctcttagg atgcttgatt attagttatt atagacacat agtgtgtact  40680
atataattat ttgctgtttt attatttatt tcatgtattt aataagtact tgtatagtgc  40740
ttaccatgtg caaggtactg ttctaagtgc tttagaatat taattcatta tcaatataat  40800
atgttcataa gtgaaaaagt aagtaaagaa cagtatatct tattattata tattagagta  40860
catgtatatc gaactcttaa gtcatcatct ctgcatagag aattatatgg ggggtcccgg  40920
cacgatggct cacgcctata atcccagcac tttgggaggc cgaggtgggc gaatcacgag  40980
gttaggagtt tgagaccagc ctggccaaca tggtgaaacc ccatctctac taaaaataca  41040
aaaaattatc tgggcatggt ggcaggcacc tgaaattcta gctactcagg aggctgaggc  41100
aggaaaatca cttgaaccca ggaggcagag gttgcagtga gcagagattg tgccactgca  41160
ctccagccca ggcaacagtg caagattcca tctcaaaaaa aaaaaaaaga aagaaagaaa  41220
attatatggg gggtaacttc tattttatac tttatgtagg cctatacttt ttgcatcttt  41280
ataaagagaa ctttataatt aggaagaatt aatacatgta tttatgcttt ggaaaaaaaa  41340
cacttcttcc aaatattata ctatttttga taaagtaaca tgaatctttc tgttcattag  41400
tttgatattt ttgcagttct gttgctccat tgatctccaa gacaaactca gggatgggaa  41460
aagttttgtc aaaggtaatt gattcctatg ttgcttaggt tttcacaact cttggatatt  41520
ggctgaagaa ttttgaaggt ggaggttctg atgaacagga catagaacat gccatttctt  41580
tagggaagga atcaatccat aaagctgcta agcttgagac ctacaagagg aagctggcag  41640
agtcacctag atggaggaag tgaagggggt cagagaacag cagctgctgc tgaagtctcc  41700
actcatctga ctcttctttt ctatgtatag atggaaatct gaaatttatg attttatagt  41760
ctggaatagt ttgcaggatc cagcacaaaa gttttgttag ggttctgatt tctcagtgaa  41820
cattttccac actttgttgg gtgttactga cttacagcat aaagggaaaa gtaaaacaaa  41880
gggaagttcc tataggaaag ggaagcaccg ctaggtaaga actatttagg tatactgatt  41940
tgacattgac agggaagcct cagtcatctg ggaggcagaa gaaagttttc agtctcacaa  42000
ctgtggaggc tcttctggaa aggttaagcc ctgtctcagg cccccatgtg ccaaagggct  42060
ctaggagagg attcacggca ggatgtgacc agggaacatc ttattgtctg atgtcaccag  42120
agaaatctac atatcatatt tcatacattc taagatgctc attatttcat attttggcat  42180
atctgggtta catctcatca ttaatccctt acaatcacaa ttgaataaat tttagtttct  42240
ttgttgcaca ttttaatatc tctgaaattg agatttttct tacaggtgct aaaggcattc  42300
acacccagtt tgtggcttct gccctccagc taagatcgtt ccttagctgt ccccaaatat  42360
gagaatgaat atacaatgat aaaacaaaaa taaatcaacc atattggctc ataaagcttt  42420
ctttattttt aactagaaat tttccttctg cttgagatca tttcatttgt tcctcacaga  42480
aatgaaagca ttattttcag tgagatgatg ccacctagcc tttttccctc aaaacctttt  42540
atttgctgcc tattcatttt attaggttga aatagagact aagtggcttt tcagggccat  42600
atagaggaaa ttatctttta agagacaatt ttgtctgctt ctctaatcca cttcacattc  42660
tactttaggt atggtgtgta gccaaagagt gatctatgtt gtttttctta tatatctgaa  42720
accattttct cctgagtacc tctaaaggac aggaagacag atactcaggg gcagagggat  42780
atggcagtgg aacatgctga tttgaatggc agggctggaa ttttcagtga gggtttgcta  42840
tcatgattgc ttgggacaac ttttgaaatt ctgattttat ttccctgttt tgaccagtgg  42900
catatgcccc ctttaaaacg ctagaccaga gggccaacca tagtggctca cacctgtcat  42960
ctcggcactt tgggaggtcg aggcaggcgg atcacttgag gtcaggagtt agagaccagc  43020
ctgggcaaca tggtgaagcc acgtctctac taaaaataca aaaattagcc gggcatggtg  43080
gtgcacacct gtaatcccag ctactcagga ggctgaggca ggagaactgc ttgagcctgg  43140
gaggtggagg ttgcagtgag ctgagatgga gccactgaac tccagcctgg gcaacagatt  43200
gagaccctgt ctcaaaaaaa tagagagaga gagagagaaa caaataaaga gagagagaga  43260
gagagaatta actcctctga ccagtgcagg ggctcatgcc tgtaatccca atacattgga  43320
aggccaaggt aggtgaacct cttgaatcca ggagttcgag acaagcctgg gtgacatggc  43380
aaaaacctca tctctacact gaagtaaaat aaagtaaaat aaaaataaaa taccagacca  43440
tacaaatcaa atcttttaag gtgataacat aattactgtt ttttatagct gggggggtgtc  43500
tttgttataa gatttttaa acattgcaaa agactcattt aaaatttata aatatctaat  43560
tttctttttt cccctcacat tctctgcctt aactaagatt ttttaaaatg cacttattta  43620
tttgaggctg aatgtggctc ttactacatt ctgtgaatat cacattcaga tgaatactgc  43680
tttgtatata gaaactggct gaatgtagtg tacttgagac ccaaattaaa atagatggat  43740
gctggagtgt atcaagctct tgttaattgc attttctatt attatcttgt ttacccttga  43800
agctttaagc cattaaggaa aatattgggc agaagctgga atcaagagag ggctgtcagt  43860
cagcaattgc tggtgggaag aggtgtcttg gcaccaatac aaaactgcaa ataagagcca  43920
gggagggtct agaagcagaa caaaaagaag agagtccttc tgggtacagg gttattgtag  43980
ggctccttca tgtttaaaca actccttatt tcctcagggc tttgaaaagc agcctcttgt  44040
caaaacgtgg agaggcattt tggggagtag caagggaagg caagtcatat ggagaattta  44100
agtggcttca gtgcatgagt ctccatcact tgtcaggaca cctgcgtgct gccagcccag  44160
tttctttgca atctgaaagg ctgcactatc taccccttaag gccaacaaat ctattcagaa  44220
actttttatc tgaagatatt tttgcagaca tatgaaatag gtaagacaag tagaattcca  44280
aaagatgaaa ataaataatt cctatctatc tatctatcta tctatctatc tatctatcta  44340
tctatctatc atgtcacaga agcagatgtc aatagacata actataaaag atcagcattg  44400
tcttcaaaat tttagacttc tggctgcctt ctttcctaga gatcaaattt acttgttgca  44460
tctacaaaag tggaagcaat catgtaatgt ttataccaca tttgatttgc tttttccttt  44520
```

-continued

```
gtttatgctg cagctcttaa tatcacaaat gccacagaga gaggtattta aaaccccacc  44580
gtgtgctgtg ctctcagtga ttgcagtttt aataaaattt gcagtggtcc tgttcccggc  44640
atcagtccta attgtttgat gccactaaca ggtttgattt gctgtcatga gtacattgtg  44700
catttgaaaa ccaaacaaag aaaaaaatca caaacctctg atatccctgg aggctatcat  44760
tgggaaaatt aaatctgcat gatttaatag gatgcatgtt ctaaaagagg agcttgaccc  44820
attgattttg actttagggg atattatggt atattatggt atggtttcat ctaaaaagtt  44880
ctataaggct ttcagagaag aatggtaaag tggtccttta gttgaacagt tgtcactgca  44940
tttctctaag aaaaagtcac ttgtataata atgatagcac tgaatagata atacataatg  45000
cttcaagtca acacatagtt aggccctctt aaagtgcagt gttaaagaaa atgtacttta  45060
aagtaattaa attgtttagt ataatgttga cattatatta tttgaaatga aaagttatcg  45120
tgacctgaaa tacatatact ctaattggag tgagttttta atatcagttt tcagatatta  45180
aaatgagatg cataagttca agcatacata cacagtaaag gaaaattgct ttctattcaa  45240
tgcattagtt catccaacaa agacacactg agcaatgttc caggtgcgac atgagacaga  45300
gaaggccatg cctccactgg gcttaatttc aaaatgtgac tattttgatt catgcaaaga  45360
tatcatggaa agctattaga attctatggc aagaaggagt tcaagtaatt ttatattcag  45420
ttattttctt cagatatcaa atacatgact ctgagactgt aattgttata tttatttccg  45480
tgaacaacaa actatacaag gcattatttt tggagaggac ttaatatagt ggttaataac  45540
atgggtggta ggatctcaag aaaactgcat gggctctaga gtctcaggta aacttcttga  45600
gtccaaatcc tggttctacc acctatcaca tgtgtaactt ccagtaggtt acttatctct  45660
ttgtgcttca gtttccctac ttgtaaaatt aggttaataa tactatctac ttcataaatt  45720
gaagaatgta gaagtagatg atatatttat agctcttaca agagtgactg acacagagta  45780
aacactcaaa tagaaattat caatgttagt tctagggcta atataacttc tgtgcaacag  45840
aagcagtgat ttacgcactt gtgcagacaa ttatagctcc cttttccatg tgtcatcttt  45900
atctctgagg tacaagcaat aaagtccaat ggcaaaaact aaatttttat ttttaatagt  45960
ttatttgtat taattttggt tctagcaaaa gaataataac caactttaaa tctgcaagga  46020
gaccccaaag tcatatagtt caattcctta gtttgtagat aaagaaattt gagactaggg  46080
gcagtggctc acgcctgtaa tcccagccct ttgggaggct gaggcaggag gattgcttga  46140
ggccaggagt tcgaggccag cctgggaaac atagtgagac ccccctctct aaaaaaagta  46200
tttatttaaa aatatttaaa aaaaataaat ttgagaccgg aaacatcttt tattttatag  46260
ataaagacac ttgagaccaa acaaattgtg actttgccca ggttggcaaa ggaacttgag  46320
tgtcttattc ctagtctagg acatgttcca ctacctattc cgattctttc ctctttttaa  46380
tatttatgtt gtgtagataa tactctgcag agttcacatg ctttagtatc agacagacct  46440
gggtgttaat cctgactgtg ctgcttacca gttatgtgag gtaggataat ttacttgacc  46500
tctgcaagtc tatttcctca tttgtgaaat ggggggtaat attatctaga acacagagtt  46560
cttaaaatgg actcagatag catattcaca gtgtctatgc agtagctctt tgataagtat  46620
ttgctgttgt tggtattgtt gtctgttgtt tacattgtta taaagctgga tgacatctat  46680
ccagagaata ccactagtca agcttcttga atttcataaa tagaatgtca acattaacaa  46740
ctgctcatct ggtctccaaa gaacataaat ctactttcaa tcagcaatgc tttgtacctg  46800
cattcttgtt acttgttaga gattataact ttggtgtggc ttcaccgtga caagtgataa  46860
agggaagctt atctaagaag ctgtgtaaag aggtgccttt aatggctaac aggagagagg  46920
ctatttggag tcaacctgtt aaaaaaaaaa atagtacaac aacataaaag tgaaggcggc  46980
cttcgtgtgt atcctgagct tatatcatat tttattcact atagaaatag atatttgcca  47040
aaaatcttgt tgaaaatact gatccattct agcactcact gctcccaagt aaatcccaag  47100
tgagaaatca ctttaaaaat ttagtgccat aaaaaatgat gagttcatgt cctttgtagg  47160
gacatagatg aagctggaaa ccatcattct cagcaaacta ttgcaaggac aaaaaaccaa  47220
acaccgcatg ttctcactca taggtgggaa ttgaacaatg agaacacttg gacacaggaa  47280
gggggacatc acacaccgga gcctgttgtg gggtcggggg agaggggagg gatagatagc  47340
attaggagat atacctaatg taaatgatga gttaatgggt gcagcacacc aacatggcac  47400
atgtatacat atgtaacaaa cctgcacgtt gtgcacaggt accctagaac ttaaagtata  47460
ataataataa aaaaaattta gtgcctggct gaagctctgt gaacaatggc tgcagaggag  47520
cttcctgcca gcctggggaa gccatagcct gcacatgatc tgtccctttt agtgaactaa  47580
ggttgacttg atggagccaa tgctggcaaa ggtctctgag gaaaactgac ctggatttat  47640
acaaggtcca gccttgcagg ttgtaaggga ggtcactttc atggcaggcc aagatccttg  47700
agatgttttg aaaatttgaa ggagaaagga attaggccaa aatgaataga tactgcagac  47760
gaaatcttat ggagaaattt ccttggactt acatccttag cctcagcaca gcaaattaat  47820
agaagcttgc agaagaccaa gctgagattt cttatagaga cctccagtgg aacaaactta  47880
aagaaggccc atatggttaa cgttcttgat gcccatatgg ttaacattgt tgatgcacct  47940
gtgtaaagaa ccaggctaaa tctaataagg ccatactcac tttgtcgtca agaatctttg  48000
agattctttt taatcaaaag tggggagact ataaggaaca atttgtgctt aaatggaaaa  48060
ttgtgtgttg tcattctaga gcacacctgt gttgtgtgat tccaattctg tgggagctgt  48120
tttaaagctt tataaattgt agataactgg cagcaatgct aaatcgttct cctccataga  48180
cttgcaaatg aattctgtcc agtggaaaag caaccaaaaa acccaatctg gctctgtttg  48240
cacagtcatt ttaatattcc tgatctataa atgggtctgt ccttgggatt ctcttttcac  48300
ctggttgcaa cacttcactg gtttccttgt gaatgagtta aataaaacct ttaactcatg  48360
tttattctga aaaaaaaaaa aaaaatcagt gcctgggttg gggagaaggg tctctgctga  48420
gaaactgaca ttttatccat tcctatagta agtactgtgt actttatttt cttttacttt  48480
atttttgct cggcctggca tgtatcttag aatccaattt gaagcttagt catagtatct  48540
gttacaccaa accatccaga ggttttctcc ctgatcctaa tatattgtta ttcatttaat  48600
ttatggccat atcaatatac cttccttaag atctctatgg aaagagaaag aaataactaa  48660
gttgacggat tcatggaact tctcctccaa gtggttctca aatgccagtg cacatcagaa  48720
gcatctggag atcttactaa atgacacagc ttcaggatgc attccccagt tattcatatt  48780
tgataggttt atgttagtgc tttttaacaa caccccaaag gatccttaat gcagtgaccc  48840
atgaaccaca ctttgaaaaa cactgacttc aggttttcta cttagaggga ctttattcca  48900
gatgaatcta aacaattcaa ggagaaagct tatctgcaaa tagtaagata tcaatgttag  48960
gatagcttca aattcatcca tttgtggaat gcctactatg ttctatgcaa tgaggtaatt  49020
cttaaggata cagacgaaag agagatgtgg ttcatttctt gaaaagtgtt caaattcagt  49080
```

-continued

```
gaggaagatg gatatgcaaa caagtaaaat gcaatatatt tacaatgata gaagtttgtg  49140
tagggttata tacacaggac agaggagata gggaaaggtc agggaaatct tcagagaggt  49200
gaaggccaac agggctttga ttgatgaaga gtgaggagct cttggtgagg atcatatcac  49260
attgagggag gaaaaagaaa atagaggaaa aaattcagat ttaccatgca agcacagcct  49320
gacactgact cataaccagg gagtaaaaga aggattagag agtttgggac agtatctatt  49380
agtggtgcta taaaaacaga ataaaccatg atttgactca caggctaaca tggagatcat  49440
cttcttggta tcttctcttg gacctttttt tctttttttt ttttttgag acagagtctc  49500
tctctgtcat tcaggctgaa gtgcagtggt gcaatctctg ctcactgcaa cctccgcctc  49560
ccaggttcaa gcgattctta tgcttcagcc tcctgagtag ctaggattac aggcatgtgc  49620
caccatgccc agctaattct tgtattttta gtggagatgg ggcttcacca tgttggccag  49680
tctgctctca agctcctggc ctcaagtgat ccacctgcct cagtcttcca aagtgctagg  49740
attacaggtg tgagccacca tgcctagccc tctcttagac ataattttaa acgggtagat  49800
acctaacatc ctgacaatgt gggaacctat ggtttggagg catatggcct tatctggcat  49860
ccagaattcc atctaaaagg ttacagaaat gttcccaacc caagccactt taggcaactg  49920
ggatactgtg gtatgattta agattaagtt tatggcttct atttattttt ccaactaaaa  49980
tttccggttg gctaaaacaa aaatcttatt cttaatagac ctcagctcgt ttaacgcatg  50040
tcagagtgca ggcatcttcc agagcttaga tcaaaaaagt tatttaaaag taaactaaga  50100
ttttgataaa cgtaccatgg ttatacagga tgctaacatt aggggaagtt gggtgaacag  50160
tacatggaaa ccttctatac tatctttgca actcttatgt aaatctaaaa ttatttcaaa  50220
ataaaaatgt tttaaaaagg taaactaaga aatacttctt tgtcctggta attaagcagt  50280
ttagcatctc ctcccatcaa aaacagaaaa tgaactttct ttaagaagaa aaaagtgaat  50340
caggaatgaa gtcacatatt ttattggctg atgattaaac ttctaatata ttttcagaac  50400
cagtttaaca aaagtgcggt tgctttatat acacctaaga ctgaaacaaa aacaagtaaa  50460
ctttgtgtag ctcttgtctg atttacatgg taaacatttc ttgctcgtac ccactattca  50520
ccatccatat ttacaagtga gaaaaacgtt accatctcaa aggccacaga aatgttccca  50580
acccaagcca tgggagggaa tcccacatca ttgaggcagg cagcccttat tttgtcctgg  50640
agaagagagt cactgtattt gaggatgatg tgtatgtttt ctaaaggagc ttgccttctg  50700
actccttcag agttggagcc acagtgggta aacctcttca ggcattgccc tgcttcaaag  50760
cagacagaaa cgtaaacagt ggcagtacac caggatcggg tttctttgct ttagctacca  50820
agagtcagga aagagaaacc aggtatttat ttaggtttgt cattattgct aggttttctt  50880
ttaatgataa gggtttgaga aaagaagtat ctgttcagaa acaaagtatc acagagcctc  50940
aataggatta ctttttcaac cacccagggc cacgtgtttt ttaagtcaaa tataaaaaca  51000
atttaaccca ttttgttctt tgtagtcctt gccttctaac aggcatctcc aactcagtta  51060
ttcttaaaat atgatgctag atgagacaaa tagtctattt aagagcagat tcaaataatc  51120
tgtatagatg agcatctatg ttttaataac agggtcgaaa gaatttctct ctctacagag  51180
tgatttctct gtctcaaata attcagttta tgaaaggagt taaggatatg ctttttaaca  51240
ccggaaaagg gtacttaaca tgatcaatat ctaggataca gccagctaaa gcagattgac  51300
gttacaaaat aaaataaagc cttctccctt tgaagtccgc taaaggaaca gctttcatga  51360
ctcagaaaga tatcctagag atcaaaaaag ctctggagaa agaaaaagaa ctagaagacc  51420
tggcttcaaa atttacctct agtacttccc agttatgagt tagctgctat attaattaat  51480
tgctttatat aaatcatgtc atttaatctt ctccacaatt ctatgagttg aaagttaata  51540
actacgtttt ctggataaaa aacctgaagt tcagagaagt tgaacagcaa ctcagaaaaa  51600
acagctagtg agagtgaagt gaggatccaa ttctaccacc tggattgctg ttagggtatt  51660
gtacatgagt gtaaggaaag tatcctacta ctaagatttt gacttcccaa cctctgagtt  51720
tgtcctttga aaaagccctg caatggtgtt cttatttacc aaatggtcag agattttctc  51780
aagatattga ctataaggaa aatgataaac aacttaatga aatggcacta tgaaaataaa  51840
ataatctagg aacaaatatt attttatttt catagtgcca tttcattaaa ttgcagcact  51900
attcacaata gcaaagactt ggaaccaacc taaaagccca tcaatgatag actggataaa  51960
gaaaatgtgg tacatatatg ccatggaata ctatgcagcc ataaaaagga aagagatcat  52020
gccctttgaa gggacataga tggagctgga agccattatc ctcagcaaac taacacagga  52080
acacaaaacc aaacaccaca tgttgtcact tataagtggg agctgaacga tgagaacaca  52140
tggacacatg gggggaacaa tacacactgg ggcctgttgg aggctgggag tgggaggaag  52200
gagagcttca ggaagagtag ctaacggatg ctaggcttat tacctaagtg atgggctgat  52260
ctgtgcagca aaccaccgtg gcacacgttt acctatgtaa caaacctgca catcctgcac  52320
ttgtacccct gaacttaaaa tagaagttgg gggaaaaaaa agaaaaaaga aaatattagc  52380
ttggtgcaaa agaaataatg gcaaaaactg caattacttt ttttgcacta acctaataaa  52440
gtgatcttca gaaaacagtc tactttttta aaaggcaaaa aacagagtgg tttatataat  52500
tggaataatt tttacatctc tttttgatac acacttctta ttttctaaaa ttttcacaaa  52560
tcatcttaaa cattaatgct gtcaccaaat aaattctcac aaagtaatag aaagctcagg  52620
aaattaatat ttgagaagta aatttagagg caaggataac ttaaactgag aagcatttat  52680
aattttccat tttgagaaat actctgtagc atttataaac attatatttt aattttctat  52740
ttcaataaat taatattgta ccagaatacc aaactgcatt tggaatcata ggcaactgtt  52800
atgtttgtcc tttcttgata tttgaaaaaa atgaccttcc ttttgaatgc tgccctcata  52860
atttaaaatt ggccttctcc ttcacagggg acattcacga taaactctca ataggcttta  52920
atttggagaa ttttagtttt gccttagcag cttttcttat atcttctctt aattctataa  52980
gtttaggctt tatatgtttt gaaattatat tgttaagtgc atacacatta attattgttg  53040
taattcctcc tctgcagatt gcatttttaa cctttggatg atgttcctct tcatcccttt  53100
tttataatac cttttagcat aattctgtat tgtttgatat taatatcatt accacatttt  53160
tcctttgttt tgtgttttcc tgtgctcttt gtttggtatt cttctatccc tttcttccaa  53220
cctccccaca atcttgtaag cagaatatag ataaatactt ttgtaattca atccaaaaga  53280
ctttattttt agtagataag tgtaggtctt tgtatttatt ctgaaaattt atttctatta  53340
ttctttagac gatttctatc atgtattatg ctgtttcttt tctctgcttc tttttttaat  53400
tccttttctg ttttctggta gatcattata tatttttttta attctccact ttaacccaca  53460
ccacaaccac tttgctgatt ttgaaattgt ggatcacaat gttatatttc agtgattact  53520
tttacatttt aatatacata tatgatgcta taattctaac agtttaagat catgtaggat  53580
cttctccagt ctctttaact aaagcaagca tcttatcatt ctttaaaatc ttatctaaca  53640
```

-continued

```
gcaccttccc tcatcctctg tcactttcct tggcattatc caaaatttta tttatcttaa  53700
aacactgaat tattttatgg tccataaata gttctatcaa tatatgccac caattgctgt  53760
gttcatcatt caattttcat gtgccttttt tcttctgttt ccaatttctt atttctgaaa  53820
catattattc attagttcat tcaattagat ctgtgagcag atatctttgt ctttgtcttt  53880
gtatgtttga aaatgccact attttaccct gatcattcag gtgaacattg aaatctaagt  53940
tgacagatat tttccctcag tgttgtccta tgtcttctta catcaattga tgagaagtgt  54000
tctgtcattg taactataat tctttggtag gtaacagagt tcttctatct ggtcttttta  54060
cctttgatta ccagtacttt taccataatt tgtcatagaa tctgtattag ttatctgttt  54120
ctctgtaacg aattacacag aaactcaatg ttttaaaaca ataaacgatt atcacttcat  54180
agtttctata actcaggaag tacagagtga ctttcccagg ccaatgtatg gattatgttt  54240
gcagtaaaga tgttggccac ttctgcagtc atctgaaagc ttgaatgggc tgaaggatct  54300
aattcaaatg tggttgactc ataagttggt ataaattgat gctggccagt gcagagcctc  54360
cctttgtccc catgtgggtc tctcctcagg ctgcttgagt gtccccacac tatggtgcct  54420
tccttcccta agagtagatg atctaataga gaacaaggag gagttagtaa tgtttttcat  54480
ggtctagctt caaaagccac acacagtcac ttctgccaca tcctatttgt tagaagtgag  54540
tctaagtcca gcctacttcc aaggagagca gaggaactat actctacttt tccaagggag  54600
aatttgtgga caggttttaa aactacaata gtgtcaatgc aaaatgcacc agaaagtctc  54660
agtaacagaa tcacacaagc agaagaaaga acttcagagc ttgaagacaa ggcttgaact  54720
aaccaaatcc atcaaagaca aagaaaaaat aatttttaaa aatggacaaa gcctccaaga  54780
agtttaggac tatgttaaaa gtcaaaacct aagaatagtt ggaaggaaga agagaaagaa  54840
gataaatcta aaagtctgga aaacatattt gaggaaataa tcaaggaaaa cttccctggc  54900
ctcgctagag atctagacat ccgaatacaa gaagctcaaa gaacacctgg gaaattcatt  54960
gcaaaaaaat cattgcctag acacatagtt atcaggttat ctagaatcaa gacaaagaaa  55020
agaatcttga gagctgtgag gcaaaagcat caggcatctt ataaaggaaa atctatcaga  55080
gtaacagcag atttctcagc agaaacccta caagctagaa gaaattgggg tcctattttt  55140
agcctcctaa aacaaagcaa ttatcagcca agaattttgt atccagtaaa actaagcttc  55200
ataaatgaag gaaagataca gtctttccag acaaatgctg aattagccac cacaaagcca  55260
gcactacaat ctcaaatgaa ctctaaatct tgaaacagat tctggaaata caccaaaata  55320
gaacctcttt aaagtttaca tctcacagga cctatataac agtaacacaa tgaaaacaac  55380
aacaacaaca acaacaaggt attcaggcaa caaatagcac aatgaataga atagtacctc  55440
tcatctcaat actaacgtgg aatgtaaatg gcctaagtgc tccacttaaa agatacagaa  55500
tagcagaatg gataagaatt tcaccaacca agtttctact gtcttcaaga gactcaccta  55560
acacataagg actaacataa acttaaggta aaggggtaga aaaacatatt ccatacaaac  55620
agacaccaaa agcgagcagg agtcgctatt cttatatcag acaaaacaaa ctatagagca  55680
atagcagtta agaaagacaa agagggagat tatataatga taaaaacact agttcaacag  55740
gaaaatatca caatcctaaa tatatataca ccttaacact ggagctccca aatttataaa  55800
acaattatta ctagacctta aaaataagat agatggcaac acactaacag tgagggactt  55860
taatactaca ctgatagcac tagacagatc atcaggacag aaagtcaaca aataaacaat  55920
ggaattaaac tataccctac aacaaatgga cctaacagat atttacagaa cattctaccc  55980
aacaaatgca gaatatacat tgtaatcatc agcacatgga acattctcca agacagacca  56040
tatgataggc cacaaaacaa gtctcagtga atttgagaaa atagaaatta tatcaaatat  56100
tctctcacac cacagtgaaa taaaactgga aatcaactcc aaaaggaacc ctcaaaacca  56160
tgaaaataca tggaaattaa atgacctgct cctgaatgat tgttgggtca acaatgaagt  56220
caagatggaa atttaaaaat tatttggact gaacgataat agtaacaaat agtgagacaa  56280
cctatcaaaa cctctgggat acagcaaaaa cggtactaag aggaaaattc atagcattat  56340
ctgaaaaagc acatatagac aatccaaggc cacacctcca attctccatg caattggtga  56400
aacaagaaca atctaaacac aaatgcagaa gaagaaaaga aatataaaag atgagagcag  56460
aactaaatga aattgaaatg gaaaaaaata caaaagataa atgaaacaaa aagctggttc  56520
tttgaaaaga taaataaaat cgatagacca ttagctagat taaccaagaa aagaagacag  56580
aaaattcaaa taagctttat tagaaatgaa atggaaggta ttacaactga tatcacagaa  56640
atatgaaaca ttattcaagg ctaatatgaa cacctttatg gacataaact agaaaaccta  56700
gaggagatgg ataaactcct ggaagtatac aaccctccta gattaaacca ggaagatgta  56760
gaaactctga gcagaccaat aacaagcaga aagattgaaa tggtaatttt aaaattgcca  56820
agaaaaagca gtccaggacc agacagattc atagctgaat tgtatcagac attcaaagaa  56880
gaattggtac caatcctatt gacactattc cacaagatag acaaagaggg aatcctccct  56940
aaattattct atgaaggcag tatcacccta atactaaacc aggaaagagc ataaccaaaa  57000
aagaaaacta cagaccaata cacctgatga acacagatgc aaaaattctc aacaaagtac  57060
tagtgaactg aatccaacaa cataccaaaa atataatcta ccatgatcaa gtgggtttca  57120
taccagggat gcagggatgg tttaacatat gtaactcaat aaatgtgata caccacataa  57180
acagaatcaa aaacaaaaat cacgatcatc tcagtagaca cagaaaaagc atttgacaaa  57240
attaagcatc ccattatgat taaaaccctc agcaaaatca gcatagaaaa gacatacctt  57300
aaggtaataa aagccatcta tgacaaaccc acagccaacg ttatactgaa tggggaaaag  57360
ctgaaagtgt tacccctgag aactgaaaca agacaaggat gcccactttc accacttcta  57420
ttcaacatag tactggaagt cctagccaga gcaatcagac aagagaaaga aataaagggc  57480
atccaaatca gtaaagagga agtcagaatg tcactgtttg ctgatgatat aatcttatac  57540
ctagaaaacc ctaaagactc atccaaaaaa ctcttagaac tggtagatga attcagcaaa  57600
gtttcaggat acaaaattaa tgtacacaaa tcagtagttc tcctatacag caacagtgac  57660
caagctgaaa atcaaatcaa gaactcaact gcttttacaa tagctacaaa aataaaataa  57720
aatacttaag aatatatcta accaaggagg tgaaagacct ctacaaggaa aactacaaaa  57780
tactgctgaa agaaatcata gatggcacaa agaaatggaa acacatcccg tgctcataga  57840
taggtagaat caatattgtg aaaatgacca tactgcctaa agcaatctat aattcaatgc  57900
aattcccatg gaaataccac gattactctt tacagaacta gaaaaagcaa tcctaaaatt  57960
catatggaac ctaaaaagag cccacatggc caaagcaaga ctaagcaaaa agaacaaatc  58020
tggatgcatt accttaccca acttcaaacc atactacaac gccacagaca ccaaaacagc  58080
atggtactgg tataaaaatg ggcacagaga tcagtggaac tgaattgtga acccagaaat  58140
gaagccaaat acttacagtt aaccgatctt tgacaaagca aacaaaagta taaagtgggg  58200
```

-continued

```
aaaggacacc ctattcaata aatggtgctg ggataattgg caagccacat gtagaagaat  58260
gaaactggat cctcacctct cacctttac aaaaatcaac tcaagataga tcaaggactt  58320
aaattgaaga cctggaacca taaaaattct agaagataac atcagaaaaa ctcttctaga  58380
cattggctta ggcaaagact tcataaccaa gaactaaaag caaatgcaac aaaaacaaag  58440
aaaaatagat gggacttggc cgggtgcatt ggctcatgcc tgtaatccct gcactttggg  58500
aggccaaggc tggcagatca cttaaggtca ggagttgaag accagcctgg ccaatatggt  58560
gaaaccccat ctctactaaa aatacaaaaa ttagctgggt gtggtggtac gtgcctgtag  58620
tctcagctgc cctggaggct gaggcagagg aatcacttga aactgggagg tggaggttgc  58680
agtgatccta gatagtgcaa ctgcactcca gcctgggcaa cagagcgaga caccatcatg  58740
ggaagaaaaa aaaaaacatg ggacttaatt aaactaaaaa gcttctgtac agcaaaagaa  58800
ataatcagca gagttaacag acaaccccca gagtgggaga aaattttgca aataatggat  58860
ctgaccaagg agtaatattc agaatctaca aagaactgaa acagcaagaa aaaaaaaatc  58920
ccatcaaaaa gtgggctaag gacatgaaca gacaatctca aaagaagata tacaaatggc  58980
caacaagcat ggaaaaatgc tccacatcac taattatcag ggaaatgcaa atcaaaacca  59040
caacgtgata tcaccttact cctgcaagaa tggctataat aaaaaataat agatgttggc  59100
atgggatgtg gtgaaaaggg aacactttta tattgttgtt gggaacgtaa actagtacaa  59160
ccactatgga aaacagtgtg gtgattcttt aaagaactaa aagtagatct accatttgat  59220
ccagcaatcc cactactagg catgtaccca gaggaaaaga agtgattata caaaaaagat  59280
acctgcacat gcatgttcat agcagcacaa tttgcaattg caaaaatata gaaccagccc  59340
aaatgctcat caatcaacca gtggataaag aaaatgtgag acatataaat acacacacat  59400
acatacatat acacacacac catggaatac tactacatat acatacacac acacacacac  59460
acacacacac acatacatac catggaatac tacttatcca taaaaaggaa tgaaataatg  59520
gcattcacag caacctggtt ggaattggag atcattattc taagtgaagt aactcaggaa  59580
tggaaaacca aacattgtat gttttcatgc ataagtggga gctaagataa tgaggatgca  59640
aaggcataag aacgacacat tagactttgg ggactcaggg gaaaagagtg gaagggggat  59700
gagggataaa agactatata ttacgtacag tttaccctgc tcaggtgatg ggtgcaccaa  59760
aatctcagaa atgaaaaaat tttaaaaact acaacaatgt caaattgttt gtattaatcc  59820
tcctatgcaa tcccagtgcc acttgaaagg cagtcttcaa gtacttctga aaaatactca  59880
tccccaaaac acaggcaaaa aattttgatt cagtaaccta aattgtgtgt ctggcattta  59940
attgtttgtt tgtttgcttg cttaaacttc ataagtgatt caatgaattt cgagttttaa  60000
aagccaccac tttaactgat ctggggtttc atgtattgct tcaagcctag aaaatctcca  60060
ccactatgtc ttcaaatata acctctctgc tcttccttct cttctctact gctcacactc  60120
ctgtaagcat atattagagc tctaaatctg ttcttcccat cttttagtta atctttcaca  60180
tttctgtcca tctttctctc tggcctcagg gctgtatgat ggcttaagtg ccatcttctg  60240
attcattaat tcttcacttg accttgtcca agcttgagtt tatcatatct tttgtgtctc  60300
tgcttgttat tatcaatttc tagcatttct actattatat gtatttcaat tttgcctgtt  60360
tgttttataa tttattttta tacatatact attatttaag gttcttaaac tccttttgaa  60420
cttctttgtt ttcttccaga gtaaattaat cccccagtta ctgaattcat taagttgaaa  60480
gtcaatttat tattgcttag caattgtttt cctaatgtgc tttgaaatta tgatttgcca  60540
ctgtaaatct tatcatcatc tctctgaaat gatttattcc ttttccagta attttggggg  60600
ttgccctcta cttccttcat tcatataaga tatttcaggg agcaatttta ggactctatt  60660
ctgtaatgtt ttgacattca atccagaccc agtcactaaa ccgtcaaaag cataacacat  60720
gttctgacta cgatactatg actgctttgg tttcaagcag cgagcctcca atcccccatc  60780
tcatatagta cacttctaga gaaatcaaac ttcaagcccc tttctctgtt tatagaattg  60840
gaactcagca gtgactactt atctgttgtg ttttgtctac tttcttatac actgagatat  60900
tcatcttgtt ttttaatatg gctttgtctt tttaggtagc aaaaaattat atcttcatta  60960
ttgctatgta cttatattct acctagatga ctgaattgta atatcataac accaacttga  61020
gtagtactct ttgtgctata attattatat atcatcatat aaattctatc cagctgaata  61080
tataaaaata aaaatttata ttattgtttg aaagaggtca aaagtattga tgtttaaaag  61140
tgatattttt atccatctag aaaacacaag agtatcaact ccaaagctac tttaactaat  61200
atgataatta atcctattta caaataaaat gcacttatgt acacatatat taacagtttt  61260
cctatatagc agaaataacg cattagaaat taattgaaat aatggcattc acagcaacct  61320
ggttggaatt ggagatcatt attctaagtg aagtaactca ggaatggaaa accaaacatt  61380
gtatgttttc atgcataagt gggagctaag ataatgagga tgcaaaggca taagaatgac  61440
acattagact ttggggactc aggggaaaag agtggaaggg ggatgaggga taaaagacta  61500
catattacgt acagtttcat tcttgttagg tggatagaag tgggaaaagg gtcttataga  61560
tagtaagtat aaagagattg gttttggttt gattttgatt tacagatatt ctctctcctt  61620
tacaacacag ttgatcaaaa tggattgcta ctatggtact gagtttctca taaataaaac  61680
ttttcaagaa aattatggat tactatttac cttggatgtt gaagtgaagt gaataaatta  61740
tatctcagat tagtccaata agagcagtca ttgattattc taaataccct attggacagt  61800
tccaacaaaa taggatgaaa atgccccact aatgcaactg gcaaataact tgtttaacaa  61860
taaatgtgtt cttctttcta caagagactg tgctggactt tagaggaaaa taaagcagca  61920
acaaaagtct gatactaatc ccagtttaat tctagcccta acctccctaa agaagattac  61980
aaatcaattt ggaagacaag aacaatgcat tacatataaa gcagttaaat aaaaatttag  62040
taattaaatg ggaataaaga ctatgaagca gaatatttta aaaatgataa gtggtaaaac  62100
aataagttca gaagtcaaga gtgatcctag taggctaggc gagcaggata tgtggaaaaa  62160
ctaggactac tgtttgagct cgaaatgacc aaaaaagtca tacagcgaat aactatacct  62220
gagcttaaat aggcctatag acttttcttg cataattttc tctaatttaa agtaacctca  62280
attgtgtgtg catgcatgta aatgtgtgta tgttaatgca taaacatata taaatttgta  62340
tctataaaga ggtataatat atttgcatta gaaagaaatt ttgatagtct ataactgaaa  62400
ctataatttc tggtagaact tctaagcttc ctcccaggaa aatgacaaat cttagacatt  62460
ctttcatgtc ttgagttcat ccactgttta cttacagtgg atgaaatagg tgtattcttt  62520
caaaattttg cactgcttcc aatcccaaat aaggcaaaat gaacaatagt agcaacaata  62580
acatcaaact gaaaaatttc aaaggaaaat taatattatc taaaattgag cctacgctca  62640
aagtagagtt caagtatagt cctgtataga tcatggagtg aaactgaaac gagactcaga  62700
attgacctgc agttgccctt gaaccctgac aaagaacact ctaagagaag aaaatgacaa  62760
```

-continued

```
gtgaatataa ttctcaaaat ttactaatgg aaaaagttta ctgatactct ttaactttag  62820
tggaataaag ttttggagat accacagttg cagaataaag acacttaata tccctataaa  62880
aacaccatgg ccatcccaac cactctaagt tacttggctg ataaaggaaa tagaaaaaga  62940
gagagaggga gagagttttt gttttgtttt gttttgtttg tttgtttttc caaacttaga  63000
aacaaacaca ttgttctggg gctctagaaa gatgtgtcca gcccgaaggc attcaaatgc  63060
aatttttcaa gtctaatctg gcccagtcat ggaccttctt tcatttctcc tgattgaggt  63120
atgtgataca gacagggaat ctgcagtttc ctaatgtcca gatgaccagt tttaaatatg  63180
aaagaaacta atatttatcc aatacctatg ctttaccagg aaccgttacg aatattgtaa  63240
aaaaaagatt tcttcatttg aaggtacatt tgacagacga cctctaaatc tccttttaac  63300
gataaatata ttcaattcag aagttttaaa tagtttttga acttgatgct tataaacaaa  63360
aaccaagaat gtaccactga gttgatggag gtagggaaag ttcagacagt agaatctaaa  63420
tgaggaatca caaattcact taaatgtaag gggattgggt gttaagtgta aatatgagac  63480
cttctcattg ggaagactca atgtctgaaa agggggttga atttctggct ctgcacctgc  63540
agcaaatctc caagacttag atcctttgtc cggaaaatgg gctaattttg gcggggagga  63600
agtgaagggt ttcactattt atttatgaca aatattcaac actcacaatt ctctccaatc  63660
agaagttctt tgagatgctg ttggtcttga ccagtcagag aatggagtca tctgactcac  63720
ccattctgag aatggtccta cagacactat aggttttaaa ttggccatta aacctgccta  63780
taaccttgtc aaccttggct aagttcatct ggatggatgc atggtccttg gcacccatga  63840
tgcggttgct ggcggaacat ttccactgca tgttcaggtc cacaaactca ggctggataa  63900
tatcaattat gttcaattac agagacatgg ggagagtcaa atgagatcga gtaaaaaatg  63960
tgcatgaaaa tatccacaat ctgtgaaaga ctatgcaagt gtattattgt cattgaatgt  64020
tgttagcaat agcatggcca ttttttactt acaaataaat attgcagttg acatattact  64080
aactctaaga aaggttcaaa tttacatgaa caaataaaac ttcaggaaag aaaactagag  64140
ttccacttgg ggactacgtc tgacatggtt atattaaaca ttttggaaca attaatttgg  64200
ttttgttgtc tctcttctag gatttttaaa catttataaa ttctcaattc tttctattca  64260
atctaaacat tttacaatat cctgtggacc ttacttcctt agtagattcc cagaaggtaa  64320
tgatttgctc ctttctgctc tccaagcagc ttctgtgttg gtgcagagtt gcagatctct  64380
gttggtggta ggttctattc tgcagaaacc ccctaatcct ctgtttacca caacatgagt  64440
ctattgccat agaaatgata gctgagatcc cagattgaac accactgact tcacagcagg  64500
gcctggtaag aggagactct aagctacaag gggggaacgc aatgtatgag aatagtaggc  64560
actctgtagc cttgaaagaa agggtaactg tcaacattag aataaaaatt catgaaagag  64620
ctacattgtt aggtatgctg tagtttattt tctgtataat actgcctggc taaaagtaat  64680
cattctgaaa tcttatgtca tttaacagtt tgctttcaaa aggtctgcag ttttccttga  64740
ttgcatttgt ttcttattga aataagaaac aagcagcttc taattaatct tgttgcacaa  64800
ctgatgtttc tgtggtcaaa gatttccctt ttcatgatgt gttgttttgt ttgcgtgttt  64860
attgtgtgtg tttgttttgt cttgttttta ttaacagaag aaagtgaacc cgaacaagat  64920
actaaaggta tttttttttc tttctgcatg gcttcttttt aattgtgtag ctcttttcaa  64980
ttgtttattt ttgttgacct tataaacagc tctaagtgcc atttttaaag aaataacaaa  65040
caatgtatgg ggaatattaa gtcacagcac ttaacggtgt tattagatag gcttctttat  65100
tatataatat gcttactgac catttgcatt tcttaagcaa gattgagtta aaagtaatgt  65160
ttaaatttgg tgtctctgga aatacaaaca aaatgaaatg aaataaatca gcatgagagt  65220
ataaatccca catagattgg aaaagaaaga taccctttga ctaaaagact tttggtgggg  65280
gttgggggc tttacagtct ttggataaat gttaggatgt caaggtgcca atttggtttt  65340
tattgtgatg atttcaacaa gatcaggagt attatgcaat tgctccaaat caataaaaat  65400
taagttattt taattgcaca gagacatatg tttgtagtgg aatatgttta gaggaaaata  65460
gctggaaatt aaatttgtat gggaaaaatt ctacttttc cccaacagtt ttctgtcaac  65520
agtttctgtt ttctgtaaaa aaaaaaaaaa aaaagaaaaa agaaaaaaaa aaaaggtacc  65580
ttgcattctg attaagcccc aaactttgtg ctcttctaac ctaaaatttg atatttgggg  65640
gatgaaattt gtgagttctc atgtaataga gttgactgta ggaattaatc tcaaactggt  65700
attatttaaa acagtacctc cttatcttag tatctcatat aaagtacaga taatgttttc  65760
ttatttttaa ataccaggtt gcttacaatt aaatacaggt aaaaaagcat tttacctggt  65820
cctatgtgaa tttttttct taatttattc ctatcagtca ttgctggttt gaatcatgta  65880
acctaaaaac ccttttcaaa ggaagctaga aaataacaaa agaggaaggg aaaataaaat  65940
ccatgggagc tccttgtgtc ctttgaaata actgctcaga aatagaaatt gataagagac  66000
ttaagtattc ctctggcact gctcccttac caagaaaaga gaggtagttc atctccagcc  66060
aaaccactca tttatttcag gacttaacat ggatgccctg tcccttgggc tttttattac  66120
actccagtgc aatttcagag tgaattatgc ctttatcttt ttactatacc ttactcctta  66180
agatgacaat caataataaa actgattaca tatctgaaag tgctttgaaa taaggagaga  66240
gagagaatat aatgtgggta tgttataaaa gattttagaa ttgctggctt cttgagccca  66300
attttgaata taggattctc cacttgcagt tagcctgcaa gtctgctcaa gagacattaa  66360
agccccaaac tcatgaatag atcccatgag agaaaaccca gagttaaata tattaccttg  66420
gtctattttc catgttgcag atgcacttgc ttacccacag gaaaccaagt ggtttagggc  66480
tcacagtgaa ttggagaagg atggataaga ctatgtacag aaagaggggt ttgatgattt  66540
ttttgtttaa aaatccatat caaaacagtt ataaatgctt tccaacttac taagtaattt  66600
aatgttcctt ctattaagtg gtttaattgt ttatgtaaca aaaacacttt tatattcttt  66660
tatgcagata aaacacaaaa tagggatatt ctatgcccat tttatttaat aagaaacatg  66720
tcatataact ttttaaattg atgacctaga atgcattttc agattgtgac taccactgaa  66780
ataatgggat ttactgttga cttgtgtcca agtttgttat tgccggtgta ttattattca  66840
tggaggttaa tctggcattt atttttaatt gcaactgact ttattgttta caatgcttga  66900
aaaacatgtc aaaatttccc tcatcacctt tttacctttc atatttgaaa aatggtaaat  66960
ttgagtatta tgcaattgct cagatagagt tgggtaaaaa catatcagct ttattgctga  67020
taaggctgga atgaaaaata aagatttcta ttccatgtga ggattagact aacataactt  67080
atgtttcctc atcctcttcc tccccacccc actctttccc cttgactctt agttgtagga  67140
tgaagaagcc ctgacctggt aaacttactt acacacatca accctatatc cttcttagat  67200
gcaagagagc tgggagactg atagctcaga ataggattga gatacacata acatatccaa  67260
gtcccttccc ccaaccttac cagagaagtc atcatgttcg ttcatttatt tattcgttca  67320
```

-continued

```
ctcagcaaat attcattgag tgcctaccat atatatatac catgcagggt tctagaaata  67380
gagacagata tgtagataga tatatagatt gtatcagtca gctcatgtta aaaagcaaag  67440
caaaccttgc ccttgtgatg cttacattct agagaggaga gactgacaaa aaacaaacaa  67500
gcaaacaaat aaatcagtaa ttaccaaatg attcagatag tggtgatatg atacaatata  67560
aacaagggta aggggaatgg ggatgagaaa gtactatgat aaggaaacat ttgagtagaa  67620
acccagaaga catctgctat ctcctttgag aagggaggaa gactgggagg aagggtggaa  67680
actaactttc aatactgaaa aaagggggtt gagtttctat tttatcattt agagagcatg  67740
tgagagtgca ggagaaagca gcttcccttt aatccctggc cttattgtcc tcttaaccta  67800
atccactgca cttaatgaaa cccatggtca gccatagcct atctgccccc ttcagggaga  67860
agtttatcag cagtctcata ttcatgaagc tacctataat gtcagcagta ctcctgtacc  67920
tgcctgtgcc acactggagc ccccagaaag ttcccatgga gggcagagta ttacattagt  67980
taaattaatt ccaaagtcac gttgaattga ctctgtttta tttaccatac cacactatgc  68040
ttagttgtgt tgtgcaatgt ggataatcag aggtttcaca ataagcccaa atgatattcc  68100
aaatataata acagccaaaa gaaaaaaaac tgctataaat taggacaaaa taaaaccttt  68160
ccaagaagaa tttaaagtcc ccaaattaaa actcttggct tcataaatta aagcagcaaa  68220
acataatcga aattacatta ttctccaatt ttttattctg ctcatcttca gccagaaggc  68280
tttcattcaa aaggcgtttt tgattcaaaa agttcaaggg tatagtcaat gttactagaa  68340
cagttttcta gcacatgtga ggttgaaatg tgctagattt tccaaatctc tcaaagatcc  68400
tgcttgtttc agattctcgg gcagtgggat ccatagatgg tcatgcagta gtcccacact  68460
caaaaaattt aggaaacaca agcatagccc caacccctac aagagttatt ttagccagat  68520
gatgcacatg gactctaagt ctccattatt gtaaccagaa aacattagaa gagtacctgg  68580
acgcaccctc actacgatgc ctgtcagtgt tagttgtcaa gagtctgtaa cgtgtgaatt  68640
tagattaagt tgggagaata agaatccaag cagaggcaca cattgcattt gggtgatatg  68700
tctcttaagt ctcttttaat ctataatgga tcactctttc ttttttaccc cctaatgcta  68760
atgattttcc ctgttaaata tctgggtttg attgaattgc atctccatag tgttctttga  68820
aatgttcctc aaccctttaa tttttgtaga ttgttaattg gaccccagga cttacttaaa  68880
atcaggctca attttgcttc tgggggacag attcagcttc attttaaaca tttgatagca  68940
ttctttgtta ttttttaata atctcttttt gccttgaaga cagcaccttc cttgcatttc  69000
ttttctcctg gttttgggac ccacatttct atatctaaaa tatcaatatc aaaagatagg  69060
aagtcaaatt aatttaaatc tgcaaaaagc ccccaatagt caaacaaatc aaatgttcct  69120
taatctcttt aaattatgca atgcttttta agaggtactc aacaatgaga ccaactggaa  69180
acactactct ggacctgttc tatcattgtc ctgcgtatct ccttatgtag cacatgtggt  69240
ctcccatact ttagtttaga atccaatatt cacaaatttc aatttaacta gaattaagtt  69300
tcaaagcatt gtgctaattg gggcttcata ctctaatatt atattctgtg cttaagtcct  69360
agaaatcaaa aagtaggagc ataaaatata cttacagtat aataggccat ccaaaagatt  69420
ccgtaatagt ttaaacaaac actgaatttg aagtcagaag acttgagtcc aggtttctca  69480
ctcatcattc ttgttacctt gggaaaccaa cttacttaaa ttaacaaaga tttggttttc  69540
actgctataa gataagaaca ggaatctagc caatctctgg agtctcttcc aagtttaatg  69600
attctgtgaa tctaagtacc ctccaatttg taatgcattg tgagcctcaa tcccactgtt  69660
tagttaaagg taaaatttct tcctacatca aaataacctc ctcttactta atcagtgggg  69720
attcagggtc agaaaggaat agaaattact cattctgctg cctacacttt atctaaaata  69780
tccttttttt tttttgccca atatatcatc tgaaaagttt gacacaattt gtctgccctc  69840
ccactatgat acagttgagg gtgtaaagtg taattatttg attaattcaa taaaatacta  69900
tcctgtgctt gctctggtca ggaactctgc ctgaaacaat acagcagtca acgaaaggca  69960
aggcttttgg cttcaaacaa tctaatggga aaggggaata atagacaagt aaaaaataaa  70020
taaggtaatt tcagatagtt gtaaggtctg taaagacaat aatgtaggct gatgaaaagt  70080
gaatgggggg aggattacac ttgatgttgt gtgagtaaga aggacctttc tgagaaaatg  70140
tcacttaaac agagacttga atgattcaag gaacctacta cttgaggatc tgggggatga  70200
gtggtctagg cagaggaaga acaagggcaa gtttccatgt taagaacaag ctcagtgtgt  70260
ccttgagtgg tgagaaatat agggttataa cataaagggc ttggaggctc ggccatggca  70320
tgtggtatta tccttaaaac agagcaaaca ctgaagaact gcacacaggg gaacatggtc  70380
taatttgcat ttctaaaaga ccaccctagc ttgaccattt cctgcaggag cgtcactcac  70440
cacttctgtc ttcctaacag tttttgccag gatcctgcgg gctcctgaat cccacaatgt  70500
cacctttggc tcctttgtga ccctgcactg tacagcaaca ggcattcctg tccccaccat  70560
cacctggatt gaaaacggaa atgctgtgag tgtcatgtgt gtggggactt gtctggggaa  70620
gacccattgg tggtgaactt caggatagac catatagttg tagttaccca gatctctgtc  70680
attggtctca cctacaccac ttttcaaagc ctcccaatat ctttgtccta gaagccattg  70740
ccatagaaat caaactccaa gagtttgctt ccttccatgt atcatgagga atactagaaa  70800
accaatttct ttctttgtgc ctttgtgtaa atgggaagtg gtaataatat cttcccatat  70860
aagtaaaata attttcatta aactcatcac cgaaagatta gttccctgct agaggctact  70920
ttgatggaaa gtaatccgga gttagaatca gtgtcagttc agcattcttt tcttcatttt  70980
caatagtggt aataataact gatgtatatt aagtagttat tttcagccag gctctattcc  71040
aagcacttta cctacataca tttatttatt tatttattca ttctacaaat atgtattgag  71100
cttctgaaca tcaaacacta ttctaggccc tgtggataca ggagtaaaca aaacaggcaa  71160
agttctctgc cctcaaagag cttaccttct catggggaaa tacgggaaaa tatatgttgt  71220
atgtgtatgg tgtcaaatgc catgcagaaa aataaatcag gaaaaggaga cagaaagttc  71280
aaccttagga gaaatcagaa ctctcctaca ctgttcatgg gaatgggaat tactacagtc  71340
actatggaaa acagtatggc ggttactcaa aaagctaaaa atggaattgc catatgatcc  71400
accaatccac tactgggtat acagtcaaaa gaaagaaaat cagtatatct aagaggtatc  71460
tgcactccca tgtttattgc ggcactattc acaataacca agatatagaa tcaaactaag  71520
tatccatcaa tggatgaatg gatacagaaa atgtggtaca tatacacaat gaaagaaata  71580
ttactaatcc ataagaagaa taaaatcctg ttatttgcaa caacatggat ggaaccgcag  71640
gacattatgt taagtgaaat aaaccagaca cagcaagaaa agtatttcat gttctctttc  71700
ataactaaaa aaattgatct catggagata gagagtagaa tgatggatat cagaggctgg  71760
gaaaggtagt ggggaaggga ggataaagag gggttcgttc atgggtacat aagttagaag  71820
gaacaatatt gagtgcttag tagctttatt agtcagttct cgcatcgcga taaagaaata  71880
```

-continued

```
cctgagactg ggtaatttat aaagaaaaga ggtttaattg gctcatggtt ctgcaggcta  71940
ttcaggaagc ataatggctt ctgcttctgg ggaggcctcc agaaacttac aatcatggca  72000
gaaagcaaag tgggagcaag acatctcaca tggccagagc aggaaggaga ggaaaggtgc  72060
cacacacgtt taaacaacca gatctcacaa ttcactcact cactatcatg agaacagcac  72120
tgaggggatg gtgttaaccc attcatgaga cttctgtccc catgatccaa tcaccccacg  72180
ccaggcccaa ctccaacact gggaattaca attcgacttg agatttggtg gggacacaga  72240
tctaaaccat agcaatagca caacaggaca actatacata gttcacgata ttgaactaca  72300
tagcacaata caatatttaa gtatttcaaa atatcaagaa gagtggaatt ggaatgttcc  72360
tagcacaaaa aaatgacaaa ttacttaggt gatggatatc ccaattatcc taatttgatc  72420
attacacatt gtatgcttat atcaaaattt cacatgtacc ccataaatat gtacaactat  72480
tatatatcca taaaatttta aattaagaaa cattttaaac agaaagttag acctcaggag  72540
gaagattata tttttaaaag aatgatcagt gaaggctcat ttggacaaag acatttgaac  72600
aaagatctga aggagttgaa gggtgaagtt acatagataa ctgggggaac ataactagac  72660
aaagtctctg agataatggt atacatggca tgtcagaaaa acagcaagga gaccaatgtg  72720
gttagtgggg agtaagcaaa gggtcaagag atgagaggca ggcattgtgg atcctatagg  72780
ccgtgtggtc atttagacaa ctttgctttt atttgagtga gatgaggtgc cactgtaggt  72840
ctgtttctgt tgtctgtttt cccactgatt cttgttcatt ttgtgttgtt tccttgtgtg  72900
cctagctatc tttgattacc tgctgtgcat tgttttgtat aaaaatatca ggaactattt  72960
tgaggtctag atgaaggtat tttcctccaa agagaatttt gcttgtttct gccagggaca  73020
agaggttact gctaatcttg taccaccttc aactaagctc aaggtatgaa gctccttggg  73080
catcccagat aattataaca tgaccagtaa ttcattatgt ggactattta acttgtagtt  73140
cacactgata gctccctgat atctagttct tttatatctt aatttattat atctcttatt  73200
agactcttaa gggcatgaag ttttgattta tctcctgact ccctaaggcc atccaaagga  73260
aagttcaaat tttctgggtt tggaaaactc tctaagggta aataagattt tcttagtttg  73320
ttacatctgt taaaaatttt tttttcaaaa ttttaatttt ctcactgtgt agctttgtct  73380
gaataaccta acatcaacat ctgagacaga aacctaccat ggatttttat tgtcattata  73440
tagactttaa ccactttggt ttgcaccgag tctttagttt ctgatactct ttatgaggtt  73500
aagaaaatgt atttttattc ttaatttgat aattattttt aatataaata tattttaaaa  73560
tcaataaaac acttcatcat caattacatc ctctttttga tgtcattttt cactttaaat  73620
tgcaaagttt cccttatatt gaaccattct ttcatttctg aatacattgc ttttttgttt  73680
aatttttaa ttgtgttgtt tcaattttct gtatttcttt caggattatt tgcatctatt  73740
ttcaataaca gaaatggttt tgtcttttag taggctatca tgatcaggct ttgttaatat  73800
ttttccaatc ttatagaata gactgccaag tttacatagt ttcctttgat acagagcttg  73860
aggtgagaaa gttgagatgc aagtctttct tatactccaa gacattttcc tctactatac  73920
caataattac tgcttctctc ttctccacat cctttctatg tagactccat tgaaatgaat  73980
ttctttcaaa acttcaatct ttctcttctt tatgctctgc atatgtttgt ggaggaaata  74040
gggggcccta ttttatctgt caggttattc tcaagctcta gtgtccacca tgattgtcaa  74100
ctataggaac ccacaacaga aaatctcatt cgcaatctct atctcacagg tagatgcctc  74160
agcctggtgc catatgcata cattatagct cccagagttc ttcaattact ttgctgactt  74220
tcttaaagtt ggctcctgct tacagcccct gctatctgaa gtttgaaatt ttccatgact  74280
ttgtagggaa aatgtatcca ttctcctctc agtaaacctc ttcttttgtg ctaggtttca  74340
gctacttagt tgatgttaat ttttctatct atcaaatcac ctctttttat cttccagaat  74400
ttgctggaaa tatctgatcc tttgattata ataccatctt tctatatatt tacttttctt  74460
aattttgtat ttatctttta ggatttcagg tccataaaca agggttaaac atgtgagcta  74520
agattattat tactgtaact ctgatgttaa tgaacatgac ttgcatagag cactatctta  74580
ttattttctt tgtcatttaa aaatattcag cagagcaagt tcttttgcta ctatctaagc  74640
ctaccttaag caggctctgt gatttttctg gttactatta gatgatttga aatcattaac  74700
attatcccaa cttagtcatt taagtgtcta gtcctaagta ataaccaaag catccaatgg  74760
cattcacagt tcctcccttc tcagggatat ttcagcttaa ctttcatata agaaaaaatt  74820
gcagttggct tcttacctca tgctcactca ttcttccccc atttcctagc tgctctttat  74880
gaccccagaa ggggtgggtg ggaggtaggg aggagcaata actggtgcaa gagagctcta  74940
attcaactga tgcacttgta agttggcttt atacccttctg tgcctgccag atatttaaaa  75000
ctgactctta ccctcataga cctattcatg attcttcaga aatcagggaa cattaagatg  75060
ataccagtga tgcattttcc tcaggctatc catctttggc cacattagca agtccccaat  75120
ttgttagttg atggaaagtc tctttgtgtt ggggtctaat cagtcccccca aaaagtcatc  75180
ttgggaggac tgaaaatgac tcccaatcag atcttctata aaacctttttt attgacaaac  75240
tctggaagcc cagaccattg gactctgtct tctttgttcc ttccattgga gctgccagac  75300
atcctttaga ttttacaggt gggaattaca tacttgtcta atgtgtctcc aaattgcaag  75360
tgtgttagag tccccaagat cacattcatg tctgatgatt catgagaagg actcacagat  75420
tttagataag ctgttatgat tatggcttat tgcaggaaaa ggatatagat taaaatcatc  75480
aaagaggcat cagttttcct cttctagtga agttgcatgg acagcacttc attctcccag  75540
caacaatgtg tgacagcatg catgaagtat tgtcaaccaa ggaggctcac cctaaccttg  75600
gtgtccagag tttttactgg agctcagtta catagatgtg gagtgctcac ataactagtc  75660
ttagctagtt tccagcccct ccaaaggtca aactaataca acgtggccta ggattccaag  75720
tattcactat cattcacatt attatcataa accatccagc attgcccaaa atctcagata  75780
tataaagata ttcttattac acaggatatt ccaaggggca gaggtcatct ctcaggagcc  75840
aaaggccaga cctttctttg gaatgtgtag ggtttgagca cctcgagccc attgagttag  75900
cccttcaact ttttactgca cagcagtaaa acacatttat aactctccgg gtggtcccat  75960
ggaggatact tttatccctt aaggagatgg gtgcatgtcc aacccagtcc tttgggtgga  76020
ttgagaatgg ctttcaatat ggctgaacaa cccaaacctt tataactcat ctaactggtg  76080
gctattttca gttttcattt cctccaggac aggctgtcca actttttggt atcttggctg  76140
tagtgaacat atattatcat attacaatat attaatggta ccatttggag atcaaagaag  76200
tgtcccaaat cgggacactt taatatccac atcatcccaa attgtgttta atgcaagcat  76260
cacaacaaga aaatggggga cttcttttta aggaaggcaa aaccttatgg tataattcaa  76320
atgatattaa gtataatttc tacccaatcc aaggcacatt ccttcatgga cttgaactat  76380
ttcatgtctt catgactttc tcttctccag gattacatta gtatttaggg ctgccataat  76440
```

-continued

```
agaataccac agatagggtg tcttaaaaaa cagaattttt tttcctacag ttctaaaagc  76500
tggaagtcca aggtcaaggt gctatcaggg ttggtttctg gtaaggcctc tcttcctggc  76560
ttgcagatgg cttcacatgg ttatctccct gtattctcac agggctttct ctccttgtgt  76620
gtgcacttct ggtgtctgtg cctacaatga tgagcgccaa aaatcccaga gtgtttttc  76680
ataacacagt tctcattcca aaatagtttt tattcctctc ttttatagac cattataagg  76740
tttcttcctc taaattaaat aacagtgact aaaactaagg caaatactct ggagcaaaat  76800
aaaaactaaa aaacagatag ccttaaagca ggaagttacc ctgtcactag ggcttggcat  76860
actgtaggct ttagaagcat ttcgcggcat gaaagaatgg taaccctgag gcatctccat  76920
gtaataagtt aatttgtata ctgcttttaa ataaagttaa acaacttaca gtttcagaaa  76980
gatagaaggg aagagcattc ggaagactgg gagtgaagtt tcccgggcct gaacccttat  77040
tcaaaggcgt ctcgacatgg ataacctcga gaacattatg ctaagtgaaa taagccagat  77100
acagaaaggc aaataccaaa tgatctcact tatatgtgga atctaagagt tgaactcata  77160
gaagcacaga atagaatagt ggctgtcagg gatgggagga tggggagatg atcatcaaag  77220
ggtacaaagt ttcagtcatg caagatgaat taagtactgt agatgtaatg tacaatatgg  77280
tgactacagc taacaacact gtattgcgca cttgaaattt gctaagaggg tagatcctaa  77340
gtgttctcaa aacacacaca caaaggtaac catgtgagat gatacttcac tagcttgatt  77400
gcagtaatca tttcataata tacatatata tctcaaaaca tcaccttgtt caccttaaat  77460
atatacaatt tctatttgtg agttatacca ccaataagct aaaaaaaatt aaaagtctaa  77520
attttttaa aggagtttca aaaactaatg ctttgctcta tacttgtacc tggccccacc  77580
cttgtctctc taaagcaggg tgccctagga agactgattg gctgtagccc caaaaggtga  77640
gaactaggac ataagataag aaagggaaga agggaaaggg agagaaggaa gtggggaaca  77700
aagtgcgtca atgtgtgaaa ttttagttgg atgttgtaaa acaggaaaaa aaatgccaaa  77760
ttctatggct accccaataa caaagaatgt cttatggcaa tggcaccctc caagtcatat  77820
aattcattta ttattgtcac tttcactatt gttttcgctg aagtcttttt tctgttactt  77880
gaacaaaatc atttttttcg taatttgtta ataaaattgt ttcattttat ctgtctatcc  77940
tacatccctt caaatacagt acacaaacaa atgaacgtgc ttttccagct tgtaacttga  78000
ggcatggtag aatgagaatt agatggggag ttggaagact gaggttgtaa atgcccctct  78060
ttagttaatg tgattttggg gtccgtttac aactcagaca ctgattttct catatctatc  78120
tacactaaca cagacgtcag gtggctgtca aagatgatct ctaatggtat aattagagac  78180
atcagggcta atgttctcta attttgtcca gttatgataa agtaacttgg agtgcctgtt  78240
ctttacctct ctaagaacgt ttcaagtgtc atttaaaatt tgattcttat ttgtcaatgt  78300
gtttttttggc tcctctgtgg aaactgttat agtcttaagc ctgtcaaggg agtataaaga  78360
catcctaaga aaatttggag actgggccgg gtgcggtgac tcactcctgt aatcccagca  78420
cttttggagg ccaaggtggg aggattatga ggtcaggatg gagaccatcc tggctaacac  78480
ggtgaaaacc tcgtatctac taaaaatata aaaaatttag tcaggcgtgg tggcacatgt  78540
ctgtagtccc agctacttgg gaggctgagg cagaagaatc acttgaatcc aggaggtgga  78600
ggttacagtg agccaagatt gcgccactgc actccagtct gggcaacaga gagaaactcc  78660
atctcaaaaa ataaacaaaa taaaattggg agactgacaa tataacttca ctaatttgtc  78720
tatgtaaaaa tagtaataaa gaaaatggaa aggtatatac tttttaaatt tctagtattt  78780
tcaaaagatt catatgaggt tataaatgga agataaatga ttattctctg tcgaagttta  78840
ggaataacaa gagtaggata gtttaagata gttgaggcct tattgagacc ccaacttatt  78900
cattcaacat gtgactcaca aaaagtgaaa ggcaaaatag atttatcacc tcagattcta  78960
aaacaggaat aaaacaaaca aagtgacttt catccaggaa gaaagcaaaa gtacatccgc  79020
agttcttacg gtcagagagt gtgtgctgct cttagagcca agtttagttc ttggtaattc  79080
tacccaagtc tgaaaggaaa tcaagatgac tgtccacatt gacgcaaatc acaggacatg  79140
gaggcaatgt caggcattta atgttgtaaa agttgcaaac cagaaatccc atggaggaga  79200
acacagagaa tcctatagtc ctgatatcat ttttggtgga atgaacaaag acgaacgcag  79260
agctgggaga tatttggcac agaatgaaac agagtttgaa ctgtggctct tcactcacta  79320
cgagttagta aactaatgcc atagcacgct gctcagtaca atgggtactc tgaaagaagt  79380
gagtgctccc tttctcccct gctgtgaacc tgccagtgaa ccaaaaccct taacagttag  79440
agccaaagag caggagaaag tccagcaacg tgtcccaaag tgattagaaa ctatcttgct  79500
ttcctcctat ggaaatacca agcatttttt gtggaaatct gaattcacag atgaagttca  79560
gagtgaatag taacattcct tttgttttac aatcttggaa atagtagttt ggcatggaaa  79620
gagcagagct tactttttaa aaagaaaatt atttgtattt ttataaccag atttatttat  79680
agttatacca gtaatatctc tgttattttg gcatgcaact aaaaaatata gaaaaatttc  79740
atgtccctct tgctttgtcc aataaatata atttctaaaa tattgtagaa gttgaataat  79800
tttaacttgt tagaagaatt ttataaaata aacagccaaa tcacctaggt tgaaggttgt  79860
cttttagaat tttcttaaag ggaggcatat ctatatttag acatattttt aagaggcagt  79920
agttttgctt taaaatatat gacctgtgaa gtccttttat cttactagct gtgtaaacca  79980
aaataattac atgtaacaag tcttatgtgg aataattcag cagccagttt gaaagaggct  80040
aattaatatt tgtggctaca ttaatcagaa aaactatgga aatgtctctt ggtttattat  80100
cccttttttct atgattcata aacagacatt attacaactg cataaacatg aaccctactg  80160
ggcaacatcc tttttttttt ttttattttt ttccccaaga tggagtcttg ctctgtcatg  80220
aggctggagt gcagtggcgc gatctcagct cactgcaacc tccacctcct gggttcaagc  80280
aatgctcctg cctcagcctc tggagtagct gggactacag gtgggtgcca tcaagcccag  80340
ctaacttttt gtattcttag tagagacagg gtttcaccat gtgagccagg atggtcttga  80400
tctcctaacc tcgtgatctg cctgccttgg tcttccaaag cgctgggatt acaggcatga  80460
gccactgcac ccggccctgg gccatattct aacagttcca caggatattt ccagccagct  80520
ggaactatct gcaagacagg gccattgagg ccagaatacc tttcagaggt cttccctagc  80580
taaggtcaaa tcataaaatt atcggattat ccatagctgg gggtggattc tctcaagacc  80640
gcattagtaa tgtattaatg atacattaag aagtactcca caggtctata actgctcaat  80700
caccttcaaa gagtttttac acacattatg tcaggcatga attattatgc ctatttaata  80760
gagcttccta tcctactgcc tctttttaga aaaaaaagtt ttattgtgat ctttattgta  80820
tacatttaag gtacaaaaca tgatgtttag ataaacatat acagtgaaat gattactata  80880
gtcaagcaaa ttaacaagtc catctcctca catagttaca gctaacttag aaagacagaa  80940
catcacaccc agagcaggga gctgtgtctc cagctccctc aggtccatat acctgagtga  81000
```

-continued

```
cttggagaaa atcatgcatt tcctgtaact accagacgta gtcacctcaa ttaagtaatc  81060
tgttttgctt aggcatacct tggtaaaagc tcacagtact aatctggacc cacccctttg  81120
atctttgaaa cctgaggtgc gaaaaaatat caaaatggag ggcagaggga tttgttttta  81180
ttttcagatc atcaaaaata ctaaactgtt gatcagaacc atccatgaag aaagaaaaac  81240
aaattcaaac tatgactaat ggggcctgct gtgcgtgagt cacaaactga atcaagcaag  81300
gcctctggaa gcagggggaa aagcattcag gagtcacttt gtactcaagc atgaacctcc  81360
taaagtgttg gtctctttgc tgaactattt caacacctgg atgaagtcca ggagaagaga  81420
cgtcaggcag tttaaaaatt gcttctcttt cctactaagg atgttttcag tgaccttgag  81480
gaggtgttta agaatgactt tcttaggtgt gaacatgaaa acagtgggac ttagggcaac  81540
atttggggag attccttgct tcaaagttgt ctctaaggca ttgcacattc ctacttcttg  81600
caggagggaa ctgtctttcc aaaggatttt gcaaactgtt ctgcttttgc ttatctaaac  81660
tggaaagaga tatataaaca aaatataaaa tacaaaataa cataaagtct gttgattgag  81720
catagaggct tggggtcttt agctttttt cttattgttg ctttgtatta aaattcaagg  81780
gagtccaaat attttcagtc cccttgatct aactgggata ctcatacaat gagacattgc  81840
acttctgata aatatgataa tgatgagttt agtttgaatt cccaactgag tgcatgtctc  81900
ttaaaaacat ttttctcttc actttgtaaa tttcttatag agtctaggtt gctcatctgg  81960
ggaaaatgcc acaatacttg atctgacctg gaaagattcc cagtgaaggt aaattgatac  82020
tcacataagc cagtttttat cataagaatt gagactagta ctgaaggtaa agaataaaaa  82080
gctagttgga caaacgttca ctgcatgatt gctacacagt gcttggtgcc agggatagcc  82140
agccacctgg cagctaggaa gaaagctggc cttacctcag agctttcttc ttcctggcta  82200
gtcaaactgt gaaaatcctt tctcatgcaa cacaataaaa taattggctc caaaatgtct  82260
cattctcagc ctcattccct aatactggac acaggaatct ctttcagcca agcagccaag  82320
ctcaggccaa catgggacgt acctccactc ctttaagata aagtcaaagc ataacaccag  82380
ctgattcctt aactgtcatt tcactccagt ttccctcaat tggcatcatg tttccctgat  82440
ataagcagcg ttaattaaag attagttatt gaaaaggtgg tattgtgctc aagaaaacag  82500
tgaaaaaaga accaccattt aaaaaaaatg ccaccacctt aacaatgaca tttgtcagat  82560
atgtattttg ttcatggttg gttgatttgt taaggtagtt gttactcttg ttttctaatg  82620
actgctcatt tgttctctct tctaggacta gggaaggcac tgtaacataa tgattaaaag  82680
cataggcttt ggtgtcagac acgctaggat gcaaattcta actatgcaac cttgtaaaat  82740
gtgctgggca gctatctttc ctacagagtt ggagtaatgt tgactaatat atatgcattt  82800
gtataaatta agctgttaat tgtgtgtcaa tattgcattg atatcttggc tctttaagga  82860
catttgattt tctggtttaa gtagtacctc ctgcatgaac ttcctgacgt gttgaactat  82920
ttcaacacct ggatgaagtc caggagaaga gaggtcaggc agtttaaaaa ctgcttctgt  82980
ttcctactaa ggatgttttc ggtgaccttg aggtattatg tatgtattat gtatgtcatg  83040
cctcagagac agacttggct tcacaaccat ttttcctgac aaccatccac ctatctgaca  83100
tgcatttatg gggaactgaa caggagttat gaaaataagt ccttaagtct gcaacctctc  83160
atacttaact gtcatctgta ggacactgaa gacatatatc agaggatcca caccgtatat  83220
aattcatgcc ttgtattggt tatctatggt tgtatcacaa atcagcccaa agcttagtga  83280
cttaaaccaa taactattag tgctcacaag tctgtggttc aactgggtgg ttttgctgat  83340
ttggttttgc tgctgggcag gactgcctga tcttggctgg tcaagttcct gtgatcggca  83400
gattgaaaag gtggtagttg gttcagaata gccttatgcg taccttggat ggttgttgtt  83460
ggttcccacc tggggcagag gggataaacg ggccaggtgt gtttcatctt ctaccatgct  83520
ggctcttgct tgtttatagg cagtcccagg ttccataaac aagaaagcaa gccacaatgt  83580
gcaagaacgt tagtttctgc tcattcattc caaaacacat cacaaggcta atctagattc  83640
aaattatgga ggaaaatgct acttcttgag ggaagagcta caaagtcaca ttgcaagggc  83700
atggacacag ggagggaaaa tcttttggct atgtttgcag tgtaccacat gcacttgatt  83760
ataatcttaa tgcttttccc ttcaaatcta ctgacatagt atagtgggaa atccttgact  83820
gagttctttt attttccttt actctgtcag gtttcttctg ggtccattca agagagtgtg  83880
aaagaccgag tgattgactc aagactgcag ctgtttatca ccaagccagg actctacaca  83940
tgcatagcta ccaataagca tggggagaag ttcagtactg ccaaggctgc agccaccatc  84000
agcatagcag gtaggatgcc ccttcacatt tgcgttgttc caggagaggg gagagttgat  84060
actattctac aatatcgagc attggagaaa atctcccttt tcttttatct cttatttcag  84120
ttgcatttgg gctatttcct cccccatggg gatactccgg aggtgaccta gatatggatt  84180
ttggcagatt tgctgcctgg aaaactaaat cctcaatacc tacccaagtg gtaggtaaca  84240
gcttccagga actcacttct tccttccttc ttgtttttct tatctttttt ccttttctcc  84300
atttctcttt cctccctccc tccttccctc cctcgctccc ttttttcctt ccttctttcc  84360
ttccttccct tattccctcc ttcattcctc cctccttccc tccctccctc ttcccttccc  84420
tccctccctc ttttcctttt ctttaatttc ctttcctttt ccccactcct cgttctctct  84480
tttggttgat caaactttcc aagtctctca tggagaaagt tggcagacat tcaacatggt  84540
catgccaatt tctgcatggc tatttcttgc gggcattttt acctgtgagc atgatccctg  84600
tggtctttcc cttccctgct tcagcaagcc acagcaggtc ttacaggtgt tttcaagaaa  84660
aaggctgaca cacggatttc taggatgttt gtgttgagtt ctaaaggttt atttttaaaa  84720
tgtaaatgtc ccaaaggctt ctgagaacat ttatagaatt cctagagatg gaaataatcc  84780
ctgtatcagg aaatgccagg catattagat tcatagcgtg cctagggctc aagggtcagg  84840
agagaggtgc ttggcctgac atgtaaggca agcacggata gagcttgtgc ctagggccaa  84900
ctccccacag cctgctgttt cttattacag tgccacctct ttgatcttcc ctgatgggga  84960
actttccagt aatgtctgtg atttgtaata tgaggtgaat aaaaaccaca gataaatgat  85020
aaggagcact ggacaaggct ggccctctgg gactgcctat gaaggaaaag gaagacttca  85080
aaattaaggt tccctctcct ttctcccccc agtgatatct ctgcctacca tgtcttcaga  85140
caccatatca gttattctag catttccaca ggtgggaaat tatttctccc agaaaatgaa  85200
aagtcttcta aaagtaaatt caactcaatt taacaaataa taataatatc acataataag  85260
taatagtata atcatataat ataaatagta ataagaatta ctatttacat agcactttgc  85320
tgtttataaa gcacttttac atgcatttat caaatactct agatgacgcc cattgtgttg  85380
ggtagagtaa gagatgaaaa gttaatttaa aaatgggtcc tgccttccag ggactctgca  85440
tctagaagga agtcagtcag tcacgtatat tatggcactg gctgtattct attgcagaag  85500
catacacaaa atacaacagc agaacaagag aggcaggatg tcagggaatc cttggaaaag  85560
```

-continued

```
aggtatcatt ggagcagaag atgtggatat gagatgacta ggttgaagtc aaacctttca  85620
aacctgttca aaaaacagca aatcagtggt caaggctaga ccacgagaga gacagcaggg  85680
aggtggaaag tggaaacaaa agttgaaaca tgggctctag ccaggttatg aagagcctgc  85740
ataggtttag tatattattt cattgatgag aagtcattta atgatttaga agaaataagt  85800
gcaatagata tatcctctag caaattaaca gatgctgagg tgttaggagg ttgagaagtg  85860
cggcaagctg tcaggaggct cttccaggtg tctcaaaaag tcatgaaggt ctgaacagca  85920
gcagcagcat tggttcaaag ggaagaggag agatgcacag gacaaatcag gatagaaata  85980
aggtttgcaa atgcttgaaa atggcagtgg gctagaagga tgagttcaga tgtgtctgat  86040
tttgaaaggt gcccaggaca agcaataata tataaacaca aagcatatga acaggagaag  86100
gtccaggaga taatagaata ctcaaaaatg ttgatgcctt tgaattacct ggaattattc  86160
tggtctcact gtctttgtat tatttgacat ttgatcaaga cctactgtta aataaacata  86220
tatttataaa aatctatcaa tatatattta tataacatat atgtatgtat gtgtgtttat  86280
atacacacac atggagagag agagagaatc acatttaaat atgaatactc catccaagaa  86340
aataaactga tctactttaa tttaacctgc actttcactg gcagaagaaa aatactaatg  86400
ttactaatct taggagagtc tcatttcagg tcattattca gtcactcaaa gatacccgtg  86460
ccagagctct ttctcccttt tcttccttct ttctctttcc ctagatggca aaggagaaga  86520
ggatttgtat ttaggcagtg gtgtcttctg gacacccccc acaccactgc taacccccgg  86580
atctctagtg aagtctgcag ctgaacttgt gattttatct cttggcttgg ttagggccca  86640
ggggacctcc ctggctggct tagcctgttt gagacatctt ttggagcagc acagccctct  86700
gcatctcagc caaatccttc atcatgccat tgtctacact ctgctctgca acctcagaag  86760
ctaggtctcc ctgtctgtcc ctactgtggc cctgtggctg gcctgctgaa ttccaactca  86820
gctccttcag tactcctcac agggcctgaa gcaacttcta gatcactttc aaggcataca  86880
gaattcagga gagatttggg cttgctaact cagttctgct gtctgcccaa ccttgtcatg  86940
ctaccatttt cacattaatg ttgccatcca tgttggagta agggatccct gtggggtgtt  87000
ttacttatag catcctaaat aagaagttag aaaaactcca tctgcttttg gctttttcct  87060
taattgatca atacacctct attctaggat ttgcattcag aaaagggatc tataaaatct  87120
ataaaatatc caaattttta atctccctac cttcctcctt ttcacagcat atgaagctgg  87180
aagagcaggt ggtcaggaat ctcccccaac cttcagtgca gtaatcttta gagcctactc  87240
atcataagta caaaggtggt tgtgaaggca gtgctataac cactgagggg aacctaataa  87300
aatgggtata tctactccac acaagggaag attcatccca tggacacaat ctttaagatg  87360
ccgagaggac tacagggcat gattgccacc atactatatg cagcaacatc atgacttcat  87420
tcctgtccta gcccagatga gaacctgatc caactccata aacggaacac caacagggaa  87480
atctgtaacc ttaaaaaaac ggcatcttcc agtggtagaa agagcctaaa ggtctgagac  87540
aggcagtata ggaaggccat gtcctagggt gtagggagag gtcatcttag atatcagtgt  87600
tgagaaagac cagaatgagg atggggacaa tcagcaatgg ccacccagga aaaataacag  87660
tggaatttgc atgggggaag ggatggtggg agcaatgcaa agattggcat gtggcagcag  87720
agagcaactt gcaatctgct gcagcagcag aggtgagtgc ctatgaagag cagttatctc  87780
tgtaggaata atggttgtgt agactagaac cagctatgac ttttcatgag cttgacaatg  87840
gcagtgcgat ggaggtcagc tttagagtgg ggagaagttg gggaccctgg aagtgaggct  87900
tgaagccact ctggacaggg gtatgtttac agtagctacc caaggaactt gggtagaggt  87960
agagaaggca gcataaggag agggttaacc tataactggg acctgggact ttgctcttct  88020
gaaccacaaa ggcaacaatt aaatctgacc atatacagaa tcatagtgct gcacgatgtt  88080
cggagtcaag taaagaaatg agagttgtta ctcgaaaact gaaaaatgga aaagactaaa  88140
aaggtctaga gtggatatga taaatgagaa acatgcctat taattaaaaa attgctacac  88200
atctagtgtt attccctgga ataagaccct tttgtccaac ccctgatttg tttgtctggt  88260
tgattctcac tgattattag gggacttgac actcctcgac ttttcccaaa atttcccgag  88320
gcagacctaa taagggtgtg tcatgagtgt gattgaataa gacttctgaa ctcccatgag  88380
acaacttcca ttttctcttc ctctttgacc tgctcttgtg agttagacct gctagaagcc  88440
ccatgaaggt ccctctggaa tcactgagga aactacctcc caacactggg gtgctccgtg  88500
gactgatatt ttagggaaat gaggctactt cgatgaaaaa gggatccttg gagcctcttt  88560
cattcagggt catttgaaag aagcatggcc ttatgctccc cagatctccc agaactcaag  88620
tatggtatct gctttctcca tttctgcttt tggcccctct ctcggcatcc gatgaggctg  88680
gccagaagtc cagaacttca agtcagacat ggcgcctctt ttgccattct ggcaatgctt  88740
ccttaatgcc aaactctgct gtctcattta accatctcca tcctccccta tgtgactagt  88800
acccctagta gtcaacagcc ccctctgtca tgttcctcgt gtttcccttt gaaatttcta  88860
ctccatctgt ttatttgctc ttcccagcag gaaaactgga aatggaaaaa gctgatctta  88920
tgcttatgct taggattatg tctaatgata tttctagtgt ttgaaggaca acaaaaaata  88980
aagatcaggc ttcatttttc caaaacccttt ccatgtgtct gcccaaatcc ttatgcattg  89040
ttttagaaat gtgatatatt tctttctgac tcatttacat ttactgttag tcatcaaaag  89100
gagtcagaaa aacttttgga acctctccct atgaaccagg aagttgcatt tcccctccag  89160
tcacaacccc ataaagcctc aagttgcaaa gtaaacttgc caggatgctg ggcatttggc  89220
aagatgcttc tctttgtcat cagaaccctc agccctgtgg aagaaagcaa gacagcctat  89280
gataccaata gtgagcatag tcctaaaaca gccggagacc atgaaaatgg acacagggat  89340
tcagaagaga aaaatacagg ccgggtgtgg tgactcacac ctgtaacccc aacactttgg  89400
gagtccgagg tgggcagatc acctgaagtc aggagttcga gaccagcttg ggcaacatgg  89460
tgaaactcca tctctactaa aaaatacaaa aattagccag gtatggtgac gcatgcctgt  89520
aatcccagct acttgggagg ccgaggcatg agagtcactt gcacctggga gatggaggct  89580
gcaatgagct gaaattgcac cactgcacca cggcactcca gcctgagcaa tagagtgaga  89640
cttcatctca aaaaggaaaa aaaaaaaaaa gagagagaga gagagagaga aataaaatac  89700
atatttgtat ttcccattct caatggcacc aacaggtcct tcatcagaga gtgcagtcca  89760
tggttctatc catgtttatc cagtctcaga gtacagggac gagcctatgg tcacacaccc  89820
ctctaatgta agccgctccc cattctacca acaaccccca ctttctatat tgccccttct  89880
ttgaatcgac ctcagggtct aagccttttg gtcactaaat ttaaaagtca catgaataca  89940
agtagtatca aaactgagca ggagggaaaa atctgatgtg gtaatactgg agtctcccaa  90000
actccccaga tgaaccacat ggttttattt ttcttatttc aaaagaggtg atgtttcaca  90060
ctactacaga aaaaaaaaat ggaactttga acactatttc ataatcagta tagctgattg  90120
```

-continued

```
aatgtactga catgtttcat gctctttctc atgtctgata gccacactcc tgtttcctcc  90180
caatgttgga gataattctt gagacttggt aacagagcag tagcacgtaa tttgctttac  90240
cactcagtgc ttcaaccatc ataggtaaag agtgttctta tcaacaaaac agacaccatc  90300
cctggcattc catgctggct ttctctggtt ttaaattaat taaagtcatt ttgtttttgt  90360
tcttaataaa agggaaaagg ataaatgagt aacagccagt agccacatta aattgctacc  90420
agatgttctg cagttaggca taaaaggtaa gcatcctttt acaatcaggc agctttctta  90480
tattagaaca gttctgtttc agaagagagc caatgttttt gctgacttct agataatttt  90540
aaagatacta taatattggt ggatatttta agaattttta aatactacaa atattggtgg  90600
gatattttga gaatttttta aaattgaatt ctgagcttaa agcactttat agttgcaagg  90660
ttcttggacc ccttcctcat ctcctagcca tacaccccca caaaaataaa agaaaatgca  90720
agtggagaca tttcctatag aagctcatta tcccctccca ggtactatgg ctggattctc  90780
ttttgcattg gcttatctcc atgctccttc cacattacaa aatgagggct ctatcattta  90840
cataaccttg gcccccttgc ttttcaatag atcttcctgc tcagctgcta ttagaatctg  90900
cctttgtatt tccaaattat atgccatttt ctctggaaga attttccagt gttccactgt  90960
ctttcttccc actattgtat ttgtataatg gcagaactgc catgagattt gggggcatga  91020
aggcacttct ttcctgagtt cagcagtgac atagagttct cttcattctc tttcatagcc  91080
tttggtcatt ttaattaaga gactcttgca ggcctctagc ccggttcact aaaatttaaa  91140
ttctctctaa tttataattt gttgacatca ttggcatcac ctcttagatg atcaaaatga  91200
caatcctata acccagcctg cctatctcag taaaacagaa agaatctact agatgttttt  91260
cagaatgtaa atagatataa catttataat gattttccta ttgtccagca aattatctcg  91320
cagttggagt cctgcaaatg ttagagacat cttgatgttt ccttcatagt cactccagag  91380
tctgttagtt cttatgtata aagaaatttc acaaagaaat ccagcttttc tcactgctaa  91440
aaggatgtgg ccttctgtcc ctaagcaaag tgacccattt aggggaggga taaaatttta  91500
gagcttatta ttggctaaaa ccctactctg gatcaaaagt ttgtttttaa agtgcattgt  91560
agattgcaga acaactatga atcactcata aagagaggta acaaagacct gaggctatat  91620
gtgtaaccag tgtattgaac aatttaaacc tgacaggtac acagagaaaa tggtgttttc  91680
tccaaccaat ggggactgag gaattatgcc ttttagaatc tccttgccct tctcaagagc  91740
aaacccttta caaactttca ggcagattcc ataatttcca ggtaatgttt agagattaaa  91800
aacccagcct gatctagttt aaaactctcc tcttacataa tttaaacctc atctgcttca  91860
ctctctccac tgccagccaa tcttccattc aggaacatgg agagtagaca aaatgggtct  91920
gctactatta tacacccttc ccttcttccc tttcctcctg ttcctcttca tctctggcat  91980
atttaaggag aagaggattt acaaggaagg cggcaaatgt gttttcctaa atggaatatg  92040
ttttagttct ttctctgtta attgttattg cttctctgac taataataat aatgttaaca  92100
attgcaaggt acattctcag tgcccagtgc catatatata tacatatata tatatatata  92160
cacatatata tatacatata tatatataca tatatatata tatatatgaa tttatttaac  92220
acccacaact caatgaaatg gatactttta ttatccccat ttcacagatg agcaaactaa  92280
tgctcagaaa ggtgcccagt ctgacacagc tagtaaatgg cagaaccggt attgaaaccc  92340
agcaggtgca gcatccaggc ttttaatgcc ttgatgggtt attaatgtct ctctattgca  92400
ggtggtacct gaatactgac tgtctcctag gacatttggg ttctttggag ggtccttcgg  92460
aagactgtgt attgcacagt gccctgatgt gggagattct ttactggttc aacctctcat  92520
aatccccagt ccttgatctc aatccctatt gaggtaacct gcaattgctt atgactgggg  92580
ttctttgtct ggtgtccagt cttcttggta acttagctac cttcatagca tccactgaac  92640
acacaggaat gtcccatgtc cctaccatcc caatggtggg gagttctatt cctggaccct  92700
ctcactctgc cctcagattg ttgcaattct ttttagacag taatattatt aaaaaaaaaa  92760
aaagacaaaa caaatgcttt ccttgtctct gagtcctagt ctcttaattc ttaggcagtt  92820
gaaaaatgac tccatgagat gtgttgttac catttacatt gtatcattca agaatgagaa  92880
gatctaggga aataattcat ccccttttctc cttatatttg ctgagatgcc cttcatcttt  92940
acttgaaggc tgagaaccaa agctatttgt ctggttatag ggcctacaaa ttgcaacaaa  93000
ggttggggtg attgtgcctt ttagtaaatt ccaaggaaaa atgtcaagtt gtatgtgtgt  93060
gtgtgtctgt gtatgtttac atatttccta cgtgtgtgtg tctgtgtgtg tgtgtttaca  93120
tgtttcctat aatcatttgt cttgcttttt gagggcattc caactactgg tggaaaaaat  93180
aaataaatac aagggggtcc atgctgtgag tagttgaaat gaaaatactg gtgttttgat  93240
gggattaatt cagtacattt ataatagact aattcaccca aaatcaactt ctaaaaccag  93300
tttgccttaa ctcacttaac tcaatttcag ttagcctgat gactattgca tctaatgttg  93360
aaaattcaga attaaaaatg aaatattggc tggatacagt ggctcatgcc tgtatcccag  93420
cactttggga ggctgaggcg ggtggataat ttgaggttgg gagttcgaga ctagcctggc  93480
caacatggtg ataccccatc tctactaaaa atacaaaaat tagccaggca gggcagcagg  93540
tgcctgtagt cccagctact caggaggctg aagcaggata atcgcttgaa cctgggaggc  93600
aaaggttaca gtgagccaag attgtgccac tgagctccag cctgggcaac agagtgagac  93660
tctgtcttga aaaaaaaaaa aaagaaaaag aaagaaagaa acatttacca aataatatgg  93720
ctgagtattt atgactaatt tttgtattgc taatacttta tcacatatag ggaatcatga  93780
gattgttaca tattgttgtg actgtctttt tctgttccag tcattttgaa cacttgcatt  93840
attctttagc caatttgtca aaaaaaaaaa gtctttttct ttacaatttt gaatttctgc  93900
taaaaatatt tagtggaatg aaatttattc cattaaaaaa acgaaccttt tgattattat  93960
tgtctccttg ctactttcct ttattataag agtctatgaa ctctacatgt atgtgtatat  94020
atatacatat gtatgcatta accaaattag catactctca gagctcattt ctgtttagtg  94080
aggtattcgt attttaaaag aataaagaaa aatgggtccc tcttttgatc accattccat  94140
gttatttatc aagagatgta attgataaag gttttatttt gttttgtttt gagacagagt  94200
ctctctctct tcctcccaag ttggaatgca gtggtgtgtg atctcggctc attgcagcct  94260
ctgcctgagc tcaagagatc ctcctgccac agccttccaa atagctggga ctacaggtgt  94320
gtgccataac gcccagctaa tttttgtatt ttttgtaaag aaggagtttc accatgttgc  94380
tcagactggt cttgaattcc tgggctcaaa tgatcctcct gcctgggtct cccaaagtgc  94440
tggaattaca ggcatgagcc accatgcctg gccctaattg ataaagtttt aaaatgcaaa  94500
atgtgcatca tttccaaatg aatttatagt gagaatcata acattttgaa aaacagtttt  94560
caaaatgcca ctggagtgtt aacaaattaa taccatctgt gatgactttt ccattctgcc  94620
aaaacctgat aaagctctgc tgaagtaaag aaattggttt cacagagcca gcacactgaa  94680
```

-continued

```
tgggcaaaag ctggaagtat tccccttgaa aaccagaata agacaaggat gcccactctc  94740
accactccta ttcaacatag tactagaagc cctggccata gcaatcagat aagggaaaga  94800
agtaaaaggc atccaaatag gaagagggga actcaaagta tccctgtttg cagataacat  94860
gattctatat ctagaaaacc ccatagtctc tgcccaaaag ctccttgagc tgttaagcaa  94920
catcagcaaa gtttcagggt acaaaattaa tgtacaaaag tcagtaaatt cctatatacc  94980
aacaatcacc aagccaaatc agaaacacaa tcccattcac gattgccaca aaagaataaa  95040
taccgaggaa tacagctaac caggaaggtg aaagatctct gcaataagaa ttacaaaaca  95100
ctgctcaatg tgcttaaagc aatttataga ttcaatgcta ctgctatcaa acaaccaacg  95160
acattcttca cagaactaga aacaaaacta ttctaaaatt catatagaat caaaaaaggg  95220
cccaaacagc caaggcaacc ctaaacaaaa agaacaaagc tggaggaatc atgctatctt  95280
acttcaaact atactacagg actgcagtaa ccaaaacagc atggtactgg tacaaaaaca  95340
gacatataga ccactggaag agaatagaga gctcagaaat aaaaccacac acttacaacc  95400
atctagtctt aggcaaagct ggcaaaaaca ggcaatgggg aaagaatccc tatttaataa  95460
atggtgctgt gatagcaggc tagccatatg taaaagattg aagctggatc ccttccttac  95520
accatataca aaaatcaact caagatggat tatagaccta ataaaaccta aaacagtaaa  95580
cctgaaagat aacttaggaa atacattttg gccataggaa ctggcaaaaa tttcatgatg  95640
aaaatgccaa aagcacttgc agccaaagca aatctgacaa atggaactta attaaactta  95700
agagcttcta catagcaaaa gaaactatca acagagtaaa caggcaactt acagagtgga  95760
gaaaatattt acaaaccata catctgacaa aggtctaata tttcagaatc tacagggaaa  95820
ttatacatac aaggaaaaaa acaaacaacc tcatttaaaa gtgagcaaag gacataaaca  95880
gacacttttg aaaagaagac atacatgcag ccaacaagca tatgaaaaaa tgctcaatat  95940
cactaatcat tagagaaatg caaatcaaaa ccacaatgag ataccatgtc actccagtta  96000
gagtggctat tattaaaaag tcaaaacata acagatgctg tctgagacca gcctggacaa  96060
catggcaaaa cctcgtctct actagaaatc caaaagttag ccaggtgtgg tggcacatgc  96120
ctgtaatccc agctgcttgg gaggctgagg caggaaaata acttgaaccc aggaggcaga  96180
ggctgcagtg agccaagatc acaccactgc actccctcct gggccacaca gtgagactcc  96240
acctcaaaag aaataaaaaa ttaaaaaata acagacactg gcgaggttgc tgagaaaagg  96300
gaactcttat acactgctgc tggtggtgta aattagttca accactgtgg aaagcagtgt  96360
ggtaagtcct aagataacaa aaacagaact accattcgac ccagcaattc cgctactgag  96420
tatatattca aaggaatata aatcagtcta ccataaagac acatgcatgc aaatgttcgt  96480
tgcagcacta ttcataatag ccaagatgtg gaatcaacct aaatgcctat caatgacaga  96540
ttggacaaag gaaatgtggc acatatacac catggaatac tacgtggtca taaaaaataa  96600
taagatcatg tcctttgcag gaacatgtat ggaactggag gccactatcc ttagcaaact  96660
aatgcaggaa caggaaacta aatactgcat gttcccactt ataagtggga gctaaataat  96720
gagaacacat ggacagaaag aggggaacaa cagacactgg gatctacctg agggtagagg  96780
gttggagaaa ggagaggatt aggaaaaaaa aaaatagaac aactttcggg cactatggtt  96840
agtacgcggg tgatgaaata atctatacac caaactcgca agtcacaagt ttacctacac  96900
aacaaacctg aattatgtac ccccgaacct aaaatcaaag ttaaaatatt cttcaggatc  96960
actgaataaa aagctcataa agattcaaaa aagtcataca ctcaaagtta taaaaacctt  97020
ctagttacca accctcacca atctcaaaga gaatgattag aaatacaagc tcattgtatt  97080
ttaagaagat tgacctctca gagaaattca tgttacagcc cttaaaaatc ccccccaaaa  97140
taacacccaa atggatctaa aaccttcaaa acggagttag acctcaacat taggagaaat  97200
tttaatatgg caaattggtt ttagacaaag catatgtttt actgtttatt ttcgtaatga  97260
gggttgagag gacaggacga agtaaccata aagcacttgg taaagagtgt gaagttttta  97320
atttacaaga aagaaaatgg aataattcag aaatgctggt tatatcacac ccttgccggg  97380
attctcatgc cttggcagag tctgagttgg ggctgtttgt cctgggaatc acataccacc  97440
agaggagagg cgtattctcc tcagagccct gagtttttac atccgtgagc atgggcagct  97500
acataatttg cagggctagg tgttccaaaa acggtaagga tttcaaggta gggagagcag  97560
aacattaaat taagcccgag gcccttctga gtgcagatgc catgcagcta cccagggcac  97620
acagccttga ggcagccagg tctatgagaa caaccattgc ctactttctc ttctaccctc  97680
tctcctctgc atgttctttt cttttctcct tctccttctt ttttcttttt ttccaagtct  97740
gctttatgca tcttctctgt taacctccac atcttgcttt tttttttttt tttttttttt  97800
tttgagacgg agtctcgctg tcgcccaggc tggagtgcac tggcgcgatc ttggttcact  97860
gcaggctccg ccccccgggg gttcacgcca ttctcctgcc tcagcctccc acgtagcggg  97920
attacaggcg cccgccacct cgcccggcta atttttttgta tttttagtag agatggggtt  97980
tcaccgtgtt agccaggatg gtctcgatct cctgacctca tgatccgccc acctcggcct  98040
tccaaagtgc tgggattaca ggcgtgagcc accgcgcccg gcccacatct tgatttctta  98100
atgtaaagtc cctgggtagc taatggaggg aaattctgag cttagatatt gccttggtgg  98160
atgttaccca tgattgactc agtttgaaaa gaacctgctt cctaaagata ctcaatattt  98220
tcttcatttc ctccgaatct gcccattaat gcagcatctg gcctcctagc agaagcggag  98280
aacttttcag aaacttagag atcagtagta tcaaaacaat ctcagccaaa gcataagatg  98340
aaaatgtact aacgttcttt cttttctcct ttaatttgac ttcctgtggg aacttccttt  98400
cctgttaata gaatggaggt aagaaactgt tattgtaaca attgtttcca atgttttgtt  98460
ttgtagggat ttcgtttgtt tgtttttgtc tgtgagaggg tcttgtgttg cccaggctgg  98520
agtgcggtgg agtatgtttt gtttttgtta tttgacatgc catttattga gtgtttacta  98580
tttgctgagc actgtaacat tttagaaact ttctaatttc taatcctttt agtaagtatg  98640
atgaagtgaa agacaggtaa cctctactga atacttacta tggatcgggc actgtgctga  98700
gcttcacatg cattatttaa atctatcttc aagacatccc catggaatgg gtattattgt  98760
tatctctatt ttgcagaaaa aaaaaataaa aaaacctaag aaagtttctt tgaactggag  98820
agttcaagtg gcttacacag ccagtaaatg ataaagttag aaatggaacc cagaactgcc  98880
aaactccccc ttatagctct aacctatata taagaaggta tcccttgcaa tataaccttt  98940
tgcaacttac agtgttttat ttgcagtact tttaaaactg accttcataa aactctatgg  99000
agtgtaatta attttaagac agcattctta gcacatagcc tacgtttaaa aacaggcagc  99060
aggatacaaa attttggtta gatagcaaaa ataagttcaa gagatttaga gtacaataca  99120
gtgactatca ttaataacaa tgtattgtat tcttgacaac cactgagaat agattttaag  99180
tgttctcatc atcagaaaat ggtaagtatg tgaggtaatg catttgttaa ttagctcaat  99240
```

-continued

```
ttagtcatcc cacaatgcgt acatgtttta aaacatcatg tggtacacaa taaaaaaaac  99300
agtttttttt aactaaaaac acctttttaaa gttttactgt taaaaaggtc ttaagaaata  99360
ccatttggat gtatatattg ctctgaaaag cagtgaaaat catgatacac attatatgaa  99420
aaattaaact agttttaagt atataggata gtgatttgtc ataattgact gcattccagt  99480
ttgttaatgt ggtatcaaaa attctcagtt caaaaaaaag aaaaaattct gagtccattt  99540
tttaatctaa atattgcttt aataattttt attaacaatt ttggagctac tgccttagca  99600
gagtaaagtt tatctaaact aaaattaata aaagtgccat ttaataaccc tccttctgaa  99660
aaaaacaggc agcaggccaa atttgtcctg tgggttgtac ttgctgaccc ctgccttgga  99720
gaataaatta tatacaaaga cactagacgc gaaagaatag aaacagttcc cgtttgcttt  99780
gaaggttgga agtagcacag aatctgtcat tacctttgtt gggaatgttc aaggagagat  99840
aaggcagttg ctaaaaaagg gaagatttgt ctgaagcaga ggagaggtac agctgtcaag  99900
tgtgcctgtg cagggaggga gggaagtaag gtgtggagtt tccactagag tcttggggtt  99960
gtcataacac aaacatgcca tggctggtca tctggaatgc ccttgggaca aaatattatg 100020
tgttcaaagg gagtagacat ctccctcaga gaaacttgaa gataacattt taaaatgttc 100080
tattgaatgt gattcatgcg tttcaaagta gagagaaata ggagtaagag gtgcagtgag 100140
aattctttac ctactccctt tgaccacata gggttgtctg ttataaaaga agttgaaaag 100200
gagatccgag atcaaatatc cattattgcc tctacaagaa agggaacttt tctgaaagag 100260
aagtcaactg agtttatatt gtaaggaggc aagagaggga ctgtttccat gtgcaatatt 100320
aactagcatt attagaagct agtctggctg atgattccga aataaccagc attctgtgaa 100380
tggatccctg tgacctctgt cccacggttc taatgagcaa caggaccagc tgcttctagt 100440
gttgccccat cagcagtacc acgaactgca ggcagagaaa cacaacttta gctggacatg 100500
gaggggtctt gtcacttaca aaagacaaca gaagacacca atggaaatta tttgcattta 100560
tctcattccc cagttcttgc tgtgagctcc ttttaaaaat gtttgaagtg atagatttag 100620
gggtttgagg gacaaaatgt tccagttggc ctctgtgtct tgcatctaga atttgatcac 100680
tgtgtaaaat tgaaggctta tatttctgca caagaggaga ggaaaaggaa gtggttgaaa 100740
cactgaaact ataggtagtt gatagataaa caaattcaga tatatataaa tttagataga 100800
tagatagata gattagatag atagatagat agatagatag atagataggt aggtagatca 100860
tcggtcttgt gtgtgcctta ccttttagag ctaatccaag cactgatata ataccaaagc 100920
caagtcctta attattccag gaacatcata gaaatgaaat gtagaaaact aataataatc 100980
atatactttg tatgtgtatg ttttttccca gcacataaag ggtttgtata agctagtggt 101040
catcaagctg ttaggaagaa aaagcaaaat taaaactaag atcttctcat ttctattcaa 101100
aacctattgt ctttttttct ttttcatttt tattttgcat tatatactta atgctgtaaa 101160
actaatgagg attcaatact agcagaaatt cagacagagg ggttcattat tagttgattg 101220
ttagtaatcc ttatctctga agttattttc attaattttt cttttgtgta ctttttctta 101280
gtttccagtt ttttaaaaaa gtgtgttttg atgtataatt aaaggaaaca tcatgaaatg 101340
tctattattt ttaaaaatac tcatggaaaa tgagtaacag catcattgaa tagttaacac 101400
atgacagcaa aacctgaatg aataattctc agctcggaga cactgagaaa tatttaattt 101460
ttacatggtg gagtttttttc tgttaagcgt aaagagtcac acatgctctt attcatcccc 101520
ctttatgccg agatattacg tcaacatgtg agaccatttc gtaaaccagt ttgagatatt 101580
tctggttact ccttattata tagtttctta aagcacagtg tagaagctgg ttagggatta 101640
attcctttcc ttcccatcct aacagtcatg gctgacacct atataacaat gacaggttaa 101700
caagagaaga gcataacaaa tatgtttgat cacagtttta cataacatgg gacccttcag 101760
aataaagacc ccagatacag ggaaagcaat cctttttttc tgagacagag tctcgctctg 101820
tcacccaggc cggagtgcag aggtgcaatc tcagctcact gcaacctctg ccccccagat 101880
tcaagtgatt ctcctgcctc agcccctcga gtagctggga ttacagatgt ccgccaccac 101940
gcccggctaa tttttatgtt tttagtagag actgggtttc tcgatgtcgg ccaggctggt 102000
ctcaaactcc tgacctcagg tgatccaccc atctcggcct cccaaagtgc tgggattaca 102060
ggtgtgagcc accacactca gccaaagcaa tccattttta tgcttaggtt caatgaagta 102120
tgaacagctg tgtagaaata tgattagaca caaagggtat gatctaatgc taacaggctg 102180
agtggggaaa ctagcccatc ctgcttgttc agatttttct cagcccctct gtgcagcact 102240
cactcctccc aggcaagagg taggatccct ctggaatgag ggtctgaatt tctttatggc 102300
caggtgttac acagaaaagc tgggggtggg tagagtaaat gtttaggttt tatggctggc 102360
cttgaggaaa aggcgttctg gtgtctgatc tgacttggag aagagggatt ctagtgtcta 102420
aggtttgcct gagggaagaa agagaggaga gacaggaggg cagaaggtct gtttctgagg 102480
ctgcttctta ggccttcacc ttggggtgtc gtttactgag cctcaacaac agcatccttg 102540
tttctgtcta attttctctg ggggttttct cacctttacc ttgagaaagt ttttgtggag 102600
ttttgtgctt tcttattcaa ggccttcatt ttaaatattc ccaacaaaca aagggataca 102660
gtaaaactca tgttggctaa ttagaaaaag gccagtatga attaaaggaa gactctatat 102720
tacaaaatat tgttttaaag tatagctgtg tttcttggaa gttcatcatt ttacctgaat 102780
gtattatatc tcattccaat gaatttgctt taaagacctg ccagtggtgg tttgtaatta 102840
tagtattaat tttttaaatt caattggggt cacgtaacaa ttttaaaatt tgacacaaat 102900
tctaatttgt ttaattttct tactttaaat tctttatata aagacaatga aaaactaaat 102960
tcgatagttg tacaaatcta aatgagaata taacttaaga gttttcttaa gtcattacta 103020
acactatgga agatctgata gaacacataa gaatatactg agaccatcac agtgcctaca 103080
cataataagt attcaatata tgtttgtcag gtgagaatat gagttgttat aattcccagc 103140
attatattaa gggaacaagt agatgtgtga agagagtacc aatagcattt tccattctcc 103200
caattgtctt cagttattat agcagataag tttttaatcc tatgtttgtg ctagcactag 103260
catttacagg tttctccctg atatatggcc cattaacaca caataatccg agttcagagt 103320
aattacttac atcattcaac agaatagatc actgaggcac tgggtgacca gttgactttc 103380
catgtgatga gacatgatga gaaaacagca aagctgaagg tgctacttgg ctcctctgga 103440
agccatattt ctgctttctc ctccctacat cactttcttt ttctttaatg gaattctagg 103500
aagatgtgtg agtgggagaa tctgagtgtg gaaggtgttg caaagatgta tatgttgtca 103560
aaaattaagg taaactatca taacacataa ataaactatg ttcctaaagc tgcaaacttt 103620
ttaggtgaga gcaattattc ttatgctcaa ttatttgtta accatcatga tgaaatgtct 103680
tccagatgca tctttgctta tatcagctta ttaactaaga gtagtcagat tctatttata 103740
atgtaaaata ttaaaaatac ccaaatctat tcagtccttc atagttccca aagctttcca 103800
```

-continued

```
catctatcgt cacatttggc cttctcaata gccctgtgga gtagctagag atgatataat  103860
tgcagctgga aatgaagaca atattcaaat ggagcgtgtc aaccaattta ctagtacaat  103920
tttctcctat ttctgagaca cagatgtgaa aaccaaaaaa aaaaagaaaa gcagaatgaa  103980
tgccaagaaa tagcatgtga ttagaaatgt tgttcatttc ttctttcagt aaaccacaga  104040
aagataacaa aggctactgc gcccagtaca gaggggaggt gtgtaatgca gtcctggcaa  104100
aagatgctct tgtttttctc aacacctcct atgcggaccc tgaggaggcc caagagctac  104160
tggtccacac ggcctggaat gaactgaaag tagtgagccc agtctgccgg ccagctgctg  104220
aggctttgtt gtgtaaccac atcttccagg agtgcagtcc tggagtagtg cctactccta  104280
ttcccatttg caggtaaaat ctcaaaaata agtcaaagga aaaattccat ttttctatct  104340
gcacaacaga aggagttttt gaaaaatgtt gtaatatgca acagtaaaag gaaaagctgg  104400
ttttcatcca aaataggagg ttaatgcctg ggtgcagtgg ctcatgcctg taatcccagc  104460
acttcgggag gccgaagtgg gtggatcact tgaggtcagg agtttaacac cagcctgtcc  104520
aacatggtga aaccccgtct ctactaaaca tacaaaaatt agccaggtgt ggtggtgcac  104580
ttgtaatccc agctactcgg gaggctgagg caggagaatc acttgaactg gggaggcaga  104640
ggttgcagtg agccgagatt gcaccactgc actccagcct gagtgttgag actctgtctc  104700
aaacaaacaa acaaatagga ggtaattaat cagacaatat ttctaccata taaatcacta  104760
aagataacct aaaatacaag tacttagaac ctctagaaaa tatcataaat ggtgtaatat  104820
tccattactc ttgttattgt tcacattatt atcatatcca taaatatccc agatttctat  104880
cagatgaaag gagaaatctt aaacatggac ctcattagta agccaagata gagaaaataa  104940
aaactgtaca ttatttgtca ataaatgaga tcatgccaag catctctgaa tgttatttta  105000
aagtacattc catccaaaat tctaagttct gatgctgttg cctcatttgg gtggttatag  105060
gaaggaatta gattataaat agatattttg ttaaactccc atacttttta aatattgaaa  105120
ttgataaatt tatgttcaat agaattatct tcatctttaa ttacttctta tgtagaaaaa  105180
aaagaatcta gtttttgagc taaatagaac aaagttcaaa tactgttagt tctgctttct  105240
cgatgtgtgt ggtcttggct aaacttcagt ttcctcatct gcacggtaga attgagagga  105300
ttaaaggaaa aatcacactc atggaatatg tcagaaacta gatagacatt gttattccta  105360
aattttctgt tgaggaaacc ccatgacaac aaccaacaca gcacatttcc acttctattt  105420
tgataaaacc agaaactatt taaatattgc aataatttga ggacactctc tatttagcat  105480
tcaataacaa cagtatggtc attaaattag agttttgtat tcctcaattt actgcaaagt  105540
ttgagggttt ggagacacta taagagtaat ataatttgtt tattcatcta agaagattgt  105600
attgtgatca ggcatgttat ctaaaaatct ctagggactt cagcattgac agaataagaa  105660
ggggaaagag aaggagagaa aaagtaaaat tactgcaaaa aaaaatggga agagtgggtg  105720
aggggcagta aaatttgttt taatagaact taagaaatac tgatgctatt tcaactgtcc  105780
ttgcagttat ttgaaaaaat agtgtctctg ttaattatca cttctttagt ttagatttct  105840
ctttcttggg cttctttata ggattctcca aaattgttta tttgacgtac tgctcaacag  105900
tgaaaatcct tttgctagaa agtagcacgt gtataataaa cagaatgtaa ccagcaaaat  105960
aaagtgacag tagattctat cagcttttcc tttagtacta ctaacataat ttgtggtggc  106020
cacgggatag ttatcatact tacacagtga cactcaggca aatcagctca acaccatgga  106080
tagatgcttg agagaaataa taattagatt agaaaaattc tctgtgtgtg tgacagccat  106140
tgtggttttc tgattacaaa acccacaaga ctccattgta taaaaaaaga acacagtact  106200
ttcattgcta aaacccagaa agttggtcac tactgaggtg tgtgtttact tatatttact  106260
tatatctata tttctgtact ctgaattcta tttcatggat ggtttctcta tttttgcatt  106320
agagactttg ggtttaatta ctgtctttat aattaatttc aatttgtgct acgaatttcg  106380
caggttttca tcttttaaaa aattattgtt tactcattat ataattattt ttattacatg  106440
ttgacattgg caaaatgttt ctaaatttca tatttaaaaa taattatata agttatataa  106500
tacaattata tattaactta acaataatta tcaataataa ttaataatta ttatattaat  106560
aataaataat acttaatatg atataactaa ttataagcta tataattata tattatagta  106620
tataacttat ataattgata taatttacaa ttatatatta attatataac atataattaa  106680
tatataatta taattatagt ttataataat ataattatat attatatagc tcactatata  106740
attattttta aatataaaat ttagaaacat tttgccaatg tccacatgta aataccattt  106800
agaatttgat cagaatgatg ctaagtttat acaattaact tagggcacag agctatattt  106860
acattactga gtattctcat ttaggagtat ggtatgccat tctttttatg tagatcttgt  106920
attatgcctg ctagtaaaat ttgatgattt ctttcttact tttttttaat taaatttatg  106980
actaggtgtg ttttatagtc attgctgttg ttgcaagagt attaattata atatagttat  107040
tacaggaggc tagaatgtcc ataaaacata gagatgcaat taattccctt gttccttatt  107100
ttaataaaac tgccattaat ttctttagaa tttgtacatt ttagagttga actatgtaat  107160
tttttggatc atattaatca gatttctaaa aatgtattct tttttttgag gtagttagtt  107220
gatagaagta taatttatat acaagaaact gtgccccttt taaccatata gttcagagtt  107280
tgacaaacgt atacaacaat gtaaccacta ccccaatcaa gacatagaat gttttcacca  107340
cccataaatt tctcttatgc tcatttcctt cttttttttt tttttttttt tttgtccctg  107400
ggttcaagca attctcctgt ctcagcctcc caagtagctg ggactacagg cacctgtcac  107460
caggtatttt tgtattttta gtagagatgg ggtttcacct tgttggtcag gctggtctcg  107520
aactcctgac ctcaggtgat tcacctgcct cggtctccca aagtgctgag attacaggcg  107580
tgagccaccg cgcccagccc tcttatgctc atttctaatc aacttcccat tatctctaaa  107640
ggcatcgtcg ttctgatttc tctgacaact agttttgctt gttcctgaat ctcatactca  107700
tgaaattgta taatatatac tgctttgtgt ctgacttctt ttgttcaaca tgtttttgat  107760
attcatccac attgctacat gtaacagtgg tttgttcctt ttcattgcag cttttatttg  107820
tgtggttgag atggaaatag ttatgtgaag aagtaggtag ggtcaagctc cccttcatgc  107880
tgcctaagaa ttataaagca attaatttga acaactgcag tatcaaaagg aaagttagta  107940
tagaaatgtt aggccactca agatgacaga ctcatcagcc acaacaaaaa agtcagatac  108000
cagctttaga cacaaaggat caaccaaata atttattcct gcaatttgta gtttattcca  108060
attttgtttg gtattatacc tcctaattat tgagaggaat caagtctcat caatcataaa  108120
tcattaatcc ttgccaacaa atgtgtatta ttttccattt tgttaacgag ttgttactac  108180
tatataataa agccatttca ttttattata tttatataca acaaccgctt tacagtattc  108240
tattagattt ttgattgata gtctatggtt cctctgatgg aaaaatatgg tctataaatt  108300
attatatata gtttatatat aatataaaac tataaatctt aattagattc tactctttct  108360
```

-continued

```
taattgaaat ttcagaaatt tttactagaa ttaaaattaa attttatctt catgtgctag  108420
cacaaaatac atttattaac tttccagcat ttatgtccca gatcagttta catgcctgag  108480
ccacagatgt tctttctaat cttgaaaata attcaccttt ttgaaagaaa aaaatccctt  108540
tcattgaaat gttaaattta ttagaaaatc atagttattt cctaaatcta tgtcattcac  108600
agtatacatt taaatttttt ttctaattcc cattgttatt taaataagta gttttattgg  108660
gaaaatgtta ttttttaaaa tcctcatcat caaatatttt gttcccattg aagtaagaaa  108720
atataatcta aaaattttta cattttaata ttttatagag gtttttttctc tgatatataa  108780
taataaaaat tggcatttat aaagacttag tctcttccat taacatacaa aattcatata  108840
tttatgttca atcctttctg ctcttaaatg agtattagct atttggtcca atagtttaat  108900
agtgatgcgt caaaattttc acaattgtgt ttccaagaat gttttcttgc aattctgact  108960
cctgcttttt gcaccaagaa atattaaact aaaattgaat ttactgctga taactggtaa  109020
gtttgatctt catttttttg ttatatcttt tgaaaaagtc tctaccttta ttcatcaaac  109080
tagttcagaa gttgtcaacc attttatatt ctacttctac ttgcttgtga tatttttaaa  109140
agcgtgctat cactcatggt tttctaatta ttaggttggt acaaaagtaa ttgtgttttt  109200
tttccattaa aagtaatggc aagaaccgca attacttttg ccccaaccta acataagcag  109260
tcattcaatg atgtgtgcct cttttcatga acgacatgga attttattgt ctaacaaata  109320
tttattgatc tccttctggg ctccaagtac tacactgagc atttgggata tattaatgaa  109380
cataataaac aacttatata taactttaga aggtgttaaa tgtcatggaa aaagaaaaaa  109440
ggaatgcttt aaggaagacc agaaataaca aacggagagg agaaagttgt aactttaaaa  109500
ataaggtgtt cagggtagac ttaattaagt tagcataatt gtactgaatc ttccacactt  109560
gttctttgaa actttacctg aaattatcaa ccgtatttgt attgttcaat tatattttat  109620
ttgcatatgc tcaatttttg gaacattatt cttagctttt acatttgatt tcataatcat  109680
gtataagtag atacttggag gagcttatac tatgttactt atcattgata ctcattgtca  109740
ttcatttcaa ataaaatatt tctttttctt aaattcctaa tttaaattca cttcttgttc  109800
attcatctca tctttactca tctctcattc agctggagta ggtgtttttc acatgtaaaa  109860
aaaaattctg tcattgtaca tatgtgtttt tgactgggta tttaagtctg tgttaacaca  109920
agtgttagct tttgcgttag ttctcctcac ttgtgttact tatcctcaaa actgtggact  109980
ctgaccaatt attttctggc catgttgtaa taaagaggaa gaagaaagca atcctgactt  110040
ttgttccttt gtaaggaaca ttttcctctc tccagattgt agaaagatta tttctttaat  110100
tgttgagatt caaaatattt gtaaaattca tttggggata gatttattct cattgttttc  110160
tttcatgtaa tataaataat ataaaaataa tgggtaatat gccctaaaca ttgtgccctt  110220
ttcatcttaa aaatgttttc ttataccaca tctttgatta ttttctattt tttatgtgct  110280
ctggttctct tgctaagaaa cactattatt tgattttgaa cttcttactt gctccacctt  110340
atcagttatt tcacacatta ttttcatctg tttagccctt cttgcattca gttaggtcct  110400
ttctttctgc attcaattga atatttaatt caaatttgtt tatttcttgc agtgccattt  110460
gttttctatt ttcaatgaag attgttaagt gttggtttta ttttttgtgg tttctatttt  110520
ctgtagttac ttccatgttc aaattatcct acttttttagt ctatagttca tcttgatttg  110580
ttttttcttg tgaaaaactc tgctatagag ggcatgcttt agtgcatggc aatgaaaaca  110640
aagcaaacca aaagccattc attaatgtgt tcttctgttt agaataaaaa aatttcccag  110700
gtatttgctt cttctgccta atgtggagta tggagttgtt ttcatatgtc ccatattgat  110760
ttacacttta actatgctgt ctgcgtgcaa aaaaatgtgc ttatacaacc caggggtgga  110820
accaagctaa gcaactctcc tcaggtcctt tacctgctca gaagtcttga aagccccatt  110880
atactccctt ctcccttacg cacaccaaga attataaatc ccattgtttt cttcatataa  110940
gaatatattt gcatctcatc acattcatat gcacagcctt ttattctatg catactcaat  111000
tagcacatat tggcaagtta ggaaagtagg agtgtgggaa taagtatgaa aaaagacacc  111060
attgtggcat atatatacac acacacacac acacacacac actcttacaa tttcctcctc  111120
tctgaatcct tcagatactg aataaaggac atctgctatt attatgttta atttatttaa  111180
ttatctttaa tttcctctta ttattaaccc caaatacctt aatttgaaat taaccaggtt  111240
tttcctatgc agtttgtcct attttctatc aggcttaaac aaatactaat ctgcaaaatt  111300
ccaagtagtc caattagtgt ttcttcagcc ccttcactca taatacaaca tgtagatgaa  111360
cataacagct tcatattcaa acagataata ctttggcttt ctcagatgga agcacgcaga  111420
gcaatgggac aggattccgt gcctcaaagt aagggctgag taaggaccca gatgccctcc  111480
tataagctgc cagggaggtg gtggtgttct gtttcagagg acaaagcaca cagaggccca  111540
gactgtgttc ctcgagccct acccattagc cccaagatca tagaaaaatc ttccaagctg  111600
gaaactggtt gacaatgatc ctgactttca gtaggtgtgt tttttaaact ctgtatacct  111660
ttttcctcta cctgtgttgt tatttgaata tgaagttggg agaagacata tcagagattc  111720
ccaatctaat acgttttaaa tttgacgttt ttttccctta gactagcatt aattgtgttt  111780
cacaacaaaa cgagatagca tttcatctca cgggacagta cactagattt catgaggtct  111840
catattattt acagtaaaaa gtttctttca taaacgcgct tttttcaaga acaatttacc  111900
atgatgatgt cttgaaaaca cagaatttag gctctgccac aaatttgctt taacatgtaa  111960
tgattcatca agttttgttc tccatatact attttagaga gtactgcttg gcagtaaagg  112020
agctcttctg cgcaaaagaa tggctggtaa tggaagagaa gacccacaga ggactctaca  112080
gatccgagat gcatttgctg tccgtgccag aatgcagcaa gcttcccagc atgcattggg  112140
accccacggc ctgtgccaga ctgccacatc taggtaacac agagttctcc caagactttg  112200
gaggttaaga gaaatttact attttgaaga aactaaggtg tgaacttaaa gcttctaata  112260
tttctaggca tttctaattt tttttttttg agttctgcct tccttagata cctactagcg  112320
gaatcctaat gctatcctaa ttgtacagat tagcgtaaag atttatttca tttgctctaa  112380
aataaatgaa acagcacttt taattactgc ttgacatttt agattctttc atagggaatc  112440
ttatgagagc ttgtaacatt ttctggagtg tgtagaaaaa tggctaagaa acatcttata  112500
ttttgtcagc agagtggaat aaaggaataa agtccttttt cttagccaag aaagcatgct  112560
aaaataagac acatgtttga aaatgctgat ctcacaaaac aaaattgaat tgcttcatgt  112620
tgctttaatg aactttgttt gtaaggaact atgttgttat ccctaacagc tggtttaatt  112680
tcaaagaccc aattctttca cattcgaatg caaagaatgt tttccagttg tatattaaaa  112740
agctgagaga gaacttgcat ttcttagcac tcactctctc acagaatatg tgagatatct  112800
ggatgctcac ttaaaacaaa tttttatcct ttccccttca gattataaca aagaaaacct  112860
aaaaagtaag taattgtgtt tgtgcccttg aaaccttatg tgtatgtaat tggattcatg  112920
```

-continued

```
catgtgtgtt tacacttata tttcctgatg cccagaacag aatgtacagc cgctctcaaa  112980
gtcttctcac catactcatc cagggtataa catgagggaa aatcatggaa ggtctcagtt  113040
tataactttt aattagaccg tagagagtac catatttagt gagtcataca aatgctatct  113100
cccacctcaa ggtttttagt ctgttttatt tcttatatgg ctataagtaa gccaaattta  113160
aaatgtcacc ttttgatttt atattcttga ttcagtataa tctaattatg tatagatgaa  113220
acccaacatt tatttcttca ttgagccaat tcatgatctt catttgtgac aatagatccc  113280
tcttttggaa gttaggtatt tttttaagac agctgatttc cagtataaag tttataggat  113340
caaatcaaat ggctttaaaa aggtcatcac aaaaatctct gggaaagaat tcaagaaggt  113400
tgcttgaaaa gggatgtcgt acaaaataac ttgtatcaga tagtgcttta acctgtcaga  113460
atgcagaaat cctcaggatg aaattagaaa agcttttcat gtcaactaac ttcctctggt  113520
ctcagcgttc taaggcttaa atcacactta cttcctgtaa tacatattcc agccctaatc  113580
tcctctgcat ttgactaggt gccaggactt gattttacca gcttgcttaa aggaccaaca  113640
cttaaaagta ttaaaagcaa gaatgctact ggtcctagtt gaattactca gaggtattaa  113700
acaagaagag ttatggaaac cttaaaaatc tattattctg gtagcctgtc aaattgttat  113760
tcccaaatcg aaggaataaa aaaaaatttc aattctttgt tatatgagca gccaaagttt  113820
actttgattg gactttgaat tgattactgt gctctttgtt atccatcgat tgctcactca  113880
tccattcaaa cattcattga gggtttgctg tgtggaagga ccagaccatt catcttaaat  113940
tagacaggaa caatacacaa aaaagcatcc acatttctgc ctttcacact aattataaag  114000
gaattttgag cagcacaaac tagctacaat aataaatttt ctagtcttta aaaaacagct  114060
ttatgaaatc ttcgatacat gtaagaaaat gagctcctaa tgtcatgaac taaccattta  114120
aactgaaagt agggcaggga atatctgaaa gtatgctcct tgagttaagg caattattat  114180
taaaagagtt ggctttagca ggtcaatagt ggagcaaaga aaacatcctt attaggcagt  114240
gtcccatatt ttatagggggt gtgtaaagac cttaagtatt ttccaaagag tgtcttgatt  114300
tctgagtaaa ctctaaagaa tatcaccagc tcatttggag gggtcacaaa agagctgtta  114360
atcatttgtt tatctttgca ttattttctt cttccttgag catagggact agaatttcag  114420
tagtttttct tttttataat ttctttggct gaagtgaaac atctttttga gcaggcaatg  114480
cctttgtgct atttacatta tttgtaagca aggattacac tattcctctc ttccgtgaga  114540
cttcacatac tttattacag aaacactcag cagtgaatct gtcttctatt tcagagcttc  114600
tgtggagaaa aggttaattt gtcttaatca ttgaaataat tacttttctc ttgaattctc  114660
tttttccttc catctttgct ctttctatac atatacatgg agaataaagg acccaatgaa  114720
tgtacccaaa tccaaactga ctagtgtgat acatacatta tctctcttaa tactcccaat  114780
agttctacaa aattaagtac tatgaacgtc ctccatttta cttacaaccc aacatgagaa  114840
agagagatta agcaatgtgt ccaattttac ccatctagta aggtgataag ccagaatttg  114900
aactgaaatc tatctgattc tggctctgtc ttcagagcca gaatgttata cctgatgcat  114960
ttctgttatt actaatgttt cttaaaaaat tccaagacct catgtgtaat aaagcttaac  115020
tgattgttta actgattcat tcttgaataa attccactac cttttcacat ttgttataat  115080
tgattattct taagaagctc taattgataa aaattttatt gttcacaatt ttaaatcacc  115140
caggccactt gatgatttga ctttttgtta acatttaaat gaatacatgc tttgtgtccc  115200
agaccatttt tccataatga tcagctacta ttttgcccac gaatgaaatc atgaagcgtc  115260
agtgtctctg tgtgtgtgtg tgtgtgtgtg tgtctgtgta aaactcatga attatttcat  115320
aatttgaaat gtggtttggg taatttttgt ggtaatatta aagttacaag ttcttagaaa  115380
attggagttt aaagtaactt taacagttat ttaatctaaa gtctcccaca atgaaagaat  115440
cttttctaga gcatctctga cagaaacatt ccattttccc tcctgaattt atttctcaat  115500
tcctttgtag aatacattaa ttatttcaac aatttagcta tgtagaacta aattctggtt  115560
ctctagaact gtcaacaact gatcttcact ctatttcttt gatttattta taatctgtat  115620
gatagtcctt aaaatatttg gagacaggca ctcaatctct ctgtagtctt ctcttcttca  115680
cattaaatat ctccaatttt taactttttc ttttgcaact gacttccaaa atcctcacct  115740
ccatgtttac tttttactgg ctgccacaag cttgagaata tccagaactg aacacaaagc  115800
acagaacatg atctgatcag aattgcaatg caaccatatt ttctgtgata aggccttgtt  115860
cttttatgag tatagattaa actcatgcta gctgtctaat aatttcatga cattaatagc  115920
ccttctatac acatatgggt ttactgattt ccttgatttt ctaataaatt ttctactaga  115980
ccaatccaat tcataattat ttttattaca ttcttctagc atttataata atttgtactt  116040
tacatgttta gttactatgt tctatgaggc atagtgatcc aagacacttt tctttttata  116100
tgaagctctt taccaatgta aaatgtcact cttgtcttgt tttagtgctt ttagctttaa  116160
atttctagta ttaataatgg taattttttc cttgtattta tgttaaccta gcacctcttt  116220
gttcctcttt tatttttctt ttcttataaa caacatatac ctgggtttac tccaatcaga  116280
tagccatttt ctattaatag gaggatttag cctgttcata ttttatatca caactgatat  116340
actctatttt atccctacta tcttaactgt atattttcta ttcgctttac gtttttgctt  116400
cttctttttc tttttcttta cttgttactg gttatgtttt ctccactgct aagtgaaagt  116460
cagacaccaa ttctttctac acatcgcagt gctctattta ttcttcattt ctgcccaccc  116520
catgggactt tcagaatctc caggagatcc tcagactgct tggatcttct tccttacctc  116580
ccctggtact cttaggtttc tctttgcaga gtgattctca atattgagtc ttacctagcg  116640
aattagccaa gactccaccc atcacagccc cttcacatgt atcctgaagt tattttctga  116700
ttcaattgtt attaagagtc tcctcatgta tttccttaga agggaaagtg tcttgggaga  116760
cagaatccct gaagccttgt gtgttatcaa attgttttct tttatttggg tagttgaaaa  116820
gtgtattaac tgggtatgga actcctgagt gacatttctt tgggtggttt atagatgtga  116880
tttcactctt ttctagcttc tagtgttgga agcaggtagt ctggtgtgaa tttatttttt  116940
tcctgtaagt aatttattct ttctatctag gcagaaactt tttgattttt ccctttatcc  117000
gtgatatctg tatgataaaa attgtttaat catgtgctat tgaacatctc tttccaactc  117060
catgataggg cttcatgttg ggagcttgag ataagctatg atgggaatct ttatcccatt  117120
gaaatcagga tggtagacag acctttctaa tgcaaaaagt tgatcatgct attccacctc  117180
gtaaaacact cctataagac cctccatttg ctgcagggca tagtccaaat tacttaaatt  117240
ggtatacaag gacttttatc actaaacctg atatctgcag ctttacctat agatactccc  117300
caactccaac aatgaaactt ctaggtgcac ttttagaaag gcatcacatc tgcttagttc  117360
agatcttggt atatgctatt acttctttat agaatactat ctctctaccc tgactccatt  117420
ctactctctt aattccccca tcccacacac acgtttgtgt gtgtttttt gttttgtttt  117480
```

-continued

```
gttttgtttt gttttgtttt gtttgagacg gagtctcact ctgtcgccca ggctggagtg  117540
cagtggcaca atcttggttc actgcaagct ccgcctcccg ggttcacgcc atcctcttgc  117600
ctcagcctcc cgagtagctg ggactacagg cgcccaccac catgcccagc taatttttg   117660
tatttttagt agagatgggg attcaccgtg ttagccagga tggtctcgat ctcctgacct  117720
cgtgattcac ccgccttagc ctcccaaagt gctgggatta caggcgtgag ctactgctcc  117780
cagcccacac cttttcctta gtctgttcag gttgctataa caaaatgcca cagactgggt  117840
ggcttataca cagaaattta tttctcacag ttctggagtc caagaagtcc aagatcaagg  117900
tgccagcaga tttggtatct ggtgaggacc cattcctcat agacatagct gtcttctccc  117960
tgtgtcctca catggcagaa cgggcgaggg agctttcttg gacctctttt ataagggcat  118020
taattccatt tatcaggact ctacccttat tcatttcaac acatgaatgt gggggaaaga  118080
cacaaagact cagatcatca taaccttcaa ctggttactg gctactcacc atttatgttt  118140
aacttacagt tactcactct agaaaacctt ctcagtatgt ctaaacctga gttagtgcca  118200
gccctgaacg agactcacaa gcatcgtgtt cttactactc ctataatgct tcttatattt  118260
tgttttattt ctccatttat tcacttgtgt ctcatgacaa gcaaagactt ctcatgttca  118320
ccacagtgtt ctggatacct aacagtcact attgatttag tgaatgcatt tacatatgga  118380
tgaatgagtg tataaactcc cgtagtgttc agaggaaaag aatcaagaca gaaaattggt  118440
gagagaaaag ataaaaagga aaaagaatga cgattcaaag tgatccttta gacccaaaga  118500
gatcattgat gtagttcaag ggaagatcag atcaaatcag aagcagtcat caaggaataa  118560
caaaacaaaa ctatcttgaa ggaaagaaac atttaaatcc ataaagcaaa attattgttc  118620
caactatgtc atttcttgca ttttaaaaaa actcactaaa tcatcataga tttttctttt  118680
aacatgacag taaattctac tttctgattc tttttagaaa aactaacctt atatttacca  118740
gtgaaattac actaccaact ttactaatta cattatattc cctcacatgt tatatatggt  118800
gtgagatgct ctgtaaactc caaatacaaa aatagttatt tctccctatc ttttaataat  118860
tgttccaact ttattattag cagaaagcaa agctcgtcaa tttaagccac cccctaccac  118920
caccacccac ccatcttaga tcgagaaaac ttgggatgac tcagtccaaa gagaatcaga  118980
ctagctttca agtcagtcag agaggaacct ggtcagtctg ttgagtccac cactcctgtg  119040
gtgccggatg aggcatgctg tcactgatct tgcgcagatg ttttattgct gtgctgatgt  119100
tcttccagtt ccaggtgcct gcctgagtca cagtggtgac caggcctggc atccgcaggc  119160
ttcagaatca cttgcttagc cattggtact cagggcataa tcactgggtc cacttcatgt  119220
atgactaaga agtcatacat gagcgtctct tgtagcctcc aattttgcaa gtgccctatt  119280
tcaaatgctt taggcatcta ctgccataaa ggttttattt tgactttgta atatgttata  119340
ttaatatgtc cccttctatt aaatcattat tctctgacta tgatgtagtc agttgctaat  119400
atttcgttta ggatcttcta aacttaggtt gtataatcta tgtatgctct tttcttctgt  119460
gctaacattg ccaggttgtg atattggtat tataataatt tctaaaataa tttgaaagaa  119520
ttttctctta ctggaacata ttataaatat ggaaatttta tctctttcaa gactaaaaga  119580
atgtctttta taatgtgatg acttaaaaat ctagtttcct gcctatggta atatttatat  119640
tttctaatgc ttcaaatttg gggattaata tgttcctatc attttcctta aggtgtgaaa  119700
tataataatt acacattatt ttaattaact ttgaatctgt tataactttt ttatcatttc  119760
taattttctg tttgtacctt ttctctttaa ttaaaattcc attgattaga ctactatatg  119820
aatatttata aaaccaacta ttgatctttt aattctatca tttgtgttac gtgtattcta  119880
acttattaac ttctgcttgt gtatggctgt tactttatta cctattatct tttgttttct  119940
gtagttattg tttcttaccc aaagtcttgg gttaaatgtt cagttcattt actttcattc  120000
ttttttatct agtggaagga gataacacta tgactttatc tttgagcaca actttggcta  120060
aataaaatac acactattaa gaggcttgtg tctaatctat aactatagtt actctctagt  120120
ttttgatcaa aaagtcattg atttttttct ttttaaaaat gtcccattgg attttattta  120180
atctattatt aattgcactt tggccattaa gtagatatgc ataatttctg cctttaaaat  120240
ttattgagat taatccacaa atatttgaaa ggaaggttta ttctctattt ttgggtacaa  120300
aggtcattct tagctattaa aacattgttg ctgattattt taaaatactc tgtatccctg  120360
tttttgtctt tactcaatct gttaagagga tttaaatgtg attaataagg ttcttttaat  120420
acatatacaa tggactttgt actctacaaa tagtggtatg agtatggcat cttttggttt  120480
ccaacagtaa tgctgatttt actttataca tatcacatcg gccttttaaa ttgaagtttg  120540
acaggagttc agtttttaga tgaattaact tctcatttgt ctcctaatat tttcattttt  120600
catcttcttt catgattttt cttctgtttg taaactgaca gtaaatgtat ataaaagctc  120660
agctctagac aatcctgatg tcaagtgtaa ttatgtgaaa atattttatt tgataatttc  120720
catgatttat gtcaggtcat agataatatg attcagtata aatggcacca gcccaagatc  120780
tacatttatc tcagaaaaaa aaaacctatt tcctctctct gagtctcatc tttaaaattc  120840
tattattcta taagctggat ttacttacaa ctagacctta ctgaacttta taaatatata  120900
accagggaga acctgataca taaatatatt attatcatga aatttatttt actgattgct  120960
taaatacaaa aaattgcttc ttaaaggttt gagaatgaat gaaataatta ttctttactt  121020
acagcattcc caccaatgac gtcctcaaag ccaagtgtgg acattccaaa tctgccttcc  121080
tcctcctctt cttccttctc tgtctcacct acatactcca tgactgtaat aatctccatc  121140
atgtccagct ttgcaatatt tgtgcttctt accataacta ctctctattg ctgccgaaga  121200
agaaaacaat ggaaaaataa gaaaaggtga gattctagtt tcagctaacc atgtgtagta  121260
atattttaaa gccttgtgtt ttatggagtt ggtatgacgt gaggaatata tatgacactg  121320
caactctcta aatatatccg tagccctgct ttaaaattaa gcacccccat catgatcttt  121380
acaaatgtca atgacttttt ggcatgggat caaatcaaat gccctagggt tactgtttca  121440
caaaaggtaa aatctaaaca ataatttgga ggaaaatggc tattcctgct ccttgtcttc  121500
tcctcaggcc tgttgccatt gctggcttgg agagctaaac atttctgaga aaatgtgcct  121560
tttgactcta gaccaaacaa aatattttat tgctctcaaa acgaaggatc tttggctgcc  121620
ttagtataac ttgttttcat tactcttaaa tgccatattt cttagaatct aagtctaagt  121680
acaaagatct aacctgcttc tgagctcatt cctgatcttg cctgtcttgc ctgcagagaa  121740
tcagcagcag taaccctcac cacactgcct tctgagctct tactagatag acttcatccc  121800
aaccccatgt accagaggat gccgctcctt ctgaacccca aattgctcag cctggagtat  121860
ccaaggaata acattgaata tgtgagagac atcggagagg gagcgtttgg aagggtgttt  121920
caagcaaggt aaagttacct atggaaaaaa aaactccatt gaaatatgtt atgtctgaaa  121980
agctaccaaa ctattagctt ggtatatata taatattagc tttatatata tatacacaca  122040
```

-continued

```
catatatata tatatatcaa gctaatgata tagtacatat atatgtacac tgtgtgtgta  122100
tatatatata cacacacaca tatacatata tacacacagt gtaatataca gtattatata  122160
gtattaatac aatattatat atgtattata tggtaataat atactatata aaatagtttt  122220
tatcaagtta gttaattctg gccaggtgcg gtggctcgtg cctgtaatcc cagcactttg  122280
ggaggctgag gcgggaggat caccttagtc aggaattcaa gaccagcctg gccaacatgg  122340
cgaaaccccg tctctactaa aaatacaaaa ttgagccagg catggtggtg cacaactgta  122400
gtcctagcta ctcgggagtc tgaggcagaa gaattgcttg aagccggaag acagaggttg  122460
cagtgagcca agatcgcgcc actgcactcc agcctgggtg acagagcaag actctgtctc  122520
aaaaaaaaaa aaaaaaagaa aagaaaaact agttaattct ttacatcatt aaccttattt  122580
gtattgcata atacacttca aatcttaatt tcccctcttt gctggaaaac agtagcctat  122640
atggagataa tatattttac tgcacttaaa ataggtaatt tattggagat gtaaatgtgt  122700
cttcacttct acgattttta aattataaga aattagtaat atagttcaat aatatttcct  122760
tttcaggaaa gaatttacca tatattttta atcataattt cttacattgt tttaaataac  122820
tccttacatt ataatataat gtatagatat taagtagatg ttcatgaaat gacaaacaga  122880
aaaggaataa aaaggcaaaa atttataaaa aatgagctca agaaaggagt atgtattagg  122940
gccaatatta gcctatgtat cacctttgtg cgaattggaa taaaataccc tttctgctgc  123000
atggatatgg ctccacagac acacagctga gccagagaat atgaatttgg ttttaatctc  123060
caactggcac ttcggcctgg tgctcttggg caagacacaa cttaatctcc acccatggtg  123120
gccctggcgt agaggttaca tgaatagtga aaatctcaca caaacatgtc ttggaaacca  123180
aaatttgcaa ggcaccactt taggctcaat ggagggtaca aagatgagta agccatagtt  123240
cctacgtcat ggaatttaga ttctggacaa agattaaaag gttaggatgt ggctgggcgc  123300
gatggctcac acctgtaatc cccgcagttt gggaggccga ggtggtcata tcacgaggtc  123360
aggagattga gaccatcctg gctaacacag tgaaaccctg tctctactaa aaatacaaaa  123420
aattagccag gtgtggtggc gggtgcctgt agacccagct actcaggagg ctgaggcagg  123480
agaatggtgt gaacccagta tgtggagctt gcagtgagcc tagatcatgc cactgcactc  123540
cagcctggat gacagagtga gactctgtct caaaaaaaaa aaaaaaaaaa aaggttagga  123600
tggcaatgat aatcctattg ggggtgtata cttcagaatt cctataattt gtaaataatg  123660
catctttcaa acttcattgt ttgaaattgt tgaaaataac accagtgatt tttattagtt  123720
gacatcaagg agttttaagt atgttgtctt tctttgattc tgtggctctg ggaaaggctg  123780
cgtgagactt aaccagcctt ttacacaggg gaggtgggag gatatgtata aatgtgggta  123840
ggtataaaga tatgatgtcc atgatctttg gtttcttttt caataaatgt atctctcagg  123900
gcaccaggct tacttcccta tgaacctttc actatggtgg cagtaaagat gctcaaagaa  123960
gaagcctcgg cagatatgca agcggacttt cagagggagg cagccctcat ggcagaattt  124020
gacaacccta acattgtgaa gctattaggt atgaaaatac aagtgaggat atgtatttca  124080
tcagaaaaca gaggctttcc aagtttttct ccccttgttc gtgctttttc cttttctcct  124140
tgatcagtga gacgtttcag ttccttttca aatttagctt cttcaccttg gtctatccca  124200
accctatagg acattcatgg cttaatggat tatccctctt taaattcatc acttcaattt  124260
gtctctgtct ttgctgcctc ctatttataa aaatgtttaa aatgtcccca ttgtaaaaaa  124320
ttaatactgc ttctccatca caaaatttat caatattgaa aagtctatat attttactta  124380
ttttgtttct cctctttctt ccctaactag aatgtcatga gcagcgattt gtatcttttc  124440
tgttcattgt tgagttccag tttattccca gattcataaa ttcaacacaa attttacaaa  124500
tatttagttt gtattaatta cacagcaatt aataaaactt ttcaaaaatc tgtgctctcg  124560
gctgggagca gtggctcatg cctataatct cagcacttta ggaggccgag gcaggcagat  124620
cacttgaggt caggagtttg acaccagcct ggcgaacaag gtgaaatccc atctctacta  124680
aaaatagaaa aattagctgg gtgtggtggt gtgggcctgt aatcctagct actcgggagg  124740
ctgaggcatg agaatcgctt acaccggggg ggcagaggtt gcagtaagcc aagattgcac  124800
cactgcacca cagcctgggt gacagagtga gattccatct ttaaaaaagg aagaaaaaaa  124860
aaatctgtgc tctcatagag catacattca ctctatatga ggagacagat aataaaaaaa  124920
aaacaaaaat atgggatgct ggatattaag ttctacagac tttttaaagt gttaaagcag  124980
agaagttgga atgtgagcta caaagtttga agacttcagt gaaaatatta catttatata  125040
aagacctggc agaggcaagg gaataacagt gtggatatct tgggaaagaa cattccaaaa  125100
agaatgagaa gcatttgcaa aggtactgtg gcaagagcag atgtggcatg cttgaggaat  125160
agcaaggaga tgaatgtggc tggagcagag tgaaagatgg ggagagttat caaagatgag  125220
atcagagagg taatggggga ggtaggcagg tcctgtcagg ccttattaaa aacattggct  125280
tttaatctaa gttgggaaac aaatggagag tttcagccaa gacatgacat gacacaactc  125340
acatttttc agatcttctc tggctgcttt cttgagcatt gcatgaaggg aagcaatgaa  125400
atcaggaaga cagtaaacag gtattgcaat gatgcagcaa gagaagatga tggcatgggc  125460
caggtggtgg tagtgaagat cgtgagaagt gattctcttc catgtgtaat gtgaaagtag  125520
agccaaataa tttgctgaca gaccaaatat gagatgtgca aaaaagggaa aagtcaaaga  125580
tagtatcgaa gtatttggct gtgcagatga gtgaatggag gtgccattgg ctgagttgag  125640
gaatactcag aaggaacagg ttcctttagt ggagagagtg ggaattcatt taaagatgtg  125700
gtttttgtcc aggcactgtg gctcacgcct gtaatttcaa cactttgtga ggccgaggcg  125760
agcagatcac ctgaggtcag gaattcgaga ctagcctggc caacatggtg aaaccccatc  125820
tctactaaaa atacaaaaat tagccgggtg tggtggcaca cgcttgtaat cccagctgct  125880
tgagaggctg aagcaggaga attgcttgaa cctgggaggc ggaggttgca gtgagccgag  125940
attgtgccat tgcactccag cctgtgtgac agagtgagac tccatctggg aaaaaaaaaa  126000
gacgtgtttt ttggcgatgc ttattcaaca tccacatgat ccacatgaag ttaaggatgc  126060
atgtggatat ggaggcctag agttctggta aggatgatct ggttagacat gaatccaagg  126120
ctattgcagt acacagagta tttaaagcca tgaggttgag taagacacct aagtatggag  126180
aaagcaagcc agaacagaga agaggtccaa ggaccaaggc ctggagcatt ccagtattta  126240
gtgtgagaaa gaggagatga acaagaaaaa caaactaaaa acgagcaacc aatgaaatag  126300
aagtaaatca agagagtgtg gtgtcctgga tgtcaaatga agtattttaa ataggtgaaa  126360
gtgagcatgt catatgcatt aagtcaagtg agaggaggac tataaagtga ccttgaattt  126420
gtaaacatgg atgttcactg gtaaccccga gaagagaggt ttcttaggaa tgttgggggc  126480
agaggaaatg taagtgagct caaaagaaga ggaagagaaa atctggagaa aaagtataaa  126540
caacttgttt tgccataaag gtgaaccaag gaacatggat agagctgaag ggggcagaaa  126600
```

-continued

```
gaagcatgct tcctttcatg tggaagtaat agcacatttg taaattaatg agaatgatcc  126660
cgtaaagaga aaaattgatg acagggttgg caaatagtgg aagtaacatc tttgaacagt  126720
gagagggaat ggaatcttgg cactgttgga tggattggcc tttgtaaaga gaatgctcag  126780
atcaaccata gtaataagag agaattggct ggagattgta gccagtctct tctgattgat  126840
ttagttttct ctgtgaggta ggaatcaaga tctcatctga gggtgaggaa tgggagaaga  126900
gttgaagatt tgaggaaaga gaagaaataa attgtcatct aagaaaatcc atttttacat  126960
aaaatataaa atggactaga gaaacataat atgattggca agaacattaa aagcttactt  127020
gaaattagag attacacatt taacatgaga ctggtcagca tggttgtgta tttatccaaa  127080
tgctgccagc tgggcataga ctcgttaaga ggagttaaat tttaccagaa ttagcatttt  127140
gccacacaag taagttgaag tcaaattgag gcaaataaga gaggtgtatg caaaggagtg  127200
attattatga ttgatcaagg aacttaagct gtttaaggaa ggaagacaaa acgtgaagaa  127260
agtagggatc attaaaaggg ggtaggatca atagattaaa agtttcaggg ggaggagcca  127320
agatggccga ataggaacag ctccggtcta cagctcccag cgtgagcgac gcagaagacg  127380
ggtgatttct gcatttccat ctgaggtacc gggttcatct cactagggag tgccagacag  127440
tgggcgcagg ccagtgtgtg tgcgcaccgt gcgcgagccg aagcagggcg aggcattgcc  127500
tcacctggga agcgcaaggg gtcagggagt tccctttctg agtcaaagaa aggggtgacg  127560
gacgcacctg gaaaatcggg tcactcccac ccgaatattg cgcttttcag accggcttaa  127620
gaaacggcgc accacgagac tatatcccac acctggctcg gagggtccta cgcccacgga  127680
atctcgctga ttgctagcac agcagtctga gaccaaactg caaggcggca acggggctgg  127740
gggaggggcg cccgccattg cccaggcttg cttaggtaaa caaagcagcc aggaagctcg  127800
aactgggtgg agcccaccac agctcaagga ggcctgcctg cctctgtagg ctccacctct  127860
gggggcaggg cacagacaaa caaaaagaca gcagtaacct ctgcagactt aagtgtccct  127920
gtctgacagc tttgaagaga gcagtggttc tcccagcacg cagctggaga tctgagaacg  127980
ggcagactgc ctcctcaagt gggtccctga cccctgaccc ccgagcagcc taactgggag  128040
gcaccccccca gcaggggcac actgacacct cacacagcag ggtattccaa cagacctgca  128100
gctgagggtc ctgtctgtta gaaggaaaac taacaaccag aaaggacatc tacaccgaaa  128160
acccatctgt acatcaccat catcaaagac caaaagtaga taaaaccaca aagatgggga  128220
aaaaacagaa cagaaaaact ggaaactcta aaacgcagag cgcctctcct cctccaaagg  128280
aacgcagttc ctcaccagca acagaacaaa gctggatgga gaatgatttt gacgagctga  128340
gagaagaagg cttcagacga tcaaattact ctgagctacg ggaggacatt caaaccaaag  128400
gcaaagaagt tgaaaacttt gaaaaaaatt tagaagaatg tataactaga ataaccaata  128460
cagagaagtg cttaaaggag ctgatggagc tgaaaaccaa ggctcgagaa ctacgtgaag  128520
aatgcagaag cctcaggagc cgatgcgatc aactggaaga aagggtatca gcaatggaag  128580
atgaaatgaa tgaaatgaag cgagaaggga agtttagaga aaaaagaata aaaagaaatg  128640
agcaaagcct ccaagaaata tgggactatg tgaaaagacc aaatctacgt ctgattggtg  128700
tacctgaaag tgatgtggag aatggaacca agttggaaaa cactctgcag gatattatcc  128760
aggagaactt ccccaatcta gcaaggcagg ccaacgttca gattcaggaa atacagagaa  128820
tgccacaaag atactcctcg agaagagcaa ctccaagaca cataattgtc agattcacca  128880
aagttgaaat gaaggaaaaa atgttaaggg cagccagaga gaaaggtcgg gttaccctca  128940
aaggaaagcc catcagacta acagcggatc tctcggcaga aaccctacaa gccagaagag  129000
agtgggggcc aatattcaac attcttaaag aaaagaattt tcaacccaga atttcatatc  129060
cagccaaact aagcttcata agtgaaggag aaataaaata ctttatagac aagcaaatgc  129120
tgagagattt tgtcaccacc aggcctgccc taaaagagct cctgaaggaa gcactaaaca  129180
tggaaaggaa caaccggtac cagccgctgc aaaatcatgc caaaatgtaa agaccatcga  129240
gactaggaag aaactgcatc aactaatgag caaaatcacc agctaacatc ataatgacag  129300
gatcaaattc acacataaca atattaactt taaatataaa tggactaaat tctgcaatta  129360
aaagacacag actggcaagt tggataaaga gtcaagaccc atcagtgtgc tgtattcagg  129420
aaacccatct catgtgcaga gacacacata ggctcaaaat aaaaggatgg aggaagatct  129480
accaagccaa tggaaaacaa aaaaaggcag gggttgcaat cctagtctct gataaaacag  129540
actttaaacc aacaaagatc aaaagagaca aagaaggcca ttacataatg gtaaagggat  129600
caattcaaca agaggagcta actatcctaa atatttatgc acccaataca ggagcaccca  129660
gattcataaa gcaagtcctg agtgacctac aaagagactt agactcccac acattaataa  129720
tgggagactt taacacccca ctgtcaacat tagacagatc aacaagacag aaagtcaaca  129780
aggataccca ggaattgaac tcagctctgc accaagcaga cctaatagac atctacagaa  129840
ctctccaccc caaatcaaca gaatatacat ttttttcagc accacaccac acctattcca  129900
aaattgacca catagttgga agtaaagctc tcctcagcaa atgtaaaaga acagaaatta  129960
taacaaacta tctctcagac cacagtgcaa tcaaactaga actcaggatt aagaatctca  130020
ctcaaagcca ctcaactaca tggaaactga acaacctgct cctgaatgac tactgggtat  130080
agaacgaaat gaaggcagaa ataaagatgt tctttgaaac caacgagaac aaagacacca  130140
cataccagaa tctctgggac gcattcaaag cagtgtgtag agggaaattt atagcactaa  130200
atgcctacaa gagaaagcag gaaagatcca aaattgacac cctaacatca caattaaaag  130260
aactagaaaa gcaagagcaa acacattcaa aagctagcag aaggcaagaa ataactaaaa  130320
tcagagcaga actgaaggaa atagagacac aaaaaaccct tcaaaaaatc aatgaatcca  130380
ggagctggtt ttttgaaagg atcaacaaaa ttgatagacc gctagcaaga ctaataaaga  130440
aaaaaagaga gaagaatcaa atagacacaa taaaaaatga taaaggggat atcaccaccg  130500
atcccacaga aatacaaact accatcagag aatactacaa acacctctac gcaaataaac  130560
tagaaaatct agaagaaatg gatacattcc tcgacacata cactctccca agactaaacc  130620
aggaagaagt tgaatctctg aatagaccaa taacaggctc tgaaattgtg gcaataatca  130680
atagtttacc aaccaaaaag agtccaggac cagatggatt cacagctgaa ttctaccaga  130740
ggtacaagga ggaactggta ccattccttc tgaaactatt ccaatcaata gaaaaagagg  130800
gaatcctccc taactcattt tatgaggcca gcatcattct gataccaaag ccgggcagag  130860
acacaaccaa aaaagagaat tttagaccaa tatccttgat gaacattgat gcaaaaatcc  130920
tcaataaaat actggcaaac cgaatccagc agcacatcaa aaagcttatc caccatgatc  130980
aagtgggctt catccctggg atgcaaggct ggttcaatat acgcaaatca ataaatgtaa  131040
tccagcatat aaacagagcc aaagacaaaa accacatgat tatctcaata gatgcagaaa  131100
aagcctttga caaaattcaa caaccccttca tgctaaaaac tctcaataaa ttaggtattg  131160
```

-continued

```
atgggacgta tttcaaaata ataagagcta tctatgacaa acccacagcc aatatcatac  131220
tgaatgggca aaaactggaa gcattccctt tgaaaattgg cacaagacag ggatgccctc  131280
tctcaccgct cctattcaac atagtgttgg aagttctggc cagggcaatc aggcaggaga  131340
aggaaataaa gggtattcaa ttaggaaaag aggaagtcaa attgtccctg tttgcagacg  131400
acatgattgt ttatctagaa aaccccatcg tctcagccca aaatctcctt aagctgataa  131460
gcaacttcag caaagtctca ggatacaaaa tcaatgtaca aaaatcacaa gcattcttat  131520
acaccaacaa cagacaaaca gagagccaaa tcatgagtga acttccattc acaattgctt  131580
caaagagaat aaaataccta ggaatccaac ttacaaggga tgtgaaggac ctcttcaagg  131640
agaactacaa accactgctc aaggaaataa aagaggacac aaacaaatgg aagaacattc  131700
catgctcatg ggtaggaaga atcaatatcg tgaaaatggc catactgccc aaggtaattt  131760
acagattcaa tgccatcccc atcaagctac caatgacttt cttcacagaa ttggaaaaaa  131820
ctactttaaa gttcatatgg aaccaaaaaa gagcccgcat cgccaagtca atcctaagcc  131880
aaaagaacaa agctggaggc atcacactac ctgacttcaa actatactac aaggctacag  131940
taaccaaaac agcatggtac tggtaccaaa acagagatat agatcaatgg aagagaacag  132000
agccctcaga aataatgccg catatctaca actatctgat ctttgacaaa cctgagaaaa  132060
acaagcaatg gggaaaggat tccctattta ataaatggtg ctgggaaaac tggctagcca  132120
tatgtagaaa gctgaaactg gatcccttcc ttacacctta tacaaaaatc aattcaagat  132180
ggattaaaga tttaaacgtt agacctaaaa ccataaaaac cctagaagaa aacctaggca  132240
ttaccattca ggacataggc gtgggcaagg acttcatgtc caaaacacca aaagcaatgg  132300
caacaaaagc caaaattgac aaatgggatc taattaaact caagagcttc tgcacagcaa  132360
aagaaactac catcagagtg aacaggcaac ctacaaaatg ggagaaaatt ttcgcaacct  132420
actcatctga caaagggcta atatccagaa tctacaatga actcaaacaa atttacaaga  132480
aaaaaacaaa caaccccatc aaaaagtggg cgaaggacat gaacagacac ttctcaaaag  132540
aagacattta tgcagccaaa aaacacatga agaaatgctc atcatcactg gccatcagag  132600
aaatgcaaat caaaaccact atgagatatc atctcacacc agttagaatg gcaatcatta  132660
aaaagtcagg aaacaacagg tgctggagag gatgcggaga aataggaaca cttttacact  132720
gttggtggga ctgtaaacta gttcaaccat tgtggaagtc agtgtggcga ttcctcaggg  132780
atctagaact agaaatacca tttgacccag ccatcccatt actgggtata tacccaaagg  132840
actataaatc atgctgctat aaagacacat gcacacgtat gtttattgcg gcactattca  132900
caatagcaaa gacttggaac caacccaaat gtccaacaat gatagactgg attaagaaaa  132960
tgtggcacat atacaccatg gaatactatg cagccataaa aaatgatgag ttcatgtcct  133020
ttgtagggac atggatgaaa ttggaaacca tcattctcag taaactatcg caagaacaaa  133080
aaaccaaaca ccgcatattc tcactcatag gtgggaattg aacaatgaga tcacatggac  133140
acaggaaggg gaatatcaca ctctggggac tgtggtgggg tcaggggagg ggggagggat  133200
agcattggga gatataccta atgctagatg acacgttagt gggtgcagcg caccagcatg  133260
gcacatgtat acatatgtaa ctaacctgca caatgtgcac atgtacccta aaacttagag  133320
tataacaaaa aaataaaaaa ataaaaaata aaaaataaat gcatgaatac ccaaaaaaaa  133380
aaaaaaaaaa aaaaaaaaga aggcatttca gcatgcaaac aagtaatact tttaggaatt  133440
acactgactt cattgtaatg cataggaaaa ataaataatt cacaaataaa aaacaaacaa  133500
acaaaaaaaa agtttcagtg gggtcaaagg atttttagag ttagggcagt cgaggcagtg  133560
aactagggtg aaaaagggag gaagtgatga acaacaggta gagtaactga aaatgagatt  133620
atgggaggta tacaaatgta tggaatgaca aagtcagggg tatgacaatg tgagtgatta  133680
gctgaagttg ggcagaggtc taaggaaagg aagtaaagta atttagtggt caggatattg  133740
gaaggaatct agataaatat taaaagcaag aatttctata gtagtatctc gaatagtttc  133800
tggcacattg taggcactct ataaatattt gttcaataaa tgaataaacg atattaagta  133860
cataacaatt catcttgaaa acacttcttc catttcctca actcctaaac attcatttat  133920
tcattcttca tcacacaaaa atctgaatct ggcttctgcc ccctaccctc cttatttact  133980
ttctcaaata gtatacattt agtcattaaa caaacataca tacatgcata ttttcaagat  134040
tatcaagcaa ttcctgtttc aacttttctt aaaatgttga ctctgtattc gtatacagtt  134100
tataacatcc tgaattcctg aaattgattc aaacagaaac tatgtacagt tttccaattt  134160
aaccacagta gcatgcttat acatcactac ttggagtttt ctctcatttt tattgtccaa  134220
caagaactga aacttatgtt gccgtttgtt aaatgctata tctaaattcc atttggatat  134280
ccaatgaaca caggttctat tttttatcaa gtatacataa gcagtaatca ttcatgcaag  134340
tgattccact actctcatag tttcttgtaa gttaatccca gtgaaataag atgacaatag  134400
tggaagaaag gggaattggg aaaatccata aaattcactt ctatcaataa aagaaatcta  134460
ctttgtttta tatatttgat acatcagcca cttattgaac atgttcgtat cttaaaaatt  134520
gtttcccttt tattgaaatc ctagtggata atggttttgt agtcataaat tgggaaaaat  134580
ggtataacta aagaaatatg cagaatttta gaatgggagt aggcattgaa tattatagac  134640
tcttacggaa tattctggca gtggagcaaa cagtagaaca atcaggtgag attattcatt  134700
gaagatgtca tgctaaagtt taaagacatg gcttgggcta ggcatgaggt tttcttatgc  134760
ccatccatct atgcatccat ccttaaatct atccatgcat ccacctatgc attaattcat  134820
ccatccaccc atcaacatat attgaaaacc catagtgagc catgtgtagt attagacctg  134880
aggttacaag gatgaataaa atacagtctt cctctcaata attattatat tttgaagtcc  134940
cacctaagag ttgggttgga gtaattacaa tatagaaaac attttgaggt cttaaataaa  135000
tgtatataca tatataattg taaattatat ctatacacat gtatatataa ttgttcataa  135060
taatcacaaa gtagaaatct tttgtatagt attttcttta tcagagtgga aaatttcatt  135120
aaatcaattt agttcaaaac tttatttctc agagaaatat tttgtcattt ttttccagta  135180
taagaaatta tttttaaatc aactcaacca gcataacaat ggtaaagcca gttgatgaga  135240
taggtaagtc cctgttaact aaagattatc caaaaaggat cccacagaag aaacttctaa  135300
gtattatcca gttggtattt ctttattttt tccctttagt ttacagaaat gtgctaattg  135360
aggtccttgg aattaaaaat taatgccaaa ataaataagc caagatagca gtattcctca  135420
tttctcctct ttttcaaaca gatactttta actttgcct gaaaaaaccc aatagatcta  135480
ataatctatt tttaagatga tgtgaaatta tgcccatctt atctaatatt ccaagttctc  135540
cagtttccct ctcaaatata tcaagacttt aagatttgaa aatgatcttc tggctttaaa  135600
tctaagactt tatttatatt aactttttg gtagcatgaa cattgtaaaa cctaaatttc  135660
aaaatgtttt actgcagcaa cttaaatact tcatctaaga cacttgaatt gtatttgtta  135720
```

-continued

```
ttgtttccaa acttgataca tctttcttat taacatcctt catagaagta aacagaaaca  135780
gacagcaatt acattacata ctcagagcaa gcatccattc ataaattaac tcaccaaaca  135840
ttatgaggca tctgctctgc cagacacgtg gtaggtgtgg ggaattttta aagaagaata  135900
aggttcaatc tctcctttca aagtgctaaa acgttgggga gaaacctcaa atagtcaaat  135960
gattataaaa taggatggta ggttctctgt gaaaggatga cagtaggaaa atctaacagt  136020
tactggaagg atcaggagct gaggcaccct agggagagtg ataaactgaa tcttaaaggc  136080
aaagaggaga tgtttaggca gagaaatagg gtcagggttc aaccatggtg ttgtcaacaa  136140
aaaaccaggg cctccagatt tcagagagaa gagccactcc agagaactga tacaccatgt  136200
acttatatgc accatgaact tgatgcacca tgtacgatgt acttatgaca agtgcccagg  136260
acaacagcgc tctgctggaa gtcctcaaaa actttagcca agggacagaa accccactac  136320
ccagagtgca tttcctagct gagactcctt ttgtgttgtg attaaaagga tacaaatatt  136380
aaaaaacaaa catacgacaa caacaacaaa aaacagggct tcatatgttc tgacatggtc  136440
gtttgctttt ggagtgctct ttccattgtt tcattgtaga aactgagact aacagggatg  136500
gtcttttggt tccaggagtg tgtgctgtcg ggaagccaat gtgcctgctc tttgaataca  136560
tggcctatgg tgacctcaat gagttcctcc gcagcatgtc ccctcacacc gtgtgcagcc  136620
tcagtcacag tgacttgtct atgagggctc aggtctccag ccctgggccc ccacccctct  136680
cctgtgctga gcagctttgc attgccaggc aggtggcagc tggcatggct tacctctcag  136740
aacgtaagtt tgttcaccga gatttagcca ccaggaactg cctggtgggc gagaacatgg  136800
tggtgaaaat tgccgacttt ggcctctcca ggaacatcta ctcagcagac tactacaaag  136860
ctaatgaaaa cgacgctatc cctatccgtt ggatgccacc agagtccatt ttttataacc  136920
gctacactac agagtctgat gtgtgggcct atggcgtggt cctctgggag atcttctcct  136980
atggcctgca gccctactat gggatggccc atgaggaggt catttactac gtgcgagatg  137040
gcaacatcct ctcctgccct gagaactgcc ccgtggagct gtacaatctc atgcgtctat  137100
gttggagcaa gctgcctgca gacagaccca gtttcaccag tattcaccga attctggaac  137160
gcatgtgtga gagggcagag ggaactgtga gtgtctaagg ttgaagacgt tcaaataaaa  137220
tgctgcagtt tcctctcaga ctctgtgagc caggggaatc ctacaccaga ggcccaacaa  137280
gacccacata ggaaagagta agagtaaaca tgagtagtgt gttgtttgct tcccagggag  137340
agcaaagaca gtgcaaaacc catgtggtag acggacccat tgaaagccag tgattggaaa  137400
cacaggctag gaaatgtgtc agataatgga gacaactatt cttcttcatg aaggtttgta  137460
atacacactg cacagggaag aatgtcatcc tgttcagttt ccaaagtagc tggtcacaga  137520
gtaaagctct gctgtattaa attttaatat gaaatgggat tcagagcttc atttttttaat  137580
tgagttaatt cctgtccatt gtgaaagtag cttaatcgtc atgtaagaca cttaggtgaa  137640
gtacagaaaa ctaaaaagaa ggaaaagcca ctcattctgt ctccccccaa agacgagtct  137700
tagtgtttta ttaaatcttt cttgcattta atgcataatt ttatatttgt ttgtattctg  137760
cagagttgtg gttacatttt attgatagag ggtttctaag gaatgaaaca gcaaatcagc  137820
aagcctgtaa ctctgagttc cctttctgt cctgtgcccc tccttttttc ctttctgtgc  137880
atttgtcatg aattaagtct gcttatttta ttcctccagt tttcttgaaa caagtttttg  137940
tatcttactg atttaccttt tcctttaaaa attgtattgg tatcttttcc attgctttaa  138000
tctttatttc ttcttctttc caggacttct gtcctttttt agttattaag ctatttttt  138060
cttttatttc attcatgtaa taaacactct ggcagaaata ataacatttt aaataccatt  138120
gtagattgat atgtatatgc cttttgcaaa gtattactat ttttcctgca tttgcctttg  138180
aagccacaca tttcaacatt ctcacctatt aatattatta ctagagtcta tttaaatctc  138240
ttaaaccata atttataata tgagatttca caagatacac ttgtggctct gagttatttc  138300
aaaactgata tttctgtgca ttctgacatt ttattccttt tagaaacaaa ttcagttggc  138360
tgtagaatta atatcgttct gcttaacaac tttgtgcatg acatattaac tgattttgtt  138420
gtatttcatg atttaaaaaa aaaagcagca gctctggaac tcagattcct gggggttcag  138480
atttttctc agtggatcct cacacaatac atctttatct aagtccatac atgatctgag  138540
tttatttctg atatagcagg aacccaaatt ctcctgaaaa cgaacaggga agagaaaata  138600
acagtctact ctataccagc ttatcttaat tcagactaat tggtagttag ggcattggag  138660
gaatggtgtg aattcttgaa agtagatttt cgctgtctgc tggaaaactc tgcctgaaat  138720
ccccaaatct gcctcatgta acagcttgac atctttggtg ggaaacctgc catttcttat  138780
tcatagtgtc tccaggcaac caagacaaaa atgtagaaat tttcctagac tttgccctct  138840
ctttcatcat cagttttcta ttagttttac ttcctaaaat cctcctgctg acatcctctt  138900
cccttcaacc caagagccaa tgactcaacc tctaccgttg cccaccctgt ctattagctg  138960
gccttcctct catttcagac ctgaacagat tctgtaggat acaacgacag taaggcggtc  139020
cttagtcaca gttctggttc ataaatagcg aggtcagcat ttaggactga gacctaaaga  139080
agtgcttcag ataaaaatca tgagtctaag tccaaaattg atactgtaat ccaaatgact  139140
gaataaagaa taaagttgca gcgtgtgtct aaagcagaaa gtcaagatgc caacaaagca  139200
gaaaagttgg agagggccac cagcaagtct agaacttgag catagatatc catggcttat  139260
tttagatggt tcatgtatgc tctgcaaaat tcaaagacag cttcgggctt tctccgctga  139320
taaagttttg ttgtaaaaga cagacataga agtcaggctg acagaaaata gagtaacagt  139380
aatcataaaa attataatat cagctagcat ttattgaaat cttaccatgt gtattctgag  139440
gcctttaaat atatgaactt aaacctcaca acatccctgt aatgttggta ctatcattat  139500
atacatttta gttttgcttt gttttgtttt gtttttgaga cggagtctcg ctctgtcgcc  139560
caggctggag tgcagtggca cgatcttggc tcactgcaag ctcagcctcc aacagtcaca  139620
gagagattgt gcaactggcc cgagtgcaca cagcaacaga gcctactttt tgaccaaaag  139680
aggccgaatt ctcaaccact atactgtaga gcctctgtac atgatagaag caataactga  139740
acctcagtaa ctctgtggaa gtgatttgta atttgcatgt cgtttcaagc acactctata  139800
tctatatttt attctattaa cttcctaagt ctttttaatg aatagcaaaa aaagtatatt  139860
tcagcattat caatttaagt taatcataac atctaatagg tgacatgttt atttttttcat  139920
gagttctaat tacattttca agttaagatc actgacttat tccctaagtg ctcgatctaa  139980
tgttctgaat cacaggagta tagatgcatt attcaccaat attgtttact tttttaaata  140040
agatttttt tcatggtaga atcatcatat acattcaaaa aggtagacaa aagagagaca  140100
ctcacagtgt cactgttacc aagtgccagg acagatatca gtaaggcacc agcagtcatt  140160
tttagtgatc aaataccaaa catggtaaga taccagagta tttttcacat gacacccaaa  140220
aacatattct ctgctatcgt ggtagagcag aaaaagaaca ctttcttttc attttacagt  140280
```

-continued

```
atattacgaa cctgttccac gtcattaaat attcttctaa aaacccaatt ttggaataat  140340
attctatttt attcatatac tgtaatttag ctaatcaatc ttgtattttt gaacatttag  140400
gtttttttcca atttttatca ttataaaaaa tgctgtaatt aacatcctta tttgttcatg  140460
tccacatttc tttttatgaa aattcagaga aaggaaatgt ctggaccaaa tggcatgtac  140520
aatattaaca cttctgttat gtggtttcat attctgcaga aatattactg ccacttctac  140580
attgtacaag agatctcata gccctaaaca tttgctttca tagataattt tctgtttttt  140640
agaaatcttt tgtctctttg gttatagaaa aagagaacct ctttttaatt ttatttttta  140700
aattactagt caggttgaat gtttcttgtt cctaggtcat taacagtttt tattttggca  140760
attgtctaca gcccattttt ctgctgtgtt cattttctaa tcgaattatg ggatttatct  140820
tgtaaaaagc ctattaagcc tttttcatac tttacacaag agatcacatc tacttacttt  140880
accttaaaat aacatttact tattttctta taaaagtaat atattatgtt tgaaaagaaa  140940
aataatatgc aataatatac aataatatgt ataatcataa tagacaataa taaaaatgaa  141000
aaaacaccaa ccagaggtaa ttaacattaa catcataata ttcttccagg ctttttcaga  141060
tagacaggta ggtaagtagg ttggtaggta aatagataga tagatgatac atagagagag  141120
atagatagat aatttaaaca aaaataagat catactgcta cattacttca agccttgctt  141180
ttatcactta atatatctta aacatcttct acatgaacaa gtattcatgt gcaacattaa  141240
ttttgatggt tgaatagtat tatacagatt tatcgtaatt gacataacta ttctactgtt  141300
agacatttgg tttatttcta tttttccatt ataaaatgta atgtttggat catcctgttg  141360
ctaaattttg taagcattta tcttaagtga tttctttagc tataactcct agaagtgaaa  141420
tttctagatt aaaggataaa tgcactttta atactttttta aatatattaa aaaattacct  141480
tcctgaatta ttttattaac atgtacctct cctagtcaga taagacagcc catttatttc  141540
agtctcacca atactgagta tagcatttta atcattgcca atataatagc taatagctta  141600
aagttatttc atagcttata tttacacttc tttaaatact aataaaattg aacattgttt  141660
aatgttttga ggatacttga ttggtgattt gcctcctact attatttttc tactgggtat  141720
atctttttct tgttgctttg taagagcact ttatatatta aggagttaaa ttttgtgata  141780
tatgtttcaa ctacttttat catgttaaaa atatagactt ctatttgtct tttattgtag  141840
gttttatcaa tcagaaaaga atgttgactt ttccgtccat tcagatgatt gtggcttttt  141900
tccctaatgg atttgttaat atgttcaatt gtatgaattt atttcctaat gtagcgatat  141960
ccttgtcttc taggaataaa ctttttgggc gaatcatatc aatcttctac ttaactacca  142020
aattaattta catatatttg catcaatatt aagttcataa aattaaaagt ttatcatttt  142080
catctctgtt agagttttgt attggcatta gcatttgtat tagcattgta ttaggaaaaa  142140
ctcaggagtt tttctctata atcttggtta gtttattttt aaataattgt tatttatgaa  142200
agtaatacat aaaaatgttg tttaaaaaaa ctcacaagag ggtaaaaatt aaaaaaataa  142260
taaaagttcc cttcttcctt ttcatctcta gtcccagcct aagtgctaac cacttcaccc  142320
atttatagtg ttagttcttc tggtgattac cagtgcaatt ctaacaaata ggtttgcatt  142380
tctctttctg aattgatcaa ttttttaaaa atatgcagca ctctgactca aactcccttt  142440
ctttttcctg agatatgtta acttctaatg ttatattgtt tatcacaact ttcacaaata  142500
tttctaaata aaggttacct actgattctg gattgtgcta cataaaatta gagcttccaa  142560
atttccctcc atcacttctc cctgctctct actctcacaa tcagtcaact atacacctat  142620
ttctacgctg tcaactatat gttcatttct atgaatctgt aatatttgca ttttgttctg  142680
gaacaaatta agatttaggt gctttgacta gattgattct aaacatcaaa aaacaaaaat  142740
aaaatatctg caattatgtg atcatgtatt tatgcattgc caaataatgg tattccatta  142800
ttttaatttg ataagataaa tttaatatac attaattctt atttcctcta ttttatggaa  142860
gaaatatttt taaaaatcac aaaactttta cattcgcttc tcttcctgat atttattttt  142920
cctttttctt ctgcctctct tctttcgtgc cctttttttcc gaaaattatt ttgatgattt  142980
tttttattca ccatacataa ttacaaatga agagttgctc tggttcgtat tggtagtaga  143040
agtggggtcc ctttgctgtt ttgttggtat attcacccag tgtgacctct tttccgtggg  143100
atggctacct ctgggctctg attatgtggc tcatagggaa gtataggcag cctgagtcag  143160
aatccccaca gttccaaagt gatggaagac tgtactctga gatacaatat tttgacgtat  143220
ttcactccca gggagagcta cttgctattc tttcactgct tccattaccc aaaagagtat  143280
gatattctcc ccattttctg tattgcctca cacctaggac ccttcaaacc cacaccaacg  143340
acctctcagg caaattgatc tattcagata gcagtttaca gggatagaca tgaggcctct  143400
tggcccacct gctctataca caatcttcta gtcgaccatc ctgattgaca acccacagcc  143460
cacccctgtc tctgtatttg ctgactcaga gcatggagac tttatacatg tgaaatcaca  143520
tctcccctcc cctcacgctt ggcttgtgtg tattgcaaaa gctgcaattt agtttttcct  143580
gtgccttgtc ttacccatgg ataagaacac taagatactt tccgcttttt gaatatttgt  143640
caaagtgatg gcacttggat tggtttcagc atgtacatag attgattctt attcatatac  143700
atttactgtc atattgggga aatcttgagg ggaaaagaaa agcctcttac taccatgttc  143760
atcaagagtc ctctctggaa tagttgaaat agtttaggag ttatcggttc actccttcgt  143820
cttgtttgcc tccagatttc tttttttccttt cttttcctgt ttcttaatgt tggaacagcc  143880
cacacctcaa tccttggatg acatctccct tttatctgta ttcatcccta gtgatctctt  143940
ctggttgcaa ggctataaat gccatctgta tgctgagatt tttttatttt tagttcaaac  144000
ctctctcccc aactttacac tcacatttct aactgtgtgt tatagatgat agctttagat  144060
tctcctcctc aggactaggc tttctgcttg atctaggagc aaagctgaaa actgctatgg  144120
agcttggtgt tgccttgata ccgaggagga gtctcagagc ctctccagtg caaatacaca  144180
cttgcagtgt cctagtgctg ctgacttacg tactcattct aaagagggta gattgtatcc  144240
attttaatag ctctcaatac ccttgcccat tcccattaca gctggcagaa attccccagc  144300
tgcaaatggg ttgcatttat ctgttaccca ttcctgattt gcagcacgat tgactgtttc  144360
cttttctgcg tggtctatgt gtcactccat gagaatctgg gagaggagaa ctcgatatgg  144420
tgctcattcc atcattttaa ccatagtgtt ctttattgtg aagaggtatc ccggttagag  144480
tggagtcaaa gctttatagc aagtgtattt caggtaacta ttcttttact tgtttcagat  144540
ctatttcagt agcacagcca ccaagataga acacttataa gcccttattt tggtatagat  144600
caccagagaa accactcacc actcgcactt ggccttcagt actgagtcat tacatattgg  144660
aaggtcagaa actacatcaa caggaaagac ccataggtgt gggggtctga tatatttgcc  144720
agtacatttc ttatcattac aaacaaagat ttatgtgtgt ctagatgt               144768
```

-continued

```
SEQ ID NO: 78          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 78
gctagggtgg tcttttagaa atgca                                          25

SEQ ID NO: 79          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 79
ggtcaagcta gggtggtctt ttaga                                          25

SEQ ID NO: 80          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 80
ctgcaggaaa tggtcaagct agggt                                          25

SEQ ID NO: 81          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 81
gaagtggtga gtgacgctcc tgcag                                          25

SEQ ID NO: 82          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 82
gttaggaaga cagaagtggt gagtg                                          25

SEQ ID NO: 83          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
```

-continued

```
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 83
atcctggcaa aaactgttag gaaga                                          25

SEQ ID NO: 84           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 84
gtgggattca ggagcccgca ggatc                                          25

SEQ ID NO: 85           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 85
ggtgacattg tgggattcag gagcc                                          25

SEQ ID NO: 86           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 86
ggagccaaag gtgacattgt gggat                                          25

SEQ ID NO: 87           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 87
ggtcacaaag gagccaaagg tgaca                                          25

SEQ ID NO: 88           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 88
```

-continued

```
acagtgcagg gtcacaaagg agcca                                          25

SEQ ID NO: 89          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 89
ctgttgctgt acagtgcagg gtcac                                          25

SEQ ID NO: 90          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 90
gggacaggaa tgcctgttgc tgtac                                          25

SEQ ID NO: 91          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 91
caggtgatgg tggggacagg aatgc                                          25

SEQ ID NO: 92          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 92
ccgttttcaa tccaggtgat ggtgg                                          25

SEQ ID NO: 93          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 93
tgacactcac agcatttccg ttttc                                          25

SEQ ID NO: 94          moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
```

-continued

```
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 94
aagtccccac acacatgaca ctcac                                          25

SEQ ID NO: 95           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 95
ggtcttcccc agacaagtcc ccaca                                          25

SEQ ID NO: 96           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 96
actatgtcag tagatttgaa gggaa                                          25

SEQ ID NO: 97           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 97
tcccactata ctatgtcagt agatt                                          25

SEQ ID NO: 98           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 98
tcagtcaagg atttcccact atact                                          25

SEQ ID NO: 99           moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
```

-continued

```
                        note = 2-prime-MOE modified sugar
SEQUENCE: 99
aaaagaactc agtcaaggat ttccc                                          25

SEQ ID NO: 100          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 100
gtaaaggaaa ataaaagaac tcagt                                          25

SEQ ID NO: 101          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 101
aacctgacag agtaaaggaa aataa                                          25

SEQ ID NO: 102          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 102
ggacccagaa gaaacctgac agagt                                          25

SEQ ID NO: 103          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 103
cactctcttg aatggaccca gaaga                                          25

SEQ ID NO: 104          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 104
cactcggtct ttcacactct cttga                                          25

SEQ ID NO: 105          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
```

-continued

```
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 105
gtcttgagtc aatcactcgg tcttt                                          25

SEQ ID NO: 106          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 106
gataaacagc tgcagtcttg agtca                                          25

SEQ ID NO: 107          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 107
agtcctggct tggtgataaa cagct                                          25

SEQ ID NO: 108          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 108
atgtgtagag tcctggcttg gtgat                                          25

SEQ ID NO: 109          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 109
gtagctatgc atgtgtagag tcctg                                          25

SEQ ID NO: 110          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
```

-continued

```
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 110
tgcttattgg tagctatgca tgtgt                                          25

SEQ ID NO: 111         moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 111
acttctcccc atgcttattg gtagc                                          25

SEQ ID NO: 112         moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 112
ccttggcagt actgaacttc tcccc                                          25

SEQ ID NO: 113         moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 113
cctgctatgc tgatggtggc tgcag                                          25

SEQ ID NO: 114         moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 114
gggcatccta cctgctatgc tgatg                                          25

SEQ ID NO: 115         moltype = DNA  length = 25
FEATURE                Location/Qualifiers
source                 1..25
                       mol_type = other DNA
                       organism = Homo sapiens
modified_base          1..25
                       mod_base = OTHER
                       note = Phosphorothioate linkage
modified_base          1..25
                       mod_base = OTHER
                       note = 2-prime-MOE modified sugar
SEQUENCE: 115
gcaaatgtga aggggcatcc tacct                                          25
```

-continued

```
SEQ ID NO: 116          moltype = AA  length = 91
FEATURE                 Location/Qualifiers
source                  1..91
                        mol_type = protein
                        organism = Homo sapiens
SEQUENCE: 116
ARILRAPESH NVTFGSFVTL HCTATGIPVP TITWIENGNA VSSGSIQESV KDRVIDSRLQ  60
LFITKPGLYT CIATNKHGEK FSTAKAAATI S                                 91

SEQ ID NO: 117          moltype = AA  length = 91
FEATURE                 Location/Qualifiers
source                  1..91
                        mol_type = protein
                        organism = Mus musculus
SEQUENCE: 117
ARILRAPESH NVTFGSFVTL RCTAIGIPVP TISWIENGNA VSSGSIQESV KDRVIDSRLQ  60
LFITKPGLYT CIATNKHGEK FSTAKAAATV S                                 91

SEQ ID NO: 118          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 118
cctgcaagtg aagatgaaac ctaaa                                        25

SEQ ID NO: 119          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 119
atgaatcctc aagctcccag a                                            21

SEQ ID NO: 120          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 120
ggctcctgaa tcccacaatg                                              20

SEQ ID NO: 121          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 121
gaatggaccc agaagaaaca gca                                          23

SEQ ID NO: 122          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 122
cctcaacgac cactttgtca                                              20

SEQ ID NO: 123          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 123
ttactccttg gaggccatgt                                              20

SEQ ID NO: 124          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 124
cgaagctgaa gcaggagaag                                              20

SEQ ID NO: 125          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
```

-continued

```
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 125
tttgtgggac agcatggatg                                                20

SEQ ID NO: 126          moltype = RNA  length = 65
FEATURE                 Location/Qualifiers
source                  1..65
                        mol_type = other RNA
                        organism = synthetic construct
SEQUENCE: 126
actctgtcag gtttcttctg ggtccattca agagagtgtg aaagaccgag tgattgactc  60
aagac                                                                65

SEQ ID NO: 127          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 127
ttgaatggac ccagaagaaa                                                20

SEQ ID NO: 128          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 128
cttgaatgga cccagaagaa                                                20

SEQ ID NO: 129          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 129
tcttgaatgg acccagaaga                                                20

SEQ ID NO: 130          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 130
ctcttgaatg gacccagaag                                                20

SEQ ID NO: 131          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 131
tctcttgaat ggacccagaa                                                20

SEQ ID NO: 132          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 132
ctctcttgaa tggacccaga                                                20

SEQ ID NO: 133          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 133
actctcttga atggacccag                                                20

SEQ ID NO: 134          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
```

-continued

```
SEQUENCE: 134
cactctcttg aatggaccca                                                20

SEQ ID NO: 135          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 135
acactctctt gaatggaccc                                                20

SEQ ID NO: 136          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 136
cacactctct tgaatggacc                                                20

SEQ ID NO: 137          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 137
tcacactctc ttgaatggac                                                20

SEQ ID NO: 138          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 138
ttcacactct cttgaatgga                                                20

SEQ ID NO: 139          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 139
tttcacactc tcttgaatgg                                                20

SEQ ID NO: 140          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 140
ctttcacact ctcttgaatg                                                20

SEQ ID NO: 141          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 141
tctttcacac tctcttgaat                                                20

SEQ ID NO: 142          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 142
gtctttcaca ctctcttgaa                                                20

SEQ ID NO: 143          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
```

-continued

```
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 143
ttgaatggac ccagaagaaa                                                20

SEQ ID NO: 144          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 144
cttgaatgga cccagaagaa                                                20

SEQ ID NO: 145          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 145
tcttgaatgg acccagaaga                                                20

SEQ ID NO: 146          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 146
ctcttgaatg gacccagaag                                                20

SEQ ID NO: 147          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 147
tctcttgaat ggacccagaa                                                20

SEQ ID NO: 148          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 148
ctctcttgaa tggacccaga                                                20

SEQ ID NO: 149          moltype = DNA  length = 20
```

-continued

```
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 149
actctcttga atggacccag                                              20

SEQ ID NO: 150          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 150
cactctcttg aatggaccca                                              20

SEQ ID NO: 151          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 151
acactctctt gaatggaccc                                              20

SEQ ID NO: 152          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 152
cacactctct tgaatggacc                                              20

SEQ ID NO: 153          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 153
tcacactctc ttgaatggac                                              20

SEQ ID NO: 154          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
```

-continued

```
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 154
ttcacactct cttgaatgga                                                20

SEQ ID NO: 155          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 155
tttcacactc tcttgaatgg                                                20

SEQ ID NO: 156          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 156
ctttcacact ctcttgaatg                                                20

SEQ ID NO: 157          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 157
tctttcacac tctcttgaat                                                20

SEQ ID NO: 158          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..20
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..20
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 158
gtctttcaca ctctcttgaa                                                20

SEQ ID NO: 159          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 159
ccagaagaaa cctgacagag taaag                                          25

SEQ ID NO: 160          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
```

-continued

```
SEQUENCE: 160
acccagaaga aacctgacag agtaa                                          25

SEQ ID NO: 161          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 161
atggacccag aagaaacctg acaga                                          25

SEQ ID NO: 162          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 162
gaatggaccc agaagaaacc tgaca                                          25

SEQ ID NO: 163          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 163
cttgaatgga cccagaagaa acctg                                          25

SEQ ID NO: 164          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 164
ctcttgaatg gacccagaag aaacc                                          25

SEQ ID NO: 165          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 165
ctctcttgaa tggacccaga agaaa                                          25

SEQ ID NO: 166          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 166
cacactctct tgaatggacc cagaa                                          25

SEQ ID NO: 167          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 167
ttcacactct cttgaatgga cccag                                          25

SEQ ID NO: 168          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 168
ccagaagaaa cctgacagag taaag                                          25

SEQ ID NO: 169          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
```

-continued

```
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 169
acccagaaga aacctgacag agtaa                                          25

SEQ ID NO: 170          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 170
atggacccag aagaaacctg acaga                                          25

SEQ ID NO: 171          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 171
gaatggaccc agaagaaacc tgaca                                          25

SEQ ID NO: 172          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 172
cttgaatgga cccagaagaa acctg                                          25

SEQ ID NO: 173          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 173
ctcttgaatg gacccagaag aaacc                                          25

SEQ ID NO: 174          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
```

-continued

```
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 174
ctctcttgaa tggacccaga agaaa                                          25

SEQ ID NO: 175          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 175
cacactctct tgaatggacc cagaa                                          25

SEQ ID NO: 176          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..25
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..25
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 176
ttcacactct cttgaatgga cccag                                          25

SEQ ID NO: 177          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 177
acccagaaga aacctgacag agt                                            23

SEQ ID NO: 178          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 178
ccagaagaaa cctgacagag t                                              21

SEQ ID NO: 179          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 179
ggacccagaa gaaacctgac aga                                            23

SEQ ID NO: 180          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 180
acccagaaga aacctgacag a                                              21

SEQ ID NO: 181          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 181
ggacccagaa gaaacctgac a                                              21

SEQ ID NO: 182          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
```

-continued

```
                      mol_type = other DNA
                      organism = Homo sapiens
SEQUENCE: 182
gaatggaccc agaagaaacc tga                                          23

SEQ ID NO: 183        moltype = DNA  length = 21
FEATURE               Location/Qualifiers
source                1..21
                      mol_type = other DNA
                      organism = Homo sapiens
SEQUENCE: 183
atggacccag aagaaacctg a                                            21

SEQ ID NO: 184        moltype = DNA  length = 23
FEATURE               Location/Qualifiers
source                1..23
                      mol_type = other DNA
                      organism = Homo sapiens
SEQUENCE: 184
ttgaatggac ccagaagaaa cct                                          23

SEQ ID NO: 185        moltype = DNA  length = 21
FEATURE               Location/Qualifiers
source                1..21
                      mol_type = other DNA
                      organism = Homo sapiens
SEQUENCE: 185
gaatggaccc agaagaaacc t                                            21

SEQ ID NO: 186        moltype = DNA  length = 21
FEATURE               Location/Qualifiers
source                1..21
                      mol_type = other DNA
                      organism = Homo sapiens
SEQUENCE: 186
ttgaatggac ccagaagaaa c                                            21

SEQ ID NO: 187        moltype = DNA  length = 23
FEATURE               Location/Qualifiers
source                1..23
                      mol_type = other DNA
                      organism = Homo sapiens
SEQUENCE: 187
ctcttgaatg gacccagaag aaa                                          23

SEQ ID NO: 188        moltype = DNA  length = 21
FEATURE               Location/Qualifiers
source                1..21
                      mol_type = other DNA
                      organism = Homo sapiens
SEQUENCE: 188
cttgaatgga cccagaagaa a                                            21

SEQ ID NO: 189        moltype = DNA  length = 23
FEATURE               Location/Qualifiers
source                1..23
                      mol_type = other DNA
                      organism = Homo sapiens
SEQUENCE: 189
ctctcttgaa tggacccaga aga                                          23

SEQ ID NO: 190        moltype = DNA  length = 21
FEATURE               Location/Qualifiers
source                1..21
                      mol_type = other DNA
                      organism = Homo sapiens
SEQUENCE: 190
ctctcttgaa tggacccaga a                                            21

SEQ ID NO: 191        moltype = DNA  length = 21
FEATURE               Location/Qualifiers
source                1..21
                      mol_type = other DNA
                      organism = Homo sapiens
SEQUENCE: 191
ctcttgaatg gacccagaag a                                            21
```

-continued

```
SEQ ID NO: 192          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 192
cactctcttg aatggaccca gaa                                            23

SEQ ID NO: 193          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
SEQUENCE: 193
cactctcttg aatggaccca g                                              21

SEQ ID NO: 194          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..23
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..23
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 194
acccagaaga aacctgacag agt                                            23

SEQ ID NO: 195          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..21
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..21
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 195
ccagaagaaa cctgacagag t                                              21

SEQ ID NO: 196          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..23
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..23
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 196
ggacccagaa gaaacctgac aga                                            23

SEQ ID NO: 197          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..21
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..21
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 197
acccagaaga aacctgacag a                                              21

SEQ ID NO: 198          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
```

-continued

```
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..21
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..21
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 198
ggacccagaa gaaacctgac a                                          21

SEQ ID NO: 199          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..23
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..23
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 199
gaatggaccc agaagaaacc tga                                        23

SEQ ID NO: 200          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..21
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..21
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 200
atggacccag aagaaacctg a                                          21

SEQ ID NO: 201          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..23
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..23
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 201
ttgaatggac ccagaagaaa cct                                        23

SEQ ID NO: 202          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..21
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..21
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 202
gaatggaccc agaagaaacc t                                          21

SEQ ID NO: 203          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..21
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..21
```

-continued

```
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 203
ttgaatggac ccagaagaaa c                                                 21

SEQ ID NO: 204          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..23
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..23
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 204
ctcttgaatg gacccagaag aaa                                               23

SEQ ID NO: 205          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..21
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..21
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 205
cttgaatgga cccagaagaa a                                                 21

SEQ ID NO: 206          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..23
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..23
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 206
ctctcttgaa tggacccaga aga                                               23

SEQ ID NO: 207          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..21
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..21
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 207
ctctcttgaa tggacccaga a                                                 21

SEQ ID NO: 208          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..21
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..21
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 208
ctcttgaatg gacccagaag a                                                 21

SEQ ID NO: 209          moltype = DNA  length = 23
```

-continued

```
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..23
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..23
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 209
cactctcttg aatggaccca gaa                                          23

SEQ ID NO: 210          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = Homo sapiens
modified_base           1..21
                        mod_base = OTHER
                        note = Phosphorothioate linkage
modified_base           1..21
                        mod_base = OTHER
                        note = 2-prime-MOE modified sugar
SEQUENCE: 210
cactctcttg aatggaccca g                                            21

SEQ ID NO: 211          moltype = RNA  length = 71
FEATURE                 Location/Qualifiers
source                  1..71
                        mol_type = other RNA
                        organism = synthetic construct
SEQUENCE: 211
ggggagaagt tcagtactgc caaggctgca gccaccatca gcatagcagg taggatgccc  60
cttcacattt g                                                       71

SEQ ID NO: 212          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 212
tttcttctgg gtccattcaa                                              20

SEQ ID NO: 213          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 213
ttcttctggg tccattcaag                                              20

SEQ ID NO: 214          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 214
tcttctgggt ccattcaaga                                              20

SEQ ID NO: 215          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 215
cttctgggtc cattcaagag                                              20

SEQ ID NO: 216          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 216
ttctgggtcc attcaagaga                                              20
```

-continued

```
SEQ ID NO: 217          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 217
tctgggtcca ttcaagagag                                            20

SEQ ID NO: 218          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 218
ctgggtccat tcaagagagt                                            20

SEQ ID NO: 219          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 219
tgggtccatt caagagagtg                                            20

SEQ ID NO: 220          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 220
gggtccattc aagagagtgt                                            20

SEQ ID NO: 221          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 221
ggtccattca agagagtgtg                                            20

SEQ ID NO: 222          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 222
gtccattcaa gagagtgtga                                            20

SEQ ID NO: 223          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 223
tccattcaag agagtgtgaa                                            20

SEQ ID NO: 224          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 224
ccattcaaga gagtgtgaaa                                            20

SEQ ID NO: 225          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 225
cattcaagag agtgtgaaag                                            20

SEQ ID NO: 226          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
```

-continued

```
                        organism = synthetic construct
SEQUENCE: 226
attcaagaga gtgtgaaaga                                                20

SEQ ID NO: 227          moltype = DNA  length = 20
FEATURE                 Location/Qualifiers
source                  1..20
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 227
ttcaagagag tgtgaaagac                                                20

SEQ ID NO: 228          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 228
ctttactctg tcaggtttct tctgg                                          25

SEQ ID NO: 229          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 229
ttactctgtc aggtttcttc tgggt                                          25

SEQ ID NO: 230          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 230
tctgtcaggt ttcttctggg tccat                                          25

SEQ ID NO: 231          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 231
tgtcaggttt cttctgggtc cattc                                          25

SEQ ID NO: 232          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 232
caggtttctt ctgggtccat tcaag                                          25

SEQ ID NO: 233          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 233
ggtttcttct gggtccattc aagag                                          25

SEQ ID NO: 234          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 234
tttcttctgg gtccattcaa gagag                                          25

SEQ ID NO: 235          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 235
ttctgggtcc attcaagaga gtgtg                                          25
```

-continued

```
SEQ ID NO: 236          moltype = DNA  length = 25
FEATURE                 Location/Qualifiers
source                  1..25
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 236
ctgggtccat tcaagagagt gtgaa                                          25

SEQ ID NO: 237          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 237
actctgtcag gtttcttctg ggt                                            23

SEQ ID NO: 238          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 238
actctgtcag gtttcttctg g                                              21

SEQ ID NO: 239          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 239
tctgtcaggt ttcttctggg tcc                                            23

SEQ ID NO: 240          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 240
tctgtcaggt ttcttctggg t                                              21

SEQ ID NO: 241          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 241
tgtcaggttt cttctgggtc c                                              21

SEQ ID NO: 242          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 242
tcaggtttct tctgggtcca ttc                                            23

SEQ ID NO: 243          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 243
tcaggtttct tctgggtcca t                                              21

SEQ ID NO: 244          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 244
aggtttcttc tgggtccatt caa                                            23

SEQ ID NO: 245          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
```

-continued

```
                        organism = synthetic construct
SEQUENCE: 245
aggtttcttc tgggtccatt c                                          21

SEQ ID NO: 246          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 246
gtttcttctg ggtccattca a                                          21

SEQ ID NO: 247          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 247
tttcttctgg gtccattcaa gag                                        23

SEQ ID NO: 248          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 248
tttcttctgg gtccattcaa g                                          21

SEQ ID NO: 249          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 249
tcttctgggt ccattcaaga gag                                        23

SEQ ID NO: 250          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 250
ttctgggtcc attcaagaga g                                          21

SEQ ID NO: 251          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 251
tcttctgggt ccattcaaga g                                          21

SEQ ID NO: 252          moltype = DNA  length = 23
FEATURE                 Location/Qualifiers
source                  1..23
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 252
ttctgggtcc attcaagaga gtg                                        23

SEQ ID NO: 253          moltype = DNA  length = 21
FEATURE                 Location/Qualifiers
source                  1..21
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 253
ctgggtccat tcaagagagt g                                          21

SEQ ID NO: 254          moltype = RNA  length = 256
FEATURE                 Location/Qualifiers
source                  1..256
                        mol_type = other RNA
                        organism = Homo sapiens
SEQUENCE: 254
atggtctaat ttgcatttct aaaagaccac cctagcttga ccatttcctg caggagcgtc  60
actcaccact tctgtcttcc taacagtttt tgccaggatc ctgcgggctc ctgaatccca  120
```

-continued

```
caatgtcacc tttggctcct ttgtgaccct gcactgtaca gcaacaggca ttcctgtccc  180
caccatcacc tggattgaaa acggaaatgc tgtgagtgtc atgtgtgtgg ggacttgtct  240
ggggaagacc cattgg                                                  256

SEQ ID NO: 255          moltype = RNA  length = 272
FEATURE                 Location/Qualifiers
source                  1..272
                        mol_type = other RNA
                        organism = Homo sapiens
SEQUENCE: 255
atgcttttcc cttcaaatct actgacatag tatagtggga aatccttgac tgagttcttt  60
tattttcctt tactctgtca ggtttcttct gggtccattc aagagagtgt gaaagaccga  120
gtgattgact caagactgca gctgtttatc accaagccag gactctacac atgcatagct  180
accaataagc atggggagaa gttcagtact gccaaggctg cagccaccat cagcatagca  240
ggtaggatgc cccttcacat ttgcgttgtt cc                                272

SEQ ID NO: 256          moltype = RNA  length = 96
FEATURE                 Location/Qualifiers
source                  1..96
                        mol_type = other RNA
                        organism = Homo sapiens
SEQUENCE: 256
gactgagttc ttttattttc ctttactctg tcaggtttct tctgggtcca ttcaagagag  60
tgtgaaagac cgagtgattg actcaagact gcagct                            96

SEQ ID NO: 257          moltype = RNA  length = 176
FEATURE                 Location/Qualifiers
source                  1..176
                        mol_type = other RNA
                        organism = Homo sapiens
SEQUENCE: 257
gactgagttc ttttattttc ctttactctg tcaggtttct tctgggtcca ttcaagagag  60
tgtgaaagac cgagtgattg actcaagact gcagctgggg agaagttcag tactgccaag  120
gctgcagcca ccatcagcat agcaggtagg atgccccttc acatttgcgt tgttcc      176

SEQ ID NO: 258          moltype = DNA  length = 55
FEATURE                 Location/Qualifiers
source                  1..55
                        mol_type = other DNA
                        organism = synthetic construct
SEQUENCE: 258
agtggtgaag ctggaagttg aggaatggag taaaccacag aaagataaca aaggc       55
```

1. An oligonucleotide composition, comprising plurality of oligonucleotides:

the oligonucleotide composition being characterized in that, when it is contacted with a MuSK transcript in a transcript splicing system, relative amounts of transcripts that do not include Ig3 domain-encoding sequences are decreased as compared with such relative amounts observed under reference conditions selected from the group consisting of absence of the composition, presence of a reference composition, and combinations thereof;

wherein the oligonucleotides mediate skipping of exon 6 and/or exon 7 of a MuSK gene and MuSK splicing is altered in that level of MuSK transcripts including exons 6 and 7 is decreased or level of MuSK protein forms including sequences encoded by exons 6 and 7 is decreased, or both; and

wherein the base sequence of the oligonucleotides comprise a sequence having no more than 5 mismatches from a 18-25 base long portion of the MuSK gene or its complement.

2. (canceled)

3. The composition of claim **1**, wherein the exon skipping lowers levels of mRNAs encoding MuSK protein form that participate in BMP signaling compared with levels observed absent the exon skipping.

4-15. (canceled)

16. The composition of claim **1**, wherein MuSK splicing is altered in that level of MuSK transcripts including exons 3 and 4 remains substantially unchanged and level of MuSK transcripts including exons 6 and 7 is decreased.

17. (canceled)

18. The composition of claim **1**, wherein MuSK splicing is altered in that total level of MuSK transcripts remained substantially unchanged and level of MuSK transcripts including exons 6 and 7 is decreased.

19-23. (canceled)

24. The composition of claim **1**, wherein the level of MuSK transcripts including exons 6 and 7 or the level of MuSK protein forms including sequences encoded by exons 6 and 7, or both, decreases by greater than 60%, greater than 70%, greater than 80%, or greater than 90% and the level of MuSK transcripts including exons 3 and 4 or the level of MuSK protein forms including sequences encoded by exons 3 and 4, or both, decreases by less than 40%, less than 30%, less than 20%, or less than 10%.

25-31. (canceled)

32. The composition of claim **1**, wherein the oligonucleotides target a region on the MuSK genomic sequence corresponding to positions 83776-83800 and/or 83854-83878 of SEQ ID NO: 77.

33. The composition of claim **1**, wherein the oligonucleotides target a region on the MuSK genomic sequence within or comprising at least a portion of sequence ACTCTGTCAGGTTTCTTCTGGGTCCATT-CAAGAGAGTGTGAAAGACCGAGTGATTGA CTCAA-GAC (region 1, SEQ ID: 126).

34-36. (canceled)

37. The composition of claim **1**, wherein the oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 1, SEQ ID: 126.

38. The composition of claim **1**, wherein the oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 19 21-25 consecutive bases of region 1, SEQ ID: 126.

39-49. (canceled)

50. The composition of claim **1**, wherein the oligonucleotides target a region on the MUSK genomic sequence within or comprising at least a portion of sequence GGG-GAGAAGTTCAGTACTGCCAAGGCTGCAGCCAC-CATCAGCATAGCAGGTAGGAT GCCCCTTCACAT-TTG (region 2, SEQ ID 211).

51-53. (canceled)

54. The composition of claim **1**, wherein the oligonucleotides target a portion of MuSK transcript comprising a sequence that is identical to 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 consecutive bases of region 2, SEQ ID: 211.

55-97. (canceled)

98. The composition of claim **1**, wherein the base sequence of the oligonucleotide comprises from 5' to 3':

SEQ ID	Oligo ID	5' to 3' Sequence
1	Bld1	GCTAGGGTGGTCTTTTAGAAATGCA
2	Bld2	GGTCAAGCTAGGGTGGTCTTTTAGA
3	Bld3	CTGCAGGAAATGGTCAAGCTAGGGT
4	Bld4	GAAGTGGTGAGTGACGCTCCTGCAG
5	Bld5	GTTAGGAAGACAGAAGTGGTGAGTG
6	Bld6	ATCCTGGCAAAAACTGTTAGGAAGA
7	Bld7	GTGGGATTCAGGAGCCCGCAGGATC
8	Bld8	GGTGACATTGTGGGATTCAGGAGCC
9	Bld9	GGAGCCAAAGGTGACATTGTGGGAT
10	Bld10	GGTCACAAAGGAGCCAAAGGTGACA
11	Bld11	ACAGTGCAGGGTCACAAAGGAGCCA
12	Bld12	CTGTTGCTGTACAGTGCAGGGTCAC
13	Bld13	GGGACAGGAATGCCTGTTGCTGTAC
14	Bld14	CAGGTGATGGTGGGGACAGGAATGC
15	Bld15	CCGTTTTCAATCCAGGTGATGGTGG

-continued

SEQ ID	Oligo ID	5' to 3' Sequence
16	Bld16	TGACACTCACAGCATTTCCGTTTTC
17	Bld17	AAGTCCCCACACACATGACACTCAC
18	Bld18	GGTCTTCCCCAGACAAGTCCCCACA
19	Bld19	ACTATGTCAGTAGATTTGAAGGGAA
20	Bld20	TCCCACTATACTATGTCAGTAGATT
21	Bld21	TCAGTCAAGGATTTCCCACTATACT
22	Bld22	AAAAGAACTCAGTCAAGGATTTCCC
23	Bld23	GTAAAGGAAAATAAAAGAACTCAGT
24	Bld24	AACCTGACAGAGTAAAGGAAAATAA
25	Bld25	GGACCCAGAAGAAACCTGACAGAGT
26	Bld26	CACTCTCTTGAATGGACCCAGAAGA
27	Bld27	CACTCGGTCTTTCACACTCTCTTGA
28	Bld28	GTCTTGAGTCAATCACTCGGTCTTT
29	Bld29	GATAAACAGCTGCAGTCTTGAGTCA
30	Bld30	AGTCCTGGCTTGGTGATAAACAGCT
31	Bld31	ATGTGTAGAGTCCTGGCTTGGTGAT
32	Bld32	GTAGCTATGCATGTGTAGAGTCCTG
33	Bld33	TGCTTATTGGTAGCTATGCATGTGT
34	Bld34	ACTTCTCCCCATGCTTATTGGTAGC
35	Bld35	CCTTGGCAGTACTGAACTTCTCCCC
36	Bld36	CCTGCTATGCTGATGGTGGCTGCAG
37	Bld37	GGGCATCCTACCTGCTATGCTGATG
38	Bld38	GCAAATGTGAAGGGGCATCCTACCT
127	Bld51	TTGAATGGACCCAGAAGAAA
128	Bld52	CTTGAATGGACCCAGAAGAA
129	Bld53	TCTTGAATGGACCCAGAAGA
130	Bld54	CTCTTGAATGGACCCAGAAG
131	Bld55	TCTCTTGAATGGACCCAGAA
132	Bld56	CTCTCTTGAATGGACCCAGA
133	Bld57	ACTCTCTTGAATGGACCCAG
134	Bld58	CACTCTCTTGAATGGACCCA
135	Bld59	ACACTCTCTTGAATGGACCC
136	Bld60	CACACTCTCTTGAATGGACC
137	Bld61	TCACACTCTCTTGAATGGAC
138	Bld62	TTCACACTCTCTTGAATGGA
139	Bld63	TTTCACACTCTCTTGAATGG

-continued

SEQ ID	Oligo ID	5' to 3' Sequence
140	Bld64	CTTTCACACTCTCTTGAATG
141	Bld65	TCTTTCACACTCTCTTGAAT
142	Bld66	GTCTTTCACACTCTCTTGAA
159	Bld25-1	CCAGAAGAAACCTGACAGAGTAAAG
160	Bld25-2	ACCCAGAAGAAACCTGACAGAGTAA
161	Bld25-3	ATGGACCCAGAAGAAACCTGACAGA
162	Bld25-4	GAATGGACCCAGAAGAAACCTGACA
163	Bld25-5	CTTGAATGGACCCAGAAGAAACCTG
164	Bld26-1	CTCTTGAATGGACCCAGAAGAAACC
165	Bld26-2	CTCTCTTGAATGGACCCAGAAGAAA
166	Bld26-3	CACACTCTCTTGAATGGACCCAGAA
167	Bld26-4	TTCACACTCTCTTGAATGGACCCAG
177	Bld25-A	ACCCAGAAGAAACCTGACAGAGT
178	Bld25-B	CCAGAAGAAACCTGACAGAGT
179	Bld25-C	GGACCCAGAAGAAACCTGACAGA
180	Bld25-D	ACCCAGAAGAAACCTGACAGA
181	Bld25-E	GGACCCAGAAGAAACCTGACA
182	Bld25-5-A	GAATGGACCCAGAAGAAACCTGA
183	Bld25-5-B	ATGGACCCAGAAGAAACCTGA
184	Bld25-5-C	TTGAATGGACCCAGAAGAAACCT
185	Bld25-5-D	GAATGGACCCAGAAGAAACCT
186	Bld25-5-E	TTGAATGGACCCAGAAGAAAC
187	Bld26-2-A	CTCTTGAATGGACCCAGAAGAAA

-continued

SEQ ID	Oligo ID	5' to 3' Sequence
188	Bld26-2-B	CTTGAATGGACCCAGAAGAAA
189	Bld26-2-C	CTCTCTTGAATGGACCCAGAAGA
190	Bld26-2-D	CTCTCTTGAATGGACCCAGAA
191	Bld26-B	CTCTTGAATGGACCCAGAAGA
192	Bld26-C	CACTCTCTTGAATGGACCCAGAA, or
193	Bld26-D	CACTCTCTTGAATGGACCCAG.

99. The composition of claim **1**, wherein the oligonucleotide is complementary to a nucleotide sequence that is at least 90% identical to any one of SEQ ID NOs: 39-76 and 212-253.

100. The composition of claim **98**, wherein the oligonucleotides comprise one or more types of base modifications, sugar modification, and internucleotidic linkage modifications.

101-102. (canceled)

103. The composition of claim **100**, wherein the internucleotidic linkages of the oligonucleotide comprise natural phosphate, phosphorothioate, or phosphodithioate linkages.

104. The composition of claim **103**, wherein each internucleotidic linkage of the oligonucleotide is a phosphorothioate linkage.

105-108. (canceled)

109. The composition of claim **100**, wherein the oligonucleotides comprise one or more sugar modifications.

110. The composition of claim **105**, wherein the sugar modification is moiety has a 2'-modification.

111-112. (canceled)

113. The composition of claim **110**, wherein the 2'-modification is 2'-MOE.

114-118. (canceled)

119. The composition of claim **113**, wherein each sugar of the oligonucleotide is a 2'-MOE modified sugar.

120-124. (canceled)

125. The composition of claim **1**, wherein the oligonucleotide has the structure from 5' to 3' of:

Oligo ID	SEQ ID NO:	5' to 3' Sequence
Bld1	78	G*C*T*A*G*G*G*T*G*G*T*C*T*T*T*T*A*G*A*A*A*T*G*C*A
Bld2	79	G*G*T*C*A*A*G*C*T*A*G*G*G*T*G*G*T*C*T*T*T*T*A*G*A
Bld3	80	C*T*G*C*A*G*G*A*A*A*T*G*G*T*C*A*A*G*C*T*A*G*G*G*T
Bld4	81	G*A*A*G*T*G*G*T*G*A*G*T*G*A*C*G*C*T*C*C*T*G*C*A*G
Bld5	82	G*T*T*A*G*G*A*A*G*A*C*A*G*A*A*G*T*G*G*T*G*A*G*T*G
Bld6	83	A*T*C*C*T*G*G*C*A*A*A*A*A*C*T*G*T*T*A*G*G*A*A*G*A
Bld7	84	G*T*G*G*G*A*T*T*C*A*G*G*A*G*C*C*C*G*C*A*G*G*A*T*C
Bld8	85	G*G*T*G*A*C*A*T*T*G*T*G*G*G*A*T*T*C*A*G*G*A*G*C*C
Bld9	86	G*G*A*G*C*C*A*A*A*G*G*T*G*A*C*A*T*T*G*T*G*G*G*A*T
Bld10	87	G*G*T*C*A*C*A*A*A*G*G*A*G*C*C*A*A*A*G*G*T*G*A*C*A
Bld11	88	A*C*A*G*T*G*C*A*G*G*G*T*C*A*C*A*A*A*G*G*A*G*C*C*A

-continued

Oligo ID	SEQ ID NO:	5' to 3' Sequence
Bld12	89	C*T*G*T*T*G*C*T*G*T*A*C*A*G*T*G*C*A*G*G*G*T*C*A*C
Bld13	90	G*G*G*A*C*A*G*G*A*A*T*G*C*C*T*G*T*T*G*C*T*G*T*A*C
Bld14	91	C*A*G*G*T*G*A*T*G*G*T*G*G*G*G*A*C*A*G*G*A*A*T*G*C
Bld15	92	C*C*G*T*T*T*T*C*A*A*T*C*C*A*G*G*T*G*A*T*G*G*T*G*G
Bld16	93	T*G*A*C*A*C*T*C*A*C*A*G*C*A*T*T*T*C*C*G*T*T*T*T*C
Bld17	94	A*A*G*T*C*C*C*C*A*C*A*C*A*C*A*T*G*A*C*A*C*T*C*A*C
Bld18	95	G*G*T*C*T*T*C*C*C*C*A*G*A*C*A*A*G*T*C*C*C*C*A*C*A
Bld19	96	A*C*T*A*T*G*T*C*A*G*T*A*G*A*T*T*T*G*A*A*G*G*G*A*A
Bld20	97	T*C*C*C*A*C*T*A*T*A*C*T*A*T*G*T*C*A*G*T*A*G*A*T*T
Bld21	98	T*C*A*G*T*C*A*A*G*G*A*T*T*T*C*C*C*A*C*T*A*T*A*C*T
Bld22	99	A*A*A*A*G*A*A*C*T*C*A*G*T*C*A*A*G*G*A*T*T*T*C*C*C
Bld23	100	G*T*A*A*A*G*G*A*A*A*A*T*A*A*A*A*G*A*A*C*T*C*A*G*T
Bld24	101	A*A*C*C*T*G*A*C*A*G*A*G*T*A*A*A*G*G*A*A*A*A*T*A*A
Bld25	102	G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T
Bld26	103	C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A
Bld27	104	C*A*C*T*C*G*G*T*C*T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A
Bld28	105	G*T*C*T*T*G*A*G*T*C*A*A*T*C*A*C*T*C*G*G*T*C*T*T*T
Bld29	106	G*A*T*A*A*A*C*A*G*C*T*G*C*A*G*T*C*T*T*G*A*G*T*C*A
Bld30	107	A*G*T*C*C*T*G*G*C*T*T*G*G*T*G*A*T*A*A*A*C*A*G*C*T
Bld31	108	A*T*G*T*G*T*A*G*A*G*T*C*C*T*G*G*C*T*T*G*G*T*G*A*T
Bld32	109	G*T*A*G*C*T*A*T*G*C*A*T*G*T*G*T*A*G*A*G*T*C*C*T*G
Bld33	110	T*G*C*T*T*A*T*T*G*G*T*A*G*C*T*A*T*G*C*A*T*G*T*G*T
Bld34	111	A*C*T*T*C*T*C*C*C*C*A*T*G*C*T*T*A*T*T*G*G*T*A*G*C
Bld35	112	C*C*T*T*G*G*C*A*G*T*A*C*T*G*A*A*C*T*T*C*T*C*C*C*C
Bld36	113	C*C*T*G*C*T*A*T*G*C*T*G*A*T*G*G*T*G*G*C*T*G*C*A*G
Bld37	114	G*G*G*C*A*T*C*C*T*A*C*C*T*G*C*T*A*T*G*C*T*G*A*T*G
Bld38	115	G*C*A*A*A*T*G*T*G*A*A*G*G*G*G*C*A*T*C*C*T*A*C*C*T,
Bld51	143	T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A
Bld52	144	C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A
Bld53	145	T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A
Bld54	146	C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G
Bld55	147	T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A
Bld56	148	C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A
Bld57	149	A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G
Bld58	150	C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A
Bld59	151	A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C

-continued

Oligo ID	SEQ ID NO:	5' to 3' Sequence
Bld60	152	C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C
Bld61	153	T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C
Bld62	154	T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A
Bld63	155	T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G
Bld64	156	C*T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G
Bld65	157	T*C*T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T
Bld66	158	G*T*C*T*T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A
Bld25-1	168	C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T*A*A*A*G*
Bld25-2	169	A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T*A*A*
Bld25-3	170	A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*
Bld25-4	171	G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*
Bld25-5	172	C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*
Bld26-1	173	C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*
Bld26-2	174	C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*
Bld26-3	175	C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*
Bld26-4	176	T*T*C*A*C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*
Bld25-A	194	A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T
Bld25-B	195	C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A*G*T
Bld25-C	196	G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A
Bld25-D	197	A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A*G*A
Bld25-E	198	G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A*C*A
Bld25-5-A	199	G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A
Bld25-5-B	200	A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T*G*A
Bld25-5-C	201	T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T
Bld25-5-D	202	G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C*C*T
Bld25-5-E	203	T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A*C
Bld26-2-A	204	C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A
Bld26-2-B	205	C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A*A*A
Bld26-2-C	206	C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A
Bld26-2-D	207	C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A
Bld26-B	208	C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A*G*A
Bld26-C	209	C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G*A*A, or
Bld26-D	210	C*A*C*T*C*T*C*T*T*G*A*A*T*G*G*A*C*C*C*A*G.

wherein * represents a phosphorothioate linkage, and each sugar of the oligonucleotides is a 2'-MOE modified sugar.

126. An oligonucleotide composition comprising a mixture of two or more oligonucleotides according to claim **125**.

127. (canceled)

128. A pharmaceutical composition comprising a therapeutically effective amount of an oligonucleotide, and at least one pharmaceutically acceptable inactive ingredient selected from pharmaceutically acceptable diluents, pharmaceutically acceptable excipients, and pharmaceutically acceptable carriers, wherein the oligonucleotide comprises an oligonucleotide of claim **1**.

129-142. (canceled)

143. A method of treating a subject suffering from one or more features of neurodegenerative diseases, the method comprising a step of administering to a subject a pharmaceutical composition that comprises or delivers a composition of claim **1**.

144. (canceled)

145. A method of treating a subject suffering from one or more features of neuromuscular dysfunction or a muscular dystrophy, the method comprising a step of administering to a subject a pharmaceutical composition that comprises or delivers a composition of claim **1**.

146. (canceled)

147. A method of treating muscle fibrosis, the method comprising a step of administering to a subject a pharmaceutical composition that comprises or delivers a composition of claim **1**.

148-167. (canceled)

* * * * *