

1,530,863 A * 3/1925 Vanderveer B60B 1/08

(12) United States Design Patent (10) Patent No.:

(45) **Date of Patent:**

D236,610 S * D236,975 S *

D240,192 S *

D242,598 S *

D391,913 S * D396,208 S * D415,094 S *

D422,197 S *

6,186,433 B1*

D454,107 S

D455,702 S

D504,858 S

D506,967 S *

D507,224 S *

D520,437 S *

US D1,088,829 S

9/1975 Clement D12/209

 $9/1975 \quad Chatham \ \quad D12/209$

4/2000 Kovacik D8/359

2/2001 Kovacik B65H 75/40

3/2002 Chung D12/211

5/2005 Pfeiffer D12/209

7/2005 Kamimura D12/211

7/2005 Pfeiffer D12/211

5/2006 Scheu D12/211

Neeper D12/211

Cullen D12/211

** Aug. 19, 2025

| (54) | PULLEY | | | | | | | |
|------|--|--|--|--|--|--|--|--|
| (71) | Applicant: | CVF Motorsports, Inc., New Prague, MN (US) | | | | | | |
| (72) | Inventor: | Joseph K. Vail, Lonsdale, MN (US) | | | | | | |
| (73) | Assignee: | CVF Motorsports, Inc., New Prague, MN (US) | | | | | | |
| (**) | Term: | 15 Years | | | | | | |
| (21) | Appl. No.: | 29/945,135 | | | | | | |
| (22) | Filed: | May 31, 2024 | | | | | | |
| (51) | LOC (15) | Cl 08-11 | | | | | | |
| (52) | U.S. Cl. USPC | D8/360 | | | | | | |
| (58) | Field of Classification Search USPC D12/204, 209–212; D8/360, 360.1, | | | | | | | |
| | | | | | | | | |
| | D8/356–359 | | | | | | | |
| | CPC B65H 75/00; B65H 75/40; B60B 1/00; | | | | | | | |
| | | B60B 1/08; B60B 3/00 | | | | | | |

Primary Examiner — Sheryl Lane

(74) Attorney, Agent, or Firm — Fredrikson & Byron, P.A.

(Continued)

10/1999

4/2002

(57)

CLAIM The ornamental design for a pulley, as shown and described.

(56)References Cited

U.S. PATENT DOCUMENTS

See application file for complete search history.

| 1,037,812 A | * | 9/1912 | Voller B60B 3/10 |
|-------------|-----|---------|---------------------|
| | | | 301/64.202 |
| 1,129,617 A | * | 2/1915 | Woodworth B60B 3/02 |
| | | _,,_, | D12/205 |
| 1,175,315 A | * | 3/1916 | Smith B60B 3/04 |
| | | 5/4045 | D12/209 |
| 1,227,841 A | ąţ. | 5/1917 | D411140 |
| 4.054.050 | | =11010 | 301/64.202 |
| 1,271,068 A | ņ | 7/1918 | Oliver B60B 3/04 |
| 1 202 205 4 | al. | 10/1010 | 301/64.305 |
| 1,282,305 A | 4 | 10/1918 | Simmons B60B 3/10 |
| 1 404 202 4 | al. | 1/1000 | 301/11.1 |
| 1,404,382 A | ~ | 1/1922 | Fine B60B 1/00 |
| | | | 301/64.305 |

DESCRIPTION

FIG. 1 is a front perspective view of a pulley of my new

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;


FIG. 5 is a left side view thereof; FIG. 6 is a right side view thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

Where included, broken lines showing environment or structure are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D1,088,829 S Page 2

| (56) | | | Referen | ces Cited | D796,409 S * | | Zhao D12/211 |
|---------------|---------|------|---------|-----------------------|---------------------|---------|-----------------------|
| | | | | | D803,129 S * | | McMath D12/209 |
| | | U.S. | PATENT | DOCUMENTS | D814,377 S * | | Mueller D12/209 |
| | | | | | D817,840 S * | 5/2018 | Chung D12/209 |
| D: | 522,950 | S * | 6/2006 | Pfeiffer D12/211 | D823,214 S * | 7/2018 | Chung D12/209 |
| D: | 522,951 | S * | 6/2006 | Pfeiffer D12/211 | D825,430 S * | 8/2018 | Myrberg D12/209 |
| D: | 524,212 | S * | 7/2006 | Phillips D12/209 | D834,483 S * | 11/2018 | Johnson D12/209 |
| D: | 527,326 | S * | 8/2006 | Pfeiffer D12/209 | D845,860 S * | 4/2019 | Kulla D12/209 |
| D: | 530,256 | S * | 10/2006 | Pfeiffer D12/211 | D846,000 S | 4/2019 | Paddock |
| D: | 530,657 | S * | 10/2006 | Pfeiffer D12/211 | D859,258 S * | 9/2019 | Hale, Jr D12/209 |
| D: | 560,589 | S * | 1/2008 | Celik D12/211 | D859,271 S * | 9/2019 | Hejtmanek D12/211 |
| D: | 568,726 | S * | 5/2008 | Kohagen D8/375 | D865,615 S * | 11/2019 | Tran D12/209 |
| D | 615,916 | S * | | Leone D12/211 | D885,284 S * | 5/2020 | Han D12/209 |
| D | 632,239 | S * | 2/2011 | Gallert D12/211 | D894,812 S * | 9/2020 | Sempek D12/211 |
| D | 638,765 | S * | 5/2011 | Yoon D12/211 | D897,257 S * | 9/2020 | Tran D12/209 |
| D | 638,766 | S * | 5/2011 | Hilpert D12/211 | D908,069 S * | 1/2021 | Lee D12/211 |
| D | 649,101 | S * | 11/2011 | Hale, Jr D12/209 | D910,524 S * | 2/2021 | Han D12/209 |
| D | 659,063 | S * | 5/2012 | Johnson D12/209 | D922,293 S * | 6/2021 | Kaoud D12/209 |
| D | 668,198 | S * | 10/2012 | Platto D12/211 | D928,059 S * | 8/2021 | Han D12/209 |
| D | 671,061 | S * | 11/2012 | Dilber D12/211 | D942,348 S * | 2/2022 | Kleinschuster D12/209 |
| D | 671,062 | S * | 11/2012 | Dilber D12/211 | D949,079 S * | 4/2022 | Lee D12/209 |
| D | 671,483 | S * | 11/2012 | Chung D12/211 | D954,627 S * | 6/2022 | Sempek D12/209 |
| D | 673,100 | S * | 12/2012 | Mueller-Stolz D12/211 | D969,702 S * | 11/2022 | Sempek D12/208 |
| \mathbf{D}' | 704,122 | S * | 5/2014 | Chung D12/211 | D980,770 S * | 3/2023 | Sempek D12/209 |
| \mathbf{D}' | 714,708 | S * | 10/2014 | Chung D12/209 | D995,391 S * | 8/2023 | Tu D12/204 |
| \mathbf{D}' | 721,318 | S * | 1/2015 | Kim D12/211 | D1,017,499 S * | 3/2024 | Han D12/209 |
| \mathbf{D}' | 726,624 | S * | 4/2015 | Chung D12/211 | D1,033,318 S * | 7/2024 | Han D12/211 |
| \mathbf{D}' | 738,710 | S * | 9/2015 | | D1,042,281 S * | 9/2024 | Han D12/204 |
| D' | 751,480 | S * | 3/2016 | Chung D12/209 | D1,043,508 S * | 9/2024 | Han D12/209 |
| \mathbf{D}' | 754,582 | S * | 4/2016 | Kobayashi D12/209 | 2016/0288563 A1* | 10/2016 | Fukudome B60B 3/008 |
| \mathbf{D}' | 781,203 | S * | 3/2017 | Chung D12/211 | | | |
| D' | 782,950 | S * | 4/2017 | Hatton D12/209 | * cited by examiner | • | |




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8