US0D1089348S

(12) United States Design Patent

Stojanovski et al.

(10) Patent No.: US D1,089,348 S
(45) Date of Patent: ** Aug. 19, 2025

(54) **ROBOTIC ARM ASSEMBLY**

(71) Applicants: **Dimitrije Stojanovski**, Shelby Township, MI (US); **Marino Difelice**, Shelby Township, MI (US)

(72) Inventors: **Dimitrije Stojanovski**, Shelby Township, MI (US); **Marino Difelice**, Shelby Township, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/859,649**

(22) Filed: **Nov. 11, 2022**

(51) **LOC (15) Cl.** **15-99**

(52) **U.S. Cl.**
USPC **D15/199**

(58) **Field of Classification Search**
USPC D15/122, 199; D21/578; D34/34
CPC B25J 9/1674; B25J 9/1697; B25J 13/089; B25J 13/086; B25J 13/08; B25J 19/06; B25J 19/021; B25J 13/006; B25J 5/007; G05D 1/0022; G05D 1/0248; Y10S 901/01
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,496,279	A *	1/1985	Langer	B25J 9/046 901/29
4,789,292	A *	12/1988	Holcomb	B25J 15/0253 29/709
4,820,113	A *	4/1989	Farquhar	H05K 13/046 414/736
5,046,992	A *	9/1991	Tamai	B25J 9/042 474/84
6,060,853	A *	5/2000	Rongo	B25J 19/02 901/46
D712,448	S *	9/2014	Kasahara	D15/199
D1,029,272	S *	5/2024	Liao	D24/185
12,042,934	B1 *	7/2024	Klossok	F16M 11/08
2003/0053902	A1 *	3/2003	Yokota	H01L 21/68707 414/744.2
2003/0062858	A1 *	4/2003	Shimizu	B25J 9/1615 318/34
2003/0133780	A1 *	7/2003	Yokota	H01L 21/68707 414/744.2
2005/0183533	A1 *	8/2005	Tillmann	B25J 9/1015 74/490.03
2009/0071281	A1 *	3/2009	Fisk	B25J 19/023 901/29
2010/0290886	A1 *	11/2010	Hashimoto	B25J 11/0095 414/800

(Continued)

FOREIGN PATENT DOCUMENTS

WO	WO-2011069409	A1 *	6/2011	B25J 9/042

Primary Examiner — Patricia A Palasik

(57) **CLAIM**

The ornamental design for a robotic arm assembly, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of a robotic arm assembly according to the new design.
FIG. **2** is a back perspective view thereof.
FIG. **3** is a side perspective view thereof.
FIG. **4** is a side perspective view thereof.
FIG. **5** is a top perspective view thereof.
FIG. **6** is a bottom perspective view thereof.
FIG. **7** is a front elevation view thereof.
FIG. **8** is a back elevation view thereof.
FIG. **9** is a side elevation view thereof.
FIG. **10** is a side elevation view, rotated 90° to the left, thereof.
FIG. **11** is a top plan view of FIG. **1**; and,
FIG. **12** is a bottom plan view of FIG. **1**.
Dotted lines in the drawings are portions of the robot arm assembly which form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

2011/0067514	A1*	3/2011	Long	B25J 9/047 74/420
2011/0218423	A1*	9/2011	Hsieh	A61B 34/20 600/459
2015/0190933	A1*	7/2015	Kremerman	H01L 21/67742 414/806
2016/0067868	A1*	3/2016	Porter	B25J 15/04 74/490.06
2018/0243907	A1*	8/2018	Takeyama	B25J 15/103
2022/0022978	A1*	1/2022	Kapadia	A61B 34/30
2023/0041079	A1*	2/2023	Thompson	B05B 15/14

* cited by examiner

FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8





FIG. 9



FIG. 10

FIG. 11



FIG. 12