



US0D1089822S

(12) **United States Design Patent**
Bogdziewicz et al.

(10) **Patent No.:** **US D1,089,822 S**

(45) **Date of Patent:** **** Aug. 19, 2025**

(54) **CONTAINER INCLUDING LOCKING
MECHANISM WITH PAIR OF TABS**

(71) Applicant: **Altria Client Services LLC**,
Richmond, VA (US)

(72) Inventors: **William J. Bogdziewicz**, Richmond,
VA (US); **Christopher J. Hession**,
Mechanicsville, VA (US); **Bipin Patil**,
Richmond, VA (US)

(73) Assignee: **Altria Client Services LLC**,
Richmond, VA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/801,703**

(22) Filed: **Jul. 30, 2021**

(51) **LOC (15) Cl.** **27-06**

(52) **U.S. Cl.**

USPC **D27/186**; D9/432; D9/756

(58) **Field of Classification Search**

USPC D9/449, 455, 456, 499, 504, 737, 738,
D9/756, 772, 779, 780; D3/203.1, 203.2,
D3/203.3, 273, 294, 302, 304, 318, 319;
D19/102, 107; D27/172, 183, 186, 189
CPC .. A24F 9/16; A24F 13/14; A24F 15/00; A24F
15/12; A24F 15/20; A24F 23/00; A24F
23/02; B65D 25/04; B65D 43/022; B65D
43/16; B65D 43/162; B65D 43/22; B65D
50/046; B65D 51/18; B65D 55/02; B65D
85/10; B65D 2543/00194


See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,126,092 A 3/1964 Maron
3,749,230 A 7/1973 Foster
3,907,103 A 9/1975 Shaw
4,444,326 A 4/1984 Musel
4,511,032 A 4/1985 Bush
4,733,794 A 3/1988 Kent
4,746,008 A 5/1988 Heverly et al.

4,890,742 A 1/1990 Allison
4,964,661 A 10/1990 Cadwell et al.
5,267,668 A 12/1993 Jones
5,353,946 A 10/1994 Behrend
D354,653 S 1/1995 Melk
5,752,615 A * 5/1998 Hofmann B65D 50/04
220/4.23
D400,011 S 10/1998 Palmer et al.
6,021,901 A 2/2000 Wolfe
6,131,760 A 10/2000 Huang
D435,967 S 1/2001 Tiramani et al.
6,173,838 B1 1/2001 Brozell
D446,608 S * 8/2001 Goswell D28/83
6,394,300 B1 5/2002 Bosy
D464,567 S 10/2002 Baerenwald et al.
D466,408 S 12/2002 Baerenwald et al.
D469,607 S 2/2003 Wolff
D487,192 S 3/2004 Farnham et al.
D496,585 S 9/2004 McBride et al.
6,832,686 B2 12/2004 Donegan
D526,192 S 8/2006 Post
D561,995 S 2/2008 Poole
D592,399 S * 5/2009 Sage D3/295
7,549,541 B2 6/2009 Brozell et al.
7,617,935 B2 11/2009 Reilley et al.
7,661,534 B2 2/2010 Saclier et al.
D623,050 S 9/2010 Giraud et al.
D623,051 S 9/2010 Giraud et al.
D623,052 S 9/2010 Giraud et al.
D623,053 S 9/2010 Giraud et al.
8,033,425 B2 10/2011 Gelardi
8,096,411 B2 1/2012 Bailey et al.
8,162,144 B2 4/2012 Intini
D663,943 S 7/2012 Walsh et al.
D668,875 S 10/2012 Meng
D677,051 S 3/2013 Wolff
8,540,115 B2 9/2013 Giraud et al.
D690,588 S 10/2013 Pipes et al.
D701,456 S 3/2014 Farley et al.
8,678,189 B2 3/2014 Niggel et al.
D702,438 S 4/2014 Chen
8,689,978 B2 4/2014 Flood et al.
D704,442 S 5/2014 Chen
D714,552 S 10/2014 Jiang
8,875,877 B2 11/2014 Cottle et al.
D725,464 S 3/2015 Sawicki
D754,920 S 4/2016 Domon
9,445,631 B1 9/2016 Patel et al.
9,481,496 B2 11/2016 Cottle et al.
D801,685 S 11/2017 Meng
D807,639 S 1/2018 Peng et al.
D818,195 S * 5/2018 Burger D9/756
9,968,516 B2 5/2018 Rogers et al.



10,017,303	B2	7/2018	Wagner et al.	
10,046,887	B2	8/2018	Azelton et al.	
D834,819	S	12/2018	Burek et al.	
D837,049	S	1/2019	Sumiya et al.	
D852,616	S	7/2019	Thesing	
D858,276	S	9/2019	Blomberg et al.	
D858,989	S	9/2019	Kim	
D863,677	S	10/2019	Chung et al.	
10,463,075	B2	11/2019	Beardsall	
10,463,569	B2	11/2019	Wagner et al.	
D871,203	S *	12/2019	Koeppel	D9/414
10,543,965	B2	1/2020	Rehders	
10,596,066	B2	3/2020	Wagner et al.	
10,618,707	B2	4/2020	Straughan	
D887,703	S	6/2020	Charm	
D890,421	S	7/2020	Godwin, III et al.	
D896,519	S	9/2020	Cooper et al.	
10,780,022	B2	9/2020	Terhune et al.	
10,850,897	B2	12/2020	Charm	
10,954,044	B2	3/2021	Perdue et al.	
D945,146	S *	3/2022	Qian	D3/203.2
D973,361	S	12/2022	Li	
D1,006,429	S *	12/2023	Shi	D3/203.1
D1,010,442	S *	1/2024	Hession	D9/420
D1,011,876	S *	1/2024	Bogdziewicz	D9/420
D1,024,554	S *	4/2024	Ludlow	D3/203.1
D1,037,552	S	7/2024	Kakoun	
12,071,284	B2 *	8/2024	Hession	B65D 25/04
2004/0045858	A1	3/2004	Harrold	
2006/0186077	A1	8/2006	Robinson	
2009/0065383	A1	3/2009	Schardt et al.	
2009/0255842	A1	10/2009	Brozell et al.	
2009/0283437	A1	11/2009	Angelucci et al.	
2010/0140283	A1	6/2010	Brozell	
2011/0186579	A1	8/2011	Bailey et al.	
2011/0259783	A1	10/2011	Angelucci et al.	
2012/0211493	A1	8/2012	Daggett	
2013/0112587	A1	5/2013	Niggel et al.	
2015/0077958	A1	3/2015	Takayuki et al.	
2016/0270440	A1	9/2016	Patel et al.	
2017/0001764	A1	1/2017	Belleville	
2017/0137184	A1	5/2017	Burek et al.	
2017/0183133	A1	6/2017	Simonsen	
2018/0086518	A1	3/2018	Charm	
2018/0305092	A1	10/2018	Lucas, Jr.	
2018/0339815	A1	11/2018	Mooney et al.	
2019/0023461	A1	1/2019	Faragher	
2019/0270556	A1	9/2019	Patton et al.	
2019/0276196	A1	9/2019	French et al.	
2019/0344934	A1	11/2019	Faerber et al.	
2019/0367226	A1	12/2019	Charm	
2020/0060661	A1	2/2020	Goeckner et al.	
2020/0130903	A1	4/2020	Ornduff et al.	
2020/0148428	A1	5/2020	Georgiadis et al.	
2020/0156832	A1	5/2020	Perdue et al.	
2020/0317392	A1 *	10/2020	Stahl	B65D 11/10
2020/0323330	A1 *	10/2020	Patel	A45C 11/008
2020/0391420	A1	12/2020	Lucas, Jr. et al.	
2020/0407131	A1	12/2020	Lei	
2021/0122538	A1	4/2021	Knobel et al.	
2022/0363448	A1	11/2022	Bogdziewicz et al.	
2022/0363453	A1	11/2022	Bogdziewicz et al.	
2022/0363454	A1	11/2022	Hession et al.	
2022/0363455	A1	11/2022	Bogdziewicz et al.	
2022/0363459	A1	11/2022	Bogdziewicz et al.	
2023/0270628	A1 *	8/2023	Taylor	A61J 7/0084 206/534

FOREIGN PATENT DOCUMENTS

CA	2428862	A1	11/2004
CN	209814691	U	12/2019
DE	20022999	U1	10/2002
DE	20215367	U1	12/2002
EP	1088769	B1	11/2006
EP	3323310	A2	5/2018
GB	2374862	B	12/2004
GB	8094081000-1000	*	12/2016
WO	2007109166	A2	9/2007

WO	WO-2008/146171	A2	12/2008
WO	2009053693	A1	4/2009
WO	2018036961	A1	3/2018
WO	WO-2018/174975	A1	9/2018
WO	WO-2018/204794	A1	11/2018
WO	WO-2020-208275	A1	10/2020

OTHER PUBLICATIONS

Office Action, dated Jul. 10, 2024, issued in U.S. Appl. No. 17/320,932.

Standard 16 CFR Ch. II, 1700.2, Jan. 2012.

'Child-resistant packaging—Requirements and testing procedures for reclosable packages' International Standard ISO 8317:2015.

'Reclosable child-resistant packages' Canadian standard CAN/CSA Z76.1-16, Jul. 2017.

Notice of Allowance dated Aug. 16, 2023, issued in corresponding U.S. Appl. No. 29/783,833.

Office Action dated Dec. 21, 2022, issued in corresponding U.S. Appl. No. 17/320,932.

Mark Venables, Light Plastic and Industry Applications, Nov. 1, 2017, <https://www.automotivemanufacturingsolutions.com/light-and-plastic-industry/6530.article?adireir=1> (Year: 2007).

Office Action dated Dec. 12, 2022, issued in corresponding U.S. Appl. No. 17/389,553.

International Search Report and Written Opinion for PCT/US2022/036207 dated Jan. 20, 2023 (12 pages).

Office Action, dated Apr. 16, 2024, issued in U.S. Appl. No. 17/389,553.

Office Action, dated Nov. 20, 2024, issued in U.S. Appl. No. 17/389,553.

Office Action dated Jul. 6, 2023, issued in corresponding U.S. Appl. No. 17/389,553.

Office Action dated Jul. 11, 2023, issued in corresponding U.S. Appl. No. 17/320,932.

International Search Report and Written Opinion for PCT/US2022/022722 dated Jul. 15, 2022 (12 pages).

Office Action, dated Sep. 11, 2024, issued in U.S. Appl. No. 17/321,256.

Office Action issued Mar. 14, 2025 in U.S. Appl. No. 17/321,256.

Office Action dated Jul. 13, 2023 for U.S. Appl. No. 17/321,256.

Office Action dated Dec. 20, 2022 for U.S. Appl. No. 17/321,256.

"Living hinge", Wikipedia, The Free Encyclopedia, retrieved from URL https://en.wikipedia.org/w/index.php?title=Living_hinge&oldid=1156604882 on Jul. 7, 2023. (Year: 2023).

Office Action dated Dec. 20, 2024 issued in U.S. Appl. No. 29/801,723.

UK Office Action issued Jun. 13, 2025 in UK Design Nos. 6449798 and 6449799.

European Intention to Grant, dated May 26, 2025, issued in European Patent Application 22748616.4.

* cited by examiner

Primary Examiner — Amy C Wierenga

Assistant Examiner — Chariton Alexakis

(74) Attorney, Agent, or Firm — Harness, Dickey & Pierce, P.L.C.

(57)

CLAIM

The ornamental design for a container including locking mechanism with pair of tabs as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right-side perspective view of a container including locking mechanism with pair of tabs, in a closed configuration, showing the new design;

FIG. 23 is a bottom, back, right-side perspective view of the container including locking mechanism with pair of tabs, with the primary lid in the opened configuration;

FIG. 44 is another bottom, front, left-side perspective view of the container including locking mechanism with pair of tabs, with the secondary lid in the opened configuration;

FIG. 45 is a front elevation view of the container including locking mechanism with pair of tabs, with the secondary lid in the opened configuration;

FIG. 46 is a back elevation view of the container including locking mechanism with pair of tabs, with the secondary lid in the opened configuration;

FIG. 47 is a right-side view of the container including locking mechanism with pair of tabs, with the secondary lid in the opened configuration;

FIG. 48 is a left-side view of the container including locking mechanism with pair of tabs, with the secondary lid in the opened configuration;

FIG. 49 is a top view of the container including locking mechanism with pair of tabs, with the secondary lid in the opened configuration;

FIG. 50 is a bottom view of the container including locking mechanism with pair of tabs, with the secondary lid in the opened configuration;

FIG. 51 is a top, front, right-side perspective view of the container including locking mechanism with pair of tabs, with a primary lid and a secondary lid in an opened configuration;

FIG. 52 is a top, front, left-side perspective view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 53 is a top, back, right-side perspective view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 54 is a top, back, left-side perspective view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 55 is a bottom, front, right-side perspective view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 56 is a bottom, front, left-side perspective view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 57 is a bottom, back, right-side perspective view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 58 is a bottom, back, left-side perspective view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 59 is another bottom, back, right-side perspective view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 60 is another bottom, back, left-side perspective view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 61 is another bottom, front, right-side perspective view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 62 is another bottom, front, left-side perspective view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 63 is a front elevation view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 64 is a back elevation view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 65 is a right-side view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 66 is a left-side view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration;

FIG. 67 is a top view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration; and,

FIG. 68 is a bottom view of the container including locking mechanism with pair of tabs, with the primary lid and the secondary lid in the opened configuration.

While the figures do not presently include any broken lines, the inventors do contemplate broader scope of invention and changing any of the present solid lines to broken lines wherein the broken lines are for the purpose of illustrating portions of the article and form no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47





FIG. 48






FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63






FIG. 64








FIG. 67




FIG. 68