

US0D1089819S

(12) United States Design Patent (10) Patent No.: (45) Date of Patent:

(10) Patent No.: US D1,089,819 S

(45) Date of Patent: ** Aug. 19, 2025

(54)	ELECTRONIC ATOMIZING DEVICE					
(71)	Applicant:	HG INNOVATION LIMITED , Hong Kong (CN)				
(72)	Inventor:	Caihao Li, Hong Kong (CN)				
(73)	Assignee:	HG INNOVATION LIMITED , Hong Kong (CN)				
(**)	Term:	15 Years				
(21)	Appl. No.:	29/944,258				
(22)	Filed:	May 28, 2024				
(30)	Foreign Application Priority Data					
Apr. 12, 2024 (CN) 202430204217.9						
(51)	LOC (15)	Cl 27-02				
(52)	U.S. Cl.					
		D27/162				
(58)	Field of C	lassification Search				

•)	U.S. CI.
	USPC D27/162
3)	Field of Classification Search
	USPC D27/162, 100, 101, 163–165, 172, 174,
	D27/183, 185–194; D23/366; D24/110,
	D24/110.5; D9/516, 522, 523, 572
	CPC A24F 40/00; A24F 40/10; A24F 40/40;
	A24F 40/90; A24F 40/95; A61M 15/00;
	A61M 15/06

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

			Leidel D27/163
			Leidel D27/163
D819,882 S			Qiu D27/101
D871,666 S		12/2019	Qiu D27/163
D924,477 S	*	7/2021	Liu D27/162
D932,093 S	*	9/2021	Shi D27/162
D939,762 S	*	12/2021	Liu D27/162

D950,147	\mathbf{S}	*	4/2022	Yu	D27/162		
D953,619	S	*	5/2022	Liu	D27/162		
D953,620	S	*	5/2022	Liu	D27/162		
D953,621	\mathbf{S}	*	5/2022	Liu	D27/162		
D965,858	S	*	10/2022	Liu	D27/162		
D989,385	\mathbf{S}	*	6/2023	Hai	D27/162		
D1,000,693	\mathbf{S}	*	10/2023	Li	D27/162		
D1,002,096	\mathbf{S}	*	10/2023	Li	D27/162		
D1,002,097	\mathbf{S}	*	10/2023	Li	D27/162		
D1,005,574	\mathbf{S}	*	11/2023	Li	D27/162		
D1,006,318	\mathbf{S}	*	11/2023	Hai	D27/162		
D1,008,542	\mathbf{S}	*	12/2023	Zhu	D27/162		
D1,009,352	\mathbf{S}	*	12/2023	Li	D27/162		
D1,013,256	\mathbf{S}	*	1/2024	Liu	D27/162		
D1,013,945	\mathbf{S}	*	2/2024	Chai	D27/162		
D1,013,947	\mathbf{S}	*	2/2024	Hong	D27/162		
D1,018,963	S	*	3/2024	Liu	D27/162		
D1,020,072	S	*	3/2024	Shi	D27/162		
(Continued)							

(Continued)

Primary Examiner — Rebecca Tsehaye

(57) **CLAIM**

The ornamental design for an electronic atomizing device as shown and described.

DESCRIPTION

FIG. 1 is a bottom, front, and left side perspective view of an electronic atomizing device according to my new design; FIG. 2 is a top, rear, and right side perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side view thereof;


FIG. 6 is a right side view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The portion of the photograph shown in a lighter tonal value within the broken-line perimeter illustrates a portion of the electronic atomizing device that forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



US D1,089,819 S Page 2

(56) References Cited

U.S. PATENT DOCUMENTS

D1.020.073	S	*	3/2024	Sha	D27/162
	S	*	4/2024	Lin	D27/162
D1.023,442	Š	*	4/2024	Jason	D27/162
	\tilde{S}	*	4/2024	Shi	D27/162
	$\tilde{\mathbf{s}}$	*	4/2024	Jia	D27/162
,,	Š	*	4/2024	Chen	D27/162
	$\tilde{\mathbf{S}}$	*	5/2024	Peng	D27/162
	S	*	6/2024	Wang	D27/162
	S	*	6/2024	Dong	D27/162
	$\tilde{\mathbf{S}}$	*	6/2024	Li	D27/162
D1.032.082	S	*	6/2024	Lin	D27/162
D1.033.732	S	*	7/2024	Li	D27/162
D1,035,121	S	*	7/2024	Wang	D27/162
D1,035,122	S	*	7/2024	Dong	D27/162
D1,035,126	S	*	7/2024	Wen	D27/162
D1.035,992	S	*	7/2024	Chen	D27/162
D1,035,994	\mathbf{S}	*	7/2024	Chen	D27/162
D1,037,551	\mathbf{S}	*	7/2024	Lin	D27/162
D1,041,742	\mathbf{S}	*	9/2024	Dong	D27/162
D1,041,744	\mathbf{S}	*	9/2024	Li	D27/162
D1,042,949	\mathbf{S}	*	9/2024	Liu	D27/162
D1,044,116	\mathbf{S}	*	9/2024	Yang	D27/162
D1,044,119	S	*	9/2024	Chai	D27/162
D1,046,279	\mathbf{S}	*	10/2024	Cai	D27/162
D1,051,489	\mathbf{S}	*	11/2024	Li	D27/162
D1,059,675	S	*	1/2025	Shin	D27/162
D1,060,820	\mathbf{S}	*	2/2025	Guo	D27/162
D1,063,187	\mathbf{S}	*	2/2025	Yang	D27/162
	\mathbf{S}	*	2/2025	Peng	D27/162
	\mathbf{S}	*	2/2025	Chen	D27/162
	S	*	3/2025	Ouyang	D27/162
D1,071,322	\mathbf{S}	*	4/2025	Wang	D27/162
D1,073,179	S	*	4/2025	Cai	D27/162

^{*} cited by examiner



FIG. 1



FIG. 2

U.S. Patent Aug. 19, 2025 Sheet 3 of 8 US D1,089,819 S




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7

US D1,089,819 S




FIG. 8