



US0D1089506S

(12) **United States Design Patent**
Rinehart

(10) **Patent No.:** **US D1,089,506 S**

(45) **Date of Patent:** **** Aug. 19, 2025**

(54) **FIREARM TRIGGER CHOCK**

(71) Applicant: **Johnathon M. Rinehart**, Lima, OH
(US)

(72) Inventor: **Johnathon M. Rinehart**, Lima, OH
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/916,047**

(22) Filed: **Nov. 7, 2023**

(51) **LOC (15) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/108**

(58) **Field of Classification Search**

USPC D22/108; D8/330, 331, 334, 341
CPC F41A 17/02; F41A 17/54; F41A 17/46;
F41A 17/04; F41A 35/00; F41A 17/44;
F41A 17/00; F41A 17/30; F41A 17/48;
F41A 17/72; F41A 17/82

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,948,978 A * 8/1960 Salverda F41A 17/54
42/70.07
5,392,551 A * 2/1995 Simpson F41A 17/54
42/70.07
5,437,119 A * 8/1995 Womack F41A 17/54
42/70.07
5,450,684 A * 9/1995 Harris F41A 17/54
42/70.07
5,621,996 A * 4/1997 Mowl, Jr. F41A 17/063
42/70.07
5,647,158 A * 7/1997 Eskelinen F41A 17/54
42/70.07
5,724,760 A * 3/1998 Langner F41A 17/54
42/70.07

6,055,759 A * 5/2000 Langner F41A 17/02
42/70.07
6,336,283 B1 * 1/2002 Ortiz F41A 19/09
89/27.3
6,722,071 B1 * 4/2004 Lin F41A 17/02
42/70.07

(Continued)

Primary Examiner — Michael A. Pratt

(74) *Attorney, Agent, or Firm* — MIP Legal, Ltd.; Bryce
D. Miracle, Esq.

(57) **CLAIM**


The ornamental design for a firearm trigger chock as shown
and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of
a firearm trigger chock showing the new design;
FIG. 2 is a rear elevation view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a left-side elevation view thereof;
FIG. 5 is a right-side elevation view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a rear-side perspective view thereof;
FIG. 9 is a front perspective view of a second embodiment
of a firearm trigger chock showing the new design;
FIG. 10 is a rear elevation view thereof;
FIG. 11 is a front elevation view thereof;
FIG. 12 is a right-side elevation view thereof;
FIG. 13 is a left-side elevation view thereof;
FIG. 14 is a bottom plan view thereof;
FIG. 15 is a top plan view thereof;
FIG. 16 is a rear-side perspective view thereof; and,
FIG. 17 is an elevation front view of the second embodiment
of the firearm trigger chock shown with an environmental
firearm.

The broken lines in the drawings are for the purposes of
illustrating environmental subject matter that forms no part
of the claimed design.

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D712.999 S	9/2014	Clifton	
2006/0117633 A1 *	6/2006	Chang	F41A 17/02
			42/70.07

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17