

(12) **United States Design Patent** (10) **Patent No.:** **US D1,088,404 S**  
**Danelian** (45) **Date of Patent:** **\*\* Aug. 19, 2025**

(54) **FINGERNAIL-ACCOMMODATING GLOVE**

5,186,189 A 2/1993 Harris  
5,598,584 A \* 2/1997 Da Grossa ..... A41D 19/0013  
2/163

(71) Applicant: **Dany Danelian**, Spearfish, SD (US)

5,708,980 A 1/1998 LaManna et al.

(72) Inventor: **Dany Danelian**, Spearfish, SD (US)

(Continued)

(\*\*) Term: **15 Years**

**FOREIGN PATENT DOCUMENTS**

(21) Appl. No.: **29/989,869**

JP H03167817 A 7/1991  
JP 2017179683 A 10/2017  
WO 2021061609 A1 4/2021

(22) Filed: **Feb. 17, 2025**

*Primary Examiner* — Maria J. Edwards

**Related U.S. Application Data**

(57)

**CLAIM**

(60) Division of application No. 29/959,737, filed on Aug. 27, 2024, now Pat. No. Des. 1,066,863, which is a continuation-in-part of application No. 29/929,383, filed on Feb. 21, 2024, now Pat. No. Des. 1,049,550.

The ornamental design for a fingernail-accommodating glove, as shown and described.

(51) **LOC (15) Cl.** ..... **02-06**

**DESCRIPTION**

(52) **U.S. Cl.**

USPC ..... **D2/617**

(58) **Field of Classification Search**

USPC ..... D2/617–619, 621, 622; D29/113–115,  
D29/116.1, 116.2, 117.1, 117.2, 118,  
D29/120.1, 123

CPC . A63B 71/141; A63B 21/4019; A63B 71/146;  
A63B 71/145; A63B 23/16; A63B 71/14;  
A63B 21/4021; A63B 23/14; A41D  
19/015; A41D 19/0058; A41D 19/00;  
A41D 19/0062; A41D 19/01558; A41D  
19/0065; A41D 19/0082; A41D 19/0044;  
A41D 19/0048; A41D 19/0037; A41D  
2400/80; A41D 2600/10; A41D 19/01588

See application file for complete search history.

FIG. 1 is a top front perspective view of a fingernail-accommodating glove showing my new design; FIG. 2 is a bottom rear perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a right elevational view thereof; FIG. 8 is a left elevational view thereof; FIG. 9 is a top front perspective view thereof, wherein the fingernail-accommodating glove is shown with longer fingernail-accommodating sections; FIG. 10 is a bottom rear perspective view thereof; FIG. 11 is a front elevational view thereof; FIG. 12 is a rear elevational view thereof; FIG. 13 is a top plan view thereof; FIG. 14 is a bottom plan view thereof; FIG. 15 is a right elevational view thereof; and, FIG. 16 is a left elevational view thereof.

The dash-dash broken lines illustrate portions of the article and form no part of the claimed design. The dash-dot broken lines illustrate boundaries of the claimed design and form no part thereof.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,149,601 A \* 4/1979 Taylor ..... A01B 1/06  
30/298

4,966,174 A 10/1990 Stanczak

**1 Claim, 16 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D513,827	S *	1/2006	Ward .....	D2/619
6,981,283	B2	1/2006	Kujawski	
6,990,985	B1	1/2006	Allen et al.	
D869,123	S *	12/2019	Wood .....	D2/617
11,033,061	B2 *	6/2021	Braithwaite .....	A01B 1/06
12,089,671	B1 *	9/2024	Williams .....	A41D 19/002
D1,049,550	S *	11/2024	Danelian .....	D2/617
2001/0037814	A1	11/2001	Meinschewnk	
2021/0112894	A1	4/2021	Griffiths	

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15




FIG. 16