

# US Patent & Trademark Office

## Patent Public Search | Text View

---

United States Patent	12393010
Kind Code	B2
Date of Patent	August 19, 2025
Inventor(s)	Yorav Raphael; Noam et al.

---

### Distinguishing between entities in a blood sample

---

#### Abstract

Apparatus and methods are described including a microscope system configured to acquire first and second images of a blood sample at respective times. A computer processor determines whether, between acquisitions of the first and second images, there was motion of a given entity within the sample, by comparing the first and second images to one another. At least partially in response thereto, the computer processor distinguishes between the given entity being a non-parasitic entity and the given entity being a parasite, and generates an output on the output device, at least partially in response thereto. Other applications are also described.

---

**Inventors:** Yorav Raphael; Noam (Tekoa, IL), Greenfield; Yuval (Sunnyvale, CA), Pollak; Joseph Joel (Neve Daniel, IL), Bilu; Yonatan (Jerusalem, IL)

**Applicant:** S.D. Sight Diagnostics Ltd. (Tel Aviv, IL)

**Family ID:** 1000008765552

**Assignee:** S.D. Sight Diagnostics Ltd. (Tel Aviv, IL)

**Appl. No.:** 17/063320

**Filed:** October 05, 2020

#### Prior Publication Data

Document Identifier	Publication Date
US 20210018743 A1	Jan. 21, 2021

#### Related U.S. Application Data

continuation parent-doc US 14914329 US 10831013 WO PCT/IL2014/050770 20140826 child-doc US 17063320  
us-provisional-application US 61870106 20130826

---

## Publication Classification

**Int. Cl.:** G02B21/36 (20060101); G02B7/38 (20210101); G02B21/24 (20060101); G02B21/26 (20060101)

**U.S. Cl.:**

**CPC** G02B21/367 (20130101); G02B7/38 (20130101); G02B21/241 (20130101); G02B21/244 (20130101); G02B21/26 (20130101);

## Field of Classification Search

**CPC:** G02B (21/367); G02B (21/244); G02B (7/38); G02B (21/241); G02B (21/26)

**USPC:** 348/79

---

## References Cited

### U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
3203768	12/1964	Tiller et al.	N/A	N/A
3603156	12/1970	Konkol	N/A	N/A
3676076	12/1971	Grady	N/A	N/A
3786184	12/1973	Pieters	N/A	N/A
3916205	12/1974	Kleinerman	N/A	N/A
3967056	12/1975	Yata et al.	N/A	N/A
4030888	12/1976	Yamamoto	N/A	N/A
4076419	12/1977	Kleker	N/A	N/A
4097845	12/1977	Bacus	N/A	N/A
4199748	12/1979	Bacus	N/A	N/A
4209548	12/1979	Bacus	N/A	N/A
4350884	12/1981	Dieter	N/A	N/A
4453266	12/1983	Bacus	N/A	N/A
4454235	12/1983	Johnson	N/A	N/A
4494479	12/1984	Drury et al.	N/A	N/A
4580895	12/1985	Patel	N/A	N/A
4700298	12/1986	Palcic et al.	N/A	N/A
4761381	12/1987	Blatt et al.	N/A	N/A
4774192	12/1987	Terminiello et al.	N/A	N/A
4849340	12/1988	Oberhardt	N/A	N/A
4849430	12/1988	Fleet	N/A	N/A
4851330	12/1988	Kohne	N/A	N/A
4902101	12/1989	Fujihara et al.	N/A	N/A
5001067	12/1990	Coleman et al.	N/A	N/A
5064282	12/1990	Curtis	N/A	N/A
5229265	12/1992	Tometsko	N/A	N/A
5281517	12/1993	Bacus et al.	N/A	N/A
5300779	12/1993	Hillman et al.	N/A	N/A
5331958	12/1993	Oppenheimer	N/A	N/A

5376790	12/1993	Linker et al.	N/A	N/A
5430542	12/1994	Shepherd et al.	N/A	N/A
5470751	12/1994	Sakata	N/A	N/A
5499097	12/1995	Ortyn	356/615	G02B 21/26
5566249	12/1995	Rosenlof et al.	N/A	N/A
5625706	12/1996	Lee et al.	N/A	N/A
5663057	12/1996	Drocourt	N/A	N/A
5671288	12/1996	Wilhelm et al.	N/A	N/A
5672861	12/1996	Fairley et al.	N/A	N/A
5674457	12/1996	Williamsson et al.	N/A	N/A
5745804	12/1997	Iwane	N/A	N/A
5782770	12/1997	Mooradian et al.	N/A	N/A
5784162	12/1997	Cabib et al.	N/A	N/A
5827190	12/1997	Palcic et al.	N/A	N/A
5834217	12/1997	Levine et al.	N/A	N/A
5932872	12/1998	Price	N/A	N/A
5939709	12/1998	Ghislain et al.	N/A	N/A
5948686	12/1998	Wardlaw	N/A	N/A
5978497	12/1998	Lee et al.	N/A	N/A
5985595	12/1998	Krider et al.	N/A	N/A
5993702	12/1998	Davis	N/A	N/A
6005964	12/1998	Reid	N/A	N/A
6027695	12/1999	Oldenburg et al.	N/A	N/A
6064474	12/1999	Lee et al.	N/A	N/A
6074789	12/1999	Zelmnanovic et al.	N/A	N/A
6101404	12/1999	Yoon et al.	N/A	N/A
6235536	12/2000	Wardlaw	N/A	N/A
6262423	12/2000	Hell et al.	N/A	N/A
6262798	12/2000	Shepherd et al.	N/A	N/A
6320979	12/2000	Melen	N/A	N/A
6330348	12/2000	Kerschmann et al.	N/A	N/A
6339472	12/2001	Hafeman	N/A	N/A
6350613	12/2001	Wardlaw et al.	N/A	N/A
6448024	12/2001	Bruegger	N/A	N/A
6519355	12/2002	Nelson	N/A	N/A
6538249	12/2002	Takane et al.	N/A	N/A
6554788	12/2002	Kenneth et al.	N/A	N/A
6582964	12/2002	Samsoondar et al.	N/A	N/A
6611777	12/2002	Samsoondar	N/A	N/A
6632681	12/2002	Chu	N/A	N/A
6658143	12/2002	Hansen et al.	N/A	N/A
6664528	12/2002	Cartlidge et al.	N/A	N/A
6711516	12/2003	Samsoondar	N/A	N/A
6799119	12/2003	Voorhees et al.	N/A	N/A
6819408	12/2003	Scrivens et al.	N/A	N/A
6831733	12/2003	Pettersson et al.	N/A	N/A
6834237	12/2003	Noergaard et al.	N/A	N/A
6836559	12/2003	Abdel-Fattah et al.	N/A	N/A
6842233	12/2004	Narisada et al.	N/A	N/A
6866823	12/2004	Wardlaw	N/A	N/A

6872930	12/2004	Cartlidge et al.	N/A	N/A
6898451	12/2004	Wuori	N/A	N/A
6903323	12/2004	Cartlidge et al.	N/A	N/A
6929953	12/2004	Wardlaw	N/A	N/A
6949384	12/2004	Samsoondar	N/A	N/A
6955872	12/2004	Maples et al.	N/A	N/A
6956650	12/2004	Boas et al.	N/A	N/A
6989891	12/2005	Braig et al.	N/A	N/A
7027628	12/2005	Gagnon et al.	N/A	N/A
7030351	12/2005	Wasserman et al.	N/A	N/A
7034883	12/2005	Rosenqvist	N/A	N/A
7105795	12/2005	Cartlidge et al.	N/A	N/A
7132636	12/2005	Cartlidge et al.	N/A	N/A
7133547	12/2005	Marcelpoil et al.	N/A	N/A
7151246	12/2005	Fein et al.	N/A	N/A
7155049	12/2005	Wetzel et al.	N/A	N/A
7214936	12/2006	Sato et al.	N/A	N/A
7248716	12/2006	Fein et al.	N/A	N/A
7274810	12/2006	Reeves et al.	N/A	N/A
7283217	12/2006	Ikeuchi et al.	N/A	N/A
7288751	12/2006	Cartlidge et al.	N/A	N/A
7305109	12/2006	Gagnon et al.	N/A	N/A
7324694	12/2007	Chapoulaud et al.	N/A	N/A
7329537	12/2007	Qiu	N/A	N/A
7338168	12/2007	Cartlidge et al.	N/A	N/A
7344890	12/2007	Perez et al.	N/A	N/A
7346205	12/2007	Walker, Jr.	N/A	N/A
7369696	12/2007	Arini et al.	N/A	N/A
7385168	12/2007	Cartlidge et al.	N/A	N/A
7387898	12/2007	Gordon	N/A	N/A
7411680	12/2007	Chang et al.	N/A	N/A
7417213	12/2007	Krief et al.	N/A	N/A
7425421	12/2007	Dertinger	N/A	N/A
7439478	12/2007	Cartlidge et al.	N/A	N/A
7450223	12/2007	Ikeuchi et al.	N/A	N/A
7450762	12/2007	Morell	N/A	N/A
7460222	12/2007	Kalveram et al.	N/A	N/A
7490085	12/2008	Walker et al.	N/A	N/A
7493219	12/2008	Qi et al.	N/A	N/A
7580120	12/2008	Hamada et al.	N/A	N/A
7599893	12/2008	Sapir et al.	N/A	N/A
7601938	12/2008	Cartlidge et al.	N/A	N/A
7602954	12/2008	Marcelpoil et al.	N/A	N/A
7605356	12/2008	Krief et al.	N/A	N/A
7609369	12/2008	Simon-Lopez	N/A	N/A
7630063	12/2008	Padmanabhan et al.	N/A	N/A
7633604	12/2008	Ikeuchi et al.	N/A	N/A
7638748	12/2008	Krief et al.	N/A	N/A
7663738	12/2009	Johansson	N/A	N/A
7668362	12/2009	Olson et al.	N/A	N/A

7692131	12/2009	Fein et al.	N/A	N/A
7697764	12/2009	Kataoka	N/A	N/A
7702181	12/2009	Gouch	N/A	N/A
7706862	12/2009	Alfano	N/A	N/A
7713474	12/2009	Schulman et al.	N/A	N/A
7747153	12/2009	Ibaraki	N/A	N/A
7765069	12/2009	Ostoich et al.	N/A	N/A
7777869	12/2009	Nerin et al.	N/A	N/A
7787109	12/2009	Dosmann et al.	N/A	N/A
7796797	12/2009	Nakaya et al.	N/A	N/A
7863552	12/2010	Cartlidge et al.	N/A	N/A
7869009	12/2010	Dosmann et al.	N/A	N/A
7894047	12/2010	Hamada et al.	N/A	N/A
7911617	12/2010	Padmanabhan	N/A	N/A
7925070	12/2010	Sumida et al.	N/A	N/A
7929121	12/2010	Wardlaw et al.	N/A	N/A
7933435	12/2010	Hunter et al.	N/A	N/A
7936913	12/2010	Nordell et al.	N/A	N/A
7951599	12/2010	Levine et al.	N/A	N/A
7995200	12/2010	Matsumoto	N/A	N/A
8000511	12/2010	Perz	N/A	N/A
8044974	12/2010	Sumida et al.	N/A	N/A
8045782	12/2010	Li et al.	N/A	N/A
8055471	12/2010	Qi et al.	N/A	N/A
8064680	12/2010	Ramoser et al.	N/A	N/A
8077296	12/2010	Wardlaw et al.	N/A	N/A
8081303	12/2010	Levine et al.	N/A	N/A
8105554	12/2011	Kanigan et al.	N/A	N/A
8125643	12/2011	Hansen et al.	N/A	N/A
D655421	12/2011	Lee et al.	N/A	N/A
8131035	12/2011	Grady et al.	N/A	N/A
8131052	12/2011	Alexandrov	N/A	N/A
8150114	12/2011	Svanberg et al.	N/A	N/A
8154713	12/2011	Simon-Lopez	N/A	N/A
8165385	12/2011	Reeves et al.	N/A	N/A
8175353	12/2011	Westphal et al.	N/A	N/A
8179597	12/2011	Namba et al.	N/A	N/A
8184273	12/2011	Dosmann et al.	N/A	N/A
8192995	12/2011	Zhang et al.	N/A	N/A
8216832	12/2011	Battrell et al.	N/A	N/A
8224058	12/2011	Lindberg et al.	N/A	N/A
8269954	12/2011	Levine et al.	N/A	N/A
8280134	12/2011	Hoyt	N/A	N/A
8310659	12/2011	Wardlaw et al.	N/A	N/A
8314837	12/2011	Kenny et al.	N/A	N/A
8320655	12/2011	Sarachan et al.	N/A	N/A
8327724	12/2011	Fairs et al.	N/A	N/A
8331627	12/2011	Xiong et al.	N/A	N/A
8331642	12/2011	Zerfass et al.	N/A	N/A
8339586	12/2011	Zahniser et al.	N/A	N/A

8345227	12/2012	Zahniser et al.	N/A	N/A
8351676	12/2012	Dai et al.	N/A	N/A
8363221	12/2012	Hansen et al.	N/A	N/A
8379944	12/2012	Grady et al.	N/A	N/A
8406498	12/2012	Ortyn et al.	N/A	N/A
8428331	12/2012	DiMarzio et al.	N/A	N/A
8432392	12/2012	Kim et al.	N/A	N/A
8477294	12/2012	Zahniser et al.	N/A	N/A
8481303	12/2012	Faris et al.	N/A	N/A
8488111	12/2012	Zahniser et al.	N/A	N/A
8491499	12/2012	Choi et al.	N/A	N/A
8526704	12/2012	Dobbe	N/A	N/A
8565480	12/2012	Eichhorn et al.	N/A	N/A
8570496	12/2012	Chen	N/A	N/A
8582924	12/2012	De La Torre-Bueno et al.	N/A	N/A
8638427	12/2013	Wardlaw et al.	N/A	N/A
8712142	12/2013	Rajpoot et al.	N/A	N/A
8736824	12/2013	Matsui et al.	N/A	N/A
8744165	12/2013	Liu et al.	N/A	N/A
8778687	12/2013	Levine et al.	N/A	N/A
8787650	12/2013	Muragame	N/A	N/A
8792693	12/2013	Satish et al.	N/A	N/A
8837803	12/2013	Wang et al.	N/A	N/A
8849024	12/2013	Shinoda et al.	N/A	N/A
8873827	12/2013	McCulloch et al.	N/A	N/A
8877458	12/2013	Maurer	N/A	N/A
8878923	12/2013	Henderson et al.	N/A	N/A
8885154	12/2013	Wardlaw et al.	N/A	N/A
8885912	12/2013	Sui	N/A	N/A
8891851	12/2013	Spaulding	N/A	N/A
8922761	12/2013	Zahniser et al.	N/A	N/A
8942458	12/2014	Takahashi et al.	N/A	N/A
8964171	12/2014	Zahniser et al.	N/A	N/A
8992750	12/2014	Beaty	N/A	N/A
8994930	12/2014	Levine et al.	N/A	N/A
9012868	12/2014	Courtney et al.	N/A	N/A
9041792	12/2014	Van Leeuwen et al.	N/A	N/A
9046473	12/2014	Levine et al.	N/A	N/A
9050595	12/2014	Miller et al.	N/A	N/A
9064301	12/2014	Xie et al.	N/A	N/A
9088729	12/2014	Takayama	N/A	N/A
9176121	12/2014	Winkelman et al.	N/A	N/A
9186843	12/2014	Chan et al.	N/A	N/A
9233767	12/2015	Amano et al.	N/A	N/A
9235041	12/2015	Crandall	N/A	N/A
9240043	12/2015	Christiansen et al.	N/A	N/A
9329129	12/2015	Pollak et al.	N/A	N/A
9332190	12/2015	Murakami	N/A	N/A
9342734	12/2015	Lin et al.	N/A	N/A

9349208	12/2015	Eichhorn	N/A	N/A
9404852	12/2015	Braig et al.	N/A	N/A
9470609	12/2015	Wimberger-Friedl et al.	N/A	N/A
9477875	12/2015	Ohya et al.	N/A	N/A
9522396	12/2015	Bachelet et al.	N/A	N/A
9528978	12/2015	Yamada	N/A	N/A
9588033	12/2016	Zahniser et al.	N/A	N/A
9690974	12/2016	Obrien et al.	N/A	N/A
9767343	12/2016	Jones et al.	N/A	N/A
9820990	12/2016	Pak	N/A	N/A
9930241	12/2017	Oshima et al.	N/A	N/A
9933363	12/2017	Danuser et al.	N/A	N/A
9934571	12/2017	Ozaki et al.	N/A	N/A
9976945	12/2017	Kendall et al.	N/A	N/A
10024858	12/2017	Smith et al.	N/A	N/A
10061972	12/2017	Champlin et al.	N/A	N/A
10093957	12/2017	Pollak et al.	N/A	N/A
10132738	12/2017	Obrien et al.	N/A	N/A
10139613	12/2017	Hing et al.	N/A	N/A
10169861	12/2018	Ozaki et al.	N/A	N/A
10176565	12/2018	Greenfield et al.	N/A	N/A
10210376	12/2018	Hedlund et al.	N/A	N/A
10217219	12/2018	Rimm et al.	N/A	N/A
10269094	12/2018	Fuchs	N/A	N/A
10281386	12/2018	Hsu et al.	N/A	N/A
10330910	12/2018	Iwase et al.	N/A	N/A
10353190	12/2018	Hulsken et al.	N/A	N/A
10395368	12/2018	Berezhna et al.	N/A	N/A
10482595	12/2018	Yorav-Raphael et al.	N/A	N/A
10488644	12/2018	Eshel et al.	N/A	N/A
10508983	12/2018	Kendall et al.	N/A	N/A
10527635	12/2019	Bhatia et al.	N/A	N/A
10640807	12/2019	Pollak et al.	N/A	N/A
10663712	12/2019	Eshel et al.	N/A	N/A
10843190	12/2019	Bachelet et al.	N/A	N/A
11099175	12/2020	Zait et al.	N/A	N/A
11199690	12/2020	Eshel et al.	N/A	N/A
11207836	12/2020	Ramos et al.	N/A	N/A
11609413	12/2022	Yorav-Raphael et al.	N/A	N/A
2002/0009711	12/2001	Wada et al.	N/A	N/A
2002/0028158	12/2001	Wardlaw	N/A	N/A
2002/0028471	12/2001	Oberhardt	N/A	N/A
2003/0017085	12/2002	Kercso et al.	N/A	N/A
2003/0161514	12/2002	Curry	N/A	N/A
2003/0170613	12/2002	Straus	N/A	N/A
2003/0197925	12/2002	Hamborg	N/A	N/A
2003/0208140	12/2002	Pugh	N/A	N/A
2003/0224522	12/2002	de Jong et al.	N/A	N/A
2003/0227612	12/2002	Fein et al.	N/A	N/A

2003/0227673	12/2002	Nakagawa	N/A	N/A
2003/0228038	12/2002	Douglass et al.	N/A	N/A
2003/0231791	12/2002	Torre-Bueno et al.	N/A	N/A
2004/0004614	12/2003	Bacus et al.	N/A	N/A
2004/0054283	12/2003	Corey et al.	N/A	N/A
2004/0122216	12/2003	Nielsen	N/A	N/A
2004/0132171	12/2003	Rule et al.	N/A	N/A
2004/0170312	12/2003	Soenksen	N/A	N/A
2004/0185447	12/2003	Maples et al.	N/A	N/A
2004/0218804	12/2003	Affleck et al.	N/A	N/A
2004/0240050	12/2003	Ogihara	N/A	N/A
2004/0241677	12/2003	Lin	435/6.12	G06T 7/0012
2004/0256538	12/2003	Olson et al.	N/A	N/A
2005/0089208	12/2004	Dong	N/A	N/A
2005/0109959	12/2004	Wasserman et al.	N/A	N/A
2005/0117204	12/2004	Kinoshita et al.	N/A	N/A
2005/0175992	12/2004	Aberl	N/A	N/A
2005/0270611	12/2004	Oshiro et al.	N/A	N/A
2005/0282292	12/2004	Torre-Bueno	N/A	N/A
2005/0286800	12/2004	Gouch	N/A	N/A
2006/0001955	12/2005	Kinney et al.	N/A	N/A
2006/0002817	12/2005	Bohm et al.	N/A	N/A
2006/0003458	12/2005	Golovchenko	N/A	N/A
2006/0007345	12/2005	Olson et al.	N/A	N/A
2006/0045505	12/2005	Zeineh et al.	N/A	N/A
2006/0051778	12/2005	Kallick	N/A	N/A
2006/0063185	12/2005	Vannier	N/A	N/A
2006/0079144	12/2005	Klisch et al.	N/A	N/A
2006/0098861	12/2005	See et al.	N/A	N/A
2006/0187442	12/2005	Chang et al.	N/A	N/A
2006/0190226	12/2005	Jojic	N/A	N/A
2006/0210428	12/2005	Lindberg et al.	N/A	N/A
2006/0222567	12/2005	Kloepfer	N/A	N/A
2006/0223052	12/2005	McDonald et al.	N/A	N/A
2006/0223165	12/2005	Chang et al.	N/A	N/A
2006/0226362	12/2005	Kitsuki et al.	N/A	N/A
2007/0054350	12/2006	Walker	N/A	N/A
2007/0076190	12/2006	Nakaya et al.	N/A	N/A
2007/0161075	12/2006	Gleich	N/A	N/A
2007/0172956	12/2006	Magari et al.	N/A	N/A
2007/0231914	12/2006	Deng et al.	N/A	N/A
2007/0243117	12/2006	Wardlaw	N/A	N/A
2007/0250301	12/2006	Vaisberg et al.	N/A	N/A
2007/0252984	12/2006	Van Beek et al.	N/A	N/A
2008/0002868	12/2007	Ando et al.	N/A	N/A
2008/0012978	12/2007	Wang	N/A	N/A
2008/0019584	12/2007	Lindberg et al.	N/A	N/A
2008/0020128	12/2007	van Ryper et al.	N/A	N/A
2008/0059135	12/2007	Murugkar et al.	N/A	N/A



2008/0118399	12/2007	Fleming	N/A	N/A
2008/0153098	12/2007	Rimm et al.	N/A	N/A
2008/0187466	12/2007	Wardlaw	N/A	N/A
2008/0212069	12/2007	Goldberg et al.	N/A	N/A
2008/0260369	12/2007	Ibaraki	N/A	N/A
2008/0273776	12/2007	Krief	N/A	N/A
2008/0305514	12/2007	Alford et al.	N/A	N/A
2009/0046909	12/2008	Rutenberg et al.	N/A	N/A
2009/0066934	12/2008	Gao et al.	N/A	N/A
2009/0074282	12/2008	Pinard et al.	N/A	N/A
2009/0075324	12/2008	Pettersson	N/A	N/A
2009/0086314	12/2008	Namba	N/A	N/A
2009/0088336	12/2008	Burd et al.	N/A	N/A
2009/0128618	12/2008	Fahn et al.	N/A	N/A
2009/0185734	12/2008	Lindberg et al.	N/A	N/A
2009/0191098	12/2008	Beard et al.	N/A	N/A
2009/0195688	12/2008	Henderson	N/A	N/A
2009/0213214	12/2008	Yamada	N/A	N/A
2009/0238437	12/2008	Levine et al.	N/A	N/A
2009/0258347	12/2008	Scott	N/A	N/A
2009/0269799	12/2008	Winkelman et al.	N/A	N/A
2009/0291854	12/2008	Wiesinger-Mayr et al.	N/A	N/A
2010/0003265	12/2009	Scheffler et al.	N/A	N/A
2010/0068747	12/2009	Herrenknecht	N/A	N/A
2010/0104169	12/2009	Yamada	N/A	N/A
2010/0112631	12/2009	Hur et al.	N/A	N/A
2010/0120129	12/2009	Amshey et al.	N/A	N/A
2010/0136556	12/2009	Friedberger	N/A	N/A
2010/0136570	12/2009	Goldberg et al.	N/A	N/A
2010/0152054	12/2009	Love et al.	N/A	N/A
2010/0157086	12/2009	Segale et al.	N/A	N/A
2010/0172020	12/2009	Price et al.	N/A	N/A
2010/0192706	12/2009	Fairs	N/A	N/A
2010/0232675	12/2009	Ortyn et al.	N/A	N/A
2010/0234703	12/2009	Sterling et al.	N/A	N/A
2010/0253907	12/2009	Korb	N/A	N/A
2010/0254596	12/2009	Xiong et al.	N/A	N/A
2010/0256918	12/2009	Chen et al.	N/A	N/A
2010/0265323	12/2009	Perz	N/A	N/A
2010/0272334	12/2009	Yamada et al.	N/A	N/A
2010/0295998	12/2009	Sakai	N/A	N/A
2010/0300563	12/2009	Ramunas et al.	N/A	N/A
2011/0007178	12/2010	Kahlman	N/A	N/A
2011/0009163	12/2010	Fletcher et al.	N/A	N/A
2011/0030458	12/2010	Paark et al.	N/A	N/A
2011/0059481	12/2010	Wardlaw et al.	N/A	N/A
2011/0102571	12/2010	Yoneyama	N/A	N/A
2011/0123398	12/2010	Carrilho et al.	N/A	N/A
2011/0144480	12/2010	Lu et al.	N/A	N/A

2011/0149097	12/2010	Danuser et al.	N/A	N/A
2011/0151502	12/2010	Kendall et al.	N/A	N/A
2011/0178716	12/2010	Krockenberger et al.	N/A	N/A
2011/0212486	12/2010	Yamada et al.	N/A	N/A
2011/0243794	12/2010	Wardlaw	N/A	N/A
2011/0249910	12/2010	Henderson et al.	N/A	N/A
2011/0260055	12/2010	Wang et al.	N/A	N/A
2011/0275111	12/2010	Pettigrew et al.	N/A	N/A
2011/0301012	12/2010	Dolecek	494/10	B04B 5/0442
2012/0002195	12/2011	Wu et al.	N/A	N/A
2012/0007977	12/2011	Yamamoto et al.	N/A	N/A
2012/0013727	12/2011	Breniman et al.	N/A	N/A
2012/0021951	12/2011	Hess et al.	N/A	N/A
2012/0030618	12/2011	Leong et al.	N/A	N/A
2012/0044342	12/2011	Hing et al.	N/A	N/A
2012/0058504	12/2011	Li et al.	N/A	N/A
2012/0120221	12/2011	Dong et al.	N/A	N/A
2012/0162495	12/2011	Ogawa	N/A	N/A
2012/0169863	12/2011	Bachelet	348/79	G01N 21/23
2012/0225446	12/2011	Wimberger-Friedl et al.	N/A	N/A
2012/0237107	12/2011	Tawfik et al.	N/A	N/A
2012/0249770	12/2011	Hamm et al.	N/A	N/A
2012/0275671	12/2011	Eichhorn et al.	N/A	N/A
2012/0288157	12/2011	Kishima	N/A	N/A
2012/0312957	12/2011	Loney et al.	N/A	N/A
2012/0320045	12/2011	Yao et al.	N/A	N/A
2013/0016885	12/2012	Tsujimoto	N/A	N/A
2013/0023007	12/2012	Zahniser et al.	N/A	N/A
2013/0078668	12/2012	Levine et al.	N/A	N/A
2013/0100272	12/2012	Price et al.	N/A	N/A
2013/0130262	12/2012	Battrell et al.	N/A	N/A
2013/0169948	12/2012	Xie et al.	N/A	N/A
2013/0170730	12/2012	Yu et al.	N/A	N/A
2013/0176551	12/2012	Wardlaw et al.	N/A	N/A
2013/0177974	12/2012	Mamghani et al.	N/A	N/A
2013/0203082	12/2012	Gonda et al.	N/A	N/A
2013/0236566	12/2012	Higgins	N/A	N/A
2013/0258058	12/2012	Wanatabe et al.	N/A	N/A
2013/0273968	12/2012	Rhoads et al.	N/A	N/A
2013/0284924	12/2012	Mizuochi et al.	N/A	N/A
2013/0290225	12/2012	Kamath et al.	N/A	N/A
2013/0323757	12/2012	Poher	N/A	N/A
2013/0342902	12/2012	Krueger et al.	N/A	N/A
2014/0139625	12/2013	Mathuis et al.	N/A	N/A
2014/0139630	12/2013	Kowalevich	N/A	N/A
2014/0185906	12/2013	Ding et al.	N/A	N/A
2014/0186859	12/2013	Calderwood et al.	N/A	N/A
2014/0205176	12/2013	Obrien	382/133	G06V 10/10

2014/0270425	12/2013	Kenny et al.	N/A	N/A
2014/0273064	12/2013	Smith et al.	N/A	N/A
2014/0273076	12/2013	Adams et al.	N/A	N/A
2014/0322750	12/2013	Matsumoto et al.	N/A	N/A
2014/0347459	12/2013	Greenfield et al.	N/A	N/A
2014/0347463	12/2013	Lin	N/A	N/A
2014/0353524	12/2013	Danuser et al.	N/A	N/A
2015/0006105	12/2014	Zhou et al.	N/A	N/A
2015/0022882	12/2014	Ue et al.	N/A	N/A
2015/0029508	12/2014	Toyoda et al.	N/A	N/A
2015/0037806	12/2014	Pollak	435/6.15	G01N 1/30
2015/0050643	12/2014	Matsumoto et al.	N/A	N/A
2015/0124082	12/2014	Kato et al.	N/A	N/A
2015/0168705	12/2014	O'Neill	N/A	N/A
2015/0183153	12/2014	Chan et al.	N/A	N/A
2015/0185459	12/2014	Clark et al.	N/A	N/A
2015/0190063	12/2014	Zakharov et al.	N/A	N/A
2015/0246170	12/2014	Miao et al.	N/A	N/A
2015/0278575	12/2014	Allano et al.	N/A	N/A
2015/0302237	12/2014	Ohya et al.	N/A	N/A
2015/0316477	12/2014	Pollak et al.	N/A	N/A
2016/0042507	12/2015	Turner	N/A	N/A
2016/0146750	12/2015	Hughes et al.	N/A	N/A
2016/0168614	12/2015	Hunt	N/A	N/A
2016/0187235	12/2015	Fine	N/A	N/A
2016/0202460	12/2015	Zheng	N/A	N/A
2016/0208306	12/2015	Pollak et al.	N/A	N/A
2016/0246046	12/2015	Yorav Raphael et al.	N/A	N/A
2016/0250312	12/2015	Longley	N/A	N/A
2016/0279633	12/2015	Bachelet et al.	N/A	N/A
2017/0003490	12/2016	Sueki et al.	N/A	N/A
2017/0052110	12/2016	Malissek et al.	N/A	N/A
2017/0115271	12/2016	Xie et al.	N/A	N/A
2017/0146558	12/2016	Ishii et al.	N/A	N/A
2017/0160185	12/2016	Minemura et al.	N/A	N/A
2017/0191945	12/2016	Zhang et al.	N/A	N/A
2017/0205612	12/2016	Carloni	N/A	N/A
2017/0218425	12/2016	Chen et al.	N/A	N/A
2017/0292905	12/2016	Obrien et al.	N/A	N/A
2017/0307496	12/2016	Zahniser et al.	N/A	N/A
2017/0326549	12/2016	Jones et al.	N/A	N/A
2017/0328924	12/2016	Jones et al.	N/A	N/A
2018/0080885	12/2017	Ginsberg et al.	N/A	N/A
2018/0156713	12/2017	Berezhna	N/A	N/A
2018/0171404	12/2017	Del Favero et al.	N/A	N/A
2018/0246313	12/2017	Eshel et al.	N/A	N/A
2018/0259318	12/2017	Yelin et al.	N/A	N/A
2018/0296102	12/2017	Satish et al.	N/A	N/A
2018/0297024	12/2017	Tran	N/A	N/A
2019/0002950	12/2018	Pollak et al.	N/A	N/A

2019/0087953	12/2018	Yorav-Raphael et al.	N/A	N/A
2019/0110718	12/2018	Brittenham et al.	N/A	N/A
2019/0130567	12/2018	Greenfield et al.	N/A	N/A
2019/0145963	12/2018	Zait et al.	N/A	N/A
2019/0266723	12/2018	Blanchard et al.	N/A	N/A
2019/0302099	12/2018	Pollak et al.	N/A	N/A
2019/0324255	12/2018	Pergande et al.	N/A	N/A
2019/0347467	12/2018	Ohsaka et al.	N/A	N/A
2020/0034967	12/2019	Yorav-Raphael et al.	N/A	N/A
2020/0049970	12/2019	Eshel et al.	N/A	N/A
2020/0111209	12/2019	Greenfield et al.	N/A	N/A
2020/0209604	12/2019	Chen et al.	N/A	N/A
2020/0249458	12/2019	Eshel et al.	N/A	N/A
2020/0300750	12/2019	Eshel et al.	N/A	N/A
2021/0069696	12/2020	Li et al.	N/A	N/A
2022/0189016	12/2021	Barnes et al.	N/A	N/A

## FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2655024	12/2013	CA	N/A
1918501	12/2006	CN	N/A
101501785	12/2008	CN	N/A
101403650	12/2009	CN	N/A
102282467	12/2010	CN	N/A
104094118	12/2013	CN	N/A
104471389	12/2014	CN	N/A
105556276	12/2015	CN	N/A
108474934	12/2017	CN	N/A
0073551	12/1982	EP	N/A
0479231	12/1991	EP	N/A
0 744 191	12/1995	EP	N/A
1381229	12/2002	EP	N/A
1 381 229	12/2003	EP	N/A
1698883	12/2005	EP	N/A
2145684	12/2009	EP	N/A
2 211 165	12/2009	EP	N/A
2 211 165	12/2009	EP	N/A
3001174	12/2015	EP	N/A
3 123 927	12/2016	EP	N/A
3482189	12/2018	EP	N/A
1 873 232	12/2019	EP	N/A
2329014	12/1998	GB	N/A
20120092477	12/2011	GB	N/A
60-162955	12/1984	JP	N/A
61-198204	12/1985	JP	N/A
7-504038	12/1994	JP	N/A
8-313340	12/1995	JP	N/A
9-54083	12/1996	JP	N/A
11-500832	12/1998	JP	N/A
H11-73903	12/1998	JP	N/A

2000-199845	12/1999	JP	N/A
2002-516982	12/2001	JP	N/A
2003315684	12/2002	JP	N/A
2004-144526	12/2003	JP	N/A
2004-257768	12/2003	JP	N/A
2004-532410	12/2003	JP	N/A
2005218379	12/2004	JP	N/A
2006-506607	12/2005	JP	N/A
2006294301	12/2005	JP	N/A
2006-301270	12/2005	JP	N/A
2007040814	12/2006	JP	N/A
2007093470	12/2006	JP	N/A
20085768	12/2007	JP	N/A
2008020498	12/2007	JP	N/A
2009-180539	12/2008	JP	N/A
2009-233927	12/2008	JP	N/A
2009223164	12/2008	JP	N/A
2009-268432	12/2008	JP	N/A
2011-95225	12/2010	JP	N/A
2013027368	12/2012	JP	N/A
2013-515264	12/2012	JP	N/A
2013517460	12/2012	JP	N/A
2013-541767	12/2012	JP	N/A
2014-41139	12/2013	JP	N/A
2014-44050	12/2013	JP	N/A
2015021938	12/2014	JP	N/A
2015-57600	12/2014	JP	N/A
2016-70658	12/2015	JP	N/A
201671588	12/2015	JP	N/A
2016-528506	12/2015	JP	N/A
2016-189701	12/2015	JP	N/A
2017-67524	12/2016	JP	N/A
2017-209530	12/2016	JP	N/A
2018-525611	12/2017	JP	N/A
2018-534605	12/2017	JP	N/A
2019-528459	12/2018	JP	N/A
6952683	12/2020	JP	N/A
2402006	12/2009	RU	N/A
85/05446	12/1984	WO	N/A
1985/005446	12/1984	WO	N/A
1996/001438	12/1995	WO	N/A
96/12981	12/1995	WO	N/A
96/13615	12/1995	WO	N/A
1996/013615	12/1995	WO	N/A
00/06765	12/1999	WO	N/A
00/5557	12/1999	WO	N/A
00/52195	12/1999	WO	N/A
02/33400	12/2001	WO	N/A
02/39059	12/2001	WO	N/A
03/056327	12/2002	WO	N/A

2003/056327	12/2002	WO	N/A
03/065358	12/2002	WO	N/A
03/073365	12/2002	WO	N/A
03/081525	12/2002	WO	N/A
2004/020112	12/2003	WO	N/A
2004/111610	12/2003	WO	N/A
2005/121863	12/2004	WO	N/A
2006/121266	12/2005	WO	N/A
2017/046800	12/2006	WO	N/A
2008/063135	12/2007	WO	N/A
2009136570	12/2008	WO	N/A
2010/036827	12/2009	WO	N/A
2010/056740	12/2009	WO	N/A
2010/116341	12/2009	WO	N/A
2010/126903	12/2009	WO	N/A
2010/137543	12/2009	WO	N/A
2011/056658	12/2010	WO	N/A
2011/076413	12/2010	WO	N/A
2011/123070	12/2010	WO	N/A
2012/029269	12/2011	WO	N/A
2012107468	12/2011	WO	N/A
2012/154333	12/2011	WO	N/A
2013/041951	12/2012	WO	N/A
2013/098821	12/2012	WO	N/A
2013/102076	12/2012	WO	N/A
2014/146063	12/2013	WO	N/A
2014/159620	12/2013	WO	N/A
2015/029032	12/2014	WO	N/A
2015/089632	12/2014	WO	N/A
2016/021311	12/2015	WO	N/A
2016/030897	12/2015	WO	N/A
2017/046802	12/2015	WO	N/A
2016/203320	12/2015	WO	N/A
2017/046799	12/2016	WO	N/A
2017/168411	12/2016	WO	N/A
2017/046801	12/2016	WO	N/A
2017/195205	12/2016	WO	N/A
2017/195208	12/2016	WO	N/A
2018/009920	12/2017	WO	N/A
2018/102748	12/2017	WO	N/A
2019/035084	12/2018	WO	N/A
2017/046803	12/2018	WO	N/A
2019/097387	12/2018	WO	N/A
2019/102277	12/2018	WO	N/A
2019/198094	12/2018	WO	N/A
2021/079305	12/2020	WO	N/A
2021/079306	12/2020	WO	N/A
2021/116962	12/2020	WO	N/A
2022/009104	12/2021	WO	N/A

## OTHER PUBLICATIONS

Guy, Rebecca, Paul Liu, Peter Pennefather and Ian Crandall, "The use of fluorescence enhancement to improve the microscopic diagnosis of falciparum malaria", Malaria Journal 2007 6:89, <https://malariajournal.biomedcentral.com/articles/10.1186/1475-2875-6-89>, (Jul. 9, 2007) (total 8 pages). cited by applicant

Rappaz, Benjamin, et al. "Comparative study of human erythrocytes by digital holographic microscopy, confocal microscopy, and impedance volume analyzer." Cytometry Part A 73.10 (2008): 895-903. cited by applicant

An International Search Report and a Written Opinion both dated Jan. 15, 2016, for International Application No. PCT/IL2015/050864. (SDX028-CAT-2). cited by applicant

An International Search Report and a Written Opinion both dated Feb. 12, 2015, for International Application No. PCT/IL2014/050770. (SDX023-CAT-2). cited by applicant

An International Search Report and a Written Opinion both dated Apr. 18, 2013, for International Application No. PCT/IL2012/050556 (SDX006-CAT-1). cited by applicant

An International Search Report and a Written Opinion dated Jul. 27, 2012 for International Application No. PCT/IL2011/000973. (SDX002-CAT-1). cited by applicant

A Final Office Action dated Jul. 29, 2019 which issued during the prosecution of U.S. Appl. No. 14/914,329 (SDX024-CAT-2). cited by applicant

A European Search Report dated Mar. 23, 2017. which issued during the prosecution of Applicant's European App No. 14839661.7.((SDX052-CAT-2)). cited by applicant

An Office Action dated Aug. 24, 2020 for U.S. Appl. No. 16/098,893 (SDX063-CAT-3). cited by applicant

An Office Action dated Jun. 23, 2020 for U.S. Appl. No. 16/706,159 (SDX071-CAT-2). cited by applicant

U.S. Appl. No. 62/042,388, filed Aug. 27, 2014 (CAT-2). cited by applicant

U.S. Appl. No. 61/870,106 filed Aug. 26, 2013. (CAT-2). cited by applicant

An Office Action in Indian Application 3592/MUMNO/2015 mailed Dec. 24, 2018. 4 pages. (SDX021-CAT-1). cited by applicant

An Office Action dated Sep. 25, 2015, which issued during the prosecution of U.S. Appl. No. 13/338,291 (SDX003-CAT-1). cited by applicant

An Office Action dated Oct. 29, 2014, which issued during the prosecution of U.S. Appl. No. 13/338,291 (SDX003-CAT-1). cited by applicant

An Office Action dated Nov. 16, 2018 which issued during the prosecution of U.S. Appl. No. 14/914,329. (SDX024-CAT-2). cited by applicant

An Office Action dated Mar. 23, 2018 which issued during the prosecution of Indian Patent Application No. 4263/DELNP/2014 (SDX011-CAT-1). cited by applicant

An International Search Report and a Written Opinion both dated Oct. 30, 2014 , for International Application No. PCT/IL2014/050585. (SDX017-CAT-1). cited by applicant

An International Search Report and Written Opinion in International Application No. PCT/IB2018/058861, issued on Apr. 8, 2019 (SDX066-CAT-?). cited by applicant

An International Search Report and Written Opinion, dated Aug. 30, 2017 from the International Bureau in counterpart International application No. PCT/IL2017/050526 (SDX037-CAT-3). cited by applicant

An International Search Report and Written Opinion, dated Aug. 8, 2017 from the International Bureau in counterpart International application No. PCT/IL2017/050523 (SDX036-CAT-3). cited by applicant

An International Search Report and Written Opinion, dated May 18, 2017 from the International Bureau in counterpart International application No. PCT/IL2017/050363 (SDX035-CAT-3). cited by applicant

An Office Action dated Apr. 2, 2015, which issued during the prosecution of U.S. Appl. No. 13/338,291 (SDX003-CAT-1). cited by applicant

An Office Action dated Apr. 4, 2019 which issued during the prosecution of U.S. Appl. No. 14/914,329. (SDX024-CAT-2). cited by applicant

An Office Action dated Dec. 24, 2018 which issued during the prosecution of Indian Patent Application No. 3592/2012 (SDX021-CAT-1). cited by applicant

An Office Action dated Feb. 22, 2018 which issued during the prosecution of U.S. Appl. No. 14/369,251 (SDX007-CAT-1). cited by applicant

An Office Action dated Jan. 10, 2018. which issued during the prosecution of U.S. Appl. No. 15/083,610. (SDX022-CAT-1). cited by applicant

An Office Action dated Jan. 28, 2019 which issued during the prosecution of U.S. Appl. No. 15/174,490. (SDX004-CAT-1). cited by applicant

An Office Action dated Jul. 11, 2017. which issued during the prosecution of U.S. Appl. No. 15/174,672. (SDX004-CAT-1). cited by applicant

An Office Action dated Jun. 13, 2017. which issued during the prosecution of U.S. Appl. No. 14/285,672 (SDX015-CAT-2). cited by applicant

An Office Action dated Jun. 15, 2018 from the United States Patent and Trademark Office in copending U.S. Appl. No. 14/369,251 (SDX007-CAT-1). cited by applicant

An Office Action dated Jun. 29, 2018 from the United States Patent and Trademark Office in copending U.S. Appl. No. 15/174,490. (SDX004-CAT-1). cited by applicant

An Office Action dated Jun. 4, 2019, which issued during the prosecution of U.S. Appl. No. 14/369,251 (SDX007-CAT-1). cited by applicant

An Office Action dated Jun. 5, 2019, which issued during the prosecution of U.S. Appl. No. 15/174,490 (SDX004-CAT-1). cited by applicant

An International Search Report and Written Opinion, dated August 8, 2017 from the International Bureau in counterpart International application No. PCT/IL2017/050523 (SDX036-CAT-3). cited by applicant

An Office Action dated Aug. 24, 2020 which issued during the prosecution of U.S. Appl. No. 16/098,893 (SDX063-CAT-3). cited by applicant

A European Examination Report dated Dec. 9, 2019. which issued during the prosecution of Applicant's European App No. 16782094.3. cited by applicant

Notice of Allowance dated Mar. 2, 2020, which issued during the prosecution of U.S. Appl. No. 16/657,473. cited by applicant

A European Examination Report dated Feb. 1, 2019. which issued during the prosecution of Applicant's European App No. 17717000.8. cited by applicant

A European Examination Report dated Sep. 3, 2019. which issued during the prosecution of Applicant's European App No. 17717000.8. cited by applicant

A European Examination Report dated Apr. 8, 2020. which issued during the prosecution of Applicant's European App No. 17717000.8. cited by applicant

A European Examination Report dated Apr. 6, 2020. which issued during the prosecution of Applicant's European App No. 17726036.1. cited by applicant

A European Examination Report dated Feb. 11, 2020. which issued during the prosecution of Applicant's European App No. 17728277.9. cited by applicant

An Advisory Action dated Dec. 27, 2019 for U.S. Appl. No. 14/914,329. cited by applicant

Panel Decision dated Mar. 2, 2020 for U.S. Appl. No. 14/914,329. cited by applicant

An Examination Report for Indian Application No. 201727008982 on Jan. 29, 2021. cited by applicant

An Office Action dated Jan. 19, 2021 for U.S. Appl. No. 16/706,159. cited by applicant

Saraswat, et al. "Automated microscopic image analysis for leukocytes identification: A survey", ABV-Indian Institute of Information Technology and Management, Gwalior, India, Micron, 2014,



vol. 65, pp. 20-33. cited by applicant

Hiremath, P.S., et al., “Automated Identification and Classification of White Blood Cells (Leukocytes) in Digital Microscopic Images”, IJCA Special Issue on “Recent Trends in Image Processing and Pattern Recognition” RTIPPR, 2010, pp. 59-63. cited by applicant

Witt, et al. “Establishing traceability of photometric absorbance values for accurate measurements of the haemoglobin concentration in blood.”, *Metrologia* 50 (2013) 539-548. cited by applicant

Putzu, et al., “Leucocyte classification for leukaemia detection using image processing techniques.”, *Artificial Intelligence in Medicine*, vol. 63, No. 3, Nov. 1, 2014, pp. 1-31. cited by applicant

Varga, et al., “An automated scoring procedure for the micronucleus test by image analysis”, *Mutagenesis* vol. 19 No. 5 pp. 391-397, 2004. cited by applicant

Ran, Qiong et al. “Spatial-spectral blood cell classification with microscopic hyperspectral imagery”, *Proc. SPIE 10461, AOPC 2017: Optical Spectroscopy and Imaging*, 1046102 (Oct. 24, 2017) (12 pages total). cited by applicant

Omucheneni et al. “Application of principal component analysis to multispectral-multimodal optical image analysis for malaria diagnostics”, *Malaria Journal* 2014, 13:485 485  
<http://www.malariajournal.com/content/13/1/485> (11 pages total). cited by applicant

Ben-Suliman—2018—“Computerized Counting-Based System for Acute Lymphoblastic Leukemia Detection in Microscopic Blood Images” 27th International Conference on Artificial Neural Networks, Rhodes, Greece, Oct. 4-7, 2018, *Proceedings, Part II*, pp. 167-178. cited by applicant

An Office Action dated Dec. 8, 2020 for Japanese Patent Application No. 2018/512961. cited by applicant

An Examination Report issued on Dec. 7, 2020 for Australian Patent Application No. 2016322966. cited by applicant

An Office Action dated Jan. 11, 2021 for U.S. Appl. No. 16/098,893. cited by applicant

An Examination Report issued on Apr. 29, 2021 for Australian Patent Application No. 2016322966. cited by applicant

A Notice of Allowance issued on May 13, 2021 for U.S. Appl. No. 16/592,335. cited by applicant

A Notice of Allowance issued on Jan. 27, 2021 for U.S. Appl. No. 16/592,335. cited by applicant

International Search Report issued for PCT Application No. PCT/IB2020/059924 on Mar. 22, 2021. cited by applicant

International Search Report issued for PCT Application No. PCT/IB2020/059925 on Mar. 26, 2021. cited by applicant

Invitation to pay fees and Partial Search Report issued for PCT Application No. PCT/IB2020/059924 on Jan. 28, 2021. cited by applicant

Invitation to pay fees and Partial Search Report issued for PCT Application No. PCT/IB2020/059925 on Feb. 4, 2021. cited by applicant

A Notice of Allowance issued on May 14, 2021 for U.S. Appl. No. 16/232,124. cited by applicant

A Japanese Office Action dated Mar. 30, 2021, which issued during the prosecution of Application No. 2018/558180. cited by applicant

An Office Action dated Mar. 9, 2021 for U.S. Appl. No. 16/088,321. cited by applicant

An Office Action dated Jan. 29, 2021 for U.S. Appl. No. 16/099,270. cited by applicant

An Extended European Search Report issued for European Patent Application No. 21164814.2 on Jun. 9, 2021. cited by applicant

Third Office Action dated Jul. 12, 2021 which issued during the prosecution of Chinese Patent Application No. 201680053431.1. cited by applicant

Non-Final Office Action dated Jul. 27, 2021, which issued during the prosecution of U.S. Appl. No. 16/851,686. cited by applicant

Non-Final Office Action dated Aug. 19, 2021, which issued during the prosecution of U.S. Appl. No. 16/098,893. cited by applicant

Non-Final Office Action dated Sep. 1, 2021 which issued during the prosecution of U.S. Appl. No. 16/088,321. cited by applicant

First Office Action dated Aug. 4, 2021 which issued during the prosecution of Chinese Patent Application No. 201780027908.3. cited by applicant

An Examination Report dated Mar. 4, 2021 which issued during the prosecution of Indian Patent Application No. 201817036130. cited by applicant

An Examination Report dated May 5, 2021 which issued during the prosecution of Indian Patent Application No. 201817012117. cited by applicant

Notice of Allowance dated Aug. 3, 2021, which issued during the prosecution of U.S. Appl. No. 16/851,410. cited by applicant

An International Search Report and Written Opinion for Application No. PCT/IB2020/061731 issued on Feb. 10, 2021. cited by applicant

Invitation to pay fees and Partial Search Report issued for PCT Application No. PCT/IB2020/061732 on Mar. 10, 2021. cited by applicant

Invitation to pay fees and Partial Search Report issued for PCT Application No. PCT/IB2020/061736 on Mar. 12, 2021. cited by applicant

Invitation to pay fees and Partial Search Report issued for PCT Application No. PCT/IB2020/061728 on Mar. 15, 2021. cited by applicant

International Search Report issued for PCT Application No. PCT/IB2020/061724 on Mar. 10, 2021. cited by applicant

An International Search Report and Written Opinion for PCT Application No. PCT/IB2020/061732 mailed on May 7, 2021. cited by applicant

International Search Report and Written Opinion for PCT Application No. PCT/IB2020/061728 mailed on May 7, 2021. cited by applicant

International Search Report and Written Opinion for PCT Application No. PCT/IB2020/061736 mailed on May 3, 2021. cited by applicant

Non-Final Office Action dated Jun. 17, 2021 which issued during the prosecution of U.S. Appl. No. 16/851,410. cited by applicant

A Final Office Action dated Jun. 17, 2021 which issued during the prosecution of U.S. Appl. No. 16/088,321. cited by applicant

Notice of Allowance dated May 19, 2021 which issued during the prosecution of U.S. Appl. No. 16/099,270. cited by applicant

A Restriction Requirement issued by the USPTO on Oct. 19, 2020 for U.S. Appl. No. 16/099,270. cited by applicant

Non-Final Office Action dated Jun. 25, 2021 which issued during the prosecution of U.S. Appl. No. 16/706,159. cited by applicant

Notice of Allowance dated Jun. 24, 2021 which issued during the prosecution of U.S. Appl. No. 16/232,124. cited by applicant

An Extended European Search Report issued for European Patent Application No. 21154596.7 on Jul. 23, 2021. cited by applicant

Notice of Allowance dated Nov. 5, 2021, which issued during the prosecution of U.S. Appl. No. 16/851,410. cited by applicant

Notice of Allowance dated Nov. 10, 2021, which issued during the prosecution of U.S. Appl. No. 16/851,686. cited by applicant

Supplemental Notice of Allowance dated Nov. 12, 2021, which issued during the prosecution of U.S. Appl. No. 16/851,686. cited by applicant

A European Examination Report issued for European Patent Application No. 17728277.9 on Dec. 23, 2021. cited by applicant

Notice of Allowance dated Jan. 21, 2022, which issued during the prosecution of U.S. Appl. No. 16/098,893. cited by applicant

An Office Action dated Feb. 16, 2022 which issued during the prosecution of U.S. Appl. No. 16/088,321. cited by applicant

An Office Action dated May 6, 2022 which issued during the prosecution of U.S. Appl. No. 16/763,810. cited by applicant

A Non-Final Office Action dated May 26, 2022 which issued during the prosecution of U.S. Appl. No. 17/083,775. cited by applicant

An Office Action dated May 31, 2022 which issued during the prosecution of U.S. Appl. No. 17/083,659. cited by applicant

An Extended European Search Report issued for European Patent Application No. 21194040.8 on Jan. 18, 2022. cited by applicant

An International Search Report and a Written Opinion dated Sep. 17, 2021, for International Application No. PCT/IB2021/056073. cited by applicant

Hoover Karl "SimpleAutofocus.cpp—Micro-Manager Device Adapter Code", Dec. 31, 2009. cited by applicant

MetaXpress® 6 Software Guide, Configuring Image-Based Autofocus During Acquisition—2015. cited by applicant

Micro-Manager-User's-Guide-Micro-Manager—2016. cited by applicant

MicroManager Documentation: SimpleAutofocus—2009. cited by applicant

A European Examination Report dated Dec. 10, 2021 which issued during the prosecution of Applicant's European App No. 15778059.4. cited by applicant

Examination Report issued by the Indian Patent Office on Jun. 28, 2022 in Indian Patent Application No. 202047019700. cited by applicant

Communication dated Mar. 2, 2023 issued by the Canadian Patent Office in application No. 3,018,536. cited by applicant

Communication dated Jun. 8, 2023 issued by the Canadian Patent Office in application No. 3,160,692. cited by applicant

Communication dated Jun. 9, 2023 issued by the Canadian Patent Office in application No. 3,160,688. cited by applicant

Communication dated Jun. 22, 2023 issued by the Canadian Patent Office in application No. 3,160,697. cited by applicant

Communication dated Jul. 12, 2023 issued by the Canadian Patent Office in application No. 3,155,820. cited by applicant

Communication dated Jul. 17, 2023 issued by the Canadian Patent Office in application No. 3,155,821. cited by applicant

Communication dated Nov. 10, 2022 issued by the United States Patent and Trademark Office in U.S. Appl. No. 17/362,009. cited by applicant

Notice of Allowance dated Mar. 21, 2023 issued by the United States Patent and Trademark Office in U.S. Appl. No. 17/362,009. cited by applicant

Notice of Allowance dated Jun. 22, 2023 issued by the United States Patent and Trademark Office in U.S. Appl. No. 17/576,023. cited by applicant

Communication dated Jul. 3, 2023 issued by the United States Patent and Trademark Office in U.S. Appl. No. 17/568,858. cited by applicant

An Office Action dated Nov. 25, 2022 which issued during the prosecution of U.S. Appl. No. 17/082,483. cited by applicant

An Office Action dated Jul. 12, 2022, which issued during the prosecution of U.S. Appl. No. 16/088,321. cited by applicant

An Office Action dated Aug. 2, 2022, which issued during the prosecution of Japanese Patent Application No. 2021-145455. cited by applicant

An Examination Report dated Aug. 25, 2022, which issued during the prosecution of Australian Patent Application No. 2017263807. cited by applicant

An Office Action dated Aug. 30, 2022 which issued during the prosecution of Japanese Patent Application No. 2020-526176. cited by applicant

An Office Action dated Sep. 13, 2022 which issued during the prosecution of Japanese Patent Application No. 2021-157849. cited by applicant

Hideto Miura, "How to regard as how to consider the poikilocyte in urine an erroneous decision factor", Modern Medical Laboratory, Sep. 1, 2002, vol. 30, No. 9, pp. 862-864 (6 pages total). cited by applicant

Jun Hashimoto, "Morphological Studies of Urinary Red Blood Cells in Renal and Urinary Tract Disorders (II) Use of Wrights Stain in Differential Diagnosis between Renal and Urinary Tract Disorders" Kawasaki Medical Congress Magazine, Mar. 1989, vol. 15, No. 1, pp. 94-101 (9 pages total). cited by applicant

D F Birch et al., "The research on the differential diagnosis of the kidney urinary tract obstacle by glomerular or non-glomerular", The Lancet, Oct. 20, 1979, vol. 2, No. 8147, pp. 845-846 (3 pages total). cited by applicant

A First Examination Report dated Sep. 19, 2022, which issued during the prosecution of Indian Patent Application No. 201817040226. cited by applicant

An Office Action dated Oct. 3, 2022 which issued during the prosecution of U.S. Appl. No. 16/763,810. cited by applicant

An Office Action dated Oct. 25, 2022 which issued during the prosecution of Canadian Application No. 2,998,829. cited by applicant

An Office Action dated Oct. 5, 2022 which issued during the prosecution of Brazilian Application No. 112018005099-7. cited by applicant

An Office Action dated Nov. 25, 2022 which issued during the prosecution of Brazilian Application No. 122020017765-9. cited by applicant

An Office Action dated Dec. 9, 2022 which issued during the prosecution of U.S. Appl. No. 17/083,647. cited by applicant

An Office Action dated Dec. 28, 2022 which issued during the prosecution of Russian Patent Application No. 2022112399. cited by applicant

An Office Action dated Dec. 28, 2022 which issued during the prosecution of Russian Patent Application No. 2022112393. cited by applicant

An Office Action dated Jan. 5, 2023 which issued during the prosecution of Chinese Patent Application No. 201880079888.9. cited by applicant

An Office Action dated Jan. 19, 2023 which issued during the prosecution of U.S. Appl. No. 17/490,767. cited by applicant

An Examination Report dated Jan. 23, 2023, which issued during the prosecution of Australian Patent Application No. 2022200112. cited by applicant

An Office Action dated Feb. 17, 2023 which issued during the prosecution of U.S. Appl. No. 17/576,023. cited by applicant

An Office Action dated Feb. 22, 2023 which issued during the prosecution of Canadian Application No. 3,081,669. cited by applicant

An Office Action dated Mar. 3, 2023 which issued during the prosecution of U.S. Appl. No. 17/082,483. cited by applicant

An Office Action dated Mar. 7, 2023 which issued during the prosecution of Japanese Application No. JP 2021-157849. cited by applicant

Taihei Takakusaki, "Shape Change of Red Cell Ghost and ATP", The Kitakanto Medical Journal, 1960, vol. 10, Issue 4, pp. 522-531 (11 pages total). cited by applicant

Olga V. Tyulina et al., "Erythrocyte and plasma protein modification in alcoholism: A possible role of acetaldehyde", Biochimica et Biophysica, 2006, vol. 1762, pp. 558-563 (7 pages total). cited by applicant

Masafumi Onodera, "Organ Derangement", Medicina, Sep. 9, 2005, vol. 42, No. 9, pp. 1582-1584

(6 pages total). cited by applicant  
Tetsuya Hirota et al., Kusanon A® Poisoning Complicated by Heinz Body Hemolytic Anemia, Japanese Association for Acute Medicine Magazine, vol. 12, No. 12, Dec. 15, 2001, pp. 749-754 (1 page total). cited by applicant  
A. K. Sawhney et al., Erythrocyte Alterations Induced by Malathion in *Channa punctatus* (Bloch), Bull. Environ. Contam. Toxicol, 2000, vol. 64, pp. 398-405 (9 pages total). cited by applicant  
An Office Action dated Mar. 17, 2023 which issued during the prosecution of U.S. Appl. No. 17/083,647. cited by applicant  
An Extended European Search Report which issued on Mar. 20, 2023 for Application No. 22209948.3. cited by applicant  
An Office Action dated Mar. 27, 2023 which issued during the prosecution of U.S. Appl. No. 16/763,810. cited by applicant  
An Office Action dated Mar. 27, 2023 which issued during the prosecution of Brazilian Application No. 122020017765-9. cited by applicant  
Notice of Allowance issued for U.S. Appl. No. 16/088,321 on Apr. 12, 2023. cited by applicant  
Second Notice of Allowance dated Aug. 23, 2023 which issued during the prosecution of U.S. Appl. No. 17/490,767. cited by applicant  
Notice of Allowance dated May 15, 2023 which issued during the prosecution of U.S. Appl. No. 17/490,767. cited by applicant  
An Examination Report dated Aug. 16, 2023, which issued during the prosecution of Australian Patent Application No. 2018369859. cited by applicant  
An Office Action dated Aug. 25, 2023 which issued during the prosecution of Canadian Application No. 3,160,702. cited by applicant  
An Office Action dated May 30, 2023 which issued during the prosecution of U.S. Appl. No. 17/082,615. cited by applicant  
A Hearing Notice issued by the Indian Patent Office on Aug. 29, 2023 for IN 201817012117. cited by applicant  
A Hearing Notice issued by the Indian Patent Office on Sep. 1, 2023 for IN 201817036130. cited by applicant  
An Office Action dated Sep. 14, 2023 which issued during the prosecution of U.S. Appl. No. 17/083,647. cited by applicant  
Office Action dated Dec. 7, 2023 which issued during the prosecution of Canadian Application No. 3,081,669. cited by applicant  
Notice of Allowance dated Jun. 22, 2023 which issued during the prosecution of U.S. Appl. No. 17/576,023. cited by applicant  
A Summons to an Oral Hearing issued by the European Patent Office on Oct. 5, 2023 for Application No. 17728277.9. cited by applicant  
A Decision to Refuse issued on Oct. 3, 2023 for Japanese Patent Application No. 2021-157849. cited by applicant  
An Office Action dated Oct. 13, 2023 which issued during the prosecution of Canadian Application No. 2,998,829. cited by applicant  
Notice of Allowance dated Oct. 12, 2023 which issued during the prosecution of U.S. Appl. No. 17/568,858. cited by applicant  
An Office Action dated Oct. 17, 2023 which issued during the prosecution of U.S. Appl. No. 17/082,615. cited by applicant  
A Hearing Notice issued by the Indian Patent Office on Nov. 9, 2023 for IN 201817040226. cited by applicant  
An Office Action dated Dec. 19, 2023 which issued during the prosecution of Canadian Application No. 3,018,536. cited by applicant  
An Office Action dated Dec. 21, 2023 which issued during the prosecution of Brazilian Application

No. 112018072627-3. cited by applicant  
An Office Action dated Jan. 9, 2024 which issued during the prosecution of U.S. Appl. No. 18/203,109. cited by applicant  
Notice of Allowance issued for U.S. Appl. No. 16/763,810 on Feb. 8, 2024. cited by applicant  
A Final Office Action dated Feb. 29, 2024 which issued during the prosecution of United States U.S. Appl. No. 17/083,647. cited by applicant  
An Office Action dated Mar. 4, 2024 which issued during the prosecution of Canadian Application No. 3,022,770. cited by applicant  
An Office Action dated Jan. 12, 2023 which issued during the prosecution of Canadian Application No. 3,022,770. cited by applicant  
International Search Report and Written Opinion for PCT Application No. PCT/IB2023/062469 mailed on Mar. 11, 2024. cited by applicant  
An Office Action dated Mar. 6, 2024 which issued during the prosecution of Canadian Application No. 3,160,688. cited by applicant  
An Office Action dated Mar. 11, 2024 which issued during the prosecution of Canadian Application No. 3,160,692. cited by applicant  
An Office Action dated Mar. 22, 2024 which issued during the prosecution of U.S. Appl. No. 17/360,503. cited by applicant  
An Office Action dated Apr. 3, 2024 which issued during the prosecution of Canadian Application No. 3,160,697. cited by applicant  
An Office Action dated Apr. 19, 2024 which issued during the prosecution of Canadian Application No. 3,155,820. cited by applicant  
Examination Report dated Apr. 23, 2024 which issued during the prosecution of New Zealand Application No. 787743. cited by applicant  
Examination Report dated Apr. 24, 2024 which issued during the prosecution of New Zealand Application No. 787745. cited by applicant  
A European Examination Report dated Apr. 29, 2024 which issued during the prosecution of Application No. 20 800 326.9. cited by applicant  
A European Examination Report dated May 6, 2024 which issued during the prosecution of Application No. 20 800 325.1. cited by applicant  
A Restriction Requirement dated May 7, 2024 which issued during the prosecution of U.S. Appl. No. 17/770,339. cited by applicant  
A European Examination Report dated May 8, 2024 which issued during the prosecution of Application No. 20 828 314.3. cited by applicant  
Kerem Delikoyun, et al., "2 Deep learning-based cellular image analysis for intelligent medical diagnosis", De Gruyter, 2021 (4 pages)  
<https://www.degruyter.com/document/doi/10.1515/9783110668322-002/html>. cited by applicant  
C.Briggs, et al., "ICSH guidelines for the evaluation of blood cell analysers including those used for differential leucocyte and reticulocyte counting", International Journal of Laboratory Hematology, 2014, vol. 36, pp. 613-627 (15 pages). cited by applicant  
Office Action dated Feb. 1, 2024 which issued during the prosecution of U.S. Appl. No. 18/214,568. cited by applicant  
Notice of Allowance issued for Canadian Application No. 3, 155,821 on May 21, 2024. cited by applicant  
An Office Action dated May 29, 2024 which issued during the prosecution of Korean Application No. 10-2022-7017082. cited by applicant  
An Office Action dated May 29, 2024 which issued during the prosecution of Korean Application No. 10-2022-7017081. cited by applicant  
Notice of Allowance dated May 31, 2024 which issued during the prosecution of U.S. Appl. No. 18/214,568. cited by applicant

A Chinese Office Action dated May 9, 2024 which issued during the prosecution of Application No. 202080085933.9. cited by applicant

Groen F C A et al: :A Comparison of Different Focus Functions for Use in Autofocus Algorithms, Cytometry, Alan Liss, New York, US, vol. 6, No. 2, Mar. 1, 1985 (Mar. 1, 1985), pp. 81-91. cited by applicant

Agero, U., Mesquita, L.G., Neves, B.R.A., Gazzinelli, R.T. and Mesquita, O.N., 2004. Defocusing microscopy. Microscopy research and technique, 65(3), pp. 159-165. cited by applicant

An International Search Report and a Written Opinion both dated Jan. 23, 2017, which issued during the prosecution of Applicant's PCT/IL2016/051025. cited by applicant

An Office Action dated Oct. 5, 2016, which issued during the prosecution of U.S. Appl. No. 14/285,672. cited by applicant

Andrew Gordon et al: "Supplementary Note to Gordon et al.: "Single-cell quantification of molecules . . . """, Nature Methods, Jan. 21, 2007, pp. 1-35. cited by applicant

Bacus, J.W., 1985. Cytometric approaches to red blood cells. Pure and Applied Chemistry, 57(4), pp. 593-598. cited by applicant

An International Preliminary Report on Patentability dated Feb. 28, 2017, which issued during the prosecution of Applicant's PCT/IL2015/050864. cited by applicant

Emma Eriksson et al: "Automated focusing of nuclei for time lapse experiments on single cells using holographic optical tweezers", Optics Express vol. 17, No. 7, Mar. 24, 2009 pp. 5585-5594. cited by applicant

European Search Report dated Dec. 14, 2016, which issued during the prosecution of Applicant's European App No. 14800352.8. cited by applicant

Bravo-Zanoguera, M.E., Laris, C.A., Nguyen, L.K., Oliva, M. and Price, J.H., 2007. Dynamic autofocus for continuous-scanning time-delay-and-integration image acquisition in automated microscopy. Journal of biomedical optics, 12(3), pp. 034011-034011. cited by applicant

An Office Action dated Mar. 2, 2017, which issued during the prosecution of U.S. Appl. No. 14/369,251. cited by applicant

Notice of Allowance dated Mar. 20, 2019, which issued during the prosecution of U.S. Appl. No. 15/506,997. cited by applicant

A European Examination Report dated Dec. 11, 2019 which issued during the prosecution of Applicants European App No. 14800352.8. cited by applicant

An Office Action dated Mar. 26, 2018, which issued during the prosecution of U.S. Appl. No. 14/285,672. cited by applicant

F. Boray Tek et al. "Parasite detection and identification for automated thin blood film malaria diagnosis", Computer Vision and Image Understanding vol. 114, Issue 1, Jan. 2010, pp. 21-32 (total 12 pages). cited by applicant

Life Technologies Corporation, "Counting blood cells with Countless Automated Cell Counter" found at <http://www.lifetechnologies.com/content/dam/LifeTech/migration/files/cell-tissue-analysis/pdfs.par.83996.file.dat/w-082149-countless-application-blood-cells.pdf>, four pages, (2009) (total 4 pages). cited by applicant

UNITAID Malaria Diagnostic Technology And Market Landscape, 2nd Edition (2014) (total 148 pages). cited by applicant

A Chinese Office Action dated Dec. 19, 2019 for Chinese Application No. 201580058510.7. cited by applicant

An International Search Report and a Written Opinion both dated Mar. 25, 2013, for International Application No. PCT/IL2012/050423. cited by applicant

Cervantes, Serena , Jacques Prudhomme, David Carter, Krishna G Gopi, Qian Li, Young-Tae Chang, and Karine G Le Roch, High-content live cell imaging with RNA probes: advancements in high-throughput antimalarial drug discovery, BMC Cell Biology 2009, 10:45, <<https://bmcmolcellbiol.biomedcentral.com/track/pdf/10.1186/1471-2121-10-45>> (Jun. 10, 2009)

(total 10 pages). cited by applicant

Leif, "Methods for Preparing Sorted Cells as Monolayer Specimens", Springer Lab Manuals, Section 7—Chapter 5 pp. 592-619, (2000), (total 28 pages). cited by applicant

U.S. Appl. No. 62/042,388, filed Aug. 27, 2014. cited by applicant

Zahniser et al., Automated Slide Preparation System for the Clinical Laboratory, Cytometry, vol. 26, No. 10, pp. 60-64, (1996) (total 5 pages). cited by applicant

Andrew Gordon et al: "Single-cell quantification of molecules and rates using open-source microscope-based cytometry", HHS Public Access Author Manuscript, vol. 4, No. 2, Jan. 21, 2007, pp. 175-181. cited by applicant

Yazdanfar, S., Kenny, K.B., Tasimi, K., Corwin, A.D., Dixon, E.L. and Filkins, R.J., 2008. Simple and robust image-based autofocusing for digital microscopy. Optics express, 16(12), pp. 8670-8677. cited by applicant

Roma, P. M. S., et al. "Total three-dimensional imaging of phase objects using defocusing microscopy: Application to red blood cells." Applied Physics Letters 104.25 (2014): 251107. cited by applicant

European Search Report dated Mar. 23, 2017, which issued during the prosecution of Applicant's European App No. 14839661.7. cited by applicant

Steven S.S. Poon, et al., "Automated Image Detection and Segmentation in Blood Smears", Cytometry, 1992, pp. 766-774, vol. 13 (9 pages total). cited by applicant

Caicai Wu, et al., "Feasibility study of the spectroscopic measurement of oxyhemoglobin using whole blood without pre-treatment", The Analyst, Mar. 1998, pp. 477-481, vol. 123 (5 pages total). cited by applicant

Office Action dated Jun. 5, 2019, which issued during the prosecution of U.S. Appl. No. 15/174,490. cited by applicant

Houri-Yafin, A., et al. "An enhanced computer vision platform for clinical diagnosis of malaria." Malar Control Elimin 5.138.10 (2016): 4172. cited by applicant

An Office Action dated Jul. 11, 2017, which issued during the prosecution of U.S. Appl. No. 15/174,672. cited by applicant

A European Examination Report dated Jan. 7, 2020 which issued during the prosecution of Applicants European App No. 15778059.4. cited by applicant

An Office Action dated Mar. 9, 2020 , which issued during the prosecution of U.S. Appl. No. 16/232,124. cited by applicant

Guy, Rebecca, Paul Liu, Peter Pennefather and Ian Crandall, "The use of fluorescence enhancement to improve the microscopic diagnosis of falciparum malaria", Malaria Journal 2007 6:89, <https://malariajournal.biomedcentral.com/articles/10.1186/1475-2875-6-89>, (Jul. 9, 2007) (total 8 pages). cited by applicant

Moody , "Rapid Diagnostic Tests for Malaria Parasites", Clinical Microbiology Reviews, vol. 15, No. 1, pp. 66-78, 12 (2002) (total 13 pages). cited by applicant

Xu, Lili, Asok Chaudhuri, "Plasmodium yoelii: A differential fluorescent technique using Acridine Orange to identify infected erythrocytes and reticulocytes in Duffy knockout mouse", Experimental Parasitology, vol. 110, Issue 1, May 2005, pp. 80-87,

<<https://www.sciencedirect.com/science/article/pii/S001448940500038X>>, (May 31, 2005) (total 8 pages). cited by applicant

Office Action issued Aug. 27, 2020 in U.S. Appl. No. 16/098,893. cited by applicant

Restriction Requirement issued Aug. 24, 2020 in U.S. Appl. No. 16/088,321. cited by applicant

Office Action issued May 22, 2020 in Chinese Patent Application No. 201680053431.1. cited by applicant

Anne Fohlen-Walter, PhD, et al., "Laboratory Identification of Cryoglobulinemia From Automated Blood Cell Counts, Fresh Blood Samples, and Blood Films", American Society for Clinical Pathology, Am J Clin Pathol, 2002, pp. 606-614, vol. 117 (9 pages total). cited by applicant



Ross, Nicholas E., et al. "Automated image processing method for the diagnosis and classification of malaria on thin blood smears." *Medical and Biological Engineering and Computing* 44.5 (2006): 427-436. cited by applicant

An Office Action dated Jun. 13, 2017, which issued during the prosecution of U.S. Appl. No. 14/285,672. cited by applicant

Communication dated Jan. 28, 2019, from United States Patent and Trademark Office in counterpart U.S. Appl. No. 15/174,490. cited by applicant

Communication dated Dec. 24, 2018, from Intellectual Property India in counterpart application No. 3592/MUMNP/2015. cited by applicant

Sheikh, et al., "Blood Cell Identification Using Neural Networks", *IEEE*, 1996 (p. 119-120). cited by applicant

Le, et al., "A novel semi-automatic image processing approach to determine Plasmodium falciparum parasitemia in Giemsa-stained thin blood smears", *BMC Cell Biology*, Mar. 28, 2008 (pp. 1-12). cited by applicant

John F. Brenner, et al., "An Automated Microscope for Cytologic Research a Preliminary Evaluation", *The Journal of Histochemistry and Cytochemistry*, 1976, pp. 100-111, vol. 24, No. 1 (12 pages total). cited by applicant

International Search Report in International Application No. PCT/IB2018/058861, issued on Apr. 8, 2019. cited by applicant

Office Action dated Jun. 4, 2019, which issued during the prosecution of U.S. Appl. No. 14/369,251. cited by applicant

Matcher, S. J., M. Cope, and D. T. Delpy. "Use of the water absorption spectrum to quantify tissue chromophore concentration changes in near-infrared spectroscopy." *Physics in medicine and biology* 39.1 (1994): 177. cited by applicant

Ahirwar, Neetu, Sapnojit Pattnaik, and Bibhudendra Acharya. "Advanced image analysis based system for automatic detection and classification of malarial parasite in blood images." *International Journal of Information Technology and Knowledge Management* 5.1 (2012): 59-64. cited by applicant

Communication dated Dec. 21, 2018, from United States Patent and Trademark Office in counterpart U.S. Appl. No. 14/369,251. cited by applicant

Communication dated Jan. 31, 2019, from Intellectual Property India in counterpart application No. 5069/DELNP/2012. cited by applicant

"Blood specimens: Microscopic Examination", *Centers for Disease Control and Prevention CDC, Diagnostic Procedures*, 2009, <[http://www.dpd.cdc.gov/dpdx/HTML/Frames/DiagnosticProcedures/body\\_dp\\_bloodexamin.htm](http://www.dpd.cdc.gov/dpdx/HTML/Frames/DiagnosticProcedures/body_dp_bloodexamin.htm)> (total 2 pages). cited by applicant

An Indian Examination Report dated Apr. 22, 2020. which issued during the prosecution of Indian App No. 201617009399. cited by applicant

Briggs, C., et al., "Continuing developments with the automated platelet count", *Blackwell Publishing Ltd, International Journal of Laboratory Hematology*, Jan. 18, 2007, pp. 77-91, vol. 29 (15 pages total). cited by applicant

Knesel, "Roche Image Analysis Systems, Inc.", *Acta Cytologica*, vol. 40, pp. 60-66, (1996). (total 7 pages). cited by applicant

Moon S, Lee S, Kim H, Freitas-Junior LH, Kang M, Ayong L, et al. (2013), An Image Analysis Algorithm for Malaria Parasite Stage Classification and Viability Quantification, *PLoS One* 8(4): e61812. <<https://doi.org/10.1371/journal.pone.0061812>> (total 12 pages). cited by applicant

Yao, LN et al. "Pathogen identification and clinical diagnosis for one case infected with Babesia", *Zhongguo ji sheng chong xue yu ji sheng chong bing za zhi Chinese journal of parasitology parasitic diseases*, Aug. 2012 (total 4 pages). cited by applicant

S A H Jahanmehr, et al., "Simple Technique for Fluorescence Staining of Blood Cells with Acridine

Orange”, Journal of Clinical Pathology, Feb. 12, 1987, pp. 926-929 (4 pages total). cited by applicant

Written Opinion in International Application No. PCT/IB2018/058861, issued on Apr. 8, 2019. cited by applicant

Rappaz, Benjamin, et al. “Comparative study of human erythrocytes by digital holographic microscopy, confocal microscopy, and impedance vol. analyzer.” Cytometry Part A 73.10 (2008): 895-903. cited by applicant

An Office Action dated Aug. 4, 2017, which issued during the prosecution of U.S. Appl. No. 14/369,251. cited by applicant

Wissing, et al., “Illumination of the Malaria Parasite Plasmodium falciparum Alters Intracellular pH”, The Journal of Biological Chemistry, vol. 277, No. 40, Oct. 4, 2002 (pp. 37747-37755). cited by applicant

Piruska, et al., “The autofluorescence of plastic materials and chips measured under laser irradiation”, The Royal Society of Chemistry, Lap Chip, vol. 5, 2005 (pp. 1348-1354). cited by applicant

An International Search Report and a Written Opinion both dated Jan. 15, 2016, for International Application No. PCT/IL2015/050864. cited by applicant

An International Search Report and a Written Opinion both dated Feb. 12, 2015, for International Application No. PCT/IL2014/050770. cited by applicant

An International Search Report and a Written Opinion both dated Apr. 18, 2013, for International Application No. PCT/IL2012/050556. cited by applicant

An International Search Report and a Written Opinion dated Jul. 27, 2012 for International Application No. PCT/IL2011/000973. cited by applicant

A Final Office Action dated Jul. 29, 2019 which issued during the prosecution of U.S. Appl. No. 14/914,329. cited by applicant

A European Search Report dated Mar. 23, 2017. which issued during the prosecution of Applicant's European App No. 14839661.7. cited by applicant

A European Search Report dated Dec. 14, 2016 which issued during the prosecution of Applicant's European App No. 14800352.8. cited by applicant

Yang, Ming et al.; “A Rapid Auto-Focus Method in Automatic Microscope.” Signal Processing, 2008. ICSP 2008. 9th International Conference on. IEEE, 2008. cited by applicant

Wu, Qiang, et al; Microscope Image Processing. Chapter 16, Autofocusing, pp. 441-467, Academic Press, 2010. cited by applicant

Wu, Caicai et al.; “Feasibility study of the spectroscopic measurement of oxyhemoglobin using whole blood without pre-treatment”, The Analyst, Mar. 1998, pp. 477-481, vol. 123 (5 pages total). cited by applicant

Wright, J H.; “A Rapid Method for the Differential Staining of Blood Films and Malarial Parasites” Journal of medical research vol. 7,1 (1902): 138-44. cited by applicant

Vink, J.P. et al.; “An automatic vision-based malaria diagnosis system”, Journal of Microscopy 250.3 (2013):166-178. cited by applicant

Thun et al.; “Blood Parasite Identification Using Feature Based Recognition.” Electrical Engineering and Informatics (ICEEI), 2011 International Conference on. IEEE, 2011. cited by applicant

Tek, F. Boray, et al.; “Computer Vision for Microscopy Diagnosis of Malaria.” Malaria Journal 8.1 (2009): 153. cited by applicant

Sun, Yu, et al.; “Autofocusing algorithm selection in computer microscopy”, 2005 IEEE/RSJ International Conference on Intelligent Robots and Systems. cited by applicant

Shute G. T et al.; “Identification of malaria parasites by fluorescence microscopy and acridine orange staining”, Bulletin of the World Health Organ. 1973; 48(5): 591-596. cited by applicant

Shen, Feimo, et al.; “Digital autofocus method for automated microscopy”, Methods in

Enzymology vol. 414, 2006, pp. 620-632. cited by applicant

Purwar, Yashasvi, et al.; “Automated and Unsupervised Detection of Malarial Parasites in Microscopic Images.” *Malaria Journal* 10.1 (2011): 364. cited by applicant

Price Jeffrey H. and David A. Gough, “Comparison of phase-contrast and fluorescence digital autofocus for scanning microscopy”, *Cytometry* 16.4 (1994) 283-297. cited by applicant

Poon et al.; “Automated Image Detection and Segmentation in Blood Smears”, [*Cytometry* 1992 13:766-774]. cited by applicant

Pasini, Erica M. et al.' “A novel live-dead staining methodology to study malaria parasite viability”; *Malaria Journal* 2013 12:190. cited by applicant

Osibote, O. A., et al.; “Automated focusing in bright-field microscopy for tuberculosis detection”, *Journal of Microscopy* 240.2 (2010)pp. 155-163. cited by applicant

Ortyn, William E.,et al.; “Extended Depth of Field Imaging for High Speed Cell Analysis.” *Cytometry Part A* 71.4, (2007): 215-231. cited by applicant

Merchant et al.; “Computer-Assisted Microscopy”, *The essential guide to image processing*, Chapter 27, pp. 777-831, Academic Press, (2009). cited by applicant

Mendiratta, D.K. et al.; Evaluation of different methods for diagnosis of *P. falciparum* malaria; *Indian J Med Microbiol.* Jan. 2006;24(1):49-51. cited by applicant

Kumar, Amit et al.; “Enhanced Identification of Malarial Infected Objects using Otsu Algorithm from Thin Smear Digital Images.” *International Journal of Latest Research in Science and Technology* vol. 1, Issue 2 : pp. 159-163, Jul.-Aug.(2012). cited by applicant

Keiser, J. et al.; “Acridine Orange for malaria diagnosis: its diagnostic performance, its promotion and implementation in Tanzania, and the implications for malaria control”, *Annals of Tropical Medicine and parasitology*, 96.7 (2002): 643-654. cited by applicant

Kawamoto, F.; “Rapid diagnosis of malaria by fluorescence microscopy with light microscope and interference filter”, *The Lancet*, vol. 337, pp. 200-202, Jan. 26, 1991. cited by applicant

Kawamoto, F. and P.F.Billingsley; “Rapid diagnosis of malaria by fluorescence microscopy”, *Parasitology Today*, 8.2 (1992): 69-71. cited by applicant

Joanny, Fanny, et al; “In Vitro Activity of Fluorescent Dyes against Asexual Blood Stages of *Plasmodium falciparum*” DOI: 10.1128/AAC.00709-12. cited by applicant

Jahanmehr, S A H et al.; “Simple Technique for Fluorescence Staining of Blood Cells with Acridine Orange”, *Journal of Clinical Pathology*, Feb. 12, 1987, pp. 926-929 (4 pages total). cited by applicant

Jager et al.; “Five-minute Giemsa stain for rapid detection of malaria parasites in blood smears”, *Tropical Doctor*, Vo. 41, pp. 33-35, Jan. 2011. cited by applicant

Guy, Rebecca, et al.; “The use of fluorescence enhancement to improve the microscopic diagnosis of *falciparum* malaria”, *Malaria Journal* 2007 6:89, <https://malariajournal.biomedcentral.com/articles/10.1186/1475-2875-6-89>, (Jul. 9, 2007). cited by applicant

Gordon, Andrew et al.; Supplementary Note to Gordon et al.: “Single-cell quantification of molecules” *Nature Methods*, Jan. 21, 2007, pp. 1-35. cited by applicant

Gordon, Andrew et al.; “Single-cell quantification of molecules” *Nature Methods* 4, Jan. 21, 2007, pp. 175-181. cited by applicant

Garcia, et al. ; “Laboratory Diagnosis of Blood-borne Parasitic Diseases; Approved Guideline”; *Nccls Documents M115-a*, Jun. 2000. cited by applicant

Gallo, V., et al.; “Simultaneous determination of phagocytosis of *Plasmodium falciparum*-parasitized and non-parasitized red blood cells by flow cytometry”; *Malaria Journal* 2012 11:428. cited by applicant

Frean, John; “Microscopic Determination of Malaria Parasite Load: Role of Image Analysis.” *Microscopy: Science, technology, Applications, and Education* (2010): 862-866. cited by applicant

Fohlen-Walter, Anne PhD, et al.; “Laboratory Identification of Cryoglobulinemia From Automated

Blood Cell Counts, Fresh Blood Samples, and Blood Films”, American Society for Clinical Pathology, Am J Clin Pathol, 2002, pp. 606-614, vol. 117 (9 pages total). cited by applicant

Chong, Shau Poh, Shilpa Pant, and Nanguang Chen. “Line-scan Focal Modulation Microscopy for Rapid Imaging of Thick Biological Specimens.” SPIE/OSA/IEEE Asia Communications and Photonics. International Society for Optics and Photonics, 2011. cited by applicant

Chiodini, P.L. et al.; “Rapid diagnosis of malaria by fluorescence microscopy”; The Lancet, vol. 337, Issue 8741, P624-625, Mar. 9, 1991. cited by applicant

“Blood specimens:Microscopic Examination”, Centers for Disease Control and Prevention CDC, Diagnostic Procedures, 2009,  
<[http://www.dpd.cdc.gov/dpdx/HTML/Frames/DiagnosticProcedures/body\\_dp\\_bloodexamin.htm](http://www.dpd.cdc.gov/dpdx/HTML/Frames/DiagnosticProcedures/body_dp_bloodexamin.htm)>. cited by applicant

Brenner et al.; An Automated Microscope for Cytologic Research a Preliminary Evaluation, [The Journal of Histochemistry and Cytochemistry, vol. 24, No. 1, pp. 100-111, 1976. cited by applicant

Bovik, Alan C., et al.; “The Essential Guide to Image Processing”, Chapter 27, “Computer Assisted Microscopy”, pp. 777-831; Academic Press, 2009. cited by applicant

Biéler, Sylvain et al. “Improved detection of Trypanosoma brucei by lysis of red blood cells, concentration and LED fluorescence microscopy”; Acta Tropica; vol. 121, Issue 2, Feb. 2012, pp. 135-140. cited by applicant

Anand, A., et al. ; “Automatic Identification of Malaria-Infected RBC with Digital Holographic Microscopy Using Correlation Algorithms.” Photonics Journal, IEEE 4.5 (2012): 1456-1464. cited by applicant

An Office Action dated Aug. 24, 2020 for U.S. Appl. No. 16/098,893. cited by applicant

An Office Action dated Jun. 23, 2020 for U.S. Appl. No. 16/706,159. cited by applicant

U.S. Appl. No. 61/870,106 filed Aug. 26, 2013. cited by applicant

Notice of Allowance dated Jul. 20, 2019 in U.S. Appl. No. 15/506,997. cited by applicant

Centers for Disease Control and Prevention. DPDx—Laboratory Identification of Parasitic Diseases of Public Health Concern  
<<http://www.cdc.gov/dpdx/diagnosticProcedures/blood/microexam.html>>, Nov. 29, 2013. cited by applicant

An Office Action in Indian Application 3592/MUMNO/2015 mailed Dec. 24, 2018. 4 pages. cited by applicant

An Office Action dated Sep. 25, 2015, which issued during the prosecution of U.S. Appl. No. 13/338,291. cited by applicant

An Office Action dated Oct. 29, 2014, which issued during the prosecution of U.S. Appl. No. 13/338,291. cited by applicant

An Office Action dated Nov. 16, 2018 which issued during the prosecution of U.S. Appl. No. 14/914,329. cited by applicant

An Office Action dated Mar. 23, 2018 which issued during the prosecution of Indian Patent Application No. 4263/DELNP/2014. cited by applicant

An International Search Report and a Written Opinion both dated Oct. 30, 2014 , for International Application No. PCT/IL2014/050585. cited by applicant

An International Search Report and Written Opinion in International Application No. PCT/IB2018/058861, issued on Apr. 8, 2019. cited by applicant

An International Search Report and Written Opinion, dated Aug. 30, 2017 from the International Bureau in counterpart International application No. PCT/IL2017/050526. cited by applicant

An International Search Report and Written Opinion, dated Aug. 8, 2017 from the International Bureau in counterpart International application No. PCT/IL2017/050523. cited by applicant

An International Search Report and Written Opinion, dated May 18, 2017 from the International Bureau in counterpart International application No. PCT/IL2017/050363. cited by applicant

An Office Action dated Apr. 2, 2015, which issued during the prosecution of U.S. Appl. No.

13/338,291. cited by applicant  
An Office Action dated Apr. 4, 2019 which issued during the prosecution of U.S. Appl. No. 14/914,329. cited by applicant  
An Office Action dated Dec. 24, 2018 which issued during the prosecution of Indian Patent Application No. 3592/2012. cited by applicant  
An Office Action dated Feb. 22, 2018 which issued during the prosecution of U.S. Appl. No. 14/369,251. cited by applicant  
An Office Action dated Jan. 10, 2018. which issued during the prosecution of U.S. Appl. No. 15/083,610. cited by applicant  
An Office Action dated Jan. 28, 2019 which issued during the prosecution of U.S. Appl. No. 15/174,490. cited by applicant  
An Office Action dated Jan. 31, 2019 which issued during the prosecution of Indian Patent Application No. 5069/DELNP/2012. cited by applicant  
An Office Action dated Jun. 15, 2018 from the United States Patent and Trademark Office in copending U.S. Appl. No. 14/369,251. cited by applicant  
An Office Action dated Jun. 29, 2018 from the United States Patent and Trademark Office in copending U.S. Appl. No. 15/174,490. cited by applicant  
An Office Action dated Jun. 4, 2019, which issued during the prosecution of U.S. Appl. No. 14/369,251. cited by applicant  
An Office Action dated Jun. 5, 2019, which issued during the prosecution of U.S. Appl. No. 15/174,490. cited by applicant  
An Office Action dated Aug. 24, 2020 which issued during the prosecution of U.S. Appl. No. 16/098,893. cited by applicant  
Bonnekoh, Bernd, et al. "Profiling lymphocyte subpopulations in peripheral blood under efalizumab treatment of psoriasis by multi epitope ligand cartography (MELC) robot microscopy", European Journal of Dermatology, 2006, vol. 16, Issue 6, 3 pages total. cited by applicant  
A Chinese Office Action dated May 23, 2024 which issued during the prosecution of Application No. 202080073583.4. cited by applicant  
A Chinese Office Action dated May 23, 2024 which issued during the prosecution of Application No. 202080073623.5. cited by applicant  
A combined Search and Examination Report issued for EP 20828313.5 on Sep. 11, 2024. cited by applicant  
Horton, A. P., K. Kumar, H. Liu, L. Cheng, N. Lane, E. Taylor, H. R. Garner, J. W. Uhr, and X. J. Zhang. "Quantitative immunophenotyping of circulating tumor cells in blood using microfluidic screening chip integrated with hyperspectral microscope." In Transducers 2009-2009 International Solid-State Sensors, Actuators and Microsystems Conference, pp. 77-80. IEEE, 2009. (4 pages). cited by applicant  
An Invitation to Pay Additional Search Fees issued on Jul. 10, 2024 by the WIPO for PCT/IB2024/054798. cited by applicant  
A Japanese Office Action dated Jul. 1, 2024 which issued during the prosecution of Application No. 2022-521112. cited by applicant  
A Japanese Office Action dated Jul. 3, 2024 which issued during the prosecution of Application No. 2022- 521238. cited by applicant  
Niehues T, Kapaun P, Harms DO, Burdach S, Kramm C, Körholz D, Janka-Schaub G, Göbel U. A classification based on T cell selection-related phenotypes identifies a subgroup of childhood T-ALL with favorable outcome in the COALL studies. Leukemia. Apr. 1999; 13. cited by applicant  
Non-Final Office Action dated Jul. 8, 2024 which issued during the prosecution of U.S. Appl. No. 18/397,324. cited by applicant  
Notice of Allowance dated Aug. 7, 2024, which issued during the prosecution of U.S. Appl. No. 17/783,924. cited by applicant

Notice of Allowance dated Sep. 23, 2024, which issued during the prosecution of U.S. Appl. No. 18/203,109. cited by applicant

Notice of Allowance issued for U.S. Appl. No. 18/203,109 on Jun. 13, 2024. cited by applicant

An Office Action dated Aug. 15, 2024 which issued during the prosecution of U.S. Appl. No. 17/083,647. cited by applicant

An Office Action dated Sep. 3, 2024 which issued during the prosecution of Canadian Patent Application No. 3,081,669. cited by applicant

Examination Report dated Oct. 23, 2024 which issued during the prosecution of New Zealand Application No. 787745. cited by applicant

Examination Report dated Oct. 23, 2024 which issued during the prosecution of European Application No. 20828312.7. cited by applicant

Examination Report dated Oct. 31, 2024 which issued during the prosecution of New Zealand Application No. 787743. cited by applicant

Non-Final Office Action dated Sep. 28, 2024 which issued during the prosecution of U.S. Appl. No. 17/770,339. cited by applicant

Office Action dated Oct. 7, 2024 which issued during the prosecution of Japanese Patent Application No. 2022-534229. cited by applicant

Office Action dated Oct. 3, 2024 which issued during the prosecution of Japanese Patent Application No. 2022-534230. cited by applicant

Office Action dated Sep. 5, 2024 which issued during the prosecution of U.S. Appl. No. 18/214,568. cited by applicant

Office Action dated Aug. 19, 2024 which issued during the prosecution of U.S. Appl. No. 18/376,680. cited by applicant

International Search Report and Written Opinion issued for PCT Application No. PCT/IB2024/054798 on Sep. 2, 2024. cited by applicant

Japanese Office Action dated Nov. 11, 2024 which issued during the prosecution of Application No. 2022-521238. cited by applicant

Japanese Office Action dated Nov. 5, 2024 which issued during the prosecution of Application No. 2022-534369. cited by applicant

Japanese Office Action dated Nov. 7, 2024 which issued during the prosecution of Application No. 2022-521112. cited by applicant

Chinese Office Action dated Nov. 25, 2024 which issued during the prosecution of Application No. 202080073583.4. cited by applicant

Chinese Office Action dated Nov. 25, 2024 which issued during the prosecution of Application No. 202080073623.5. cited by applicant

Final Office Action dated Dec. 19, 2024, which issued during the prosecution of U.S. Appl. No. 17/063,320. cited by applicant

Final Office Action dated Dec. 30, 2024, which issued during the prosecution of U.S. Appl. No. 17/083,647. cited by applicant

Japanese Office Action dated Jan. 14, 2025 which issued during the prosecution of Application No. 2024-15207. cited by applicant

Novelli, Enrico M., et al. "Clinical predictors of severe malarial anaemia in a holoendemic Plasmodium falciparum transmission area." *British journal of haematology* 149.5. cited by applicant

Philip E. Thuma, Janneke van Dijk, Rick Bucala, Zufan Debebe, Sergei Nekhai, Thea Kuddo, Mehdi Nouraie, Günter Weiss, Victor R. Gordeuk, Distinct Clinical and Immunologic Profiles in Severe Malarial Anemia and Cerebral Malaria in Zambia, *The Journal of Infectious Diseases*, vol. 203, Issue 2, Jan. 15, 2011, pp. 211-219, <https://doi.org/10.1093/infdis/jiq041>. cited by applicant

Haroon H, Fazel PA, Naeem M, Mobin A, Naqvi AH, Makki K., "Hide and seek: hematological aspects of malaria—a developing country perspective", *J. Infect. Dev. Ctries*, 2013, vol. 7, No. 3,

pp. 273-279. cited by applicant  
Office Action dated Jan. 13, 2025 which issued during the prosecution of U.S. Appl. No. 18/214,568. cited by applicant  
Office Action dated Jan. 13, 2025 which issued during the prosecution of U.S. Appl. No. 17/770,365. cited by applicant  
Office Action dated Jan. 15, 2025 which issued during the prosecution of U.S. Appl. No. 17/836,561. cited by applicant  
Examination Report dated Jan. 23, 2025 which issued during the prosecution of New Zealand Application No. 787745. cited by applicant  
Chinese Office Action dated Jan. 27, 2025 which issued during the prosecution of Application No. 202080085480.X. cited by applicant  
Rodrigo, 2015, Fast control of temporal and spatial coherence properties of microscope illumination using DLP projector JO—Progress in Biomedical Optics and Imaging—Proceedings of SPIEER. cited by applicant  
Pan, 2020, High-resolution and large field-of-view Fourier ptychographic microscopy and its applications in biomedicine, Reports on Progress in Physics, vol. 83, No. 9. cited by applicant  
Invitation to pay fees and Partial Search Report for PCT Application No. PCT/IB2024/062064 dated Feb. 25, 2025. cited by applicant  
Chinese Office Action dated Feb. 27, 2025 which issued during the prosecution of Application No. 202080085933.9. cited by applicant  
Final Office Action dated Mar. 11, 2025 which issued during the prosecution of U.S. Appl. No. 18/376,680. cited by applicant  
Office Action dated Mar. 13, 2025 which issued during the prosecution of U.S. Appl. No. 17/783,831. cited by applicant  
Office Action dated Mar. 5, 2025 which issued during the prosecution of Japanese Patent Application No. 2022-534230. cited by applicant

---

*Primary Examiner:* Tran; Loi H

*Attorney, Agent or Firm:* Sughrue Mion, PLLC

---

## **Background/Summary**

CROSS-REFERENCE TO RELATED APPLICATION (1) This application is a continuation of U.S. Ser. No. 14/914,329 (published as US 2016/0246046) to Yorav Raphael, which is a US national phase application of PCT Application No. PCT/IL/2014/050770 to Yorav (published as WO 15/029032), filed Aug. 26, 2014, which claims the benefit of U.S. Provisional Application No. 61/870,106, filed on Aug. 26, 2013, titled Digital Microscopy Systems, Methods and Computer Program Products, which is hereby incorporated by reference herein.

### **TECHNOLOGICAL FIELD**

(1) The present disclosure relates to the field of digital microscopy.

### **BACKGROUND**

(2) When using a digital microscope system to examine a sample, it may be desirable to shorten as much as possible the duration of the examination. For instance, reducing the duration of the examination may allow a higher throughput for a given digital microscope, and/or may therefore allow a smaller number of digital microscope(s) to examine a predetermined number of samples than if the throughput were lower.

(3) When the sample includes a parasite and examination of the sample may allow diagnosis of a

parasitic infection, such as malaria or a Babesiosis infection, a shortened examination duration which leads to a more rapid diagnosis may be especially appreciated. Parasites are estimated to infect around one third of the world population, and diseases caused by parasites are estimated to cause millions of deaths worldwide, immense suffering, and economic costs.

## SUMMARY

(4) In accordance with the presently disclosed subject matter, there is provided a digital microscopy method, comprising: capturing a plurality of overlapping images of a sample, wherein the capturing of at least one of the plurality of images is performed while the sample and a focal plane are in relative motion along an optical axis at a speed greater than zero; and processing the plurality of images using a reference criterion to determine a reference relative arrangement of the focal plane and the sample along the optical axis. In some embodiments of the method, the overlapping images are completely overlapping.

(5) In some embodiments of the method, the plurality of images is characterized by different image capture densities along the optical axis.

(6) In some embodiments, the method comprises varying a speed of the relative motion.

(7) In some embodiments, the method comprises providing an estimated relative arrangement, wherein varying the speed comprises decelerating to provide a decreased speed of relative motion when a relative arrangement of the focal plane and the sample corresponds or is in proximity to the estimated relative arrangement.

(8) In some embodiments of the method, the speed of the relative motion is at a minimum value when a relative arrangement of the focal plane and the sample corresponds or is in proximity to the estimated relative arrangement.

(9) In some embodiments of the method, the speed of the relative motion is zero when a relative arrangement of the focal plane and the sample corresponds or is in proximity to the estimated relative arrangement.

(10) In some embodiments, the method comprises providing an estimated relative arrangement, wherein varying the speed comprises accelerating to provide an increased speed of relative motion when the relative arrangement of the focal plane and the sample corresponds to a relative arrangement other than the estimated relative arrangement.

(11) In some embodiments, the method comprises providing an estimated relative arrangement, wherein varying the speed comprises decelerating before the relative arrangement of the focal plane and the sample corresponds to the estimated relative arrangement and accelerating after the relative arrangement of the focal plane and the sample corresponds to the estimated relative arrangement.

(12) In some embodiments, the method comprises providing an estimated relative arrangement, wherein varying the speed comprises decelerating as the relative arrangement of the focal plane and the sample grows closer to the estimated relative arrangement and accelerating as the relative arrangement of the focal plane and the sample moves away from the estimated relative arrangement.

(13) In some embodiments of the method, the capturing comprises varying a rate of image capture.

(14) In some embodiments, the method comprises providing an estimated relative arrangement, wherein varying the rate of image capture comprises increasing a rate of image capture to provide an increased rate when a relative arrangement of the focal plane and the sample corresponds or is in proximity to the estimated relative arrangement.

(15) In some embodiments, the method comprises providing an estimated relative arrangement, wherein varying the rate of image capture comprises decreasing a rate of image capture to provide a decreased rate when a relative arrangement of the focal plane and the sample corresponds to a relative arrangement other than the estimated relative arrangement.

(16) In some embodiments, the method comprises providing an estimated relative arrangement, wherein varying the rate of image capture comprises increasing a rate of image capture before the



relative arrangement of the focal plane and the sample corresponds to the estimated relative arrangement and decreasing a rate of image capture after the relative arrangement of the focal plane and the sample corresponds to the estimated relative arrangement.

(17) In some embodiments, the method comprises providing an estimated relative arrangement, wherein varying the rate of image capture comprises increasing a rate of image capture as the relative arrangement of the focal plane and the sample grows closer to the estimated relative arrangement and decreasing a rate of image capture as the relative arrangement of the focal plane and the sample moves away from the estimated relative arrangement.

(18) In some embodiments of the method, at least one of the plurality of images is captured while a speed of the relative motion is greater than 10  $\mu\text{m/s}$ .

(19) In some embodiments of the method, relative motion is implemented at least partly by modifying a focal length.

(20) In some embodiments of the method, relative motion is implemented at least partly by moving a sample holder.

(21) In some embodiments of the method, relative motion is implemented at least partly by moving an optical module or a part thereof.

(22) In some embodiments of the method, the reference criterion includes a drop in image contrast.

(23) In some embodiments, the method comprises capturing at least one image of a sample when a relative arrangement of the focal plane and the sample along the optical axis corresponds to an investigation relative arrangement defined at least partly based on the reference relative arrangement.

(24) In some embodiments of the method, the investigation relative arrangement is defined as a relative arrangement shifted with respect to the reference relative arrangement.

(25) In accordance with the presently disclosed subject matter, there is provided a digital microscope system, comprising: an imaging module including a sensor module configured to capture a plurality of overlapping images of a sample, wherein the capturing of at least one of the plurality of images is performed while the sample and a focal plane are in relative motion along an optical axis at a speed greater than zero; a carrier module configured to carry, support, comprise or have integrated within it a sample holder which is configured to accommodate the sample; a control module configured to implement the relative motion; and a processing module configured to process the plurality of images using a reference criterion to determine a reference relative arrangement of the focal plane and the sample along the optical axis.

(26) In some embodiments of the system, the control module is configured to vary a speed of the relative motion.

(27) In some embodiments of the system, the control module is configured to vary a rate of image capture.

(28) In some embodiments of the system, the imaging module includes an optical module, wherein the relative motion is at least partly implemented by the control module performing at least one of changing a focal length associated with the optical module or moving the optical module or a part thereof.

(29) In some embodiments of the system, the relative motion is at least partly implemented by the control module, by moving the sample holder.

(30) In some embodiments, the system comprises a light source module.

(31) In some embodiments, the system comprises an input module configured to receive input from any of an operator or a controller device for use by at least one of the processing module or control module.

(32) In some embodiments, the system comprises an output module configured to provide output to any of an operator or control device regarding operation of the system.

(33) In accordance with the presently disclosed subject matter there is provided a computer program product comprising a computer useable medium having computer readable program code

embodied therein for performing a digital microscopy method, the computer program product comprising: computer readable program code for causing a computer to capture a plurality of overlapping images of a sample, wherein the capturing of at least one of the plurality of images is performed while the sample and a focal plane are in relative motion along an optical axis at a speed greater than zero; and computer readable program code for causing a computer to process the plurality of images using a reference criterion to determine a reference relative arrangement of the focal plane and the sample along the optical axis.

(34) In some embodiments, the computer program product comprises computer readable program code for causing a computer to change a speed of the relative motion.

(35) In some embodiments, the computer program product comprises computer readable program code for causing a computer to change a rate of image capture.

---

## Description

### BRIEF DESCRIPTION OF THE DRAWINGS

(1) In order to better understand the subject matter that is disclosed herein and to exemplify how it may be carried out in practice, embodiments will now be described, by way of non-limiting example only, with reference to the accompanying drawings, in which:

(2) FIG. 1 is a block diagram of a digital microscope system, in accordance with some embodiments of the presently disclosed subject matter;

(3) FIG. 2A is a flowchart of a method of digital microscopy, in accordance with some embodiments of the presently disclosed subject matter;

(4) FIG. 2B depicts a schematic graph showing the timing of image capture at a plurality of relative arrangements along an optical axis, in accordance with some embodiments of the presently disclosed subject matter;

(5) FIG. 3A illustrates various relative arrangements of a focal plane and a sample, in accordance with some embodiments of the presently disclosed subject matter;

(6) FIG. 3B illustrates various relative arrangements of a focal plane and a sample, in accordance with some embodiments of the presently disclosed subject matter;

(7) FIG. 4 illustrates some fields and specific locations, in accordance with some embodiments of the presently disclosed subject matter;

(8) FIG. 5 is a flowchart of a method of examining a sample, in accordance with some embodiments of the presently disclosed subject matter;

(9) FIG. 6 illustrates a red blood cell, in the context of some embodiments of the presently disclosed subject matter; and

(10) FIG. 7 illustrates a curve representing the values of image contrast function as a function of depth levels, in accordance with some embodiments of the presently disclosed subject matter.

### DETAILED DESCRIPTION OF EMBODIMENTS

(11) In the following detailed description, numerous specific details are set forth in order to provide a thorough understanding of the subject matter. However, it will be understood by those skilled in the art that some examples of the subject matter may be practiced without these specific details. In other instances, well-known features, structures, characteristics, stages, methods, modules, elements, components, devices and/or systems have not been described in detail so as not to obscure the subject matter.

(12) Usage of the term “one embodiment”, “an embodiment”, “some embodiments”, “another embodiment”, “other embodiments”, “illustrated embodiments”, “for example,” “such as”, “for instance”, “e.g.”, “possibly”, “it is possible”, “optionally”, “say”, “one example”, “some examples”, “another example”, “other examples”, “various examples”, “one instance”, “some instances”, “another instance”, “other instances”, “one case”, “some cases”, “another case”, “other

cases”, “may”, “can”, “could” or variants thereof is intended to convey that a particular described feature, structure, characteristic, stage, method, module, element, component, device and/or system may be included in at least one non-limiting embodiment of the subject matter, but may not necessarily be included in all embodiments of the subject matter. The appearance of the same term does not necessarily refer to the same embodiment(s).

(13) The term “illustrated embodiments”, is used to direct the attention of the reader to one or more of the figures, but should not be construed as necessarily favoring any embodiment over any other.

(14) It should be appreciated that certain features, structures, characteristics, stages, methods, modules, elements, components devices and/or systems disclosed herein, which are, for clarity, described in the context of separate examples, may also be provided in combination in a single example. Conversely, various features, structures, characteristics, stages, methods, modules, elements, components, devices and/or systems disclosed herein, which are, for brevity, described in the context of a single example, may also be provided separately or in any suitable sub-combination.

(15) FIG. 1 is a block diagram of a digital microscope system **100**, in accordance with some embodiments of the presently disclosed subject matter. Each module described as being included in digital microscope system **100** in a particular embodiment may be made up of any combination of hardware, software and/or firmware configured to perform the function(s) attributed to the module in that embodiment. The modules of system **100** may be centralized in one location or dispersed over more than one location.

(16) In the illustrated embodiments, digital microscope system **100** may comprise one or more carrier module(s) **120**, one or more imaging module(s) **130**, one or more control module(s) **140**, and one or more processing module(s) **150**. For simplicity of description and illustration, the single form is used to refer to each of modules **120**, **130**, **140** and **150** and should be construed to include embodiments where there is one of each of these modules or a plurality of any of these modules.

(17) Carrier module **120** may include any carrier known in the art (e.g. a microscope stage) configured to carry, support, comprise or have integrated within it one or more sample holder(s) **125** configured to accommodate one or more samples. For simplicity of description and illustration the single form is used to refer to each of module **125** and the sample, and should be construed to include embodiments where there is one module **125** or a plurality of modules **125** associated with carrier module **120**, as well as embodiments where there is one sample or a plurality of samples associated with sample holder **125**. Examples of any sample holder **125**, may include a carrier slide, laboratory receptacle, dish, plate, multi-well plate, test tube (e.g. with or without a flat bottom), microfluidic cell and cartridge, a combination of any of the above, etc. There may or may not be variation in the surface of sample holder **125** accommodating the sample. The sample may be any type of sample, e.g. a biological sample.

(18) In the illustrated embodiments, imaging module **130** may include one or more sensor module(s) **134** configured to capture a plurality of images of the sample, and one or more optical module(s) **132**. For simplicity of description and illustration the single form is used to refer to each of modules **132** and **134** and should be construed to include embodiments where there is one of each of these modules or a plurality of any of these modules.

(19) Sensor module **134** may include any image sensor known in the art for capturing an image, for example a charge-coupled-device (CCD), complementary metal-oxide-semiconductor (CMOS) sensor, matrix sensor, etc. Optical module **132** may include one or more optical components (e.g. lenses of various magnification levels, dichroic filters, excitation filters and/or emission filters) configured inter-alia to magnify so that an image of the sample captured by sensor module **132** may be magnified compared to the sample. The optical module **132** may be configured to be adjusted, as desired. For instance, the overall magnification of optical module **132** may be changed, for example by replacing a microscope lens. Additionally or alternatively, for instance, a focal length associated with optical module **132** may be changed and/or optical module **132** or a part thereof

(e.g. one or more optical component(s)) may be moved, for instance in order to change the position of a focal plane along an optical axis.

(20) Processing module **150** may be configured to process images captured by sensor module **134**. It is not necessary that the captured images be transferred from imaging module **130** to processing module **150**. For example, it is possible that the captured images may be stored in a computer readable medium and loaded/downloaded for processing by processing module **150**. Additionally or alternatively, processing module **150** may be at least partly located in a same location as imaging module **130**, and/or or may be at least partly located in a remote location from imaging module **130**.

(21) It should be understood that when it is stated herein that processing module **150** is configured to process images, processing module **150** may be configured to process any data relating to the images, for instance all of the data collected by sensor module **134** when capturing the images, part of the data collected by sensor module **134** when capturing the images, data derived from data collected by sensor module **134**, and/or a combination of collected data and derived data.

Optionally data is collected from a plurality of sensor modules **134**. Processing module **150** may be configured to process images using at least one reference criterion in order to determine a reference relative arrangement (to be explained below) and/or for any other purpose. For simplicity of description, the single form is used to refer to a reference criterion and should be construed to include embodiments where there is one criterion or a plurality of criteria.

(22) Control module **140** may be configured to control the operation of any module of digital microscope system **100**. Control module **140** may include mechanical and/or electrical/electronic components for controlling operations. For instance control module **140** may be configured to implement relative motion of a focal plane and a sample along the optical axis. In embodiments where control module **140** implements relative motion, in order to implement the relative motion, control module **140** may be configured to change a focal length associated with optical module **132**, to move optical module **132** or a part thereof (e.g. one or more optical component(s)), and/or to move sample holder **125** accommodating a sample (e.g. by moving and/or adjusting carrier module **120**). For example, carrier module **120** may be adjusted among a plurality of different configurations, which may allow moving sample holder **125** without necessarily moving carrier module or a part thereof (e.g. when carrier module **120** includes an extendible member).

(23) Control module **140** may be configured to control one or more parameter(s) relating to optical module **132**, sensor module **134**, and/or carrier module **120** (in addition to or instead of being configured to implement relative motion) such as: control a speed of relative motion; control start and/or end of image capturing; control a rate of image capture; control range of relative arrangements; and/or control relative arrangement(s), if any, associated with decelerating, accelerating, increasing rate of image capture and/or decreasing rate of image capture; control relative arrangement to correspond to investigation relative arrangement; and/or control magnification level, etc.

(24) Optionally digital microscope system **100** may include one or more light source module(s) **110** and/or light may be provided by an element external to system **100**. For simplicity of description and illustration the single form is used to refer to module **110**, and should be construed to include embodiments where there is one module **110** or a plurality of modules **110**. Light source module **110** may provide any type of light known in the art, and may be positioned to provide the light from any useful lighting direction (e.g. above and/or below the sample along the optical axis) as known in the art. For example, in some embodiments lighting may be provided from above the sample along the optical axis, and optical module **132** may be positioned below the sample along the same axis. Optionally, lighting may be provided from the same side of the sample along the optical axis at which optical module **132** is positioned. Optionally, lighting may be provided and optical module **132** may be present at both sides of the sample and used as required.

(25) In examples where light source module **110** is included in digital microscope system **100**,

control module **140** may or may not control light source module **110**, e.g. regarding the type of light. For example, control module **140** may control light source module **110** to provide different lighting conditions for different imaging purposes, such as different wavelengths and/or different bandwidths and/or different lighting directions. Optionally, lighting for brightfield imaging may be provided from the same side of the sample along the optical axis as optical module **132** is positioned, while florescent lighting may be provided across the sample.

(26) Optionally, digital microscope system **100** may include an input module **160** for receiving input from an operator and/or from a controller device for use by processing module **150** and/or control module **140**. Input module **160**, when included, may comprise any appropriate input component(s), such as, keypad, mouse, keyboard, microphone, interface for receiving wired and/or wireless communication from a controller device, etc. Optionally digital microscope system **110** may include an output module **170** for providing output to an operator and/or to a controller device regarding operation of system **110**, such as images captured by sensor **134** and/or data indicative of such images and/or derived from such data and/or results from processing by processing module **150**. Output module **170**, when included, may comprise any appropriate components(s), such as display, speaker, printer, interface for transmitting wired and/or wireless communication to a controller device, etc. When both are included, input module **150** and output module **170** or part(s) thereof, may or may not be combined, for instance in a touch-screen display, a combined interface, etc.

(27) In some examples, at least part of digital microscope system **100** may comprise and/or be comprised in one or more computer(s) specially constructed for the desired purposes. Additionally or alternatively, in some examples at least part of digital microscope system **100** may comprise and/or be comprised in one or more computer(s) specially configured for the desired purposes by program code. In any of these examples such computer(s) may include at least some hardware. For instance, at least part of control module **140** and/or at least part of processing module **150** may comprise and/or be comprised in computer(s). The term “computer” should be construed to cover any kind of device with data processing capabilities.

(28) Optionally, digital microscope system **100** may include fewer, more and/or different modules than shown in FIG. **1**. In some embodiments, the functionality of system **100** may be divided differently among the modules illustrated in FIG. **1**. At times, the functionality of system **100** described herein may be divided into fewer, more and/or different modules than shown in FIG. **1** and/or system **100** may in some embodiments include additional, less, and/or different functionality than described herein. For instance, control module **140** or any part thereof may be integrated into or with one or more other module(s) in system **100** such as imaging module **130**, light source module **110**, carrier module **120**, input module **160**, output module **170** and/or processing module **150**, etc.

(29) Examination with a digital microscope system such as system **100** may include at least one focusing stage and at least one investigation stage. For simplicity of description, the single form is used to refer to the focusing stage and the investigation stage and should be construed to include embodiments where there is one of each of these stages or a plurality of one or both of these stages. The focusing stage may be used to define at least one investigation relative arrangement of the focal plane and the sample along the optical axis for capturing one or more images during the investigation stage. It therefore follows that a longer focusing stage may possibly delay the investigation stage and/or lengthen the duration of the examination whereas a shorter focusing stage may possibly advance the investigation stage and/or shorten the duration of the examination.

(30) For simplicity's sake it is assumed, in some of the examples below, that the sample is in an essentially x-y plane, the optical axis is a z axis, and the focal plane is an x-y plane, but in some other examples, the optical axis may be a different axis (e.g. x, y) perpendicular to the plane of the sample, with the focal plane parallel to the plane of the sample, mutatis mutandis.

(31) FIG. **2A** is a flowchart of a method **200** of digital microscopy, in accordance with some

embodiments of the presently disclosed subject matter. Method **200** or a part thereof may be performed by a digital microscope system such as system **100**. Method **200** or a part thereof may be included in a focusing stage of sample examination.

(32) In the illustrated embodiments in stage **210**, a reference criterion may be obtained relating to a relative arrangement of a focal plane and a sample along an optical axis. For instance, the reference criterion may be obtained by processing module **150**, e.g. from an operator and/or controller device via input module **160**, and/or may be based on a stored value from a previous iteration of method **200**. The reference criterion may be any reference criterion such as drop in image contrast, maximum contrast, and/or maximum sharpness etc. Some examples of drop in image contrast in digital microscopy are described in International Application Number PCT/IL2014/050423 filed on May 14, 2014, titled “Method and System for Imaging a Cell Sample” (published as WO 14/188405 to Greenfield), which is hereby incorporated by reference herein. These examples will be elaborated upon further below with reference to FIG. 5. Stage **210** may take place at any time prior to the reference criterion being used in stage **250**, and not necessarily as illustrated in FIG. 2A.

(33) In the illustrated embodiments, in optional stage **220**, a start indication may be received. For instance control module **140** may receive a start indication, e.g. from an operator and/or a controller device via input module **160**. In this instance, control module **140** may then allow the transition to stage **230**, thereby controlling the start of image capturing. Alternatively, stage **230** may be performed without stage **220** first being performed.

(34) In stage **230**, a plurality of overlapping images of the sample may be captured, for instance by a sensor module such as sensor module **134**. The plurality of images of the sample that are captured may not necessarily be of the entire sample, and therefore the plurality of images may be of the entire sample and/or of a portion of the sample. The overlapping images may be completely overlapping (e.g. if each image is of exactly the same focusing field or specific location) and/or partly overlapping. For example, at least 50% of the field covered by each image in a set of a plurality of overlapping images may be overlapping. Optionally, at least 95% of the field covered by each image in a set of a plurality of overlapping images may be overlapping. The capturing of at least one of the plurality of images may be performed while the focal plane and sample are in relative motion along the optical axis at a speed greater than zero. For instance, one or more of the plurality of images may be captured while the focal plane is moving e.g. due to changing focal length and/or the moving of an optical module such as optical module **132** or a part thereof. Additionally or alternatively, for instance, one or more images may be captured while the sample is moving e.g. due to the moving of a sample holder such as sample holder **125** (for instance by way of moving and/or adjusting an associated carrier module such as carrier module **120**). Although relative motion at a speed greater than zero may equal any speed greater than zero, in some embodiments at least one image may be captured in stage **230** while the speed of relative motion is greater than e.g. 1  $\mu\text{m/s}$ , 10  $\mu\text{m/s}$ , 50  $\mu\text{m/s}$ , 100  $\mu\text{m/s}$ , a predetermined percentage of maximum speed obtainable by a digital microscope system such as system **100**, etc. If during the relative motion there may be one or more times that both the focal plane and sample may be stationary, at least one of the overlapping images may or may not be captured while the focal plane and sample are both stationary.

(35) Herein, when referring to relative motion of a focal plane and a sample, the focal plane referred to is the focal plane associated with a particular imaging module (e.g. imaging module **130**) which includes a particular sensor module (e.g. sensor module **134**) that is configured to capture a plurality of overlapping images of the sample, where the capturing of at least one of said plurality of images is performed while the sample and the focal plane are in relative motion along an optical axis at a speed greater than zero.

(36) It is noted that conventionally during the focusing stage when examining a sample, the position of the focal plane and/or the position of the sample along the optical axis may be changed

in steps. After each step, when the focal plane and sample are stationary, an image may be captured of the sample. In contrast, in current method **200**, where at least one image is captured while the focal plane and sample are in relative motion along the optical axis at a speed greater than zero, the focusing stage may possibly be advantageously shortened compared to a conventional focusing stage. This focusing stage may be further shortened in embodiments where a plurality of different images is captured while the focal plane and sample are in relative motion along the optical axis at a speed greater than zero.

(37) During the relative motion, assuming at least the focal plane is moving along the optical axis, the focal plane may for instance move along the optical axis in one direction or in both directions. During the relative motion, assuming the sample is additionally or alternatively moving along the optical axis, the sample may for instance move along the optical axis in one direction or in both directions. Therefore as a result of the relative motion the relative arrangement of the focal plane and sample along the optical axis may change. For instance, the range of relative arrangements covered by the relative motion (inclusive of start and ending relative arrangement(s)) may include any relative arrangement where the distance between a particular point of the sample and the focal plane in a certain direction along the optical axis is less than or equal to the largest distance for any relative arrangement covered by the relative motion, and/or any relative arrangement where the distance between the particular point of the sample and the focal plane in the opposite direction along the optical axis is less than or equal to the largest distance for any relative arrangement covered by the relative motion. The largest distance in each direction may or may not correspond to the relative arrangement at the respective start or ending of the relative motion. The focal plane and sample may be arranged in various relative arrangements within the range of the relative arrangements covered by the relative motion in a specific order or in any order.

(38) The range of relative arrangements covered by the relative motion may vary. For instance, if the focal plane is moving, the two farthest apart positions of the focal plane along the optical axis may vary. Additionally or alternatively, if the sample is moving, for instance, the two farthest apart positions of the sample along the optical axis may vary. For example, the distance between the focal plane and the sample may be e.g. anywhere from around 5 micrometers to 1000 micrometers, anywhere from around 150 to 250 micrometers apart, less than around 50 micrometers apart, anywhere from around 10 to 30 micrometers apart, etc.

(39) A relative arrangement of the focal plane and sample along the optical axis may be quantified in any manner. For instance, the relative arrangement may be quantified as the distance between a point on the sample (e.g. vertical midpoint) and the focal plane along the optical axis and an indication of direction, such as which of the focal plane and the point on the sample is closer to imaging module **130**. Additionally or alternatively, for instance a relative arrangement may be quantified as the distance between a point on the sample and a particular fixed point (e.g. of light source module **110**) in a direction along the optical axis and the distance between the focal plane and the same particular fixed point in a (same or opposite) direction along the optical axis. In the latter instance, if both the focal plane and the sample may move then there may be a plurality of equivalent distance combinations (distance between sample point/fixed point in a direction along the optical axis e.g.  $k$ ,  $k-c$ ,  $k+c$ , etc; distance between focal plane/fixed point in a direction along the optical axis e.g.  $l$ ,  $l-c$ ,  $l+c$ , etc, where  $k$ ,  $l$ ,  $c$  may be any value(s)) for the relative arrangement.

(40) The focal plane and sample may be arranged in any particular relative arrangement only once from the time the relative motion begins until the time the relative motion ends (inclusive), or may be arranged in any particular relative arrangement one or more times from the beginning to end of the relative motion. Optionally, from the time the relative motion begins until the time the relative motion ends there may be one or more pauses in relative motion. A relative arrangement may be achieved more than once, for instance if the focal plane and/or sample return to the same position(s) along the optical axis (each position having the same distance in the same direction from the fixed point as before) and/or for instance if the focal plane and/or sample move to

equivalent but different position(s) along the optical axis (each position corresponding to the same distance between a point on the sample and the focal plane in the same direction along the optical axis as before).

(41) Images may be captured in any order and therefore two images captured consecutively may not necessarily correspond to closer relative arrangements than two images not captured consecutively. Optionally, images may be captured consecutively along the motion path. Even if two images captured consecutively correspond to closer arrangements than two images not captured consecutively, there may or may not be a fixed deviation in the relative arrangements between any two consecutively captured images, for instance depending on whether or not there is a uniform image capture density (where density refers to number of images per length of optical axis). As used herein, a deviation in the relative arrangements between any two captured images means the difference between the relative arrangements at which each of the two images were captured. For example, this may relate to the distance between the respective positions of the focal plane and/or the sample. Optionally each relative arrangement may be defined in terms of the distance between the focal plane and sample and the deviation may be defined in terms of the difference between such distances.

(42) Optionally, zero images may be captured for any particular relative arrangement, only one image may be captured for any particular relative arrangement, or one or more image(s) may be captured for any particular relative arrangement. For instance, more than one image may be captured for a particular relative arrangement if more than one image may be captured while the focal plane and sample remain in fixed relative position(s) (e.g. speeds of relative motion is zero), if additional image(s) may be captured as the focal plane and/or sample return to the same position(s) along the optical axis (e.g. each position having the same distance in the same direction from a fixed point as before) and/or if additional image(s) may be captured as the focal plane and/or sample move to equivalent but different position(s) along the optical axis (e.g. each position corresponding to the same distance between a point on the sample and the focal plane in the same direction along the optical axis as before).

(43) Refer now to FIGS. 3A and 3B which each illustrates various relative arrangements of a focal plane and a sample, in accordance with some embodiments of the presently disclosed subject matter. In both FIGS. 3A and 3B there is illustrated relative motion of the sample and the focal plane. In FIG. 3A the focal plane is shown moving along the optical axis relative to a stationary sample, in a direction from imaging module 130 (from noted position 1 of focal plane to noted position 5 of focal plane). In FIG. 3B the sample is shown moving along the optical axis relative to a stationary focal plane in a direction toward the optical module (from noted position 1 of sample to noted position 5 of sample). For simplicity's sake, relative arrangement "u" may be considered to be associated with position "u" (e.g. of the focal plane in FIG. 3A or of the sample in FIG. 3B). The illustrated vertical dashed line in FIG. 3A or FIG. 3B indicates the range along the optical axis of relative arrangements inclusive from relative arrangement 1 to relative arrangement 5 where in FIG. 3A the position of the sample is illustrated as being stationary and the position of the focal plane may be at any noted position and/or anywhere between any two noted positions, and in FIG. 3B the position of the focal plane is illustrated as being stationary and the position of the sample may be at any noted position and/or anywhere between any two noted positions. The distance between illustrated noted positions is not meant to be necessarily representative of actual distance between, and the actual distances may vary.

(44) FIGS. 3A and 3B also illustrate an "estimated relative arrangement" which may be relevant in some examples of the presently disclosed subject matter. In these examples, it may be assumed that prior to performing stage 230 a reference relative arrangement of the focal plane and sample may have been estimated (termed herein "estimated relative arrangement"). The estimated relative arrangement may have been provided, for instance to a control module such as control module 140 by an input module such as input module 160 and/or by a processing module such as processing



module **150**. For instance, referring to FIG. **3A**, the estimated relative arrangement is illustrated as corresponding to noted position **2** of the focal plane. For instance, referring to FIG. **3B**, the estimate relative arrangement is illustrated as corresponding to noted position **2** of the sample. (45) The relative motion illustrated in FIGS. **3A** and **3B** may not necessarily be exclusive of one another and in some other examples both the focal plane and the sample may move during the relative motion (sequentially and/or concurrently), with both moving for example in opposite directions or in the same direction. It is possible that in some examples, movement of any of the focal plane or sample may be in the opposite direction than described with reference to FIG. **3A** or **3B** respectively, movement of the focal plane may comprise movement by the focal plane in opposing directions, and/or movement of the sample may comprise movement by the sample in opposing directions.

(46) As mentioned above the range of relative arrangements covered by the relative motion may vary. In some embodiments, the focusing stage may possibly be advantageously shortened by narrowing the range of relative arrangements covered by the relative motion compared to a focusing stage where there may be a wider range of relative arrangements. For example, a range of relative arrangements may be defined based at least partly on an estimated relative arrangement, (if provided), and this defined range may be a narrower range compared to a possible (wider) range, e.g. compared to a range allowed by a digital microscope system such as microscope system **100**. Continuing with this example, assume that the estimated relative arrangement quantifies the focal plane as being a distance of  $x$  away from a fixed point (e.g. light source module **110**) and quantifies a vertical midpoint of the sample as being a distance of  $y$  away from the fixed point (e.g. light source module **110**), both in the same particular direction away from the fixed point (e.g. light source module **110**). In this example, a range of relative arrangements based at least partly on the estimated relative arrangement and which assumes the focal plane is moving and the sample is stationary may be bounded by relative arrangements associated for instance with distances of  $x-a$  and  $x+b$  between the focal plane and the fixed point (e.g. light source module **110**) in a particular direction. Referring to FIG. **3A**, and assuming for the sake of this example that FIG. **3A** reflects a range of relative arrangements based at least partly on the estimated relative arrangement,  $x-a$  may correspond to position **5** and  $x+b$  may correspond to position **1**. Variables  $x$ ,  $y$ ,  $a$ ,  $b$  are not limited by the disclosure and may be any value(s), not necessarily the same or different from one another. For instance,  $x$  may or may not equal  $y$ , and  $a$  may or may not equal  $b$ . In some cases  $a$  and/or  $b$  may equal 5 micrometers, whereas in other cases  $a$  and/or  $b$  may equal other value(s). Additionally or alternatively, for example, a range of relative arrangements may be defined based at least partly on experience.

(47) A range of relative arrangements which may be based at least partly on an estimated relative arrangement and/or experience is termed herein “expected reference range”.

(48) However in other embodiments, the range of relative arrangements may not be at least partly based on an estimated relative arrangement and/or experience.

(49) In the illustrated embodiments, in optional stage **240**, a speed of the relative motion may be varied while capturing the images and/or a rate of image capture may be varied while capturing the images.

(50) In some embodiments of stage **240** varying a speed may include, for instance, decelerating to provide a decreased speed of relative motion when a relative arrangement of the focal plane and the sample corresponds to the estimated relative arrangement or is in proximity to the estimated relative arrangement. For example a relative arrangement may be deemed to be in proximity to the estimated relative arrangement when they are no more than one depth of focus (sometimes also known as “depth of field”) apart. Although not necessarily so, in some cases, the speed of the relative motion between the focal plane and the sample may be at a minimum value when the relative arrangement of the focal plane and the sample corresponds to or is in proximity to the estimated relative arrangement. A minimum may be only a local minimum or may also be a global

minimum. The decreased speed may be zero, near zero, or any decreased value. Optionally, the focal plane and sample may both be stationary. Referring to FIG. 3A, when the focal plane is at or in the proximity of position 2 (where the relative arrangement corresponds to the estimated relative arrangement) there may be a decreased or even minimum speed of the focal plane, whereas referring to FIG. 3B when the sample is at or in the proximity of position 2 (where the relative arrangement corresponds to the estimated relative arrangement) there may be a decreased or even minimum speed of the sample. If the decreased speed is zero, the focal plane of FIG. 3A may stop when at or in the proximity of position 2 whereas the sample of FIG. 3B may stop when at or in the proximity of position 2.

(51) Additionally or alternatively, in some embodiments of stage 240 varying a speed may include, for instance, accelerating to provide an increased speed (e.g. maximum speed) of relative motion when the relative arrangement of the focal plane and the sample corresponds to a relative arrangement other than the estimated relative arrangement. A maximum may be only a local maximum or may also be a global maximum. Referring to FIG. 3A, when the focal plane is at a position other than position 2 (where the relative arrangement corresponds to the estimated relative arrangement) there may be an increased or even maximum speed of the focal plane, whereas referring to FIG. 3B when the sample is at a position other than position 2 (where the relative arrangement corresponds to the estimated relative arrangement) there may be an increased or even maximum speed of the sample.

(52) Additionally or alternatively, in some embodiments of stage 240 varying a speed may include for instance decelerating as the relative arrangement of the focal plane and the sample grows closer to the estimated relative arrangement and/or before the relative arrangement corresponds to the estimated relative arrangement. Additionally or alternatively, in some embodiments of stage 240 varying a speed may include for instance accelerating as the relative arrangement of the focal plane and the sample moves away from the estimated relative arrangement and/or after the relative arrangement corresponds to the estimated relative arrangement. Referring to FIG. 3A, before the focal plane is at position 2 (where the relative arrangement corresponds to the estimated relative arrangement) and/or as the focal plane grows closer to position 2 there may be a deceleration of the focal plane, and after the focal plane is at position 2 (where the relative arrangement corresponds to the estimated relative arrangement) and/or as the focal plane moves away from position 2 there may be an acceleration of the focal plane. Referring to FIG. 3B before the sample is at position 2 (where the relative arrangement corresponds to the estimated relative arrangement) and/or as the sample grows closer to position 2 there may be a deceleration of the sample and after the focal plane is at position 2 where the relative arrangement corresponds to the estimated relative arrangement) and/or as the sample moves away from position 2 there may be an acceleration of the sample.

(53) Optionally, the relative arrangement associated with decelerating (e.g. with the start of deceleration) and/or the relative arrangement associated with accelerating (e.g. with the start of acceleration) may or may not have been determined prior to decelerating and/or accelerating. For instance, the relative arrangement(s) associated with decelerating and/or accelerating may have been determined based on predetermined deviation(s) (zero and/or non-zero) from the estimated relative arrangement. For instance a relative arrangement associated with decelerating may be characterized by being achieved by the relative motion prior to the estimated relative arrangement and having a predetermined deviation from the estimated relative arrangement. Additionally or alternatively, a relative arrangement associated with accelerating may be characterized by being achieved by the relative motion at or in the proximity of the estimated relative arrangement and having a predetermined deviation from the estimated relative arrangement. When both may be relevant, the predetermined deviation for the relative arrangement associated with decelerating and the predetermined deviation for the relative arrangement associated with accelerating may or may not be the same.

(54) Referring to FIG. 3A, the relative arrangement associated with decelerating may correspond, for instance, to the focal plane in noted position **1** and/or the relative arrangement associated with accelerating may correspond for instance to the focal plane in noted position **3**. Referring to FIG. 3B the relative arrangement associated with decelerating may correspond, for instance, to the sample in noted position **1** and/or the relative arrangement associated with accelerating may correspond, for instance to the sample in noted position **3**. Optionally, in FIG. 3A and/or FIG. 3B, acceleration may commence at or in the proximity of position **2**. For instance, deceleration may commence when the focal plane and/or sample is at any position along the optical axis subsequent to the motion reaching an increased value (which may or may not be a maximum value). For instance, acceleration may commence when the focal plane and/or sample is at any position along the optical axis subsequent to the motion reaching a decreased value, where the decreased value may or may not be a zero value (stopped), and may or may not be a minimum value.

(55) In some embodiments, where the relative arrangement associated with the decelerating and/or the relative arrangement associated with the accelerating may not have been previously determined, the decelerating and/or accelerating may occur randomly, and/or may occur at predetermined point(s) in time, measured for instance from the start of the relative motion.

(56) Additionally or alternatively, in some embodiments of stage **240**, varying a rate of image capture may include, for instance, increasing a rate of image capture to provide an increased rate (e.g. a maximum rate) when a relative arrangement of the focal plane and the sample corresponds to or is in proximity (e.g. no more than one depth of focus apart) to the estimated relative arrangement. Referring to FIG. 3A, the rate of image capture may be at an increased or even maximum rate when the focal plane is at or in proximity to position **2** (where the relative arrangement corresponds to the estimated relative arrangement), whereas referring to FIG. 3B the rate of image capture may be at an increased or even maximum rate when the sample is at or in proximity to position **2** (where the relative arrangement corresponds to the estimated relative arrangement). A maximum may be only a local maximum or may also be a global maximum.

(57) Additionally or alternatively, in some embodiments of stage **240**, varying a rate of image capture may include, for instance, decreasing a rate of image capture to provide a decreased rate (e.g. minimum rate) when the relative arrangement of the focal plane and the sample corresponds to a relative arrangement other than the estimated relative arrangement. Referring to FIG. 3A, when the focal plane is at a position other than position **2** (where the relative arrangement corresponds to the estimated relative arrangement) there may be a decreased or even minimum rate of image capture, whereas referring to FIG. 3B when the sample is at a position other than position **2** (where the relative arrangement corresponds to the estimated relative arrangement) there may be a decreased or even minimum rate of image capture. A minimum may be only a local minimum or may also be a global minimum.

(58) Additionally or alternatively, in some embodiments of stage **240**, varying a rate of image capture may include, for instance, increasing a rate of image capture as the relative arrangement of the focal plane and the sample grows closer to the estimated relative arrangement and/or before the relative arrangement corresponds to the estimated relative arrangement. Additionally or alternatively, in some embodiments of stage **240**, varying a rate of image capture may include, for instance decreasing a rate of image capture as the relative arrangement of the focal plane and the sample moves away from the estimated relative arrangement and/or after the relative arrangement corresponds to the estimated relative arrangement. Referring to FIG. 3A, before the focal plane is at position **2** (where the relative arrangement corresponds to the estimated relative arrangement) and/or as the focal plane grows closer to position **2**, there may be an increase in rate and after the focal plane is at position **2** (where the relative arrangement corresponds to the estimated relative arrangement) and/or as the focal plane moves away from position **2** there may be a decrease in rate. Referring to FIG. 3B before the sample is at position **2** (where the relative arrangement corresponds to the estimated relative arrangement) and/or as the sample grows closer to position **2**

there may be an increase in rate, and after the sample is at position **2** (where the relative arrangement corresponds to the estimated relative arrangement) and/or as the sample moves away from position **2** there may be a decrease in rate.

(59) Optionally, if the rate of image capture is varied, the relative arrangement(s) associated with increasing the rate of image capture (e.g. with the start of increasing) and/or the relative arrangement(s) associated with decreasing the rate of image capture (e.g. with the start of decreasing) may or may not have been determined prior to the increasing and/or decreasing. For instance, the relative arrangement(s) associated with increasing capture rate, and/or decreasing capture rate may have been determined based on predetermined deviation(s) (zero and/or non-zero) from the estimated relative arrangement. For instance a relative arrangement associated with increasing the capture rate may be characterized by being achieved by the relative motion prior to the estimated relative arrangement and having a predetermined deviation from the estimated relative arrangement. Additionally or alternatively, a relative arrangement associated with decreasing the capture rate may be characterized by being achieved by the relative motion at or in the proximity of the estimated relative arrangement and having a predetermined deviation from the estimated relative arrangement. When both may be relevant, the predetermined deviation for the relative arrangement associated with increasing the capture rate and the predetermined deviation for the relative arrangement associated with decreasing the capture rate may or may not be the same.

(60) Referring to FIG. **3A**, the relative arrangement associated with increasing the capture rate may correspond, for instance, to the focal plane in noted position **1** and/or the relative arrangement associated with decreasing the capture rate may correspond for instance to the focal plane in noted position **3**. Referring to FIG. **3B** the relative arrangement associated with increasing the capture rate may correspond, for instance, to the sample in noted position **1** and/or the relative arrangement associated with decreasing the capture rate may correspond, for instance to the sample in noted position **3**. Optionally, in FIG. **3A** and/or FIG. **3B**, decreasing may commence at or in the proximity of position **2**. For instance, the increasing may commence when the focal plane and/or sample is at any position along the optical axis, subsequent to the capture rate reaching a decreased value, where the decreased value may or may not be a zero, and may or may not be a minimum value. For instance, the decreasing may commence when the focal plane and/or sample is at any position along the optical axis subsequent to the capture rate reaching an increased value, where the increased value may or may not be a maximum value.

(61) In some embodiments, where the relative arrangement associated with increasing the capture rate and/or the relative arrangement associated with decreasing the capture rate may not have been previously determined, the increasing of the capture rate, and/or decreasing of the capture rate may occur randomly, and/or may occur at predetermined point(s) in time, measured for instance from the start of the relative motion.

(62) Stage **240** may not necessarily be performed in all embodiments. The speed of the relative motion may be maintained at a constant speed or may be varied, resulting in a variable speed. For example, the relative motion may occur at a constant speed or at a variable speed. Additionally or alternatively, the rate of image capture may be maintained at a constant rate or may be varied, resulting in a variable rate. Optionally the rate of acceleration and/or deceleration may be fixed or variable and may or may not be equal (but opposite) one to the other. Optionally the rate of increasing and/or decreasing of the capture rate may be fixed or variable and may or may not be equal (but opposite) one to the other.

(63) In some embodiments, varying the speed of relative motion and/or varying the rate of image capture while capturing the images may result in different image capture densities along the optical axis. However, in other embodiments, there may be a uniform image capture density along the optical axis.

(64) A control module such as control module **140** may or may not be involved in stages **230** and/or

**240**, for instance in accordance with data from an input module such as input module **160** and/or from a processing module such as processing module **150** to provided before and/or during method **200**. For example a control module may or may not perform any of the following relating to stages **230** and/or **240**: implement the relative motion (for instance by changing the focal length associated with an optical module such as optical module **130**, moving optical module **132** or a part thereof [e.g. one or more optical component(s)] and/or moving a sample holder such as sample holder **125** accommodating a sample [e.g. by way of by way of moving and/or adjusting an associated carrier module such as carrier module **120**], etc.); control a range of relative arrangements, control a speed of relative motion (e.g. maintain speed, vary speed, etc.); control a rate of image capture (e.g. maintain rate of image capture, vary rate of image capture, etc.); control the relative arrangement(s), if any, associated with the decelerating (e.g. with the start of decelerating), increasing the rate of image capture (e.g. with the start of increasing), accelerating (e.g. with the start of accelerating) and/or decreasing the rate of image capture; control when stage(s) **230** and/or **240** may end (e.g. control end of image capturing), etc.

(65) In the illustrated embodiments in stage **250**, the plurality of images may be processed using the reference criterion obtained in stage **210** in order to determine a reference relative arrangement of the focal plane and sample along the optical axis. For instance, a processing module such as processing module **150** may process the images. In some examples, the relative arrangement which fulfills or best fulfills the reference criterion may be defined as the reference relative arrangement. In some examples, the reference relative arrangement may not necessarily be a relative arrangement corresponding to a captured image. For instance an interpolated and/or extrapolated relative arrangement may be allowed to be defined at the reference relative arrangement in some of these examples.

(66) The captured images may be provided for processing in real time (e.g. as each image is captured or after some or all images have been captured) or may be stored and provided (e.g. loaded/downloaded) for processing. Stage **250** may overlap in time, partially or completely, with any of the other stages of method **200** or any part thereof, or may be performed after the other stages of method **200** have been completed.

(67) In some embodiments, method **200** or a part thereof may be repeated more than once. For example, method **200** may be repeated if the reference relative arrangement determined in stage **250** is not acceptable. For instance, assume that there is a predefined accuracy range, namely that the reference relative arrangement determined in stage **250** should be within a predefined accuracy range of the estimated relative arrangement. If the reference relative arrangement determined in stage **250** is found to be outside this accuracy range, method **200** or a part thereof may be repeated.

(68) Although not necessarily so, in some examples the predefined accuracy range may be narrower than the range of relative arrangements covered by the relative motion. Assume in this instance, that the accuracy range may be defined based at least partly on the estimated relative arrangement, and that the estimated relative arrangement quantifies the focal plane as being a distance of  $x$  away from a fixed point (e.g. light source module **110**) and quantifies a vertical midpoint of the sample as being a distance of  $y$  away from the fixed point (e.g. light source module **110**) both in the same particular direction away from the fixed point (e.g. light source module **110**). Further assuming the focal plane is moving and the sample is stationary, the predefined accuracy range may be bounded by relative arrangements associated e.g. with distances of  $x-i$  and  $x+j$  between the focal plane and the fixed point (e.g. light source module **110**) in a particular direction. Variables  $x$ ,  $y$ ,  $j$  are not limited by the disclosure and may be any value(s), not necessarily the same or different from one another. For example,  $x$  may or may not equal  $y$ , and  $i$  may or may not equal  $j$ . In some cases where the range of relative arrangements may have  $a$  and/or  $b$  equal to 5 micrometers (see above),  $i$  and/or  $j$  may equal 2.5 micrometers, whereas in other cases (regardless of the values of  $a$  and/or  $b$ )  $i$  and/or  $j$  may equal other value(s). In this instance, with such a predefined accuracy range if the reference relative arrangement is associated with a distance of the

focal plane from the fixed point (e.g. light source module **110**) having any value in the range of  $x-i$  to  $x+j$  and is also associated with a distance of the sample from the fixed point (e.g. light source module **110**) being  $y$  then the reference relative arrangement may be accepted, but otherwise method **200** or a part thereof may be repeated. In some examples where method **200** or a part thereof may be repeated, there may be a wider range of the relative arrangements covered by the relative motion during the repetition of the method than when the method was previously executed. In some of these examples, the wider range may make it more likely that an acceptable reference relative arrangement may be determined. In some of these examples, the option of using a narrower range initially which may possibly allow a shorter focusing stage, coupled with a possibility of repetition of method **200** or a part thereof when necessary, may perhaps provide a balance between time and accuracy.

(69) In some embodiments, the reference relative arrangement determined by method **200** may be used, for instance, to determine an investigation relative arrangement of the focal plane and sample along the optical axis, at least partly based on the reference relative arrangement. The investigation relative arrangement may be determined, for instance, by a processing module **150**. During an investigation stage, one or more (completely and/or partly) overlapping images may be captured where the relative arrangement of the focal plane and sample corresponds to the determined investigation relative arrangement. For instance, control module **140** may receive the investigation relative arrangement from processing module **150** and may control optical module **132** (e.g. change focal length, move optical module **132** or a part thereof) and/or carrier module **120** and associated sample holder **125** (e.g. move sample holder **125** by way of moving and/or adjusting associated carrier module **120**) to achieve a relative arrangement corresponding to the investigation relative arrangement. The investigation relative arrangement may, for example, be equivalent to (e.g. be the same as) the reference relative arrangement or may, for example, be shifted with respect to the reference relative arrangement. It is noted that if the reference relative arrangement was quantified in a certain manner, an investigation relative arrangement which is equivalent to the reference relative arrangement may be achieved, which is quantified in the same manner, or which is equivalently quantified. For instance, if the reference relative arrangement was quantified as the distance between a focal plane and a certain point on the sample in a particular direction, then the investigation relative arrangement may be quantified as the same distance in the same direction. If the reference relative arrangement was additionally or alternatively quantified, for instance, as the distance  $k$  between the focal plane and a fixed point on the optical axis in a specific direction, and the distance  $l$  between a sample point and the fixed point in the same direction, then the investigation relative arrangement may also be quantified as distances  $k, l$  between the focal plane and the sample and the fixed point in the specific direction and/or may be quantified as distances with a certain alteration such as  $k+c, l+c, \text{ or } k-c, l-c, \text{ etc.}$  between the focal plane and the sample and the fixed point in the specific direction where  $k, l, c$ , are not limited by the disclosure and may be any value(s), not necessarily the same or different from one another.

(70) In some embodiments, it is possible that during a focusing stage for a given sample, images may be captured for one or more specific location(s) on the sample and/or for one or more focusing field(s). In some of these embodiments, method **200** or a part thereof may be repeated for one or more of the specific locations and/or for each of the focusing field(s). Method **200** or a part thereof may be performed only once for each focusing field and/or for each of the one or more of the specific location(s), or may be performed one or more times for any field and/or specific location.

(71) The reference relative arrangement determined for one focusing field may not necessarily be the same as the reference relative arrangement determined for another focusing field, even if the fields are adjacent. For instance, there may be variation in the internal surface of a sample holder (on which the sample is positioned), such as sample holder **125**, which may possibly result in a determination of different reference relative arrangements for different focusing field(s) and/or specific location(s). The variation in the sample holder internal surface may be, for example,

because the sample holder surface is slanted, uneven, and/or not smooth and/or because the sample holder is positioned such that the sample holder surface is not perpendicular to the optical axis. Hence, the focusing may need to be repeated (as part of a single stage or during a plurality of stages), e.g. for each focusing field and/or specific location, and if repeated there may be a cumulative effect on the duration of sample examination. It therefore follows that having a faster focusing stage, may be even more advantageous as the number of focusing field(s) and/or specific location(s) increases and/or may allow scanning a larger surface area within a given period of time, thereby potentially increasing accuracy. In some examples with a plurality of focusing fields, the estimated relative arrangement and/or expected range of relative arrangements for a certain field may be based at least partly on the reference relative arrangement(s) and/or range of relative arrangements of one or more other focusing field(s) which may possibly be adjacent to the certain field (e.g. where the reference relative arrangement(s) for the other focusing field(s) may have been previously determined by a processing module such as processing module **150** in iteration(s) of method **200** or a part thereof for the other field(s)). In some examples it may be predicted that the reference relative arrangements of a plurality of focusing fields on the same carrier module may lie within a linear plane. In some examples, two adjacent focusing fields may not abut (instead there may be a distance between the adjacent focusing fields), however in some other examples two adjacent focusing fields may abut and/or may partially overlap.

(72) For instance, refer to FIG. **4**, which illustrates some fields and specific location(s), in accordance with some embodiments of the presently disclosed subject matter. The subject matter does not limit the number of specific location(s), the number of focusing field(s) and/or the number of investigation field(s) which may be imaged per sample and the number of each shown in FIG. **4** was chosen for simplicity of illustration and may not necessarily be representative. The arrows illustrate a possible scan pattern for the fields. Suppose field **1**, field **2**, and field **3** are adjacent investigation fields along an axis (e.g. y axis) perpendicular to the optical axis. Field a, field b, and field c may be (adjacent) corresponding focusing fields along the axis (e.g. y axis) perpendicular to the optical axis. It is noted that while in FIG. **4** the investigation fields are shown as squares and the focusing fields and specific fields are shown as circles, other shapes may be used. For example, a square investigation field may be used having a rectangular focusing field spanning a portion of the square from side to side. If the reference relative arrangement for focusing field b has the focal plane one micrometer farther from the vertical midpoint of the sample (in the direction towards imaging module **130**) than the reference relative arrangement for focusing field a, then the estimated relative arrangement for focusing field c may include having the focal plane one micrometer farther from the vertical midpoint of the sample (in the direction towards imaging module **130**) than the reference relative arrangement for focusing field b. Additionally or alternatively, the estimated relative arrangement may be defined at least partly based on the orientation of the sample holder's internal surface along the optical axis, e.g. a sample holder **125** may be modeled as approximately planar and perpendicular to the optical axis.

(73) If an expected reference range is being defined for a focusing field, the expected reference range for the focusing field may be defined, for instance, at least partly based on the estimated relative arrangement for that focusing field. See above examples regarding definition of a range at least partly based on the estimated relative arrangement.

(74) Additionally or alternatively, the expected reference range for a focusing field may be defined, for instance, at least partly based on experience. For example, the expected reference range may be defined at least partly based on the reference relative arrangement found during the focusing stage for one or more other focusing field(s) which may and/or may not be adjacent to the focusing field, the reference relative arrangement found during the focusing stage for one or more other focusing field(s) which are adjacent to the focusing field, the reference relative arrangement found during the focusing stage for one or more specific locations etc. Referring to FIG. **4**, for instance, the expected range for focusing field g may be at least partly based on the reference relative

arrangements for focusing fields a, b, c, and g. For example, the expected reference range may span at least a range that covers all of the reference arrangements of each of a, b, c, and g.

(75) It is noted that for any range defined based at least partly on the estimated relative arrangement, the definition basis for one focusing field may not necessarily be the same as for another field. For instance, assuming similar examples including i, j, a, b as discussed above, the i and/or j for a predefined accuracy range and/or the a and/or b for an expected reference range may not necessarily be the same for each focusing field.

(76) In some embodiments, only a relatively small (focusing) field may be imaged during the focusing stage, whereas during the investigation stage a larger (investigation) field may be imaged. Optionally the investigation field that is imaged at the investigation stage may be larger than the focusing field that is imaged at the focusing stage (i.e. the focusing field may represent only a portion of the investigation field). For instance, in FIG. 4 field 1 is larger than field a. Optionally the same field may be captured both during the focusing stage and the investigation stage, but a smaller part of a captured field may be processed in the focusing stage than is processed in the investigation stage. Optionally, the same field may be captured and analyzed both during the focusing stage and the investigation stage.

(77) The duration of the focusing stage may possibly be advantageously shortened if the focusing field imaged at the focusing stage represents only a portion of a corresponding investigation field and/or if a smaller part of the imaged field is processed in the focusing stage than in the investigation stage. This may, for example, reduce the time needed for method 200 by reducing the time needed for processing and/or data transfer. Optionally, the investigation field may completely or partly overlap the focusing field that is imaged at the focusing stage. Optionally one or more investigation field(s) may correspond to the same focusing field, for instance with a plurality of investigation fields each partly or completely overlapping a certain focusing field. It is noted that in FIG. 4 investigation fields are depicted as abutting, non-overlapping square fields. However, any two adjacent investigation fields may abut or may not abut (e.g. may be separated by a distance). Any two adjacent investigation fields may or may not partially overlap. Any investigation field may be of any shape and may not necessarily be square (e.g. may be round or rectangular). Any investigation field may be of any size. In FIG. 4 focusing fields are illustrated as round fields, but any focusing field may be any shape and may not necessarily be round (e.g. may be square or rectangular). Any focusing field may be of any size.

(78) Optionally, two or more stages which are shown in FIG. 2A as being executed sequentially may in some embodiments be executed in parallel. Optionally, method 200 may in some embodiments include more, fewer and/or different stages than illustrated in FIG. 2A. Optionally, stages shown in FIG. 2A may in some embodiments be executed in a different order than illustrated in FIG. 2A.

(79) An example of some embodiments of method 200 is depicted schematically in FIG. 2B. FIG. 2B depicts a schematic graph showing the timing of image capture at a plurality of relative arrangements along an optical axis, in accordance with some embodiments of the presently disclosed subject matter. In this particular example optical module 132 was kept stationary while sample holder 125 was moved along the optical axis in the direction of the optical module 132 at a varying speed.

(80) The speed of motion is depicted schematically as dashed line 310, plotted against the time and speed axes. In this specific example, motion begins at point 311 and accelerates at a fixed rate until reaching a maximum speed at point 312. This speed is maintained until deceleration commences at point 313. Deceleration continues at a fixed rate until reaching a local minimum value (e.g. momentary stop) at point 314. This point 314 corresponds with the position along the optical axis of the estimated relative arrangement for the given focusing field. After stopping at this position, motion resumes with acceleration, followed by a constant speed and a deceleration phase until reaching a full stop at the end of the motion path at point 321. It is noted that while in this example



deceleration and acceleration rates were depicted as being constant and equal (but opposite), these may alternatively be performed at varying rates and/or may not be equal one to the other. It is further noted that while in this example the same speed pattern was mirrored above and below (i.e. before and after) reaching the estimated relative arrangement (point **320**), these patterns may alternatively differ.

(81) The positions of sample holder **125** at different time points during this motion are plotted against the time and optical axes as line **330**, with points when images were captured schematically shown as grey dots. As shown, each grey dot corresponds to a time point on the time axis and a position along the optical axis. For example, image capture point **331** corresponds to time point **332** (when motion was accelerating) and position **333** on the optical axis. As seen on the time axis, the images were captured at a constant rate. However, as a result of the varying in motion speed, image capture density was increased near the estimated relative arrangement point **320** on the optical axis.

(82) It is noted that while in this example images were taken during the acceleration period between points **311** and **312** as well as during the deceleration period leading to point **321**, which resulted in an increased density of image capture during these periods, in some embodiments image capture may commence for example only after maximum speed is reached (point **312**) and terminate when deceleration begins at point **322**.

(83) Optionally, the image capture density for at least a portion of the optical axis may be defined in relation to the depth of focus (DOF) of the images. DOF is known as the distance between the nearest and farthest objects in a scene (or in a sample) that appear acceptably sharp in an image. DOF is mostly a property of a microscope's lens and the magnification, the latter being determined by the resolution of interest.

(84) Optionally, the image capture density may be such that for at least a portion of the optical axis, every two adjacent images are separated by no more than 3 DOF units. For example, if DOF is in the range of 5  $\mu\text{m}$ , the distance between two adjacent images may be 15  $\mu\text{m}$  or less for at least a portion of the optical axis. Optionally, this portion of the optical axis may span between  $\pm 10$  DOF units or less along the optical axis about a position of a focal plane associated with the estimated relative arrangement. Optionally, every two adjacent images may be separated by no more than a single DOF unit (e.g. 0.1-0.25 DOF units), along a portion of the optical axis that spans between  $\pm 5$  DOF units (or even between  $\pm 2$  DOF units) along the optical axis about a position of a focal plane associated with the estimated relative arrangement. As used herein, two adjacent images are two images along the optical axis that are not separated by any other image(s) along the optical axis.

(85) In order to better appreciate method **200**, an example will now be described of a method **500** which includes method **200** or a part thereof. It should be evident that method **200** may be a standalone method or may be part of any method, and at least part of method **200** may not necessarily be included in method **500**.

(86) FIG. 5 is a flowchart of a method **500** of examining a sample, in accordance with some embodiments of the presently disclosed subject matter.

(87) It is assumed that, for a given sample, captured images may correspond to a plurality of investigation fields (e.g. **300** investigation fields). The investigation fields which are to be imaged for the sample may or may not cover the entire sample. For instance the sample may be a blood sample which is diluted and allowed to settle as a monolayer on a carrier slide, where at least 80% of the cells or even at least 90% of the cells may have direct contact with the surface on which the cell sample is held. The blood may be dyed with Hoechst and/or Acridine Orange.

(88) In the illustrated embodiments, in stage **510** a magnification level and/or a type of light may be controlled (e.g. by a control module such as control module **140**, possibly after receiving selection from an input module such as input module **160**). Stage **510** may be performed when necessary in method **500** and not necessarily at the beginning or not necessarily only at the beginning of stage **510**. For instance, for a focusing stage, any suitable magnification level may be used, for instance 100 $\times$ , 50 $\times$ , 20 $\times$ , 10 $\times$ , etc. In some examples the minimum allowable magnification level may

depend at least partly on the staining technique. In some examples it may be advantageous to use low magnification as low magnification may possibly allow an easier and/or faster focusing stage and/or a lower depth of focus (e.g. allowing cheaper less sensitive lenses and/or control module motor, if any). For instance, for a focusing stage, any suitable type of light may be used. For instance, the light may be from a light source module such as light source module **110**. In some examples the focusing stage may be performed in brightfield and/or using light at a frequency that does not excite a fluorescent dye present in the sample in order to reduce or prevent photo-bleaching during the performance of method **200**. Also, fluorescent images may require longer exposure periods than brightfield.

(89) It is noted that in brightfield illumination of a whole blood sample, the most visibly abundant object is generally red blood cells. Healthy red blood cells may be characterized by a distinctive biconcave shape as illustrated by FIG. **6** in which a blood cell **25** is depicted, in the context of some embodiments of the presently disclosed subject matter. Blood cell **25** may be characterized as having a midplane **27**.

(90) In the illustrated embodiments in stage **520**, a position perpendicular to the optical axis (e.g. X-Y position) may be obtained. For instance, sample holder **125** may have two or more positioning/calibration marks on the surface thereof. Such markers may be used to identify the X-Y position of sample holder **125** with respect to imaging module **130** or a portion thereof.

(91) In the illustrated embodiments, in stage **530** at least one specific location of the sample, near and/or at the area to be imaged may be scanned along the optical axis using the maximum range of relative arrangements. This scan may be performed for example near one or more of the extremities of the area (e.g. corners or circumference of a quadrilateral shaped area or the circumference of a circular shaped area, etc.) to be imaged, near a midpoint thereof, and/or at any other location(s). Optionally a plurality of specific locations may be scanned (e.g. four areas near and/or at a corner of a rectangular area to be imaged). The maximum range may or may not equal the maximum range allowed by a given digital microscope system (e.g. digital microscope system **100**). In some instances, in stage **530** the maximum range may equal the maximum range allowed by a given digital microscope system and then may be redefined based on a carrier range, as will be explained further below. For each specific location a plurality of images may be captured (e.g. 40 image, 80 images, etc.). The images may or may not be captured so that sequential images necessarily correspond to relative arrangements at a fixed deviation from one another (for example, if the focal plane or sample is moving in one direction along the optical axis then sequential images may be captured at a uniform distance from one another along the optical axis, possibly resulting in uniform image capture density along the optical axis). For each specific location a reference relative arrangement may be determined, and if two or more specific locations are scanned then the two reference relative arrangements which differ most from one another may be selected. These two reference relative arrangements may be used to define a carrier range based at least partly on these two reference relative arrangements and/or to deduce information on the orientation and/or geometry of sample holder **125** in the plane perpendicular to the optical axis (e.g. x-y plane perpendicular to z axis). For instance, the carrier range may be defined as the range between these two reference relative arrangements, or may be defined to be a minimum range (e.g. 100 micrometers or more) which includes these two reference relative arrangements (e.g. at least 25  $\mu\text{m}$  above and below the highest and lowest values, respectively).

(92) Optionally, the reference relative arrangements of any of the specific location(s) may be refined and/or confirmed by performing an additional scan along the optical axis. Optionally this may include defining the reference relative arrangement found in the previous scan of the same specific location to be the estimated relative arrangement and proceeding essentially according to stages **540**, **550** and **560** of method **500**. Optionally this may include having decreased speed (e.g. of 0) at or in the proximity of the estimated relative arrangement, and/or increased rate of image capture at or in the proximity of the estimated relative arrangement.

(93) Optionally a second scan of a specific location may include using a reference relative arrangement of a previous scan of a specific location as the estimated relative arrangement (or a function of the reference relative arrangements of previous scans of a plurality of specific locations), and having decreased speed (e.g. of 0) at or in the proximity of the estimated relative arrangement and/or increased rate of image capture at or in the proximity of the estimated relative arrangement.

(94) Optionally any of the scans of the specific location(s) may be in accordance with method **200** or a part thereof, including at least one image being captured while the sample and a focal plane are in relative motion along an optical axis at a speed greater than zero.

(95) Information regarding the geometry of the surface of sample holder **125** may be derived using at least two reference relative arrangements that were deduced for specific fields. Based on a pair of specific locations a line may be defined which represents a slant the surface of sample holder **125**. Based on three or more specific locations a plane may be defined which represents the surface of sample holder **125**. For instance, referring again to FIG. **4**, assume that three or more of possible specific locations  $\alpha$ ,  $\beta$ ,  $\gamma$ ,  $\delta$  are scanned. If the relative arrangement of  $\alpha$  is characterized by a larger distance between the sample and the focal plane than the relative arrangement of  $\beta$ , and the relative arrangement of  $\gamma$  is characterized by a larger distance between the sample and the focal plane than the relative arrangement of  $\delta$ , then it may be assumed that the plane of sample holder **125** is slanted such that the fields **1**, **8** and **9** are higher than **4** and **5**. If the relative arrangement of  $\alpha$  is characterized by the same distance between the sample and the focal plane as the relative arrangement of  $\delta$  but by a larger distance between the sample and the focal plane than the relative arrangement of  $\gamma$ , and the relative arrangement of  $\gamma$  is characterized by the same distance between the sample and the focal plane as the relative arrangement of  $\beta$ , then it may be concluded that surface of sample holder **125** has a peculiar geometry.

(96) The information derived regarding the surface of sample holder **125** may be used in defining an estimated relative arrangement for any field. For example, this information may be included with the reference relative arrangement of one or more adjacent fields. Optionally, the information relating to the surface geometry using the reference relative arrangements of two or more specific locations may be fine-tuned using one or more reference relative arrangements found for other focusing fields in the sample.

(97) Optionally any of the specific location scans may be followed by capturing one or more images at an investigation relative arrangement of a field that overlaps at least in part the specific location (e.g. as part of stage **500**). For instance, referring to FIG. **4** if a scan has been taken of  $\gamma$ , then one more images may be taken of overlapping field **9**. Optionally any of the specific location(s) may or may not overlap investigation field(s). Optionally any of the specific location(s) may or may not overlap focusing field(s). Optionally any specific location may be of any shape and/or size and not necessarily as illustrated in FIG. **4**.

(98) Optionally the maximum range may be redefined based on the carrier range, for instance by extending the carrier range to include additional relative arrangements. Continuing with this instance, if it is assumed that only the focal plane or sample is moving, the focal plane or sample may be allowed in the maximum range to be, up to say 25 micrometers closer to and/or farther away from a fixed point—e.g. a light source module such as light source module **110**—than allowed by the carrier range. In this instance, the redefined maximum range may therefore include relative arrangements in the carrier range and additional relative arrangements. Beginning with a first focusing field (stage **535**), in the illustrated embodiments in stage **540**, an estimated relative arrangement, an accuracy range, and a relative arrangement range for relative movement along the optical axis may be defined for the field. For instance, these values may be defined by a processing module such as processing module **150**. The relative arrangement range may equal, for instance, the maximum range, the carrier range, or the expected reference range. An expected reference range may possibly be allowed to be a narrower range than the carrier range or maximum range

since it may be defined at least partly based on the estimated relative arrangement and/or experience. An expected reference range may therefore possibly advantageously enable a shorter focusing stage as discussed above. The estimated relative arrangement may be defined, for instance, at least partly based on reference relative arrangement(s) for other focusing field(s) and/or on information derived regarding the geometry of the surface of sample holder **125** as discussed above. The accuracy range may be defined, for instance, at least partly based on the estimated relative arrangement as discussed above.

(99) In the illustrated embodiments, in stage **550**, method **200** or a part thereof may be performed for the focusing field. Assume, for instance, that the relative arrangement range which is initially used in stage **550** may equal the expected relative arrangement range. In this instance, if the determined reference relative arrangement is not located in the accuracy range then stage **550** may be repeated with a wider relative arrangement range, e.g. equaling the maximum range. It is possible that in this instance if the number of repetitions is greater than  $n$  ( $n \geq 1$ ), an error message may be outputted, for instance via an output module such as output module **170**, and method **500** may end or method **500** may iterate back to stage **540** for another focusing field. Once a reference relative arrangement has been determined (after one or more iterations of stage **550**), in the illustrated embodiments method **500** may continue to stage **560**.

(100) In some examples, the processing to determine the reference relative arrangement in accordance with a reference criterion may include a reference criterion at least partly based on maximum contrast and/or sharpness. Any of a number of functions which may be anticipated to be at a maximum when the image reaches a highest level of sharpness or contrast may be used such as standard deviation, absolute-value deviation from a mean, entropy, differentials (gradient or Laplacian) of an image area, etc.

(101) In some examples, the processing to determine the reference relative arrangement in accordance with a reference criterion may additionally or alternatively include drop in image contrast. Examples regarding a drop in image contrast are described in the aforementioned International Application Number PCT/IL2014/050423 (published as WO 14/188405 to Greenfield). In some examples of the aforementioned application, it is described how a reference may be determined which corresponds to a drop in image contrast. For instance, in some examples of the aforementioned application, using the plurality of images taken along the optical axis, for example according the method **200**, a curve may be generated representing the values of an image contrast function (for example image variance) as a function of depth levels along the optical axis. In some examples of the aforementioned application, where image  $I$  comprises  $\alpha \times \beta$  pixels ( $\alpha, \beta$  integers) of pixel intensity  $I_{\text{sub.}\gamma,\delta}$  wherein  $1 \leq \gamma \leq \alpha$  and  $1 \leq \delta \leq \beta$ , the image variance may be expressed as follows:  $\text{Var}(I) = E[(I_{\text{sub.}\gamma,\delta} - E(I))^2]$ , wherein  $E(I)$  is the mean value of the pixel intensity  $I_{\text{sub.}\gamma,\delta}$  over the example image. In some examples of the aforementioned application, supplemental points on the curve may be interpolated and/or extrapolated, but in some other examples supplemental points may not be interpolated nor extrapolated. In some examples of the aforementioned application, a reference corresponding to a drop in image contrast may be identified, for instance by identifying two maxima in the curve and searching for the lowest point on the curve (the minimum, also referred to as a “well” in the curve) between these two maxima. In some examples of the aforementioned application a curve may not necessarily be generated and the identification of maxima and minima may be performed mathematically. In these examples, interpolation and/or extrapolation of points to be included in the mathematical processing may or may not be performed.

(102) In some examples of the aforementioned application the reference may be verified if the deepness of a well is above a predetermined threshold. In some examples of the aforementioned application, applying contrast-based functions and/or sharpness based functions to brightfield microscopy of a sample (for example a sample containing mostly red blood cells, such as a blood sample) may yield graphs qualitatively similar to that shown in FIG. 7. FIG. 7 illustrates a curve

representing the values of image contrast function as a function of depth levels, in accordance with some examples of the aforementioned application. The curve notably comprises a well **37** embraced between two maxima **38, 39** (in this example a saddle point which is a local minimum, but not an absolute (global) one). A value of a depth level described in some examples of the aforementioned application may be an example of a value quantifying a relative arrangement of a focal plane and sample along the optical axis, and therefore FIG. **7** may also be considered to be in accordance with some embodiments of the presently disclosed subject matter. However, values which may quantify relative arrangements are not limited by the presently disclosed subject matter. Therefore in accordance with some embodiments of the presently disclosed subject matter, values of an image contrast function may be plotted and/or mathematically processed as a function of any quantifiable values of relative arrangements (and not necessarily depth levels), if it is desired to identify a reference relative arrangement which corresponds to a drop in image contrast.

(103) In the illustrated embodiments, in stage **560**, an investigation relative arrangement may be determined for one or more corresponding investigation field(s), for instance by processing module **150**. A corresponding investigation field may be a field which at least partly overlaps the focusing field. For instance in FIG. **4**, the only overlapping investigation field shown for focusing field a is investigation field **1** which fully covers focusing field a. However, as mentioned above, it may be possible that a corresponding investigation field may not fully cover the focusing field and/or that there may be more than one corresponding investigation field. The investigation relative arrangement may be defined at least partly based on the reference relative arrangement. For example, in some cases the investigation relative arrangement may be equivalent to the reference relative arrangement. In some other cases, the investigation relative arrangement may be defined as a relative arrangement shifted with respect to the reference relative arrangement. For instance, the shift may be in the range of 0.2-3 micrometers, or about 1-2 micrometers, or about 1.5 micrometers. The manner of determining the shift is not limited by the subject matter, and may be performed in any reasonable automatic, manual, or semiautomatic manner. For instance, the shift may possibly be determined at least partly based on a comparison by eye of images captured under different light types. In some of these cases, the investigation relative arrangement may be shifted if the reference relative arrangement was determined using a drop in image contrast as a reference criterion, so as to increase the contrast and/or sharpness of images captured during the investigation stage.

(104) In the illustrated embodiments, in stage **570** the corresponding investigation field(s) may be imaged, where one or more images may be captured with the relative arrangement of the focal plane and the sample along the optical axis corresponding to the determined investigation relative arrangement. For instance, a control module such as control module **140** may control the relative arrangement so as to correspond to the investigation relative arrangement determined in stage **560**, for instance by changing a focal length, moving optical module **132** or a part thereof and/or moving sample holder **125** (e.g. by way of moving and/or adjusting associated carrier module **120**), if necessary. It is possible that more than one equivalent position along the optical axis for the focal plane and/or more than one equivalent position along the optical axis for the sample may correspond to the investigation relative arrangement provided the focal plane and a point on the sample are positioned at the appropriate distance and direction from one another along the optical axis. Additionally or alternatively, stage **510** may possibly be performed before and/or during stage **570** with a control module such as control module **140** for instance controlling a light source module such as light source module **110** for instance to allow images to be taken in different lights (e.g. one image in each of brightfield and Hoechst, and two images in fluorescent light). Additionally or alternatively, if the magnification level is to be changed, a control module such as control module **140** may for instance control optical module **132** to change the magnification level (e.g. 100 s, 50×, 20, 10×, etc.). The rate of image capture in stage **570** is not limited by the disclosure. Optionally a plurality of investigation fields may be imaged at the investigation stage

based on a reference relative arrangement that was defined for a given scanned field. If a plurality of investigation fields is imaged, each of the plurality of investigation fields may overlap, at least partially, the focusing field that was used to define the reference relative arrangement in part or entirely.

(105) Optionally, motion detection may be performed by comparing two fluorescent images captured consecutively. The comparison may allow the differentiation between stationary parasites and potentially false positive motile elements (e.g. platelets).

(106) In the illustrated embodiments, in stage **580** it is determined whether the last investigation field, which was supposed to be imaged for the sample, has been imaged. If not, then in the illustrated embodiments, for the next focusing field (stage **590**) method **500** iterates back to stage **540**. Optionally, stage **510** may be performed to control magnification and/or light, as necessary. If, instead, the last investigation field which was supposed to be imaged has indeed been imaged, then in the illustrated embodiments, method **500** may end. The disclosure does not limit the order in which fields may be handled in method **500**.

(107) In some embodiments, method **500** may possibly advantageously allow a whole slide of blood (e.g. reflecting 0.5  $\mu$ l of blood) to be scanned in much less time than conventionally (e.g. less than 5 minutes compared to conventional 40 minutes).

(108) Optionally, two or more stages which are shown in FIG. 5 as being executed sequentially may, in some embodiments, be executed in parallel. Optionally, method **500** may in some embodiments include more, fewer and/or different stages than illustrated in FIG. 5. Optionally, stages may in some embodiments be executed in a different order than illustrated in FIG. 5. For instance, stages **540** and **550** (and optionally **560**) may be performed for a plurality of (or even all of the) focusing fields before proceeding to stage **560** or **570** for corresponding investigation fields

(109) It will also be understood that the subject matter contemplates that a system or part of a system disclosed herein may, for example, comprise and/or be comprised in a computer. Likewise, the subject matter contemplates, for example, a computer program being readable by a computer for executing a method or part of a method disclosed herein. Further contemplated by the subject matter, for example, is a computer-readable medium tangibly embodying program code readable by a computer for executing a method or part of a method disclosed herein.

(110) The term “non-transitory” is used to exclude transitory, propagating signals, but to otherwise include any volatile or non-volatile computer memory technology suitable to the application. For instance, a computer program product may comprise a non-transitory computer useable medium.

(111) While embodiments of the subject matter have been shown and described, the subject matter is not thus limited. Numerous modifications, changes and improvements within the scope of the subject matter will now occur to the reader.

## Claims

1. Apparatus for use with an output device, and a blood sample that was drawn from a subject, and that was stained with at least one stain, the apparatus comprising: a microscope system configured to acquire first and second images of the blood sample at respective times, at a given microscope focusing field; and a computer processor configured to: for the given microscope focusing field, receive an estimated relative arrangement between a focal plane of the microscope and the blood sample, the estimated relative arrangement being an estimate of an optimum relative arrangement between the focal plane of the microscope and the blood sample at which to acquire the first and second images of the blood sample, determine an optimum relative arrangement between the focal plane of the microscope and the blood sample at which to acquire the first and second images of the blood sample, by: driving the microscope to capture a plurality of overlapping images of the sample at the given microscope focusing field, while a relative arrangement between the sample and the focal plane of the microscope varies, the capturing of the plurality of overlapping images

being performed by varying a rate of image capture by the microscope, as the relative arrangement between the sample and the focal plane varies, such as: to provide an increased image capture density when a current relative arrangement between the focal plane of the microscope and the sample, along the optical axis, is closer to the estimated relative arrangement, and to capture images, but to provide a decreased image capture density when the current relative arrangement between of the microscope the focal plane and the sample, along the optical axis, is farther from the estimated relative arrangement; and analyzing the plurality of overlapping images; identify in the first and second images, a given entity that was stained with the at least one stain, determine whether, between acquisitions of the first and second images, there was motion of the given entity within the sample, by comparing the first and second images to one another, at least partially in response thereto, distinguish between the given entity being a platelet by determining that the given entity is a motile entity, and the given entity being a parasite by determining that the given entity is a stationary entity, and generate an output on the output device, at least partially in response thereto.

2. The apparatus according to claim 1, wherein the microscope system is configured to acquire first and second images of the blood sample at respective times by acquiring first and second fluorescent images of the blood sample at respective times.

3. The apparatus according to claim 1, wherein the computer processor is configured to drive the microscope to vary the rate of image capture by increasing a rate of image capture to provide an increased rate when a current relative arrangement between the focal plane and the sample is a relative arrangement selected from the group consisting of: a relative arrangement corresponding to the estimated relative arrangement, and a relative arrangement in proximity to the estimated relative arrangement.

4. The apparatus according to claim 1, wherein the computer processor is configured to drive the microscope to vary the rate of image capture by decreasing a rate of image capture to provide a decreased rate when the current relative arrangement between the focal plane and the sample corresponds to a relative arrangement other than the estimated relative arrangement.

5. The apparatus according to claim 1, wherein the computer processor is configured to drive the microscope to vary the rate of image capture by increasing a rate between image capture before the current relative arrangement of the focal plane and the sample corresponds to the estimated relative arrangement and decreasing a rate of image capture after the current relative arrangement between the focal plane and the sample corresponds to the estimated relative arrangement.

6. The apparatus according to claim 1, wherein the computer processor is configured to drive the microscope to vary the rate of image capture by increasing a rate between image capture as the current relative arrangement of the focal plane and the sample grows closer to the estimated relative arrangement and decreasing a rate of image capture as the current relative arrangement between the focal plane and the sample moves away from the estimated relative arrangement.

7. The apparatus according to claim 1, wherein the computer processor is configured to drive the microscope to capture at least one of the plurality of overlapping images of the sample at the given microscope focusing field while a speed of relative motion of the focal plane and the sample along the optical axis is greater than 10  $\mu\text{m/s}$ .

8. The apparatus according to claim 1, wherein the computer processor is configured to drive the microscope to capture the plurality of overlapping images of the sample at the given microscope focusing field, while the relative arrangement between the sample and the focal plane of the microscope varies, at least partly by modifying a focal length of the microscope.

9. The apparatus according to claim 1, wherein the computer processor is configured to drive the microscope to capture the plurality of overlapping images of the sample at the given microscope focusing field, while the relative arrangement between the sample and the focal plane of the microscope varies, at least partly by moving a sample holder in which the blood sample is housed.

10. The apparatus according to claim 1, wherein the computer processor is configured to determine

the optimum relative arrangement between the focal plane and the blood sample along the optical axis at which to acquire the first and second images of the blood sample by identifying a relative arrangement between the focal plane and the blood sample along the optical axis at which there is a drop in image contrast relative to another relative arrangement between the focal plane and the blood sample along the optical axis.

11. A method for use with an output device, and a blood sample that was drawn from a subject, and that was stained with at least one stain, the method comprising: acquiring first and second microscopic images at a given focusing field of the blood sample at respective times; and using a computer processor: for the given microscope focusing field, receiving an estimated relative arrangement between a focal plane of the microscope and the sample, the estimated relative arrangement being an estimate of an optimum relative arrangement between the focal plane of the microscope and the sample at which to acquire investigative microscopic images of the sample; and determining an optimum relative arrangement between the focal plane of the microscope and the sample at which to acquire investigative microscopic images of the sample, by: capturing a plurality of overlapping images of the sample at the given microscope focusing field, while a relative arrangement between the sample and the focal plane of the microscope varies, the capturing of the plurality of overlapping images being performed by varying a rate of image capture by the microscope, as the relative arrangement between the sample and the focal plane varies, such as: to provide an increased image capture density when a current relative arrangement between the focal plane of the microscope and the sample, along the optical axis, is closer to the estimated relative arrangement, and to capture images, but to provide a decreased image capture density when the current relative arrangement between of the microscope the focal plane and the sample, along the optical axis, is farther from the estimated relative arrangement; and analyzing the plurality of images; identify in the first and second images, a given entity that was stained with the at least one stain, determining whether, between acquisitions of the first and second images, there was motion of the given entity within the sample, by comparing the first and second images to one another; at least partially in response thereto, distinguishing between the given entity being a platelet by determining that the given entity is a motile entity, and the given entity being a parasite by determining that the given entity is a stationary entity; and generating an output on the output device, at least partially in response thereto.

12. The method according to claim 11, wherein acquiring the first and second images of the blood sample at respective times comprises acquiring first and second fluorescent images of the blood sample at respective times.

---