

US0D1088747S

(12) United States Design Patent (10) Patent No.:

Pineda Newberry

(10) Patent No.: US D1,088,747 S

(45) Date of Patent: ** Aug. 19, 2025

(54) BEANBAG-MOUNTED TRAY, CUP HOLDER, BOTTLE HOLDER AND GLASS HOLDER

- (71) Applicant: Tomás R Pineda Newberry, Encinitas, CA (US)
- (72) Inventor: **Tomás R Pineda Newberry**, Encinitas, CA (US)
- (**) Term: 15 Years
- (21) Appl. No.: 29/979,504
- (22) Filed: Dec. 19, 2024

Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/959,108, filed on Aug. 23, 2024, and a continuation-in-part of application No. 29/943,625, filed on May 22, 2024.

- (58) **Field of Classification Search**USPC D7/396.4, 501, 505.1, 552.1, 553, 553.1,
 D7/553.2, 553.6, 554.2; D9/424, 432,
 (Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

2,614,407	Α	*	10/1952	Mercer	: A4	47G 23/06
						211/74
D173,944	\mathbf{S}	*	2/1955	Harris		D7/552.2
			(Con	tinued)		

Primary Examiner — Kelley A Donnelly

(57) CLAIM

The ornamental design for a beanbag-mounted tray, cup holder, bottle holder and glass holder as shown and described.

DESCRIPTION

FIG. 1 is a front, perspective view of the first embodiment of beanbag-mounted tray, cup holder, bottle holder and glass holder.

FIG. 2 is a front, perspective view thereof;

FIG. 3 is a right side view, the left side view being a mirror image thereof;

FIG. 4 is a front view, the rear view being a mirror image thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a front, perspective view of the second embodiment of a beanbag-mounted tray, cup holder, bottle holder and glass holder.

FIG. 8 is a front, perspective view thereof;

FIG. 9 is a right side view, the left side view being a mirror image thereof;

FIG. 10 is a front view, the rear view being a mirror image thereof:

FIG. 11 is a top view thereof;

FIG. 12 is a bottom view thereof;

FIG. 13 is a front, perspective view of the third embodiment of a beanbag-mounted tray, cup holder, bottle holder and glass holder.

FIG. 14 is a front, perspective view thereof;

FIG. 15 is a right side view, the left side view being a mirror image thereof:

FIG. 16 is a front view, the rear view being a mirror image thereof;

FIG. 17 is a top view thereof;

FIG. 18 is a bottom view thereof;

FIG. 19 is a front, right perspective view of the fourth embodiment of a beanbag-mounted tray, cup holder, bottle holder and glass holder.

FIG. 20 is a front, perspective view thereof;

FIG. 21 is a right side view, the left side view being a mirror image thereof:


FIG. 22 is a front view, the rear view being a mirror image thereof:

FIG. 23 is a top view thereof; and,

FIG. 24 is a bottom view thereof.

The broken lines are for environmental illustration purposes only and form no part of the claimed design.

1 Claim, 19 Drawing Sheets



US D1,088,747 S Page 2

(58) Fiel	d of Clas	sification	n Search	4,754,883	A *	7/1988	Grzywa A47G 23/06
USI	C	D9/716	719, 738–740, 744–745, 756				211/74
0.51	·	257710,	D9/759–760, 761	D360.460	S *	5/1996	Gregory D9/761
CD.		SD 1/04	· · · · · · · · · · · · · · · · · · ·	D406 777	S *	3/1999	Weatherby D7/553.5
CPC			; B65D 21/00; B65D 21/0204	D+32,070	S *	6/2002	Tondino D3/313
	A4'	7G 23/06	5; A47G 23/0641; A47G 23/08	D495,139	S *	8/2004	Sullivan D3/310
See	See application file for complete search history.					4/2006	Grobleben D15/89
	**		1	D691,856		10/2013	Dabney-Wiggs D7/553.2
(56) References Cited			D821,131		6/2018	Anderson D6/381	
(50) References Cited				D845,077		4/2019	Hla D7/553.1
U.S. PATENT DOCUMENTS				D845,078		4/2019	Hyman D7/553.1
	0.5.	17111111	BOCOMENTS	D970,988		11/2022	Balaban D7/701
D175	004 S *	6/1055	Alley D6/406.3	D987,389		5/2023	Greenwood D7/602
	974 A *		Cook A47G 23/00	5 17,011,177		1/2024	Nilsson D7/701
2,657) T A	0/1/3/	211/74	D1,031,440		6/2024	Singh D3/313
2.086	438 A *	5/1961		D1,033,262		7/2024	Balaban D7/701
2,980	430 A	3/1901	108/26	D1,037,324		1/2025	Zhou D7/602
D106	665 S *	10/1963	Barnett D7/552.2	D1,075,707		5/2025	Liu
	804 S *	8/1964	Stevens		Al*	7/2004	Weir A47J 47/10
	610 A *	3/1966		`			220/500
3,240,	OIO A	3/1900	206/508	2013/0341330	Al*	12/2013	Mitchell A45C 11/20
2 904	222 4 *	4/1074		,			220/592.2
3,804	233 A *	4/19/4	Gregg, Jr B60R 7/04		A1*	12/2019	Bell B65D 25/06
D257.	914 S *	1/1981	Wooters D7/552.2		mine	r	




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13






FIG. 14










C C






FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23

