

Related U.S. Application Data

continuation of application No. 14/503,270, filed on Sep. 30, 2014, now Pat. No. 10,382,378.

- (60) Provisional application No. 62/006,110, filed on May 31, 2014.

References Cited

U.S. PATENT DOCUMENTS

6,002,402	A	12/1999	Schacher	2002/0126135	A1	9/2002	Ball et al.
6,040,781	A	3/2000	Murray	2003/0081506	A1	5/2003	Karhu
6,191,807	B1	2/2001	Hamada et al.	2003/0128163	A1	7/2003	Mizugaki et al.
6,323,846	B1	11/2001	Westerman et al.	2004/0041841	A1	3/2004	LeMogne et al.
6,362,842	B1	3/2002	Tahara et al.	2004/0070511	A1	4/2004	Kim
6,515,585	B2	2/2003	Yamamoto	2004/0180669	A1	9/2004	Kall
6,570,557	B1	5/2003	Westerman et al.	2004/0203854	A1	10/2004	Nowak
6,677,932	B1	1/2004	Westerman et al.	2005/0032532	A1	2/2005	Kokkonen et al.
6,809,724	B1	10/2004	Shiraishi et al.	2005/0138552	A1	6/2005	Venolia
7,015,817	B2	3/2006	Copley et al.	2005/0148340	A1	7/2005	Guyot
7,039,420	B2	5/2006	Koskinen et al.	2005/0190059	A1	9/2005	Wehrenberg
7,076,257	B2	7/2006	Kall	2005/0191159	A1	9/2005	Benko
7,224,987	B1	5/2007	Bhela et al.	2005/0222756	A1	10/2005	Davis et al.
7,365,736	B2	4/2008	Marvit et al.	2005/0268237	A1	12/2005	Crane et al.
7,593,749	B2	9/2009	Vallstrom et al.	2005/0288036	A1	12/2005	Brewer et al.
7,614,008	B2	11/2009	Ording et al.	2006/0017692	A1	1/2006	Wehrenberg et al.
7,633,076	B2	12/2009	Huppi et al.	2006/0019649	A1	1/2006	Feinleib et al.
7,653,883	B2	1/2010	Hotelling et al.	2006/0026245	A1	2/2006	Cunningham et al.
7,657,849	B2	2/2010	Chaudhri et al.	2006/0026536	A1	2/2006	Hotelling et al.
7,663,607	B2	2/2010	Hotelling et al.	2006/0030333	A1	2/2006	Ward et al.
7,789,225	B2	9/2010	Whiteis	2006/0033724	A1	2/2006	Chaudhri et al.
7,801,542	B1	9/2010	Stewart	2006/0044283	A1	3/2006	Eri et al.
7,834,861	B2	11/2010	Lee	2006/0063538	A1	3/2006	Ishii
7,844,914	B2	11/2010	Andre et al.	2006/0092177	A1	5/2006	Blasko
7,908,219	B2	3/2011	Abanami et al.	2006/0195787	A1	8/2006	Topiwala et al.
7,953,393	B2	5/2011	Chin et al.	2006/0197753	A1	9/2006	Hotelling et al.
7,957,762	B2	6/2011	Herz et al.	2006/0223518	A1	10/2006	Haney
8,006,002	B2	8/2011	Kalayjian et al.	2007/0036300	A1	2/2007	Brown et al.
8,121,586	B2	2/2012	Araradian et al.	2007/0085157	A1	4/2007	Fadell et al.
8,150,930	B2	4/2012	Satterfield et al.	2007/0117549	A1	5/2007	Amos
8,239,784	B2	8/2012	Hotelling et al.	2007/0129888	A1	6/2007	Rosenberg
8,244,468	B2	8/2012	Scaillisi et al.	2007/0150834	A1	6/2007	Muller et al.
8,255,830	B2	8/2012	Ording et al.	2007/0150836	A1	6/2007	Deggelmann et al.
8,279,180	B2	10/2012	Hotelling et al.	2007/0216659	A1	9/2007	Amineh
8,285,258	B2	10/2012	Schultz et al.	2007/0236475	A1	10/2007	Wherrv
8,369,867	B2	2/2013	Van Os et al.	2008/0004043	A1	1/2008	Wilson et al.
8,374,575	B2	2/2013	Mullen	2008/0014989	A1	1/2008	Sandegard et al.
8,381,135	B2	2/2013	Hotelling et al.	2008/0045232	A1	2/2008	Cone
8,412,154	B1	4/2013	Leemet et al.	2008/0052945	A1	3/2008	Matas et al.
8,441,367	B1	5/2013	Lee et al.	2008/0055264	A1	3/2008	Anzures et al.
8,479,122	B2	7/2013	Hotelling et al.	2008/0057926	A1	3/2008	Forstall et al.
8,572,493	B2	10/2013	Qureshi	2008/0070593	A1	3/2008	Altman
8,786,458	B1	7/2014	Wiltzius et al.	2008/0079589	A1	4/2008	Blackadar
8,811,951	B1	8/2014	Faaborg et al.	2008/0114539	A1	5/2008	Lim
8,855,665	B2	10/2014	Buford et al.	2008/0139219	A1	6/2008	Boeiro et al.
8,922,485	B1	12/2014	Lloyd	2008/0153517	A1	6/2008	Lee
8,971,924	B2	3/2015	Pai et al.	2008/0165136	A1	7/2008	Christie et al.
8,989,773	B2	3/2015	Sandel et al.	2008/0176583	A1	7/2008	Brachet et al.
9,100,944	B2	8/2015	Newham et al.	2008/0186165	A1	8/2008	Bertagna et al.
9,185,062	B1	11/2015	Yang et al.	2008/0216022	A1	9/2008	Lorch et al.
9,191,988	B2	11/2015	Newham et al.	2008/0287151	A1	11/2008	Fjelstad et al.
9,204,283	B2	12/2015	Mullen	2008/0320391	A1	12/2008	Lemay et al.
9,207,835	B1	12/2015	Yang et al.	2009/0005011	A1	1/2009	Christie et al.
9,247,377	B2	1/2016	Pai et al.	2009/0005018	A1	1/2009	Forstall et al.
9,294,882	B2	3/2016	Sandel et al.	2009/0006566	A1	1/2009	Veeramachaneni et al.
9,369,833	B2	6/2016	Tharshanan et al.	2009/0011340	A1	1/2009	Lee et al.
9,400,489	B2	7/2016	Kim et al.	2009/0037536	A1	2/2009	Braam
9,402,153	B2	7/2016	Pai et al.	2009/0049502	A1	2/2009	Levien et al.
9,477,208	B2	10/2016	Lee et al.	2009/0051648	A1	2/2009	Shamaie et al.
9,635,540	B2	4/2017	Mullen	2009/0051649	A1	2/2009	Rondel
9,699,617	B2	7/2017	Sandel et al.	2009/0055494	A1	2/2009	Fukumoto
10,382,378	B2	8/2019	Garcia et al.	2009/0066564	A1	3/2009	Burroughs et al.
11,943,191	B2	3/2024	Garcia et al.	2009/0085806	A1	4/2009	Piersol et al.
2002/0015024	A1	2/2002	Westerman et al.	2009/0098903	A1	4/2009	Donaldson et al.
2002/0037715	A1	3/2002	Mauney et al.	2009/0113340	A1	4/2009	Bender
2002/0102989	A1	8/2002	Calvert et al.	2009/0164219	A1	6/2009	Yeung et al.
2002/0115478	A1	8/2002	Fujisawa et al.	2009/0177981	A1	7/2009	Christie et al.
				2009/0181726	A1	7/2009	Varqas et al.
				2009/0187842	A1	7/2009	Collins et al.
				2009/0254840	A1	10/2009	Churchill et al.
				2009/0298444	A1	12/2009	Shigeta
				2009/0303066	A1	12/2009	Lee et al.
				2009/0312032	A1	12/2009	Bornstein et al.
				2009/0313582	A1	12/2009	Rupasingh et al.
				2009/0319616	A1	12/2009	Lewis et al.
				2009/0322560	A1	12/2009	Tengler et al.
				2009/0325603	A1	12/2009	Van Os
				2010/0004005	A1	1/2010	Pereira et al.
				2010/0017126	A1	1/2010	Holeman

(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0058231	A1	3/2010	Duarte et al.	2012/0290648	A1	11/2012	Sharkey
2010/0069035	A1	3/2010	Jonhson	2012/0302256	A1	11/2012	Pai et al.
2010/0124906	A1	5/2010	Hautala	2012/0302258	A1	11/2012	Pai et al.
2010/0125411	A1	5/2010	Goel	2012/0304084	A1	11/2012	Kim et al.
2010/0125785	A1	5/2010	Moore et al.	2012/0306770	A1	12/2012	Moore et al.
2010/0144368	A1	6/2010	Sullivan et al.	2013/0002580	A1	1/2013	Sudou
2010/0203901	A1	8/2010	Dinoff et al.	2013/0007665	A1	1/2013	Chaudhri et al.
2010/0205242	A1	8/2010	Marchioro, II et al.	2013/0045759	A1	2/2013	Smith
2010/0211425	A1	8/2010	Govindarajan	2013/0063364	A1	3/2013	Moore
2010/0240398	A1	9/2010	Hotes et al.	2013/0065566	A1	3/2013	Gisby et al.
2010/0248744	A1	9/2010	Bychkov et al.	2013/0091298	A1	4/2013	Ozzie et al.
2010/0250727	A1	9/2010	King et al.	2013/0093833	A1	4/2013	Al-Asaad et al.
2010/0274569	A1	10/2010	Reudink	2013/0120106	A1	5/2013	Cauwels et al.
2010/0281409	A1	11/2010	Rainisto et al.	2013/0143586	A1	6/2013	Williams et al.
2010/0287178	A1	11/2010	Lambert et al.	2013/0159941	A1	6/2013	Langlois et al.
2010/0299060	A1	11/2010	Snavely et al.	2013/0212470	A1	8/2013	Karunamuni et al.
2010/0325194	A1	12/2010	Williamson et al.	2013/0222236	A1	8/2013	Gardenfors et al.
2010/0330952	A1	12/2010	Yeoman et al.	2013/0226453	A1	8/2013	Trussel et al.
2010/0332518	A1	12/2010	Song et al.	2013/0234924	A1	9/2013	Janfalkar et al.
2011/0003587	A1	1/2011	Belz et al.	2013/0244633	A1	9/2013	Jacobs et al.
2011/0051658	A1	3/2011	Jin et al.	2013/0254714	A1	9/2013	Shin et al.
2011/0054780	A1	3/2011	Dhanani et al.	2013/0262298	A1	10/2013	Morley
2011/0054979	A1	3/2011	Cova et al.	2013/0275924	A1	10/2013	Weinberg et al.
2011/0059769	A1	3/2011	Bmnoili	2013/0303190	A1	11/2013	Khan et al.
2011/0066743	A1	3/2011	Hurley et al.	2013/0305331	A1	11/2013	Kim
2011/0080356	A1	4/2011	Kang et al.	2013/0307809	A1	11/2013	Sudou
2011/0096011	A1	4/2011	Suzuki	2013/0310089	A1	11/2013	Gianoukos et al.
2011/0118975	A1	5/2011	Chen	2013/0321314	A1	12/2013	Oh et al.
2011/0137813	A1	6/2011	Stewart	2013/0322634	A1	12/2013	Bennett et al.
2011/0137954	A1	6/2011	Diaz	2013/0346882	A1	12/2013	Shpiacoff et al.
2011/0138006	A1	6/2011	Stewart	2013/0347018	A1	12/2013	Limp et al.
2011/0148626	A1	6/2011	Acevedo	2014/0026099	A1	1/2014	Andersson Reimer et al.
2011/0151418	A1	6/2011	Delespaul et al.	2014/0055552	A1	2/2014	Song et al.
2011/0157046	A1	6/2011	Lee et al.	2014/0058873	A1	2/2014	Sorensen et al.
2011/0164058	A1	7/2011	Lemay	2014/0062790	A1	3/2014	Letz et al.
2011/0167383	A1	7/2011	Schuller et al.	2014/0066105	A1	3/2014	Bridge et al.
2011/0183650	A1	7/2011	McKee	2014/0073256	A1	3/2014	Newham et al.
2011/0225547	A1	9/2011	Fong et al.	2014/0085487	A1	3/2014	Park et al.
2011/0239158	A1	9/2011	Barracough et al.	2014/0099973	A1	4/2014	Cecchini et al.
2011/0250909	A1	10/2011	Mathias et al.	2014/0136990	A1	5/2014	Gonnen et al.
2011/0254684	A1	10/2011	Antoci	2014/0181183	A1	6/2014	Houjou et al.
2011/0265041	A1	10/2011	Ganetakos et al.	2014/0189533	A1	7/2014	Krack et al.
2011/0276901	A1	11/2011	Zambetti et al.	2014/0222933	A1	8/2014	Stovicek et al.
2011/0279323	A1	11/2011	Hung et al.	2014/0237126	A1	8/2014	Bridge et al.
2011/0306366	A1	12/2011	Trussel et al.	2014/0240122	A1	8/2014	Roberts et al.
2011/0306393	A1	12/2011	Goldman et al.	2014/0344711	A1	11/2014	Hallerstrom et al.
2011/0307124	A1	12/2011	Morgan et al.	2014/0365944	A1	12/2014	Moore et al.
2011/0316769	A1	12/2011	Boettcher et al.	2015/0007049	A1	1/2015	Langlois et al.
2012/0008526	A1	1/2012	Borghesi	2015/0040029	A1	2/2015	Koum et al.
2012/0022872	A1	1/2012	Gruber et al.	2015/0089660	A1	3/2015	Song et al.
2012/0040681	A1	2/2012	Yan et al.	2015/0100537	A1	4/2015	Grieves et al.
2012/0054028	A1	3/2012	Tengler et al.	2015/0102992	A1	4/2015	Klement et al.
2012/0077463	A1	3/2012	Robbins et al.	2015/0172393	A1	6/2015	Oplinger et al.
2012/0088521	A1	4/2012	Nishida et al.	2015/0180746	A1	6/2015	Day, II et al.
2012/0095918	A1	4/2012	Jurss	2015/0185849	A1	7/2015	Levesque et al.
2012/0102437	A1	4/2012	Worley et al.	2015/0188869	A1	7/2015	Gilad et al.
2012/0105358	A1	5/2012	Momeyer	2015/0248389	A1	9/2015	Kalm et al.
2012/0108215	A1	5/2012	Kameli et al.	2015/0264303	A1	9/2015	Chastney et al.
2012/0117507	A1	5/2012	Tseng et al.	2015/0286387	A1	10/2015	Gu et al.
2012/0131458	A1	5/2012	Hayes	2015/0286391	A1	10/2015	Jacobs et al.
2012/0136997	A1	5/2012	Yan et al.	2015/0312185	A1	10/2015	Lanqholz et al.
2012/0144452	A1	6/2012	Dyor et al.	2015/0346912	A1	12/2015	Yang et al.
2012/0149405	A1	6/2012	Bhat	2015/0350130	A1	12/2015	Yang et al.
2012/0150970	A1	6/2012	Peterson et al.	2015/0350140	A1	12/2015	Garcia et al.
2012/0158511	A1	6/2012	Lucero et al.	2015/0350141	A1	12/2015	Yang et al.
2012/0166531	A1	6/2012	Sylvain	2016/0036735	A1	2/2016	Pycck et al.
2012/0172088	A1	7/2012	Kirch et al.	2016/0036996	A1	2/2016	Midholt et al.
2012/0208592	A1	8/2012	Davis et al.	2016/0054841	A1	2/2016	Yang et al.
2012/0216127	A1	8/2012	Meyr	2016/0073223	A1	3/2016	Woolsey et al.
2012/0218177	A1	8/2012	Pang et al.	2016/0234060	A1	8/2016	Pai et al.
2012/0222083	A1	8/2012	Vaha-Sipila et al.	2016/0294958	A1	10/2016	Zhang
2012/0239949	A1	9/2012	Kalvanasundaram et al.	2016/0295384	A1	10/2016	Shan et al.
2012/0258726	A1	10/2012	Bansal et al.	2016/0299526	A1	10/2016	Inagaki et al.
2012/0265823	A1	10/2012	Parmar et al.	2016/0342141	A1	11/2016	Koumaiha
2012/0276919	A1	11/2012	Bi	2017/0026796	A1	1/2017	Pai et al.
				2017/0083189	A1	3/2017	Yang et al.
				2017/0083202	A1	3/2017	Yang et al.
				2017/0220212	A1	8/2017	Yang et al.
				2018/0091951	A1	3/2018	Sandel et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS

CN	1852335	10/2006
CN	101390371	3/2009
CN	102098656	6/2011
CN	102111505	6/2011
CN	201928419	8/2011
CN	102695302	9/2012
CN	103207674	7/2013
CN	103309606	9/2013
CN	103500079	1/2014
CN	103583031	2/2014
CN	103959751	7/2014
CN	104205785	12/2014
CN	205263700	5/2016
EP	1387590	2/2004
EP	2574026	3/2013
EP	2610701	7/2013
EP	2849042	3/2015
JP	1145117 A	2/1999
JP	2002-366485	12/2002
JP	2003-516057	5/2003
JP	2003-207556	7/2003
JP	2006-072489	3/2006
JP	2006-079427	3/2006
JP	2006-113637	4/2006
JP	2006-129429	5/2006
JP	2009-081865	4/2009
JP	2010-503126	1/2010
JP	2010-503332	1/2010
JP	2010-288162	12/2010
JP	2010-539804	12/2010
JP	2011-060065	3/2011
JP	2011-107823	6/2011
JP	2012-508530	4/2012
JP	2012-198369	10/2012
JP	2013-048389	3/2013
JP	2014-057129	3/2014
KR	10-2004-0089329	10/2004
KR	2007-0096222	10/2007
KR	2008-0074813	8/2008
TW	200532429	10/2005
WO	2001/041468	6/2001
WO	2002/003093	1/2002
WO	2008/030972	3/2008
WO	2009/071112	6/2009
WO	2010/048995	5/2010
WO	2010/054373	5/2010
WO	2011/080622	7/2011
WO	2012/128824	9/2012
WO	2012/170446	12/2012
WO	2013/093558	6/2013
WO	2013/169842	11/2013
WO	2013/169865	11/2013
WO	2013/169875	11/2013
WO	2014/083001	6/2014
WO	2014/105276	7/2014
WO	2015/038684	3/2015
WO	2015/120358	8/2015
WO	2016/036472	3/2016

OTHER PUBLICATIONS

U.S. Notice of Allowance in U.S. Appl. No. 15/142,661, mailed on Oct. 4, 2017, 21 pages.

U.S. Notice of Allowance in U.S. Appl. No. 15/425,273, mailed on Mar. 7, 2019, 8 pages.

U.S. Notice of Allowance in U.S. Appl. No. 15/431,435, mailed on Jan. 23, 2018, 8 pages.

U.S. Notice of Allowance in U.S. Appl. No. 15/876,673, mailed on May 4, 2018, 26 pages.

U.S. Notice of Allowance in U.S. Appl. No. 15/985,570, mailed on Mar. 13, 2019, 21 pages.

U.S. Office Action in U.S. Appl. No. 14/503,376, mailed on Dec. 22, 2014, 19 pages.

U.S. Office Action in U.S. Appl. No. 14/503,386, mailed on Jan. 7, 2015, 18 pages.

U.S. Office Action in U.S. Appl. No. 14/817,572, mailed on Mar. 23, 2017, 13 pages.

U.S. Office Action in U.S. Appl. No. 14/817,572, mailed on Sep. 12, 2016, 8 pages.

U.S. Office Action in U.S. Appl. No. 14/838,235, mailed on Jun. 15, 2016, 17 pages.

U.S. Office Action in U.S. Appl. No. 14/841,608, mailed on Apr. 12, 2017, 8 pages.

U.S. Office Action in U.S. Appl. No. 14/841,614, mailed on Jul. 27, 2017, 12 pages.

U.S. Office Action in U.S. Appl. No. 14/841,614, mailed on May 10, 2018, 12 pages.

U.S. Office Action in U.S. Appl. No. 14/841,623, mailed on Feb. 2, 2017, 16 pages.

U.S. Office Action in U.S. Appl. No. 14/841,623, mailed on Sep. 5, 2017, 15 pages.

U.S. Office Action in U.S. Appl. No. 14/928,865, mailed on Dec. 5, 2018, 14 pages.

U.S. Office Action in U.S. Appl. No. 14/928,865, mailed on Mar. 27, 2018, 14 pages.

U.S. Office Action in U.S. Appl. No. 15/142,661, mailed on Jan. 25, 2017, 28 Pages.

U.S. Office Action in U.S. Appl. No. 15/366,763, mailed on Mar. 8, 2019, 13 pages.

U.S. Office Action in U.S. Appl. No. 15/425,273, mailed on Oct. 3, 2018, 9 pages.

U.S. Office Action in U.S. Appl. No. 15/431,435, mailed on Jun. 8, 2017, 10 pages.

U.S. Office Action in U.S. Appl. No. 15/985,570, mailed on Aug. 16, 2018, 23 pages.

U.S. Office Action received for U.S. Appl. No. 14/838,235, mailed on Jan. 5, 2016, 18 pages.

'Absoluteblogger.com' [online]. "WeChat Review—Communication Application with Screenshots" available on or before Jun. 14, 2013, [retrieved on Apr. 23, 2019], via Internet Archive: Wayback Machine URL<<http://www.absoluteblogger.com/2012/10/wechat-review-communication-application.html>>. 4 pages.

'Appps.jp' [online]. "WhatsApp" users over 400 million people! I tried to investigate the most used messaging application in the world Jan. 24, 2014, [retrieved on Apr. 23, 2019], via Internet Archive: Wayback Machine URL<<https://web.archive.org/web/20140410142411/http://www.appps.jp/2128786>>. 13 pages, with Machine English Translation.

Digitalstreetsa.com [online]. "Why WeChat might kill Whatsapp's future . . ." Jul. 3, 2013, retrieved on Apr. 23, 2019, retrieved from: URL<<http://digitalstreetsa.com/why-wechat-might-kill-whatsaooos-future>>. 9 pages.

Download.cnet.com [online]. "WeChat APK for Android" Jan. 7, 2013, retrieved on Apr. 23, 2019, retrieved from: URL<<http://download.cnet.com/WeChat/3000-2150-4-75739423.html>>. 5 pages.

'Engadget.com' [online]. "WhatsApp Introduces Major New Audio Features," Aug. 7, 2013, retrieved on Apr. 23, 2019, retrieved from: URL<<http://www.engadget.com/2013/08/07/whatsapp-introduces-major-new-audio-features>>. 12 pages.

'Heresthethingblog.com' [online]. "iOS 7 tip: Alerts, Banners, and Badgesawhats the Difference?" Jan. 22, 2014, [retrieved on Apr. 23, 2019], via Internet Archive: Wayback Machine URL<<https://web.archive.org/web/20140128072440/http://heresthethingblog.com/2014/01/22/ios-7-tip-whats-difference-alert/>>. 5 pages.

Iphone, "User Guide for iOS 7.1 Software", Mar. 2014, 162 pages. Jng.org [online]. "Affordances and Design," published on or before Feb. 25, 2010 [retrieved on Apr. 23, 2019], via Internet Archive: Wayback Machine URL<<https://web.archive.org/web/20150318044240/jnd.org/dn.mss/affordances.and.html>>. 6 pages.

'Makeuseof.com' [online]. "MS Outlook Tip: How to Automatically Organize Incoming Emails," Sep. 27, 2019, retrieved on Apr. 23, 2019, retrieved from: URL <<http://www.makeuseof.com/tag/ms-outlook-productivity-tip-how-to-move-emails-to-individual-folders-automatically>>. 5 pages.

(56)

References Cited**OTHER PUBLICATIONS**

'Manualslib.com' [online]. "Samsung Gear 2 User Manual", 2014, [retrieved on Apr. 23, 2019], retrieved from: URL<<http://www.manualslib.com/download/754923/Samsung-Gear-2.html>>. 97 pages.

Samsung, "SM-G900F User Manual", English (EU). Rev.1.0, Mar. 2014, 249 pages.

Samsung, "SM-R380", User Manual, 2014, 74 pages.

'Seechina365.com' [online]. "How to use China's popular social networking service wechat2_ voice message, press together, shake function etc." Apr. 5, 2014, [retrieved on Apr. 23, 2019], via Internet Archive: Wayback Machine URL<<http://seechina365.com/2014/04/05/wechat02>>. 29 pages with Machine English Translation.

'Slideshare.net.' [online]. "Samsung Gear 2 User manual", Apr. 2014, [retrieved on Apr. 23, 2019], retrieved from: URL<<http://www.slideshare.net/badaindonesia/samsung-gear-2-user-manual>>. 58 pages.

'Wechat.wikia.com' [online]. "WeChat Wiki", May 14, 2013, [retrieved on Apr. 23, 2019], via Internet Archive: Wayback Machine URL<http://web.archive.org/web/20130514131044/http://wechat.wikia.com/wiki/WeChat_Wiki>. 6 pages.

'Wikihow.com' [online]. "How to Move Mail to Different Folders in Gmail," available on or before Jul. 31, 2014, [retrieved on Apr. 23, 2019], via Internet Archive: Wayback Machine URL<<http://web.archive.org/web/20140731230338/http://www.wikihow.com/Move-Mail-to-Different-Folders-in-Gmail>>. 4 pages.

'Youtube.com' [online]. "How to Dismiss Banner Notifications or Toast Notifications on iOS7," Dec. 17, 2013, [retrieved on Apr. 23, 2019], retrieved from: URL<https://www.youtube.com/watch?v=vSiHnBFIW_M>. 2 pages.

'Youtube.com' [online]. "How to Send a Picture Message/MMS—Samsung Galaxy Note 3," Nov. 3, 2013, [retrieved on Apr. 23, 2019], retrieved from: URL<<https://www.youtube.com/watch?v=-3dOz8-KeDw>>. 12 pages.

'Youtube.com' [online]. "iOS 7 Notification Center Complete Walk-through," Jun. 10, 2013, [retrieved on Apr. 23, 2019], retrieved from: URL<<https://www.youtube.com/watch?v=gATXt-042LA>>. 3 pages.

'Youtube.com' [online]. "iOS Notification Banner Pull Down to Notification Center in iOS 7 Beta 5", Aug. 6, 2013, [retrieved on Apr. 23, 2019], retrieved from: URL<<https://www.youtube.com/watch?v=nP0s6ETPxHg>>. 2 pages.

'Youtube.com' [online]. "Notification & Control Center Problem Issue Solution" Dec. 6, 2013, [retrieved on Apr. 23, 2019], retrieved from: URL<<https://www.youtube.com/watch?v=K0zCueYlATA>>. 3 pages.

'Youtube.com' [online]. "WeChat TVC—Hold To Talk", May 11, 2013, [retrieved on Apr. 23, 2019], retrieved from: URL<https://www.youtube.com/watch?v=E_UxteOWVSo>. 2 pages.

Australian Patent Examination Report No. 1 in Australian Application No. 2012202929, mailed Sep. 28, 2013, 3 pages.

Chinese Office Action in Chinese Application No. 201210288784.3, mailed Jul. 3, 2014, 16 pages (with English Translation).

European Search Report in European Application No. 12168980.6, mailed Sep. 21, 2012, 7 pages.

International Preliminary Report on Patent Ability in International Application No. PCT/US/2012/038718, mailed Nov. 26, 2013, 5 pages.

International Search Report in International Application No. PCT/US2012/038718, mailed Aug. 17, 2012, 3 pages.

International Search Report and Written Opinion in International Application No. PCT/US13/41780, mailed Dec. 1, 2014, 8 pages.

International Preliminary Report on Patent Ability in International Application No. PCT/US13/41780, mailed Dec. 9, 2014, 7 pages.

Japanese Office Action in Japanese Application No. 2012-113725, mailed on May 27, 2013, 9 pages (with English Translation).

Korean Preliminary Rejection in Korean Application No. 10-2012-54888, mailed Sep. 5, 2014, 9 pages (with English Translation).

Search and Examination Report in GB Application No. GB1209044.5, mailed Aug. 24, 2012, 10 pages.

US Final Office Action in U.S. Appl. No. 13/113,856, mailed Nov. 7, 2012, 19 pages.

US Final Office Action in U.S. Appl. No. 13/488,430, mailed May 8, 2013, 19 pages.

US Non-Final Office Action in U.S. Appl. No. 13/113,856, mailed Jul. 18, 2012, 14 pages.

US Non-Final Office Action in U.S. Appl. No. 13/488,430, mailed Dec. 5, 2012, 13 pages.

Written Opinion in International Application No. PCT/US/2012/038718, mailed Aug. 17, 2012, 4 pages.

Australian Patent Examination Report No. 1 in Australian Application No. 2013203926, mailed Oct. 7, 2014, 5 pages.

Australian Patent Examination Report No. 2 in Australian Application No. 2013203926, mailed Jan. 13, 2016, 3 pages.

European Extended Search Report in Application No. 16155938.0, dated Jun. 7, 2016, 8 pages.

Chinese Office Action for Application No. 201210288784.3, dated Jan. 5, 2017, 13 pages (with English translation).

India Office Action for Application No. 2030/CHE/2012, dated Dec. 27, 2016, 9 pages.

Chinese Notification of Reexamination for Application No. 201210288784.3, dated Sep. 27, 2017, 17 pages (with English translation).

European Office Action in European Patent Application No. 15759981.2, mailed on Aug. 6, 2018, 10 pages.

European Office Action in European Patent Application No. 15759981.2, mailed on May 16, 2018, 6 pages.

European Office Action in European Patent Application No. 17167629.9, mailed on Jan. 25, 2019, 7 pages.

International Preliminary Report on Patentability received for PCT Application No. PCT/US2015/032309, mailed on Dec. 15, 2016, 7 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2015/032305, mailed on Dec. 15, 2016, 7 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2015/043487, mailed on Feb. 16, 2017, 12 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2015/044083, mailed on Mar. 16, 2017, 24 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2015/046787, mailed on Mar. 16, 2017, 18 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT /US2016/046828, mailed on Mar. 1, 2018, 19 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/032305, mailed on Sep. 10, 2015, 9 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/032309, mailed on Sep. 2, 2015, 9 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/043487, mailed on Jan. 29, 2016, 17 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/044083, mailed on Feb. 4, 2016, 31 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/046787, mailed on Apr. 1, 2016, 26 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/046828, mailed on Dec. 15, 2016, 21 pages.

Invitation to Pay Additional Fees and Partial Search Report received for PCT Patent Application No. PCT/US2015/043487, mailed on Nov. 9, 2015, 4 pages.

Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2015/044083, mailed on Nov. 4, 2015, 11 pages.

Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2015/046787, mailed on Dec. 15, 2015, 8 pages.

(56)

References Cited**OTHER PUBLICATIONS**

Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2016/046828, mailed on Sep. 23, 2016, 2 pages.
Japanese Notice of Allowance received for Japanese Patent Application No. 2017-510297, mailed on May 7, 2018, 5 pages with English Translation.

Japanese Notice of Allowance received for Japanese Patent Application No. 2017-514992, mailed on Feb. 15, 2019, 5 pages with English Translation.

Japanese Notice of Allowance received for Japanese Patent application No. 2017514993, mailed on Jan. 12, 2018, 6 pages with English Translation.

Japanese Notice of Allowance received for Japanese Patent Application No. 2018-072632, mailed on Dec. 7, 2018, 6 pages with English Translation.

Japanese Office Action received for Japanese Patent Application No. 2017-510297, mailed on Dec. 4, 2017, 6 pages with English Translation.

Japanese Office Action received for Japanese Patent Application No. 2017-510297, mailed on Jul. 10, 2017, 9 pages with English Translation.

Japanese Office Action received for Japanese Patent Application No. 2017-514992, mailed on Apr. 6, 2018, 9 pages with English Translation.

Japanese Office Action received for Japanese Patent Application No. 2018-018497, mailed on Dec. 10, 2018, 7 pages with English Translation.

Japanese Office Action received for Japanese Patent Application No. 2018-072632, mailed on Jul. 9, 2018, 5 Pages with English Translation.

Korean Notice of Allowance received for Korean Patent Application No. 10-2017-7005628, mailed on Jun. 18, 2018, 4 pages with English Translation.

Korean Office Action received for Korean Patent Application No. 10-2017-7005628, mailed on Jan. 30, 2018, 6 pages with English translation.

Korean Office Action received for Korean Patent Application No. 10-2017-7005628, mailed on May 10, 2017, 11 pages with English Translation.

Korean Office Action received for Korean Patent Application No. 10-2018-7027006, mailed on Jan. 14, 2019, 4 pages with English Translation.

Netherlands Search Report and Opinion received for Netherlands Patent Application No. 2015354, completed on Jun. 22, 2017, 23 pages with English Translation.

Netherlands Search Report and Opinion received for Netherlands Patent Application No. 2019878, mailed on Apr. 6, 2018, 23 pages with English Translation.

Taiwanese Office Action received for Taiwanese Patent Application No. 104107332, mailed on Oct. 29, 2018, 12 pages with English Translation.

Taiwanese Office Action received for Taiwanese Patent Application No. 104128519, mailed on Mar. 29, 2017, 16 pages with English Translation.

Taiwanese Office Action received for Taiwanese Patent Application No. 104128704, mailed on Jul. 31, 2017, 7 pages with English Translation.

Taiwanese Office Action received for Taiwanese Patent Application No. 104128704, mailed on Nov. 2, 2016, 12 pages with English Translation.

U.S. Notice of Allowance in U.S. Appl. No. 14/503,376, mailed on Jul. 29, 2015, 12 pages.

U.S. Notice of Allowance in U.S. Appl. No. 14/503,376, mailed on Sep. 2, 2015, 4 pages.

U.S. Notice of Allowance in U.S. Appl. No. 14/503,376, mailed on Sep. 24, 2015, 5 pages.

U.S. Notice of Allowance in U.S. Appl. No. 14/503,386, mailed on Jul. 30, 2015, 11 pages.

U.S. Notice of Allowance in U.S. Appl. No. 14/503,386, mailed on Sep. 24, 2015, 5 pages.

U.S. Notice of Allowance in U.S. Appl. No. 14/817,572, mailed on Nov. 30, 2017, 26 pages.

U.S. Notice of Allowance in U.S. Appl. No. 14/838,235, mailed on Dec. 29, 2016, 3 pages.

U.S. Notice of Allowance in U.S. Appl. No. 14/838,235, mailed on Oct. 4, 2016, 7 pages.

U.S. Notice of Allowance in U.S. Appl. No. 14/841,608, mailed on Jan. 25, 2018, 2 pages.

U.S. Notice of Allowance in U.S. Appl. No. 14/841,608, mailed on Nov. 14, 2017, 5 pages.

U.S. Notice of Allowance in U.S. Appl. No. 14/841,614, mailed on Jan. 8, 2019, 3 pages.

U.S. Notice of Allowance in U.S. Appl. No. 14/841,614, mailed on Oct. 24, 2018, 10 pages.

Australian Certificate of Examination in Australian Patent Application No. 2017100760 mailed on Feb. 9, 2018, 2 pages.

Australian Notice of Acceptance in Australian Patent Application No. 2015267259, mailed on Jan. 30, 2018, 3 pages.

Australian Notice of Acceptance in Australian Patent Application No. 2015267260, mailed on Jan. 30, 2018, 3 pages.

Australian Notice of Acceptance in Australian Patent Application No. 2015312369, mailed on Mar. 21, 2018, 3 pages.

Australian Office Action in Australian Patent Application No. 2015100711, issued on Jul. 27, 2015, 7 pages.

Australian Office Action in Australian Patent Application No. 2015100711, mailed on Nov. 19, 2015, 6 pages.

Australian Office Action in Australian Patent Application No. 2015101188, issued on Apr. 14, 2016, 3 pages.

Australian Office Action in Australian Patent Application No. 2015267259, mailed on Jun. 2, 2017, 2 pages.

Australian Office Action in Australian Patent Application No. 2015267260, mailed on Jun. 2, 2017, 2 pages.

Australian Office Action in Australian Patent Application No. 2015312369, mailed on Mar. 29, 2017, 3 pages.

Australian Office Action in Australian Patent Application No. 2016102028, mailed on Feb. 13, 2017, 4 pages.

Australian Office Action in Australian Patent Application No. 2016102029, mailed on Feb. 22, 2017, 4 pages.

Australian Office Action in Australian Patent Application No. 2017100197, mailed on Apr. 28, 2017, 4 Pages.

Australian Office Action in Australian Patent Application No. 2017100198, mailed on Apr. 20, 2017, 4 pages.

Australian Office Action in Australian Patent Application No. 2017100760, mailed on Aug. 10, 2017, 4 pages.

Australian Office Action in Australian Patent Application No. 2017100760, mailed on Jan. 30, 2018, 3 pages.

Australian Office Action in Australian Patent Application No. 2018204430, mailed on Aug. 15, 2018, 5 pages.

Chinese Notice of Allowance received for Chinese Patent Application No. 201510290133.1, mailed on Jan. 9, 2019, 3 pages with English Translation.

Chinese Notice of Allowance received for Chinese Patent Application No. 201510291012.9, mailed on Jan. 9, 2019, 3 pages with English Translation.

Chinese Notice of Allowance received for Chinese Patent Application No. 201520365358.4, mailed on Nov. 20, 2015, 2 pages with English Translation.

Chinese Notice of Allowance received for Chinese Patent Application No. 201520365843.1, mailed on Feb. 15, 2016, 3 pages with English Translation.

Chinese Notice of Allowance received for Chinese Patent Application No. 201520669842.6, mailed on May 18, 2016, 2 pages with English Translation.

Chinese Office Action received for Chinese Patent Application No. 201510290133.1, mailed on Feb. 9, 2018, 10 pages with English Translation.

Chinese Office Action received for Chinese Patent Application No. 201510291012.9, mailed on Feb. 8, 2018, 9 pages with English Translation.

Chinese Office Action received for Chinese Patent Application No. 201510549056.7, mailed on Aug. 7, 2018, 7 pages with English Translation.

(56)

References Cited**OTHER PUBLICATIONS**

Chinese Office Action received for Chinese Patent Application No. 201510549056.7, mailed on Nov. 24, 2017, 22 pages with English Translation.

Chinese Office Action received for Chinese Patent Application No. 201520365358.4, mailed on Aug. 11, 2015, 4 pages with English Translation.

Chinese Office Action received for Chinese Patent Application No. 201520365843.1, mailed on Aug. 25, 2015, 4 pages with English Translation.

Chinese Office Action received for Chinese Patent Application No. 201520365843.1, mailed on Nov. 16, 2015, 3 pages with English Translation.

Chinese Office Action received for Chinese Patent Application No. 201520669842.6, mailed on Dec. 4, 2015, 7 pages with English Translation.

Chinese Office Action received for Chinese Patent Application No. 201620393549.6, mailed on Aug. 18, 2016, 2 pages with English Translation.

Chinese Office Action received for Chinese Patent Application No. 201620393748.7, mailed on Aug. 18, 2016, 2 pages with English Translation.

Danish Decision to Grant received for Danish Patent Application No. PA201770126, mailed on Mar. 27, 2018, 2 pages.

Danish Intention to Grant received for Denmark Patent Application No. PA201570550, mailed on Dec. 22, 2016, 2 pages.

Danish Intention to Grant received for Denmark Patent Application No. PA201770126, mailed on Jan. 19, 2018, 2 pages.

Danish Notice of Allowance received for Danish Patent Application No. P A201570550, mailed on Mar. 20, 2017, 2 pages.

Danish Office Action received for Danish Patent Application No. PA201570550, mailed on Dec. 7, 2015, 5 pages.

Danish Office Action received for Danish Patent Application No. PA201570550, mailed on Jan. 19, 2016, 2 pages.

Danish Office Action received for Danish Patent Application No. PA201570550, mailed on Oct. 19, 2016, 3 pages.

Danish Office Action received for Danish Patent Application No. PA201770089, mailed on Apr. 25, 2017, 10 pages.

Danish Office Action received for Danish Patent Application No. PA201770125, mailed on Jan. 26, 2018, 5 pages.

Danish Office Action received for Danish Patent Application No. PA201770125, mailed on Jul. 20, 2018, 2 pages.

Danish Office Action received for Danish Patent Application No. PA201770126, mailed on Oct. 18, 2017, 3 pages.

Danish Search Report received for Danish Patent Application No. PA201770125, mailed on May 5, 2017, 10 pages.

Danish Search Report received for Danish Patent Application No. PA201770126, mailed on Apr. 26, 2017, 8 Pages.

European Extended Search Report in European Patent Application No. 17167629.9, mailed on Jun. 2, 2017, 7 pages.

European Extended Search Report in European Patent Application No. 18170262.2, mailed on Jul. 25, 2018, 8 pages.

European Office Action in European Patent Application No. 15728307.8, mailed on Feb. 8, 2018, 7 pages.

European Office Action in European Patent Application No. 15729286.3, mailed on Feb. 7, 2018, 7 pages.

European Office Action in European Patent Application No. 15759981.2, mailed on Apr. 19, 2018, 6 pages.

Final Office Action issued in U.S. Appl. No. 14/503,270, dated Jun. 7, 2018 in 17 pages.

Final Office Action issued in U.S. Appl. No. 14/503,270, dated May 17, 2017 in 21 pages.

Non-Final Office Action issued in U.S. Appl. No. 14/503,270, dated Nov. 16, 2017 in 14 pages.

Non-Final Office Action issued in U.S. Appl. No. 14/503,270, dated Oct. 26, 2018 in 9 pages.

Non-Final Office Action issued in U.S. Appl. No. 14/503,270, dated Sep. 23, 2016 in 15 pages.

Notice of Allowance issued in U.S. Appl. No. 14/503,270, dated Jan. 24, 2019 in 9 pages.

Notice of Allowance issued in U.S. Appl. No. 14/503,270, dated Jun. 3, 2019 in 6 pages.

Notice of Allowance issued in U.S. Appl. No. 14/503,270, dated May 2, 2019 in 6 pages.

Notice of Allowance issued in U.S. Appl. No. 15/142,661, dated Feb. 15, 2018 in 9 pages.

Final Office Action issued in U.S. Appl. No. 16/532,349, dated Apr. 25, 2023 in 19 pages.

Final Office Action issued in U.S. Appl. No. 16/532,349, dated Jan. 21, 2022 in 19 pages.

Final Office Action issued in U.S. Appl. No. 16/532,349, dated Jan. 6, 2021 in 18 pages.

Non-Final Office Action issued in U.S. Appl. No. 16/532,349, dated Apr. 15, 2021 in 19 pages.

Non-Final Office Action issued in U.S. Appl. No. 16/532,349, dated Jul. 22, 2022 in 18 pages.

Non-Final Office Action issued in U.S. Appl. No. 16/532,349, dated Jun. 25, 2020 in 15 pages.

Notice of Allowance issued in U.S. Appl. No. 16/532,349, dated Nov. 22, 2023 in 8 pages.




FIG. 1




FIG. 2A

FIG. 2B




FIG. 2C

FIG. 2D




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

1

LIVE LOCATION SHARING**CROSS-REFERENCE TO RELATED APPLICATIONS**

This application is a continuation of U.S. patent application Ser. No. 16/532,349, entitled “Live Location Sharing,” filed Aug. 5, 2019, which is a continuation of U.S. patent application Ser. No. 14/503,270, entitled “Live Location Sharing,” filed Sep. 30, 2014, now U.S. Pat. No. 10,382,378, issued Aug. 13, 2019, which claims priority to U.S. Provisional Application No. 62/006,110, entitled “Live Location Sharing,” filed May 31, 2014, each of which are incorporated herein by reference. This application and U.S. patent application Ser. No. 14/503,270 is also related to U.S. patent application Ser. Nos. 14/503,355, 14/503,376, 14/503,386, all of which are entitled “Message User Interfaces for Capture and Transmittal of Media and Location Content,” all filed on May 31, 2014.

TECHNICAL FIELD

This disclosure relates generally to location-based services.

BACKGROUND

A mobile device may have an instant messaging (IM) program that allows a user of the mobile device to chat with another user over the Internet. The IM program can offer real-time (“live”) transmission of text from the mobile device to a device of the other user, and receive and display real-time text received from the other device. The IM program can have a peer-to-peer or server-client architecture for transmitting the text in real-time.

SUMMARY

Techniques for live location sharing are described. A first mobile device and a second mobile device can communicate with one another using an IM program. The first mobile device can receive a user input to share a location of the first mobile device in the IM program. Sharing the location can include causing the second mobile device to display a location of the first mobile device in an IM program user interface on the second mobile device. Duration of sharing the location can be user-configurable. The second mobile device may or may not share a location of the second device for display in the IM program executing on the first mobile device.

The features described in this specification can be implemented to achieve one or more advantages. Compared to conventional IM program, the features described in this specification can allow chatting users to share more information. A user may see, in a user interface of the IM program, where the user’s chatting partner is located. Likewise, the chatting partner can see where the user is located. Such information can enhance user experience, and can make tasks such as scheduling a gathering at a location easier. A user’s privacy is protected according to the user’s own preference as to with whom to share a location, and for how long.

The details of one or more implementations of the subject matter are set forth in the accompanying drawings and the description below. Other features, aspects, and advantages

2

of the subject matter will become apparent from the description, the drawings, and the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a diagram illustrating exemplary live location sharing.

FIGS. 2A-2D illustrate exemplary user interfaces for live location sharing.

FIG. 3 is a block diagram illustrating exemplary interaction between mobile devices and their respective servers for live location sharing.

FIG. 4 is a block diagram illustrating components of an exemplary server and an exemplary mobile device for live location sharing.

FIG. 5 is a flowchart of an exemplary process of live location sharing.

FIG. 6 is a flowchart of an exemplary process of live location sharing.

FIG. 7 is a flowchart of an exemplary process of live location sharing.

FIG. 8 is a block diagram illustrating an exemplary device architecture of a mobile device implementing the features and operations described in reference to FIGS. 1-7.

FIG. 9 is a block diagram of an exemplary network operating environment for the mobile devices of FIGS. 1-7.

FIG. 10 is a block diagram of an exemplary system architecture for implementing the features and operations of FIGS. 1-7.

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION**Exemplary Live Location Sharing**

FIG. 1 is a diagram illustrating exemplary live location sharing. Mobile device 102 can communicate with mobile device 104 over communications network 110 using an IM program. The IM program can be hosted on a server to which mobile device 102 and mobile device 104 connect. Alternatively, each of mobile device 102 and mobile device 104 can host a separate copy of an IM program. A first user of mobile device 102 and a second user of mobile device 104 may chat (112A, 112B) with each other online using the IM program.

During the chat, mobile device 104 can display location sharing interface 114 in response to an input from the second user. Location sharing interface 114 allows the second user to enable location sharing. Location sharing can include allowing mobile device 102 to see a real-time location of mobile device 104 in the IM program. Allowing mobile device 102 to see the location of mobile device 104 can include allowing mobile device 102 to access the location through a server. The location can be stored on mobile device 104, or submitted by mobile device 104 to be stored on the server temporarily for duration of location sharing.

Mobile device 104 receives the input to enable location sharing. In response, mobile device 104 notifies mobile device 102 of the location sharing. Mobile device 102 acquires the location of mobile device 104. Mobile device 102 can display virtual map 116 in the IM program. Mobile device 102 can represent the real-time location of mobile device 104 using marker 118 in virtual map 116. Marker 118 can move in virtual map 116, corresponding to physical movement of mobile device 104.

FIGS. 2A-2D illustrate exemplary user interfaces for live location sharing. Each user interface can be a user interface of an IM program executing on either mobile device **102** or mobile device **104** of FIG. 1. For convenience, each user interface will be described in reference to mobile device **102**.

FIG. 2A illustrates exemplary user interface **202** for initiating live location sharing. The live location sharing can be sharing a location of mobile device **102** with a device that is in communication with mobile device through an IM program. The sharing can be limited to the IM program, where the shared location is visible in an IM program on the other device.

User interface **202** can include settings user interface item **204**. Settings user interface item **204** can have a label “details” or any other label indicating that a user can access detailed settings of the IM program. Upon receiving a user input in settings user interface item **204**, mobile device **102** can display a list of settings. One of the settings can be location sharing user interface item **206**. Location sharing user interface item **206** can include a virtual button that, when touched, can cause mobile device **102** to display location sharing user interface **208**.

FIG. 2B illustrates exemplary location sharing user interface **208**. Location sharing user interface **208** can include various user interface items for specifying when to share a location of mobile device **102** with another mobile device in an IM program. Location sharing user interface **208** can include virtual button **210** that, when selected, causes mobile device **102** to share location of mobile device **102** in an IM program for a first time period, e.g., one hour. Location sharing user interface **208** can include virtual button **212** that, when selected, causes mobile device **102** to share location of mobile device **102** in an IM program for a second time period, e.g., one day. Location sharing user interface **208** can include virtual button **214** that, when selected, causes mobile device **102** to share location of mobile device **102** in an IM program for a third time period, e.g., indefinitely. Location sharing user interface **208** can include virtual button **216** that, when selected, causes mobile device **102** to share location of mobile device **102** in an IM program with another device when mobile device **102** is in proximity with the other device and in communication with the other device. The proximity can be user defined, e.g., within a same country, within a same city, or within X miles or meters of one another.

FIG. 2C illustrates exemplary map user interface **218** of an IM program executing on mobile device **102**. Mobile device **102** can display map user interface **218** upon receiving a user confirmation for sharing the location. Map user interface **218** can include marker **220** indicating a current location of mobile device **102**, as can be visible in an IM program on another device that receives the shared location. Accordingly, a user of mobile device **102** can be aware of what a user of the other device sees.

FIG. 2D illustrates exemplary map user interface **222** of an IM program executing on mobile device **102**. Mobile device **102** is in communication with another mobile device using the IM program. Mobile device **102** shared location of mobile device **102** with the other device. The other device, in return, shared location of that device with mobile device **102**. Mobile device **102** can display map user interface **222** that includes a virtual map, marker **224** indicating a real-time location of mobile device **102**, and marker **226** indicating the real-time location of the other device.

FIG. 3 is a block diagram illustrating exemplary interaction between mobile devices and their respective servers for live location sharing. Mobile device **102** and mobile device **104** can communicate with one another using communication channel **302**. Communication channel **302** can be a communication channel for IM programs and can be based on a first telephone number PN1 of mobile device **102** and a second telephone number PN2 of mobile device **104**. Mobile device **102** has logged into a user account on first server **304**. The user account is associated with an account identifier ID1, e.g., an account name. Mobile device **104** has logged into a user account on second server **306**. The user account is associated with an account identifier ID2.

Mobile device **102** received a user input requesting mobile device **102** to share a location of mobile device **102** with mobile device **104** in the IM program. In response, mobile device **102** can submit request **308** to server **304** requesting server **304** to provide location sharing information for passing to mobile device **104** through communication channel **302**. In response, server **304** can provide mapping packet **310A** to mobile device **102**. Mapping packet **310A** can include PN1 and ID1, and information on how long the location will be shared.

Mobile device **102** can submit mapping packet **310B**, which can be the same as mapping packet **310A**, to mobile device **104** through communication channel **302**. Mobile device **104** provides the mapping packet **310B** to server **306** as request **310C**. Server **306** may already store the second telephone number PN2 of mobile device **104** and account identifier ID2.

Server **306** can submit the number PN1 and ID1 to an identity service (IDS) **312**. The IDS **312** can include one or more computers configured to determine, based on PN1 and ID1, whether mobile device **102** is still logged in to server **304**. The IDS **312** can send token **314** to server **306**. Server **306** can submit token **314** to server **304**. Server **304** can retrieve location of mobile device **102** and provide the location to server **306**. Server **306** can, in turn, provide the location to mobile device **104** for displaying in the IM program.

FIG. 4 is a block diagram illustrating components of an exemplary server and an exemplary mobile device for live location sharing. The server can be either server **304** or server **306** (of FIG. 3). The mobile device can be either mobile device **102** or mobile device **104** (of FIG. 3). For convenience, FIG. 4 will be described in reference to server **304** and mobile device **102**.

Mobile device **102** can include instant messaging subsystem **402**. Instant messaging subsystem **402** is a component of mobile device **102** configured to execute an IM program and sharing a location of mobile device **102** in the IM program with another device. Instant messaging subsystem **402** can include location interface module **404** configured to share the location in the IM program. Instant messaging subsystem **402** can include map module **406** configured to display a map in the IM program, including displaying in the map the location of the mobile device **102** and, if a location of another device is shared, the location of the other device. Instant messaging subsystem **402** can include device communication module **408** configured to establish a telephone number based communication channel with another device and communicate with the other device using an IM program over that channel.

Mobile device **102** can include server communication subsystem **410**. Server communication subsystem **410** is a

5

component of mobile device **102** configured to send a request to server **304** for mapping packet upon receiving instructions from location interface module **404** to share location. Server communication subsystem **410** can receive the mapping packet from server **304**.

If another device shares a location with mobile device **102**, the other device can notify mobile device **102** of the sharing through device communication module **408**. Location interface module **404** can then instruct server communication subsystem **410** to request the shared location from server **304**. Location interface module **404** can provide the shared location to location interface module **404** for displaying in a map of the IM program.

Mobile device **102** can include location subsystem **412**. Location subsystem **412** is a component of mobile device **102** configured to determine a location of mobile device **102**, for example, by using signals from a cellular communication system, one or more wireless access points, or a global satellite navigation system. Location subsystem **412** can provide the location to server communication subsystem **410** for submitting to the server for sharing.

Exemplary Procedures

FIG. **5** is a flowchart of an exemplary process **500** of live location sharing. A first mobile device, e.g., mobile device **102**, can submit (**502**) a notification to a second mobile device, e.g., mobile device **104**, through an instant message program. The notification can indicate that the first mobile device shall provide a first location of the first mobile device for sharing with the second mobile device. At time of submitting the notification, the first mobile device and the second mobile device can be in communication through the instant message program. The communication can be established based on a phone number of the first mobile device and a phone number of the second mobile device.

The first mobile device can receive (**504**), through the instant message program and from the second mobile device, a response to the notification. The response can be triggered by the notification. The response can be approved by a user of the second mobile device. The response can indicate that the second mobile device shall provide a second location of the second mobile device for sharing with the first mobile device.

The first mobile device can obtain (**506**), from a server, the second location. The first mobile device can then provide (**508**) a marker representing the second location for display on a virtual map in the instant message program on the first mobile device. Likewise, the second mobile device can provide a marker representing the first location of the first mobile device for display on a virtual map in an instant message program on the second mobile device.

The first mobile device can obtain, from the server, one or more updates of the second location. The updates can correspond to a movement of the second mobile device. The first mobile device can provide a representation of updated second location for display in the instant message program on the first mobile device. The representation of the updated second location can indicate a path of the movement.

FIG. **6** is a flowchart of an exemplary process **600** of live location sharing. An instant message program executing on first mobile device, e.g., mobile device **102**, can receive (**602**) a notification to a second mobile device, e.g., mobile device **104**. The notification can indicate that the second mobile device shares a location of the second mobile device with the first mobile device. The notification can include a

6

mapping packet including a phone number of the second mobile device and an account identifier of the second mobile device.

The first mobile device can submit (**604**) and to a server, the mapping packet including the phone number and the account identifier for retrieving the location of the second mobile device.

Upon successful authentication by the server indicating that the second mobile device is logged in and that a location of the second mobile device is available, the first mobile device can receive (**606**) the location from the server during a time period as specified by the second device for sharing the location. The time period can be an hour, a day, or an indefinite time period as specified by the second mobile device according to a user input in the instant message program.

The first mobile device then provides (**608**) a marker representing the location for display on a virtual map in the instant message program on the first mobile device. During the time period, the first mobile device can provide the marker representing the location of the second mobile device for display in one or more other programs for displaying locations. The programs can include, for example, a “find my friend” application program.

FIG. **7** is a flowchart of an exemplary process **700** of live location sharing. A first server, e.g., server **304** of FIG. **3** can receive (**702**) a mapping packet from an instant message program of a first mobile device, e.g., mobile device **102**. The mapping packet can include a phone number of a second mobile device, e.g., mobile device **104**. The mapping packet can include an account identifier of the second mobile device. The mapping packet can indicate that the second mobile device has shared a location of the second mobile device with the first mobile device in the instant message program. The first server can be connected to the first mobile device by a communications network. The second server can be connected to the second mobile device by the communications network. The first mobile device and the second mobile device can be connected to one another by the same communications network or a different communications network.

The first server can submit (**704**) the phone number and the account identifier to an identity service for determining whether the second mobile device is logged into the account on a second server. The identity service can provide a token indicating that the second mobile device is logged into the account.

Upon receiving the token from the identity service, the first server can submit (**706**) a request to the second server for retrieving a current location of the second mobile device. The request can include the account identifier of the second mobile device. The current location of the second mobile device can be received by the second server from the second mobile device in response to an input on the second mobile device indicating that the second mobile device shares location of the second mobile device with the first mobile device.

Upon receiving the current location from the second server, the first server can submit (**708**) the current location to the first mobile device for display in the instant message program.

Exemplary Mobile Device Architecture

FIG. **8** is a block diagram of an exemplary architecture **800** for the mobile devices of FIGS. **1-7**. A mobile device (e.g., mobile device **102**) can include memory interface **802**,

one or more data processors, image processors and/or processors **804**, and peripherals interface **806**. Memory interface **802**, one or more processors **804** and/or peripherals interface **806** can be separate components or can be integrated in one or more integrated circuits. Processors **804** can include application processors, baseband processors, and wireless processors. The various components in mobile device **102**, for example, can be coupled by one or more communication buses or signal lines.

Sensors, devices, and subsystems can be coupled to peripherals interface **806** to facilitate multiple functionalities. For example, motion sensor **810**, light sensor **812**, and proximity sensor **814** can be coupled to peripherals interface **806** to facilitate orientation, lighting, and proximity functions of the mobile device. Location processor **815** (e.g., GPS receiver) can be connected to peripherals interface **806** to provide ge positioning. Electronic magnetometer **816** (e.g., an integrated circuit chip) can also be connected to peripherals interface **806** to provide data that can be used to determine the direction of magnetic North. Thus, electronic magnetometer **816** can be used as an electronic compass. Motion sensor **810** can include one or more accelerometers configured to determine change of speed and direction of movement of the mobile device. Barometer **818** can include one or more devices connected to peripherals interface **806** and configured to measure pressure of atmosphere around the mobile device.

Camera subsystem **820** and an optical sensor **822**, e.g., a charged coupled device (CCD) or a complementary metal-oxide semiconductor (CMOS) optical sensor, can be utilized to facilitate camera functions, such as recording photographs and video clips.

Communication functions can be facilitated through one or more wireless communication subsystems **824**, which can include radio frequency receivers and transmitters and/or optical (e.g., infrared) receivers and transmitters. The specific design and implementation of the communication subsystem **824** can depend on the communication network(s) over which a mobile device is intended to operate. For example, a mobile device can include communication subsystems **824** designed to operate over a GSM network, a GPRS network, an EDGE network, a Wi-Fi™ or WiMax™ network, and a Bluetooth™ network. In particular, the wireless communication subsystems **824** can include hosting protocols such that the mobile device can be configured as a base station for other wireless devices.

Audio subsystem **826** can be coupled to a speaker **828** and a microphone **830** to facilitate voice-enabled functions, such as voice recognition, voice replication, digital recording, and telephony functions. Audio subsystem **826** can be configured to receive voice commands from the user.

I/O subsystem **840** can include touch surface controller **842** and/or other input controller(s) **844**. Touch surface controller **842** can be coupled to a touch surface **846** or pad. Touch surface **846** and touch surface controller **842** can, for example, detect contact and movement or break thereof using any of a plurality of touch sensitivity technologies, including but not limited to capacitive, resistive, infrared, and surface acoustic wave technologies, as well as other proximity sensor arrays or other elements for determining one or more points of contact with touch surface **846**. Touch surface **846** can include, for example, a touch screen.

Other input controller(s) **844** can be coupled to other input/control devices **848**, such as one or more buttons, rocker switches, thumb-wheel, infrared port, USB port, and/or a pointer device such as a stylus. The one or more

buttons (not shown) can include an up/down button for volume control of speaker **828** and/or microphone **830**.

In one implementation, a pressing of the button for a first duration may disengage a lock of the touch surface **846**; and a pressing of the button for a second duration that is longer than the first duration may turn power to mobile device **102** on or off. The user may be able to customize a functionality of one or more of the buttons. The touch surface **846** can, for example, also be used to implement virtual or soft buttons and/or a keyboard.

In some implementations, mobile device **102** can present recorded audio and/or video files, such as MP3, AAC, and MPEG files. In some implementations, mobile device **102** can include the functionality of an MP3 player. Mobile device **102** may, therefore, include a pin connector that is compatible with the MP3 player. Other input/output and control devices can also be used.

Memory interface **802** can be coupled to memory **850**. Memory **850** can include high-speed random access memory and/or non-volatile memory, such as one or more magnetic disk storage devices, one or more optical storage devices, and/or flash memory (e.g., NAND, NOR). Memory **850** can store operating system **852**, such as Darwin, RTXC, LINUX, UNIX, OS X, WINDOWS, or an embedded operating system such as VxWorks. Operating system **852** may include instructions for handling basic system services and for performing hardware dependent tasks. In some implementations, operating system **852** can include a kernel (e.g., UNIX kernel).

Memory **850** may also store communication instructions **854** to facilitate communicating with one or more additional devices, one or more computers and/or one or more servers. Memory **850** may include graphical user interface instructions **856** to facilitate graphic user interface processing; sensor processing instructions **858** to facilitate sensor-related processing and functions; phone instructions **860** to facilitate phone-related processes and functions; electronic messaging instructions **862** to facilitate electronic-messaging related processes and functions; web browsing instructions **864** to facilitate web browsing-related processes and functions; media processing instructions **866** to facilitate media processing-related processes and functions; GPS/Navigation instructions **868** to facilitate GPS and navigation-related processes and instructions; camera instructions **870** to facilitate camera-related processes and functions; magnetometer data **872** and calibration instructions **874** to facilitate magnetometer calibration. The memory **850** may also store other software instructions (not shown), such as security instructions, web video instructions to facilitate web video-related processes and functions, and/or web shopping instructions to facilitate web shopping-related processes and functions. In some implementations, the media processing instructions **866** are divided into audio processing instructions and video processing instructions to facilitate audio processing-related processes and functions and video processing-related processes and functions, respectively. An activation record and International Mobile Equipment Identity (IMEI) or similar hardware identifier can also be stored in memory **850**. Memory **850** can store live location sharing instructions **876** that, when executed, can cause processor **804** to perform operations of live location sharing, e.g., procedures as described in reference to FIG. 5 and FIG. 6.

Each of the above identified instructions and applications can correspond to a set of instructions for performing one or more functions described above. These instructions need not be implemented as separate software programs, procedures, or modules. Memory **850** can include additional instructions

or fewer instructions. Furthermore, various functions of the mobile device may be implemented in hardware and/or in software, including in one or more signal processing and/or application specific integrated circuits.

Exemplary Operating Environment

FIG. 9 is a block diagram of an exemplary network operating environment **900** for the mobile devices of FIGS. 1-7. Mobile devices **902a** and **902b** can, for example, communicate over one or more wired and/or wireless networks **910** in data communication. For example, a wireless network **912**, e.g., a cellular network, can communicate with a wide area network (WAN) **914**, such as the Internet, by use of a gateway **916**. Likewise, an access device **918**, such as an 802.11g wireless access point, can provide communication access to the wide area network **914**. Each of mobile devices **902a** and **902b** can be mobile device **102** and mobile device **104**, respectfully, configured to communicate with one another using an instant messaging program and to share a respective location in the instant messaging program.

In some implementations, both voice and data communications can be established over wireless network **912** and the access device **918**. For example, mobile device **902a** can place and receive phone calls (e.g., using voice over Internet Protocol (VOIP) protocols), send and receive e-mail messages (e.g., using Post Office Protocol 3 (POP3)), and retrieve electronic documents and/or streams, such as web pages, photographs, and videos, over wireless network **912**, gateway **916**, and wide area network **914** (e.g., using Transmission Control Protocol/Internet Protocol (TCP/IP) or User Datagram Protocol (UDP)). Likewise, in some implementations, the mobile device **902b** can place and receive phone calls, send and receive e-mail messages, and retrieve electronic documents over the access device **918** and the wide area network **914**. In some implementations, mobile device **902a** or **902b** can be physically connected to the access device **918** using one or more cables and the access device **918** can be a personal computer. In this configuration, mobile device **902a** or **902b** can be referred to as a “tethered” device.

Mobile devices **902a** and **902b** can also establish communications by other means. For example, wireless device **902a** can communicate with other wireless devices, e.g., other mobile devices, cell phones, etc., over the wireless network **912**. Likewise, mobile devices **902a** and **902b** can establish peer-to-peer communications **920**, e.g., a personal area network, by use of one or more communication subsystems, such as the Bluetooth™ communication devices. Other communication protocols and topologies can also be implemented.

The mobile device **902a** or **902b** can, for example, communicate with one or more services **930** and **940** over the one or more wired and/or wireless networks. For example, instant messaging services **930** can allow mobile devices **902a** and **902b** to communicate with one another using an instant messaging program. Location service **940** can provide the location and map data to mobile devices **902a** and **902b** for determining locations of mobile devices **902a** and **902b**.

Mobile device **902a** or **902b** can also access other data and content over the one or more wired and/or wireless networks. For example, content publishers, such as news sites, Really Simple Syndication (RSS) feeds, web sites, blogs, social networking sites, developer networks, etc., can be accessed by mobile device **902a** or **902b**. Such access can

be provided by invocation of a web browsing function or application (e.g., a browser) in response to a user touching, for example, a Web object.

A number of implementations of the invention have been described. Nevertheless, it will be understood that various modifications can be made without departing from the spirit and scope of the invention.

Exemplary System Architecture

FIG. 10 is a block diagram of an exemplary system architecture for implementing the features and operations of FIGS. 1-7. Other architectures are possible, including architectures with more or fewer components. In some implementations, architecture **1000** includes one or more processors **1002** (e.g., dual-core Intel® Xeon® Processors), one or more output devices **1004** (e.g., LCD), one or more network interfaces **1006**, one or more input devices **1008** (e.g., mouse, keyboard, touch-sensitive display) and one or more computer-readable media **1012** (e.g., RAM, ROM, SDRAM, hard disk, optical disk, flash memory, etc.). These components can exchange communications and data over one or more communication channels **1010** (e.g., buses), which can utilize various hardware and software for facilitating the transfer of data and control signals between components.

The term “computer-readable medium” refers to a medium that participates in providing instructions to processor **1002** for execution, including without limitation, non-volatile media (e.g., optical or magnetic disks), volatile media (e.g., memory) and transmission media. Transmission media includes, without limitation, coaxial cables, copper wire and fiber optics.

Computer-readable media **1012** can further include operating system **1014** (e.g., a Linux® operating system), network communication module **1016**, location sharing manager **1020**, location manager **1030**, and identity service manager **1040**. Operating system **1014** can be multi-user, multiprocessing, multitasking, multithreading, real time, etc. Operating system **1014** performs basic tasks, including but not limited to: recognizing input from and providing output to devices **1006**, **1008**; keeping track and managing files and directories on computer-readable media **1012** (e.g., memory or a storage device); controlling peripheral devices; and managing traffic on the one or more communication channels **1010**. Network communications module **1016** includes various components for establishing and maintaining network connections (e.g., software for implementing communication protocols, such as TCP/IP, HTTP, etc.).

Location sharing manager **1020** can include computer instructions that, when executed, cause processor **1002** to perform operations of location sharing, e.g., procedure **700** as described in reference to FIG. 7. Location manager **1030** can include computer instructions that, when executed, cause processor **1002** to provide location of mobile device and virtual maps to a mobile device. Identity service manager **1040** can include computer instructions that, when executed, cause processor **1002** to perform functions of identity services **312** as described in reference to FIG. 3.

Architecture **1000** can be implemented in a parallel processing or peer-to-peer infrastructure or on a single device with one or more processors. Software can include multiple software components or can be a single body of code.

The described features can be implemented advantageously in one or more computer programs that are executable on a programmable system including at least one programmable processor coupled to receive data and

instructions from, and to transmit data and instructions to, a data storage system, at least one input device, and at least one output device. A computer program is a set of instructions that can be used, directly or indirectly, in a computer to perform a certain activity or bring about a certain result. A computer program can be written in any form of programming language (e.g., Objective-C, Java), including compiled or interpreted languages, and it can be deployed in any form, including as a stand-alone program or as a module, component, subroutine, a browser-based web application, or other unit suitable for use in a computing environment.

Suitable processors for the execution of a program of instructions include, by way of example, both general and special purpose microprocessors, and the sole processor or one of multiple processors or cores, of any kind of computer. Generally, a processor will receive instructions and data from a read-only memory or a random access memory or both. The essential elements of a computer are a processor for executing instructions and one or more memories for storing instructions and data. Generally, a computer will also include, or be operatively coupled to communicate with, one or more mass storage devices for storing data files; such devices include magnetic disks, such as internal hard disks and removable disks; magneto-optical disks; and optical disks. Storage devices suitable for tangibly embodying computer program instructions and data include all forms of non-volatile memory, including by way of example semiconductor memory devices, such as EPROM, EEPROM, and flash memory devices; magnetic disks such as internal hard disks and removable disks; magneto-optical disks; and CD-ROM and DVD-ROM disks. The processor and the memory can be supplemented by, or incorporated in, ASICs (application-specific integrated circuits).

To provide for interaction with a user, the features can be implemented on a computer having a display device such as a CRT (cathode ray tube) or LCD (liquid crystal display) monitor or a retina display device for displaying information to the user. The computer can have a touch surface input device (e.g., a touch screen) or a keyboard and a pointing device such as a mouse or a trackball by which the user can provide input to the computer. The computer can have a voice input device for receiving voice commands from the user.

The features can be implemented in a computer system that includes a back-end component, such as a data server, or that includes a middleware component, such as an application server or an Internet server, or that includes a front-end component, such as a client computer having a graphical user interface or an Internet browser, or any combination of them. The components of the system can be connected by any form or medium of digital data communication such as a communication network. Examples of communication networks include, e.g., a LAN, a WAN, and the computers and networks forming the Internet.

The computing system can include clients and servers. A client and server are generally remote from each other and typically interact through a communication network. The relationship of client and server arises by virtue of computer programs running on the respective computers and having a client-server relationship to each other. In some embodiments, a server transmits data (e.g., an HTML page) to a client device (e.g., for purposes of displaying data to and receiving user input from a user interacting with the client device). Data generated at the client device (e.g., a result of the user interaction) can be received from the client device at the server.

A system of one or more computers can be configured to perform particular actions by virtue of having software, firmware, hardware, or a combination of them installed on the system that in operation causes or cause the system to perform the actions. One or more computer programs can be configured to perform particular actions by virtue of including instructions that, when executed by data processing apparatus, cause the apparatus to perform the actions.

While this specification contains many specific implementation details, these should not be construed as limitations on the scope of any inventions or of what may be claimed, but rather as descriptions of features specific to particular embodiments of particular inventions. Certain features that are described in this specification in the context of separate embodiments can also be implemented in combination in a single embodiment. Conversely, various features that are described in the context of a single embodiment can also be implemented in multiple embodiments separately or in any suitable subcombination. Moreover, although features may be described above as acting in certain combinations and even initially claimed as such, one or more features from a claimed combination can in some cases be excised from the combination, and the claimed combination may be directed to a subcombination or variation of a subcombination.

Similarly, while operations are depicted in the drawings in a particular order, this should not be understood as requiring that such operations be performed in the particular order shown or in sequential order, or that all illustrated operations be performed, to achieve desirable results. In certain circumstances, multitasking and parallel processing may be advantageous. Moreover, the separation of various system components in the embodiments described above should not be understood as requiring such separation in all embodiments, and it should be understood that the described program components and systems can generally be integrated together in a single software product or packaged into multiple software products.

Thus, particular embodiments of the subject matter have been described. Other embodiments are within the scope of the following claims. In some cases, the actions recited in the claims can be performed in a different order and still achieve desirable results. In addition, the processes depicted in the accompanying figures do not necessarily require the particular order shown, or sequential order, to achieve desirable results. In certain implementations, multitasking and parallel processing may be advantageous.

What is claimed is:

1. A method for a messaging application, the method comprising:

receiving, from a first mobile device associated with a first user account, a second user account identifier associated with a second user account and a notification from a second mobile device associated with the second user account indicating confirmation of a request to share a location of the second mobile device with the first user account;

submitting, by the messaging application, the second user account identifier to one or more server computers for retrieving the location of the second mobile device;

receiving, from the one or more server computers, the location of the second mobile device during a time period specified by the second user account for sharing the location of the second mobile device, wherein receiving the location of the second mobile device is based on a token that is indicative of successful authentication.

13

tication that the second user account is logged in using the second mobile device; and
providing a marker representing the location for display on a map in a graphical user interface associated with the first user account.

2. The method of claim 1, wherein the messaging application is operating on the first mobile device.

3. The method of claim 1, wherein receiving the second user account identifier comprising receiving a mapping packet from the second mobile device that includes the second user account identifier, and wherein submitting, by the messaging application, the second user account identifier comprises submitting the mapping packet by the messaging application.

4. The method of claim 3, wherein the mapping packet further comprises information identifying the time period.

5. The method of claim 1, wherein providing the marker representing the location for display on the map in the graphical user interface comprises providing the marker for display on the map in the graphical user interface within the messaging application.

6. The method of claim 1, further comprising:
during the time period, receiving an updated location of the second mobile device; and

providing the marker representing the updated location for display on the map.

7. The method of claim 1, wherein the first mobile device and the second mobile device communicate via a communication channel associated with the messaging application.

8. One or more non-transitory computer-readable media comprising computer-executable instructions that, when executed by one or more processors, cause the one or more processors to perform operations comprising:

receiving, from a first mobile device associated with a first user account, a second user account identifier associated with a second user account and a notification from a second mobile device associated with the second user account indicating confirmation of a request to share a location of the second mobile device with the first user account;

submitting, by a messaging application, the second user account identifier to one or more server computers for retrieving the location of the second mobile device;

receiving, from the one or more server computers, the location of the second mobile device during a time period specified by the second user account for sharing the location of the second mobile device, wherein receiving the location of the second mobile device is based on a token that is indicative of successful authentication that the second user account is logged in using the second mobile device; and

providing a marker representing the location for display on a map in a graphical user interface associated with the first user account.

9. The one or more non-transitory computer-readable media of claim 8, wherein the messaging application is operating on the first mobile device.

10. The one or more non-transitory computer-readable media of claim 8, wherein receiving the second user account identifier comprising receiving a mapping packet from the second mobile device that includes the second user account identifier, and wherein submitting, by the messaging application, the second user account identifier comprises submitting the mapping packet by the messaging application.

11. The one or more non-transitory computer-readable media of claim 10, wherein the mapping packet further comprises information identifying the time period.

14

12. The one or more non-transitory computer-readable media of claim 8, wherein providing the marker representing the location for display on the map in the graphical user interface comprises providing the marker for display on the map in the graphical user interface within the messaging application.

13. The one or more non-transitory computer-readable media of claim 8, wherein the operations further comprise:
during the time period, receiving an updated location of the second mobile device; and
providing the marker representing the updated location for display on the map.

14. The one or more non-transitory computer-readable media of claim 8, wherein the first mobile device and the second mobile device communicate via a communication channel associated with the messaging application.

15. A first mobile device, comprising:

one or more processors; and

a non-transitory computer readable storage media comprising computer-executable instructions that, when executed on the one or more processors, cause the one or more processors to:

receive, from the first mobile device associated with a first user account, a second user account identifier associated with a second user account and a notification from a second mobile device associated with the second user account indicating confirmation of a request to share a location of the second mobile device with the first user account;

submit, by a messaging application, the second user account identifier to one or more server computers for retrieving the location of the second mobile device;

receive, from the one or more server computers, the location of the second mobile device during a time period specified by the second user account for sharing the location of the second mobile device, wherein receiving the location of the second mobile device is based on a token that is indicative of successful authentication that the second user account is logged in using the second mobile device; and

provide a marker representing the location for display on a map in a graphical user interface associated with the first user account.

16. The first mobile device of claim 15, wherein the messaging application is operating on the first mobile device.

17. The first mobile device of claim 15, wherein receiving the second user account identifier comprising receiving a mapping packet from the second mobile device that includes the second user account identifier, and wherein submitting, by the messaging application, the second user account identifier comprises submitting the mapping packet by the messaging application.

18. The first mobile device of claim 17, wherein the mapping packet further comprises information identifying the time period.

19. The first mobile device of claim 15, wherein providing the marker representing the location for display on the map in the graphical user interface comprises providing the marker for display on the map in the graphical user interface within the messaging application.

20. The first mobile device of claim 15, wherein the non-transitory computer readable storage media comprises

15

additional computer-executable instructions that, when executed on the one or more processors, cause the one or more processors to:

during the time period, receive an updated location of the second mobile device; and

provide the marker representing the updated location for display on the map.

21. The first mobile device of claim **15**, wherein the first mobile device and the second mobile device communicate via a communication channel associated with the messaging application.

* * * * *

16