



US0D1088951S

(12) **United States Design Patent**
Paik et al.

(10) **Patent No.:** **US D1,088,951 S**

(45) **Date of Patent:** **** Aug. 19, 2025**

(54) **STRAP BAR OF BUCKLE FOR BAG**

(71) Applicant: **WOOJIN PLASTIC Co., Ltd.**,
Namyangju-si (KR)

(72) Inventors: **Ji Sook Paik**, Seoul (KR); **Nan Hee Paik**, Seoul (KR); **Ji Hye Paik**, Seoul (KR); **Ji Won Son**, Seoul (KR)

(73) Assignee: **WOOJIN PLASTIC CO., LTD.**,
Namyangju-si (KR)

(**) Term: **15 Years**

(21) Appl. No.: **29/929,625**

(22) Filed: **Feb. 23, 2024**

(30) **Foreign Application Priority Data**

Aug. 24, 2023 (KR) 30-2023-0033081

(51) **LOC (15) Cl.** **08-06**

(52) **U.S. Cl.**
USPC **D8/315**; D9/455; D3/328

(58) **Field of Classification Search**
USPC D11/184; D9/720, 455; D3/315, 328;
D8/315, 303, 317, 320
CPC . A44B 11/006; A44B 11/2553; A45F 5/1026;
A47F 5/0006
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D234,836 S * 4/1975 Culling et al. D22/118
D262,417 S * 12/1981 Kim D11/79
D314,150 S * 1/1991 Preciutti D9/434
D318,213 S * 7/1991 Cloonan D9/434
D323,968 S * 2/1992 Blocker D3/315
D394,369 S * 5/1998 Blecker D7/629
D398,503 S * 9/1998 DiResta D3/18
D423,348 S * 4/2000 Le Roux D9/434
D423,777 S * 5/2000 Folisi D3/266

D467,178 S * 12/2002 Drapeau D9/434
D471,715 S * 3/2003 Wu D3/328
D529,712 S * 10/2006 Moodie D3/206
D533,761 S * 12/2006 Lin D8/107
D543,129 S * 5/2007 Buzzelli D11/43
D566,546 S * 4/2008 Williamson D9/434
D597,405 S * 8/2009 Startzell D9/434
D774,770 S * 12/2016 Faraone D3/328
D838,970 S * 1/2019 Connolly D3/20
D860,755 S * 9/2019 Wildes D8/303
2006/0087139 A1 * 4/2006 Ayres A45F 5/1026
294/137
2025/0082070 A1 * 3/2025 Paik A44B 11/2553

* cited by examiner

Primary Examiner — W. A. Teddy Falloway

(74) *Attorney, Agent, or Firm* — Paratus Law Group,
PLLC

(57) **CLAIM**

The ornamental design for a strap bar of buckle for bag as shown and described.

DESCRIPTION

FIG. 1 is a front, top, and left side perspective view of a strap bar of buckle for bag, showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a cross-sectional view taken along line 8-8 shown in FIG. 4;
FIG. 9 is a cross-sectional view taken along line 9-9 shown in FIG. 5; and,
FIG. 10 is a front, top, and left side perspective view of the strap bar of buckle for bag of FIG. 1 in use.
The broken lines shown in FIG. 10 depict environment that form no part of the claimed design.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10

