



US012387557B2

(12) **United States Patent**
Nguyen

(10) **Patent No.:** **US 12,387,557 B2**
(45) **Date of Patent:** ***Aug. 12, 2025**

(54) **METHOD AND SYSTEM FOR LOCALIZED MOBILE GAMING**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Aristocrat Technologies, Inc. (ATI)**,
Las Vegas, NV (US)

2,033,638 A 3/1936 Koppl
2,062,923 A 12/1936 Nagy
(Continued)

(72) Inventor: **Binh T. Nguyen**, Reno, NV (US)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Aristocrat Technologies, Inc.**, Las Vegas, NV (US)

GB 2033638 A 5/1980
GB 2062923 A 5/1981
(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

OTHER PUBLICATIONS

IAPS, Daily Systems LLC, 2010.

(Continued)

(21) Appl. No.: **18/234,503**

(22) Filed: **Aug. 16, 2023**

(65) **Prior Publication Data**

US 2023/0394915 A1 Dec. 7, 2023

Primary Examiner — Dmitry Suhol

Assistant Examiner — Ankit B. Doshi

(74) *Attorney, Agent, or Firm* — Weaver Austin Villeneuve & Sampson LLP

(57) **ABSTRACT**

In one embodiment, a system and method to facilitate playing games of chance on a MGD includes a game zone, having: a) at least one portable transceiver configured to: i) detect the MGD; ii) obtain MGD data from the MGD; and iii) periodically re-detect the MGD within the game zone, the at least one portable transceiver repositionable to form the game zone; b) a portable controller configured to receive MGD data; and c) a gaming server configured to: i) receive the MGD data from the portable controller; ii) determine if the MGD is authorized to place a monetary wager to play games of chance based on the MGD data; iii) periodically receive detection confirmation from the portable controller if the MGD is present in the game zone; iv) transmit and/or receive game of chance data to/from the MGD, wherein the game zone is repositionable and configurable.

Related U.S. Application Data

(63) Continuation of application No. 17/337,393, filed on Jun. 2, 2021, now Pat. No. 11,783,666, which is a (Continued)


(51) **Int. Cl.**
G07F 17/32 (2006.01)

(52) **U.S. Cl.**
CPC **G07F 17/3225** (2013.01); **G07F 17/3223** (2013.01); **G07F 17/3239** (2013.01); **G07F 17/3241** (2013.01)

(58) **Field of Classification Search**
CPC G07F 17/3225; G07F 17/3223; G07F 17/3239; G07F 17/3241

See application file for complete search history.

20 Claims, 16 Drawing Sheets



Related U.S. Application Data

continuation of application No. 14/017,150, filed on
Sep. 3, 2013, now Pat. No. 11,030,851.

- (60) Provisional application No. 61/799,862, filed on Mar.
15, 2013.

References Cited

U.S. PATENT DOCUMENTS

4,741,539	A	5/1988	Sutton	6,884,172	B1	4/2005	Lloyd
4,948,138	A	8/1990	Pease	6,902,484	B2	6/2005	Idaka
4,969,183	A	11/1990	Reese	6,908,390	B2	6/2005	Nguyen
5,067,712	A	11/1991	Georgilas	6,913,532	B2	7/2005	Baerlocher
5,275,400	A	1/1994	Weingardt	6,923,721	B2	8/2005	Luciano
5,429,361	A	7/1995	Raven	6,935,958	B2	8/2005	Nelson
5,489,103	A	2/1996	Okamoto	6,949,022	B1	9/2005	Showers
5,618,232	A	4/1997	Martin	6,955,600	B2	10/2005	Glavich
5,630,757	A	5/1997	Gagin	6,971,956	B2	12/2005	Rowe
5,655,961	A	8/1997	Acres	6,984,174	B2	1/2006	Cannon
5,704,835	A	1/1998	Dietz, II	6,997,803	B2	2/2006	Lemay
5,727,786	A	3/1998	Weingardt	7,018,292	B2	3/2006	Tracy
5,833,537	A	11/1998	Barrie	7,032,115	B2	4/2006	Kashani
5,842,921	A	12/1998	Mindes	7,033,276	B2	4/2006	Walker
5,919,091	A	7/1999	Bell	7,035,626	B1	4/2006	Luciano, Jr.
5,947,820	A	9/1999	Morro	7,037,195	B2	5/2006	Schneider
5,997,401	A	12/1999	Crawford	7,048,628	B2	5/2006	Schneider
6,001,016	A	12/1999	Walker	7,048,630	B2	5/2006	Berg
6,039,648	A	3/2000	Guinn	7,063,617	B2	6/2006	Brosnan
6,059,289	A	5/2000	Vancura	7,076,329	B1	7/2006	Kolls
6,089,977	A	7/2000	Bennett	7,089,264	B1	8/2006	Guido
6,095,920	A	8/2000	Sadahiro	7,094,148	B2	8/2006	Baerlocher
6,110,041	A	8/2000	Walker	7,105,736	B2	9/2006	Laakso
6,142,872	A	11/2000	Walker	7,111,141	B2	9/2006	Nelson
6,146,271	A	11/2000	Kadlic	7,144,321	B2	12/2006	Mayeroff
6,146,273	A	11/2000	Olsen	7,152,783	B2	12/2006	Charrin
6,165,071	A	12/2000	Weiss	7,169,041	B2	1/2007	Tessmer
6,231,445	B1	5/2001	Acres	7,169,052	B2	1/2007	Beaulieu
6,244,958	B1	6/2001	Acres	7,175,523	B2	2/2007	Gilmore
6,270,412	B1	8/2001	Crawford	7,181,228	B2	2/2007	Boesch
6,290,600	B1	9/2001	Glasson	7,182,690	B2	2/2007	Giobbi
6,293,866	B1	9/2001	Walker	7,198,571	B2	4/2007	Lemay
6,353,390	B1	3/2002	Beri	RE39,644	E	5/2007	Alcorn
6,364,768	B1	4/2002	Acres	7,217,191	B2	5/2007	Cordell
6,404,884	B1	6/2002	Marwell	7,243,104	B2	7/2007	Bill
6,416,406	B1	7/2002	Duhamel	7,247,098	B1	7/2007	Bradford
6,416,409	B1	7/2002	Jordan	7,259,718	B2	8/2007	Patterson
6,443,452	B1	9/2002	Brune	7,275,989	B2	10/2007	Moody
6,491,584	B2	12/2002	Graham	7,285,047	B2	10/2007	Gelb
6,500,067	B1	12/2002	Luciano	7,311,608	B1	12/2007	Danieli
6,505,095	B1	1/2003	Kolls	7,314,408	B2	1/2008	Cannon
6,508,710	B1	1/2003	Paravia	7,316,615	B2	1/2008	Soltys
6,561,900	B1	5/2003	Baerlocher	7,316,619	B2	1/2008	Nelson
6,592,457	B1	7/2003	Frohm	7,318,775	B2	1/2008	Brosnan
6,612,574	B1	9/2003	Cole	7,326,116	B2	2/2008	O'Donovan
6,620,046	B2	9/2003	Rowe	7,330,108	B2	2/2008	Thomas
6,641,477	B1	11/2003	Dietz, II	7,346,358	B2	3/2008	Wood
6,645,078	B1	11/2003	Mattice	7,355,112	B2	4/2008	Laakso
6,675,152	B1	1/2004	Prasad	7,384,338	B2	6/2008	Rothschild
6,699,128	B1	3/2004	Beadell	7,387,571	B2	6/2008	Walker
6,719,630	B1	4/2004	Seelig	7,393,278	B2	7/2008	Gerson
6,749,510	B2	6/2004	Giobbi	7,396,990	B2	7/2008	Lu
6,758,757	B2	7/2004	Luciano, Jr.	7,415,426	B2	8/2008	Williams
6,773,345	B2	8/2004	Walker	7,425,177	B2	9/2008	Rodgers
6,778,820	B2	8/2004	Tendler	7,427,234	B2	9/2008	Soltys
6,780,111	B2	8/2004	Cannon	7,427,236	B2	9/2008	Kaminkow
6,799,032	B2	9/2004	McDonnell	7,427,708	B2	9/2008	Ohmura
6,800,027	B2	10/2004	Giobbi	7,431,650	B2	10/2008	Kessman
6,804,763	B1	10/2004	Stockdale	7,448,949	B2	11/2008	Kaminkow
6,811,486	B1	11/2004	Luciano, Jr.	7,500,913	B2	3/2009	Baerlocher
6,843,725	B2	1/2005	Nelson	7,510,474	B2	3/2009	Carter, Sr.
6,846,238	B2	1/2005	Wells	7,513,828	B2	4/2009	Nguyen
6,848,995	B1	2/2005	Walker	7,519,838	B1	4/2009	Suurballe
6,852,029	B2	2/2005	Baltz	7,559,838	B2	7/2009	Walker
6,869,361	B2	3/2005	Sharpless	7,563,167	B2	7/2009	Walker
6,875,106	B2	4/2005	Weiss	7,572,183	B2	8/2009	Olivas
6,884,170	B2	4/2005	Rowe	7,585,222	B2	9/2009	Muir
				7,602,298	B2	10/2009	Thomas
				7,607,174	B1	10/2009	Kashchenko
				7,611,409	B2	11/2009	Muir
				7,637,810	B2	12/2009	Amaitis
				7,644,861	B2	1/2010	Alderucci
				7,653,757	B1	1/2010	Fernald
				7,693,306	B2	4/2010	Huber
				7,699,703	B2	4/2010	Muir
				7,722,453	B2	5/2010	Lark
				7,742,996	B1	6/2010	Kwan
				7,758,423	B2	7/2010	Foster
				7,771,271	B2	8/2010	Walker

(56)

References Cited

U.S. PATENT DOCUMENTS

7,780,529 B2	8/2010	Rowe	9,875,606 B2	1/2018	Nguyen
7,780,531 B2	8/2010	Englman	9,875,609 B2	1/2018	Nguyen
7,785,192 B2	8/2010	Canterbury	9,981,180 B2	5/2018	Koyanagi
7,811,172 B2	10/2010	Asher	10,068,429 B2	9/2018	Gagner
7,819,749 B1	10/2010	Fish	10,115,270 B2	10/2018	Gagner
7,822,688 B2	10/2010	Labrou	10,140,816 B2	11/2018	Nguyen
7,828,652 B2	11/2010	Nguyen	10,325,447 B2	6/2019	Malek
7,828,654 B2	11/2010	Carter, Sr.	10,421,010 B2	9/2019	Nguyen
7,828,661 B1	11/2010	Fish	10,438,446 B2	10/2019	Nguyen
7,850,528 B2	12/2010	Wells	10,445,978 B2	10/2019	Nguyen
7,874,919 B2	1/2011	Paulsen	10,796,679 B1	10/2020	Powell
7,877,798 B2	1/2011	Saunders	10,818,133 B2	10/2020	Nguyen
7,883,413 B2	2/2011	Paulsen	2001/0004607 A1	6/2001	Olsen
7,892,097 B2	2/2011	Muir	2001/0016516 A1	8/2001	Takatsuka
7,909,692 B2	3/2011	Nguyen	2001/0024971 A1	9/2001	Brossard
7,909,699 B2	3/2011	Parrott	2001/0025272 A1	9/2001	Mori
7,918,728 B2	4/2011	Nguyen	2001/0031659 A1	10/2001	Perrie
7,927,211 B2	4/2011	Rowe	2001/0037211 A1	11/2001	McNutt
7,927,212 B2	4/2011	Hedrick	2001/0047291 A1	11/2001	Garahi
7,951,008 B2	5/2011	Wolf	2002/0006822 A1	1/2002	Krintzman
8,057,298 B2	11/2011	Nguyen	2002/0042295 A1	4/2002	Walker
8,057,303 B2	11/2011	Rasmussen	2002/0043759 A1	4/2002	Vancura
8,087,988 B2	1/2012	Nguyen	2002/0045474 A1	4/2002	Singer
8,117,608 B1	2/2012	Slettehaugh	2002/0107065 A1	8/2002	Rowe
8,133,113 B2	3/2012	Nguyen	2002/0107799 A1	8/2002	Hoshino
8,182,326 B2	5/2012	Speer, II	2002/0111210 A1	8/2002	Anthony
8,210,927 B2	7/2012	Hedrick	2002/0111213 A1	8/2002	McEntee
8,221,245 B2	7/2012	Walker	2002/0113369 A1	8/2002	Weingardt
8,226,459 B2	7/2012	Barrett	2002/0116615 A1	8/2002	Nguyen
8,226,474 B2	7/2012	Nguyen	2002/0133418 A1	9/2002	Hammond
8,231,456 B2	7/2012	Zielinski	2002/0137217 A1	9/2002	Rowe
8,235,803 B2	8/2012	Loose	2002/0142825 A1	10/2002	Lark
8,276,010 B2	9/2012	Vavilala	2002/0145051 A1	10/2002	Charrin
8,282,475 B2	10/2012	Nguyen	2002/0147047 A1	10/2002	Letovsky
8,323,099 B2	12/2012	Durham	2002/0147049 A1	10/2002	Carter
8,337,290 B2	12/2012	Nguyen	2002/0151366 A1	10/2002	Walker
8,342,946 B2	1/2013	Amaitis	2002/0152120 A1	10/2002	Howington
8,393,948 B2	3/2013	Allen	2002/0167536 A1	11/2002	Valdes
8,403,758 B2	3/2013	Hornik	2002/0177483 A1	11/2002	Cannon
8,430,745 B2	4/2013	Agarwal	2002/0183105 A1	12/2002	Cannon
8,461,958 B2	6/2013	Saenz	2003/0001338 A1	1/2003	Bennett
8,465,368 B2	6/2013	Hardy	2003/0003988 A1	1/2003	Walker
8,469,813 B2	6/2013	Joshi	2003/0003996 A1	1/2003	Nguyen
8,529,345 B2	9/2013	Nguyen	2003/0004871 A1	1/2003	Rowe
8,597,108 B2	12/2013	Nguyen	2003/0008696 A1	1/2003	Abecassis
8,602,875 B2	12/2013	Nguyen	2003/0013531 A1	1/2003	Rowe
8,613,655 B2	12/2013	Kisenwether	2003/0027635 A1	2/2003	Walker
8,613,659 B2	12/2013	Nelson	2003/0064805 A1	4/2003	Wells
8,678,901 B1	3/2014	Kelly	2003/0064807 A1	4/2003	Walker
8,696,470 B2	4/2014	Nguyen	2003/0078094 A1	4/2003	Gatto
8,745,417 B2	6/2014	Huang	2003/0092480 A1	5/2003	White
8,821,255 B1	9/2014	Friedman	2003/0100361 A1	5/2003	Sharpless
8,834,254 B2	9/2014	Buchholz	2003/0103965 A1	6/2003	Jung
8,858,323 B2	10/2014	Nguyen	2003/0104860 A1	6/2003	Cannon
8,864,586 B2	10/2014	Nguyen	2003/0104865 A1	6/2003	Itkis
8,942,995 B1	1/2015	Kerr	2003/0148809 A1	8/2003	Nelson
9,039,507 B2	5/2015	Allen	2003/0162588 A1	8/2003	Brosnan
9,165,422 B2	10/2015	Barclay	2003/0176218 A1	9/2003	Lemay
9,235,952 B2	1/2016	Nguyen	2003/0195024 A1	10/2003	Slattery
9,292,996 B2	3/2016	Davis	2003/0195043 A1	10/2003	Shinners
9,325,203 B2	4/2016	Nguyen	2003/0199295 A1	10/2003	Vancura
9,466,171 B2	10/2016	Hornik	2003/0224852 A1	12/2003	Walker
9,483,901 B2	11/2016	Nguyen	2003/0224854 A1	12/2003	Joao
9,486,697 B2	11/2016	Nguyen	2004/0002386 A1	1/2004	Wolfe
9,486,704 B2	11/2016	Nguyen	2004/0005919 A1	1/2004	Walker
9,530,277 B2	12/2016	Nelson	2004/0015619 A1	1/2004	Brown
9,576,425 B2	2/2017	Nguyen	2004/0023709 A1	2/2004	Beaulieu
9,626,826 B2	4/2017	Nguyen	2004/0023716 A1	2/2004	Gauselmann
9,666,015 B2	5/2017	Acres	2004/0038736 A1	2/2004	Bryant
9,666,021 B2	5/2017	Nguyen	2004/0048650 A1	3/2004	Mierau
9,672,686 B2	6/2017	Nguyen	2004/0068460 A1	4/2004	Feeley
9,741,205 B2	8/2017	Nguyen	2004/0082384 A1	4/2004	Walker
9,811,973 B2	11/2017	Nguyen	2004/0082385 A1	4/2004	Silva
9,814,970 B2	11/2017	Nguyen	2004/0094624 A1	5/2004	Fernandes
9,842,462 B2	12/2017	Nguyen	2004/0106449 A1	6/2004	Walker
			2004/0127277 A1	7/2004	Walker
			2004/0127290 A1	7/2004	Walker
			2004/0137987 A1	7/2004	Nguyen
			2004/0142744 A1	7/2004	Atkinson

(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0147308	A1	7/2004	Walker	2007/0111777	A1	5/2007	Amaitis
2004/0152508	A1	8/2004	Lind	2007/0129123	A1	6/2007	Eryou
2004/0199631	A1	10/2004	Natsume	2007/0129148	A1	6/2007	Van Luchene
2004/0214622	A1	10/2004	Atkinson	2007/0149279	A1	6/2007	Norden
2004/0224753	A1	11/2004	O'Donovan	2007/0149286	A1	6/2007	Bemmel
2004/0229671	A1	11/2004	Stronach	2007/0159301	A1	7/2007	Hirt
2004/0256803	A1	12/2004	Ko	2007/0161402	A1	7/2007	Ng
2004/0259633	A1	12/2004	Gentles	2007/0184896	A1	8/2007	Dickerson
2005/0003890	A1	1/2005	Hedrick	2007/0184904	A1	8/2007	Lee
2005/0004980	A1	1/2005	Vadjinia	2007/0191109	A1	8/2007	Crowder, Jr.
2005/0026696	A1	2/2005	Hashimoto	2007/0207852	A1	9/2007	Nelson
2005/0033651	A1	2/2005	Kogan	2007/0207854	A1	9/2007	Wolf
2005/0043996	A1	2/2005	Silver	2007/0235521	A1	10/2007	Mateen
2005/0054446	A1	3/2005	Kammiller	2007/0238505	A1	10/2007	Okada
2005/0101376	A1	5/2005	Walker	2007/0241187	A1	10/2007	Alderucci
2005/0101383	A1	5/2005	Wells	2007/0248036	A1	10/2007	Nevalainen
2005/0130728	A1	6/2005	Nguyen	2007/0257430	A1	11/2007	Hardy
2005/0130731	A1	6/2005	Englman	2007/0259713	A1	11/2007	Fiden
2005/0137014	A1	6/2005	Vetelainen	2007/0259716	A1	11/2007	Mattice
2005/0143169	A1	6/2005	Nguyen	2007/0259717	A1	11/2007	Mattice
2005/0167921	A1	8/2005	Finocchio	2007/0265984	A1	11/2007	Santhana
2005/0170883	A1	8/2005	Muskin	2007/0270213	A1	11/2007	Nguyen
2005/0181865	A1	8/2005	Luciano	2007/0275777	A1	11/2007	Walker
2005/0181870	A1	8/2005	Nguyen	2007/0275779	A1	11/2007	Amaitis
2005/0181875	A1	8/2005	Hoehne	2007/0281782	A1	12/2007	Amaitis
2005/0187020	A1	8/2005	Amaitis	2007/0281785	A1	12/2007	Amaitis
2005/0202865	A1	9/2005	Kim	2007/0298858	A1	12/2007	Toneguzzo
2005/0202875	A1	9/2005	Murphy	2007/0298873	A1	12/2007	Nguyen
2005/0208993	A1	9/2005	Yoshizawa	2008/0013906	A1	1/2008	Matsuo
2005/0209002	A1	9/2005	Blythe	2008/0015032	A1	1/2008	Bradford
2005/0221881	A1	10/2005	Lannert	2008/0020824	A1	1/2008	Cuddy
2005/0223219	A1	10/2005	Gatto	2008/0020845	A1	1/2008	Low
2005/0239546	A1	10/2005	Hedrick	2008/0032787	A1	2/2008	Low
2005/0255919	A1	11/2005	Nelson	2008/0070652	A1	3/2008	Nguyen
2005/0273635	A1	12/2005	Wilcox	2008/0070681	A1	3/2008	Marks
2005/0277471	A1	12/2005	Russell	2008/0076505	A1	3/2008	Nguyen
2005/0282637	A1	12/2005	Gatto	2008/0076506	A1	3/2008	Nguyen
2006/0009283	A1	1/2006	Englman	2008/0076527	A1	3/2008	Low
2006/0035707	A1	2/2006	Nguyen	2008/0076548	A1	3/2008	Paulsen
2006/0036874	A1	2/2006	Cockerille	2008/0076572	A1	3/2008	Nguyen
2006/0046822	A1	3/2006	Kaminkow	2008/0096650	A1	4/2008	Baerlocher
2006/0046830	A1	3/2006	Webb	2008/0102916	A1	5/2008	Kovacs
2006/0046849	A1	3/2006	Kovacs	2008/0102935	A1	5/2008	Finnimore
2006/0068893	A1	3/2006	Jaffe	2008/0102956	A1	5/2008	Burman
2006/0068897	A1	3/2006	Sanford	2008/0102957	A1	5/2008	Burman
2006/0073869	A1	4/2006	Lemay	2008/0108401	A1	5/2008	Baerlocher
2006/0073888	A1	4/2006	Nguyen	2008/0113772	A1	5/2008	Burrill
2006/0073897	A1	4/2006	Englman	2008/0119267	A1	5/2008	Denlay
2006/0079317	A1	4/2006	Flemming	2008/0126529	A1	5/2008	Kim
2006/0121972	A1	6/2006	Walker	2008/0139274	A1	6/2008	Baerlocher
2006/0126529	A1	6/2006	Hardy	2008/0139306	A1	6/2008	Lutnick
2006/0148551	A1	7/2006	Walker	2008/0146321	A1	6/2008	Parente
2006/0189382	A1	8/2006	Muir	2008/0146344	A1	6/2008	Rowe
2006/0217170	A1	9/2006	Roireau	2008/0150902	A1	6/2008	Edpalm
2006/0217193	A1	9/2006	Walker	2008/0153583	A1	6/2008	Huntley
2006/0247028	A1	11/2006	Brosnan	2008/0161110	A1	7/2008	Campbell
2006/0247035	A1	11/2006	Rowe	2008/0167106	A1	7/2008	Lutnick
2006/0252530	A1	11/2006	Oberberger	2008/0167118	A1	7/2008	Kroeckel
2006/0253481	A1	11/2006	Guido	2008/0167130	A1	7/2008	Kroeckel
2006/0256135	A1	11/2006	Aoyama	2008/0182667	A1	7/2008	Davis
2006/0281525	A1	12/2006	Borissov	2008/0200251	A1	8/2008	Alderucci
2006/0281541	A1	12/2006	Nguyen	2008/0207307	A1	8/2008	Cunningham, II
2006/0287106	A1	12/2006	Jensen	2008/0214258	A1	9/2008	Brosnan
2007/0004510	A1	1/2007	Underdahl	2008/0214310	A1	9/2008	Brunet De Courssou
2007/0026935	A1	2/2007	Wolf	2008/0215319	A1	9/2008	Lu
2007/0026942	A1	2/2007	Kinsley	2008/0234047	A1	9/2008	Nguyen
2007/0054739	A1	3/2007	Amaitis	2008/0238610	A1	10/2008	Rosenberg
2007/0060254	A1	3/2007	Muir	2008/0248849	A1	10/2008	Lutnick
2007/0060306	A1	3/2007	Amaitis	2008/0248865	A1	10/2008	Tedesco
2007/0060319	A1	3/2007	Block	2008/0252419	A1	10/2008	Batchelor
2007/0060358	A1	3/2007	Amaitis	2008/0254878	A1	10/2008	Saunders
2007/0077981	A1	4/2007	Hungate	2008/0254881	A1	10/2008	Lutnick
2007/0087833	A1	4/2007	Feeney	2008/0254883	A1	10/2008	Patel
2007/0087834	A1	4/2007	Moser	2008/0254891	A1	10/2008	Saunders
2007/0093299	A1	4/2007	Bergeron	2008/0254892	A1	10/2008	Saunders
				2008/0254897	A1	10/2008	Saunders
				2008/0263173	A1	10/2008	Weber
				2008/0268959	A1	10/2008	Bryson
				2008/0274783	A1	11/2008	Walker

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0300058	A1	12/2008	Sum	2010/0160035	A1	6/2010	Herrmann
2008/0305864	A1	12/2008	Kelly	2010/0160043	A1	6/2010	Fujimoto
2008/0305865	A1	12/2008	Kelly	2010/0178977	A1	7/2010	Kim
2008/0305866	A1	12/2008	Kelly	2010/0184509	A1	7/2010	Sylla
2008/0311994	A1 *	12/2008	Amaitis G07F 17/3239 463/42	2010/0197383	A1	8/2010	Rader
2008/0318669	A1	12/2008	Buchholz	2010/0197385	A1	8/2010	Aoki
2008/0318686	A1	12/2008	Crowder	2010/0203955	A1	8/2010	Sylla
2009/0005165	A1	1/2009	Arezina	2010/0203957	A1	8/2010	Enzminger
2009/0011822	A1	1/2009	Englman	2010/0203963	A1	8/2010	Allen
2009/0017906	A1	1/2009	Jackson	2010/0224681	A1	9/2010	Triplett
2009/0021381	A1	1/2009	Kondo	2010/0227662	A1	9/2010	Speer, II
2009/0029766	A1	1/2009	Lutnick	2010/0227670	A1	9/2010	Arezina
2009/0054149	A1	2/2009	Brosnan	2010/0227671	A1	9/2010	Laaroussi
2009/0061990	A1	3/2009	Schwartz	2010/0227687	A1	9/2010	Speer, II
2009/0069063	A1	3/2009	Thomas	2010/0234091	A1	9/2010	Baerlocher
2009/0077396	A1	3/2009	Tsai	2010/0279764	A1	11/2010	Allen
2009/0088258	A1	4/2009	Saunders	2010/0323780	A1	12/2010	Acres
2009/0098925	A1	4/2009	Gagner	2010/0325703	A1	12/2010	Etchegoyen
2009/0104977	A1	4/2009	Zielinski	2011/0009181	A1	1/2011	Speer, II
2009/0104983	A1	4/2009	Okada	2011/0034252	A1	2/2011	Morrison
2009/0118002	A1	5/2009	Lyons	2011/0039615	A1	2/2011	Acres
2009/0118013	A1	5/2009	Finnimore	2011/0053679	A1	3/2011	Canterbury
2009/0118022	A1	5/2009	Lyons	2011/0065492	A1	3/2011	Acres
2009/0124366	A1	5/2009	Aoki	2011/0076941	A1	3/2011	Taveau
2009/0124390	A1	5/2009	Seelig	2011/0086696	A1	4/2011	Macewan
2009/0131146	A1	5/2009	Arezina	2011/0105216	A1	5/2011	Cohen
2009/0131151	A1	5/2009	Harris	2011/0111827	A1	5/2011	Nicely
2009/0131155	A1	5/2009	Hollibaugh	2011/0111843	A1	5/2011	Nicely
2009/0132163	A1	5/2009	Ashley, Jr.	2011/0111860	A1	5/2011	Nguyen
2009/0137255	A1	5/2009	Ashley, Jr.	2011/0118010	A1	5/2011	Brune
2009/0138133	A1	5/2009	Buchholz	2011/0159966	A1	6/2011	Gura
2009/0143141	A1	6/2009	Wells	2011/0183732	A1	7/2011	Block
2009/0149245	A1	6/2009	Fabbri	2011/0183749	A1	7/2011	Allen
2009/0149261	A1	6/2009	Chen	2011/0207525	A1	8/2011	Allen
2009/0153342	A1	6/2009	Thorn	2011/0212711	A1	9/2011	Scott
2009/0156303	A1	6/2009	Kiely	2011/0212767	A1	9/2011	Barclay
2009/0163272	A1	6/2009	Baker	2011/0223993	A1	9/2011	Allen
2009/0176578	A1	7/2009	Herrmann	2011/0244952	A1	10/2011	Schueller
2009/0191962	A1	7/2009	Hardy	2011/0263318	A1	10/2011	Agarwal
2009/0197684	A1	8/2009	Arezina	2011/0269548	A1	11/2011	Barclay
2009/0216547	A1	8/2009	Canora	2011/0306400	A1	12/2011	Nguyen
2009/0219901	A1	9/2009	Bull	2011/0306426	A1	12/2011	Novak
2009/0221342	A1	9/2009	Katz	2012/0015709	A1	1/2012	Bennett
2009/0227302	A1	9/2009	Abe	2012/0028703	A1	2/2012	Anderson
2009/0239666	A1	9/2009	Hall	2012/0028718	A1	2/2012	Barclay
2009/0264190	A1	10/2009	Davis	2012/0034968	A1	2/2012	Watkins
2009/0270166	A1	10/2009	Thukral	2012/0046096	A1	2/2012	Morrison
2009/0270170	A1	10/2009	Patton	2012/0046110	A1	2/2012	Amaitis
2009/0271287	A1	10/2009	Halpern	2012/0094769	A1	4/2012	Nguyen
2009/0275402	A1	11/2009	Backover	2012/0100908	A1	4/2012	Wells
2009/0275410	A1	11/2009	Kisenwether	2012/0108319	A1	5/2012	Caputo
2009/0275411	A1	11/2009	Kisenwether	2012/0115591	A1	5/2012	Palermo
2009/0280910	A1	11/2009	Gagner	2012/0122561	A1	5/2012	Hedrick
2009/0282469	A1	11/2009	Lynch	2012/0122567	A1	5/2012	Gangadharan
2009/0298468	A1	12/2009	Hsu	2012/0122584	A1	5/2012	Nguyen
2009/0318219	A1	12/2009	Kouostas	2012/0122590	A1	5/2012	Nguyen
2010/0002897	A1	1/2010	Keady	2012/0172130	A1	7/2012	Acres
2010/0004058	A1	1/2010	Acres	2012/0184362	A1	7/2012	Barclay
2010/0016069	A1	1/2010	Herrmann	2012/0184363	A1	7/2012	Barclay
2010/0049738	A1	2/2010	Mathur	2012/0185398	A1	7/2012	Weis
2010/0056248	A1	3/2010	Acres	2012/0190426	A1	7/2012	Acres
2010/0062833	A1	3/2010	Mattice	2012/0194448	A1	8/2012	Rothkopf
2010/0062840	A1	3/2010	Herrmann	2012/0208618	A1	8/2012	Frerking
2010/0069160	A1	3/2010	Barrett	2012/0231885	A1	9/2012	Speer, II
2010/0079237	A1	4/2010	Falk	2012/0239566	A1	9/2012	Everett
2010/0081501	A1	4/2010	Carpenter	2012/0322563	A1	12/2012	Nguyen
2010/0081509	A1	4/2010	Burke	2012/0330740	A1	12/2012	Pennington
2010/0099499	A1	4/2010	Amaitis	2013/0005433	A1	1/2013	Holch
2010/0105454	A1	4/2010	Weber	2013/0005443	A1	1/2013	Kosta
2010/0106612	A1	4/2010	Gupta	2013/0005453	A1	1/2013	Nguyen
2010/0115591	A1	5/2010	Kane-Esrig	2013/0059650	A1	3/2013	Sylla
2010/0120486	A1	5/2010	Dewaal	2013/0065668	A1	3/2013	Lemay
2010/0124967	A1	5/2010	Lutnick	2013/0103965	A1	4/2013	Golembeski, Jr.
2010/0130276	A1	5/2010	Fiden	2013/0104193	A1	4/2013	Gatto
				2013/0130766	A1	5/2013	Harris
				2013/0132745	A1	5/2013	Schoening
				2013/0165210	A1	6/2013	Nelson
				2013/0185559	A1	7/2013	Morel
				2013/0196756	A1	8/2013	Nguyen

(56)

References Cited

U.S. PATENT DOCUMENTS

2013/0196776	A1	8/2013	Nguyen
2013/0210513	A1	8/2013	Nguyen
2013/0210514	A1	8/2013	Nguyen
2013/0210530	A1	8/2013	Nguyen
2013/0225279	A1	8/2013	Patceg
2013/0225282	A1	8/2013	Williams
2013/0252730	A1	9/2013	Joshi
2013/0281187	A1	10/2013	Skelton
2013/0281188	A1	10/2013	Guinn
2013/0316808	A1	11/2013	Nelson
2013/0337878	A1	12/2013	Shepherd
2013/0337889	A1	12/2013	Gagner
2014/0006129	A1	1/2014	Heath
2014/0057716	A1	2/2014	Massing
2014/0087862	A1	3/2014	Burke
2014/0094295	A1	4/2014	Nguyen
2014/0094316	A1	4/2014	Nguyen
2014/0120999	A1	5/2014	Graves
2014/0121005	A1	5/2014	Nelson
2014/0179431	A1	6/2014	Nguyen
2014/0221071	A1	8/2014	Calio
2014/0274306	A1	9/2014	Crawford, III
2014/0274309	A1	9/2014	Nguyen
2014/0274319	A1	9/2014	Nguyen
2014/0274320	A1	9/2014	Nguyen
2014/0274342	A1	9/2014	Nguyen
2014/0274357	A1	9/2014	Nguyen
2014/0274360	A1	9/2014	Nguyen
2014/0274367	A1	9/2014	Nguyen
2014/0274388	A1	9/2014	Nguyen
2015/0089595	A1	3/2015	Telles
2015/0133223	A1	5/2015	Carter, Sr.
2015/0143543	A1	5/2015	Phegade
2015/0287283	A1	10/2015	Yarbrough
2016/0093154	A1	3/2016	Bytnar
2016/0125695	A1	5/2016	Nguyen
2017/0016819	A1	1/2017	Barwicz
2017/0116819	A1	4/2017	Nguyen
2017/0116823	A1	4/2017	Nguyen
2017/0144071	A1	5/2017	Nguyen
2017/0148259	A1	5/2017	Nguyen
2017/0148261	A1	5/2017	Nguyen
2017/0148263	A1	5/2017	Nguyen
2017/0206734	A1	7/2017	Nguyen
2017/0228979	A1	8/2017	Nguyen
2017/0243440	A1	8/2017	Nguyen
2017/0337770	A1	11/2017	Nguyen
2018/0144581	A1	5/2018	Nguyen
2019/0005773	A1	1/2019	Nguyen
2019/0122490	A1	4/2019	Nguyen
2019/0122492	A1	4/2019	Nguyen
2019/0213829	A1	7/2019	Nguyen
2020/0372753	A1	11/2020	Nguyen

FOREIGN PATENT DOCUMENTS

GB	2096376	A	10/1982
GB	2097570	A	11/1982
GB	2335524	A	9/1999
JP	12005000454		5/2007
WO	2005073933		8/2005
WO	2008027621		3/2008
WO	2009026309		2/2009
WO	2009062148		5/2009
WO	2010017252		2/2010

OTHER PUBLICATIONS

Brochure, 5000 Ft. Inc., 1 page, Nov. 2010.
 "Getting Back in the Game: Geolocation Can Ensure Compliance with New IGaming Regulations", White Paper, Quova, Inc., 2010.
 Restriction Requirement for U.S. Appl. No. 13/801,256, dated Dec. 30, 2013.
 Office Action for U.S. Appl. No. 13/801,171, dated Dec. 26, 2013.

Office Action for U.S. Appl. No. 13/801,234, dated Jan. 10, 2014.
 Final Office Action for U.S. Appl. No. 13/296,182, dated Feb. 12, 2014.
 Office Action for U.S. Appl. No. 12/617,717, dated Feb. 25, 2014.
 Office Action for U.S. Appl. No. 13/801,076, dated Mar. 28, 2014.
 Final Office Action for U.S. Appl. No. 13/633,118, dated Apr. 3, 2014.
 Office Action for U.S. Appl. No. 13/843,192, dated Apr. 3, 2014.
 Office Action for U.S. Appl. No. 13/632,743, dated Apr. 10, 2014.
 Office Action for U.S. Appl. No. 13/801,121, dated Apr. 11, 2014.
 Final Office Action for U.S. Appl. No. 12/945,889, dated Jun. 30, 2014.
 Notice of Allowance for U.S. Appl. No. 12/617,717, dated Jul. 14, 2014.
 Office Action for U.S. Appl. No. 13/801,121, dated Sep. 24, 2014.
 Office Action for U.S. Appl. No. 13/801,171, dated Sep. 22, 2014.
 Office Action for U.S. Appl. No. 13/801,234, dated Oct. 1, 2014.
 Office Action for U.S. Appl. No. 13/632,743, dated Oct. 23, 2014.
 Office Action for U.S. Appl. No. 12/945,889, dated Oct. 23, 2014.
 Office Action for U.S. Appl. No. 13/632,828, dated Nov. 7, 2014.
 Final Office Action for U.S. Appl. No. 12/945,889, dated Feb. 12, 2015.
 Final Office Action for U.S. Appl. No. 13/801,171, dated Mar. 16, 2015.
 Final Office Action for U.S. Appl. No. 13/801,121, dated Apr. 21, 2015.
 Final Office Action for U.S. Appl. No. 13/557,063, dated Apr. 28, 2015.
 Office Action for U.S. Appl. No. 13/296,182, dated Jun. 5, 2015.
 Office Action for U.S. Appl. No. 12/797,610, dated Jul. 14, 2015.
 Final Office Action for U.S. Appl. No. 13/833,953, dated Jul. 17, 2015.
 Notice of Allowance for U.S. Appl. No. 12/945,889, dated Jul. 22, 2015.
 Office Action for U.S. Appl. No. 12/797,616, dated Aug. 10, 2015.
 Final Office Action for U.S. Appl. No. 13/801,234, dated Aug. 14, 2015.
 Office Action for U.S. Appl. No. 13/801,121, dated Oct. 2, 2015.
 Office Action for U.S. Appl. No. 14/017,150, dated Oct. 7, 2015.
 Office Action for U.S. Appl. No. 14/017,159, dated Oct. 7, 2015.
 Office Action for U.S. Appl. No. 13/801,271, dated Oct. 19, 2015.
 Office Action for U.S. Appl. No. 14/211,536, dated Oct. 19, 2015.
 Final Office Action for U.S. Appl. No. 13/632,828, dated Oct. 22, 2015.
 Office Action for U.S. Appl. No. 14/217,066, dated Dec. 17, 2015.
 Office Action for U.S. Appl. No. 13/296,182, dated Dec. 23, 2015.
 Final Office Action for U.S. Appl. No. 13/843,192, dated Dec. 30, 2015.
 Office Action for U.S. Appl. No. 13/801,076, dated Jan. 11, 2016.
 Office Action for U.S. Appl. No. 12/945,888, dated Jan. 22, 2016.
 Office Action for U.S. Appl. No. 13/843,087, dated Feb. 25, 2016.
 Office Action for U.S. Appl. No. 13/800,917, dated Feb. 25, 2016.
 Office Action for U.S. Appl. No. 13/801,234, dated Mar. 8, 2016.
 Office Action for U.S. Appl. No. 14/216,986, dated Mar. 9, 2016.
 Final Office Action for U.S. Appl. No. 13/801,271, dated Mar. 11, 2016.
 Final Office Action for U.S. Appl. No. 13/633,118, dated Mar. 24, 2016.
 Final Office Action for U.S. Appl. No. 14/189,948, dated Apr. 6, 2016.
 Final Office Action for U.S. Appl. No. 12/797,610, dated Apr. 21, 2016.
 U.S. Appl. No. 12/945,888, filed Nov. 14, 2010.
 U.S. Appl. No. 13/961,182, filed Nov. 15, 2011.
 U.S. Appl. No. 13/801,234, filed Mar. 13, 2013.
 U.S. Appl. No. 13/801,171, filed Mar. 13, 2013.
 U.S. Appl. No. 13/843,087, filed Mar. 15, 2013.
 U.S. Appl. No. 13/632,743, filed Oct. 1, 2012.
 U.S. Appl. No. 13/632,828, filed Oct. 1, 2012.
 U.S. Appl. No. 13/801,121, filed Mar. 13, 2013.
 U.S. Appl. No. 12/581,115, filed Oct. 17, 2009.
 U.S. Appl. No. 13/801,076, filed Mar. 13, 2013.
 U.S. Appl. No. 13/617,717, filed Nov. 12, 2009.

(56)

References Cited**OTHER PUBLICATIONS**

U.S. Appl. No. 13/633,118, filed Oct. 1, 2012.
 U.S. Appl. No. 13/801,256, filed Mar. 13, 2013.
 U.S. Appl. No. 13/557,063, filed Jul. 24, 2012.
 Final Office Action for U.S. Appl. No. 12/945,888 dated Sep. 21, 2012.
 Advisory Action for U.S. Appl. No. 12/945,888 dated Jan. 30, 2013.
 Final Office Action for U.S. Appl. No. 12/581,115 dated Sep. 13, 2012.
 Notice of Allowance for U.S. Appl. No. 12/581,115 dated May 24, 2013.
 Office Action for U.S. Appl. No. 12/619,672 dated Dec. 20, 2011.
 Office Action for U.S. Appl. No. 12/617,717 dated Oct. 4, 2011.
 Office Action for U.S. Appl. No. 12/617,717 dated Apr. 4, 2012.
 Advisory Action for U.S. Appl. No. 12/617,717 dated Jun. 12, 2011.
 Office Action for U.S. Appl. No. 12/797,610 dated Dec. 8, 2011.
 Final Office Action for U.S. Appl. No. 12/797,610 dated Jun. 6, 2012.
 Office Action for U.S. Appl. No. 12/797,610 dated Feb. 26, 2013.
 Office Action for U.S. Appl. No. 12/757,968, dated May 9, 2012.
 Final Office Action for U.S. Appl. No. 12/757,968, dated Nov. 29, 2012.
 Office Action for U.S. Appl. No. 12/757,968, dated Apr. 25, 2013.
 Office Action for U.S. Appl. No. 12/797,616 dated Mar. 15, 2012.
 Final Office Action for U.S. Appl. No. 12/797,616 dated Oct. 13, 2012.
 Office Action for U.S. Appl. No. 12/797,616 dated Feb. 13, 2013.
 Office Action for U.S. Appl. No. 13/296,182 dated Dec. 5, 2012.
 Notice of Allowance of U.S. Appl. No. 12/619,672, dated Aug. 23, 2013.
 Office Action for U.S. Appl. No. 13/633,118, dated Sep. 20, 2013.
 Office Action for U.S. Appl. No. 13/801,256, dated Jul. 2, 2013.
 Notice of Allowance for U.S. Appl. No. 12/619,672, dated Oct. 3, 2013.
 Notice of Allowance for U.S. Appl. No. 12/757,968, dated Oct. 11, 2013.
 Final Office Action for U.S. Appl. No. 12/797,610, dated Jul. 10, 2013.
 Office Action for U.S. Appl. No. 12/617,717, dated Jun. 17, 2013.
 Office Action for U.S. Appl. No. 12/945,889, dated Dec. 18, 2013.
 Office Action for U.S. Appl. No. 13/632,828, dated Jul. 30, 2013.
 Office Action for U.S. Appl. No. 13/801,271, dated Oct. 31, 2014.
 Office Action for U.S. Appl. No. 13/833,116, dated Mar. 27, 2015.
 Office Action for U.S. Appl. No. 13/843,192, dated Jun. 19, 2015.
 Final Office Action for U.S. Appl. No. 13/833,116, dated Sep. 24, 2015.
 Office Action for U.S. Appl. No. 13/622,702, dated Mar. 22, 2016.
 Final Office Action for U.S. Appl. No. 14/017,150, dated Apr. 26, 2016.
 Final Office Action for U.S. Appl. No. 14/017,159, dated Jun. 6, 2016.
 Office Action for U.S. Appl. No. 13/801,171, dated Jun. 6, 2016.
 Office Action for U.S. Appl. No. 13/843,192, dated Jun. 9, 2016.
 Final Office Action for U.S. Appl. No. 15/427,308, dated Mar. 19, 2018.
 Office Action for U.S. Appl. No. 15/876,095, dated Apr. 3, 2018.
 Office Action for U.S. Appl. No. 15/835,448, dated Apr. 4, 2018.
 Office Action for U.S. Appl. No. 15/427,307, dated Apr. 9, 2018.
 Office Action for U.S. Appl. No. 14/216,986, dated Apr. 6, 2018.
 Office Action for U.S. Appl. No. 15/426,898 dated Apr. 16, 2018.
 Notice of Allowance for U.S. Appl. No. 15/402,945, dated May 25, 2018.
 Office Action for U.S. Appl. No. 15/495,973, dated Jun. 4, 2018.
 Notice of Allowance for U.S. Appl. No. 15/427,291 dated Jun. 18, 2018.
 Notice of Allowance for U.S. Appl. No. 15/271,488, dated Jun. 19, 2018.
 Notice of Allowance for U.S. Appl. No. 15/480,295, dated Jun. 20, 2018.
 Office Action for U.S. Appl. No. 14/963,106, dated Jun. 22, 2018.

Office Action for U.S. Appl. No. 14/993,055, dated Jun. 22, 2018.
 Final Office Action for U.S. Appl. No. 15/427,307, dated Jul. 9, 2018.
 Notice of Allowance for U.S. Appl. No. 13/633,118, dated Aug. 3, 2018.
 Office Action for U.S. Appl. No. 15/671,133, dated Aug. 9, 2018.
 Office Action for U.S. Appl. No. 15/427,308, dated Aug. 15, 2018.
 Office Action for U.S. Appl. No. 15/798,363, dated Aug. 29, 2018.
 Office Action for U.S. Appl. No. 15/495,975, dated Sep. 21, 2018.
 Notice of Allowance for U.S. Appl. No. 15/271,488, dated Sep. 24, 2018.
 Notice of Allowance for U.S. Appl. No. 15/876,095, dated Sep. 24, 2018.
 Office Action for U.S. Appl. No. 13/622,702, dated Oct. 3, 2018.
 Office Action for U.S. Appl. No. 15/293,751, dated Apr. 6, 2017.
 Notice of Allowance for U.S. Appl. No. 13/801,171, dated Oct. 31, 2018.
 Final Office Action for U.S. Appl. No. 15/835,448, dated Nov. 2, 2018.
 Final Office Action for U.S. Appl. No. 14/963,106, dated Dec. 14, 2018.
 Final Office Action for U.S. Appl. No. 14/993,055, dated Dec. 14, 2018.
 Office Action for U.S. Appl. No. 14/017,159, dated Jan. 11, 2019.
 Office Action for U.S. Appl. No. 15/426,898, dated Jan. 11, 2019.
 Final Office Action for U.S. Appl. No. 15/495,973, dated Jan. 11, 2019.
 Office Action for U.S. Appl. No. 14/216,986, dated Jan. 14, 2019.
 Office Action for U.S. Appl. No. 15/427,307, dated Jan. 18, 2019.
 Office Action for U.S. Appl. No. 16/125,614, dated Feb. 25, 2019.
 Final Office Action for U.S. Appl. No. 15/495,975, dated Apr. 18, 2019.
 Office Action for U.S. Appl. No. 15/671,133, dated May 1, 2019.
 Notice of Allowance for U.S. Appl. No. 14/216,986, dated May 17, 2019.
 Notice of Allowance for U.S. Appl. No. 14/518,909, dated May 17, 2019.
 Office Action for U.S. Appl. No. 12/797,616, dated Jun. 5, 2019.
 Office Action for U.S. Appl. No. 15/427,308, dated Jun. 14, 2019.
 Office Action for U.S. Appl. No. 15/811,654, dated Jun. 14, 2019.
 Office Action for U.S. Appl. No. 15/674,480, dated Jun. 20, 2019.
 Notice of Allowance for U.S. Appl. No. 15/835,448, dated Jul. 3, 2019.
 Final Office Action for U.S. Appl. No. 16/162,358, dated Jul. 11, 2019.
 Office Action for U.S. Appl. No. 16/190,050, dated Sep. 19, 2019.
 Office Action for U.S. Appl. No. 14/017,150, dated Oct. 9, 2019.
 Final Office Action for U.S. Appl. No. 15/671,133, dated Oct. 18, 2019.
 Office Action for U.S. Appl. No. 15/835,448, dated Oct. 22, 2019.
 Notice of Allowance for U.S. Appl. No. 15/495,975, dated Oct. 23, 2019.
 Final Office Action for U.S. Appl. No. 15/427,308, dated Nov. 27, 2019.
 Office Action for U.S. Appl. No. 15/798,363, dated Jan. 8, 2020.
 Final Office Action for U.S. Appl. No. 12/945,888, dated Jun. 28, 2016.
 Notice of Allowance for U.S. Appl. No. 13/833,953, dated Jul. 6, 2016.
 Final Office Action for U.S. Appl. No. 13/801,171, dated May 21, 2014.
 Final Office Action for U.S. Appl. No. 13/801,234, dated May 22, 2014.
 Office Action for U.S. Appl. No. 14/211,536, dated Jul. 13, 2016.
 Notice of Allowance for U.S. Appl. No. 13/801,076, dated Jul. 11, 2016.
 Office Action for U.S. Appl. No. 13/296,182, dated Jul. 20, 2016.
 Restriction Requirement for U.S. Appl. No. 13/296,182, dated Oct. 12, 2012.
 Advisory Action for U.S. Appl. No. 13/296,182, dated May 8, 2014.
 Advisory Action for U.S. Appl. No. 13/843,192, dated May 8, 2014.
 Notice of Allowance for U.S. Appl. No. 13/843,192, dated Aug. 10, 2016.

(56)

References Cited**OTHER PUBLICATIONS**

Office Action for U.S. Appl. No. 14/217,066, dated Dec. 22, 2016.
 Final Office Action for U.S. Appl. No. 14/216,986, dated Sep. 23, 2016.
 Office Action for U.S. Appl. No. 14/017,159, dated Sep. 23, 2016.
 Office Action for U.S. Appl. No. 13/632,743, dated Sep. 23, 2016.
 Final Office Action for U.S. Appl. No. 13/801,234, dated Oct. 14, 2016.
 Final Office Action for U.S. Appl. No. 13/843,087, dated Oct. 13, 2016.
 Final Office Action for U.S. Appl. No. 13/622,702, dated Oct. 13, 2016.
 Office Action for U.S. Appl. No. 14/189,948, dated Nov. 7, 2016.
 Final Office Action for U.S. Appl. No. 14/211,536, dated Nov. 14, 2016.
 Notice of Allowance for U.S. Appl. No. 13/833,116, dated Oct. 11, 2016.
 Notice of Allowance for U.S. Appl. No. 13/801,271, dated Dec. 2, 2016.
 Notice of Allowance for U.S. Appl. No. 12/797,610, dated Dec. 7, 2016.
 Notice of Allowance for U.S. Appl. No. 13/632,828, dated Dec. 16, 2016.
 Final Office Action for U.S. Appl. No. 13/801,171, dated Dec. 19, 2016.
 Notice of Allowance for U.S. Appl. No. 14/211,536, dated Dec. 28, 2016.
 Notice of Allowance for U.S. Appl. No. 13/801,256, dated Jan. 20, 2017.
 Office Action for U.S. Appl. No. 13/800,917, dated Feb. 3, 2017.
 Final Office Action for U.S. Appl. No. 12/797,616, dated Feb. 10, 2017.
 Office Action for U.S. Appl. No. 12/945,888, dated Feb. 28, 2017.
 Final Office Action for U.S. Appl. No. 14/189,948, dated Mar. 17, 2017.
 Office Action for U.S. Appl. No. 15/400,840, dated Mar. 10, 2017.
 Notice of Allowance for U.S. Appl. No. 13/801,121, dated Mar. 29, 2017.
 Office Action for U.S. Appl. No. 15/270,333, dated Mar. 30, 2017.
 Office Action for U.S. Appl. No. 15/402,945, dated Apr. 5, 2017.
 Office Action for U.S. Appl. No. 15/271,488, dated Apr. 19, 2017.
 Final Office Action for U.S. Appl. No. 14/217,066, dated Apr. 21, 2017.
 Office Action for U.S. Appl. No. 14/216,986 dated Apr. 26, 2017.
 Notice of Allowance for U.S. Appl. No. 15/402,945 dated Nov. 21, 2017.
 Final Office Action for U.S. Appl. No. 13/801,171, dated Dec. 13, 2017.
 Final Office Action for U.S. Appl. No. 15/271,488, dated Dec. 21, 2017.
 Office Action for U.S. Appl. No. 15/671,133, dated Dec. 22, 2017.
 Final Office Action for U.S. Appl. No. 14/216,986, dated Dec. 26, 2017.
 Restriction Requirement for U.S. Appl. No. 15/427,307, dated Jan. 17, 2018.
 Office Action for U.S. Appl. No. 15/798,363, dated Jan. 26, 2018.
 Office Action for U.S. Appl. No. 15/427,291, dated Jan. 29, 2018.
 Final Office Action for U.S. Appl. No. 14/017,159, dated Feb. 1, 2018.
 Final Office Action for U.S. Appl. No. 13/622,702, dated Feb. 22, 2018.
 Office Action for U.S. Appl. No. 15/811,654, dated Feb. 22, 2018.
 Final Office Action for U.S. Appl. No. 13/622,702, dated Feb. 27, 2018.
 Office Action for U.S. Appl. No. 15/495,975, dated Mar. 17, 2020.
 Office Action for U.S. Appl. No. 16/248,759, dated Apr. 1, 2020.
 Hasan, Ragib, et al., "A Survey of Peer-to-Peer Storage Techniques for Distributed File Systems", National Center for Supercomputing Applications, Department of Computer Science, University of Illinois at Urbana Champaign, Jun. 27, 2005.


Notice of Allowance for U.S. Appl. No. 13/557,063, dated Dec. 23, 2015.
 Office Action for U.S. Appl. No. 13/801,171, dated Jun. 14, 2017.
 Office Action for U.S. Appl. No. 14/017,159, dated Jun. 29, 2017.
 Notice of Allowance for U.S. Appl. No. 15/270,333, dated Jul. 5, 2017.
 Final Office Action for U.S. Appl. No. 13/800,917, dated Jul. 13, 2017.
 Notice of Allowance for U.S. Appl. No. 13/801,234, dated Jul. 5, 2017.
 Notice of Allowance for U.S. Appl. No. 14/217,066, dated Jul. 14, 2017.
 Final Office Action for U.S. Appl. No. 14/518,909, dated Jul. 19, 2017.
 Advisory Action for U.S. Appl. No. 13/801,121, dated Jul. 17, 2015.
 Advisory Action for U.S. Appl. No. 13/801,121, dated Jul. 19, 2016.
 Notice of Allowance for U.S. Appl. No. 15/293,751, dated Aug. 4, 2017.
 Advisory Action for U.S. Appl. No. 14/189,948, dated Jul. 28, 2017.
 Final Office Action for U.S. Appl. No. 13/801,256, dated Aug. 15, 2014.
 Final Office Action for U.S. Appl. No. 13/801,256, dated Feb. 18, 2015.
 Advisory Action for U.S. Appl. No. 13/801,256, dated Dec. 5, 2014.
 Office Action for U.S. Appl. No. 13/801,256, dated Jan. 12, 2016.
 Final Office Action for U.S. Appl. No. 13/801,256, dated Aug. 16, 2016.
 Office Action for U.S. Appl. No. 13/622,702, dated Aug. 31, 2017.
 Office Action for U.S. Appl. No. 12/945,888, dated Sep. 1, 2017.
 Office Action for U.S. Appl. No. 14/017,150, dated Sep. 7, 2017.
 Notice of Allowance for U.S. Appl. No. 14/189,948, dated Sep. 13, 2017.
 Office Action for U.S. Appl. No. 15/138,086, dated Oct. 19, 2017.
 U.S. Appl. No. 13/801,271, filed Mar. 13, 2013.
 Office Action for U.S. Appl. No. 12/797,610, dated Dec. 15, 2014.
 Final Office Action for U.S. Appl. No. 12/797,616, dated Jun. 12, 2016.
 U.S. Appl. No. 12/619,672, filed Nov. 16, 2009.
 Notice of Allowance for U.S. Appl. No. 12/757,968, dated Dec. 18, 2013.
 Final Office Action for U.S. Appl. No. 13/801,121, dated May 11, 2016.
 Office Action for U.S. Appl. No. 15/428,922 dated Sep. 17, 2018.
 Office Action for U.S. Appl. No. 15/480,295, dated Nov. 7, 2018.
 Office Action for U.S. Appl. No. 16/162,358, dated Dec. 31, 2018.
 Notice of Allowance for U.S. Appl. No. 14/993,005, dated Nov. 27, 2019.
 Final Office Action for U.S. Appl. No. 14/017,150, dated Apr. 17, 2020.
 Notice of Allowance for U.S. Appl. No. 15/798,363, dated May 12, 2020.
 Office Action for U.S. Appl. No. 16/357,316, dated May 21, 2020.
 Office Action for U.S. Appl. No. 16/190,050, dated Jun. 1, 2020.
 Office Action for U.S. Appl. No. 15/674,480, dated Jun. 5, 2020.
 Notice of Allowance for U.S. Appl. No. 15/480,295, dated Jun. 15, 2020.
 Office Action for U.S. Appl. No. 13/622,702, dated Jun. 22, 2020.
 Office Action for U.S. Appl. No. 15/811,654, dated Jun. 26, 2020.
 Office Action for U.S. Appl. No. 16/579,754, dated Jul. 22, 2020.
 Office Action for U.S. Appl. No. 16/219,940, dated Jul. 22, 2020.
 Office Action for U.S. Appl. No. 16/559,553, dated Sep. 11, 2020.
 Office Action for U.S. Appl. No. 16/794,212, dated Sep. 11, 2020.
 Restriction Requirement for U.S. Appl. No. 16/600,395, dated Sep. 18, 2020.
 Final Office Action for U.S. Appl. No. 16/248,759, dated Oct. 6, 2020.
 Final Office Action for U.S. Appl. No. 15/671,133, dated Oct. 7, 2020.
 Advisory Action for U.S. Appl. No. 13/632,828, dated Feb. 25, 2016.
 Office Action for U.S. Appl. No. 13/622,702, dated Sep. 19, 2012.
 Office Action for U.S. Appl. No. 13/801,719, dated Jun. 6, 2016.

(56)

References Cited**OTHER PUBLICATIONS**

- Office Action (Notice of Allowance and Fees Due (PTOL-85)) dated Mar. 22, 2022 for U.S. Appl. No. 16/248,759 (pp. 1-9).
- Office Action (Notice of Allowance and Fees Due (PTOL-85)) dated Apr. 11, 2022 for U.S. Appl. No. 16/248,759 (pp. 1-6).
- Office Action (Notice of Allowance and Fees Due (PTOL-85)) dated Apr. 7, 2022 for U.S. Appl. No. 14/017,159 (pp. 1-8).
- Office Action (Non-Final Rejection) dated Apr. 20, 2022 for U.S. Appl. No. 17/306,946 (pp. 1-6).
- Office Action (Non-Final Rejection) dated Jun. 6, 2022 for U.S. Appl. No. 16/248,759 (pp. 1-10).
- Office Action (Non-Final Rejection) dated Sep. 8, 2022 for U.S. Appl. No. 17/485,289 (pp. 1-5).
- Office Action (Notice of Allowance and Fees Due (PTOL-85)) dated Sep. 29, 2022 for U.S. Appl. No. 17/306,946 (pp. 1-8).
- Office Action (Non-Final Rejection) dated Oct. 6, 2022 for U.S. Appl. No. 17/160,343 (pp. 1-15).
- Office Action (Notice of Allowance and Fees Due (PTOL-85)) dated Nov. 7, 2022 for U.S. Appl. No. 16/248,759 (pp. 1-9).
- Office Action (Notice of Allowance and Fees Due (PTOL-85)) dated Dec. 27, 2022 for U.S. Appl. No. 17/485,289 (pp. 1-8).
- Office Action (Non-Final Rejection) dated Jan. 13, 2023 for U.S. Appl. No. 17/337,393 (pp. 1-5).
- Office Action (Notice of Allowance and Fees Due (PTOL-85)) dated Feb. 2, 2023 for U.S. Appl. No. 17/306,946 (pp. 1-7).
- Office Action (Non-Final Rejection) dated Mar. 22, 2023 for U.S. Appl. No. 16/248,759 (pp. 1-18).
- Office Action (Notice of Allowance and Fees Due (PTOL-85)) dated May 25, 2023 for U.S. Appl. No. 17/337,393 (pp. 1-7).
- Office Action (Final Rejection) dated Jun. 7, 2023 for U.S. Appl. No. 17/160,343 (pp. 1-19).
- Office Action for U.S. Appl. No. 16/449,717, dated Nov. 9, 2020.
- Final Office Action for U.S. Appl. No. 13/622,702, dated Nov. 30, 2020.
- Final Office Action for U.S. Appl. No. 15/674,480, dated Dec. 7, 2020.
- Office Action for U.S. Appl. No. 16/168,813, dated Dec. 8, 2020.
- Office Action for U.S. Appl. No. 16/600,395, dated Dec. 22, 2020.
- Office Action (Non-Final Rejection) dated Sep. 8, 2023 for U.S. Appl. No. 17/160,343 (pp. 1-24).
- Office Action (Non-Final Rejection) dated Mar. 5, 2024 for U.S. Appl. No. 18/328,259 (pp. 1-8).
- Office Action (Final Rejection) dated Jul. 11, 2024 for U.S. Appl. No. 17/160,343 (pp. 1-23).
- Office Action (Notice of Allowance and Fees Due (PTOL-85)) dated Jul. 31, 2024 for U.S. Appl. No. 18/328,259 (pp. 1-8).
- Office Action (Notice of Allowance and Fees Due (PTOL-85)) dated Aug. 14, 2024 for U.S. Appl. No. 18/328,259 (pp. 1-4).
- Final Office Action for U.S. Appl. No. 16/357,316, dated Oct. 8, 2020.
- Final Office Action for U.S. Appl. No. 16/183,632, dated Oct. 9, 2020.
- Office Action for U.S. Appl. No. 16/590,347, dated Oct. 13, 2020.
- "Professional Casino Slot Machine", Posted at www.vbtutor.net/VB_Sample/vbslot2.htm on Oct. 20, 2009.
- Final Office Action for U.S. Appl. No. 16/559,553, dated Jan. 21, 2021.
- Final Office Action for U.S. Appl. No. 16/449,717, dated Jan. 29, 2021.
- Notice of Allowance for U.S. Appl. No. 15/811,654, dated Feb. 3, 2021.
- Notice of Allowance for U.S. Appl. No. 14/017,150, dated Feb. 5, 2021.
- Final Office Action for U.S. Appl. No. 16/794,212, dated Feb. 17, 2021.
- Office Action for U.S. Appl. No. 16/351,416, dated Feb. 23, 2021.
- Office Action for U.S. Appl. No. 15/674,480, dated Mar. 25, 2021.
- Final Office Action for U.S. Appl. No. 16/219,940, dated Mar. 26, 2021.
- Office Action for U.S. Appl. No. 16/183,632, dated May 4, 2021.
- Final Office Action for U.S. Appl. No. 13/843,192, dated Oct. 21, 2014.
- Non-Final Office Action for U.S. Appl. No. 13/801,121, dated Sep. 15, 2016.
- Advisory Action for U.S. Appl. No. 13/632,828, mailed Feb. 25, 2016.
- Benston, Liz, "Harrahs Launches iPhone App; Caesars Bypasses Check-in," Las Vegas Sun, Las Vegas, NV, Jan. 8, 2010.
- Gaming Today Staff, "Slots showcased at 2009 National Indian Gaming Assoc.," GamingToday.com, Apr. 14, 2009.
- Jones, Trahern, "Telecon-equipped drones could revolutionize wireless market", azcentral.com, <http://www.azcentral.com/business/news/articles/20130424telecom-equipped-drones-could-revolutionize-wireless-market.html>, downloaded Jul. 2, 2013, 2 pages.
- U.S. Appl. No. 13/622,702, filed Sep. 19, 2012.
- U.S. Appl. No. 13/800,917, filed Mar. 13, 2013.
- U.S. Appl. No. 13/833,953, filed Mar. 15, 2013.
- U.S. Appl. No. 12/797,610, filed Jun. 10, 2010.
- U.S. Appl. No. 12/757,968, filed Apr. 9, 2010.
- U.S. Appl. No. 13/833,116 filed Mar. 15, 2013.
- Final Office Action for U.S. Appl. No. 12/619,672 dated Nov. 6, 2012.
- Frontier Fortune game, email notification, MGM Resorts Intl., Aug. 9, 2013.
- Final Office Action for U.S. Appl. No. 15/798,363, dated Feb. 4, 2019.
- Notice of Allowance for U.S. Appl. No. 13/843,192, mailed Aug. 10, 2016.
- Final Office Action for U.S. Appl. No. 12/797,616 dated May 8, 2013.
- Office Action for U.S. Appl. No. 13/296,182, mailed Feb. 25, 2016.
- Office Action for U.S. Appl. No. 16/559,553, mailed Jun. 1, 2021.
- Notice of Allowance for U.S. Appl. No. 16/579,754, mailed Jul. 16, 2021.
- Office Action for U.S. Appl. No. 13/622,702, mailed Jul. 19, 2021.
- Office Action for U.S. Appl. No. 16/357,316, mailed Jul. 20, 2021.
- Final Office Action for U.S. Appl. No. 16/351,416, mailed Sep. 1, 2021.
- Office Action for U.S. Appl. No. 15/671,133, mailed Sep. 2, 2021.
- Notice of Allowance for U.S. Appl. No. 16/794,212, mailed Sep. 3, 2021.
- Office Action for U.S. Appl. No. 17/020,761, mailed Sep. 9, 2021.
- Office Action for U.S. Appl. No. 16/916,001, mailed Sep. 17, 2021.
- Finnegan, Amanda, "Casinos Connecting with Customers via iPhone Apps", May 27, 2010, Las Vegas Sun, Las Vegas, NV.
- Yancey, Kitty Bean, "Navigate Around Vegas with New iPhone Apps", USA Today, Jun. 3, 2010.
- Office Action for U.S. Appl. No. 16/993,154, mailed Jul. 28, 2021.
- Green, Marian, "Testing Texting Casino Journal", Mar. 2, 2009.
- U.S. Appl. No. 12/945,889, filed Nov. 14, 2010.
- U.S. Appl. No. 12/797,616, filed Jun. 10, 2010.
- Office Action for U.S. Appl. No. 12/945,888 dated Apr. 10, 2012.
- Office Action for U.S. Appl. No. 12/581,115 dated Dec. 20, 2011.
- Office Action for U.S. Appl. No. 12/619,672 dated Mar. 7, 2013.
- Office Action for U.S. Appl. No. 13/632,828, mailed Apr. 10, 2015.

* cited by examiner

**FIG. 1**




FIG. 2A










FIG. 2B


**FIG. 3A****FIG. 3B**


**FIG. 4**


**FIG. 5**



**FIG. 6A**


**FIG. 6B**

**FIG. 7A**

**FIG. 7B**

**FIG. 8A**










FIG. 10

**FIG. 11**

**FIG. 12**

1

METHOD AND SYSTEM FOR LOCALIZED MOBILE GAMING

CROSS-REFERENCE TO OTHER APPLICATIONS

This application claims priority to, and is a continuation of, U.S. Non Provisional patent application Ser. No. 17/337,393, filed Jun. 2, 2021, entitled "METHOD AND SYSTEM FOR LOCALIZED MOBILE GAMING," which is a continuation of U.S. Non-Provisional patent application Ser. No. 14/017,150 (now U.S. Pat. No. 11,030,851), filed Sep. 3, 2013, and entitled "METHOD AND SYSTEM FOR LOCALIZED MOBILE GAMING," and which in turn claims priority to, and the benefit of, U.S. Provisional Patent Application No. 61/799,862, filed Mar. 15, 2013, and entitled "ADAPTIVE MOBILE DEVICE GAMING SYSTEM," all of which are hereby incorporated by reference herein.

BACKGROUND OF THE INVENTION

Portable electronic devices represent an alternative means to desktop computers to allow users to more conveniently interact with a variety of multimedia services. For example, many portable electronic devices may be configured to allow for the user to interact with multimedia services, messaging services, internet browsing services, telephone services, and the like. Furthermore, the software of portable electronic device may be configured to be updated so as allow for the presentation of additional multimedia services or applications. Portable electronic devices may also be configured to have wireless transmission and receiving capabilities so as to permit communication with one or more other sources.

Utilizing the portable electronic device to permit playing of games of chance may increase revenue for a gaming establishment. However, gaming establishments may only want players to play games of chance on their portable electronic devices within specific areas of the establishment. Moreover, it would be beneficial if the gaming establishments were able to relocate the gaming areas to where the portable electronic devices are able to play the games of chance.

OVERVIEW

The present disclosure relates generally to games of chance. More particularly, the present disclosure relates generally to playing games of chance on a mobile or portable gaming device. In one embodiment, games of chance can be played on a mobile or portable gaming device when proximate to a portable reconfigurable and repositionable game zone.

A system and method for facilitating play of games of chance on a portable gaming device (PGD) or mobile gaming device (MGD) is provided. The MGD may be authorized to play games of chance when proximate to or within a game zone. The game zone may have at least one portable transceiver such that the game zone may be reconfigurable to any size and shape and may be repositionable to any location within the gaming establishment. The game zone is proportionately smaller in size than the gaming establishment such that there may be a plurality of game zones within the gaming establishment.

In one embodiment, a system to facilitate playing games of chance in a game zone for a mobile gaming device (MGD) comprises a game zone, having at least one portable

2

transceiver configured to: i) detect presence of the MGD; ii) obtain MGD data from the MGD; and iii) periodically re-detect presence of the MGD within the game zone, the at least one portable transceiver repositionable to form the game zone. The system may also have a portable controller configured to receive MGD data from each of the at least one portable transceiver as well as a gaming server configured to: i) receive the MGD data from the portable controller; ii) determine if the MGD is authorized to place a monetary wager to play games of chance based on the MGD data; iii) periodically receive detection confirmation from the portable controller if the MGD is present in the game zone; and iv) transmit and/or receive game of chance data to/from the MGD if the MGD is authorized to play games of chance and detection confirmation is received, wherein the game zone is repositionable to any desired location at a gaming establishment and wherein the game zone is configurable to form an arbitrary size or shape.

In one embodiment, a method for facilitating game of chance play on a mobile gaming device may include forming a game zone at a gaming establishment, the game zone formed by at least one repositionable wireless zone portable controller; detecting, using the wireless zone portable controller, presence of the MGD in the game zone; receiving MGD data from the MGD; transmitting, by the wireless zone portable controller, the MGD data to a gaming server to determine if the MGD is authorized to play games of chance; periodically re-detecting, by the at least one portable transceiver, presence of the MGD within the game zone; and transmitting presence data to the gaming server if the MGD is re-detected by the portable transceiver, wherein the MGD is permitted to place monetary wagers to play games of chance within the game zone if the MGD is authorized to play games of chance and while the MGD is re-detected within the game zone.

In one embodiment, a program storage device readable by a machine tangibly embodying a program of instructions executable by the machine to perform a method for facilitating game of chance play on a mobile gaming device, the method comprises forming a game zone at a gaming establishment, the game zone formed by at least one repositionable wireless zone portable controller; detecting, using the wireless zone portable controller, presence of the MGD in the game zone; receiving MGD data from the MGD; transmitting, by the wireless zone portable controller, the MGD data to a gaming server to determine if the MGD is authorized to play games of chance; periodically re-detecting, by the at least one portable transceiver, presence of the MGD within the game zone; and transmitting presence data to the gaming server if the MGD is re-detected by the portable transceiver, wherein the MGD is permitted to place monetary wagers to play games of chance within the game zone if the MGD is authorized to play games of chance and while the MGD is re-detected within the game zone.

In another embodiment, a system to facilitate playing games of chance on a MGD comprises a wireless zone portable controller configured to provide a game zone proximate to a gaming establishment, the wireless zone portable controller being configured to at least: i) detect presence of the MGD; ii) obtain MGD data from the MGD; and iii) periodically re-detect presence of the MGD within the game zone. The system further includes a gaming server configured to: receive the MGD data from the wireless zone portable controller; determine if the MGD is authorized to place monetary wagers to play games of chance based on the MGD data; periodically receive detection confirmation from the wireless zone portable controller if presence of the MGD

is within the game zone; and transmit and/or receive game of chance data to/from the MGD if the MGD is authorized to place monetary wagers to play games of chance and detection confirmation is received.

The present invention provides other hardware configured to perform the methods of the invention, as well as software stored in a machine-readable medium (e.g., a tangible storage medium) to control devices to perform these methods. These and other features will be presented in more detail in the following detailed description of the invention and the associated figures.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which are incorporated into and constitute a part of this specification, illustrate one or more example embodiments and, together with the description of example embodiments, serve to explain the principles and implementations.

In the drawings:

FIG. 1 illustrates a block diagram of an exemplary system to facilitate playing games of chance on a mobile gaming device.

FIGS. 2A-2B illustrate a block diagram of another exemplary system to facilitate playing games of chance on a mobile gaming device.

FIGS. 3A and 3B illustrate a block diagram of example wireless portable transceivers.

FIG. 4 illustrates a flow diagram of an exemplary method for facilitating playing games of chance on a mobile gaming device.

FIG. 5 illustrates a flow diagram of another exemplary method for facilitating game of chance play on a mobile gaming device.

FIGS. 6A and 6B illustrate a flow diagram of yet another exemplary method for facilitating playing games of chance on a mobile gaming device.

FIGS. 7A and 7B illustrate a flow diagram of still another exemplary method for facilitating playing games of chance on a mobile gaming device.

FIG. 8A-8C illustrate a flow diagram of another exemplary method for facilitating playing games of chance on a mobile gaming device.

FIG. 9 illustrates an example of a user playing games of chance on a mobile gaming device.

FIG. 10 illustrates another example of a user playing games of chance on a mobile gaming device.

FIG. 11 illustrates an exemplary computer device suitable for use with at least one embodiment of the invention.

FIG. 12 is a block diagram of an example computing device.

DESCRIPTION OF EXAMPLE EMBODIMENTS

Embodiments are described herein in the context of a method and system for localized mobile gaming. The following detailed description is illustrative only and is not intended to be in any way limiting. Other embodiments will readily suggest themselves to such skilled persons having the benefit of this disclosure. Reference will now be made in detail to implementations as illustrated in the accompanying drawings. The same reference indicators will be used throughout the drawings and the following detailed description to refer to the same or like parts.

In the interest of clarity, not all of the routine features of the implementations described herein are shown and described. It will, of course, be appreciated that in the

development of any such actual implementation, numerous implementation-specific decisions must be made in order to achieve the developer's specific goals, such as compliance with application- and business-related constraints, and that these specific goals will vary from one implementation to another and from one developer to another. Moreover, it will be appreciated that such a development effort might be complex and time-consuming, but would nevertheless be a routine undertaking of engineering for those of ordinary skill in the art having the benefit of this disclosure.

In accordance with the various embodiments, the components, process steps, and/or data structures may be implemented using various types of operating systems, computing platforms, computer programs, and/or general purpose machines. In addition, those of ordinary skill in the art will recognize that devices of a less general purpose nature, such as hardwired devices, field programmable gate arrays (FPGAs), application specific integrated circuits (ASICs), or the like, may also be used without departing from the scope and spirit of the inventive concepts disclosed herein.

A system and method for facilitating play of games of chance on a portable gaming device (PGD) or mobile gaming device (MGD) is provided. The MGD may be authorized to play games of chance when proximate to or within a game zone. The game zone may have at least one portable transceiver such that the game zone may be reconfigurable to any size and shape and may be repositionable to any location within the gaming establishment. The game zone is proportionately smaller in size than the gaming establishment such that there may be a plurality of game zones within the gaming establishment.

FIG. 1 illustrates a block diagram of an exemplary system to facilitate playing games of chance on a mobile gaming device. The system 100 includes at least one reconfigurable and repositionable game zone 102 having at least one portable transceiver 104a-n and at least one portable controller 106. The reconfigurable and repositionable game zone 102 may also have at least one camera 108a-n. The reconfigurable and repositionable game zone 102 may be located or positioned proximate a gaming establishment, such as a casino, supermarket, bar, cruise ship, airplane, or any other establishment where games of chance may be played. The reconfigurable and repositionable game zone 102 has at least one portable transceiver 104a-n. The portable transceiver may be any portable transceiver designed to receive and transmit RF (radio frequency) data signals. The portable transceiver may be, for example a free standing antenna, kiosk, or any other device configured to receive and transmit RF data. In one implementation, the portable transceiver wirelessly communicates with an RFID tag or an NFC tag that's in a player's pocket, purse, or in any other location on the player, or attached to the player's MGD. In another embodiment, the portable transceiver may be positioned within a gaming device, such as a slot machine, table game, or any other gaming device, and communicates with any nearby RFID/NFC tags within its communication range. The portable transceiver may be powered by plugging into a typical power outlet. When using a power outlet, communication to the backend servers can be implemented using the power line communication standards such as IEEE 1901, HomePlug AV, ITU-T G.hn, and the like. The portable transceiver may also operate on battery to improve its portability, continuity, and redundancy. In one embodiment, the portable transceiver plugs into a power outlet for power and communication, but also uses a battery for back up power so that it can continue to operate even during power interruptions.

Positioning of each of the portable transceivers **104a-n** may form the area or shape of the reconfigurable and repositionable game zone **102**. For example, as illustrated in FIG. 1, the reconfigurable and repositionable game zone **102** is in the shape of a square. As discussed in detail below with reference to FIG. 2B, strategic positioning of the portable transceivers to form the reconfigurable and repositionable game zone **102** may result in various shaped reconfigurable and repositionable game zones. When presence of an RFID/NFC tag associated with a PGD/MGD **110**, is detected proximate to or within the reconfigurable and repositionable game zone **102**, the PGD/MGD may be permitted to play games of chance. PGDs/MGDs may be any portable electronic device configured to play games of chance, such as a mobile telephone, portable media player, personal digital assistant, tablet, net book, or any other similar portable electronic device.

When located outside the reconfigurable and repositionable game zone **102** and undetectable by the portable transceivers **104a-n**, the MGD **110** may not be permitted to play games of chance with monetary wagers. In one embodiment, if the MGD **110** was previously authorized to play games of chance and the user stepped away from the reconfigurable and repositionable game zone **102** (e.g. to go to the bathroom, play at a table game, play a slot machine, or any other reason), an indication that the required location must be reestablished to continue the game of chance play may be displayed on a display of the MGD **110**.

In another embodiment, the MGD **122** may be permitted to play games of chance if the MGD **122** was previously authorized to play games of chance and is already or still wirelessly interacting with a gaming server. In yet another embodiment, the MGD **122** may be permitted to play games of chance with non-monetary wagers (such as loyalty points, virtual currencies, and any other non-monetary wagers) when presence of the MGD and/or its associated RFID/NFC tag is not detected within the game zone. In one example, if presence of the MGD and/or its associated RFID/NFC tag is no longer detected within the game zone, a conversion notification may be transmitted to the MGD. The conversion notification may request whether the player would like to continue play of the games of chance using non-monetary wagers, such as points (e.g. player tracking points).

The MGD **110** may be detected based on a zone specific location. In other words, the MGD **110** is considered proximate to or within the reconfigurable and repositionable game zone **102** as long as at least one of the portable transceivers **104a-n** detects presence of the MGD **110** and/or its associated RFID/NFC tag. Thus, use of global positioning system, RF fingerprinting, RF triangulation, or any other complicated location detection methods is not necessary to detect presence of the MGD, or a RFID/NFC tag associated with the MGD, or both the MGD and a RFID/NFC tag associated with it, proximate to or within the reconfigurable and repositionable game zone **102**. As such, this method of detection is more cost efficient and simpler to deploy than traditional location systems.

The reconfigurable and repositionable game zone **102** may have at least one camera **108a-n** for security, audit, or authorization purposes. Although illustrated as separate from the portable transceivers **104a-n**, in one embodiment, the camera **108a-n** may be positioned within the portable transceiver **104a-n**. In still another embodiment, the camera **108a-n** may be positioned within other gaming devices, such as a slot machine, table game, kiosk, or the like. The camera **108a-n** may be used for security purposes to ensure no illegal activities occur. In one embodiment, the camera

108a-n records the activities in the gaming zone (e.g. in at least a portion of the gaming zone and/or the entire gaming zone area). The recorded activities and information may then be stored in a mass storage device (hard drive, tape, cloud storage, and the like). Additionally, the camera **108a-n** may be used for audit purposes. For example, if a player objects to a payout, the battery on the MGD dies during a game session, power outage occurs at the venue, or any other malfunction happens, the camera may be used to record game play, user actions, and the like to replay the game play. Moreover, the camera **108a-n** may be used to authenticate the player (e.g. via facial recognition methods) and/or associate the player with the MGD.

The portable transceivers **104a-n** may be configured to receive data from the MGD **110**. The portable transceivers **104a-n** may receive data from the MGD via any known method. In one embodiment, the MGDs may have a passive or active tag (e.g. radio frequency identification (RFID) tag, near field communication (NFC) tag) that may be read or detected by the portable transceiver. In another embodiment, the portable transceiver **104a-n** may actively receive data from the MGD using any wireless method such as WiFi, Bluetooth, radio frequency, or any other communication methods. In another embodiment, the portable transceiver **104a-n** may also communicate with the MGD **110** via any wired methods as well. In a hybrid implementation, the portable RF transceiver **104a-n** may detect the presence of a RFID/NFC tag such as a player identification card (or any other type of card such as a player loyalty card, credit card, and the like) carried in the player's pocket, that will act as a trigger for the portable RF transceiver **104a-n** to establish a wireless communication (i.e., Bluetooth, short range WiFi, and the like) with the MGD. For instance, if the antenna design on both the RFID tag and the Bluetooth transceivers were designed to have a similar ranges (e.g., 20 feet), and the RF transceiver **104a-n** can detect both devices, it can be reasoned that both the player carrying the player RFID card and the associated MGD are in the gaming zone. The fact that RFID transceivers and Bluetooth transceivers normally operate on different frequencies makes this location-verification even more secure as it takes two forms of ID's (the RFID player card and the MGD's ID) on two separate communication standards to completely verify the eligibility of the MGD. The player experience is uncomplicated by the complexities of the underlying technologies—he just needs to carry his player card in his pocket, and have his MGD on hand.

In one embodiment, the portable transceivers **104a-n** may transmit the MGD data to an establishment server **112** via network **114**. In another embodiment, the portable transceivers **104a-n** may transmit the MGD data to a centralized portable controller **106** of the reconfigurable and repositionable game zone **102**. The portable controller **106** may then transmit the MGD data to the establishment server **112** via network **114**. MGD data may include data such as the MGD identification, player information, digital signature of the application software, battery level, the MGD's relative proximity (within communication range) to a trusted and known portable RF transceiver, and any other desired information. The network **114** can include one or more private networks or public networks, including wired and/or wireless networks.

The establishment server **112** may be configured to communicate with an accounting server **116**, game server **118**, and a player tracking server **120**. Although illustrated with only three servers, the establishment server **112** may be configured to communicate with any other servers such as a

live table game server (broadcasting live table game actions), a mobile game server (for mobile game devices), a tournament game server (conducts slots and table game tournaments), a hotel reservation server, food and beverage server, prize server, advertisement server, and any others desired servers. The player tracking server **120** may store player tracking information such as name, password, user identification, player preferences, loyalty points, games of chance played, whether the player is authorized to play games of chance on a MGD, associated MGDs, and any other desired player information.

When the establishment server **112** receives the MGD data, the establishment server **112** may determine whether games of chance may be played on the MGD **110** by retrieving information from the player tracking server **120**. For example, the MGD **110** may be associated with a player that is authorized to play games of chance. In another example, if the MGD **110** is not associated with a player account and/or the player is not authorized to play games of chance, the establishment server **112** may not permit games of chance to be played on the MGD **110**. If the MGD **110** is authorized to play games of chance, the establishment server **112** may communicate directly with the MGD **110** to transmit gaming data directly to the MGD **110** to facilitate play of the games of chance.

In yet another example, the MGD **110** may be associated with a player that is authorized to place monetary wagers to play games of chance. If the MGD **110** is not authorized to place monetary wagers to play games of chance, the establishment server **112** may not receive a wager amount to play the games of chance.

In another example, the player may also not be permitted to play games of chance on the MGD **110** if there are insufficient funds in the player account based on information stored in the accounting server **116**. If games of chance are permitted to be played on the MGD **110**, but the player has no funds to play the games of chance, the player will not be permitted to play the games of chance. In one embodiment, the player may be given the option to play with non-monetary wagers (e.g. loyalty points, player tracking points, virtual currencies, and any other non-monetary wagers). In another embodiment, the player may be given the option to covert the non-monetary wager to a monetary wager. For example, 500 loyalty points may be converted to \$50.00 that the player may use the play the games of chance.

In still another embodiment, the portable transceiver **104a-n** may periodically determine whether presence of the MGD **100**, and/or its associated RFID/NFC tag, is proximate to or within the reconfigurable and repositionable game zone **102**. The portable transceiver **104a-n** may make the determination at predetermined time intervals such as between about one second to 60 seconds, between about 2 seconds to 100 seconds, or any other predetermined desired time interval. If at least one portable transceiver **104a-n** continues to detect presence off the MGD **110** and/or its associated RFID/NFC tag proximate to or within the reconfigurable and repositionable game zone **102**, the MGD **110** may continue to be permitted to play games of chance. However, in one embodiment, if the MGD **110** and/or its associated RFID/NFC tag is not re-detected proximate to or within the reconfigurable and repositionable game zone **102**, a non-detect notification may be transmitted to the establishment server **112** and the MGD **110** may no longer be permitted or is therefore disallowed to play games of chance.

FIGS. 2A-2B illustrate a block diagram of another exemplary system to facilitate playing games of chance on a mobile gaming device. FIG. 2A illustrates an example

system **200** to facilitate game of chance play on a MGD **200**. FIG. 2A is similar to FIG. 1, but illustrates several reconfigurable and repositionable game zones **202a-n** within a gaming establishment **204**. Reconfigurable and repositionable game zone A **202a** includes a plurality of portable transceivers **206a-n**. The portable transceivers are positioned at corners of a square shape thereby forming a reconfigurable and repositionable game zone having a square shape. Reconfigurable and repositionable game zone A **202a**, may also include a portable controller **208** configured to communicate with the portable transceivers **206a-n** and an establishment server **112**.

Reconfigurable and repositionable game zone B **202b** may have a plurality of portable transceivers **210a-n** strategically positioned in the shape of a circle or oval. Each of the portable transceivers may be configured to communicate with a portable controller **212**. Reconfigurable and repositionable game zone C **202c** may have a plurality of portable transceivers **214a-n** strategically positioned in the shape of a triangle. Portable controller **216** may be configured to communicate with each of the portable transceivers **214a-n** and the establishment server **112**.

Each reconfigurable and repositionable game zone **202a-n** may have at least one camera **218** for security, audit, and/or authorization purposes. Although illustrated as separate from the portable transceivers **208a-n**, **210a-n**, **212a-n**, in one embodiment, the camera **218** may be positioned within the portable transceiver **208a-n**, **210a-n**, **212a-n** and/or portable controller **208**, **212**, **216**. In still another embodiment, the camera **218** may be positioned within other gaming devices, such as a slot machine, table game, kiosk, or the like positioned proximate the reconfigurable and repositionable game zone **202a-n**, **210a-n**, **212a-n**. The camera **218** may be used for security purposes to ensure no illegal activities occur. In one embodiment, the camera **218** records the activities in a gaming zone (e.g. in at least a portion of the gaming zone and/or the entire gaming zone area). The recorded activity and information may then be stored in a mass storage device (hard drive, tape, cloud storage, and the like). Additionally, the camera **218** may be used for audit purposes. For example, if a player objects to a payout, the battery on the MGD dies during a game session, power outage occurs at the gaming venue, or any other malfunction happens, the camera may be used to record game play, user actions, and the like to replay the game play. Moreover, the camera **108a-n** may be used to authenticate the player (e.g. via facial recognition methods) and/or associate the player with the MGD.

Each reconfigurable and repositionable game zone **202a-n** may be substantially smaller in area and size than the gaming establishment **204** thereby forming a plurality of intra-establishment mobile game zones. In other words, each reconfigurable and repositionable game zone **202a-n** is localized internal to a gaming establishment such that more than one reconfigurable and repositionable game zone may be formed internal the gaming establishment. Each reconfigurable and repositionable game zone may be configured and reconfigured to form of any desired shape (e.g. square, circle, triangle, star, or any random shape desired) and size. For example, in a casino, each reconfigurable and repositionable game zone **202a-n** may be an intra-casino mobile game zone where MGDs may be permitted to play games of chance. The size of the mobile game zone can be flexible depending on the needs of the casino operator. In one example, each of the reconfigurable and repositionable game zones may have an area that is between about 50%-75% the area of the gaming establishment. In another example, each

of the reconfigurable and repositionable game zones may have an area that is between about 5%-25% the area of the gaming establishment. In still another example, each of the reconfigurable and repositionable game zones may have an area that is between about 25%-50% the area of the gaming establishment.

In one example, a mobile game zone maybe established at or near a table game or gaming device to allow back betting. Back betting permits players (back bettors), who are not physically sitting at a table game or gaming device, to participate in the table game by betting on another player's hand. The another player would generally be physically sitting and/or otherwise participating in play of the game of chance. In other words, the another play would be physically sitting at the table game or slot machine. The back bettor has no right, say, or decision as to how the hand is played. Although games of chance generally have transaction limits—such as minimum and maximum betting limits (e.g. \$25 minimum bet and \$250 maximum bet, or any other betting limits)—in this embodiment, the back bettors may bet any amount desired without regard to the transaction limits. For example, if the table has a minimum bet amount of \$25, the back bettor may bet \$5. If the table has a maximum bet amount of \$250, the back bettor may bet \$300.

The transaction limits may be based on any desired criteria. Such criteria may be based on location (e.g. the table game and/or gaming device may be situated within a high roller area in the gaming establishment), player tracking association (e.g. platinum players have higher limits than silver players) or credit rating (e.g. AAA, BB, C, and the like), time (e.g. players may place bets outside the transaction limits between a predefined time period such as from 8 pm to 2 am), or a player's history (e.g. average bet size over the last six months).

The repositionable game zone may be formed for any desired game play. In one example, a game zone maybe established for a tournament where any player nearby can participate. In another example, the game zone may be established for VIP members or high rollers. In still another example, the game zone may be established to allow one single player to play game of chance. In yet another example, the game zone may be established specifically for back bettors to participate in specific table games.

FIG. 2B illustrates example reconfigurable and repositionable game zones within a gaming establishment. Reconfigurable and repositionable game zone A **202a**, may be, for example, at least a section of or in an area of a bar **242** located at the gaming establishment. Reconfigurable and repositionable game zone A **202a** may have a plurality of tables **230** where players may congregate to watch a sports game on the television, socialize, trade information, perform back betting, or conduct any other business. To increase revenue, the gaming establishment may permit players to play games of chance on their MGDs **232a-n** in the bar **242** as long as presence of the MGDs **232a-n** and/or their associated RFID/NFC tags are detected proximate to or within reconfigurable and repositionable game zone A **202a**. If presence of the MGD, such as MGD **234**, and/or a RFID/NFC tag associated with MGD **234**, is not detected proximate to or within the reconfigurable and repositionable game zone A **202a** and/or it is not subsequently wirelessly interacting with the establishment server after being authorized to play games of chance, the MGD **234** may not be permitted to play games of chance.

Reconfigurable and repositionable game zone B **202b** may be, for example, located in at least a portion of a pool area **240**. People, while lounging around the pool area **240**,

may want to play games of chance. If the presence of the MGDs **232a-n** and/or their associated RFID/NFC tags are detected proximate to or within reconfigurable and repositionable game zone B **202b**, MGDs **232a-n** may be permitted to play games of chance. If presence of the MGD **234** and/or its associated RFID/NFC tag is not detected proximate to or within reconfigurable and repositionable game zone B **202a** and/or it is not wirelessly interacting with the establishment server after being authorized to play games of chance, the MGD **234** may not be permitted to play games of chance.

Reconfigurable and repositionable game zone C **202c** may be, for example, a hotel room **236** at the gaming establishment. The hotel room **236** may have a bathroom **238**, sleeping area **240**, and a work area **242**. Reconfigurable and repositionable game zone C **202c** is illustrated positioned in at least a portion of the work area **242**. However this is not intended to be limiting as the reconfigurable and repositionable game zone may be positioned at any desired area in the hotel room **236**, such as the sleeping area **240**. When presence of the MGD **248** and/or its associated RFID/NFC tag is detected proximate to or within the reconfigurable and repositionable game zone C **202c**, the MGD **248** may be permitted to play games of chance. However, if presence of the MGD and/or its associated RFID/NFC tag is not detected proximate the reconfigurable and repositionable game zone **202c**, such as MGD **246**, MGD **246** may not be permitted to play games of chance.

In each of the configurable and repositionable game zones, in one embodiment, if presence of the MGD and/or its associated RFID/NFC tag is detected in the game zones, the player may be given the option to play with non-monetary wagers (e.g. loyalty points, player tracking points, and the like). In another embodiment, the player may be given the option to covert a non-monetary wager to a monetary wager. For example, 500 loyalty points may be converted to \$50.00 that the player may use to play the games of chance.

In another embodiment, if the MGD exits the game zone, a non-monetary wager notification may be transmitted to the MGD. The player may then be given the option to continue play of the games of chance using non-monetary wagers, such as points (e.g. loyalty points, player tracking points, and the like).

The reconfigurable and repositionable game zones **202a-n** are substantially smaller in area than the gaming establishment thereby creating an intra-establishment mobile game zone. Since the reconfigurable and repositionable game zones are smaller in size than the gaming establishment, there may be a plurality of intra-establishment mobile game zones within the gaming establishment. In one example, each of the reconfigurable and repositionable game zones **202a-n** may have an area that is between about 50%-75% the area of the gaming establishment. In another example, each of the reconfigurable and repositionable game zones may have an area that is between about 5%-25% the area of the gaming establishment. In still another example, each of the reconfigurable and repositionable game zones may have an area that is between about 25%-50% the area of the gaming establishment.

In one example, a mobile game zone maybe established at or near a table game or gaming device to allow back betting. Back betting permits players (back bettors), who are not physically sitting at a table game or gaming device, to participate in the table game by betting on another player's hand. The another player would generally be physically sitting and/or otherwise participating in play of the game of

chance. In other words, the another play would be physically sitting at the table game or slot machine. The back bettor has no right, say, or decision as to how the hand is played. Although games of chance generally have transaction limits—such as minimum and maximum betting limits (e.g. \$25 minimum bet and \$250 maximum bet, or any other betting limits)—in this embodiment, the back bettors may bet any amount desired without regard to the transaction limits. For example, if the table has a minimum bet amount of \$25, the back bettor may bet \$5. If the table has a maximum bet amount of \$250, the back bettor may bet \$300.

The transaction limits may be based on any desired criteria. Such criteria may be based on location (e.g. the table game and/or gaming device may be situated within a high roller area in the gaming establishment), player tracking association (e.g. platinum players have higher limits than silver players) or credit rating (e.g. AAA, BB, C, and the like), time (e.g. players may place bets outside the transaction limits between a predefined time period such as from 8 pm to 2 am), or a player's history (e.g. average bet size over the last six months).

The repositionable game zone may be formed for any desired game play. In one example, a game zone may be established for a tournament where any player nearby can participate. In another example, the game zone may be established for VIP members or high rollers. In still another example, the game zone may be established to allow one single player to play game of chance. In yet another example, the game zone may be established specifically for back bettors to participate in specific table games.

FIGS. 3A and 3B illustrate a block diagram of example wireless portable transceivers. FIG. 3A illustrates a block diagram of an example portable wireless portable transceiver 300. The portable transceiver 300 may be, for example, any known portable transceiver, such as the Speedway® xPortal™ made by Impinj, that is able to receive and transmit RF data. The portable transceiver 300 may have a processor 304, memory 306, antenna 308, power source 310, and a wireless portable controller 308. Processor 304 may be configured to detect presence of a MGD and/or its associated RFID/NFC tag and read or obtain MGD data from the MGD using antenna 312. Subsequently, processor may be configured to periodically re-detect presence of the MGD and/or its associated RFID/NFC tag to ensure the MGD and/or its associated RFID/NFC tag is proximate to or within a reconfigurable and repositionable game zone created by the portable transceiver. MGD data may include data such as the MGD identification, player information, digital signature of the application software, battery level, the MGD's relative proximity (within communication range) to a trusted and known portable RF transceiver, and any other desired information.

The portable transceivers 300 may receive data from the MGD via any known method. In one embodiment, the MGDs may have a passive or active (battery powered) tag (e.g. radio frequency identification (RFID) tag, near field communication (NFC tag) that may be read or detected by the portable transceivers 300. In another embodiment, the portable transceiver 300 may actively receive data from the MGD using any wireless method such as WiFi, Bluetooth, radio frequency, or any other communication methods. In another embodiment, the portable transceiver 300 may also communicate with the MGD 110 via any wired methods, such as power line communication, as well. The MGD data may then be transmitted to an establishment server via wireless portable controller 308.

FIG. 3B illustrates another example of a portable transceiver. The portable transceiver 302 is similar to the portable transceiver 300 illustrated in FIG. 3A, however portable transceiver 302 has additional peripherals and may be a stationary portable transceiver. In one embodiment, the portable transceiver 302 may be a kiosk. In another embodiment, the portable transceiver 302 may be gaming device such as a slot machine or a peripheral management device as described in Ser. No. 12/945,888, filed Nov. 14, 2010, entitled "Peripheral Management Device for Virtual Game Interaction" which is hereby incorporated by reference in its entirety for all purposes. In addition to a processor 304, memory 306, antenna 308, power source 310, and a wireless portable controller 308, portable transceiver 302 may also include a plurality of peripheral devices such as a display 314, printer 316, bill acceptor 318, card reader 320, input device 322, camera 324, and speaker/microphone 326.

Display 314 may be any kind of display, such as an LCD, LED, e-ink and maybe equipped with touch screen or gesture interface capabilities, configured to present gaming information or data to a player. The gaming information or data may be player tracking information, advertisements, or any information the gaming establishment desires to present to the player. Printer 316 may be configured to print out any gaming information such as remaining credits, advertisements, coupons (i.e. free buffet coupon), show tickets, player tracking information, credit voucher, or any other information.

Bill acceptor 318 may be configured to accept any monetary amount, both paper-based currencies and digital currencies (electronic funds from the MGD, for instance). A player may input money or the credit voucher into the bill acceptor. The amount of money or the amount of the voucher may be recorded and stored in an accounting server, such as accounting server 116 illustrated in FIG. 1 for the player to use to play games of chance. For example, when the establishment server (e.g. establishment server 112 illustrated in FIG. 1) makes a determination of whether the MGD is authorized or permitted to play games of chance, the establishment server may look to whether the player has sufficient amount in his account to play the games of chance. If the player does not have sufficient amount in his account, an insufficient fund notification may be transmitted to the MGD that allows the user to add money to his account via the bill acceptor 318. Other examples for the facilitation of money to a player account are also described in application Ser. No. 13/632,743, filed Oct. 1, 2013, entitled "Electronic Fund Transfer for Mobile Gaming" which is hereby incorporated by reference in its entirety for all purposes. For example, the player may utilize physical contact with the bill acceptor to facilitate the transfer of funds to the player account.

Card reader 320 may be configured to read any type of card, such as a player tracking card, credit card, debit card, and the like. The card type can be a magnetic stripe card, a smart card, a RFID card, a NFC card, or even a virtual/digital card. In one embodiment, the card reader 320 may read the player tracking card to allow the player to create an account and register an associated MGD via display 314 or input device 322. Once the player card is paired with the MGD at registration, both components are normally required for real money gaming or other sensitive transactions (e.g., funds transfer) within the portable, repositionable gaming zone. Input device 322 may be any device such as a keyboard, joystick, or any other similar input device. Once registered, gaming application programs may be transmitted to the MGD to allow the player to play games of chance on

13

the MGD. For example, once the MGD is authorized to play games of chance, the establishment server (e.g. establishment server 112 illustrated in FIG. 1) may determine whether the MGD is capable of playing the games of chance based on whether the gaming application program had been previously transmitted to the MGD.

As discussed above, portable transceiver 302 may have a camera 324 for security, audit, and authorization purposes. The camera 324 may be used for security purposes to ensure no illegal activities occur. In one embodiment, the camera 324 records the activities in a gaming zone (e.g. in at least a portion of the gaming zone and/or the entire gaming zone area). The recorded activities and information may be stored in a mass storage device (hard drive, tape, cloud storage, and the like). Additionally, the camera 324 may be used for audit purposes, such as to authenticate the player using facial recognition.

FIG. 4 illustrates a flow diagram of an exemplary method for facilitating playing games of chance on a mobile gaming device. The method 400 begins with determining whether presence of an MGD and/or its associated RFID/NFC tag is detected proximate to or within the reconfigurable and repositionable game zone at 402. The reconfigurable and repositionable game zone may be located or positioned proximate a gaming establishment, such as a casino, supermarket, bar, cruise ship, airplane, or any other establishment where games of chance may be played. The reconfigurable and repositionable game zone may have at least one portable transceiver configured to detect presence of the MGDs and/or its associated RFID/NFC tag proximate to or within the reconfigurable and repositionable game zone. The portable transceiver may also be designed to receive and transmit data. The portable transceiver may be, for example a free standing antenna, kiosk, or any other device configured to receive and transmit data. In one implementation, the portable transceiver wirelessly communicates with an RFID tag or an NFC tag that's in a player's pocket, purse, or in any other location on the player, or attached to the player's MGD. In another embodiment, the portable transceiver may be positioned within a gaming device, such as a slot machine, table game, any other gaming device, or a peripheral management device as described in Ser. No. 12/945, 888, filed Nov. 14, 2010, entitled "Peripheral Management Device for Virtual Game Interaction" which is hereby incorporated by reference in its entirety for all purposes. The embedded portable RF transceiver, while mounted inside the gaming device, communicates with any nearby RFID/NFC tags within its communication range. The portable transceiver may be powered by plugging into a typical power outlet. When using a power outlet, communication to the backend servers can be implemented using the power line communication standards such as IEEE 1901, HomePlug AV, ITU-T G.hn, and the like. The portable transceiver may also operate on battery to improve its portability, continuity, and redundancy. In one embodiment, the portable transceiver plugs into a power outlet for power and communication, but also uses a battery for back up power so that it can continue to operate even during power interruptions.

When presence of the MGD and/or its associated RFID/NFC tag is detected proximate to or within the reconfigurable and repositionable game zone, the MGD may be permitted to play games of chance. MGDs may be any

14

portable electronic device configured to play games of chance, such as a mobile telephone, portable media player, personal digital assistant, tablet, net book, or any other similar portable electronic device.

When located outside the reconfigurable and repositionable game zone and undetected by the portable transceivers, the MGD may not be permitted to play games of chance. In one embodiment, if the MGD was previously authorized to play games of chance and the user stepped away from the reconfigurable and repositionable game zone (e.g. to go to the bathroom, play at a table game, play a slot machine, or any other reason), an indication that location must be reestablished to continue game of chance play may be displayed on a display of the MGD.

In another embodiment, the MGD may be permitted to continue play of the games of chance if the MGD was previously authorized to play games of chance and is already or still wirelessly interacting with a gaming server. In another embodiment, a non-monetary wager notification may be transmitted to the MGD. The player may then be given the option to play games of chance using non-monetary wagers, such as points (e.g. loyalty points, player tracking points, and the like).

The MGD may be detected based on a zone specific location. In other words, the MGD is considered proximate to or within the reconfigurable and repositionable game zone as long as at least one of the portable transceivers detects the MGD and/or its associated RFID tag. Thus, use of global positioning system, RF fingerprinting, RF triangulation, or any other complicated location detection methods is not necessary to detect presence the MGD proximate to or within the reconfigurable and repositionable game zone. As such, this method of detection is more cost efficient and simpler than traditional location systems.

The portable transceivers may be configured to receive data from the MGD. The portable transceivers may receive data from the MGD via any known method. In one embodiment, the MGDs may have a passive or active tag (e.g. RFID tag, NFC tag) that may be read or detected by the portable transceivers. In another embodiment, the portable transceiver may actively receive data from the MGD using any wireless method such as WiFi, Bluetooth, radio frequency, or any other communication methods. In another embodiment, the portable transceiver may also communicate with the MGD via any wired methods as well.

The MGD data may be transmitted to the establishment server via a network to determine whether the MGD is authenticated at 404. MGD data may include data such as the MGD identification, player information, digital signature of the application software, battery level, the MGD's relative proximity (within communication range) to a trusted and known portable RF transceiver, and any other desired information. An establishment server may use the MGD data to authenticate the player and/or the MGD. In one embodiment, a determination of whether the MGD identification is associated with the player may be made to determine authentication of the device. In another embodiment, a determination of whether the MGD is associated with the player information may be made to authenticate the MGD. In still another embodiment, the establishment server may request that the player input authentication information such as a user name, password, or any other authentication information such as biometric inputs (i.e., voice, facial recognition, retinal imprint, fingerprint, and the like).

If the player and/or MGD is not authenticated at 404, the method 400 can end. However, if the player and/or MGD and/or its associated RFID/NFC tag is authenticated at 404,

15

the establishment server may determine whether the MGD is permitted to play games of chance at **406**. The establishment server may determine whether the player created a mobile game account, has sufficient funds to play the games of chance, authorized to make a monetary wager, the proper application program is operating on the MGD, or any other game establishment desired determination is satisfied.

If the MGD is not permitted to play games of chance at **406**, the method **400** may end. If the MGD is permitted to play games of chance at **406**, a determination of whether a game of chance selected is received may be made at **408**. The player may select a game of chance and wager amount to be played, which may be transmitted to the establishment server. For example, the player may select to play any slot machine game, table card game, roulette, keno, bingo, or any other games of chance. The player may also select a wager amount to bet. In one embodiment, the wager amount is a monetary wager amount. In another embodiment, the wager amount is a non-monetary amount (e.g. loyalty points, virtual currencies, player tracking points, and the like). In still another embodiment, the player may be given the option to convert a non-monetary wager (e.g. loyalty points, player tracking points, and the like) to a monetary wager. For example, 500 loyalty points may be converted to \$50.00 that the player may use the play the games of chance.

Once a wager amount is received, the selected game data may be transmitted to the MGD at **412** to allow the player to play the game of chance.

If no game of chance selection is received at **408**, a determination of whether presence of the MGD and/or its associated RFID/NFC tag is detected within the reconfigurable and repositionable game zone at **410**. The portable transceivers in the reconfigurable and repositionable game zone may periodically determine whether presence of the MGD and/or its associated RFID/NFC tag is still detected proximate to or within the reconfigurable and repositionable game zone. The portable transceiver may make the determination at predetermined time intervals such as between about one second to 60 seconds, between about 2 seconds to 100 seconds, or any other predetermined desired time interval. If at least one portable transceiver continues to detect the MGD proximate to or within the reconfigurable and repositionable game zone at **410**, the method **400** may repeat at **408**. However, if presence of the MGD and/or its associated RFID/NFC tag is not re-detected proximate to or within the reconfigurable and repositionable game zone, in one embodiment, a non-detect notification may be transmitted to the establishment server and the MGD may no longer be permitted or is therefore disallowed to play games of chance and the method **400** ends. In another embodiment, a conversion notification may be transmitted to the MGD. The conversion notification may request whether the player would like to continue play of the games of chance using non-monetary wagers, such as points (e.g. player tracking points).

Once game data is transmitted to the MGD at **412**, a determination of whether presence of the MGD and/or its associated RFID/NFC tag is detected at **414**. The portable transceivers in the reconfigurable and repositionable game zone may periodically determine whether presence of the MGD and/or its associated RFID/NFC tag is still detected proximate to or within the reconfigurable and repositionable game zone. The portable transceiver may make the determination at predetermined time intervals such as between about one second to 60 seconds, between about 2 seconds to 100 seconds, or any other predetermined desired time interval. If at least one portable transceiver continues to detect

16

the MGD proximate to or within the reconfigurable and repositionable game zone at **414**, the establishment server may continue to transmit game data to the MGD at **412** to allow games of chance to be played. However, if presence of the MGD and/or its associated RFID/NFC tag is not re-detected proximate to or within the reconfigurable and repositionable game zone, the game play data may be saved at **416**. The game play data may also be saved periodically at predetermined time intervals while the player is playing the game of chance, such as between about 10 seconds to 60 seconds, or at any other desired predetermined time interval. The establishment server or the MGD may save the game play data. In one embodiment, the establishment server may also transmit a notification on a display of the MGD that location of the MGD must be reestablished at a reconfigurable and repositionable game zone to continue playing the game of chance. In another embodiment, a conversion notification may be transmitted and presented on a display of the MGD. The conversion notification may request whether the player would like to continue play of the games of chance using non-monetary wagers, such as points (e.g. player tracking points).

FIG. 5 illustrates a flow diagram of another exemplary method for facilitating game of chance play on a mobile gaming device. The method **500** begins with a MGD and/or its associated RFID/NFC tag entering a reconfigurable and repositionable game zone at **502**. The MGD may be any portable electronic device configured to play games of chance, such as a mobile telephone, portable media player, personal digital assistant, tablet, net book, or any other similar portable electronic device. The reconfigurable and repositionable game zone may be located or positioned proximate a gaming establishment, such as a casino, supermarket, bar, cruise ship, airplane, or any other establishment where games of chance may be played. The reconfigurable and repositionable game zone may have at least one portable transceiver configured to detect presence of the MGD and/or its associated RFID/NFC tag once it is proximate to or enters the reconfigurable and repositionable game zone. The portable transceiver may also be designed to receive and transmit data. The portable transceiver may be, for example a free standing antenna, kiosk, or any other device configured to receive and transmit data. In one implementation, the portable transceiver wirelessly communicates with an RFID tag or an NFC tag that's in a player's pocket, purse, or in any other location on the player, or attached to the player's MGD. In another embodiment, the portable transceiver may be positioned within a gaming device, such as a slot machine, table game, any other gaming device, or a peripheral management device as described in Ser. No. 12/945,888, filed Nov. 14, 2010, entitled "Peripheral Management Device for Virtual Game Interaction" which is hereby incorporated by reference in its entirety for all purposes. The embedded portable RF transceiver, while mounted inside the gaming device, communicates with any nearby RFID/NFC tags within its communication range. The portable transceiver may be powered by plugging into a typical power outlet. When using a power outlet, communication to the backend servers can be implemented using the power line communication standards such as IEEE 1901, HomePlug AV, ITU-T G.hn, and the like. The portable transceiver may also operate on battery to improve its portability, continuity, and redundancy. In one embodiment, the portable transceiver plugs into a power outlet for power and communication, but also uses a battery for back up power so that it can continue to operate even during power interruptions.

When the MGD and/or its associated RFID/NFC tag enters the reconfigurable and repositionable game zone and its presence is detected by at least one portable transceiver, a determination of whether the MGD is authenticated is made at **504**. The MGD may be detected based on a zone specific location. In other words, the MGD is considered proximate to or within the reconfigurable and repositionable game zone as long as at least one of the portable transceivers detects the MGD and/or its associated RFID/NFC tag. Thus, use of global positioning system, RF fingerprinting, RF triangulation, or any other complicated location detection methods is not necessary to detect presence the MGD proximate to or within the reconfigurable and repositionable game zone. As such, this method of detection is more cost efficient and simpler than traditional location systems. Once detected and verified, the player is automatically logged into the portable gaming zone and allowed to perform sensitive activities (e.g., real money gaming, funds transfers, and the like). All these registration of the player, authenticating the MGD and its software, the verifications of ID's and location, are performed automatically when the player enters the mobile gaming zone. From the player's perspective, she walks into the gaming zone, and she can start playing. The complexity of the gaming registration and verification are completely hidden from the player as they are performed in the background.

The portable transceivers may be configured to receive data from the MGD. The portable transceivers may receive data from the MGD via any known method. The portable transceivers may receive data from the MGD via any known method. In one embodiment, the MGDs may have a passive or active tag (e.g. RFID tag, NFC tag) that may be read or detected by the portable transceivers. In another embodiment, the portable transceiver may actively receive data from the MGD using any wireless method such as WiFi, Bluetooth, radio frequency, or any other communication methods. In another embodiment, the portable transceiver may also communicate with the MGD via any wired methods as well.

The MGD data may be transmitted to an establishment server via a network to determine whether the MGD is authenticated at **504**. MGD data may include data such as the MGD identification, player information, digital signature of the application software, battery level, the MGD's relative proximity (within communication range) to a trusted and known portable RF transceiver, and any other desired information. An establishment server may use the MGD data to authenticate the player and/or the MGD. In one embodiment, a determination of whether the MGD identification is associated with the player may be made to determine authentication of the device. In another embodiment, a determination of whether the MGD is associated with the player information may be made to authenticate the MGD. In still another embodiment, the establishment server may request that the player input authentication information such as a user name, password, or any other authentication information such as biometric inputs (i.e., voice, facial recognition, retinal imprint, fingerprint, and the like).

If the player and/or MGD and/or its associated RFID/NFC tag is not authenticated at **504**, the method **500** can end. However, if the player and/or MGD and/or its associated RFID/NFC tag is authenticated at **504**, the establishment server may determine whether the MGD is permitted to play games of chance at **506**. The establishment server may determine whether the player created a mobile game account, has sufficient funds to play the games of chance, authorized to make a monetary wager to play the games of

chance, the proper application program is operating on the MGD, or any other game establishment desired determination is satisfied.

If the MGD is not permitted to play games of chance at **506**, the method **500** may end. If the MGD is permitted to play games of chance at **506**, the user may select a game of chance to play at **508**. The player may select a game of chance and wager amount to be played, which may be transmitted to the establishment server. For example, the player may select to play any slot machine game, table card game, roulette, keno, bingo, or any other games of chance. The player may also select a wager amount to bet. In one embodiment, the wager amount is a monetary wager amount. In another embodiment, the wager amount is a non-monetary amount (e.g. loyalty points, player tracking points, and the like). In still another embodiment, the player may be given the option to covert a non-monetary wager (e.g. loyalty points, player tracking points, and the like) to a monetary wager. For example, 500 loyalty points may be converted to \$50.00 that the player may use the play the games of chance.

Once the wager amount is received, the selected game data may be transmitted from the establishment server and received by the MGD at **510** to allow the player to play the selected game of chance.

A determination may be made whether to continue playing the game of chance at **512**. The player may decide to select another game of chance to play, not play anymore and cash out, or continue to play the game of chance. If the player decides to continue to play the game of chance at **512**, a determination of whether the MGD has exited the reconfigurable and repositionable game zone may be made at **516**. The portable transceivers in the reconfigurable and repositionable game zone may periodically determine whether presence of the MGD and/or its associated RFID/NFC tag is still detected proximate to or within the reconfigurable and repositionable game zone. The portable transceiver may make the determination at predetermined time intervals such as between about one second to 60 seconds, between about 2 seconds to 100 seconds, or any other predetermined desired time interval. If at least one portable transceiver continues to detect presence of the MGD and/or its associated RFID/NFC tag proximate to or within the reconfigurable and repositionable game zone at **516**, the method **500** may repeat at **510**. However, if presence of the MGD and/or its associated RFID/NFC tag is not re-detected proximate to or within the reconfigurable and repositionable game zone, a non-detect notification may be transmitted to the establishment server and the MGD may no longer be permitted or is therefore disallowed to play games of chance using monetary wager amounts. The game play data may be saved at **520**. The game play data may also be saved periodically at predetermined time intervals while the player is playing the game of chance, such as between about 10 seconds to 60 seconds, or at any other desired predetermined time interval. The game play data may be saved at the establishment server and/or the MGD.

If the player decides to not continue playing the game of chance at **512**, the game play data may be saved at **514**. The game play data may also be saved periodically at predetermined time intervals while the player is playing the game of chance, such as between about 10 seconds to 60 seconds, or at any other desired predetermined time interval. Once saved, a determination may be made as to whether the player selected another game of chance to play at **518**. If the player selected another game of chance to play at **518**, the method **500** may repeat at **510**. If the player did not select another

game of chance to play at **518**, the method **500** may end. The game play data may be saved at the establishment server and/or the MGD.

Once located outside the reconfigurable and repositionable game zone and its presence is undetectable by the portable transceivers, the MGD may not be permitted to play games of chance. In one embodiment, if the MGD was previously authorized to play games of chance and the user stepped away from the reconfigurable and repositionable game zone (e.g. to go to the bathroom, play at a table game, play a slot machine, or any other reason), an indication that location must be reestablished at the reconfigurable and repositionable game zone to continue game of chance play may be displayed on a display of the MGD.

In another embodiment, the MGD may be permitted to play games of chance if the MGD was previously authorized to play games of chance and is already or still wirelessly interacting with a gaming server. In still another embodiment, a non-monetary wager notification may be transmitted to the MGD. The player may then be given the option to play games of chance using non-monetary wagers, such as points (e.g. loyalty points, player tracking points, and the like).

FIGS. 6A and 6B illustrate a flow diagram of yet another exemplary method for facilitating games of chance play on a mobile gaming device. The method **600** begins with receiving deferred game data from an MGD, the deferred game data may include at least a selected game of chance, a bet amount, a total wager amount, and any other desired information to automatically play a game of chance without user interaction. A determination of whether presence of an MGD and/or its associated RFID/NFC tag is detected in the reconfigurable and repositionable game zone is made at **604**. The reconfigurable and repositionable game zone may be located or positioned proximate a gaming establishment, such as a casino, supermarket, bar, cruise ship, airplane, or any other establishment where games of chance may be played. The reconfigurable and repositionable game zone may have at least one portable transceiver configured to detect MGDs proximate to or within the reconfigurable and repositionable game zone. The portable transceiver may also be designed to receive and transmit data. The portable transceiver may be, for example, a free standing antenna, kiosk, or any other device configured to receive and transmit data. In one implementation, the portable transceiver wirelessly communicates with an RFID tag or an NFC tag that's in a player's pocket, purse, or in any other location on the player, or attached to the player's MGD. In another embodiment, the portable transceiver may be positioned within a gaming device, such as a slot machine, table game, any other gaming device, or a peripheral management device as described in Ser. No. 12/945,888, filed Nov. 14, 2010, entitled "Peripheral Management Device for Virtual Game Interaction" which is hereby incorporated by reference in its entirety for all purposes.

When the MGD is detected proximate to or within the reconfigurable and repositionable game zone, the MGD may be permitted to play games of chance using monetary wager amounts. MGDs may be any portable electronic device configured to play games of chance, such as a mobile telephone, portable media player, personal digital assistant, tablet, net book, or any other similar portable electronic device.

When located outside the reconfigurable and repositionable game zone and undetectable by the portable transceivers, the MGD may not be permitted to play games of chance using monetary wager amounts. In one embodiment, if the MGD was previously authorized to play games of chance

and the user stepped away from the reconfigurable and repositionable game zone (e.g. to go to the bathroom, play at a table game, play a slot machine, or any other reason), an indication that location must be reestablished to continue game of chance play may be displayed on a display of the MGD.

In another embodiment, the MGD may be permitted to play games of chance if the MGD was previously authorized to play games of chance and is already or still wirelessly interacting with a gaming server. In yet another embodiment, a conversion notification may be transmitted to the MGD. The conversion notification may request whether the player would like to continue play of the games of chance using non-monetary wagers, such as points (e.g. player tracking points).

Presence of the MGD and/or its associated RFID/NFC tag may be detected based on a zone specific location. In other words, the MGD is considered proximate to or within the reconfigurable and repositionable game zone as long as at least one of the portable transceivers detects the MGD. Thus, use of global positioning system, RF fingerprinting, RF triangulation, or any other complicated location detection methods is not necessary to detect presence the MGD proximate to or within the reconfigurable and repositionable game zone. As such, this method of detection is more cost efficient and simpler than traditional location systems.

The portable transceivers may be configured to receive data from the MGD. The portable transceivers may receive data from the MGD via any known method. The portable transceivers may receive data from the MGD via any known method. In one embodiment, the MGDs may have a passive or active tag (e.g. RFID tag, NFC tag) that may be read or detected by the portable transceivers. In another embodiment, the portable transceiver may actively receive data from the MGD using any wireless method such as WiFi, Bluetooth, radio frequency, or any other communication methods. In another embodiment, the portable transceiver may also communicate with the MGD via any wired methods as well.

The MGD data may be transmitted to the establishment server via a network to determine whether the MGD and/or its associated RFID/NFC tag is authenticated and permitted to play games of chance at **606**. MGD data may include data such as the MGD identification, player information, digital signature of the application software, battery level, the MGD's relative proximity (within communication range) to a trusted and known portable RF transceiver, and any other desired information. An establishment server may use the MGD data and/or its associated RFID/NFC tag data to authenticate the player and/or the MGD. In one embodiment, a determination of whether the MGD identification is associated with the player may be made to determine authentication of the device. In another embodiment, a determination of whether the MGD is associated with the player information may be made to authenticate the MGD and/or its associated RFID/NFC tag. In still another embodiment, the establishment server may request that the player input authentication information such as a user name, password, or any other authentication information such as biometric inputs (i.e., voice, facial recognition, retinal imprint, fingerprint, and the like).

If the player and/or MGD and/or its associated RFID/NFC tag is authenticated, the establishment server may determine whether the MGD is permitted to play games of chance. The establishment server may determine whether the player created a mobile game account, has sufficient funds to play the games of chance, authorized to make monetary wager

21

amounts, the proper application program is operating on the MGD, or any other game establishment desired determination is satisfied.

If the MGD and/or its associated RFID/NFC tag is not authenticated or permitted to play games of chance at **606**, the method **600** may end. If the MGD is authenticated and permitted to play games of chance at **606**, a determination of whether deferred game data was saved is made at **608**. The deferred game data may be saved in the player tracking account server or any other desired location. If it is determined that deferred game data was saved at **608**, game data may be transmitted to the MGD based on the deferred game data at **610**. For example, deferred game data may be to play a game of 777 with a bet amount of \$0.25 each play and a total wager amount of \$20. Thus, game data for 777 having a bet amount of \$0.25 will be played until the total wager amount of \$20 is played. This allows the user to automatically play the game of chance of 777 without user interaction.

Once automatic play of the game of chance is completed, a determination of whether the player would like to play another game of chance is made at **612**. If no game selection is received at **612** within a predetermined period of time (i.e. after one minute, or any other predetermined time period), the game play data may be saved at **614** and the method **600** may end.

If it is determined that no deferred game data was saved at **608** or if it is determined that the user desires to play another game of chance at **612**, a game of chance selection may be received at **616** as illustrated in FIG. 6B. The player may select a game of chance and wager amount to be played, which may be transmitted to the establishment server. For example, the player may select to play any slot machine game, table card game, roulette, keno, bingo, or any other games of chance. The player may also select a wager amount to bet. In one embodiment, the wager amount is a monetary wager amount. In another embodiment, the wager amount is a non-monetary amount (e.g. loyalty points, player tracking points, and the like). In still another embodiment, the player may be given the option to covert a non-monetary wager (e.g. loyalty points, player tracking points, virtual currencies, and the like) to a monetary wager. For example, 500 loyalty points may be converted to \$50.00 that the player may use the play the games of chance.

Once the wager amount is received, the selected game data may be transmitted to the MGD at **618** to allow the player to play the game of chance.

A determination of whether presence of the MGD and/or its associated RFID/NFC tag is detected within the reconfigurable and repositionable game zone at **620**. The portable transceivers in the reconfigurable and repositionable game zone may periodically determine whether presence of the MGD and/or its associated RFID/NFC tag is still detected proximate to or within the reconfigurable and repositionable game zone. The portable transceiver may make the determination at predetermined time intervals such as between about one second to 60 seconds, between about 2 seconds to 100 seconds, or any other predetermined desired time interval. If at least one portable transceiver continues to detect presence of the MGD and/or its associated RFID/NFC tag proximate to or within the reconfigurable and repositionable game zone at **620**, the method **600** may repeat at **616**. However, if presence of the MGD and/or its associated RFID/NFC tag is not re-detected proximate to or within the reconfigurable and repositionable game zone, a non-detect notification may be transmitted to the establishment server

22

and the MGD may no longer be permitted or is therefore disallowed to play games of chance with monetary wager amounts.

The game play data may be saved at **622**. The game play data may also be saved periodically at predetermined time intervals while the player is playing the game of chance, such as between about 10 seconds to 60 seconds, or at any other desired predetermined time interval. The game play data may be saved by the establishment server or the MGD. In one embodiment, the establishment server may also transmit a notification presented on a display of the MGD that location of the MGD must be reestablished at a reconfigurable and repositionable game zone to continue playing the game of chance with monetary wager amounts. In another embodiment, a non-monetary wager notification may be transmitted to the MGD. The player may then be given the option to play games of chance using non-monetary wagers, such as points (e.g. loyalty points, player tracking points, and the like).

FIGS. 7A and 7B illustrate a flow diagram of still another exemplary method for facilitating playing games of chance on a mobile gaming device. Referring to FIG. 7A, the method **700** begins with transmitting deferred game data to an establishment server at **702**. The deferred game data may include at least a selected game of chance, a bet amount, a total wager amount, and any other desired information to automatically play a game of chance without user interaction. The MGD may enter an reconfigurable and repositionable game zone at **704**. The MGD may be any portable electronic device configured to play games of chance, such as a mobile telephone, portable media player, personal digital assistant, tablet, net book, or any other similar portable electronic device. The reconfigurable and repositionable game zone may be located or positioned proximate a gaming establishment, such as a casino, supermarket, bar, cruise ship, airplane, or any other establishment where games of chance may be played. The reconfigurable and repositionable game zone may have at least one portable transceiver configured to detect the presence of the MGD and/or its associated RFID/NFC tag once it is proximate to or enters the reconfigurable and repositionable game zone. The portable transceiver may also be designed to receive and transmit data. The portable transceiver may be, for example a free standing antenna, kiosk, or any other device configured to receive and transmit data. In one implementation, the portable transceiver wirelessly communicates with an RFID tag or an NFC tag that's in a player's pocket, purse, or in any other location on the player, or attached to the player's MGD. In another embodiment, the portable transceiver may be positioned within a gaming device, such as a slot machine, table game, any other gaming device, or a peripheral management device as described in Ser. No. 12/945, 888, filed Nov. 14, 2010, entitled "Peripheral Management Device for Virtual Game Interaction" which is hereby incorporated by reference in its entirety for all purposes. The embedded portable RF transceiver, while mounted inside the gaming device, communicates with any nearby RFID/NFC tags within its communication range. The portable transceiver may be powered by plugging into a typical power outlet. When using a power outlet, communication to the backend servers can be implemented using the power line communication standards such as IEEE 1901, HomePlug AV, ITU-T G.hn, and the like. The portable transceiver may also operate on battery to improve its portability, continuity, and redundancy. In one embodiment, the portable transceiver plugs into a power outlet for power and communi-

cation, but also uses a battery for back up power so that it can continue to operate even during power interruptions.

When the MGD enters the reconfigurable and repositionable game zone and its presence is detected by at least one portable transceiver, a determination of whether the MGD is authenticated is made at **706**. The MGD may be detected based on a zone specific location. In other words, the MGD is considered proximate to or within the reconfigurable and repositionable game zone as long as at least one of the portable transceivers detects the MGD. Thus, use of global positioning system, RF fingerprinting, RF triangulation, or any other complicated location detection methods is not necessary to detect presence the MGD proximate to or within the reconfigurable and repositionable game zone. As such, this method of detection is more cost efficient and simpler than traditional location systems.

The portable transceivers may be configured to receive data from the MGD. The portable transceivers may receive data from the MGD via any known method. The portable transceivers may receive data from the MGD via any known method. In one embodiment, the MGDs may have a passive or active tag (e.g. RFID tag, NFC tag) that may be read or detected by the portable transceivers. In another embodiment, the portable transceiver may actively receive data from the MGD using any wireless method such as WiFi, Bluetooth, radio frequency, or any other communication methods. In another embodiment, the portable transceiver may also communicate with the MGD via any wired methods as well.

The MGD data may be transmitted to an establishment server via a network to determine whether the MGD is authenticated and permitted to play games of chance at **706**. MGD data may include data such as the MGD identification, player information, digital signature of the application software, battery level, the MGD's relative proximity (within communication range) to a trusted and known portable RF transceiver, and any other desired information. An establishment server may use the MGD data to authenticate the player and/or the MGD. In one embodiment, a determination of whether the MGD identification is associated with the player may be made to determine authentication of the device. In another embodiment, a determination of whether the MGD is associated with the player information may be made to authenticate the MGD. In still another embodiment, the establishment server may request that the player input authentication information such as a user name, password, or any other authentication information such as biometric inputs (i.e., voice, facial recognition, retinal imprint, fingerprint, and the like).

If the MGD is authenticated a determination of whether the MGD is permitted to play games of chance is made. The determination may be made by determining if the player has sufficient funds to play the games of chance, authorized to make monetary wager amounts, the proper application program is operating on the MGD, or any other game establishment desired determination is satisfied to play games of chance on the MGD.

If the MGD is authenticated and permitted to play games of chance, a determination as to whether there is any saved deferred game data is made at **707**. If there is saved deferred game data at **707**, the MGD may receive a deferred game data notification at **708**. The notification may inquire as to whether the player would like to begin playing the game of chance using the deferred game data. The notification may include a "No" and "Yes" indicator or any other indicator to determine whether the player would like to start automatic play of the game of chance based on the saved deferred

game data. If the notification is approved at **710**, the MGD may receive game data based on the saved deferred game data at **712**.

Once automatic play of the game of chance is completed, a determination of whether the player would like to play another game of chance is made at **714**. If no game selection is received at **714** within a predetermined period of time (i.e. after one minute, or any other predetermined time period), the game play data may be saved at **716** and the method **700** may end.

If it is determined that the player would like to play another game of chance at **714** or if there was no saved deferred game data at **707**, a determination of whether the MGD is detected within the reconfigurable and repositionable game zone at **718** as illustrated in FIG. 7B. The portable transceivers in the reconfigurable and repositionable game zone may periodically determine whether presence of the MGD and/or its associated RFID/NFC tag is still detected proximate to or within the reconfigurable and repositionable game zone. The portable transceiver may make the determination at predetermined time intervals such as between about one second to 60 seconds, between about 2 seconds to 100 seconds, or any other predetermined desired time interval. If at least one portable transceiver continues to detect presence of the MGD and/or its associated RFID/NFC tag proximate to or within the reconfigurable and repositionable game zone at **718**, the selected game of chance data may be transmitted at **720** to the establishment server. The MGD may then receive the selected game of chance data at **722** to allow the player to play the selected game of chance using the MGD.

A determination of whether to continue play of the game of chance may be made at **724**. If the game of chance ends and no player input is detected within a predetermined period of time (i.e. within between about five seconds to 2 minutes, or any other desired predetermined period of time), the player cashes out, the player has no more funds to play the games of chance, or the MGD is no longer detected within the reconfigurable and repositionable game zone, it may be determined that the player does not want to continue game play at **724**. The game play data may be saved at **728**. The game play data may also be saved periodically at predetermined time intervals while the player is playing the game of chance, such as between about 10 seconds to 60 seconds, or at any other desired predetermined time interval. The game play data may be saved by the establishment server or the MGD.

If it is determined that the player would like to continue playing games of chance at **724**, the establishment server may receive an input from the player to continue play of the same game of chance or a different game of chance. A determination of whether the MGD exited the reconfigurable and repositionable game zone may be made at **726**. If presence of the MGD and/or its associated RFID/NFC tag is detected in the reconfigurable and repositionable game zone at **726**, the method **700** may repeat at **722**. However, if presence of the MGD and/or its associated RFID/NFC tag is not re-detected proximate to or within the reconfigurable and repositionable game zone, a non-detect notification may be transmitted to the establishment server and the MGD may no longer be permitted or is therefore disallowed to play games of chance using monetary wager amounts.

The game play data may be saved at **728**. The game play data may also be saved periodically at predetermined time intervals while the player is playing the game of chance, such as between about 10 seconds to 60 seconds, or at any other desired predetermined time interval. The game play

data may be saved by the establishment server or the MGD. In one embodiment, the establishment server may also transmit a notification on a display of the MGD that location of the MGD must be reestablished at a reconfigurable and repositionable game zone to continue playing the game of chance using monetary wager amounts. In another embodiment, a non-monetary wager notification may be transmitted to the MGD. The player may then be given the option to play games of chance using non-monetary wagers, such as points (e.g. loyalty points, player tracking points, and the like).

FIG. 8A-8C illustrate a flow diagram of another exemplary method for facilitating playing games of chance on a mobile gaming device. The method **800** begins with determining whether presence of an MGD is detected in the reconfigurable and repositionable game zone at **802**. The reconfigurable and repositionable game zone may be located or positioned proximate a gaming establishment, such as a casino, supermarket, bar, cruise ship, airplane, or any other establishment where games of chance may be played. The reconfigurable and repositionable game zone may have at least one portable transceiver configured to detect presence of MGDs proximate to or within the reconfigurable and repositionable game zone. The portable transceiver may also be designed to receive and transmit data. The portable transceiver may be, for example a free standing antenna, kiosk, or any other device configured to receive and transmit data. In one implementation, the portable transceiver wirelessly communicates with an RFID tag or an NFC tag that's in a player's pocket, purse, or in any other location on the player, or attached to the player's MGD. In another embodiment, the portable transceiver may be positioned within a gaming device, such as a slot machine, table game, any other gaming device, or a peripheral management device as described in Ser. No. 12/945,888, filed Nov. 14, 2010, entitled "Peripheral Management Device for Virtual Game Interaction" which is hereby incorporated by reference in its entirety for all purposes. The embedded portable RF transceiver, while mounted inside the gaming device, communicates with any nearby RFID/NFC tags within its communication range. The portable transceiver may be powered by plugging into a typical power outlet. When using a power outlet, communication to the backend servers can be implemented using the power line communication standards such as IEEE 1901, HomePlug AV, ITU-T G.hn, and the like. The portable transceiver may also operate on battery to improve its portability, continuity, and redundancy. In one embodiment, the portable transceiver plugs into a power outlet for power and communication, but also uses a battery for backup power so that it can continue to operate even during power interruptions.

When the MGD is detected proximate to or within the reconfigurable and repositionable game zone, the MGD may be permitted to play games of chance using monetary wager amounts. MGDs may be any portable electronic device configured to play games of chance, such as a mobile telephone, portable media player, personal digital assistant, tablet, net book, or any other similar portable electronic device.

When located outside the reconfigurable and repositionable game zone and undetectable by the portable transceivers, the MGD may not be permitted to play games of chance using monetary wager amounts. In one embodiment, if the MGD was previously authorized to play games of chance and the user stepped away from the reconfigurable and repositionable game zone (e.g. to go to the bathroom, play at a table game, play a slot machine, or any other reason), an

indication that location must be reestablished to continue game of chance play may be displayed on a display of the MGD.

In another embodiment, the MGD may be permitted to play games of chance if the MGD was previously authorized to play games of chance and is already or still wirelessly interacting with a gaming server. In yet another embodiment, a non-monetary wager notification may be transmitted to the MGD. The player may then be given the option to play games of chance using non-monetary wagers, such as points (e.g. loyalty points, player tracking points, and the like).

The MGD may be detected based on a zone specific location. In other words, the MGD is considered proximate to or within the reconfigurable and repositionable game zone as long as at least one of the portable transceivers detects the MGD. Thus, use of global positioning system, RF fingerprinting, RF triangulation, or any other complicated location detection methods is not necessary to detect presence the MGD proximate to or within the reconfigurable and repositionable game zone. As such, this method of detection is more cost efficient and simpler than traditional location systems.

The portable transceivers may be configured to receive data from the MGD. The portable transceivers may receive data from the MGD via any known method. The portable transceivers may receive data from the MGD via any known method. In one embodiment, the MGDs may have a passive or active tag (e.g. RFID tag, NFC tag) that may be read or detected by the portable transceivers. In another embodiment, the portable transceiver may actively receive data from the MGD using any wireless method such as WiFi, Bluetooth, radio frequency, or any other communication methods. In another embodiment, the portable transceiver may also communicate with the MGD via any wired methods as well.

The MGD data may be transmitted to the establishment server via a network to determine whether the MGD is authenticated at **804**. MGD data may include data such as the MGD identification, player information, digital signature of the application software, battery level, the MGD's relative proximity (within communication range) to a trusted and known portable RF transceiver, and any other desired information. An establishment server may use the MGD data to authenticate the player and/or the MGD and/or its associated RFID/NFC tag. In one embodiment, a determination of whether the MGD identification is associated with the player may be made to determine authentication of the device. In another embodiment, a determination of whether the MGD is associated with the player information may be made to authenticate the MGD. In still another embodiment, the establishment server may request that the player input authentication information such as a user name, password, or any other authentication information such as biometric inputs (i.e., voice, facial recognition, retinal imprint, fingerprint, and the like).

If the player and/or MGD and/or its associated RFID/NFC tag is not authenticated at **804**, the method **800** can end. However, if the player and/or MGD is authenticated at **804**, the establishment server may determine whether the MGD is permitted to play games of chance at **806**. The establishment server may determine whether the player created a mobile game account, has sufficient funds to play the games of chance, authorized to make monetary wager amounts, the proper application program is operating on the MGD, or any other game establishment desired determination is satisfied.

If the MGD is not permitted to play games of chance at **806**, a notification as to why the player is not permitted to

play the game of chances may be transmitted to the MGD. For example, perhaps the player has insufficient funds in the player account and is thus unable to continue playing the game of chance. Referring now to FIG. 8B, a lack of funds notification may be transmitted to the MGD at **820** to inform the player that he is unable to continue playing the game of chance until additional funds are deposited into the player's account. In one embodiment, the player may be given the option to play with non-monetary wagers (e.g. loyalty points, player tracking points). In another embodiment, the player may be given the option to covert the non-monetary wager to a monetary wager. For example, 500 loyalty points may be converted to \$50.00 that the player may use the play the games of chance.

A transfer funds request, including a fund amount, may be received at the establishment server. The transfer of funds may be transmitted to the MGD via use of a bill acceptor (e.g. such as bill acceptor **318** illustrated in FIG. 3B). Other examples for the facilitation of money to a player account are also described in application Ser. No. 13/632,743, filed Oct. 1, 2013, entitled "Electronic Fund Transfer for Mobile Gaming" which is hereby incorporated by reference in its entirety for all purposes. For example, the player may utilize physical contact with the bill acceptor to facilitate the transfer of funds to the player account.

A determination of whether the fund amount was transferred is made at **824**. In other words, the gaming establishment may determine whether the fund amount was posted to the player's account. If no funds were received at **824**, the method **800** may end. If the fund amount was transferred at **824**, the method may continue at **810** illustrated in FIG. 8A.

If the MGD is permitted to play games of chance at **806** in FIG. 8A, a determination is made as to whether there is deferred game data at **808**. Deferred game data includes at least a selected game of chance, a bet amount, a total wager amount, and any other desired information to automatically play a game of chance without user interaction. If it is determined that there is deferred game data saved at **808**, a deferred game data approval notification may be transmitted to the MGD at **826** as illustrated in FIG. 8C.

The notification may inquire as to whether the player would like to begin playing games of chance based on the deferred game data. The notification may include a "No" and "Yes" indicator or any other indicator to determine whether the player would like to start automatic play of the game of chance based on the saved deferred game data. If the notification is approved at **828**, game data based on the saved deferred game data may be transmitted to the MGD at **830**.

For example, deferred game data may be to play a game of blackjack with a bet amount of \$0.25 each hand and a total wager amount of \$20. Thus, game data for black jack having a bet amount of \$0.25 will be played until the total wager amount of \$20 is played. This allows the user to automatically play the game of chance without user interaction. The determination of whether to hit, stand, double down, and apply any other black jack rules may be automatically played by a computing device, such as gaming server **118** illustrated in FIG. 1.

Once automatic play of the game of chance is completed, a determination of whether the player would like to play another game of chance is made at **832**. If no game selection is received at **832** within a predetermined period of time (i.e. after one minute, or any other predetermined time period), the game play data may be saved at **834** and the method **800** may end.

If it is determined that the player would like to play another game of chance at **832**, a determination of whether presence of the MGD and/or its associated RFID/NFC tag is detected within the reconfigurable and repositionable game zone is made at **836**. The portable transceivers in the reconfigurable and repositionable game zone may periodically determine whether presence of the MGD and/or its associated RFID/NFC tag is still detected proximate to or within the reconfigurable and repositionable game zone. The portable transceiver may make the determination at predetermined time intervals such as between about one second to 60 seconds, between about 2 seconds to 100 seconds, or any other predetermined desired time interval. If at least one portable transceiver continues to detect presence of the MGD and/or its associated RFID/NFC tag proximate to or within the reconfigurable and repositionable game zone at **836**, the method may continue at **826**. If presence of the MGD and/or its associated RFID/NFC tag is not detected within the reconfigurable and repositionable game zone at **836**, the game play data may be saved at **834** and the method **800** may end.

The game play data may also be saved periodically at predetermined time intervals while the player is playing the game of chance, such as between about 10 seconds to 60 seconds, or at any other desired predetermined time interval. The game play data may be saved by the establishment server or the MGD.

If it is determined that player approval to play the deferred game data is not received at **826**, a game of chance selection and wager amount may be received from the MGD at **810** illustrated in FIG. 8A. For example, the player may select to play any slot machine game, table card game, roulette, keno, bingo, or any other games of chance. The player may also select a wager amount to bet. Once received, the selected game data may be transmitted to the MGD at **812** to allow the player to play the game of chance.

A periodic determination of whether presence of the MGD and/or its associated RFID/NFC tag is in the reconfigurable and repositionable game zone is made at **814**. If at least one portable transceiver continues to detect presence of the MGD and/or its associated RFID/NFC tag proximate to or within the reconfigurable and repositionable game zone at **814**, the MGD may continue to play game of chance. If presence of the MGD and/or its associated RFID/NFC tag is not detected within the reconfigurable and repositionable game zone at **814**, MGD may no longer be permitted to play games of chance using monetary wager amounts. In one embodiment, the establishment server may also transmit a notification on a display of the MGD that location of the MGD must be reestablished at a reconfigurable and repositionable game zone to continue playing the game of chance. In another embodiment, although presence of the MGD and/or its associated RFID/NFC tag is not detected within the reconfigurable and repositionable game zone at **814**, the MGD may still continue to play games of chance as long as the MGD is in continual communication with the establishment server. In one embodiment, the player may be given the option to play with non-monetary wagers (e.g. loyalty points, player tracking points).

Game play data may be periodically saved at **816**. The game play data may be saved periodically at predetermined time intervals while the player is playing the game of chance, such as between about 10 seconds to 60 seconds, or at any other desired predetermined time interval. The game play data may be saved by the establishment server or the MGD.

Once play of the game of chance is completed, a determination of whether the player would like to continue playing the game of chance may be made at **818**. The player may continue to bet a wager amount or select another game of chance. Thus, if a wager amount or another game of chance selected is received at **818**, the method may continue at **810**. If no player input is detected within a predetermined period of time (e.g. between about two seconds to two minutes, or any other desired predetermined time interval) at **818**, the method **800** may end.

FIG. 9 illustrates an example of a user playing games of chance on a mobile gaming device. The player associated with the portable gaming device (PGD/MGD) **902** may reside in State A. State A **920** may be a state which does not permit gambling and/or there is no gaming establishment nearby. While at home **904**, the player may connect to establishment server B **906** via network **910** where he has a player tracking account. The player may transmit deferred game data to establishment server B **906** to be saved and associated with the player's tracking account. The deferred game data may include at least a selected game of chance, a bet amount, a total wager amount, and any other desired information to automatically play a game of chance without user interaction. For example, the deferred game data may be to play a game of 777 with a bet amount of \$0.25 each play and a total wager amount of \$20. Thus, game data for 777 having a bet amount of \$0.25 will be played until the total wager amount of \$20 is played. This allows the user to automatically play the game of chance of 777 without user interaction.

The player may also connect to establishment server A **908** via network **910** where he also has a player tracking account. The player may transmit deferred game data to establishment server A **908** to be saved and associated with the player's tracking account. The deferred game data may include at least a selected game of chance, a bet amount, a total wager amount, and any other desired information to automatically play a game of chance without user interaction. For example, deferred game data may be to play a game of black jack with a bet amount of \$0.25 each hand and a total wager amount of \$20. Thus, game data for black jack having a bet amount of \$0.25 will be played until the total wager amount of \$20 is played. This allows the user to automatically play the game of chance without user interaction. The determination of whether to hit, stand, double down, and apply any other black jack rules may be automatically played or determined by a computing device, such as establishment server A **908**.

The player may then drive **912** to State B **922** where gaming is allowed and/or is the closest gaming establishment to the player location **904**. The player may first stop at establishment B **914** for something to drink and/or eat. While at the restaurant, the player may enter a reconfigurable and repositionable game zone positioned in an area of the restaurant so that the PGD/MGD **918** may be detected. The reconfigurable and repositionable game zone may have at least one portable transceiver configured to detect the presence of PGD/MGDs proximate to or within the reconfigurable and repositionable game zone. The portable transceiver may also be designed to receive and transmit data. The portable transceiver may be, for example a free standing antenna, kiosk, or any other device configured to receive and transmit data. In one implementation, the portable transceiver wirelessly communicates with an RFID tag or an NFC tag that's in a player's pocket, purse, or in any other location on the player, or attached to the player's MGD. In another embodiment, the portable transceiver may be posi-

tioned within a gaming device, such as a slot machine, table game, any other gaming device, or a peripheral management device as described in Ser. No. 12/945,888, filed Nov. 14, 2010, entitled "Peripheral Management Device for Virtual Game Interaction" which is hereby incorporated by reference in its entirety for all purposes. The embedded portable RF transceiver, while mounted inside the gaming device, communicates with any nearby RFID/NFC tags within its communication range. The portable transceiver may be powered by plugging into a typical power outlet. When using a power outlet, communication to the backend servers can be implemented using the power line communication standards such as IEEE 1901, HomePlug AV, ITU-T G.hn, and the like. The portable transceiver may also operate on battery to improve its portability, continuity, and redundancy. In one embodiment, the portable transceiver plugs into a power outlet for power and communication, but also uses a battery for back up power so that it can continue to operate even during power interruptions.

When presence of the PGD/MGD **918** is detected proximate to or within the reconfigurable and repositionable game zone, the PGD/MGD **918** may be permitted to play games of chance using monetary wager amounts. PGD/MGDs may be any portable electronic device configured to play games of chance, such as a mobile telephone, portable media player, personal digital assistant, tablet, net book, or any other similar portable electronic device.

Presence of the PGD/MGD **918** may be detected based on a zone specific location. In other words, the PGD/MGD **918** is considered proximate to or within the reconfigurable and repositionable game zone as long as at least one of the portable transceivers detects presence of the PGD/MGD **918**. Thus, use of global positioning system, RF fingerprinting, RF triangulation, or any other complicated location detection methods is not necessary to detect the PGD/MGD proximate to or within the reconfigurable and repositionable game zone.

The portable transceivers may be configured to receive data from the PGD/MGD **918**. The portable transceivers may receive data from the PGD/MGD **918** via any known method. In one embodiment, the PGD/MGD **918** may have a passive or active tag (e.g. RFID tag, NFC tag) that may be read or detected by the portable transceivers. In another embodiment, the portable transceiver may receive the PGD/ MGD data using any wireless method such as WiFi, Bluetooth, radio frequency, or any other communication methods. In another embodiment, the portable transceiver may also communicate with the PGD/MGD **918** via any wired methods as well. For example, a kiosk at the reconfigurable and repositionable game zone may permit the PGD/MGD **918** to be wired to the kiosk to receive and transmit data.

The PGD/MGD data may be transmitted to establishment server B **906** to authenticate the PGD/MGD. PGD/MGD data may include data such as the PGD/MGD identification, player information, and any other desired information. An establishment server may use the PGD/MGD data to authenticate the player and/or the PGD/MGD **918**. In one embodiment, a determination of whether the PGD/MGD identification is associated with the player may be made to determine authentication of the device. In another embodiment, a determination of whether the PGD/MGD **918** is associated with the player information may be made to authenticate the PGD/MGD. In still another embodiment, the establishment server may request that the player input authentication information such as a user name, password,

or any other authentication information such as biometric inputs (i.e., voice, facial recognition, retinal imprint, fingerprint, and the like).

Once authenticated establishment server B **906** may determine whether the PGD/MGD **918** is permitted to play games of chance. The establishment server may determine whether the player created a mobile game account, has sufficient funds to play the games of chance, authorized to make monetary wager amounts, the proper application program is operating on the PGD/MGD **918**, or any other game establishment desired determination is satisfied.

If the PGD/MGD **918** is permitted to play games of chance and deferred game data associated with the player is found, a deferred game data approval notification may be transmitted to the PGD/MGD **918**. The notification may inquire as to whether the player would like to begin playing games of chance using the deferred game data. The notification may include a “No” and “Yes” indicator or any other indicator to determine whether the player would like to start automatic play of the game of chance based on the saved deferred game data.

The player may approve play of the deferred game data while he is eating and relaxing at the restaurant. Thus, play of the 777 may continue until the credit (e.g. total wager amount of \$20) is zero. Once the player has completed eating, he may then leave establishment B **914** and drive **924** to establishment A **916** to watch a movie. Thus, once the PGD/MGD **918** is no longer detected within the reconfigurable and repositionable game zone at establishment B **914**, games of chance are no longer permitted to be played on the PGD/MGD **918** using monetary wager amounts.

Upon arrival at establishment A **916**, the player may enter the movie theatre and the PGD/MGD **926** enter a reconfigurable and repositionable game zone in an area of the theatre. This allows the player to automatically play games of chance and not be distracted while watching a movie.

The reconfigurable and repositionable game zone may have at least one portable transceiver configured to detect presence of PGD/MGDs proximate to or within the reconfigurable and repositionable game zone. The portable transceiver may also be designed to receive and transmit data.

When presence of the PGD/MGD is detected proximate to or within the reconfigurable and repositionable game zone, the PGD/MGD may be permitted to play games of chance. The PGD/MGD data may be transmitted to establishment server A **908** to authenticate the PGD/MGD. PGD/MGD data may include data such as the PGD/MGD identification, player information, and any other desired information. An establishment server may use the PGD/MGD data to authenticate the player and/or the PGD/MGD **926**.

Once authenticated establishment server A **908** may determine whether the PGD/MGD **926** is permitted to play games of chance. If the PGD/MGD **926** is permitted to play games of chance and deferred game data associated with the player is found, a deferred game data approval notification may be transmitted to the PGD/MGD **926**. The notification may inquire as to whether the player would like to begin playing the deferred game of chance. The notification may include a “No” and “Yes” indicator or any other indicator to determine whether the player would like to start automatic play of the game of chance based on the saved deferred game data.

The player may approve play of the deferred game data while he is watching a movie. Thus, play of black jack may continue until the credit (e.g. total wager amount of \$20) is zero. Once the movie is over, the player may then leave establishment A **908** and drive back home **904** in State A **920**. Thus, once the PGD/MGD **926** is no longer detected

within the reconfigurable and repositionable game zone at establishment A **908**, games of chance are no longer permitted to be played on the PGD/MGD **926**.

FIG. 10 illustrates another example of a user playing games of chance on a mobile gaming device. While at home **1004**, the PGD/MGD **1002** may transmit deferred game data to a gaming establishment server **1018** via network **1008**. As illustrated, gaming establishment **1030** may be a gas station. The deferred game data may include at least a selected game of chance, a bet amount, a total wager amount, and any other desired information to automatically play a game of chance without user interaction. For example, the deferred game data may be to play a game of 777 with a bet amount of \$0.25 each play and a total wager amount of \$20. Thus, game data for 777 having a bet amount of \$0.25 will be played until the total wager amount of \$20 is played. This allows the user to automatically play the game of chance of 777 without user interaction.

The establishment server **1018** may be configured to communicate with an accounting server **1022**, game server **1024**, and a player tracking server **1026**. Accounting server **1022** is similar to accounting server **116** illustrated in FIG. 1, game server **1024** is similar to game server **118** illustrated in FIG. 1, and player tracking server **1026** is similar to player tracking server **120** of FIG. 1. Game server **1025** may have a deferred game data server **1020** where the player's deferred game data may be stored and associated with the player. However, this is not intended to be limiting as the deferred game data may be stored in the player tracking server **1026** or any other desired location.

The player **1006** may then drive to a gas station **1030** to fill up the car with gas. While at the gas station **1030**, the PGD/MGD **1014** may enter the reconfigurable and repositionable game zone **1012**. The reconfigurable and repositionable game zone **1012** may have at least one portable transceiver **1010a-n** and at least one portable controller **1016**. The reconfigurable and repositionable game zone **1012** may also have at least one camera **1011**. The reconfigurable and repositionable game zone **1012** may be located or positioned proximate or near the pumps **1028** where gas may be obtained.

When presence of the PGD/MGD **1014** is detected proximate to or within the reconfigurable and repositionable game zone **1012**, the PGD/MGD **1014** may be permitted to play games of chance using monetary wager amounts. When located outside the reconfigurable and repositionable game zone **1012** and undetectable by the portable transceivers **1010a-n**, the PGD/MGD **1014** may not be permitted to play games of chance with monetary wager amounts.

The reconfigurable and repositionable game zone **1012** may have at least one camera **1011** for security, audit, or authorization purposes. Although illustrated as separate from the portable transceivers **1010a-n**, in one embodiment, the camera **1011** may be positioned within the portable transceiver **1010a-n**. The camera **1011** may be used for security purposes to ensure no illegal activities occur. In one embodiment, the camera **111** records the activities in a gaming zone (e.g. in at least a portion of the gaming zone and/or the entire gaming zone area). The recorded activities and information may then be stored in a mass storage device (hard drive, tape, cloud storage, and the like). Additionally, the camera **111** may be used for audit purposes. For example, if a player objects to a payout, the battery of the MGD device dies during a game session, power outage occurs at the gaming venue, or any other malfunction happens, the camera may be used to record game play, user actions, and the like to replay the game play. Moreover, the camera **1011** may

be used to authenticate the player (e.g. via facial recognition methods) and/or associate the player with the PGD/MGD.

While the player is obtaining gas at the pump 1028, the PGD/MGD 1014 may be authenticated and the establishment server 1018 may determine whether games of chance may be played on the PGD/MGD 1014.

If the PGD/MGD 1014 is permitted to play games of chance and deferred game data associated with the player is found, a deferred game data approval notification may be transmitted to the PGD/MGD 1014. The notification may inquire as to whether the player would like to begin playing games of chance based on the deferred game data. The notification may include a "No" and "Yes" indicator or any other indicator to determine whether the player would like to start automatic play of the game of chance based on the saved deferred game data.

The player may approve play of the deferred game data while he pumping gas into the car. Thus, play of 777 may continue until the credit (e.g. total wager amount of \$20) is zero. Once all the gas is pumped into the car, the player may then exit the reconfigurable and repositionable game zone 1012 and drive back home 1004. Thus, once the PGD/MGD 1014 is no longer detected within the reconfigurable and repositionable game zone 1012, games of chance are no longer permitted to be played on the PGD/MGD 1006 using monetary wager amounts and the game ends.

FIG. 11 illustrates an exemplary computer device 1100 suitable for use with at least one embodiment of the invention. The methods, processes and/or graphical user interfaces discussed above can be provided by a computer device. Although the computing device 1100 is depicted as a desktop computer, the computer device 1100 can represent computing device of different form factors, such as a server machine or a portable electronic device. The computer device 1100 can include a display monitor 1102 having a single or multi-screen display 1104 (or multiple displays), a housing 1106, a keyboard 1108, and a mouse 1110. The mouse 1110 is representative of one type of pointing device. The housing 1106 can house a processing unit (or processor), system memory and a hard drive (not shown). The housing 1106 can also house a drive 1112, such as a DVD, CD-ROM or floppy drive. The drive 1112 can also be a removable hard drive, a Flash or EEPROM device, etc. Regardless, the drive 1112 may be utilized to store and retrieve software programs incorporating computer code that implements some or all aspects of the invention, data for use with the invention, and the like. Although CD-ROM 1114 is shown as an exemplary computer readable storage medium, other computer readable storage media including floppy disk, tape, Flash or EEPROM memory, memory card, system memory, and hard drive may be utilized. In one implementation, a software program for the computer system 1100 is provided in the system memory, the hard drive, the drive 1112, the CD-ROM 1114 or other computer readable storage medium and serves to incorporate the computer code that implements some or all aspects of the invention.

FIG. 12 is a block diagram of an example computing device 1200. The computing device 1200 can be the gaming server 112, gaming machine 104, mobile gaming device 108, analysis server 118, player tracking server 126, advertising server 114 illustrated in FIG. 1, or any other server or computing device used to carry out the various embodiments disclosed herein. The computing device 1200 can include a processor 1202 that pertains to a microprocessor or portable controller for controlling the overall operation of the computing device 1200. The computing device 1200 can store any type of data and information as discussed above in a file

system 1204 and a cache 1206. The file system 1204 is, typically, a storage disk or a plurality of disks. The file system 1204 typically provides high capacity storage capability for the computing device 1200. However, since the access time to the file system 1204 is relatively slow, the computing device 1200 can also include a cache 1206. The cache 1206 is, for example, Random-Access Memory (RAM) provided by semiconductor memory. The relative access time to the cache 1206 is substantially shorter than for the file system 1204. However, the cache 1206 does not have the large storage capacity of the file system 1204. Further, the file system 1204, when active, consumes more power than does the cache 1206. The computing device 1200 also includes a RAM 1220 and a Read-Only Memory (ROM) 1222. The ROM 1222 can store programs, utilities or processes to be executed in a non-volatile manner. The RAM 1220 provides volatile data storage, such as for the cache 1206.

The computing system 1200 also includes a user input device 1208 that allows a user of the computing system 1200 to interact with the computing system 1200. For example, the user input device 1208 can take a variety of forms, such as a button, keypad, touch screen, dial, and the like. Still further, the computing system 1200 includes a display 1210 (screen display) that can be controlled by the processor 1202 to display information to the user. A data bus 1211 can facilitate data transfer between at least the file system 1204, the cache 1206, the processor 1202, and the CODEC 1212.

The computing system 1200 can also include a network/bus interface 1216 that couples to a data link 1218. The data link 1218 allows the computing system 1200 to couple to a host computer or data network, such as the Internet. The data link 1218 can be provided over a wired connection or a wireless connection. In the case of a wireless connection, the network/bus interface 1216 can include a wireless portable transceiver.

While embodiments and applications of this invention have been shown and described, it would be apparent to those skilled in the art having the benefit of this disclosure that many more modifications than mentioned above are possible without departing from the inventive concepts herein.

What is claimed is:

1. A system, comprising:

a plurality of transceivers forming a gaming zone, at least one transceiver of the plurality of transceivers being configured to:

detect whether a player is within the gaming zone using a first communication method,

in response to detecting the player is within the gaming zone, detect whether a mobile gaming device is within the gaming zone using a second communication method that is different than the first communication method, and

in response to detecting that both the player and the mobile gaming device are within the gaming zone, transmit player data relating to the player or mobile device data relating to the mobile device; and

a gaming server configured to:

receive the player data and the mobile device data from the at least one transceiver, and

in response to receiving the player data or the mobile device data, transmit game of chance data to, or receive game of chance data from, the mobile gaming device, thereby allowing the player to play a game of chance on the mobile gaming device.

35

2. The system of claim 1, wherein the at least one transceiver comprises:

- a first communication device configured to use the first communication method, and
- a second communication device configured to use the second communication method.

3. The system of claim 1, wherein the first communication method comprises a near field communication method or a radio frequency identification method, and the second communication method comprises a Bluetooth method or a short range wireless fidelity method.

4. The system of claim 1, wherein the first communication method uses a first frequency, and the second communication method uses a second frequency that is different than the first frequency.

5. The system of claim 1, wherein detecting whether the player is present within the gaming zone comprises attempting to obtain the player data from a player item using the first communication method.

6. The system of claim 1, wherein detecting whether the mobile gaming device is within the gaming zone comprises attempting to obtain the mobile device data from the mobile gaming device using the second communication method.

7. The system of claim 1, wherein the gaming server is configured to transmit the game of chance data to, or receive the game of chance data from, the mobile gaming device in response to: (i) receiving the player data or the mobile device data from the at least one transceiver, (ii) verifying, using the player data or the mobile device data, that the player is associated with the mobile gaming device, and (iii) verifying, using the player data or the mobile device data, that the player is authorized to play the game of chance using the mobile gaming device.

8. A system, comprising:

- a plurality of transceivers forming a gaming zone, each transceiver of the plurality of transceivers being configured to:

detect whether a player is within the gaming zone using a first communication method,

in response to detecting the player is within the gaming zone, detect whether a mobile gaming device associated with the player is within the gaming zone using a second communication method that is different than the first communication method, and

in response to detecting that both the player and the mobile gaming device are within the gaming zone, transmit player data relating to the player or mobile device data relating to the mobile device; and

- a gaming server configured to:

receive the player data or the mobile device data from at least one transceiver of the plurality of transceivers, and

in response to receiving the player data or the mobile device data, transmit game of chance data to, or receive game of chance data from, the mobile gaming device to allow the player to play a game of chance on the mobile gaming device.

9. The system of claim 8, wherein each transceiver comprises:

- a first communication device configured to use the first communication method, and
- a second communication device configured to use the second communication method.

10. The system of claim 8, wherein the first communication device comprises a near field communication device or a radio frequency identification device, and the second

36

communication device comprises a Bluetooth device or a short range wireless fidelity device.

11. The system of claim 8, wherein the first communication device uses a first frequency, and the second communication method device a second frequency that is different than the first frequency.

12. The system of claim 8, wherein detecting whether the player is present within the gaming zone comprises attempting to obtain the player data from a player card using the first communication method, and detecting whether the mobile gaming device associated with the player is within the gaming zone comprises attempting to obtain the mobile device data from the mobile gaming device using the second communication method.

13. The system of claim 8, wherein the gaming server is configured to transmit the game of chance data to, or receive the game of chance data from, the mobile gaming device in response to: (i) receiving the player data or the mobile device data from the at least one transceiver, (ii) verifying, using the player data or the mobile device data, that the player is associated with the mobile gaming device, and (iii) verifying, using the player data or the mobile device data, that the player is authorized to play the game of chance using the mobile gaming device.

14. The system of claim 13, wherein (i) verifying that the player is associated with the mobile gaming device comprises analyzing camera data from a camera, or (ii) verifying that the player is authorized to play the game of chance using the mobile gaming device comprises verifying that a gaming account associated with the player or the mobile gaming device has sufficient funds to play a game of chance, or verifying that proper gaming software is installed on the mobile gaming device.

15. A method, comprising:

detecting whether a player is present within a gaming zone using a first communication method of a transceiver, the transceiver being one of a plurality of transceivers forming the gaming zone;

in response to detecting the player is present within the gaming zone, detecting whether a mobile gaming device associated with the player is within the gaming zone using a second communication method of the transceiver, the second communication method being different than the first communication method;

in response to detecting that both the player and the mobile gaming device are present within the gaming zone, transmitting player data relating to the player or mobile device data relating to the mobile device from the transceiver to a gaming server; and

in response to receiving the player data or the mobile device data at the gaming server, allowing the player to play the game of chance on the mobile gaming device by transmitting game of chance data from the gaming server to, or receiving game of chance data at the gaming server from, the mobile gaming device.

16. The method of claim 15, wherein the transceiver comprises a first communication device configured to use the first communication method and a second communication device configured to use the second communication method.

17. The method of claim 15, wherein the first communication method comprises a near field communication method or a radio frequency identification method, and the second communication method comprises a Bluetooth method or a short range wireless fidelity method.

18. The method of claim **17**, wherein the first communication method uses a first frequency, and the second communication method uses a second frequency that is different than the first frequency.

19. The method of claim **15**, wherein detecting whether the player is present within the gaming zone comprises attempting to obtain the player data from a player card using the first communication method. 5

20. The method of claim **15**, wherein detecting whether the mobile gaming device associated with the player is within the gaming zone comprises attempting to obtain the mobile device data from the mobile gaming device using the second communication method. 10

* * * * *