US0D1093272S

(12) **United States Design Patent**
Kindig

(10) **Patent No.: US D1,093,272 S**
(45) **Date of Patent: ** Sep. 16, 2025**

(54) **TIRE**

(71) Applicant: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(72) Inventor: **Michael A. Kindig**, Aurora, OH (US)

(73) Assignee: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/933,095**

(22) Filed: **Mar. 18, 2024**

(51) **LOC (15) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/604**

(58) **Field of Classification Search**
USPC D12/568–604, 900, 901
CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D499,066	S		11/2004	Covey	
D597,022	S		7/2009	Pringiers	
D604,690	S		11/2009	Dixon	
D634,265	S		3/2011	Shan	
D636,330	S		4/2011	Pringiers	
D637,150	S	*	5/2011	Koshio	D12/594
D642,116	S		7/2011	Pringiers	
D643,804	S	*	8/2011	Dixon	D12/594
D647,041	S	*	10/2011	Kojima	D12/604
D648,674	S		11/2011	Mayni	
D662,038	S		6/2012	Mayni	
D675,981	S	*	2/2013	Kuwahara	D12/568
D730,273	S	*	5/2015	Schimmoeller	D12/601
D759,584	S	*	6/2016	Ono	D12/588
D763,784	S		8/2016	Mathonet	
D779,417	S	*	2/2017	De Giacco	D12/559
D780,677	S		3/2017	Ropars	
D784,249	S		4/2017	Dixon	
D785,552	S	*	5/2017	Shondel	D12/594
D785,556	S		5/2017	Dixon	
D788,692	S		6/2017	Spinnler	
D795,168	S		8/2017	Hixson	
D811,992	S	*	3/2018	Di-Mauro	D12/594
D847,730	S		5/2019	Dixon	
D856,912	S	*	8/2019	Schultz	D12/604
D861,585	S		10/2019	Ropars	
D862,376	S		10/2019	Falempin	
D870,027	S	*	12/2019	Wang	D12/594
D870,029	S	*	12/2019	Wang	D12/594
D886,041	S	*	6/2020	Schultz	D12/604
D900,728	S		11/2020	Dixon	

(Continued)

Primary Examiner — John A Voytek
(74) *Attorney, Agent, or Firm* — Shaun J. Fox

(57) **CLAIM**

The ornamental design for a tire as shown and described.

DESCRIPTION

FIG. **1** is a side perspective view of a tire showing my new design; it being understood that the pattern is repeated throughout the circumference of the tire;
FIG. **2** is a front elevational view thereof; it being understood that the pattern is repeated throughout the circumference of the tire;
FIG. **3** is a side elevational view of the left side thereof;
FIG. **4** is a side elevational view of the right side thereof; and,
FIG. **5** is an enlarged fragmentary side elevational view thereof.
In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets





(56) **References Cited**

U.S. PATENT DOCUMENTS

D973,013	S		12/2022	Dixon	
D985,481	S	*	5/2023	Meier	D12/588
D994,588	S		8/2023	De Bruyn	
D1,042,307	S	*	9/2024	Patil	D12/588
D1,053,796	S	*	12/2024	Berry	D12/588
D1,056,814	S	*	1/2025	Martin	D12/600
D1,067,858	S	*	3/2025	Larregain	D12/588

* cited by examiner



FIG.1



FIG.2



FIG.3



FIG.4



FIG.5