

US012386475B2

(12) United States Patent Pearl et al.

(54) SYSTEM AND METHODS FOR CONFIGURING EVENT-BASED AUTOMATION IN CLOUD-BASED COLLABORATION PLATFORMS

(71) Applicant: **Box, Inc.**, Redwood City, CA (US)

(72) Inventors: Annie Pearl, San Francisco, CA (US);

Matthew Taro Duvall, San Francisco,
CA (US); Joy Ebertz, San Jose, CA
(US); Victor Valdez, Los Altos, CA
(US); Steven Cipolla, Los Altos, CA
(US)

(73) Assignee: Box, Inc., Redwood City, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 1 day.

This patent is subject to a terminal disclaimer.

Claimer

(21) Appl. No.: 18/485,997

(22) Filed: Oct. 12, 2023

(65) **Prior Publication Data**

US 2024/0036695 A1 Feb. 1, 2024

Related U.S. Application Data

- (63) Continuation of application No. 17/902,544, filed on Sep. 2, 2022, now Pat. No. 11,822,759, which is a (Continued)
- (51) Int. Cl. H04L 65/401 (2022.01) G06F 3/048 (2013.01) (Continued)

(Continued)

(10) Patent No.: US 12.386.475 B2

(45) **Date of Patent:** *Aug. 12, 2025

(58) Field of Classification Search

CPC G06F 3/048; G06Q 10/10; G06Q 10/101; H04L 67/535

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

858,619 A 7/1907 O'Farrel 5,748,735 A 5/1998 Ganesan (Continued)

FOREIGN PATENT DOCUMENTS

CA 2724521 11/2009 CN 101997924 3/2011 (Continued)

OTHER PUBLICATIONS

Hannes Obweger et al., Discovering Hierarchical Patterns in Event-Based Systems, Jul. 1, 2010, IEEE International Conference on Services Computing, pp. 329-336 (Year: 2010).*


(Continued)

Primary Examiner — Tam T Tran (74) Attorney, Agent, or Firm — Sheridan Ross P.C.

(57) ABSTRACT

Scalable architectures, systems, and services are provided herein for generating jobs by applying user-specified rules to events in an action log framework (ALF) stream is disclosed. More specifically, collaboration environments can include features or mechanisms that allow end-users or collaborators to perform a variety of actions such as, for example, file uploads and previews, or collaboration operations such as, for example, task assignment and comments. These actions can be captured or logged by an action log framework and, as described herein, automatically translated into one or more jobs by applying customizable user-specified rules.

20 Claims, 16 Drawing Sheets



12/2006 Ji et al.

Related U.S. Application Data 7,152,182 B2 7,155,483 B1 12/2006 Friend et al. continuation of application No. 16/944,632, filed on 7,165,107 B2 1/2007 Pouyoul et al. 7,178,021 B1 2/2007 Hanna et al. Jul. 31, 2020, now Pat. No. 11,435,865, which is a 7,222,078 B2 5/2007 Abelow continuation of application No. 16/410,713, filed on 7,275,244 B1 9/2007 Bell et al. May 13, 2019, now Pat. No. 10,768,770, which is a 7,296,025 B2 11/2007 Kung et al. continuation of application No. 14/075,849, filed on 7,346,778 B1 3/2008 Guiter et al. Nov. 8, 2013, now Pat. No. 10,509,527. 7,353,252 B1 4/2008 Design 7,362,868 B2 4/2008 Madoukh et al. 7,363,330 B1 4/2008 Elman et al. (60) Provisional application No. 61/877,917, filed on Sep. 7,370,269 B1 5/2008 Prabhu et al. 13, 2013. 7,386,545 B2 6/2008 Kalucha et al. 7,401,117 B2 7/2008 Dan et al. 7,543,000 B2 Castro et al. 6/2009 (51) Int. Cl. 7,581,221 B2 8/2009 Lai et al. G06F 8/34 (2018.01)7,620,565 B2 11/2009 Abelow G06O 10/10 (2023.01)7,647,559 B2 1/2010 Yozell-Epstein et al. G06F 9/451 (2018.01)7,650,367 B2 1/2010Arruza 7,661,088 B2 G06F 16/23 (2019.01)2/2010 Burke 7,665,093 B2 2/2010 Maybee et al. H04L 67/50 (2022.01)7,676,542 B2 3/2010 Moser et al. (52) U.S. Cl. 7,698,363 B2 4/2010 Dan et al. CPC G06F 16/2358 (2019.01); H04L 65/4015 7.734.600 B1 6/2010 Wise et al. 7,756,843 B1 (2013.01); H04L 67/535 (2022.05) 7/2010 Palmer 7,774,412 B1 8/2010 Schnepel 7,814,426 B2 10/2010 Huesken et al. (56)References Cited 7,886,287 B1 2/2011 Davda 7,886,295 B2 2/2011 Burger et al. U.S. PATENT DOCUMENTS 7,890,964 B2 2/2011 Vogler-Ivashchanka et al. 7,937,663 B2 5/2011 Parker et al. 5,787,175 A 7/1998 Carter 7,958,353 B2 6/2011 Matsuzaki et al. 8/1998 Klug 5,799,320 A 7,958,453 B1 6/2011 Taing 5,848,415 A 12/1998 Guck 7,979,296 B2 7/2011 Kruse et al. 5,864,870 A 1/1999 Guck 7,996,374 B1 8/2011 Jones et al. 5,978,480 A 11/1999 Fong et al. 8,027,976 B1 9/2011 Ding et al. 5,999,908 A 12/1999 Abelow Bruening et al. 8,065,739 B1 11/2011 6,016,467 A 1/2000 Newsted et al. 8,090,361 B2 1/2012 Hagan 6,034,621 A 3/2000 Kaufman 8,103,662 B2 1/2012 Eagan et al. 6,055,543 A 4/2000 Christensen et al. 8.117.261 B2 2/2012 Briere et al. Thurlow G06F 40/35 6,057,841 A 5/2000 8,140,513 B2 3/2012 Ghods et al. 715/810 8.151.183 B2 4/2012 Chen et al. 6,073,161 A 6/2000 Deboskey et al. 8,185,830 B2 8,200,582 B1 5/2012 Saha et al. 6,098,078 A 8/2000 Gehani et al. 6/2012 Zhu 6,226,618 B1 5/2001 Downs et al. 8,214,747 B1 7/2012 Yankovich et al. 6,226,630 B1 5/2001 Billmers 8,230,348 B2 7/2012 Peters et al. 6,260,040 B1 7/2001 Kauffman et al. 8,239,918 B1 8/2012 Cohen 6,289,345 B1 9/2001 Yasue 8.326,814 B2 12/2012 Ghods et al. 6,292,803 B1 9/2001 Richardson et al. 8,347,276 B2 1/2013 Schadow 6,336,124 B1 1/2002 Alam et al. 8,358,701 B2 1/2013 Chou et al. 6,342,906 B1 1/2002 Kumar et al. 8,370,803 B1 2/2013 Holler et al. 6,345,386 B1 2/2002 Delo et al. 8,429,540 B1 4/2013 Yankovich et al. 6,370,543 B2 4/2002 Hoffert et al. 8,464,161 B2 6/2013 Giles et al. 6,374,260 B1 4/2002 Hoffert et al. 8,515,902 B2 8/2013 Savage 6,385,606 B2 5/2002 Inohara et al. 8,527,549 B2 9/2013 Cidon 6,396,593 B1 5/2002 Laverty et al. 8,549,066 B1 10/2013 Donahue et al. 6,441,641 B1 8/2002 Pang et al. 8,549,511 B2 8,582,777 B2 10/2013 Seki et al. 6,539,381 B1 3/2003 Prasad et al. 11/2013 Urivsky et al. 6,636,872 B1 10/2003 Heath et al. 8,583,619 B2 8,607,306 B1 11/2013 Ghods et al. 6,636,897 B1 10/2003 Sherman et al. 12/2013 Bridge et al. 6,654,737 B1 11/2003 Nunez 8,650,498 B1 2/2014 Mihovilovic 6,658,453 B1 12/2003 Dattatri 8,719,445 B2 5/2014 Ko 6,662,186 B1 12/2003 Esquibel et al. 8,745,267 B2 6/2014 Luecke et al. 6,687,878 B1 2/2004 Eintracht et al. 8,825,597 B1 9/2014 Houston et al. 6,714,968 B1 3/2004 Prust 8,849,955 B2 9/2014 Prahlad et al. 6,735,623 B1 5/2004 Prust 8,868,574 B2 10/2014 Kiang et al. 6,742,181 B1 5/2004 Koike et al. 8,892,679 B1 11/2014 Destagnol et al. 6.760.721 B1 7/2004 Chasen et al. 8,914,856 B1 12/2014 Velummylum et al. 6,947,162 B2 9/2005 Rosenberg et al. 8,914,900 B2 12/2014 Smith et al. 6,952,724 B2 10/2005 Prust 8,918,387 B1 12/2014 Sokolov 6,996,768 B1 2/2006 Elo et al. 8,930,475 B1 1/2015 North 7,003,667 B1 2/2006 Slick et al. 8,949,939 B2 2/2015 Peddada 7,010,752 B2 3/2006 Ly 8,959,579 B2 2/2015 Barton et al. 7,020,697 B1 3/2006 Goodman et al. 8,966,062 B1 2/2015 Giese et al. 7,039,806 B1 5/2006 Friedman et al. 7,069,393 B2 8,990,955 B2 3/2015 Hymel et al. 6/2006 Miyata et al. 9,535,909 B2 1/2017 Masse et al. 7,130,831 B2 10/2006 Howard et al. 10,509,527 B2 7,133,834 B1 12/2019 Pearl et al. 11/2006 Abelow 10,768,770 B2 9/2020 Pearl et al. 7,143,136 B1 11/2006 Drenan et al. 7,149,787 B1 12/2006 Mutalik et al. 11,435,865 B2 9/2022 Pearl et al.

US 12,386,475 B2 Page 3

(56)	Referen	ices Cited	2006/0174051 A1		Lordi et al.
U.S.	PATENT	DOCUMENTS	2006/0174054 A1 2006/0179070 A1		Matsuki George et al.
0.0.			2006/0179309 A1		Cross et al.
11,822,759 B2		Pearl et al.	2006/0242204 A1		Karas et al.
2001/0027492 A1		Gupta et al.	2006/0242206 A1 2006/0259524 A1	11/2006	Brezak et al.
2002/0029218 A1 2002/0091738 A1		Bentley et al. Rohrabaugh et al.	2006/0265489 A1	11/2006	
2002/0091738 A1 2002/0099772 A1		Dehpande et al.	2006/0271510 A1		Harward et al.
2002/0116544 A1		Barnard et al.	2006/0288043 A1		Novak et al.
2002/0133509 A1		Johnston et al.	2007/0038934 A1 2007/0061266 A1		Fellman Moore et al.
2002/0147770 A1	10/2002	Tang Tang et al.	2007/0001200 A1 2007/0061393 A1	3/2007	
2002/0188753 A1 2002/0194177 A1		Sherman et al.	2007/0061487 A1		Moore et al.
2003/0041095 A1	2/2003	Konda et al.	2007/0067349 A1		Jhaveri et al.
2003/0084306 A1		Abburi et al.	2007/0079242 A1 2007/0100830 A1		Jolley et al. Beedubail et al.
2003/0093404 A1 2003/0108052 A1		Bader et al. Inoue et al.	2007/0100830 A1 2007/0106536 A1		Moore
2003/0108032 A1 2003/0110264 A1		Whidby et al.	2007/0106537 A1		Moore
2003/0115326 A1		Verma et al.	2007/0106750 A1		Moore
2003/0135536 A1	7/2003		2007/0106751 A1 2007/0106752 A1		Moore Moore
2003/0135565 A1 2003/0154306 A1	7/2003 8/2003	Estrada	2007/0106752 A1 2007/0106753 A1		Moore
2003/0134300 A1 2003/0204490 A1	10/2003		2007/0106754 A1		Moore
2003/0217171 A1		Von Stuermer et al.	2007/0115845 A1		Hochwarth et al.
2003/0228015 A1		Futa et al.	2007/0116036 A1 2007/0116037 A1		Moore Moore
2004/0021686 A1		Barberis Miller et al	2007/0118598 A1		Bedi et al.
2004/0088647 A1 2004/0098361 A1	5/2004	Miller et al.	2007/0124460 A1	5/2007	McMullen et al.
2004/0103147 A1		Flesher et al.	2007/0124737 A1		Wensley et al.
2004/0111415 A1	6/2004	Scardino et al.	2007/0124781 A1	5/2007 6/2007	Casey et al.
2004/0117407 A1*	6/2004	Kumar G06Q 10/10	2007/0126635 A1 2007/0130143 A1		Zhang et al.
2004/0117438 A1 2004/0122949 A1		Considine et al. Zmudzinski et al.	2007/0130163 A1		Perez et al.
2004/0128359 A1		Horvitz et al.	2007/0156630 A1		Steinmaier et al.
2004/0177138 A1		Salle et al.	2007/0162610 A1		Un et al. Moore
2004/0181579 A1		Huck et al.	2007/0168461 A1 2007/0198609 A1		Black et al.
2004/0196307 A1 2004/0201604 A1		Zak et al. Kraenzel et al.	2007/0208878 A1		Barnes-Leon et al.
2004/0218214 A1		Kihara et al.	2007/0214180 A1		Crawford
2004/0230624 A1		Frolund et al.	2007/0220016 A1		Estrada et al.
2004/0246532 A1	12/2004		2007/0220590 A1 2007/0240057 A1	10/2007	Rasmussen et al. Satterfield et al.
2004/0267836 A1 2005/0005276 A1		Armangau et al. Morgan	2007/0250762 A1		Mansfield
2005/0010860 A1		Weiss et al.	2007/0256065 A1		Heishi et al.
2005/0022229 A1		Gabriel et al.	2007/0266304 A1 2007/0282848 A1		Fletcher et al. Kiilerich et al.
2005/0028006 A1 2005/0038997 A1		Leser et al. Kojima et al.	2007/0282848 AT 2007/0288290 AT		Motoyama et al.
2005/0038997 A1 2005/0044250 A1		Gay et al.	2008/0005135 A1		Muthukrishnan et al.
2005/0050228 A1		Perham et al.	2008/0005195 A1		Li et al.
2005/0063083 A1		Dart et al.	2008/0016146 A1 2008/0021959 A1		Gan et al. Naghi et al.
2005/0097225 A1 2005/0102328 A1		Glatt et al. Ring et al.	2008/0021939 A1 2008/0028323 A1		Rosen et al.
2005/0102528 A1 2005/0108406 A1		Lee et al.	2008/0040151 A1	2/2008	Moore
2005/0114305 A1	5/2005	Haynes et al.	2008/0040173 A1		Aleong et al.
2005/0138118 A1		Banatwala et al.	2008/0040503 A1 2008/0046828 A1		Kleks et al. Bibliowicz et al.
2005/0182966 A1 2005/0198299 A1		Pham et al. Beck et al.	2008/0059656 A1		Saliba et al.
2005/0198452 A1		Watanabe	2008/0063210 A1		Goodman et al.
2005/0234864 A1		Shapiro	2008/0065881 A1	3/2008 3/2008	Dawson et al.
2005/0234943 A1	10/2005		2008/0077631 A1 2008/0091763 A1		Devonshire et al.
2005/0261933 A1 2006/0005163 A1		Magnuson Huesken et al.	2008/0091790 A1	4/2008	
2006/0022048 A1		Johnson	2008/0104277 A1	5/2008	
2006/0026502 A1	2/2006		2008/0114720 A1 2008/0147790 A1		Smith et al. Malaney et al.
2006/0026535 A1 2006/0036568 A1		Hotelling et al. Moore et al.	2008/0147790 A1 2008/0151817 A1		Fitchett et al.
2006/0030308 A1 2006/0041603 A1		Paterson et al.	2008/0154873 A1	6/2008	Redlich et al.
2006/0041752 A1	2/2006	Tuvell et al.	2008/0182628 A1		Lee et al.
2006/0047804 A1		Fredricksen et al.	2008/0183467 A1 2008/0184130 A1		Yuan et al. Tien et al.
2006/0053088 A1 2006/0053380 A1		Ali et al. Spataro et al.	2008/0184130 A1 2008/0194239 A1	8/2008	
2006/00733380 A1 2006/0070083 A1		Brunswig et al.	2008/0215883 A1		Fok et al.
2006/0075071 A1	4/2006	Gillette	2008/0222654 A1	9/2008	Xu et al.
2006/0101328 A1		Albornoz et al.	2008/0243807 A1		Gaucas et al.
2006/0117247 A1		Fite et al.	2008/0243855 A1		Prahlad et al.
2006/0123062 A1 2006/0133340 A1		Bobbitt et al. Rybak et al.	2008/0250028 A1 2008/0250333 A1		Rutherglen et al. Reeves et al.
2006/0168550 A1		Muller et al.	2008/0250333 A1 2008/0250348 A1		Alimpich et al.
					-

US 12,386,475 B2 Page 4

(56)	Referen	ices Cited	2010/0218237		Ferris et al.
U.S.	PATENT	DOCUMENTS	2010/0223378 A 2010/0229085 A		Wei Nelson et al.
0.0		DOCUMENTO	2010/0235526		Carter et al.
2008/0263099 A1		Brady-Kalnay et al.	2010/0241611 A 2010/0241972 A		Zuber Spataro et al.
2008/0271095 A1 2008/0276158 A1		Shafton Lim et al.	2010/0250120		Waupotitsch et al.
2008/0294899 A1		Gazzetta et al.	2010/0251340		Martin et al.
2009/0015864 A1		Hasegawa	2010/0257457 A 2010/0262582 A		De Goes Garcia-Ascanio et al.
2009/0019093 A1 2009/0019426 A1		Brodersen et al. Baeumer et al.	2010/0267588		Nelson et al.
2009/0019420 A1 2009/0030710 A1		Levine	2010/0274765	10/2010	Murphy et al.
2009/0031006 A1		Johnson	2010/0281118 A 2010/0290623 A		Donahue et al. Banks et al.
2009/0037520 A1 2009/0043848 A1		Loffredo Kordun	2010/0290023 2		
2009/0043848 A1 2009/0044128 A1		Baumgarten et al.	2010/0318893	A1 12/2010	Mathews et al.
2009/0049131 A1	2/2009	Lyle et al.	2010/0322252		Suganthi et al.
2009/0119322 A1		Mills et al.	2010/0325155 A 2010/0325527 A		Skinner et al. Erstrada et al.
2009/0125469 A1 2009/0132651 A1		McDonald et al. Roger et al.	2010/0325559		Westerinen et al.
2009/0138808 A1		Moromisato et al.	2010/0325655		
2009/0150417 A1		Ghods et al.	2010/0332401 A 2010/0332962 A		Prahlad et al. Hammer et al.
2009/0150627 A1 2009/0158142 A1	6/2009 6/2009		2010/0333116		Prahlad et al.
2009/0164438 A1		Delacruz	2011/0001763		Murakami
2009/0171983 A1		Samji et al.	2011/0016409 A 2011/0022642 A		Grosz et al. deMilo et al.
2009/0172773 A1 2009/0177754 A1	7/2009	Moore Brezina et al.	2011/0029883		Lussier et al.
2009/0193107 A1	7/2009		2011/0040812	41 2/2011	Phillips
2009/0193345 A1		Wensley et al.	2011/0041083 A 2011/0047413 A		Gabai et al. McGill et al.
2009/0198772 A1 2009/0210459 A1		Kim et al. Nair et al.	2011/0047413 2		Mount et al.
2009/0210439 A1 2009/0214115 A1		Kimura et al.	2011/0052155	A1 3/2011	Desmarais et al.
2009/0234850 A1	9/2009	Kocsis et al.	2011/0054968		Galaviz
2009/0235167 A1	9/2009		2011/0055299 A 2011/0055721 A		Phillips Jain et al.
2009/0235181 A1 2009/0235189 A1	9/2009 9/2009	Saliba et al. Aybes et al.	2011/0061045		Phillips
2009/0249224 A1	10/2009	Davis et al.	2011/0061046		Phillips
2009/0254589 A1		Nair et al.	2011/0065082 A 2011/0083167 A		Gal et al. Carpenter et al.
2009/0259694 A1 2009/0260060 A1	10/2009 10/2009	Smith et al.	2011/0093567		Jeon et al.
2009/0265430 A1		Bechtel et al.	2011/0099006		Sundararaman et al.
2009/0271708 A1		Peters et al.	2011/0107088 A 2011/0107205 A		Eng et al. Chow et al.
2009/0276771 A1 2009/0282212 A1		Nickolov et al. Peterson	2011/0113320	A 1 5/2011	Neff et al.
2009/0282483 A1	11/2009		2011/0119313		Sung et al.
2009/0288135 A1	11/2009	Ų	2011/0125847 A 2011/0131299 A		Cocheu et al. Sardary
2009/0300356 A1 2009/0300527 A1	12/2009	Crandell Malcollm et al.	2011/0137991		Russell
2009/0327358 A1		Lukiyanov et al.	2011/0142410		
2009/0327405 A1		Fitzgerald et al.	2011/0145589 A 2011/0145744 A		Camenisch et al. Haynes et al.
2010/0011292 A1 2010/0011447 A1		Marinkovich et al. Jothimani	2011/0154180		Evanitsky et al.
2010/0017262 A1		Iyer et al.	2011/0161289		Pei et al.
2010/0017619 A1	1/2010	Errico	2011/0167125 A 2011/0167435 A		Achlioptas
2010/0036929 A1 2010/0042720 A1		Scherpa et al. Stienhans et al.	2011/0107433 2		Chawla et al.
2010/0057560 A1		Skudlark et al.	2011/0202424		Chun et al.
2010/0057785 A1		Khosravy et al.	2011/0202599 A 2011/0208958 A		Yuan et al. Stuedi et al.
2010/0076946 A1 2010/0082634 A1		Barker et al. Leban	2011/0208938 1		Jorgensen et al.
2010/0082034 A1 2010/0083136 A1		Komine et al.	2011/0213765	A 1 9/2011	Cui et al.
2010/0088150 A1		Mazhar et al.	2011/0219419 A 2011/0225417 A		Reisman Maharajh et al.
2010/0092126 A1 2010/0093310 A1		Kaliszek et al. Gbadegesin et al.	2011/0223417 2		Purcell et al.
2010/0107225 A1		Spencer et al.	2011/0238621	41 9/2011	Agrawal
2010/0131868 A1		Chawla et al.	2011/0238759		Spataro et al.
2010/0151431 A1 2010/0153835 A1		Miller et al. Xiong et al.	2011/0239135 A 2011/0246294 A		Spataro et al. Robb et al.
2010/0153855 A1 2010/0162365 A1		Del Real	2011/0246950	10/2011	Luna et al.
2010/0162374 A1	6/2010	Nair	2011/0252071		
2010/0179940 A1		Gilder et al.	2011/0252320		Arrasvuori et al. Lemonik et al.
2010/0185463 A1 2010/0185932 A1		Noland et al. Coffman et al.	2011/0252339 A 2011/0258461 A		
2010/0191689 A1		Cortes et al.	2011/0258561		Ladouceur et al.
2010/0198783 A1		Wang et al.	2011/0277027		Hayton et al.
2010/0198871 A1	8/2010	-	2011/0282710		Akkiraju et al. Whalin et al.
2010/0198944 A1 2010/0205537 A1		Ho et al. Knighton et al.	2011/0289433 A 2011/0296022 A		Ferris et al.
2010,0203331 AI	5,2010	imamon or an	2011.0270022 1	12/2011	_ villo et ui.

US 12,386,475 B2Page 5

(56)	Referen	nces Cited	2013/0117			Dunham
II	S PATENT	DOCUMENTS	2013/0117 2013/0124			Filman et al. Barreto et al.
O	.s. IAILNI	DOCOMENTS	2013/0124		5/2013	
2011/0313803 A	.1 12/2011	Friend et al.	2013/0138		5/2013	
2011/0320197 A		Conejero et al.	2013/0138			Gupta et al.
2012/0036370 A		Lim et al.	2013/0159 2013/0163			Bowen Kim et al.
2012/0057696 A 2012/0064879 A			2013/0167		6/2013	
2012/0079095 A		Evans et al.	2013/0179		7/2013	
2012/0089659 A	4/2012	Halevi et al.	2013/0185			Romano
2012/0096521 A		Peddada	2013/0185 2013/0191			Seibert et al. Haden et al.
2012/0110005 A 2012/0110436 A		Kuo et al. Adler, III et al.	2013/0198			Lockhart et al.
2012/0110430 A 2012/0110443 A		Lemonik et al.	2013/0212	067 A1		Piasecki et al.
2012/0117626 A	.1 5/2012	Yates et al.	2013/0212			Joshi et al.
2012/0124306 A		Abercrombie et al.	2013/0218 2013/0239			Weinstein et al. Perrodin et al.
2012/0124547 A 2012/0130900 A		Halbedel Tang et al.	2013/0246			Massand
2012/0134491 A			2013/0246	932 A1		Zaveri et al.
2012/0136936 A		Quintuna	2013/0262			Savage et al.
2012/0144283 A		Hill et al.	2013/0262 2013/0268		10/2013 10/2013	
2012/0150888 A 2012/0151551 A		Hyatt et al. Readshaw et al.	2013/0268			Chung et al.
2012/0151331 A 2012/0159178 A		Lin et al.	2013/0275		10/2013	York et al.
2012/0159310 A		Chang et al.	2013/0275			Micucci et al.
2012/0166516 A		Simmons et al.	2013/0282 2013/0282			Durrant et al. Besen et al.
2012/0173612 A 2012/0173625 A		Vegesna-Venkata et al. Berger	2013/0282		10/2013	
2012/0173023 A 2012/0179981 A		Whalin et al.	2013/0305		11/2013	
2012/0185355 A		Kilroy	2013/0326			Masselle et al.
2012/0185913 A		Martinez et al.	2014/0007 2014/0013			Oikonomou Cidon et al.
2012/0192055 A		Antebi et al. Ghods H04L 12/1859	2014/0019			Cidon et al.
2012/0192086 A	1/2012	715/753	2014/0019			Cidon et al.
2012/0203670 A	.1 8/2012	Piersol	2014/0032			Hebbar et al.
2012/0203908 A		Beaty et al.	2014/0032 2014/0033		1/2014	Nack Xiao et al.
2012/0204032 A		Wilkins et al.	2014/0033		1/2014	
2012/0214444 A 2012/0218885 A		McBride et al. Abel et al.	2014/0052			Tseng et al.
2012/0218885 A 2012/0222106 A			2014/0059			Pizurica
2012/0224691 A		Purohit	2014/0068		3/2014	Barak Rathod
2012/0226767 A		Luna et al.	2014/0074 2014/0150			Guddorf et al.
2012/0233155 A 2012/0233205 A		Gallmeier et al. McDermott	2014/0156			Roberts et al.
2012/0233543 A		Vagell et al.	2014/0172			Beddow et al.
2012/0240061 A		Hillenius et al.	2014/0181 2014/0208			Ge et al. Brandwine et al.
2012/0240183 A 2012/0257249 A		Sinha Natarajan	2014/0203		7/2014	
2012/0257249 A 2012/0259964 A		Lin et al.	2014/0281		9/2014	Vogel et al.
2012/0263166 A		Cho et al.	2014/0344			Buszee et al.
2012/0266203 A		Elhadad et al.	2014/0359 2015/0019			Wen et al. Kweon et al.
2012/0284290 A		Keebler et al.	2015/0056			Bercovitz et al.
2012/0284638 A 2012/0284664 A		Cuttler et al. Zhao	2015/0081			Masse et al.
2012/0291011 A			2016/0004		1/2016	
2012/0296790 A			2016/0065 2017/0046			Pearl et al. Fletcher et al.
2012/0309540 A 2012/0311049 A		Holme et al. Johansson et al.	2017/0046			Fletcher et al.
2012/0311049 A 2012/0311157 A		Erickson et al.	2017/0010	571 211	2/201/	recencer or an
2012/0317239 A		Mulder et al.		FOREIG	N PATE	NT DOCUMENTS
2012/0317487 A		Lieb et al.				
2012/0328259 A 2012/0331177 A		Seibert., Jr. et al.	CN	10226		11/2011
2012/0331441 A		Adamson	EP EP		1661 9088	6/1999 10/2003
2013/0007245 A	.1 1/2013	Malik et al.	EP		8746	5/2005
2013/0007471 A		Grab et al.	EP	237.	2574	10/2011
2013/0007587 A 2013/0007894 A		Marantz et al. Dang et al.	EP GB		0776	7/2013
2013/0013560 A	.1 1/2013	Goldberg et al.	GB JP	09-10	1282 1937	12/2010 4/1997
2013/0014023 A		Lee et al.	JP	11-02		1/1999
2013/0042106 A 2013/0055127 A		Persaud et al. Saito et al.	JP	2003-27		9/2003
2013/0053127 A 2013/0067232 A		Cheung et al.	JP JP	200431		11/2004 10/2007
2013/0073403 A		Tuchman et al.	JP JP	09-26 200825		10/2007 10/2008
2013/0080919 A		Kiang et al.	KR	2004002		4/2004
2013/0103677 A		Chakra et al.	KR	2005001		2/2005
2013/0104251 A 2013/0110565 A		Moore et al. Means, Jr. et al.	KR KR	2006007 2006011		6/2006 11/2006
2015/0110303 A	3/2013	moans, st. et al.	IXI	2000011	TO / 1	11/2000

(56)	Refere	nces Cited
	FOREIGN PAT	ENT DOCUMENTS
KR	20070043353	4/2007
KR	20070100477	10/2007
KR	20100118836	11/2010
KR	20110074096	6/2011
KR	20110076831	7/2011
RE	42904	11/2011
WO	WO 00/07104	2/2000
WO	WO 2002/019128	3/2002
WO	WO 2004/097681	11/2004
WO	WO 2006/028850	3/2006
WO	WO 2007/024438	3/2007
WO	WO 2007/035637	3/2007
WO	WO 2007/113573	10/2007
WO	WO 2008/011142	1/2008
WO	WO 2008/076520	6/2008
WO	WO 2011/109416	9/2011
WO	WO 2012/167272	12/2012
WO	WO 2013/009328	1/2013
WO	WO 2013/013217	1/2013
WO	WO 2013/041763	3/2013
WO	WO 2013/166520	11/2013

OTHER PUBLICATIONS

Albert Kavelar et al., Web-Based Decision Making for Complex Event Processing Systems, Jul. 1, 2010, IEEE World Congress on Services, pp. 453-458 (Year: 2010).*

Bekele et al. "Towards Collaborative Business Process Management Development," IEEE Xplore, May 2011, 5 pages.

Bertram et al. "On-Demand Dynamic Security for Risk-Based Secure Collaboration in Clouds," 2010 IEEE 3rd International Conference on Cloud Computing, 2010, pp. 518-525.

Erickson et al. "Content-Centered Collaboration Spaces in the Cloud," IEEE Computer Society, Sep./Oct. 2009, pp. 34-42.

Gomes et al. "A Loosely Coupled Integration Environment for Collaborative Applications," IEEE Transactions on Systems, Man, and Cybernetics—Part A: Systems and Humans, Sep. 2011, vol. 41, No. 5, pp. 905-916.

Hawrszkiewycz "Identifying Generic Agents for Active Workspaces," IEEE, ITRE 2004, 2nd International Conference Information Technology, Research and Education, Jan. 2004, pp. 136-140.

Hussain et al. "Process Support for Context-based Adaptations in a Collaboration Environment," IEEE, 2010 International Symposium on Collaborative Technologies and Systems, May 2010, pp. 265-274.

Meng et al. Achieving Dynamic Inter-Organizational Workflow Management by Integrating Business Processes, Events and Rules, IEEE, Proceedings of the 35th Hawaii International Conference on System Sciences, Jan. 2002, 10 pages.

Wolter et al. "Collaborative Workflow Management for eGovernment," IEEE, 18th International Workshop on Database and Expert Systems Applications, Sep. 2007, pp. 845-849.

Official Action for U.S. Appl. No. 14/075,849, dated Dec. 7, 2015 15 pages.

Official Action for U.S. Appl. No. 14/075,849, dated May 31, 2016 17 pages.

Official Action for U.S. Appl. No. 14/075,849, dated Feb. 10, 2017 17 pages.

Official Action for U.S. Appl. No. 14/075,849, dated Jun. 22, 2017

Advisory Action for U.S. Appl. No. 14/075,849, dated Aug. 22,

2017 7 pages.
Official Action for U.S. Appl. No. 14/075,849, dated Jan. 24, 2018

18 pages.
Official Action for U.S. Appl. No. 14/075,849, dated Jul. 20, 2018

31 pages. Notice of Allowance for U.S. Appl. No. 14/075,849, dated Feb. 13,

2019 12 pages.
Official Action for U.S. Appl. No. 16/410,713, dated Oct. 11, 2019

Official Action for U.S. Appl. No. 16/410,713, dated Oct. 11, 2019 14 pages.

Notice of Allowance for U.S. Appl. No. 16/410,713, dated May 1, 2020 9 pages.

Official Action for U.S. Appl. No. 16/944,632, dated Aug. 25, 2021 18 pages.

Notice of Allowance for U.S. Appl. No. 16/944,632, dated Apr. 29, 2022 9 pages.

Official Action for U.S. Appl. No. 17/902,544, dated Feb. 2, 2023 17 pages.

Notice of Allowance for U.S. Appl. No. 17/902,544, dated Jul. 12, 2023 11 pages.

Exam Report for GB1309209.3 Applicant: Box, Inc. Mailed Jan. 19, 2015, 6 pages.

"Agilewords—How to Request Approval," YouTube, http://www.youtube.com/watch?v=3-0v3DYNN3Q, Jan. 31, 2011, 2 pages.

"Agilewords—Features, Powerful Features Yet Simple," Jun. 1, 2011, http://web.archive.org/web/20110601223756/htlp:// agilewords.com/product/features, 3 pages.

Conner, "Google Apps: The Missing Manual," published by O'Reilly Media, May 27, 2008, 42 pages.

Exam Report for EP 13177108.1, Applicant: Box, Inc. Mailed Feb. 17, 2015, 6 pages.

Exam Report for GB1312264.3 Applicant: Box, Inc. Mailed Jan. 30, 2015, 5 pages.

Exam Report for GB1312874.9 Applicant: Box, Inc. Mailed Feb. 10, 2015, 7 pages.

Exam Report for GB1316685.5 Applicant: Box, Inc. Mailed Feb. 17, 2015, 5 pages.

Exam Report for GB1316532.9 Applicant: Box, Inc. Mailed Mar.

27, 2015, 6 pages. Burney, "How to Move Document from Your Computer to Your

iPad and Back Again," May 31, 2011, 3 pages. Exam Report for GB1311459.0 Applicant: Box, Inc. Mailed Aug. 19, 2013, 6 pages.

"Dropbox: Sync only specific folders," posted on Feb. 9, 2012, available online at http://www.tech-recipes.com/rx/20865/dropbox-sync-only-specific-folders/, 4 pages.

Exam Report for GB1320902.8, Applicant: Box, Inc. Mailed Dec. 20, 2013, 6 pages.

Patent Court Document of Approved Judgment for GB0602349.3 and GB0623571.7; Mar. 3, 2009, 17 pages.

Exam Report for GB1311417.8, Applicant: Box, Inc. Mailed Dec. 23, 2013, 5 pages.

International Search Report and Written Opinion for PCT/US2013/034765, Applicant: Box, Inc., Mailed Jan. 20, 2014, 15 pages.

Exam Report for EP13185269.1, Applicant: Box, Inc. Mailed Jan. 28, 7 pages.

Exam Report for GB1314771.5, Applicant: Box, Inc. Mailed Feb. 17, 2014, 7 pages.

Exam Report for GB1308842.2, Applicant: Box, Inc. Mailed Mar. 10, 2014, 4 pages.

Burns, "Developing Secure Mobile Applications for Android," Oct. 2008, Version 1.0, 1-28 pages.

Search Report for EP 11729851.3, Applicant: Box, Inc. Mailed Feb. 7, 2014, 9 pages.

Comes. "MediaXchange User's Manual," Version 1.15.15, Feb. 1,

2009, pp. 1-90. "Average Conversion Time for a 060 RAW file?" http://www.

dpreview.com, Jul. 22, 2002, 4 pages. Exam Report for GB1312264.3, Applicant: Box, Inc. Mailed Mar.

24, 2014, 7 pages.

Search Report for EP14153783.7, Applicant: Box, Inc. Mailed Apr. 7, 2014, 6 pages.

John et al., "Always Sync Support Forums—View topic—Allway sync funny behavior," Allway Sync Support Forum at http://synccenter.com, Mar. 28, 2011, XP055109680, 2 pages.

Search Report for EP14151588.2, Applicant: Box, Inc. Mailed Apr. 15, 2014, 12 pages.

Search Report for EP13187217.8, Applicant: Box, Inc. Mailed Apr. 15, 2014, 12 pages.

Rao, "Box Acquires Crocodoc to Add HTML5 Document Converter And Sleek Content Viewing Experience to Cloud Storage Platform," retrieved from the internet, http://techcrunch.com, May 9, 2013, 8 pages.

(56) References Cited

OTHER PUBLICATIONS

Walker, "PDF is project meeting notes," retrieved from the internet, http://groups.google.com, May 15, 2014, 1 page.

Sommerer, "Presentable Document Format: Improved On-demand PDF to HTML Conversion," retrieved from the internet, http://research.microsoft.com, Nov. 2004, 8 pages.

"Tulsa TechFest 2012—Agenda," retrieved from the website, http://web.archive.org, Oct. 2, 2012, 2 pages.

Delendik, "Evolving with Web Standards—The Story of PDF.JS," retrieved from the internet, http://people.mozilla.org, Oct. 12, 2012, 36 pages.

Delendik, "My PDF.js talk slides from Tulsa TechFest," retrieved from the internet, http://twitter.com, Oct. 12, 2012, 2 pages.

Cohen, "Debating the Definition of Cloud Computing Platforms," retrieved from the internet, http://forbes.com, Feb. 3, 2014, 7 pages. Partial Search Report for EP131832800, Applicant: Box, Inc. Mailed May 8, 2014, 5 pages.

Search Report for EP141509422, Applicant: Box, Inc. Mailed May 8, 2014, 7 pages.

Tulloch et al., "Windows Vista Resource Kit," Apr. 8, 2007, Microsoft Press, XP055113067, 6 pages.

"Revolving sync conflicts; frequently asked questions," Microsoft Tech Support, Jul. 16, 2012, retrieved from the Internet: http://web.archive.org/web, 2 pages.

Pyle et al., "How to enable Event logging for Offline Files (Client Side Caching) in Windows Vista," Feb. 18, 2009, retrieved from the internet: http://blogs.technet.com, 3 pages.

Duffy, "The Best File-Syncing Services," pcmag.com, retrieved from the internet: http://www.pcmag.com, Sep. 28, 2012, 7 pages. "Troubleshoot sync problems," Microsoft Tech Support: May 2, 2012, retrieved from the internet, http://web. Archive. org/web, 3

Exam Report for GB1318792.7, Applicant: Box, Inc. Mailed May 22, 2014, 2 pages.

Exam Report for EP13177108.1, Applicant: Box, Inc. Mailed May 26, 2014, 6 pages.

Exam Report for GB1410569.6 Applicant: Box, Inc. Mailed Jul. 11, 2014, 9 pages.

Extended Search Report for EP131832800, Applicant: Box, Inc. Mailed Aug. 25, 2014, 7 pages.

Extended Search Report for EP141509422, Applicant: Box, Inc. Mailed Aug. 26, 2014, 12pages.

Search Report for EP 13189144.2 Applicant: Box, Inc. Mailed Sep. 1, 2014, 9 pages.

Exam Report for GB1312874.9 Applicant: Box, Inc. Mailed Sep.

26, 2014, 2 pages. Exam Report for GB1415126.0 Applicant: Box, Inc. Mailed Oct. 2,

2014, 8 pages. Exam Report for GB1415314.2 Applicant: Box, Inc. Mailed Oct. 7,

2014, 6 pages. Exam Report for GB1315232.7 Applicant: Box, Inc. Mailed Oct. 9,

2014, 5 pages. Exam Report for GB1318789.3 Applicant: Box, Inc. Mailed Oct.

30, 2014, 6 pages.
Microsoft Windows XP Professional Product Documentation: How

Microsoft Windows XP Professional Product Documentation: How Inheritance Affects File and Folder Permissions, Apr. 11, 2014, 2 pages.

Exam Report for GB1317393.5 Applicant: Box, Inc. Mailed Nov. 7, 2014, 6 pages.

Exam Report for GB1311417.8 Applicant: Box, Inc. Mailed Nov. 7, 2014, 2 pages.

Exam Report for GB1311421.0 Applicant: Box, Inc. Mailed Nov. 7, 2014, 4 pages.

Exam Report for GB1316682.2 Applicant: Box, Inc. Mailed Nov. 19, 2014, 6 pages.

Exam Report for GB1312095.1 Applicant: Box, Inc. Mailed Nov. 19, 2014, 5 pages.

Exam Report for GB1313559.5 Applicant: Box, Inc. Mailed Nov. 4, 2014, 2 pages.

User's Guide for SMART Board Software for Windows, published Dec. 2004, 90 pages.

Zambonini et al., "Automated Measuring of Interaction with User Interfaces," Published as W02007113573 Oct. 2007, 19 pages.

International Search Report and Written Opinion for PCT/US2008/012973 dated Apr. 30, 2009, pp. 1-11.

Supplementary European Search Report European Application No. EP 08 85 8563 dated Jun. 20, 2011 pp. 1-5.

International Search Report and Written Opinion for PCT/US2011/039126 mailed on Oct. 6, 2011, pp. 1-13.

Partial International Search Report for PCT/US2011/041308 dated Feb. 27, 2012, pp. 1-2.

International Search Report and Written Opinion for PCT/US2011/056472 mailed on Jun. 22, 2012, pp. 1-12.

Langfeld L. et al., "Microsoft SharePoint 2003 Unleashed," Chapters 11 and 15, Jun. 2004, pp. 403-404, 557-561, 578-581.

International Search Report and Written Opinion for PCT/US2011/041308 Mailed Jul. 2, 2012, pp. 1-16.

International Search Report and Written Opinion for PCT/US2011/060875 Mailed Oct. 30, 2012, pp. 1-10.

Internet Forums, http://web.archive.org/web/20100528195550/http:l/en.wikipedia.org/wiki/Internet_forums, Wikipedia, May 30, 2010, pp. 1-20.

Yahoo! Groups, http://web.archive.org/web/20090320101529/http:l/en.wikipedia.org/wiki/Yahoo!_ Groups, Wikipedia, Mar. 20, 2009, pp. 1-6.

Wiki, http://web.archive.org/web/20100213004936/http://en.wikipedia.org/wiki/Wiki, Feb. 13, 2010, pp. 1-16.

Conner, "Google Apps: The Missing Manual," published by O'Reilly Media, May 27, 2008, 24 pages.

Cisco, "FTP Load Balancing on ACE in Routed Mode Configuration Example," DocWiki, Jun. 2011, 7 pages.

Palmer, "Load Balancing FTP Servers," BlogNav, Oct. 2008, 2 pages.

Wayback, "Wayback machine," Wayback, Jun. 1, 2011, 1 page. International Search Report and Written Opinion for PCT/US2012/056955. Applicant: Box. Inc., Mailed Mar. 27, 2013, pp. 1-11. International Search Report and Written Opinion for PCT/US2011/

047530, Applicant: Box, Inc., Mailed Mar. 22, 2013, pp. 1-10. International Search Report and Written Opinion for PCT/US2012/065617, Applicant: Box, Inc., Mailed Mar. 29, 2013, 9 pages.

International Search Report and Written Opinion for PCT/US2012/067126, Applicant: Box, Inc., Mailed Mar. 29, 2013, 10 pages.

Parr, "Google Docs Improves Commenting, Adds E-mail Notifications," Apr. 16, 2011, mashable.com, pp. 1-6.

"Microsoft Office SharePoint 2007 User Guide," Feb. 16, 2010, pp. 1-48.

Lars, "35 Very Useful Online Tools for Improving your project Management and Team Collaboration," Apr. 31, 2010, tripwiremagazine. com, pp. 1-32.

International Search Report and Written Opinion for PCT/US2012/070366, Applicant: Box, Inc., Mailed Apr. 24, 2013, 10 pages.

"How-to Geek, How to Sync Specific Folders With Dropbox," downloaded from the internet http://www.howtogeek.com, Apr. 23, 2013, 5 pages.

International Search Report and Written Opinion for PCT/US2013/020267, Applicant: Box, Inc., Mailed May 7, 2013, 10 pages.

International Search Report and Written Opinion for PCT/US2013/034662, Applicant: Box, Inc., Mailed May 31, 2013, 10 pages. Exam Report for GB1306011.6, Applicant: Box, Inc. Mailed Apr.

18, 2013, 8 pages. Exam Report for GB1300188.8, Applicant: Box, Inc. Mailed May 31, 2013, 8 pages.

"Conceptboard", One-Step Solution for Online Collaboration, retrieved from websites http://conceptboard.com and https://www.youtube.com/user/ConceptboardApp?feature=watch, printed on Jun. 13, 2013, 9 pages.

Exam Report for EP13158415.3, Applicant: Box, Inc. Mailed Jun. 4, 2013, 8 pages.

International Search Report and Written Opinion for PCT/US2013/029520, Applicant: Box, Inc., Mailed Jun. 26, 2013, 10 pages. International Search Report and Written Opinion for PCT/US2013/023889, Applicant: Box, Inc., Mailed Jun. 24, 2013, 13 pages.

(56)References Cited

OTHER PUBLICATIONS

International Search Report and Written Opinion for PCT/US2013/ 035404, Applicant: Box, Inc., Mailed Jun. 26, 2013, 11 pages. International Search Report and Written Opinion for PCT/US2013/ 039782, Applicant: Box, Inc., Mailed Aug. 28, 2013, 15 pages. Exam Report for GB1313559.5, Applicant: Box, Inc., Mailed Aug. 22, 2013, 19 pages.

Exam Report for GB1310666.1, Applicant: Box, Inc. Mailed Aug. 30, 2013, 10 pages.

Exam Report for GB1316533.7, Applicant: Box, Inc. Mailed Oct. 8, 2013, 9 pages.

Exam Report for GB1309209.3, Applicant: Box, Inc. Mailed Oct. 30, 2013, 11 pages.

"Quickoffice Enhances Android Mobile office Application for Improved Productivity on latest Smartphone and Table Devices," QuickOffice Press Release, Nov. 21, 2011, QuickOffice Inc., 2 pages.

"PaperPort," Wikipedia article (old revision), published May 19, 2012, Wikipedia Foundation, 2 pages.

"PaperPort Professional 14," PC Mag. Com review, published Feb. 2012, Ziff Davis, Inc., 8 pages.

"QuickOffice," Wikipedia Article (old revision), published May 9, 2012, Wikipedia Foundation, 2 pages. Exam Report for GB1316532.9, Applicant: Box, Inc. Mailed Oct.

31, 2013, 10 pages.

Gedymin, "Cloud computing with an emphasis on Google App Engine," Master Final Project, Sep. 2011, 146 pages.

Exam Report for GB1317600.3, Applicant: Box, Inc. Mailed Nov. 21, 2013, 8 pages

Exam Report for EP13168784.0, Applicant: Box, Inc. Mailed Nov. 21, 2013, 7 pages.


Exam Report for GB1316971.9, Applicant: Box, Inc. Mailed Nov. 26, 2013, 10 pages.


Exam Report for GB1312095.1, Applicant: Box, Inc. Mailed Dec. 12, 2013, 7 pages.


Exam Report for GB1318373.6, Applicant: Box, Inc. Mailed Dec. 17, 2013, 4 pages.

Exam Report for GB1312874.9, Applicant: Box, Inc. Mailed Dec. 20, 2013, 11 pages.

* cited by examiner










FIG. 4




FIG. 5






FIG. 6





F. 6. 8.




FIG. 8B





FIG. &C



F.C. 94

☐Admin Console 🖪 My Ad	My Account		Need Help?	Need Help? Call Acme Co. at 800-555-1212
	0	Search Users	Ø	Enterprise Settings হিত্তী
Policies				
+ Create Policy	T	Add New Policy		
High Dowload Activity Social Security Number	<u>C</u>	Policy name:		
Project Street Fighter IBM	Pod	Policy type:		aring
Credit Card Information SSN CC Credit card	@ <u>~</u>	If a document contains:	☐ Social Security Number ☐ Credit Card Number ☐ Custom words or numbers	
Credit Card Violation Credit Card Policy Pfizer policy	The	Then take the actions:	☐ Move the file to quarantine ① ☐ Notify the email addresses:	
		J ANDIN SOILO	Cancel	

EC. OF

			****************			***************************************		***************************************
Need Help? Call Acme Co. at 800-555-1212	Enterprise Settings (첫)				Ви			
Need Help?	Ø				O Upload Download O Sharing	O Low (6 per hour) O Medium (8 per hour) O High (11 per hour)	☐ Notify the email addresses:	Cancel
	Search Users		Add New Policy	Policy name:	Policy type:	lf a user download activity is:	Then take the actions:	
unt	M		₹ (***************************************		**************************************		
🖪 My Account				otivíty lumber	Jhter mation	mation	W Alcou	
☐ Admin Console	四 48	Policies	+ Create Policy	High Dowload Activity Social Security Number	Project Street Fighter IBM Card Information	Credit Card Information SSIN CC Credit card	Credit Card Violation Credit Card Policy Pfizer policy	

06 314

					***************************************	***************************************	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
5-1212			**************************************							
Need Help? Call Acme Co. at 800-555-1212	Enterprise Settings									
Need Help? Cal	ð				O Download ® Sharing	With anyone on the domains:	mon-elqr	☐ Notify the email addresses:		
***************************************			nannyiyi kaliya yaya dananan na baq		O Upload	With anyor	i.e., example.com		Cancel	
***************************************	Search Users		Add New Policy	Policy name:	Policy type:	If a user download activity is:		Then take the actions:	on Bollow Mon	
	0		A do S	۵	201	<u>~</u>		T T	Ğ	
ccount	M				**************	***********		******************	***************************************	********
(2) My Accoun	E23 E223									
	8		-	otivity lumber	ghter	mation		ution %		
Console	3		+ Create Policy	High Dowload Activity Social Security Number	Project Street Fighter IBM	Credit Card Information Credit Card Information SSN	- -	Credit Card Violation Credit Card Policy Credit Card Policy Pfizer bolicy	ì	
☐ Admin Console		Policies	+ Crea	High Do Social S	Project S	Credit Co		Credit Card Credit Card Credit Card		

F.G. 95

	☐ Admin Console 🔀 M	My Account	ebeneralanderekanderekanderekanderekanderekanderekanderekanderekanderekanderekanderekanderekanderekanderekande	Need Help? Call Acme Co. at 800-555-1212	o. at 800-555-1212
		<u>></u>	Search Users	&	Enterprise Settings ব্রি
CONTENT MANAGER 716	Centent Manager > Annie Pearl > Quarantined Annie Pearl's Quarantined Items	> Quaran ined Itel	ined ns		
	• 🖒 Quarantine	■ Name		Policy	Date / Time
	◆ C Users	Î	Purchase Order 994839.docx [V8]	00	Today, 11:51 am
	* 🖸 Andy Klang [Admin]		Purchase Order 994839.docx [√7]	Credit Card Information 🎇	Today, 11:51 am
	* Ø Aaron Levie Coadmin		Purchase Order 994839.docx [V6]	Credit Card 🔭	Today, 11:51 am
	My Andy Klang Coadmin My Annie Coadmin	ð	SSN docx [V4]	Social Security Number	Yesterday, 11:29 am
	M. Annie Pearl Coadmin Ouarantines	ð	Purchase Order 994839.docx [√5]	Credit Card Information	Today, 11:51 am
	* C Salesforce * C Quarterly strategy * C Purchase Orders)			
	* L Prix Department				
	• COMy Investments				
	Insurance Claims	**********			
	* ED Box Reports				
	P Trash	*********			
	Anurang P. Coadmin	***************************************			
	* M Arup Baner Coadmin Onris Yeh Coadmin	Þ			
	*				

FIG. 18.4

Policy Credit Card In Name Name On By Purchase On Dy Purchase On	Search Users		
Credit Card Info		8	Enterprise Settings (磁
Number ighter	ăti C		
Number : ighter : mation : .		Policy	Date / Time
		00	Today, 11:51 am
	4839.docx 🔽	Credit Card Information	Today, 11:51 am
t oard	4839.docx [V6]	Credit Card	Today, 11:51 am
Credit card	4839.docx [√5]	Credit Card Information	Today, 11:51 am
Prodit Pard Violation	***************************************		
Credit Card Policy			
* Em Users			

FIG. 101




FIG. 11

SYSTEM AND METHODS FOR **CONFIGURING EVENT-BASED** AUTOMATION IN CLOUD-BASED COLLABORATION PLATFORMS

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of and claims priority to U.S. application Ser. No. 17/902,544, filed Sep. 2, 2022, ¹⁰ which is a continuation of and claims priority to U.S. application Ser. No. 16/944,632, filed Jul. 31, 2020, now U.S. Pat. No. 11,435,865, which is a continuation of and claims priority to U.S. application Ser. No. 16/410,713, filed May 13, 2019, now U.S. Pat. No. 10,768,770, which is a continuation application of and claims priority to U.S. application Ser. No. 14/075,849, filed Nov. 8, 2013, now U.S. Pat. No. 10,509,527, which claims the benefits of and priority to U.S. Application No. 61/877,917, entitled "SYS-TEMS AND METHODS FOR CONFIGURING EVENT- 20 BASED AUTOMATION IN CLOUD-BASED COLLABO-RATION PLATFORMS," filed Sep. 13, 2013, the contents of which are expressly incorporated by reference herein. This application is related to co-owned U.S. patent application Ser. No. 14/026,674, filed Sep. 13, 2013, now U.S. Pat. 25 herein, may be executed. No. 9,535,909 entitled "CONFIGURABLE EVENT-BASED AUTOMATION ARCHITECTURE FOR CLOUD-BASED COLLABORATION PLATFORMS," the contents of which are expressly incorporated by reference herein.

BACKGROUND

As electronic and digital content use in enterprise settings and/or other organizational settings has become the preferred mechanism for project, task, and work flow manage- 35 ment, so has the need for streamlined collaboration and sharing of digital content and documents. In such collaboration environments, multiple users share, access, and otherwise perform actions or tasks on content and files in shared erwise perform actions or tasks on content and files in shared workspaces, workflow management can become a burdensome task.

BRIEF DESCRIPTION OF THE DRAWINGS

- FIG. 1 illustrates a diagram of an example system having a host server of a cloud service and/or cloud storage accounts in a configurable event-based automation architec-
- FIG. 2 depicts a diagram of an example web-based or online collaboration platform deployed in an enterprise or other organizational setting for organizing work items and workspaces, as one example of a hosted cloud service and/or cloud storage accounts in a configurable event-based auto- 55 mation architecture.
- FIG. 3 depicts a diagram of an example workspace in a cloud-based, online or web-based collaboration environment accessible by multiple collaborators through various devices authorized to access the work space.
- FIG. 4 depicts a block diagram illustrating an example of components in a host server for cloud-based services and storage accounts, the host server including a rules configuration engine facilitating configuration of rules (automations and/or policies) in a cloud-based collaboration environment. 65
- FIG. 5 depicts a block diagram illustrating an example rules configuration engine.

2

- FIG. 6 depicts a data flow diagram illustrating an example process for configuring event-based automation in a collaborative cloud-based environment, according to an embodi-
- FIG. 7 depicts an example user interface illustrating an administrator console overview view of a graphical user interface for configuration event-based automation in cloudbased collaboration platforms.
- FIGS. 8A-8C depict example user interfaces illustrating an administrator console automation view of a graphical user interface for configuration event-based automation in cloud-based collaboration platforms.
- FIGS. 9A-9D depict example user interfaces illustrating an administrator console policy view of a graphical user interface for configuration event-based automation in cloudbased collaboration platforms.
- FIGS. 10A-10B depict example user interface illustrating an administrator console content manager view of a graphical user interface for configuration event-based automation in cloud-based collaboration platforms.
- FIG. 11 depicts a diagrammatic representation of a machine in the example form of a computer system within which a set of instructions, for causing the machine to perform any one or more of the methodologies discussed

DETAILED DESCRIPTION

The following description and drawings are illustrative 30 and are not to be construed as limiting. Numerous specific details are described to provide a thorough understanding of the disclosure. However, in certain instances, well-known or conventional details are not described in order to avoid obscuring the description. References to one or an embodiment in the present disclosure can be, but not necessarily are, references to the same embodiment; and, such references mean at least one of the embodiments.

Reference in this specification to "one embodiment" or "an embodiment" means that a particular feature, structure, workspaces. Because multiple users share, access, and oth- 40 or characteristic described in connection with the embodiment is included in at least one embodiment of the disclosure. The appearances of the phrase "in one embodiment" in various places in the specification are not necessarily all referring to the same embodiment, nor are separate or 45 alternative embodiments mutually exclusive of other embodiments. Moreover, various features are described which may be exhibited by some embodiments and not by others. Similarly, various requirements are described which may be requirements for some embodiments but not other embodiments.

> The terms used in this specification generally have their ordinary meanings in the art, within the context of the disclosure, and in the specific context where each term is used. Certain terms that are used to describe the disclosure are discussed below, or elsewhere in the specification, to provide additional guidance to the practitioner regarding the description of the disclosure. For convenience, certain terms may be highlighted, for example using italics and/or quotation marks. The use of highlighting has no influence on the scope and meaning of a term; the scope and meaning of a term is the same, in the same context, whether or not it is highlighted. It will be appreciated that same thing can be said in more than one way.

> Consequently, alternative language and synonyms may be used for any one or more of the terms discussed herein, nor is any special significance to be placed upon whether or not a term is elaborated or discussed herein. Synonyms for

certain terms are provided. A recital of one or more synonyms does not exclude the use of other synonyms. The use of examples anywhere in this specification including examples of any terms discussed herein is illustrative only, and is not intended to further limit the scope and meaning of 5 the disclosure or of any exemplified term. Likewise, the disclosure is not limited to various embodiments given in this specification.

Without intent to limit the scope of the disclosure, examples of instruments, apparatus, methods and their 10 related results according to the embodiments of the present disclosure are given below. Note that titles or subtitles may be used in the examples for convenience of a reader, which in no way should limit the scope of the disclosure. Unless otherwise defined, all technical and scientific terms used 15 herein have the same meaning as commonly understood by one of ordinary skill in the art to which this disclosure pertains. In the case of conflict, the present document, including definitions will control.

Systems, methods, and graphical user interfaces for configuring event-based automation in a cloud-based collaboration platform or environments are described herein. More specifically, the techniques described herein facilitate rule (e.g., policy and/or automation) generation in order to provide enhanced security and improved workflow management. For example, a rules engine performs event-based automation and allows administrators (and/or end-users) the ability to configure rules that automatically identify events in the cloud-based collaborative environment and execute user-defined or specified action.

In one embodiment, a graphical user interface (GUI) is provided allowing administrators to identify events occurring in the cloud-based collaborative environment that raise potential security concerns. The GUI also facilities generation or creation of rules that direct the cloud-based environation of the events to execute and/or otherwise trigger user-defined actions upon identification of the events.

In one embodiment, a GUI is provided allowing administrators to increase user engagement by facilitating rule generation for workflow management purposes. For 40 example, files or documents are fundamentally encircled by review and approval processes. The GUI allows administrators to, for example, create tasks upon upload event (e.g., upload of a document). Accordingly, the techniques discussed herein provide enhanced workflow management 45 through configurable rule-based automations.

Embodiments of the present disclosure describe an architecture including systems and methods for configurable event-based automation in a cloud-based collaboration platform or environment.

FIG. 1 illustrates an example diagram of a system having a host server 100 of a cloud service and/or cloud storage accounts in a configurable event-based automation architecture.

The client devices 102 can be any system and/or device, 55 and/or any combination of devices/systems that is able to establish a connection, including wired, wireless, cellular connections with another device, a server and/or other systems such as host server 100 and/or notification server 150. Client devices 102 will typically include a display 60 and/or other output functionalities to present information and data exchanged between among the devices 102 and/or the host server 100 and/or notification server 150.

For example, the client devices 102 can include mobile, hand held or portable devices or non-portable devices and 65 can be any of, but not limited to, a server desktop, a desktop computer, a computer cluster, or portable devices including,

4

a notebook, a laptop computer, a handheld computer, a palmtop computer, a mobile phone, a cell phone, a smart phone, a PDA, a Blackberry device, a Treo, a handheld tablet (e.g. an iPad, a Galaxy, Xoom Tablet, etc.), a tablet PC, a thin-client, a hand held console, a hand held gaming device or console, an iPhone, and/or any other portable, mobile, hand held devices, etc. running on any platform or any operating system (e.g., Mac-based OS (OS X, iOS, etc.), Windows-based OS (Windows Mobile, Windows 7, etc.), Android, Blackberry OS, Embedded Linux platforms, Palm OS, Symbian platform. In one embodiment, the client devices 102, host server 100, and app server 110 are coupled via a network 106. In some embodiments, the devices 102 and host server 100 may be directly connected to one another.

The input mechanism on client devices 102 can include touch screen keypad (including single touch, multi-touch, gesture sensing in 2D or 3D, etc.), a physical keypad, a mouse, a pointer, a track pad, motion detector (e.g., including 1-axis, 2-axis, 3-axis accelerometer, etc.), a light sensor, capacitance sensor, resistance sensor, temperature sensor, proximity sensor, a piezoelectric device, device orientation detector (e.g., electronic compass, tilt sensor, rotation sensor, gyroscope, accelerometer), or a combination or variation of the above.

Signals received or detected indicating user activity at client devices 102 through one or more of the above input mechanism, or others, can be used in the disclosed technology by various users or collaborators (e.g., collaborators 108) for accessing, through network 106, a web-based collaboration environment or online collaboration platform (e.g., hosted by the host server 100).

The collaboration platform or environment hosts workspaces with work items that one or more users can access (e.g., view, edit, update, revise, comment, download, preview, tag, or otherwise manipulate, etc.). A work item can generally include any type of digital or electronic content that can be viewed or accessed via an electronic device (e.g., device 102). The digital content can include .pdf files, .doc, slides (e.g., Powerpoint slides), images, audio files, multimedia content, web pages, blogs, etc. A workspace can generally refer to any grouping of a set of digital content in the collaboration platform. The grouping can be created, identified, or specified by a user or through other means. This user may be a creator user or administrative user, for example.

In general, a workspace can be associated with a set of users or collaborators (e.g., collaborators 108) which have access to the content included therein. The levels of access (e.g., based on permissions or rules) of each user or collaborator to access the content in a given workspace may be the same or may vary among the users. Each user may have their own set of access rights to every piece of content in the workspace, or each user may be different access rights to different pieces of content. Access rights may be specified by a user associated with a work space and/or a user who created/uploaded a particular piece of content to the workspace, or any other designated user or collaborator.

In general, the collaboration platform allows multiple users or collaborators to access or collaborate efforts on work items such each user can see, remotely, edits, revisions, comments, or annotations being made to specific work items through their own user devices. For example, a user can upload a document to a work space for other users to access (e.g., for viewing, editing, commenting, signing-off, or otherwise manipulating). The user can login to the online platform and upload the document (or any other type of

work item) to an existing work space or to a new work space. The document can be shared with existing users or collaborators in a work space.

A diagrammatic illustration of the online collaboration environment and the relationships between workspaces and 5 users/collaborators are illustrated with further reference to the example of FIG. 2. A diagrammatic illustration of a workspace having multiple work items with which collaborators can access through multiple devices is illustrated with further reference to the example of FIG. 3.

In one embodiment, client devices 102 communicate with the host server 100 and/or people search engine 150 over network 106. In general, network 106, over which the client devices 102, the host server 100, and/or people search engine 150 communicate, may be a cellular network, a 15 telephonic network, an open network, such as the Internet, or a private network, such as an intranet and/or the extranet, or any combination thereof. For example, the Internet can provide file transfer, remote log in, email, news, RSS, cloud-based services, instant messaging, visual voicemail, 20 push mail, VoIP, and other services through any known or convenient protocol, such as, but is not limited to the TCP/IP protocol, Open System Interconnections (OSI), FTP, UPnP, iSCSI, NSF, ISDN, PDH, RS-232, SDH, SONET, etc.

The network 106 can be any collection of distinct net- 25 works operating wholly or partially in conjunction to provide connectivity to the client devices 102 and the host server 100 and may appear as one or more networks to the serviced systems and devices. In one embodiment, communications to and from the client devices 102 can be achieved 30 by, an open network, such as the Internet, or a private network, such as an intranet and/or the extranet. In one embodiment, communications can be achieved by a secure communications protocol, such as secure sockets layer (SSL), or transport layer security (TLS).

In addition, communications can be achieved via one or more networks, such as, but are not limited to, one or more of WiMax, a Local Area Network (LAN), Wireless Local Area Network (WLAN), a Personal area network (PAN), a Campus area network (CAN), a Metropolitan area network 40 updated to support new events and actions. Rules can be (MAN), a Wide area network (WAN), a Wireless wide area network (WWAN), enabled with technologies such as, by way of example, Global System for Mobile Communications (GSM), Personal Communications Service (PCS), Digital Advanced Mobile Phone Service (D-Amps), Blu- 45 etooth, Wi-Fi, Fixed Wireless Data, 2G, 2.5G, 3G, 4G, !MT-Advanced, pre-4G, 3G LTE, 3GPP LTE, LTE Advanced, mobile WiMax, WiMax 2, WirelessMAN-Advanced networks, enhanced data rates for GSM evolution (EDGE), General packet radio service (GPRS), enhanced 50 GPRS, iBurst, UMTS, HSPDA, HSUPA, HSPA, UMTS-TDD, 1×RTT, EV-DO, messaging protocols such as, TCP/ IP, SMS, MMS, extensible messaging and presence protocol (XMPP), real time messaging protocol (RTMP), instant messaging and presence protocol (IMPP), instant messag- 55 ing, US SD, IRC, or any other wireless data networks or messaging protocols.

A diagrammatic illustration of the cloud-based environment (e.g., collaboration environment) and the relationships between workspaces and users/collaborators are illustrated 60 with further reference to the example of FIG. 2. A diagrammatic illustration of a workspace having multiple work items with which collaborators can access through multiple devices is illustrated with further reference to the example of

In one embodiment, actions performed on work items or other activities that occur in a workspace can be detected in 6

real time or in near real time. The host server can generate notifications or notification events for one or more of the plurality of activities and select one or more recipients for each notification. Various mechanisms or external messaging applications can then be used to notify users or collaborators, including through the web interface to access the collaboration platform, via email, and/or SMS, for example.

In one embodiment, the host server can comprise a distributed system including both front-end and back-end components (systems). Although not shown, the host server can include an action log, an event dispatcher, one or more processors, one or more databases, and one or more real time clients. Together these components are generally referred to herein as an "action log framework" (ALF). Components of the ALF may reside in the front-end systems, the back-end systems, or a combination thereof.

In one embodiment, the host server can provide for and/or otherwise facilitate configuration of user-defined rules for workflow automation. For example, administrators (or authorized end-users) can create if-then statements that essentially identify standard events in the events application program interface (API) and actions that the collaboration platform should execute when the event is triggered. As discussed, the events can be any event in the APL. In one embodiment, an administrator (or authorized end-user) can also create additional events and/or actions. The actions can include, but are not limited to: Email alert, Delete, Quarantine, Create and assign a task, Review, Approve, Decline, Update a field, Move to a folder, Rename, Convert a file, Block an action, Send to, Copy a file (to a folder), Share a link (with permissions x to email address), Run a search, OCR a file, and/or Make a custom link.

In one embodiment, the user-defined rules can include pre-configured support for data loss prevention (DLP). Additionally, pre-configured support or the ability to allow administrators to set up security alerts for: download threshold activity, domain watch list for sharing, and automation support for approval processes is can also be supported.

In one embodiment, the system can be automatically complex including numerous if-conditions to trigger one or more else-actions.

FIG. 2 depicts a diagram of a web-based or online collaboration platform deployed in an enterprise or other organizational setting 250 for organizing work items 215, 235, 255 and workspaces 205, 225, 245, as one example of a hosted cloud file sharing, collaboration service and/or cloud storage service in a configurable event-based automation architecture.

The web-based platform for collaborating on projects or jointly working on documents can be used by individual users and shared among collaborators. In addition, the collaboration platform can be deployed in an organized setting including but not limited to, a company (e.g., an enterprise setting), a department in a company, an academic institution, a department in an academic institution, a class or course setting, or any other types of organizations or organized setting.

When deployed in an organizational setting, multiple workspaces (e.g., workspace A-N) may be created to support different projects or a variety of work flows. Each workspace may have its own associated work items. For example, work space A 205 may be associated with work items 215, work space B 225 may be associated with work items 235, and work space N may be associated with work items 255. The work items 215, 235, and 255 may be unique to each work space but need not be. For example, a particular word

document may be associated with only one work space (e.g., work space A 205) or it may be associated with multiple work spaces (e.g., Work space A 205 and work space B 225,

In general, each work space has a set of users or collabo- 5 rators associated with it. For example, work space A 205 is associated with multiple users or collaborators 206. In some instances, work spaces deployed in an enterprise may be department specific. For example, work space B may be associated with department 210 and some users shown as 10 example user A 208 and workspace N 245 may be associated with departments 212 and 216 and users shown as example user B 214.

Each user associated with a work space may generally access the work items associated with the work space. The 15 level of access may depend on permissions associated with the specific work space, and/or with a specific work item. Permissions may be set for the work space or set individually on a per work item basis. For example, the creator of a work space (e.g., one of user A 208 who creates work space 20 B) may set one permission setting applicable to all work items 235 for other associated users and/or users associated with the affiliate department 210, for example. Creator user A 208 may also set different permission settings for each work item, which may be the same for different users, or 25 varying for different users.

In each work space A, B, . . . , N, when an action is performed on a work item by a given user or any other activity is detected in the work space, other users in the same work space may be notified (e.g., in real time or in near real 30 time, or not in real time). Activities which trigger real time notifications can include, by way of example but not limitation, adding, deleting, or modifying collaborators in the work space, uploading, downloading, adding, deleting a work item in the work space, creating a discussion topic in 35 the work space.

In some embodiments, items or content (content items) downloaded or edited in accordance with the techniques described in the present disclosure can cause notifications to be generated. Such notifications can be sent to relevant users 40 to notify them of actions surrounding a download, an edit, a change, a modification, a new file, a conflicting version, an upload of an edited or modified file. Additionally, as discussed above, actions performed on the content items can be maintained by an ALF system.

In one embodiment, in a user interface of the web-based collaboration platform where notifications are presented, users can, via the user interface, create action items (e.g., tasks) and delegate the action items to other users including collaborators pertaining to a work item 215, for example. 50 The collaborators 206 may be in the same workspace A 205 or the user may include a newly invited collaborator. Similarly, in the same user interface where discussion topics can be created in a work space (e.g., work space A, B or N, etc.), actionable events on work items can be created and/or 55 delegated/assigned to other users such as collaborators of a given work space 206 or other users. Through the same user interface, task status and updates from multiple users or collaborators can be indicated and reflected. In some instances, the users can perform the tasks (e.g., review or 60 components in a host server 400 for cloud-based services approve or reject, etc.) via the same user interface.

FIG. 3 depicts an example diagram of a workspace 302 in an online or web-based collaboration environment accessible by multiple collaborators 322 through various devices authorized to access the work space.

Each of users 316, 318, and 320 may individually use multiple different devices to access and/or manipulate work 8

items 324 (e.g., content items) in the work space 302 with which they are associated with. For example users 316, 318, 320 may be collaborators on a project to which work items 324 are relevant. Since the work items 324 are hosted by the collaboration environment (e.g., a cloud-based environment), each user may access the work items 324 anytime, and from any physical location using any device (e.g., including devices they own or any shared/public/loaner device).

Work items to be edited or viewed may be accessed from the workspace 302 in accordance with the platform and/or application independent mechanisms. Users may also be notified of access, edit, modification, and/or upload relatedactions performed on work items 324 by other users or any other types of activities detected in the work space 302. For example, if user 316 modifies a document, one or both of the other collaborators 318 and 320 can be notified of the modification in real time, or near real-time, or not in real time. The notifications can be sent through any of all of the devices associated with a given user, in various formats including, one or more of, email, SMS, or via a pop-up window in a user interface in which the user uses to access the collaboration platform. In the event of multiple notifications, each notification may be depicted preferentially (e.g., ordering in the user interface) based on user preferences and/or relevance to the user (e.g., implicit or explicit).

For example, a notification of a download, access, read, write, edit, or upload related activities may be presented in a feed stream among other notifications through a user interface on the user device according to relevancy to the user determined based on current or recent activity of the user in the web-based collaboration environment.

In one embodiment, a notification feed stream includes updates when an invited user accepts an invitation and/or successfully creates a new account through receipt of an invitation from an existing user. The invited user, upon creation of the new account, receives the account having enhanced features. The new user can automatically be connected to the existing user who sent the invitation. The system can also automatically prompt both users to query if they wish to be collaborators in a common work space.

Work items hosted by a collaboration environment (e.g., a cloud-based collaboration environment) can be accessed by users (e.g., users 316, 318, and 320) via multiple different devices (e.g., devices 304-314) for viewing, editing, processing or performing other manipulations on work items. The devices can include applications for accessing a server hosting a cloud-based platform or service or other backend web services (hereinafter "cloud-based collaboration platform application") and applications for viewing, editing, processing, or performing other manipulations on work items. The communication between such applications are generally facilitated by a communication mechanism of the OS. For example, in Android OS, the communication mechanism is based on "Intents". As previously described, the underlying communication mechanism are generally insecure, and any data passed between applications are visible to all other application on a device.

FIG. 4 depicts a block diagram illustrating an example of and storage accounts, the host server 400 including a rules configuration engine 410 facilitating configuration of rules (automations and/or policies) in a cloud-based collaboration environment. The host server 400 can be host server 100 of FIG. 1, although alternative configurations are possible.

The host server 400 of the cloud-based collaboration environment can generally be a cloud-based service. The

host server 400 can include, for example, a network interface 405, a rules configuration engine 410, a rules database 415, and an event-based automation engine 420. Additional or less components/modules/engines can be included in the host server 400 and each illustrated component. Further, although illustrated as included as part of the host server 400, the components/modules/engines can be physically and/or functionally distributed.

The network interface 405 can be a networking module that enables the host server 400 to mediate data in a network with an entity that is external to the host server 400, through any known and/or convenient communications protocol supported by the host and the external entity. The network interface 405 can include one or more of a network adaptor 15 card, a wireless network interface card (e.g., SMS interface, WiFi interface, interfaces for various generations of mobile communication standards including but not limited to 1G, 2G, 3G, 3.5G, 4G, LTE, etc.,), Bluetooth, a router, an access point, a wireless router, a switch, a multilayer switch, a 20 protocol converter, a gateway, a bridge, bridge router, a hub, a digital media receiver, and/or a repeater. Additionally, although not illustrated in the example of FIG. 4, in the case of distributed components, each component can include a network interface.

As used herein, a "module," "a manager," a "handler," a "detector," an "interface," or an "engine" includes a general purpose, dedicated or shared processor and, typically, firmware or software modules that are executed by the processor. Depending upon implementation-specific or other considerations, the module, manager, hander, or engine can be centralized or its functionality distributed. The module, manager, hander, or engine can include general or special purpose hardware, firmware, or software embodied in a computer-readable (storage) medium for execution by the processor. As used herein, a computer-readable medium or computer-readable storage medium is intended to include all mediums that are statutory (e.g., in the United States, under 35 U.S.C. 101), and to specifically exclude all mediums that 40 are non-statutory in nature to the extent that the exclusion is necessary for a claim that includes the computer-readable (storage) medium to be valid. Known statutory computerreadable mediums include hardware (e.g., registers, random access memory (RAM), non-volatile (NV) storage, to name 45 a few), but may or may not be limited to hardware.

One embodiment of the host server 400 includes the rules configuration engine 410 which can facilitate interaction with the users/administrators to generate rules. An example of the components in a rules configuration engine 410 is 50 shown and discussed in greater detail with reference to FIG.

One embodiment of the host server **400** includes the event-based automation engine **420** which can monitor events such as, for example, ALF events, and utilize and/or 55 otherwise automatically apply the user-defined rules generated by the rules configuration engine **410** to the events in the cloud-based collaboration environment. The event-based automation engine **420** is discussed in greater detail in co-pending U.S. patent application Ser. No. 14/026,674, 60 now issued U.S. Pat. No. 9,535,909, entitled "CONFIGURABLE EVENT-BASED AUTOMATION ARCHITECTURE FOR CLOUD-BASED COLLABORATION PLATFORMS," which has been concurrently filed on even date herewith.

FIG. 5 depicts a block diagram illustrating an example rules configuration engine 500. The rules configuration

10

engine **500** can be, for example, the rules configuration engine **410** of FIG. **4**, although alternative configurations are possible.

The rules configuration engine 500 can include, for example, an authentication module 510, a rules interface module 520, a policy module 530, an automation module 540, a notification module 550, and a quarantine module 560. Additional or less components/modules/engines can be included in rules configuration engine 500 and/or in each illustrated component/module.

One embodiment of the rules configuration engine 500 includes the authentication module 510 which can authenticate administrators (or end-users) for rule configuration (i.e., to set a rule in the system). In one embodiment, the authentication can, for example, include additional credentials, e.g., username and password combination. Alternatively or additionally, the authentication module 510 may compare the current user to a list of authorized administrators or end-users. Authentication in other manners is also possible.

One embodiment of the rules configuration engine 500 includes the rules interface module 520 which can receive, parse, and or otherwise process and distribute appropriate information received over the network to the other modules or received from the other modules over the network. The rules configuration engine 500 also provides graphical user interfaces to administrators and processes responses to allow administrators to traverse the various interfaces and/or allow the administrators to enter information into the GUI fields that can be used by the policy module 530 and/or the automation module 540 to generate rules (e.g., automations and/or policies).

One embodiment of the rules configuration engine 500 includes the policy module 530 which can facilitate generation of policies responsive to administer input. For example, administrators can satisfy security concerns with DLP and alerts for abnormal activity by creating polices to govern end-user activity within the collaborative environment.

One embodiment of the rules configuration engine 500 includes the automation module 540 which can perform the automation functions responsive to automation information received by the rules configuration engine 500 via a GUI. In one embodiment, the automation can satisfy various business process use case by allowing administrators to set up automated processes when events occur within the collaboration environment. For example, in one embodiment, administrators can set up automation steps using the following events: Upload, Move, Copy, Assign a task, Task marked as complete, Actions, Move, Copy, Assign a task, etc. Additional events can also be used as the list above is not limiting nor exhaustive.

One embodiment of the rules configuration engine 500 includes the reporting and notification module 550 which can perform the various logging and notification functions. For example, the various information can be logged and available via a reports tab on a GUI.

In one embodiment, actions taken around automation can be logged. For example, when an administrator visits the Reports graphical interface and selects "Automation" and a date range, the administrator will be able to pull a report for all activity having to do with automation during the specified time period that includes the following pieces of information: Date/time the action took place, User who took the action, Action (e.g., Created new (automation), Edited (automation), Deleted (automation)), Item/name, Folder, addi-

tional Details (e.g., automation name that was entered into the 'Automation Name' field that the corresponding action was taken on), etc.

In one embodiment, actions take around policies can be logged. For example, when an administrator visits the 5 Reports graphical interface and selects "Policy" and a date range, the administrator will be able to pull a report for all activity having to do with policy during the specified time period that includes the following pieces of information: Date/time the action took place, User who took the action, 10 Action (e.g., Created new (policy), Edited (policy), Deleted (policy), etc.), Item/name, Folder, additional Details (e.g., the policy name that was entered into the 'Policy Name' field that the corresponding action was taken on), etc.

In one embodiment, actions taken in quarantine can be 15 logged. For example, when an admin visits the Reports graphical interface and selects "Quarantine" and a date range, the administrator will be able to pull a report for all activity having to do with quarantine during the specified time period that includes the following pieces of informa- 20 tion: Date/time the action took place, User who took the action, Action (e.g., Previewed, Deleted, Restored, Moved to, Item/name (e.g., Name of the file version that an action was taken on), Folder, Quarantine (if it was sent to quarantine based on policy violation), [Folder name] (if it was 25 restored back to the original folder location it was uploaded to, additional details (e.g., if the action was "item moved to quarantine", then the details would state which policy was triggered). Additionally, if the policy that was triggered was via a 3rd party DLP provider, it would list out the corresponding string sent in the API call by the 3rd party DLP provider for policy violation. If no policy violation is sent via the API for a 3rd party DLP provider, the details will state "3rd party DLP vendor" or the vendors name if that is known. If the action was "previewed" or "deleted, then the 35 details would state the policy that was triggered when the item got moved to quarantine. If the action was "restored," then the details would state the policy that was triggered when the item got moved to quarantine AND would state if it was marked as a "false positive."

In one embodiment, abnormal activity actions can be logged. For example, when an admin visits the Reports graphical interface and selects "Abnormal Activity" and a date range, they will be able to pull a report for all abnormal activity that was flagged during the specified time period 45 that includes the following pieces of information: Date/time the abnormal activity occurred. User who performed the abnormal activity, Action, Abnormal activity, Item/name, If the abnormal activity was a sharing violation to an email on the domain watchlist, the file that was shared would be 50 listed, Folder, If the abnormal activity was a sharing violation to an email on the domain watchlist, the folder that the file that was shared was contained in would be listed, If a whole folder was shared, then the Item/Name and Contained in Folder would both list the name of the folder that was 55 shared, additional details about the abnormal activity policy that was violated (e.g., Download [#files] in [time period], Shared with [domain on watchlist], If shared with multiple domains, there would be separate entries for each abnormal activity violation, etc.).

One embodiment of the rules configuration engine 500 includes the quarantine module 560 which can automatically perform a quarantine function (e.g., quarantine a file). For example, when a file violates an upload policy set up in the policy center, the file version will automatically be moved to 65 a quarantine folder where it will only be accessible by an administrator. An administrator can view all versions of files

that have been quarantined and perform the following actions on them: Preview, Delete, Restore (e.g., mark as false/positive—can be used to prevent future false positive).

12

In one embodiment, when a file version has been quarantined by the quarantine module **560**, that version if of the file can be replaced with a dummy version.

In one embodiment, triggers can occur off of metadata events. For example, metadata can be entered by an administer via a event field or a qualifier field

FIG. 6 depicts a data flow diagram illustrating an example process 600 for configuring event-based automation in a collaborative cloud-based environment, according to an embodiment. A rules configuration engine such as, for example, rules configuration engine 410 of FIG. 4, can, among other functions, perform the example process 600. The rules configuration engine may be embodied as hardware and/or software, including combinations and/or variations thereof. In addition, in some embodiments, the rule manager can include instructions, wherein the instructions, when executed by one or more processors, cause the one or more processors to perform one or more processes including the following processes.

To begin, in process 610, the rules configuration engine provides an administrator console graphical interface for electronic display to the user. For example, this might be responsive to a user selection of the admin console button or tab (see FIG. 7). In process 612, the rules configuration engine receives a user selection indicating a request to automate an operation in the collaborative cloud-based environment. For example, this might be responsive to a user selection of a start automation or start policy button.

In process 614, the rules configuration engine provides an automation graphical interface for electronic display to the user. In process 616, the rules configuration engine receive a user response via the automation graphical user interface. In process 618, the user extracts user input from the multiple populated fields of the graphical user interface. Lastly, in process 618, the rules configuration engine generates an automation rule for execution in the collaborative cloudbase environment based on the extracted user input.

FIG. 7 depicts an example user interface illustrating an administrator console overview view of a graphical user interface for configuration event-based automation in cloud-based collaboration platforms.

In one embodiment, an administrator or authorized enduser can access the administrator console graphical user interface by selecting the admin console button or tab 710. The overview view of the graphical user interface is illustrated in the example. Selection of the overview button or tab 712 returns the administrator to this view. Selection of the users and groups button or tab 714 causes the user's system to receive and electronically display a user's and groups view. Similarly, the content manager button or tab 716 causes the user's system to receive and electronically display a content manager view (see FIGS. 10A-10B), the reports button or tab 718 causes the user's system to receive and display a reports view, the automation button or tab 720 causes the user's system to receive and display an automation view (see FIGS. 8A-8C), and a policy button or tab 722 causes the user's system to receive and display a policy view (see FIGS. 9A-9D).

FIGS. 8A-8C depict example user interfaces illustrating an administrator console automation view of a graphical user interface for configuration event-based automation in cloud-based collaboration platforms. The example user interfaces are generally self-explanatory although some description is provided below.

As shown in the example of FIG. 8A, the administrator console automation view of the graphical user interface includes a create automation button 805. An administrator or authorized end-user can select button 805 to add or start a new automation (e.g., workflow automation). FIG. 8B illus- 5 trates the administrator console automation view of the graphical user interface for creation of a new automation once the automation button 805 is selected. The example of FIG. 8B shows event fields 810, qualifier fields 812, and action fields 814. Alternatively, the event and qualifier fields can be all considered event fields. In operation, an administrator or authorized user can select an event from the event fields (e.g., file uploaded) and a qualifier (e.g., in folder A). If the event occurs with the qualifier then the selected action occurs (e.g., assign a task to review the document to user 15 #1). Additional steps can also be added by selected the additional steps button 815. An example graphical interface is shown in FIG. 8C of an interface that is electronically displayed when a user selected the additional steps button 815.

FIGS. 9A-9D depict example user interfaces illustrating an administrator console policy view of a graphical user interface for configuration event-based automation in cloud-based collaboration platforms. The example user interfaces are generally self-explanatory although some description is 25 provided below.

As shown in the example of FIG. 9A, the administrator console automation view of the graphical user interface includes a create automation button 905. An administrator or authorized end-user can select button 905 to add or start a 30 new policy.

FIG. 9B illustrates a GUI including event fields 910, qualifier fields 912, and action fields 914. As shown in the examples of FIGS. 9B-9D, changing the selection of an event field 910 can also modify the qualifier and action 35 fields. For example, if an administrator selects "UPLOAD" as shown in FIG. 9B, then the qualifier fields provides a check box input to select what the uploaded document should be searched for (e.g., social security number, credit card number, or other custom words that can be input). The 40 action field 914 provides a checkbox input for the actions to take if the document uploaded contains the selected information.

FIG. 9C illustrates an example whereby "DOWNLOAD" is selected in the event field. In this case, the qualifier fields 45 provide a radio button allowing the administrator to set a threshold on the number of downloads per time (e.g., hour). The action field indicates the actions to take should the threshold downloads be met or exceeded. Selection of notification results in an additional field allowing entry of 50 the user/user to notify. The field can allow email addresses to be entered or selection of the user via searching. Similarly, FIG. 9D illustrates an example whereby "SHARING" is selected in the event field radio button. In this case, the qualifier fields provide a field where the administrator can 55 enter a domain. In one embodiment, special characters, e.g., "**", etc. can be utilized.

FIGS. 10A-10B depict example user interface illustrating an administrator console content manager view of a graphical user interface for configuration event-based automation 60 in cloud-based collaboration platforms. The example user interfaces are generally self-explanatory although some description is provided below.

As shown in the example of FIG. 10A, selection of the content manger button or tab 716 causes the content manager view of a graphical user interface to be received and electronically displayed on the user's device. An adminis-

14

trator can view the policies on each of the user's files by browsing the users top level folder. Similarly, as illustrated in FIG. **10**B, the quarantine folder can show all of the files that are quarantined from all users and what policies the file triggered to get quarantines.

FIG. 11 illustrates a diagrammatic representation of a machine in the example form of a computer system within which a set of instructions, for causing the machine to perform any one or more of the methodologies discussed herein, may be executed.

In alternative embodiments, the machine operates as a standalone device or may be connected (e.g., networked) to other machines. In a networked deployment, the machine may operate in the capacity of a server or a client machine in a client-server network environment, or as a peer machine in a peer-to-peer (or distributed) network environment.

The machine may be a server computer, a client computer, a personal computer (PC), a user device, a tablet PC, a laptop computer, a set-top box (STB), a personal digital assistant (PDA), a cellular telephone, an iPhone, an iPad, a Blackberry, a processor, a telephone, a web appliance, a network router, switch or bridge, a console, a hand-held console, a (hand-held) gaming device, a music player, any portable, mobile, hand-held device, or any machine capable of executing a set of instructions (sequential or otherwise) that specify actions to be taken by that machine.

While the machine-readable medium or machine-readable storage medium is shown in an exemplary embodiment to be a single medium, the term "machine-readable medium" and "machine-readable storage medium" should be taken to include a single medium or multiple media (e.g., a centralized or distributed database, and/or associated caches and servers) that store the one or more sets of instructions. The term "machine-readable medium" and "machine-readable storage medium" shall also be taken to include any medium that is capable of storing, encoding or carrying a set of instructions for execution by the machine and that cause the machine to perform any one or more of the methodologies of the presently disclosed technique and innovation.

In general, the routines executed to implement the embodiments of the disclosure, may be implemented as part of an operating system or a specific application, component, program, object, module or sequence of instructions referred to as "computer programs." The computer programs typically comprise one or more instructions set at various times in various memory and storage devices in a computer, and that, when read and executed by one or more processing units or processors in a computer, cause the computer to perform operations to execute elements involving the various aspects of the disclosure.

Moreover, while embodiments have been described in the context of fully functioning computers and computer systems, those skilled in the art will appreciate that the various embodiments are capable of being distributed as a program product in a variety of forms, and that the disclosure applies equally regardless of the particular type of machine or computer-readable media used to actually effect the distribution.

Further examples of machine-readable storage media, machine-readable media, or computer-readable (storage) media include, but are not limited to, recordable type media such as volatile and non-volatile memory devices, floppy and other removable disks, hard disks, optical disks (e.g., Compact Disk Read-Only Memory (CD ROMS), Digital Versatile Disks, (DVDs), etc.), among others, and transmission type media such as digital and analog communication links.

The network interface device enables the machine 700 to mediate data in a network with an entity that is external to the host server, through any known and/or convenient communications protocol supported by the host and the external entity. The network interface device can include one or more of a network adaptor card, a wireless network interface card, a router, an access point, a wireless router, a switch, a multilayer switch, a protocol converter, a gateway, a bridge, bridge router, a hub, a digital media receiver, and/or a repeater.

The network interface device can include a firewall which can, in some embodiments, govern and/or manage permission to access/proxy data in a computer network, and track varying levels of trust between different machines and/or applications. The firewall can be any number of modules 15 having any combination of hardware and/or software components able to enforce a predetermined set of access rights between a particular set of machines and applications, machines and machines, and/or applications and applications, for example, to regulate the flow of traffic and resource 20 sharing between these varying entities. The firewall may additionally manage and/or have access to an access control list which details permissions including for example, the access and operation rights of an object by an individual, a machine, and/or an application, and the circumstances under 25 which the permission rights stand.

Other network security functions can be performed or included in the functions of the firewall, can be, for example, but are not limited to, intrusion-prevention, intrusion detection, next-generation firewall, personal firewall, etc. without 30 deviating from the novel art of this disclosure.

Unless the context clearly requires otherwise, throughout the description and the claims, the words "comprise," "comprising," and the like are to be construed in an inclusive sense, as opposed to an exclusive or exhaustive sense; that 35 is to say, in the sense of "including, but not limited to." As used herein, the terms "connected," "coupled," or any variant thereof, means any connection or coupling, either direct or indirect, between two or more elements; the coupling of connection between the elements can be physical, logical, or 40 a combination thereof. Additionally, the words "herein," "above," "below," and words of similar import, when used in this application, shall refer to this application as a whole and not to any particular portions of this application. Where the context permits, words in the above Detailed Description 45 using the singular or plural number may also include the plural or singular number respectively. The word "or," in reference to a list of two or more items, covers all of the following interpretations of the word: any of the items in the list, all of the items in the list, and any combination of the 50 items in the list.

As used herein, a "module," "a manager," a "handler," a "detector," an "interface," or an "engine" includes a general purpose, dedicated or shared processor and, typically, firmware or software modules that are executed by the processor. 55 Depending upon implementation-specific or other considerations, the module, manager, hander, or engine can be centralized or its functionality distributed. The module, manager, hander, or engine can include general or special purpose hardware, firmware, or software embodied in a 60 computer-readable (storage) medium for execution by the processor. As used herein, a computer-readable medium or computer-readable storage medium is intended to include all mediums that are statutory (e.g., in the United States, under 35 U.S.C. 101), and to specifically exclude all mediums that 65 are non-statutory in nature to the extent that the exclusion is necessary for a claim that includes the computer-readable

16

(storage) medium to be valid. Known statutory computerreadable mediums include hardware (e.g., registers, random access memory (RAM), non-volatile (NV) storage, to name a few), but may or may not be limited to hardware.

The above detailed description of embodiments of the disclosure is not intended to be exhaustive or to limit the teachings to the precise form disclosed above. While specific embodiments of, and examples for, the disclosure are described above for illustrative purposes, various equivalent modifications are possible within the scope of the disclosure, as those skilled in the relevant art will recognize. For example, while processes or blocks are presented in a given order, alternative embodiments may perform routines having steps, or employ systems having blocks, in a different order, and some processes or blocks may be deleted, moved, added, subdivided, combined, and/or modified to provide alternative or subcombinations. Each of these processes or blocks may be implemented in a variety of different ways. Also, while processes or blocks are at times shown as being performed in series, these processes or blocks may instead be performed in parallel, or may be performed at different times. Further, any specific numbers noted herein are only examples: alternative implementations may employ differing values or ranges.

The teachings of the disclosure provided herein can be applied to other systems, not necessarily the system described above. The elements and acts of the various embodiments described above can be combined to provide further embodiments.

Any patents and applications and other references noted above, including any that may be listed in accompanying filing papers, are incorporated herein by reference. Aspects of the disclosure can be modified, if necessary, to employ the systems, functions, and concepts of the various references described above to provide yet further embodiments of the disclosure

These and other changes can be made to the disclosure in light of the above Detailed Description. While the above description describes certain embodiments of the disclosure, and describes the best mode contemplated, no matter how detailed the above appears in text, the teachings can be practiced in many ways. Details of the system may vary considerably in its implementation details, while still being encompassed by the subject matter disclosed herein. As noted above, particular terminology used when describing certain features or aspects of the disclosure should not be taken to imply that the terminology is being redefined herein to be restricted to any specific characteristics, features, or aspects of the disclosure with which that terminology is associated. In general, the terms used in the following claims should not be construed to limit the disclosure to the specific embodiments disclosed in the specification, unless the above Detailed Description section explicitly defines such terms. Accordingly, the actual scope of the disclosure encompasses not only the disclosed embodiments, but also all equivalent ways of practicing or implementing the disclosure under the

While certain aspects of the disclosure are presented below in certain claim forms, the inventors contemplate the various aspects of the disclosure in any number of claim forms. For example, while only one aspect of the disclosure is recited as a means-plus-function claim under 35 U.S.C. § 112, ¶6, other aspects may likewise be embodied as a means-plus-function claim, or in other forms, such as being embodied in a computer-readable medium. (Any claims intended to be treated under 35 U.S.C. § 112, ¶6 will begin with the words "means for".) Accordingly, the applicant

50

17

reserves the right to add additional claims after filing the application to pursue such additional claim forms for other aspects of the disclosure.

What is claimed is:

- 1. A method of configuring metadata event-based auto- 5 mation in a collaborative cloud-based environment, the method comprising:
 - receiving, by a server of the collaborative cloud-based environment, a selection indicating a request to autoenvironment, wherein the collaborative cloud-based environment includes a plurality of workspaces, and wherein each of the workspaces is accessible to a plurality of collaborators;
 - receiving, by the server, a selection of a metadata event 15 with respect to a work item hosted in a particular workspace of the plurality of workspaces of the collaborative cloud-based environment, wherein the metadata event comprises a change in the metadata for the work item:
 - identifying, by the server, an event definition for the selected metadata event, the event definition comprising a qualifying criteria defining criteria of the work item, and an action performed on the work item when the selected metadata event related to the work item has 25 occurred and the qualifying criteria of the work item is satisfied: and
 - executing, by the server, the action performed on the work item in response to an occurrence of the selected metadata event and further based on an identified event 30 criteria of the metadata event that matches the qualifying criteria of the work item.
- 2. The method of claim 1, further comprising receiving, by the server, a selection identifying the work item in the collaborative cloud-based environment.
- 3. The method of claim 1, wherein the occurrence of the qualifying criteria comprises the qualifying criteria evaluating in the affirmative.
- 4. The method of claim 1, further comprising triggering execution of the selected action in the collaborative cloud- 40 based environment when the metadata event occurs with the qualifying criteria with respect to the work item.
- 5. The method of claim 1, wherein the metadata event comprises a change in the metadata.
- 6. The method of claim 1, wherein the metadata event 45 comprises entry of the metadata by an administrator.
- 7. The method of claim 1, wherein the automated job comprises a policy or a workflow.
 - **8**. A system comprising:
 - a processor; and
 - a memory coupled with and readable by the processor and storing therein a set of instructions which, when executed by the processor, causes the processor to configure metadata event-based automation in a collaborative cloud-based environment by:
 - receiving a selection indicating a request to automate an operation in the collaborative cloud-based environment receiving a selection of a metadata event with respect to a work item hosted in a particular workspace of the plurality of workspaces of the 60 collaborative cloud-based environment, wherein the metadata event comprises a change in the metadata for the work item;
 - identifying an event definition for the selected metadata event, the event definition comprising a qualifying 65 criteria defining criteria of the work item, and an action performed on the work item when the selected

18

- metadata event related to the work item has occurred and the qualifying criteria of the work item is satis-
- executing the action performed on the work item in response to an occurrence of the selected metadata event and further based on an identified event criteria of the metadata event that matches the qualifying criteria of the work item.
- 9. The system of claim 8, wherein the instructions further mate an operation in the collaborative cloud-based 10 cause the processor to receive a selection identifying the work item in the collaborative cloud-based environment.
 - 10. The system of claim 8, wherein the occurrence of the qualifying criteria comprises the qualifying criteria evaluating in the affirmative.
 - 11. The system of claim 8, wherein the instructions further cause the processor to trigger execution of the selected action in the collaborative cloud-based environment when the metadata event occurs with the qualifying criteria with respect to the work item.
 - 12. The system of claim 11, wherein the instructions further cause the processor to track the execution of the action in a log file.
 - 13. The system of claim 8, wherein the instructions further cause the processor to, prior to receiving the selection indicating a request to automate an operation, provide an administrator console graphical interface for electronic display to the user, wherein the administrator console graphical interface indicates multiple panel selections.
 - 14. The system of claim 8, wherein the automated job comprises a policy or a workflow.
 - 15. A non-transitory, computer-readable medium comprising a set of instructions stored therein which, when executed by a processor, causes the processor to configure metadata event-based automation in a collaborative cloud-35 based environment by:
 - receiving a selection indicating a request to automate an operation in the collaborative cloud-based environment, wherein the collaborative cloud-based environment includes a plurality of workspaces, and wherein each of the workspaces is accessible to a plurality of collaborators:
 - receiving a selection of a metadata event with respect to a work item hosted in a particular workspace of the plurality of workspaces of the collaborative cloudbased environment, wherein the metadata event comprises a change in the metadata for the work item;
 - identifying an event definition for the selected metadata event, the event definition comprising a qualifying criteria defining criteria of the work item, and an action performed on the work item when the selected metadata event related to the work item has occurred and the qualifying criteria of the work item is satisfied; and
 - executing the action performed on the work item in response to an occurrence of the selected metadata event and further based on an identified event criteria of the metadata event that matches the qualifying criteria of the work item.
 - **16**. The non-transitory, computer-readable medium of claim 15, wherein the instructions further cause the processor to receive a selection identifying the work item in the collaborative cloud-based environment.
 - 17. The non-transitory, computer-readable medium of claim 15, wherein the instructions further cause the processor to trigger execution of the selected action in the collaborative cloud-based environment when the metadata event occurs with the qualifying criteria with respect to the work item.

18. The non-transitory, computer-readable medium of claim **17**, wherein the instructions further cause the processor to track the execution of the action in a log file.

19. The non-transitory, computer-readable medium of claim 15, wherein the instructions further cause the processor to, prior to receiving the selection indicating a request to automate an operation, provide an administrator console graphical interface for electronic display to the user, wherein the administrator console graphical interface indicates multiple panel selections.

20. The non-transitory, computer-readable medium of claim 15, wherein the automated job comprises a policy or a workflow.

* * * * *