

# US Patent & Trademark Office

## Patent Public Search | Text View

---

United States Patent Application Publication	20250263374
Kind Code	A1
Publication Date	August 21, 2025
Inventor(s)	COLE; Bridget McCarthy et al.

---

### Charged Ion Channel Blockers and Methods for Use

---

#### Abstract

The invention provides compounds of Formula (I), or pharmaceutically acceptable salts thereof:  
##STR00001##  
The compounds, compositions, methods and kits of the invention are useful for the treatment of pain, itch, and neurogenic inflammation.

---

**Inventors:** COLE; Bridget McCarthy (Quincy, MA), ELLIS; James Lamond (Somerville, MA)

**Applicant:** NOCION THERAPEUTICS, INC. (Watertown, MA)

**Family ID:** 1000008575202

**Appl. No.:** 18/899307

**Filed:** September 27, 2024

#### Related U.S. Application Data

parent US continuation 17837129 20220610 parent-grant-document US 12195428 child US 18899307  
parent US continuation 16816018 20200311 parent-grant-document US 11377422 child US 17837129  
us-provisional-application US 62816434 20190311  
us-provisional-application US 62931590 20191106

---

#### Publication Classification

**Int. Cl.:** C07D211/34 (20060101); A61K45/06 (20060101); C07C237/04 (20060101); C07D207/09 (20060101); C07D223/04 (20060101); C07D225/02 (20060101); C07D409/06 (20060101); C07D413/06 (20060101); C07D417/06 (20060101)

## U.S. Cl.:

CPC      **C07D211/34** (20130101); **C07C237/04** (20130101); **C07D207/09** (20130101);  
**C07D223/04** (20130101); **C07D225/02** (20130101); **C07D409/06** (20130101);  
**C07D413/06** (20130101); **C07D417/06** (20130101); A61K45/06 (20130101)

---

## Background/Summary

RELATED APPLICATIONS [0001] This application is a continuation of U.S. application Ser. No. 17/837,129, filed Jun. 10, 2022, which is a continuation of U.S. application Ser. No. 16/816,018, filed Mar. 11, 2020, now U.S. Pat. No. 11,377,422, issued Jul. 5, 2022, which claims the benefit of U.S. Provisional Application Ser. No. 62/816,434 filed Mar. 11, 2019, and U.S. Provisional Application Ser. No. 62/931,590 filed Nov. 6, 2019. The entire contents of the above applications are incorporated by reference herein.

## TECHNICAL FIELD

[0002] The present invention relates generally to quaternary ammonium compounds, pharmaceutical compositions, and methods useful as selective inhibitors of pain, cough, and itch sensing neurons (nociceptors, cough receptors and pruriceptors) and in the treatment of neurogenic inflammation.

## BACKGROUND OF THE INVENTION

[0003] The invention features compounds, compositions and methods for the selective inhibition of sensory neurons (nociceptors, cough receptors and pruriceptors) and the treatment of neurogenic inflammation by targeting nociceptors with a small molecule drug, while minimizing effects on non-nociceptive neurons or other types of cells. According to the method of the invention, small, cationic drug molecules gain access to the intracellular compartment of sensory neurons via entry through large pore receptor/ion channels that are present in pain- cough- and itch-sensing neurons but to a lesser extent or not at all in other types of neurons or in other types of tissue.

[0004] Local anesthetics such as lidocaine and articaine act by inhibiting voltage-dependent sodium channels in neurons. These anesthetics block sodium channels and thereby the excitability of all neurons, not just pain-sensing neurons (nociceptors). Thus, while the goal of topical or regional anesthesia is to block transmission of signals in nociceptors to prevent pain, administration of local anesthetics also produces unwanted or deleterious effects such as general numbness from block of low threshold pressure and touch receptors, motor deficits and/or paralysis from block of motor axons and other complications from block of autonomic fibers. Local anesthetics are relatively hydrophobic molecules that gain access to their blocking site on the sodium channel by diffusing through the cell membrane. Charged derivatives of these compounds, which are not membrane-permeable, have no effect on neuronal sodium channels when applied to the external surface of the nerve membrane but can block sodium channels if somehow introduced inside the cell, for example by diffusion from a micropipette used for whole-cell electrophysiological recording from isolated neurons. Pain-, cough-, and itch-sensing neurons differ from other types of neurons in expressing (in most cases) the TRPV1 receptor/channel, which is activated by painful heat or by capsaicin, the pungent ingredient in chili pepper. Other types of channels selectively expressed in various types of pain-sensing, cough-sensing and itch-sensing (pruriceptor) neurons include but are not limited to TRPV2-4, TRPA1, TRPM8, ASIC and P2X(2/3) channels. It is well established that some cationic small molecules such as QX-314 are able to enter a cell via passage through activated large pore channels such as TRPV1.

[0005] Neuropathic, inflammatory, and nociceptive pain differ in their etiology, pathophysiology, diagnosis, and treatment. Nociceptive pain occurs in response to the activation of a specific subset

of high threshold peripheral sensory neurons, the nociceptors, by intense or noxious stimuli. It is generally acute, self-limiting and serves a protective biological function by acting as a warning of potential or on-going tissue damage. It is typically well-localized. Examples of nociceptive pain include, but are not limited to, traumatic or surgical pain, labor pain, sprains, bone fractures, burns, bumps, bruises, injections, dental procedures, skin biopsies, and obstructions.

[0006] Inflammatory pain is pain that occurs in the presence of tissue damage or inflammation including postoperative (i.e. pain associated with acute perioperative pain resulting from inflammation caused by tissue trauma (e.g., surgical incision, dissection, burns) or direct nerve injury (e.g., nerve transection, stretching, or compression)), post-traumatic pain, arthritic pain (rheumatoid; or osteoarthritis (i.e. joint pain and stiffness due to gradual deterioration of the joint cartilage; risk factors include aging, injury, and obesity; commonly affected joints are the hand, wrist, neck, knee, hip, and spine), pain and pain associated with damage to joints, muscle, and tendons as in axial low back pain (i.e. a prevalent, painful condition affecting the lower portion of the back; common causes include muscle strain, spine fracture, bulging or ruptured disc, and arthritis), severe nociceptive pain may transition to inflammatory pain if there is associated tissue injury.

[0007] Neuropathic pain is a common type of chronic, non-malignant pain, which is the result of an injury or malfunction in the peripheral or central nervous system and serves no protective biological function. It is estimated to affect more than 1.6 million people in the U.S. population.

[0008] Neuropathic pain has many different etiologies, and may occur, for example, due to trauma, surgery, herniation of an intervertebral disk, spinal cord injury, diabetes, infection with herpes zoster (shingles), HIV/AIDS, late-stage cancer, amputation (including mastectomy), carpal tunnel syndrome, chronic alcohol use, exposure to radiation, and as an unintended side-effect of neurotoxic treatment agents, such as certain anti-HIV and chemotherapeutic drugs. Peripheral neuropathy is caused by damages to the peripheral nerves from injury, trauma, prolonged pressure, or inflammation causing numbness and pain in corresponding areas of the body.

[0009] Neuropathic pain is frequently described as “burning,” “electric,” “tingling,” or “shooting” in nature. It is often characterized by chronic dynamic allodynia (defined as pain resulting from a moving stimulus that does not ordinarily elicit a painful response, such as light touch) and hyperalgesia (defined as an increased sensitivity to a normally painful stimulus) and may persist for months or years beyond the apparent healing of any damaged tissues.

[0010] Pain may occur in patients with cancer, which may be due to multiple causes, inflammation, compression, invasion, metastatic spread into bone or other tissues.

[0011] There are some conditions where pain occurs in the absence of a noxious stimulus, tissue damage or a lesion to the nervous system, called dysfunctional pain and these include but are not limited to fibromyalgia, tension type headache, and irritable bowel disorders.

[0012] Migraine is a headache associated with the activation of sensory fibers innervating the meninges of the brain.

[0013] Itch (pruritus) is a dermatological condition that may be localized and generalized and can be associated with skin lesions (rash, atopic eczema, wheals). Itch accompanies many conditions including but not limited to stress, anxiety, UV radiation from the sun, metabolic and endocrine disorders (e.g., liver or kidney disease, hyperthyroidism), cancers (e.g., lymphoma), reactions to drugs or food, parasitic and fungal infections, allergic reactions, diseases of the blood (e.g., polycythemia vera), and dermatological conditions. Itch is mediated by a subset of small diameter primary sensory neurons, the pruriceptor, that share many features of nociceptor neurons, including but not limited to expression of TRPV1 channels, and other large pore channels (e.g. TRPV2-4, TRPA1, TRPM8, ASIC and P2X(2/3)). Certain itch mediators-such as eicosanoids, histamine, bradykinin, ATP, and various neurotrophins have endovanilloid functions. Topical capsaicin suppresses histamine-induced itch. Pruriceptors like nociceptors are therefore a suitable target for this method of delivering ion channel blockers.

[0014] Cough is a defensive reflex designed to protect the airway from foreign bodies and to aid in the clearance of luminal debris. This reflex, however, can become aberrant in a number of diseases leading to a non-productive dry cough where hyper- or allo-tussive states exist. Hyper- and allo-tussive states are often chronic in nature lasting greater than three months and can be manifested in many airway diseases states including asthma, COPD, asthma-COPD overlap syndrome (ACOS), interstitial pulmonary fibrosis (IPF) and lung cancer. In addition, inappropriate cough reflexes can be manifested acutely and chronically following viral infection. Furthermore, chronic cough can be idiopathic in nature with unknown etiology.

[0015] Neurogenic inflammation is a mode of inflammation mediated by the efferent (motor) functions of sensory neurons, in which pro-inflammatory mediator molecules released in the periphery by pain-sensing neurons (nociceptors) both activate a variety of inflammatory pathways in immune cells, and also act on the vascular system to alter blood flow and capillary permeability.

[0016] Neurogenic inflammation contributes to the peripheral inflammation elicited by tissue injury, autoimmune disease, infection, allergy, exposure to irritants in a variety of tissues, and is thought to play an important role in the pathogenesis of numerous disorders (e.g., migraine, arthritis, rhinitis, gastritis, colitis, cystitis, and sunburn). One way to reduce neurogenic inflammation is to block excitability in nociceptors, thereby preventing the activation of nociceptor peripheral terminals and the release of pro-inflammatory chemicals.

[0017] Despite the development of a variety of therapies for pain, itch, and neurogenic inflammation, there is a need for additional agents.

#### SUMMARY OF THE INVENTION

[0018] The present invention provides compounds represented by Formula (I) that can be used to treat or prevent pain, itch, and neurogenic inflammation:

##STR00002##

wherein: [0019] Y<sup>sup.</sup>– is a pharmaceutically acceptable anion; [0020] n is 1, 2, 3, or 4; [0021] R<sup>sup.</sup>A, R<sup>sup.</sup>B, and R<sup>sup.</sup>C are each independently selected from H, D, halogen, substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, substituted or unsubstituted aryl, substituted or unsubstituted heteroaryl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl, OR<sup>sup.</sup>I, CN, NR<sup>sup.</sup>JR<sup>sup.</sup>K, NR<sup>sup.</sup>LC(O)R<sup>sup.</sup>M, S(O)R<sup>sup.</sup>N, S(O).sub.2R<sup>sup.</sup>N, SO.sub.2R<sup>sup.</sup>OR<sup>sup.</sup>P, SO.sub.2NR<sup>sup.</sup>QR<sup>sup.</sup>R, SO.sub.3R<sup>sup.</sup>S, CO.sub.2R<sup>sup.</sup>T; C(O)R<sup>sup.</sup>U, and C(O)NR<sup>sup.</sup>VR<sup>sup.</sup>W, (preferably R<sup>sup.</sup>A and R<sup>sup.</sup>B are methyl and R<sup>sup.</sup>C is H, F, Cl, or CN and more preferably H); [0022] each of R<sup>sup.</sup>I, R<sup>sup.</sup>J, R<sup>sup.</sup>K, R<sup>sup.</sup>L, R<sup>sup.</sup>M, R<sup>sup.</sup>N, R<sup>sup.</sup>O, R<sup>sup.</sup>P, R<sup>sup.</sup>Q, R<sup>sup.</sup>R, R<sup>sup.</sup>S, R<sup>sup.</sup>U, R<sup>sup.</sup>V, and R<sup>sup.</sup>W is independently selected from H, D, substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, substituted or unsubstituted aryl, substituted or unsubstituted heteroaryl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl; R<sup>sup.</sup>J and R<sup>sup.</sup>K or R<sup>sup.</sup>V and R<sup>sup.</sup>W or R<sup>sup.</sup>Q and R<sup>sup.</sup>R can also be taken together with the nitrogen to which they are attached to form a substituted or unsubstituted 5, 6, 7, or 8 membered ring; [0023] R<sup>sup.</sup>A, R<sup>sup.</sup>B, and/or R<sup>sup.</sup>C taken together with the phenyl ring to which they are attached can form a fused bicyclic or tricyclic ring system, such as naphthyl, dihydroindenyl, tetrahydronaphthyl, quinolinyl, indolyl, and the like; [0024] X<sup>sup.</sup>1 is selected from —CR<sup>sup.</sup>XR<sup>sup.</sup>Y—, —NR<sup>sup.</sup>ZC(O)—, —OC(O)—, —SC(O)—, —C(O)NR<sup>sup.</sup>1A—, —C(O)O—, —C(O)—, —(O)CS—, —NR<sup>sup.</sup>1AS(O)—, —S(O)NR<sup>sup.</sup>1A—, —NR<sup>sup.</sup>1AC(O)NR<sup>sup.</sup>1A—, —S(O)— and —(O).sub.2—; X<sup>sup.</sup>1 can also be —NR<sup>sup.</sup>ZC(O)CR<sup>sup.</sup>XR<sup>sup.</sup>Y—; [0025] each of R<sup>sup.</sup>X, R<sup>sup.</sup>Y, R<sup>sup.</sup>Z, and R<sup>sup.</sup>1A is independently selected from H, D, substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, and substituted or unsubstituted heteroalkyl; [0026] each of R<sup>sup.</sup>D and R<sup>sup.</sup>E is independently selected from H, D, substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl,

substituted or unsubstituted heteroalkyl, and substituted or unsubstituted cycloalkyl; or R.sup.D and R.sup.E together with the carbon to which they are attached form a substituted or unsubstituted 3-6-membered cycloalkyl (a C.sub.3-C.sub.6 cycloalkyl), substituted or unsubstituted heterocyclic, or substituted or unsubstituted heteroalkyl ring; [0027] or R.sup.D and R.sup.Z together with the carbon and the —N—C(O)— to which they are attached form an optionally substituted 5-8-membered lactam; [0028] R.sup.H is a substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, substituted or unsubstituted aryl, substituted or unsubstituted heteroaryl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl; in certain aspects, R.sup.H can be a substituted or unsubstituted aralkyl or heteroarylalkyl; in additional aspects, R.sup.H can be substituted or unsubstituted alkylcarboxylate, substituted or unsubstituted alkylcarboxamide; and [0029] R.sup.1B is a substituted or unsubstituted aryl or substituted or unsubstituted heteroaryl, preferably substituted or unsubstituted phenyl.

---

## Description

### DETAILED DESCRIPTION OF THE INVENTION

[0030] The present invention provides compounds represented by Formula (I) as described above, or pharmaceutically acceptable salts, stereoisomers, solvates, hydrates or combinations thereof. The invention also provides compositions comprising compounds having Formula (I) or a pharmaceutically acceptable salts thereof, for example, a composition comprising an effective amount of a compound of Formula (I) or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable excipient. The compositions of the invention may further comprise compounds of the invention and a biologically active agent. The compositions can be formulated for oral, intravenous, intramuscular, rectal, cutaneous, subcutaneous, topical, transdermal, sublingual, nasal, inhalation, vaginal, intrathecal, epidural, or ocular administration.

[0031] The invention further provides methods for treating pain, cough, itch, or a neurogenic inflammatory disorder in a patient, including administering to the patient a composition comprising a compound having Formula (I), wherein the compound inhibits one or more voltage-gated ion channels present in nociceptors and/or cough receptors and/or pruriceptors when exposed or applied to the internal face of the channels but does not substantially inhibit the channels when applied to the external face of the channels, and wherein the compound is capable of entering nociceptors, cough receptors or pruriceptors through a large pore channel when the channel is activated and inhibiting one or more voltage-gated ion channels present in the nociceptors cough receptors or pruriceptors.

[0032] In certain embodiments, the large pore channel is a transient receptor potential ion channel (TRP channel). In other embodiments, the TRP channel is activated by an exogenous or endogenous agonist. In yet other embodiments, the large pore channel is TRPA1, TRPV1-4, TRPM8, ASIC or P2X. In particular embodiments, the compound is capable of entering nociceptors, cough receptors or pruriceptors through the TRPA1 TRPV1-4, TRPM8, ASIC or P2X receptor/channel when the receptor/channel is activated. In yet other embodiments, the compound inhibits voltage-gated sodium channels. In yet another embodiment, the type of pain treated by the methods, compositions, and kits of the invention is selected from the group consisting of neuropathic pain, inflammatory pain, nociceptive pain, pain due to infections, and procedural pain, or wherein the neurogenic inflammatory disorder is selected from the group consisting of allergic inflammation, asthma, chronic cough, conjunctivitis, rhinitis, psoriasis, inflammatory bowel disease, interstitial cystitis, and atopic dermatitis.

[0033] We have identified compounds having Formula (I)

##STR00003##

that are capable of passing through open large pore channels that are expressed on nociceptors and/or cough receptors and/or pruriceptors but not on motor neurons. Because the ion channel blocking compounds of the present invention are positively charged, they are not membrane-permeable and thus cannot enter cells that do not express large pore channels. Since large pore channels are often more active in tissue conditions associated with pain (such as inflammation) due to release of endogenous ligands or activation by thermal stimuli, the ion channel blocker of the invention can be used alone to selectively target activated nociceptors in order to effectively treat (e.g., eliminate or alleviate) pain, cough, itch, or neurogenic inflammation. The ion channel blockers of the invention can also be used in combination with one or more exogenous large pore channel agonists to selectively target nociceptors in order to effectively treat (e.g., eliminate or alleviate) pain, itch, or neurogenic inflammation.

[0034] Voltage-dependent ion channels in pain-sensing neurons are currently of great interest in developing drugs to treat pain. Blocking voltage-dependent sodium channels in pain-sensing neurons can block pain signals by interrupting initiation and transmission of the action potential. Moreover, blocking voltage-dependent sodium channels in nociceptors can reduce or eliminate neurogenic inflammation by preventing activation of nociceptor peripheral terminals and the release thereof pro-inflammatory chemicals.

[0035] Heretofore, a limitation in treating with molecules that block sodium channels or calcium channels is that the vast majority of such externally-applied molecules are hydrophobic and can pass through membranes. Because of this, they will enter all cells and thus have no selectivity for affecting only nociceptors.

[0036] The inhibitors of the present invention are membrane-impermeable and are only effective when present inside the nociceptor cell, and thus must pass through the cell membrane via a channel or receptor, such as large pore channels (e.g., TRPAV1-4, TRPA1, TRPM8, ASIC and P2X(2/3)), in order to produce an effect. Under normal circumstances, most large pore channels in nociceptors are not active but require a noxious thermal, mechanical, or chemical stimulus to activate them. For example, TRP channels in nociceptors can be activated by an exogenous TRP ligand (i.e. TRP agonist) such as capsaicin, which opens the TRPV1 channel. Thus, one approach to selectively targeting nociceptors is to co-administer the membrane-impermeable ion channel inhibitor with an exogenous TRP ligand that permits passage of the inhibitor through the TRP channel into the cell. In addition to capsaicin, the exogenous TRP ligand can also be another capsaicinoid, mustard oil, or lidocaine. In another example, TRP channels may be active in response to exogenous irritant activators such as inhaled acrolein from smoke or chemical warfare agents such as tear gas.

[0037] Under certain circumstances, large pore channels can be activated in the absence of exogenous large pore channel agonists/ligands by endogenous inflammatory activators that are generated by tissue damage, infection, autoimmunity, atopy, ischemia, hypoxia, cellular stress, immune cell activation, immune mediator production, and oxidative stress. Under such conditions, endogenous molecules (e.g., protons, lipids, and reactive oxygen species) can activate large pore channels expressed on nociceptors, allowing membrane-impermeable, voltage-gated ion channel blockers to gain access to the inside of the nociceptor through the endogenously-activated large pore channels. Endogenous inflammatory activators of large pore channels include, for example, prostaglandins, nitric oxide (NO), peroxide (H<sub>2</sub>O<sub>2</sub>), cysteine-reactive inflammatory mediators like 4-hydroxynonenal, endogenous alkenyl aldehydes, endocannabinoids, and immune mediators (e.g., interleukin 1 (IL-1), nerve growth factor (NGF), and bradykinin, whose receptors are coupled to large pore channels).

#### Definitions

[0038] As used herein, the words “a” and “an” are meant to include one or more unless otherwise specified.

[0039] By “biologically active” is meant that a molecule, including biological molecules, such as

nucleic acids, peptides, polypeptides, and proteins, exerts a biological, physical or chemical effect activity on a protein, enzyme, receptor, ligand, antigen, itself or other molecule. For example, a “biologically active” molecule may possess, e.g., enzymatic activity, protein binding activity, or pharmacological activities.

[0040] Biologically active agents that can be used in the methods and kits described herein include, without limitation, TRP1A receptor agonists, TRPV1-4 receptor agonists, ASIC agonists, TRPM8 agonists, P2X receptor agonists, NSAIDs, glucocorticoids, narcotics, anti-proliferative and immune modulatory agents, an antibody or antibody fragment, an antibiotic, a polynucleotide, a polypeptide, a protein, an anti-cancer agent, a growth factor, and a vaccine.

[0041] By “inflammation” is meant any types of inflammation, such those caused by the immune system (immune-mediated inflammation) and by the nervous system (neurogenic inflammation), and any symptom of inflammation, including redness, heat, swelling, pain, and/or loss of function.

[0042] By “neurogenic inflammation” is meant any type of inflammation mediated or contributed to by neurons (e.g. nociceptors) or any other component of the central or peripheral nervous system.

[0043] The term “pain” is used herein in the broadest sense and refers to all types of pain, including acute and chronic pain, such as nociceptive pain, e.g. somatic pain and visceral pain; inflammatory pain, dysfunctional pain, idiopathic pain, neuropathic pain, e.g., centrally generated pain and peripherally generated pain, migraine, and cancer pain.

[0044] The term “nociceptive pain” is used to include all pain caused by noxious stimuli that threaten to or actually injure body tissues, including, without limitation, by a cut, bruise, bone fracture, crush injury, burn, and the like. Pain receptors for tissue injury (nociceptors) are located mostly in the skin, musculoskeletal system, or internal organs.

[0045] The term “somatic pain” is used to refer to pain arising from bone, joint, muscle, skin, or connective tissue. This type of pain is typically well localized.

[0046] The term “visceral pain” is used herein to refer to pain arising from visceral organs, such as the respiratory, gastrointestinal tract and pancreas, the urinary tract and reproductive organs. Visceral pain includes pain caused by tumor involvement of the organ capsule. Another type of visceral pain, which is typically caused by obstruction of hollow viscus, is characterized by intermittent cramping and poorly localized pain. Visceral pain may be associated with inflammation as in cystitis or reflux esophagitis.

[0047] The term “inflammatory pain” includes pain associated with active inflammation that may be caused by trauma, surgery, infection and autoimmune diseases.

[0048] The term “neuropathic pain” is used herein to refer to pain originating from abnormal processing of sensory input by the peripheral or central nervous system consequent on a lesion to these systems.

[0049] The term “procedural pain” refers to pain arising from a medical, dental or surgical procedure wherein the procedure is usually planned or associated with acute trauma.

[0050] The term “itch” is used herein in the broadest sense and refers to all types of itching and stinging sensations localized and generalized, acute intermittent and persistent. The itch may be idiopathic, allergic, metabolic, infectious, drug-induced, due to liver, kidney disease, or cancer. “Pruritus” is severe itching.

[0051] By “patient” is meant any animal. In one embodiment, the patient is a human. Other animals that can be treated using the methods, compositions, and kits of the invention include but are not limited to non-human primates (e.g., monkeys, gorillas, chimpanzees), domesticated animals (e.g., horses, pigs, goats, rabbits, sheep, cattle, llamas), and companion animals (e.g., guinea pigs, rats, mice, lizards, snakes, dogs, cats, fish, hamsters, and birds).

[0052] Compounds useful in the invention include, but are not limited to, those described herein in any of their pharmaceutically acceptable forms, including isomers such as diastereomers and enantiomers, salts, esters, amides, thioesters, solvates, and polymorphs thereof, as well as racemic

mixtures and pure isomers of the compounds described herein. The term “pharmaceutically acceptable anion” as used herein, refers to the conjugate base of a pharmaceutically acceptable acid. Such acids are described in Stahl, P. H. and Wermuth, C. G. (eds.), Handbook of Pharmaceutical Salts: Properties, Selection and Use, Wiley VCH (2008). Pharmaceutically acceptable acids include, but are not limited to, acetic acid, dichloroacetic acid, adipic acid, alginic acid, L-ascorbic acid, L-aspartic acid, benzenesulfonic acid, 4-acetamidobenzoic acid, benzoic acid, p-bromophenylsulfonic acid, (+)-camphoric acid, (+)-camphor-10-sulfonic acid, capric acid, caproic acid, caprylic acid, carbonic acid, cinnamic acid, cyclamic acid, dodecylsulfuric acid, ethane-1,2-disulfonic acid, ethanesulfonic acid, 2-hydroxyethanesulfonic acid, sulfuric acid, boric acid, citric acid, formic acid, fumaric acid, galactaric acid, gentisic acid, D-glucoheptonic acid, D-gluconic acid, D-glucuronic acid, glutamic acid, glutaric acid, 2-oxoglutaric acid, glycerophosphoric acid, glycolic acid, hippuric acid, hydrochloric acid, hydrobromic acid, hydroiodic acid, isobutyric acid, DL-lactic acid, lactobionic acid, lauric acid, maleic acid, (–)-L-malic acid, malonic acid, DL-mandelic acid, methanesulfonic acid, naphthalene-1,5-disulfonic acid, naphthalene-2-sulfonic acid, 1-hydroxy-2-naphthoic acid, nicotinic acid, nitric acid, oleic acid, orotic acid, oxalic acid, palmitic acid, pamoic acid, phosphoric acid, propionic acid, (–)-L-pyroglutamic acid, salicyclic acid, 4-aminosalicyclic acid, sebacic acid, stearic acid, succinic acid, (+)-L-tartaric acid, thiocyanic acid, p-toluenesulfonic acid, and undecylenic acid. Pharmaceutically acceptable anions include the conjugate base of any the acids set forth above.

[0053] The term “pharmaceutically acceptable salt” represents those salts which are, within the scope of sound medical judgment, suitable for use in contact with the tissues of humans and lower animals without undue toxicity, irritation, allergic response and the like, and are commensurate with a reasonable benefit/risk ratio. The salts can be prepared in situ during the final isolation and purification of the compounds of the invention, or separately by reacting the free base function with a suitable organic acid. Representative acid addition salts include, but are not limited to acetate, adipate, alginate, ascorbate, aspartate, benzenesulfonate, benzoate, bisulfate, borate, butyrate, camphorate, camphorsulfonate, citrate, cyclopentanepropionate, digluconate, dodecylsulfate, ethanesulfonate, fumarate, glucoheptonate, glycerophosphate, hemisulfate, heptonate, hexanoate, hydrobromide, hydrochloride, hydroiodide, 2-hydroxy-ethanesulfonate, isethionate, lactobionate, lactate, laurate, lauryl sulfate, malate, maleate, malonate, mesylate, methanesulfonate, 2-naphthalenesulfonate, nicotinate, nitrate, oleate, oxalate, palmitate, pamoate, pectinate, persulfate, 3-phenylpropionate, phosphate, picrate, pivalate, propionate, stearate, succinate, sulfate, tartrate, thiocyanate, toluenesulfonate, undecanoate, valerate salts, and the like.

[0054] In the generic descriptions of compounds of this invention, the number of atoms of a particular type in a substituent group is generally given as a range, e.g., an alkyl group containing from 1 to 4 carbon atoms or C.sub.1-4 alkyl or C.sub.1-C.sub.4 alkyl. Reference to such a range is intended to include specific references to groups having each of the integer number of atoms within the specified range. For example, an alkyl group from 1 to 4 carbon atoms includes each of C.sub.1, C.sub.2, C.sub.3, and C.sub.4 alkyls. Other numbers of atoms and other types of atoms may be indicated in a similar manner.

[0055] “D” is deuterium.

[0056] As used herein, the terms “alkyl” and the prefix “alk-” are inclusive of both straight chain and branched chain groups and of cyclic groups, i.e., cycloalkyl. Cyclic groups can be monocyclic or polycyclic and preferably have from 3 to 6 ring carbon atoms or 3 to 7 carbon atoms, inclusive. Exemplary cyclic groups include cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl groups.

[0057] By “C.sub.1-4 alkyl” or “C.sub.1-C.sub.4 alkyl” is meant a branched or unbranched hydrocarbon group having from 1 to 4 carbon atoms. Similarly, a “C.sub.1-6 alkyl” or “C.sub.1-C.sub.6” is a branched or unbranched hydrocarbon group having from 1 to 6 carbon atoms. An alkyl, including, for example, a C.sub.1-4 alkyl or C.sub.1-6 alkyl group may be substituted or unsubstituted. Exemplary substituents include alkoxy, aryloxy, sulfhydryl, alkylthio, arylthio,



halide, hydroxyl, fluoroalkyl, perfluoroalkyl, amino, alkylamino, disubstituted amino, quaternary amino, alkylcarboxy, alkylcarboxylate, alkylcarboxamide, and carboxyl groups. Exemplary substituents also include alkoxy, aryloxy, sulfhydryl, alkylthio, arylthio, halide (F, Cl, Br or I), hydroxyl, fluoroalkyl, perfluoroalkyl, oxo, amino, alkylamino, disubstituted amino, quaternary amino, amido, ester, alkylcarboxy, alkoxycarbonyl, alkoxycarbonyloxy, aryloxycarbonyloxy, carboxyl, alkylcarbonyl, arylcarbonyl, alkylthiocarbonyl, phosphate, phosphonato, phosphinato, acylamino (including alkylcarbonylamino, arylcarbonylamino, carbamoyl, and ureido), amidino, imino, sulfhydryl, alkylthio, arylthio, thiocarboxylate, sulfates, alkylsulfinyl, sulfonato, sulfamoyl, sulfonamido, nitro, trifluoromethyl, cyano, azido, aryl, heterocyclyl, alkylaryl, or an aromatic or heteroaromatic moiety. C.sub.1-4 alkyls include, without limitation, methyl, ethyl, n-propyl, isopropyl, cyclopropyl, cyclopropylmethyl, n-butyl, iso-butyl, sec-butyl, tert-butyl, and cyclobutyl. C.sub.1-6 alkyls include, without limitation, methyl, ethyl, n-propyl, isopropyl, cyclopropyl, cyclopropylmethyl, n-butyl, iso-butyl, sec-butyl, tert-butyl, n-pentyl, n-hexyl, cyclobutyl, cyclopentyl, and cyclohexyl.

[0058] An example of a substituted alkyl is a heteroalkyl. By “heteroalkyl” is meant a branched or unbranched alkyl, cycloalkyl, alkenyl, or alkynyl group having from 1 to 7 or more carbon atoms in addition to 1, 2, 3 or 4 heteroatoms independently selected from the group consisting of N, O, and S. By “C.sub.1-7 heteroalkyl” is meant a branched or unbranched alkyl, alkenyl, or alkynyl group having from 1 to 7 carbon atoms in addition to 1, 2, 3 or 4 heteroatoms independently selected from the group consisting of N, O, S, and P. Heteroalkyls can include, without limitation, tertiary amines, secondary amines, ethers, thioethers, amides, thioamides, carbamates, thiocarbamates, hydrazones, imines, phosphodiesteres, phosphoramidates, sulfonamides, and disulfides. A heteroalkyl may optionally include monocyclic, bicyclic, or tricyclic rings, in which each ring desirably has three to six members. The heteroalkyl group may be substituted or unsubstituted. Exemplary substituents include alkyl, alkoxy, aryloxy, sulfhydryl, alkylthio, arylthio, halide (F, Cl, Br or I), hydroxyl, fluoroalkyl, perfluoroalkyl, oxo, amino, alkylamino, disubstituted amino, quaternary amino, amido, ester, alkylcarboxy, alkoxycarbonyl, alkoxycarbonyloxy, aryloxycarbonyloxy, carboxyl, alkylcarbonyl, arylcarbonyl, alkylthiocarbonyl, phosphate, phosphonato, phosphinato, acylamino (including alkylcarbonylamino, arylcarbonylamino, carbamoyl, and ureido), amidino, imino, sulfhydryl, alkylthio, arylthio, thiocarboxylate, sulfates, alkylsulfinyl, sulfonato, sulfamoyl, sulfonamido, nitro, trifluoromethyl, cyano, azido, aryl, heterocyclyl, alkylaryl, or an aromatic or heteroaromatic moiety. Examples of C.sub.1-7 heteroalkyls include, without limitation, methoxymethyl and ethoxyethyl.

[0059] An alkenyl is a branched or unbranched hydrocarbon group containing one or more double bonds. For example, by “C.sub.2-6 alkenyl” or “C.sub.2-C.sub.6 alkenyl” is meant a branched or unbranched hydrocarbon group containing one or more double bonds and having from 2 to 6 carbon atoms. An alkenyl may optionally include monocyclic or polycyclic rings, in which each ring desirably has from three to six members. The alkenyl group may be substituted or unsubstituted. Exemplary substituents include those described above for alkyl, and specifically include alkoxy, aryloxy, sulfhydryl, alkylthio, arylthio, halide, hydroxyl, fluoroalkyl, perfluoroalkyl, amino, alkylamino, disubstituted amino, quaternary amino, alkylcarboxy, and carboxyl groups. C.sub.2-6 alkenyls include, without limitation, vinyl, allyl, 2-cyclopropyl-1-ethenyl, 1-propenyl, 1-butenyl, 2-butenyl, 3-butenyl, 2-methyl-1-propenyl, and 2-methyl-2-propenyl.

[0060] An alkynyl is a branched or unbranched hydrocarbon group containing one or more triple bonds. For example, by “C.sub.2-6 alkynyl” or “C.sub.2-C.sub.6 alkynyl” is meant a branched or unbranched hydrocarbon group containing one or more triple bonds and having from 2 to 6 carbon atoms. An alkynyl may optionally include monocyclic, bicyclic, or tricyclic rings, in which each ring desirably has five or six members. The alkynyl group may be substituted or unsubstituted. Exemplary substituents those described above for alkyl, and specifically include alkoxy, aryloxy, sulfhydryl, alkylthio, arylthio, halide, hydroxy, fluoroalkyl, perfluoroalkyl, amino, alkylamino,

disubstituted amino, quaternary amino, alkylcarboxy, and carboxyl groups. C.sub.2-6 alkynyls include, without limitation, ethynyl, 1-propynyl, 2-propynyl, 1-butylnyl, 2-butylnyl, and 3-butylnyl. [0061] By "heterocyclyl," "heterocyclic," or "heterocycloalkyl" is meant a stable monocyclic or polycyclic (including a bicyclic or a tricyclic) heterocyclic ring which is saturated, partially unsaturated or unsaturated (including heteroaryl or aromatic), and which consists of 2 or more carbon atoms and 1, 2, 3 4 or more heteroatoms independently selected from N, O, and S and including any bicyclic or polycyclic group in which any of the above-defined heterocyclic rings is fused to a benzene ring, heteroaryl, cycloalkyl or heterocycloalkyl. In certain aspects, the heterocyclyl is a 3- to 15-membered ring system, a 3- to 12-membered ring system, or a 3- to 9-membered ring system. By "C.sub.2-6 heterocyclyl" is meant a stable 5- to 7-membered monocyclic or 7- to 14-membered bicyclic heterocyclic ring which is saturated, partially unsaturated or unsaturated (including heteroaryl or aromatic), and which consists of 2 to 6 carbon atoms and 1, 2, 3 or 4 heteroatoms independently selected from N, O, and S and including any bicyclic group in which any of the above-defined heterocyclic rings is fused to a benzene ring, heteroaryl, cycloalkyl or heterocycloalkyl. The heterocyclyl or heteroaryl group may be substituted or unsubstituted. Exemplary substituents include substituted or unsubstituted alkyl, aryl, cycloalkyl, heterocycloalkyl, heteroaryl, alkoxy, aryloxy, sulfhydryl, alkylthio, arylthio, halide, hydroxy, fluoroalkyl, perfluoroalkyl, amino, alkylamino, disubstituted amino, quaternary amino, alkylcarboxy, oxo, and carboxyl groups. The nitrogen and sulfur heteroatoms may optionally be oxidized. The heterocyclic ring may be covalently attached via any heteroatom or carbon atom which results in a stable structure, e.g., an imidazolinyl ring may be linked at either of the ring-carbon atom positions or at the nitrogen atom. A nitrogen atom in the heterocycle can be quaternized. Preferably when the total number of S and O atoms in the heterocycle exceeds 1, then these heteroatoms are not adjacent to one another. Heterocycles include, without limitation, 1H-indazole, 2-pyrrolidinyl, 2H,6H-1,5,2-dithiazinyl, 2H-pyrrolyl, 3H-indolyl, 4-piperidinyl, 4aH-carbazole, 4H-quinoliziny, 6H-1,2,5-thiadiazinyl, acridinyl, azocinyl, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzthiazolyl, benztriazolyl, benztetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazalonyl, carbazolyl, 4aH-carbazolyl, b-carbolinyl, chromanyl, chromenyl, cinnoliny, decahydroquinoliny, 2H,6H-1,5,2-dithiazinyl, dihydrofuro[2,3-b]tetrahydrofuran, furanyl, furazanyl, imidazolidinyl, imidazolinyl, imidazolyl, 1H-indazolyl, indolenyl, indoliny, indoliziny, indolyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindoliny, isoindolyl, isoquinoliny, isothiazolyl, isoxazolyl, morpholiny, naphthyridiny, octahydroisoquinoliny, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxazolidinylperimidiny, phenanthridiny, phenanthroliny, phenarsazinyl, phenazinyl, phenothiazinyl, phenoxathiiny, phenoxazinyl, phthalazinyl, piperazinyl, piperidinyl, pteridinyl, piperidinyl, 4-piperidinyl, pteridinyl, puriny, pyranyl, pyraziny, pyrazolidinyl, pyrazoliny, pyrazolyl, pyridazinyl, pyridooxazole, pyridoimidazole, pyridothiazole, pyridiny, pyridyl, pyrimidinyl, pyrrolidinyl, pyrroliny, pyrrolyl, quinazoliny, quinoliny, 4H-quinoliziny, quinoxaliny, quinuclidiny, carboliny, tetrahydrofuranyl, tetrahydroisoquinoliny, tetrahydroquinoliny, 6H-1,2,5-thiadiazinyl, 1,2,3-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,5-thiadiazolyl, 1,3,4-thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl, xanthenyl,  $\beta$ -lactam,  $\gamma$ -lactam and  $\delta$ -lactam. Preferred 5 to 10 membered heterocycles include, but are not limited to, pyridiny, pyrimidinyl, triazinyl, furanyl, thienyl, thiazolyl, pyrrolyl, pyrazolyl, imidazolyl, oxazolyl, isoxazolyl, tetrazolyl, benzofuranyl, benzothiofuranyl, indolyl, benzimidazolyl, 1H-indazolyl, oxazolidinyl, isoxazolidinyl, benzotriazolyl, benzisoxazolyl, oxindolyl, benzoxazoliny, quinoliny, and isoquinoliny. Preferred 5 to 6 membered heterocycles include, without limitation, pyridiny, quinoliny, pyrimidinyl, triazinyl, furanyl, thienyl, thiazolyl, pyrrolyl, piperazinyl, piperidinyl, pyrazolyl, imidazolyl, oxazolyl, isoxazolyl, and tetrazolyl. Preferred substituents include phenyl,

methyl, ethyl, propyl, butyl, chloro, bromo, fluoro, iodo and oxo.

[0062] By “aryl” is meant an aromatic group having a ring system comprised of carbon atoms with conjugated  $n$  electrons (e.g., phenyl). A “C.sub.6-C.sub.12 aryl” or “C.sub.6-C.sub.10 aryl” is an aryl group that has from 6 to 12 carbon atoms or 6 to 10 carbon atoms, respectively. Aryl groups may optionally include monocyclic, bicyclic, or tricyclic rings, in which each ring desirably has five or six members. A bicyclic or tricyclic ring system can be fused (e.g., naphthyl) or not (e.g., biphenyl). The aryl group may be substituted or unsubstituted. Exemplary substituents include substituted or unsubstituted alkyl, hydroxyl, alkoxy, aryloxy, sulfhydryl, alkylthio, arylthio, halide, fluoroalkyl, carboxyl, alkylcarboxy, amino, alkylamino, monosubstituted amino, disubstituted amino, and quaternary amino groups. A preferred aryl group is phenyl.

[0063] By “aralkyl” is meant a substituted or unsubstituted alkyl that is substituted by a substituted or unsubstituted aryl (including, for example, (e.g., benzyl, phenethyl, or 3,4-dichlorophenethyl)).

[0064] By “C.sub.7-14 aralkyl” is meant an alkyl substituted by an aryl group (e.g., benzyl, phenethyl, or 3,4-dichlorophenethyl) having from 7 to 14 carbon atoms.

[0065] By “C.sub.3-10 heterocycloalkyl” is meant an alkyl substituted heterocyclic group having from 3 to 10 carbon atoms in addition to one or more heteroatoms (e.g., 3-furanylmethyl, 2-furanylmethyl, 3-tetrahydrofuranylmethyl, or 2-tetrahydrofuranylmethyl).

[0066] By “halide” or “halogen” is meant bromine, chlorine, iodine, or fluorine.

[0067] By “fluoroalkyl” is meant an alkyl group that is substituted with a fluorine atom.

[0068] By “alkylcarboxy” is meant a chemical moiety with the formula  $-(R)-COOH$ , wherein R is selected from C.sub.1-7 alkyl, C.sub.2-7 alkenyl, C.sub.2-7 alkynyl, C.sub.2-6 heterocyclyl, C.sub.6-12 aryl, C.sub.7-14 aralkyl, C.sub.3-10 heterocycloalkyl, or C.sub.1-7 heteroalkyl.

[0069] By “alkylcarboxylate” is meant a chemical moiety with the formula  $(R)-COOR'$ , wherein R is selected from C.sub.1-7 alkyl, C.sub.2-7 alkenyl, C.sub.2-7 alkynyl, C.sub.2-6 heterocyclyl, C.sub.6-12 aryl, C.sub.7-14 aralkyl, C.sub.3-10 heterocycloalkyl, and C.sub.1-7 heteroalkyl and R' is selected from C.sub.1-7 alkyl, C.sub.2-7 alkenyl, C.sub.2-7 alkynyl, C.sub.2-6 heterocyclyl, C.sub.6-12 aryl, C.sub.7-14 aralkyl, C.sub.3-10 heterocycloalkyl, or C.sub.1-7 heteroalkyl, each substituted or unsubstituted.

[0070] By “alkylcarboxamide” is meant a chemical moiety with the formula  $(R)C(O)NR'R''$ , wherein R is selected from C.sub.1-7 alkyl, C.sub.2-7 alkenyl, C.sub.2-7 alkynyl, C.sub.2-6 heterocyclyl, C.sub.6-12 aryl, C.sub.7-14 aralkyl, C.sub.3-10 heterocycloalkyl, or C.sub.1-7 heteroalkyl, and R and R' are each independently selected from C.sub.1-7 alkyl, C.sub.2-7 alkenyl, C.sub.2-7 alkynyl, C.sub.2-6 heterocyclyl, C.sub.6-12 aryl, C.sub.7-14 aralkyl, C.sub.3-10 heterocycloalkyl, or C.sub.1-7 heteroalkyl, or R' and R' together with the nitrogen to which they are attached may form a ring (for example, a 4- to 7-membered heterocyclic ring), each substituted or unsubstituted.

[0071] By “alkoxy” is meant a chemical substituent of the formula OR, wherein R is a substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, or substituted or unsubstituted alkynyl or R can be selected from C.sub.1-7 alkyl, C.sub.2-7 alkenyl, C.sub.2-7 alkynyl, C.sub.2-6 heterocyclyl, C.sub.6-12 aryl, C.sub.7-14 aralkyl, C.sub.3-10 heterocycloalkyl, or C.sub.1-7 heteroalkyl.

[0072] By “aryloxy” is meant a chemical substituent of the formula OR, wherein R is a C.sub.6-12 aryl group. By “alkylthio” is meant a chemical substituent of the formula SR, wherein R is selected from C.sub.1-7 alkyl, C.sub.2-7 alkenyl, C.sub.2-7 alkynyl, C.sub.2-6 heterocyclyl, C.sub.6-12 aryl, C.sub.7-14 aralkyl, C.sub.3-10 heterocycloalkyl, or C.sub.1-7 heteroalkyl.

[0073] By “arylthio” is meant a chemical substituent of the formula SR, wherein R is a C.sub.6-12 aryl group.

[0074] By “charged moiety” is meant a moiety which gains a proton at physiological pH thereby becoming positively charged (e.g., ammonium, guanidinium, or amidinium) or a moiety that includes a net formal positive charge without protonation (e.g., quaternary ammonium). The

charged moiety may be either permanently charged or transiently charged.

[0075] By “therapeutically effective amount” or “effective amount” means an amount sufficient to produce a desired result, for example, the reduction or elimination of pain, cough, itch, or neurogenic inflammation in a patient (e.g., a human) suffering from a condition, disease, or illness that is caused wholly or in part by neurogenic inflammation (e.g. asthma, arthritis, colitis, contact dermatitis, diabetes, eczema, cystitis, chronic refractory cough, post-viral cough, gastritis, migraine headache, psoriasis, rhinitis, rosacea, or sunburn).

[0076] “Solvates” means solvent addition forms that contain either stoichiometric or nonstoichiometric amounts of solvent.

[0077] The compounds of the present invention, including salts of the compounds, can exist in unsolvated forms as well as solvated forms, including hydrated forms and unhydrated forms. In general, the solvated forms are equivalent to unsolvated forms and are encompassed within the scope of the present invention. Nonlimiting examples of hydrates include monohydrates, dihydrates, hemihydrates, etc. In certain aspects, the compound is a hemihydrate. Nonlimiting examples of solvates include ethanol solvates, acetone solvates, etc.

[0078] The compounds of the invention may exist in multiple crystalline or amorphous forms. In general, all physical forms are equivalent for uses contemplated by the present invention and are intended to be within the scope of the invention.

[0079] Compounds that can be used in the compositions, kits, and methods of the invention include compounds having Formula (I), or a pharmaceutically acceptable salt thereof:

##STR00004## [0080] wherein: [0081] Y<sup>sup.</sup>– is a pharmaceutically acceptable anion; [0082] n is 1, 2, 3, or 4; [0083] R<sup>sup.</sup>A, R<sup>sup.</sup>B, and R<sup>sup.</sup>C are each independently selected from H, D, halogen, substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, OR<sup>sup.</sup>1, NR<sup>sup.</sup>JR<sup>sup.</sup>K, NR<sup>sup.</sup>LC(O)R<sup>sup.</sup>M, S(O)R<sup>sup.</sup>N, S(O).sub.2R<sup>sup.</sup>N, SO.sub.2R<sup>sup.</sup>OR<sup>sup.</sup>P, SO.sub.2NR<sup>sup.</sup>QR<sup>sup.</sup>R, SO.sub.3R<sup>sup.</sup>S, CO.sub.2R<sup>sup.</sup>T, C(O)R<sup>sup.</sup>U, and C(O)NR<sup>sup.</sup>VR<sup>sup.</sup>W; [0084] each of R<sup>sup.</sup>I, R<sup>sup.</sup>J, R<sup>sup.</sup>K, R<sup>sup.</sup>L, R<sup>sup.</sup>M, R<sup>sup.</sup>N, R<sup>sup.</sup>O, R<sup>sup.</sup>P, R<sup>sup.</sup>Q, R<sup>sup.</sup>R, R<sup>sup.</sup>S, R<sup>sup.</sup>T, R<sup>sup.</sup>U, R<sup>sup.</sup>V, and R<sup>sup.</sup>W is independently selected from H, D, substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, and substituted or unsubstituted alkynyl; [0085] X<sup>sup.</sup>1 is selected from —CR<sup>sup.</sup>XR<sup>sup.</sup>Y—, —NR<sup>sup.</sup>ZC(O)—, —NR<sup>sup.</sup>ZC(O)CR<sup>sup.</sup>XR<sup>sup.</sup>Y—, —OC(O)—, —SC(O)—, —C(O)NR<sup>sup.</sup>1A—, —C(O)O—, —C(O)—, —(O)CS—, —NR<sup>sup.</sup>1AS(O)—, —S(O)NR<sup>sup.</sup>1A—, —NR<sup>sup.</sup>1AC(O)NR<sup>sup.</sup>1A—, —S(O)— and —S(O).sub.2—; [0086] each of R<sup>sup.</sup>X, R<sup>sup.</sup>Y, R<sup>sup.</sup>Z, and R<sup>sup.</sup>1A is independently selected from H, D, substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, and substituted or unsubstituted alkynyl; [0087] each of R<sup>sup.</sup>D and R<sup>sup.</sup>E is independently selected from H, D, substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, and substituted or unsubstituted cycloalkyl; or R<sup>sup.</sup>D and R<sup>sup.</sup>E together with the carbon to which they are attached form a substituted or unsubstituted C.sub.3-C.sub.6 cycloalkyl or a substituted or unsubstituted heterocyclic (for example, a 5- to 7-membered heterocyclic ring); [0088] R<sup>sup.</sup>H is a substituted or unsubstituted alkyl, substituted or unsubstituted aralkyl, or, substituted or unsubstituted heteroaralkyl; and [0089] R<sup>sup.</sup>1B is a substituted or unsubstituted aryl or substituted or unsubstituted heteroaryl, preferably substituted or unsubstituted phenyl. [0090] In a preferred embodiment, R<sup>sup.</sup>H is substituted or unsubstituted alkyl. [0091] In an additional preferred embodiment, R<sup>sup.</sup>H is alkylcarboxylate. [0092] In further preferred embodiments, R<sup>sup.</sup>H is alkylcarboxamide. [0093] In yet additional aspects, R<sup>sup.</sup>H is a substituted or unsubstituted aralkyl or heteroaralkyl. [0094] In a preferred embodiment, R<sup>sup.</sup>H is independently selected from a substituted or unsubstituted C.sub.5-10 arylmethyl or a substituted or unsubstituted C.sub.5-10 heteroarylmethyl. [0095] In a further preferred embodiment, R<sup>sup.</sup>H is independently selected from a substituted or unsubstituted C.sub.6-10 arylmethyl or a substituted or unsubstituted 5- to 10-membered

heteroarylmethyl.

[0096] In some embodiments, R<sup>sup</sup>.H is a substituted C<sub>sub</sub>.5-10 arylalkyl or a substituted C<sub>sub</sub>.5-10 heteroarylalkyl optionally substituted with C<sub>sub</sub>.1-6 alkyl, C<sub>sub</sub>.1-6 heteroalkyl, carbocyclyl, substituted carbocyclyl, heterocarbocyclyl, substituted heterocarbocyclyl, phenyl, substituted phenyl, aryl, substituted aryl, heteroaryl, substituted heteroaryl, carboxamide, hydroxyl, ether, amide, ester, sulfonamide, sulfone, amino, amino alkyl, urea, nitrile, or halogen. In a preferred embodiment, the C<sub>sub</sub>.1-6 alkyl is selected from methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, n-pentyl, isopentyl, neopentyl, and n-hexyl. In a preferred embodiment, the C<sub>sub</sub>.1-6 heteroalkyl is selected from —O-methyl, —O-ethyl, —O-propyl, —O-isopropyl, —O-butyl, —O-isobutyl, —O— cyclohexyl, —O-cyclopentyl, and -ethyl-O-methyl. In a preferred embodiment, the carbocyclyl is selected from cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl. In a preferred embodiment, the heterocarbocyclyl is selected from aziridinyl, azetidiny, furanyl, pyrrolidinyl, pyranyl, piperidinyl, piperazinyl, azepinyl, and diazapinyl.

[0097] In yet another preferred embodiment, R<sup>sup</sup>.H is a substituted or unsubstituted C<sub>sub</sub>.6-10 aralkyl or a substituted or unsubstituted 5- to 10-membered heteroarylalkyl. In certain aspects, R<sup>sup</sup>.H is an unsubstituted C<sub>sub</sub>.6-10 arylmethyl or an unsubstituted 5- to 10-membered heteroarylmethyl, each optionally substituted with a substituted or unsubstituted C<sub>sub</sub>.1-C<sub>sub</sub>.6 alkyl, halo, nitrile, hydroxyl, and alkoxy. In yet additional aspects, R<sup>sup</sup>.H is a C<sub>sub</sub>.6-10 aryl or a 5- to 10-membered heteroaryl, each optionally substituted with a substituted or unsubstituted C<sub>sub</sub>.1-C<sub>sub</sub>.6 alkyl, halo, nitrile, and OR<sup>sup</sup>.21, wherein R<sup>sup</sup>.21 is hydrogen or substituted or unsubstituted C<sub>sub</sub>.1-C<sub>sub</sub>.6 alkyl. In a further preferred embodiment, R<sup>sup</sup>.H is an unsubstituted benzyl. In additional embodiments, R<sup>sup</sup>.H is benzyl substituted with a substituent selected from the group consisting of substituted or unsubstituted C<sub>sub</sub>.1-C<sub>sub</sub>.6 alkyl, halo, nitrile, hydroxyl, and alkoxy. In additional aspects, R<sup>sup</sup>.H is benzyl is substituted with a substituent selected from the group consisting of substituted or unsubstituted C<sub>sub</sub>.1-C<sub>sub</sub>.6 alkyl, halo, nitrile, and OR<sup>sup</sup>.2B, wherein R<sup>sup</sup>.2B is hydrogen or substituted, and unsubstituted C<sub>sub</sub>.1-C<sub>sub</sub>.6 alkyl. In yet additional embodiments, R<sup>sup</sup>.H is benzyl substituted with an unsubstituted C<sub>sub</sub>.1-C<sub>sub</sub>.6 alkyl, halo, nitrile, hydroxyl, or alkoxy. In further aspects, R<sup>sup</sup>.H is benzyl substituted with a substituent selected from the group consisting of unsubstituted C<sub>sub</sub>.1-C<sub>sub</sub>.6 alkyl, halo, nitrile, and OR<sup>sup</sup>.21, wherein R<sup>sup</sup>.21 is hydrogen or substituted or unsubstituted C<sub>sub</sub>.1-C<sub>sub</sub>.6 alkyl.

[0098] In yet further aspects, R<sup>sup</sup>.H is selected from the —CH<sub>sub</sub>.2Z groups shown in Tables 1 to 3.

[0099] In a preferred embodiment, X<sup>sup</sup>.1 is —NHC(O)— or —C(O)NH—. In another preferred embodiment, X<sup>sup</sup>.1 is —NHC(O)—.

[0100] In preferred embodiments, R<sup>sup</sup>.A, R<sup>sup</sup>.B, and R<sup>sup</sup>.C are each independently selected from H, D, halogen, substituted or unsubstituted C<sub>sub</sub>.1-4 alkyl, and NR<sup>sup</sup>.JR<sup>sup</sup>.K; and each of R<sup>sup</sup>.J and R<sup>sup</sup>.K is independently selected from H and substituted or unsubstituted C<sub>sub</sub>.1-4 alkyl.

[0101] In a preferred embodiment, each of R<sup>sup</sup>.A and R<sup>sup</sup>.B is CH<sub>sub</sub>.3, and R<sup>sup</sup>.C is H, CH<sub>sub</sub>.3, halogen, nitrile, methoxy, or ethoxy.

[0102] In yet additional preferred aspects, R<sup>sup</sup>.A, R<sup>sup</sup>.B, and R<sup>sup</sup>.C are independently selected from H, D, halogen, OR<sup>sup</sup>.1, substituted or unsubstituted C<sub>sub</sub>.1-C<sub>sub</sub>.4 alkyl, and NR<sup>sup</sup>.JR<sup>sup</sup>.K; wherein each of R<sup>sup</sup>.I, R<sup>sup</sup>.J and R<sup>sup</sup>.K is independently selected from H and substituted or unsubstituted C<sub>sub</sub>.1-C<sub>sub</sub>.4 alkyl. In a preferred embodiment, each of R<sup>sup</sup>.A and R<sup>sup</sup>.B is CH<sub>sub</sub>.3, and R<sup>sup</sup>.C is selected from the group consisting of H, CH<sub>sub</sub>.3, halogen, nitrile (cyano), methoxy, and ethoxy. In further preferred embodiments, each of R<sup>sup</sup>.A and R<sup>sup</sup>.B is CH<sub>sub</sub>.3, and R<sup>sup</sup>.C is selected from the group consisting of H, CH<sub>sub</sub>.3, fluoro, chloro, nitrile, methoxy, and ethoxy. In additional preferred embodiments, each of R<sup>sup</sup>.A and R<sup>sup</sup>.B are CH<sub>sub</sub>.3 and R<sup>sup</sup>.C is hydrogen.

[0103] In certain other embodiments, R.sup.D is C.sub.1-4 alkyl optionally substituted with a substituent selected from the group consisting of halogen, oxygen, C.sub.3-8 cycloalkyl, aryl, or heteroaryl, and/or R.sup.E is H or C.sub.1-4 alkyl optionally substituted with a substituent selected from the group consisting of halogen, oxygen, C.sub.3-8 cycloalkyl, aryl, or heteroaryl.

[0104] In preferred embodiments each of R.sup.D and R.sup.E is independently selected from H, D, CH.sub.3, CH.sub.2CH.sub.3, (CH.sub.2).sub.2CH.sub.3, and (CH.sub.2).sub.3CH.sub.3. In a more preferred embodiment, R.sup.E is hydrogen and R.sup.D is CH.sub.3, CH.sub.2CH.sub.3, (CH.sub.2).sub.2CH.sub.3, or (CH.sub.2).sub.3CH.sub.3. In certain, other preferred embodiments R.sup.D and R.sup.E together form a substituted or unsubstituted C.sub.3-C.sub.6 cycloalkyl.

[0105] In certain preferred embodiments, R.sup.D and R.sup.E are both hydrogen. In yet additional preferred embodiments, R.sup.D is hydrogen and R.sup.E is an alkyl, for example, a C.sub.1-C.sub.6 alkyl or a C.sub.1-C.sub.4 alkyl including, but not limited to, methyl, ethyl, propyl and butyl. In certain additional preferred embodiments, R.sup.D and R.sup.E are taken together with the carbon to which they are attached to form a C.sub.3-C.sub.6 cycloalkyl including, but not limited to, cyclopropyl or cyclobutyl.

[0106] In certain preferred embodiments, n is 0. In other preferred aspects, n is 1. In other preferred aspects, n is 2. In yet further preferred aspects, n is 3. In further aspects, n is 4.

[0107] In certain aspects, R.sup.1B is unsubstituted phenyl.

[0108] In yet additional aspects, R.sup.1B is substituted or unsubstituted pyridinyl; preferably, unsubstituted pyridinyl.

[0109] In some embodiments Y.sup.- is a halide anion, a carboxylate, or a sulfonate. Y.sup.- can, for example, be a halide ion, a substituted or unsubstituted alkylsulfonate, a substituted or unsubstituted arylsulfonate, a substituted or unsubstituted alkyl or aliphatic carboxylate, a substituted or unsubstituted aryl carboxylate, or a substituted or unsubstituted heterocyclyl carboxylate.

[0110] In certain embodiments, Y— is selected from the group consisting of trifluoroacetate, sulfate, phosphate, acetate, fumarate, formate, carbonate, maleate, citrate, pyruvate, succinate, oxalate, a sulfonate, (for example, methanesulfonate, trifluoromethanesulfonate, toluenesulfonate such as p-toluenesulfonate, benzenesulfonate, ethanesulfonate, camphorsulfonate, 2-mesitylenesulfonate, or naphthalenesulfonate such as 2-naphthalenesulfonate), bisulfate, malonate, xinafoate, ascorbate, oleate, nicotinate, saccharinate, adipate, formate, glycolate, L-lactate, D-lactate, aspartate, malate, L-tartrate, D-tartrate, stearate, 2-furoate, 3-furoate, napadisylate (naphthalene-1,5-disulfonate or naphthalene-1-(sulfonic acid)-5-sulfonate), edisylate (ethane-1,2-disulfonate or ethane-1-(sulfonic acid)-2-sulfonate), isethionate (2-hydroxyethylsulfonate), D-mandelate, L-mandelate, propionate, tartarate, phthalate, hydrochlorate, hydrobromate, and nitrate. In one embodiment, Y.sup.- is a halide anion.

[0111] In a preferred embodiment, the anion is selected from the halide ions bromide, chloride, or iodide.

[0112] Each preferred group stated above can be taken in combination with one, any or all other preferred groups.

[0113] In a preferred embodiment, the present invention relates to compounds of Formula (I), or a pharmaceutically acceptable salt thereof, wherein R.sup.B is an optionally substituted aryl or optionally substituted heteroaryl selected from one of the following:

##STR00005##

[0114] In certain preferred aspects, R.sup.1B is substituted or unsubstituted phenyl.

[0115] In certain additional aspects, the compound has the Formula (II):

##STR00006## [0116] wherein: [0117] Y.sup.- is a pharmaceutically acceptable anion; [0118] q is 0, 1, 2, or 3; [0119] R.sup.D is hydrogen, methyl, or ethyl; and [0120] R.sup.B is as defined above.

[0121] In some embodiments, the compound has the Formula (II), wherein Y.sup.- is a halide anion, a carboxylate, or a sulfonate. Y.sup.- can, for example, be a halide ion, a substituted or

unsubstituted alkylsulfonate, a substituted or unsubstituted arylsulfonate, a substituted or unsubstituted alkyl or aliphatic carboxylate, a substituted or unsubstituted aryl carboxylate, or a substituted or unsubstituted heterocyclyl carboxylate.

[0122] In certain embodiments, the compound has the Formula (II), wherein Y<sup>sup.</sup>– is selected from the group consisting of trifluoroacetate, sulfate, phosphate, acetate, fumarate, formate, carbonate, maleate, citrate, pyruvate, succinate, oxalate, a sulfonate, (for example, methanesulfonate, trifluoromethanesulfonate, toluenesulfonate such as p-toluenesulfonate, benzenesulfonate, ethanesulfonate, camphorsulfonate, 2-mesitylenesulfonate, or naphthalenesulfonate such as 2-naphthalenesulfonate), bisulfate, malonate, xinafoate, ascorbate, oleate, nicotinate, saccharinate, adipate, formate, glycolate, L-lactate, D-lactate, aspartate, malate, L-tartrate, D-tartrate, stearate, 2-furoate, 3-furoate, napadisylate (naphthalene-1,5-disulfonate or naphthalene-1-(sulfonic acid)-5-sulfonate), edisylate (ethane-1,2-disulfonate or ethane-1-(sulfonic acid)-2-sulfonate), isethionate (2-hydroxyethylsulfonate), D-mandelate, L-mandelate, propionate, tartarate, phthalate, hydrochlorate, hydrobromate, and nitrate.

[0123] In one embodiment, the compound has the Formula (II) and Y<sup>sup.</sup>– is halide anion. In a preferred embodiment, Y<sup>sup.</sup>– is selected from the halide ions bromide, chloride, or iodide.

[0124] In certain preferred embodiments, q is 0. In other preferred aspects, q is 1. In other preferred aspects, q is 2. In yet further preferred aspects, q is 3.

[0125] In yet additional preferred aspects, the compound has the Formula (II) and R<sup>sup.</sup>D is hydrogen.

[0126] In further aspects, the compound has the Formula (II) and R<sup>sup.</sup>D is methyl.

[0127] In yet other aspects, the compound has the Formula (II) and R<sup>sup.</sup>D is ethyl.

[0128] In yet further aspects, the compound has the Formula (II), q is 0 and R<sup>sup.</sup>D is hydrogen.

[0129] In additional preferred aspects, the compound has the Formula (II), q is 1 and R<sup>sup.</sup>D is hydrogen.

[0130] In further preferred aspects, the compound has the Formula (II) and q is 2, and R<sup>sup.</sup>D is hydrogen.

[0131] In additional aspects, the compound has the Formula (II), q is 3, and R<sup>sup.</sup>D is hydrogen.

[0132] In yet additional preferred embodiments, the compound has the Formula (II), and q is 0 and R<sup>sup.</sup>D is methyl.

[0133] In additional preferred aspects, the compound has the Formula (II), q is 1 and R<sup>sup.</sup>D is methyl.

[0134] In further preferred aspects, the compound has the Formula (II), q is 2 and R<sup>sup.</sup>D is methyl.

[0135] In additional aspects, the compound has the Formula (II), q is 3 and R<sup>sup.</sup>D is methyl.

[0136] In further preferred embodiments, the compound has the Formula (II), q is 0 and R<sup>sup.</sup>D is ethyl.

[0137] In additional preferred aspects, the compound has the Formula (II), q is 1 and R<sup>sup.</sup>D is ethyl.

[0138] In further preferred aspects, the compound has the Formula (II), q is 2 and R<sup>sup.</sup>D is ethyl.

[0139] In additional aspects, the compound has the Formula (II), q is 3 and R<sup>sup.</sup>D is ethyl.








































































































































[0140] In yet an additional aspect, the compound is selected from the Table below, or a pharmaceutically acceptable salt thereof, wherein Y<sup>sup.</sup>– is a pharmaceutically acceptable anion.

##STR00007## ##STR00008## ##STR00009## ##STR00010## ##STR00011## ##STR00012##  
##STR00013## ##STR00014## ##STR00015##  
##STR00016## ##STR00017## ##STR00018## ##STR00019## ##STR00020## ##STR00021##  
##STR00022## ##STR00023## ##STR00024## ##STR00025## ##STR00026## ##STR00027##  
##STR00028## ##STR00029## ##STR00030##  
##STR00031##

[0141] Representative compounds according to the invention and their enantiomers and

pharmaceutically acceptable salts thereof are those selected from Table C below, wherein Y<sub>sup.</sub>– is a pharmaceutically acceptable anion, as defined above, and Z is either an aryl or a heteroaryl structure selected from one of the structures in Table 1, or a substituted aryl or substituted heteroaryl structure selected from one of the structures in Tables 2-3.

TABLE-US-00001 TABLE C Representative Compounds of the Invention No. Structure 1 [00032]

 embedded image 2 [00033]  embedded image 3 [00034]  embedded image 4 [00035]  
 embedded image 5 [00036]  embedded image 6 [00037]  embedded image 7 [00038]  
 embedded image 8 [00039]  embedded image 9 [00040]  embedded image 10 [00041]  
 embedded image 11 [00042]  embedded image 12 [00043]  embedded image 13 [00044]  
 embedded image 14 [00045]  embedded image 15 [00046]  embedded image 16 [00047]  
 embedded image 17 [00048]  embedded image 18 [00049]  embedded image 19 [00050]  
 embedded image 20 [00051]  embedded image 21 [00052]  embedded image 22 [00053]  
 embedded image 23 [00054]  embedded image 24 [00055]  embedded image 25 [00056]  
 embedded image 26 [00057]  embedded image 27 [00058]  embedded image 28 [00059]  
 embedded image 29 [00060]  embedded image 30 [00061]  embedded image 31 [00062]  
 embedded image 32 [00063]  embedded image 33 [00064]  embedded image 34 [00065]  
 embedded image 35 [00066]  embedded image 36 [00067]  embedded image 37 [00068]  
 embedded image 38 [00069]  embedded image 39 [00070]  embedded image 40 [00071]  
 embedded image 41 [00072]  embedded image 42 [00073]  embedded image 43 [00074]  
 embedded image 44 [00075]  embedded image 45 [00076]  embedded image 46 [00077]  
 embedded image 47 [00078]  embedded image 48 [00079]  embedded image 49 [00080]  
 embedded image 50 [00081]  embedded image 51 [00082]  embedded image 52 [00083]  
 embedded image 53 [00084]  embedded image 54 [00085]  embedded image 55 [00086]  
 embedded image 56 [00087]  embedded image 57 [00088]  embedded image 58 [00089]  
 embedded image 59 [00090]  embedded image 60 [00091]  embedded image 61 [00092]  
 embedded image 62 [00093]  embedded image 63 [00094]  embedded image 64 [00095]  
 embedded image 65 [00096]  embedded image 66 [00097]  embedded image 67 [00098]  
 embedded image 68 [00099]  embedded image 69 [00100]  embedded image 70 [00101]  
 embedded image 71 [00102]  embedded image 72 [00103]  embedded image 73 [00104]  
 embedded image 74 [00105]  embedded image 75 [00106]  embedded image 76 [00107]  
 embedded image 77 [00108]  embedded image 78 [00109]  embedded image 79 [00110]  
 embedded image 80 [00111]  embedded image 81 [00112]  embedded image 82 [00113]  
 embedded image 83 [00114]  embedded image 84 [00115]  embedded image 85 [00116]  
 embedded image 86 [00117]  embedded image 87 [00118]  embedded image 88 [00119]  
 embedded image 89 [00120]  embedded image 90 [00121]  embedded image 91 [00122]  
 embedded image 92 [00123]  embedded image 93 [00124]  embedded image 94 [00125]  
 embedded image 95 [00126]  embedded image 96 [00127]  embedded image 97 [00128]  
 embedded image 98 [00129]  embedded image 99 [00130]  embedded image 100 [00131]  
 embedded image 101 [00132]  embedded image 102 [00133]  embedded image 103 [00134]  
 embedded image 104 [00135]  embedded image 105 [00136]  embedded image 106 [00137]  
 embedded image 107 [00138]  embedded image 108 [00139]  embedded image 109 [00140]  
 embedded image 110 [00141]  embedded image 111 [00142]  embedded image 112 [00143]  
 embedded image 113 [00144]  embedded image 114 [00145]  embedded image 115 [00146]  
 embedded image 116 [00147]  embedded image 117 [00148]  embedded image 118 [00149]  
 embedded image 119 [00150]  embedded image 120 [00151]  embedded image 121 [00152]  
 embedded image 122 [00153]  embedded image 123 [00154]  embedded image 124 [00155]  
 embedded image 125 [00156]  embedded image 126 [00157]  embedded image 127 [00158]  
 embedded image 128 [00159]  embedded image 129 [00160]  embedded image 130 [00161]  
 embedded image 131 [00162]  embedded image 132 [00163]  embedded image 133 [00164]  
 embedded image 134 [00165]  embedded image 135 [00166]  embedded image 136 [00167]







































 137 [00168]  138 [00169]  139 [00170]  
 140 [00171]  141 [00172]  142 [00173]  
 143 [00174]  144 [00175]  145 [00176]  
 146 [00177]  147 [00178]  148 [00179]  
 149 [00180]  150 [00181]  151 [00182]  
 152 [00183]  153 [00184]  154 [00185]  
 155 [00186]  156 [00187]  157 [00188]  
 158 [00189]  159 [00190]  160 [00191]  
 161 [00192]  162 [00193]  163 [00194]  
 164 [00195]  165 [00196]  166 [00197]  
 167 [00198]  168 [00199]  169 [00200]  
 170 [00201] 

TABLE-US-00002 TABLE 1 Representative Z Structures No. Structure 1 [00202]

 2 [00203]  3 [00204]  4 [00205]  
 5 [00206]  6 [00207]  7 [00208]  
 8 [00209]  9 [00210]  10 [00211]  
 11 [00212]  12 [00213]  13 [00214]  
 14 [00215]  15 [00216]  16 [00217]  
 17 [00218]  18 [00219]  19 [00220]  
 20 [00221]  21 [00222]  22 [00223]  
 23 [00224]  24 [00225]  25 [00226]  
 26 [00227]  27 [00228]  28 [00229]  
 29 [00230]  30 [00231]  31 [00232]  
 32 -H 33 -Me 34 -Et 35 -CH.sub.2COOMe 36 -CH.sub.2COOEt 37  
-CH.sub.2CONH.sub.2 38 -CH.sub.2CONHMe 39 -CH.sub.2CONHEt 40 -CH.sub.2CONHPr  
41 -CH.sub.2CON(CH.sub.3).sub.2 42 CH.sub.2CON(C.sub.2H.sub.5).sub.2 43 -COOMe 44  
-COOEt 45 -CONH.sub.2 46 -CONHMe 47 -CONHEt 48 -CONHPr 49 -CON(CH.sub.3).sub.2  
50 -CON(C.sub.2H.sub.5).sub.2 51 -H 52 -COOPh 53 [00233]  54 [00234]  
 55 [00235]  56 [00236]  57 -  
(CH.sub.2).sub.2COOMe 58 -(CH.sub.2).sub.3COOMe 59 -(CH.sub.2).sub.2COOEt 60 -  
(CH.sub.2).sub.3COOEt 61 -(CH.sub.2).sub.2COOPh 62 -(CH.sub.2).sub.3COOPh 63  
-CH.sub.2COOPh 64 [00237]  65 [00238]  66 [00239]  
 67 [00240] 

TABLE-US-00003 TABLE 2 Representative Z Structures No. Structure 1 [00241]

 2 [00242]  3 [00243]  4 [00244]  
 5 [00245]  6 [00246]  7 [00247]  
 8 [00248]  9 [00249]  10 [00250]  
 11 [00251]  12 [00252]  13 [00253]  
 14 [00254]  15 [00255]  16 [00256]  
 17 [00257]  18 [00258]  19 [00259]  
 20 [00260]  21 [00261]  22 [00262]  
 23 [00263]  24 [00264]  25 [00265]  
 26 [00266]  27 [00267]  28 [00268]  
 29 [00269]  30 [00270]  31 [00271]  
 32 [00272]  33 [00273]  34 [00274]  
 35 [00275]  36 [00276]  37 [00277]  
 38 [00278]  39 [00279]  40 [00280]  
 41 [00281]  42 [00282]  43 [00283]  
 44 [00284]  45 [00285]  46 [00286]  
 47 [00287]  48 [00288]  49 [00289]

	50 [00290]		51 [00291]		52 [00292]
	53 [00293]		54 [00294]		55 [00295]
	56 [00296]		57 [00297]		58 [00298]
	59 [00299]		60 [00300]		61 [00301]
	62 [00302]		63 [00303]		64 [00304]
	65 [00305]		66 [00306]		67 [00307]
	68 [00308]		69 [00309]		70 [00310]
	71 [00311]		72 [00312]		73 [00313]
	74 [00314]		75 [00315]		76 [00316]
	77 [00317]		78 [00318]		79 [00319]
	80 [00320]		81 [00321]		82 [00322]
	83 [00323]		84 [00324]		85 [00325]
	86 [00326]		87 [00327]		88 [00328]
	89 [00329]		90 [00330]		91 [00331]
	92 [00332]		93 [00333]		94 [00334]
	95 [00335]		96 [00336]		97 [00337]
	98 [00338]		99 [00339]		100 [00340]
	101 [00341]		102 [00342]		103 [00343]
	104 [00344]		105 [00345]		106 [00346]
	107 [00347]		108 [00348]		109 [00349]
	110 [00350]		111 [00351]		112 [00352]
	113 [00353]		114 [00354]		115 [00355]
	116 [00356]		117 [00357]		118 [00358]
	119 [00359]		120 [00360]		121 [00361]
	122 [00362]		123 [00363]		124 [00364]
	125 [00365]		126 [00366]		127 [00367]
	128 [00368]		129 [00369]		130 [00370]
	131 [00371]		132 [00372]		133 [00373]
	134 [00374]		135 [00375]		

TABLE-US-00004 TABLE 3 Representative Z Structures No. Structure 1 [00376]

	2 [00377]		3 [00378]		4 [00379]
	5 [00380]		6 [00381]		7 [00382]
	8 [00383]		9 [00384]		10 [00385]
	11 [00386]		12 [00387]		13 [00388]
	14 [00389]		15 [00390]		16 [00391]
	17 [00392]		18 [00393]		19 [00394]
	20 [00395]		21 [00396]		22 [00397]
	23 [00398]		24 [00399]		25 [00400]
	26 [00401]		27 [00402]		28 [00403]
	29 [00404]		30 [00405]		31 [00406]
	32 [00407]		33 [00408]		34 [00409]
	35 [00410]		36 [00411]		37 [00412]
	38 [00413]		39 [00414]		40 [00415]
	41 [00416]		42 [00417]		43 [00418]
	44 [00419]		45 [00420]		













































































[0142] Preferred compounds according to the invention and their enantiomers and pharmaceutically acceptable salts thereof are represented by Formula (IIIa),

##STR00421##























































































[0143] wherein the preferred substituent combinations R<sup>sup</sup>.C, R<sup>sup</sup>.D, and Z are as defined in Table 4a, and Y<sup>sup</sup>.- is a pharmaceutically acceptable anion as defined above, and q is 0, 1, 2, or























































































3. In certain preferred embodiments, the compound is selected from Table 4a wherein q is 0. In other preferred aspects, the compound is selected from Table 4a wherein q is 1. In other preferred aspects, the compound is selected from Table 4a wherein q is 2. In yet further preferred aspects, the compound is selected from Table 4a wherein q is 3. The compounds can be made according to the methods generally described below.






















































































TABLE-US-00005 TABLE 4a Preferred Combinations of R<sup>sup</sup>.C, R<sup>sup</sup>.D, and Z Substituents according to Formula (III). Combination Number R<sup>sup</sup>.C R<sup>sup</sup>.D Z 1 H H [00422]

	2 Cl H [00423]		3 CH.sub.3 H [00424]
	4 H CH.sub.3 [00425]		5 Cl CH.sub.3 [00426]
	6 CH.sub.3 CH.sub.3 [00427]		7 H CH.sub.2CH.sub.3 [00428]
	8 Cl CH.sub.2CH.sub.3 [00429]		9 CH.sub.3 CH.sub.2CH.sub.3 [00430]
	10 H (CH.sub.2).sub.2CH.sub.3 [00431]		11 Cl (CH.sub.2).sub.2CH.sub.3 [00432]
	12 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [00433]		13 H H [00434]
	14 Cl H [00435]		15 CH.sub.3 H [00436]
	16 H CH.sub.3 [00437]		17 Cl CH.sub.3 [00438]
	18 CH.sub.3 CH.sub.3 [00439]		19 H CH.sub.2CH.sub.3 [00440]
	20 Cl CH.sub.2CH.sub.3 [00441]		21 CH.sub.3 CH.sub.2CH.sub.3 [00442]
	22 H (CH.sub.2).sub.2CH.sub.3 [00443]		23 Cl (CH.sub.2).sub.2CH.sub.3 [00444]
	24 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [00445]		25 H H [00446]
	26 Cl H [00447]		27 CH.sub.3 H [00448]
	28 H CH.sub.3 [00449]		29 Cl CH.sub.3 [00450]
	30 CH.sub.3 CH.sub.3 [00451]		31 H CH.sub.2CH.sub.3 [00452]
	32 Cl CH.sub.2CH.sub.3 [00453]		33 CH.sub.3 CH.sub.2CH.sub.3 [00454]
	34 H (CH.sub.2).sub.2CH.sub.3 [00455]		35 Cl (CH.sub.2).sub.2CH.sub.3 [00456]
	36 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [00457]		37 H H [00458]
	38 Cl H [00459]		39 CH.sub.3 H [00460]
	40 H CH.sub.3 [00461]		41 Cl CH.sub.3 [00462]
	42 CH.sub.3 CH.sub.3 [00463]		43 H CH.sub.2CH.sub.3 [00464]
	44 Cl CH.sub.2CH.sub.3 [00465]		45 CH.sub.3 CH.sub.2CH.sub.3 [00466]
	46 H (CH.sub.2).sub.2CH.sub.3 [00467]		47 Cl (CH.sub.2).sub.2CH.sub.3 [00468]
	48 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [00469]		49 H H [00470]
	50 Cl H [00471]		51 CH.sub.3 H [00472]
	52 H CH.sub.3 [00473]		53 Cl CH.sub.3 [00474]
	54 CH.sub.3 CH.sub.3 [00475]		55 H CH.sub.2CH.sub.3 [00476]
	56 Cl CH.sub.2CH.sub.3 [00477]		57 CH.sub.3 CH.sub.2CH.sub.3 [00478]
	58 H (CH.sub.2).sub.2CH.sub.3 [00479]		59 Cl (CH.sub.2).sub.2CH.sub.3 [00480]
	60 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [00481]		61 H H [00482]
	62 Cl H [00483]		63 CH.sub.3 H [00484]
	64 H CH.sub.3 [00485]		65 Cl CH.sub.3 [00486]
	66 CH.sub.3 CH.sub.3 [00487]		67 H CH.sub.2CH.sub.3 [00488]
	68 Cl CH.sub.2CH.sub.3 [00489]		69 CH.sub.3 CH.sub.2CH.sub.3 [00490]
	70 H (CH.sub.2).sub.2CH.sub.3 [00491]		71 Cl (CH.sub.2).sub.2CH.sub.3 [00492]
	72 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [00493]		73 H H [00494]
	74 Cl H [00495]		75 CH.sub.3 H [00496]
	76 H CH.sub.3 [00497]		











































 77 Cl CH.sub.3 [00498]  78 CH.sub.3 CH.sub.3 [00499]  
 79 H CH.sub.2CH.sub.3 [00500]  80 Cl  
CH.sub.2CH.sub.3 [00501]  81 CH.sub.3 CH.sub.2CH.sub.3 [00502]  
 82 H (CH.sub.2).sub.2CH.sub.3 [00503]  83 Cl  
(CH.sub.2).sub.2CH.sub.3 [00504]  84 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00505]  85 H H [00506]  86 Cl H [00507]  
 87 CH.sub.3 H [00508]  88 H CH.sub.3 [00509]  
 89 Cl CH.sub.3 [00510]  90 CH.sub.3 CH.sub.3 [00511]  
 91 H CH.sub.2CH.sub.3 [00512]  92 Cl  
CH.sub.2CH.sub.3 [00513]  93 CH.sub.3 CH.sub.2CH.sub.3 [00514]  
 94 H (CH.sub.2).sub.2CH.sub.3 [00515]  95 Cl  
(CH.sub.2).sub.2CH.sub.3 [00516]  96 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00517]  97 H H [00518]  98 Cl H [00519]  
 99 CH.sub.3 H [00520]  100 H CH.sub.3 [00521]  
 101 Cl CH.sub.3 [00522]  102 CH.sub.3 CH.sub.3 [00523]  
 103 H CH.sub.2CH.sub.3 [00524]  104 Cl  
CH.sub.2CH.sub.3 [00525]  105 CH.sub.3 CH.sub.2CH.sub.3 [00526]  
 106 H (CH.sub.2).sub.2CH.sub.3 [00527]  107 Cl  
(CH.sub.2).sub.2CH.sub.3 [00528]  108 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00529]  109 H H [00530]  110 Cl H [00531]  
 111 CH.sub.3 H [00532]  112 H CH.sub.3 [00533]  
 113 Cl CH.sub.3 [00534]  114 CH.sub.3 CH.sub.3 [00535]  
 115 H CH.sub.2CH.sub.3 [00536]  116 Cl  
CH.sub.2CH.sub.3 [00537]  117 CH.sub.3 CH.sub.2CH.sub.3 [00538]  
 118 H (CH.sub.2).sub.2CH.sub.3 [00539]  119 Cl  
(CH.sub.2).sub.2CH.sub.3 [00540]  120 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00541]  121 H H [00542]  122 Cl H [00543]  
 123 CH.sub.3 H [00544]  124 H CH.sub.3 [00545]  
 125 Cl CH.sub.3 [00546]  126 CH.sub.3 CH.sub.3 [00547]  
 127 H CH.sub.2CH.sub.3 [00548]  128 Cl  
CH.sub.2CH.sub.3 [00549]  129 CH.sub.3 CH.sub.2CH.sub.3 [00550]  
 130 H (CH.sub.2).sub.2CH.sub.3 [00551]  131 Cl  
(CH.sub.2).sub.2CH.sub.3 [00552]  132 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00553]  133 H H [00554]  134 Cl H [00555]  
 135 CH.sub.3 H [00556]  136 H CH.sub.3 [00557]  
 137 Cl CH.sub.3 [00558]  138 CH.sub.3 CH.sub.3 [00559]  
 139 H CH.sub.2CH.sub.3 [00560]  140 Cl  
CH.sub.2CH.sub.3 [00561]  141 CH.sub.3 CH.sub.2CH.sub.3 [00562]  
 142 H (CH.sub.2).sub.2CH.sub.3 [00563]  143 Cl  
(CH.sub.2).sub.2CH.sub.3 [00564]  144 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00565]  145 H H [00566]  146 Cl H [00567]  
 147 CH.sub.3 H [00568]  148 H CH.sub.3 [00569]  
 149 Cl CH.sub.3 [00570]  150 CH.sub.3 CH.sub.3 [00571]  
 151 H CH.sub.2CH.sub.3 [00572]  152 Cl  
CH.sub.2CH.sub.3 [00573]  153 CH.sub.3 CH.sub.2CH.sub.3 [00574]  
 154 H (CH.sub.2).sub.2CH.sub.3 [00575]  155 Cl  
(CH.sub.2).sub.2CH.sub.3 [00576]  156 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00577]  157 H H [00578]  158 Cl H [00579]  
 159 CH.sub.3 H [00580]  160 H CH.sub.3 [00581]  
 161 Cl CH.sub.3 [00582]  162 CH.sub.3 CH.sub.3 [00583]

 embedded image 163 H CH.sub.2CH.sub.3 [00584] embedded image 164 Cl  
CH.sub.2CH.sub.3 [00585] embedded image 165 CH.sub.3 CH.sub.2CH.sub.3 [00586]  
 embedded image 166 H (CH.sub.2).sub.2CH.sub.3 [00587] embedded image 167 Cl  
(CH.sub.2).sub.2CH.sub.3 [00588] embedded image 168 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00589] embedded image 169 H H [00590] embedded image 170 Cl H [00591]  
 embedded image 171 CH.sub.3 H [00592] embedded image 172 H CH.sub.3 [00593]  
 embedded image 173 Cl CH.sub.3 [00594] embedded image 174 CH.sub.3 CH.sub.3 [00595]  
 embedded image 175 H CH.sub.2CH.sub.3 [00596] embedded image 176 Cl  
CH.sub.2CH.sub.3 [00597] embedded image 177 CH.sub.3 CH.sub.2CH.sub.3 [00598]  
 embedded image 178 H (CH.sub.2).sub.2CH.sub.3 [00599] embedded image 179 Cl  
(CH.sub.2).sub.2CH.sub.3 [00600] embedded image 180 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00601] embedded image 181 H H [00602] embedded image 182 Cl H [00603]  
 embedded image 183 CH.sub.3 H [00604] embedded image 184 H CH.sub.3 [00605]  
 embedded image 185 Cl CH.sub.3 [00606] embedded image 186 CH.sub.3 CH.sub.3 [00607]  
 embedded image 187 H CH.sub.2CH.sub.3 [00608] embedded image 188 Cl  
CH.sub.2CH.sub.3 [00609] embedded image 189 CH.sub.3 CH.sub.2CH.sub.3 [00610]  
 embedded image 190 H (CH.sub.2).sub.2CH.sub.3 [00611] embedded image 191 Cl  
(CH.sub.2).sub.2CH.sub.3 [00612] embedded image 192 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00613] embedded image 193 H H [00614] embedded image 194 Cl H [00615]  
 embedded image 195 CH.sub.3 H [00616] embedded image 196 H CH.sub.3 [00617]  
 embedded image 197 Cl CH.sub.3 [00618] embedded image 198 CH.sub.3 CH.sub.3 [00619]  
 embedded image 199 H CH.sub.2CH.sub.3 [00620] embedded image 200 Cl  
CH.sub.2CH.sub.3 [00621] embedded image 201 CH.sub.3 CH.sub.2CH.sub.3 [00622]  
 embedded image 202 H (CH.sub.2).sub.2CH.sub.3 [00623] embedded image 203 Cl  
(CH.sub.2).sub.2CH.sub.3 [00624] embedded image 204 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00625] embedded image 205 H H [00626] embedded image 206 Cl H [00627]  
 embedded image 207 CH.sub.3 H [00628] embedded image 208 H CH.sub.3 [00629]  
 embedded image 209 Cl CH.sub.3 [00630] embedded image 210 CH.sub.3 CH.sub.3 [00631]  
 embedded image 211 H CH.sub.2CH.sub.3 [00632] embedded image 212 Cl  
CH.sub.2CH.sub.3 [00633] embedded image 213 CH.sub.3 CH.sub.2CH.sub.3 [00634]  
 embedded image 214 H (CH.sub.2).sub.2CH.sub.3 [00635] embedded image 215 Cl  
(CH.sub.2).sub.2CH.sub.3 [00636] embedded image 216 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00637] embedded image 217 H H [00638] embedded image 218 Cl H [00639]  
 embedded image 219 CH.sub.3 H [00640] embedded image 220 H CH.sub.3 [00641]  
 embedded image 221 Cl CH.sub.3 [00642] embedded image 222 CH.sub.3 CH.sub.3 [00643]  
 embedded image 223 H CH.sub.2CH.sub.3 [00644] embedded image 224 Cl  
CH.sub.2CH.sub.3 [00645] embedded image 225 CH.sub.3 CH.sub.2CH.sub.3 [00646]  
 embedded image 226 H (CH.sub.2).sub.2CH.sub.3 [00647] embedded image 227 Cl  
(CH.sub.2).sub.2CH.sub.3 [00648] embedded image 228 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00649] embedded image 229 H H [00650] embedded image 230 Cl H [00651]  
 embedded image 231 CH.sub.3 H [00652] embedded image 232 H CH.sub.3 [00653]  
 embedded image 233 Cl CH.sub.3 [00654] embedded image 234 CH.sub.3 CH.sub.3 [00655]  
 embedded image 235 H CH.sub.2CH.sub.3 [00656] embedded image 236 Cl  
CH.sub.2CH.sub.3 [00657] embedded image 237 CH.sub.3 CH.sub.2CH.sub.3 [00658]  
 embedded image 238 H (CH.sub.2).sub.2CH.sub.3 [00659] embedded image 239 Cl  
(CH.sub.2).sub.2CH.sub.3 [00660] embedded image 240 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00661] embedded image 241 H H [00662] embedded image 242 Cl H [00663]  
 embedded image 243 CH.sub.3 H [00664] embedded image 244 H CH.sub.3 [00665]  
 embedded image 245 Cl CH.sub.3 [00666] embedded image 246 CH.sub.3 CH.sub.3 [00667]  
 embedded image 247 H CH.sub.2CH.sub.3 [00668] embedded image 248 Cl

CH.sub.2CH.sub.3 [00669]  embedded image 249 CH.sub.3 CH.sub.2CH.sub.3 [00670]  
 embedded image 250 H (CH.sub.2).sub.2CH.sub.3 [00671]  embedded image 251 Cl  
(CH.sub.2).sub.2CH.sub.3 [00672]  embedded image 252 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00673]  embedded image 253 H H [00674]  embedded image 254 Cl H [00675]  
 embedded image 255 CH.sub.3 H [00676]  embedded image 256 H CH.sub.3 [00677]  
 embedded image 257 Cl CH.sub.3 [00678]  embedded image 258 CH.sub.3 CH.sub.3 [00679]  
 embedded image 259 H CH.sub.2CH.sub.3 [00680]  embedded image 260 Cl  
CH.sub.2CH.sub.3 [00681]  embedded image 261 CH.sub.3 CH.sub.2CH.sub.3 [00682]  
 embedded image 262 H (CH.sub.2).sub.2CH.sub.3 [00683]  embedded image 263 Cl  
(CH.sub.2).sub.2CH.sub.3 [00684]  embedded image 264 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00685]  embedded image 265 H H [00686]  embedded image 266 Cl H [00687]  
 embedded image 267 CH.sub.3 H [00688]  embedded image 268 H CH.sub.3 [00689]  
 embedded image 269 Cl CH.sub.3 [00690]  embedded image 270 CH.sub.3 CH.sub.3 [00691]  
 embedded image 271 H CH.sub.2CH.sub.3 [00692]  embedded image 272 Cl  
CH.sub.2CH.sub.3 [00693]  embedded image 273 CH.sub.3 CH.sub.2CH.sub.3 [00694]  
 embedded image 274 H (CH.sub.2).sub.2CH.sub.3 [00695]  embedded image 275 Cl  
(CH.sub.2).sub.2CH.sub.3 [00696]  embedded image 276 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00697]  embedded image 277 H H [00698]  embedded image 278 Cl H [00699]  
 embedded image 279 CH.sub.3 H [00700]  embedded image 280 H CH.sub.3 [00701]  
 embedded image 281 Cl CH.sub.3 [00702]  embedded image 282 CH.sub.3 CH.sub.3 [00703]  
 embedded image 283 H CH.sub.2CH.sub.3 [00704]  embedded image 284 Cl  
CH.sub.2CH.sub.3 [00705]  embedded image 285 CH.sub.3 CH.sub.2CH.sub.3 [00706]  
 embedded image 286 H (CH.sub.2).sub.2CH.sub.3 [00707]  embedded image 287 Cl  
(CH.sub.2).sub.2CH.sub.3 [00708]  embedded image 288 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00709]  embedded image 289 H H [00710]  embedded image 290 Cl H [00711]  
 embedded image 291 CH.sub.3 H [00712]  embedded image 292 H CH.sub.3 [00713]  
 embedded image 293 Cl CH.sub.3 [00714]  embedded image 294 CH.sub.3 CH.sub.3 [00715]  
 embedded image 295 H CH.sub.2CH.sub.3 [00716]  embedded image 296 Cl  
CH.sub.2CH.sub.3 [00717]  embedded image 297 CH.sub.3 CH.sub.2CH.sub.3 [00718]  
 embedded image 298 H (CH.sub.2).sub.2CH.sub.3 [00719]  embedded image 299 Cl  
(CH.sub.2).sub.2CH.sub.3 [00720]  embedded image 300 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00721]  embedded image 301 H H [00722]  embedded image 302 Cl H [00723]  
 embedded image 303 CH.sub.3 H [00724]  embedded image 304 H CH.sub.3 [00725]  
 embedded image 305 Cl CH.sub.3 [00726]  embedded image 306 CH.sub.3 CH.sub.3 [00727]  
 embedded image 307 H CH.sub.2CH.sub.3 [00728]  embedded image 308 Cl  
CH.sub.2CH.sub.3 [00729]  embedded image 309 CH.sub.3 CH.sub.2CH.sub.3 [00730]  
 embedded image 310 H (CH.sub.2).sub.2CH.sub.3 [00731]  embedded image 311 Cl  
(CH.sub.2).sub.2CH.sub.3 [00732]  embedded image 312 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00733]  embedded image 313 H H [00734]  embedded image 314 Cl H [00735]  
 embedded image 315 CH.sub.3 H [00736]  embedded image 316 H CH.sub.3 [00737]  
 embedded image 317 Cl CH.sub.3 [00738]  embedded image 318 CH.sub.3 CH.sub.3 [00739]  
 embedded image 319 H CH.sub.2CH.sub.3 [00740]  embedded image 320 Cl  
CH.sub.2CH.sub.3 [00741]  embedded image 321 CH.sub.3 CH.sub.2CH.sub.3 [00742]  
 embedded image 322 H (CH.sub.2).sub.2CH.sub.3 [00743]  embedded image 323 Cl  
(CH.sub.2).sub.2CH.sub.3 [00744]  embedded image 324 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00745]  embedded image 325 H H [00746]  embedded image 326 Cl H [00747]  
 embedded image 327 CH.sub.3 H [00748]  embedded image 328 H CH.sub.3 [00749]  
 embedded image 329 Cl CH.sub.3 [00750]  embedded image 330 CH.sub.3 CH.sub.3 [00751]  
 embedded image 331 H CH.sub.2CH.sub.3 [00752]  embedded image 332 Cl  
CH.sub.2CH.sub.3 [00753]  embedded image 333 CH.sub.3 CH.sub.2CH.sub.3 [00754]

























































































 334 H (CH.sub.2).sub.2CH.sub.3 [00755]  335 Cl (CH.sub.2).sub.2CH.sub.3 [00756]  336 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [00757]  337 H H [00758]  338 Cl H [00759]  339 CH.sub.3 H [00760]  340 H CH.sub.3 [00761]  341 Cl CH.sub.3 [00762]  342 CH.sub.3 CH.sub.3 [00763]  343 H CH.sub.2CH.sub.3 [00764]  344 Cl CH.sub.2CH.sub.3 [00765]  345 CH.sub.3 CH.sub.2CH.sub.3 [00766]  346 H (CH.sub.2).sub.2CH.sub.3 [00767]  347 Cl (CH.sub.2).sub.2CH.sub.3 [00768]  348 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [00769]  349 H H [00770]  350 Cl H [00771]  351 CH.sub.3 H [00772]  352 H CH.sub.3 [00773]  353 Cl CH.sub.3 [00774]  354 CH.sub.3 CH.sub.3 [00775]  355 H CH.sub.2CH.sub.3 [00776]  356 Cl CH.sub.2CH.sub.3 [00777]  357 CH.sub.3 CH.sub.2CH.sub.3 [00778]  358 H (CH.sub.2).sub.2CH.sub.3 [00779]  359 Cl (CH.sub.2).sub.2CH.sub.3 [00780]  360 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [00781]  361 H H [00782]  362 Cl H [00783]  363 CH.sub.3 H [00784]  364 H CH.sub.3 [00785]  365 Cl CH.sub.3 [00786]  366 CH.sub.3 CH.sub.3 [00787]  367 H CH.sub.2CH.sub.3 [00788]  368 Cl CH.sub.2CH.sub.3 [00789]  369 CH.sub.3 CH.sub.2CH.sub.3 [00790]  370 H (CH.sub.2).sub.2CH.sub.3 [00791]  371 Cl (CH.sub.2).sub.2CH.sub.3 [00792]  372 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [00793]  373 H H CO.sub.2Me 374 H Et CO.sub.2Me 375 H H CO.sub.2Et 376 H Et CO.sub.2Et 377 H H CH.sub.2CO.sub.2Me 378 H Et CH.sub.2CO.sub.2Me 379 H H CH.sub.2CO.sub.2Et 380 H Et CH.sub.2CO.sub.2Et 381 H H (CH.sub.2).sub.2CO.sub.2Me 382 H Et (CH.sub.2).sub.2CO.sub.2Me 383 H H (CH.sub.2).sub.3CO.sub.2Me 384 H Et (CH.sub.2).sub.3CO.sub.2Me 385 H H (CH.sub.2).sub.3CO.sub.2Et 386 H Et (CH.sub.2).sub.3CO.sub.2Et 387 H H (CH.sub.2).sub.3CO.sub.2Ph 388 H Et (CH.sub.2).sub.3CO.sub.2Ph.

[0144] Preferred compounds according to the invention and their enantiomers and pharmaceutically acceptable salts thereof are represented by Formula (IIIb),  
 ##STR00794##























































































wherein the preferred substituent combinations R<sup>sup.C</sup>, R<sup>sup.D</sup>, and Z are as defined in Table 4b, and Y<sup>sup.-</sup> is a pharmaceutically acceptable anion as defined above, and q is 0, 1, 2, or 3. In certain preferred embodiments, the compound is selected from Table 4b wherein q is 0. In other preferred aspects, the compound is selected from Table 4b wherein q is 1. In other preferred aspects, the compound is selected from Table 4b wherein q is 2. In yet further preferred aspects, the compound is selected from Table 4b wherein q is 3. The compounds can be made according to the methods generally described below.






















































































TABLE-US-00006 TABLE 4b Preferred Combinations of R<sup>sup.C</sup>, R<sup>sup.D</sup>, and Z Substituents according to Formula (IIIb).
































Combination Number	R <sup>sup.C</sup>	R <sup>sup.D</sup>	Z
1	H H [00795]		
2	Cl H [00796]		
3	CH.sub.3 H [00797]		
4	H CH.sub.3 [00798]		
5	Cl CH.sub.3 [00799]		
6	CH.sub.3 CH.sub.3 [00800]		
7	H CH.sub.2CH.sub.3 [00801]		
8	Cl CH.sub.2CH.sub.3 [00802]		
9	CH.sub.3 CH.sub.2CH.sub.3 [00803]		
10	H (CH.sub.2).sub.2CH.sub.3 [00804]		
11	Cl (CH.sub.2).sub.2CH.sub.3 [00805]		
12	CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [00806]		
13	H H [00807]		
14	Cl H [00808]		
15	CH.sub.3 H [00809]		
16	H CH.sub.3 [00810]		

 17 Cl CH.sub.3 [00811]  18 CH.sub.3 CH.sub.3 [00812]  
 19 H CH.sub.2CH.sub.3 [00813]  20 Cl  
CH.sub.2CH.sub.3 [00814]  21 CH.sub.3 CH.sub.2CH.sub.3 [00815]  
 22 H (CH.sub.2).sub.2CH.sub.3 [00816]  23 Cl  
(CH.sub.2).sub.2CH.sub.3 [00817]  24 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00818]  25 H H [00819]  26 Cl H [00820]  
 27 CH.sub.3 H [00821]  28 H CH.sub.3 [00822]  
 29 Cl CH.sub.3 [00823]  30 CH.sub.3 CH.sub.3 [00824]  
 31 H CH.sub.2CH.sub.3 [00825]  32 Cl  
CH.sub.2CH.sub.3 [00826]  33 CH.sub.3 CH.sub.2CH.sub.3 [00827]  
 34 H (CH.sub.2).sub.2CH.sub.3 [00828]  35 Cl  
(CH.sub.2).sub.2CH.sub.3 [00829]  36 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00830]  37 H H [00831]  38 Cl H [00832]  
 39 CH.sub.3 H [00833]  40 H CH.sub.3 [00834]  
 41 Cl CH.sub.3 [00835]  42 CH.sub.3 CH.sub.3 [00836]  
 43 H CH.sub.2CH.sub.3 [00837]  44 Cl  
CH.sub.2CH.sub.3 [00838]  45 CH.sub.3 CH.sub.2CH.sub.3 [00839]  
 46 H (CH.sub.2).sub.2CH.sub.3 [00840]  47 Cl  
(CH.sub.2).sub.2CH.sub.3 [00841]  48 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00842]  49 H H [00843]  50 Cl H [00844]  
 51 CH.sub.3 H [00845]  52 H CH.sub.3 [00846]  
 53 Cl CH.sub.3 [00847]  54 CH.sub.3 CH.sub.3 [00848]  
 55 H CH.sub.2CH.sub.3 [00849]  56 Cl  
CH.sub.2CH.sub.3 [00850]  57 CH.sub.3 CH.sub.2CH.sub.3 [00851]  
 58 H (CH.sub.2).sub.2CH.sub.3 [00852]  59 Cl  
(CH.sub.2).sub.2CH.sub.3 [00853]  60 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00854]  61 H H [00855]  62 Cl H [00856]  
 63 CH.sub.3 H [00857]  64 H CH.sub.3 [00858]  
 65 Cl CH.sub.3 [00859]  66 CH.sub.3 CH.sub.3 [00860]  
 67 H CH.sub.2CH.sub.3 [00861]  68 Cl  
CH.sub.2CH.sub.3 [00862]  69 CH.sub.3 CH.sub.2CH.sub.3 [00863]  
 70 H (CH.sub.2).sub.2CH.sub.3 [00864]  71 Cl  
(CH.sub.2).sub.2CH.sub.3 [00865]  72 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00866]  73 H H [00867]  74 Cl H [00868]  
 75 CH.sub.3 H [00869]  76 H CH.sub.3 [00870]  
 77 Cl CH.sub.3 [00871]  78 CH.sub.3 CH.sub.3 [00872]  
 79 H CH.sub.2CH.sub.3 [00873]  80 Cl  
CH.sub.2CH.sub.3 [00874]  81 CH.sub.3 CH.sub.2CH.sub.3 [00875]  
 82 H (CH.sub.2).sub.2CH.sub.3 [00876]  83 Cl  
(CH.sub.2).sub.2CH.sub.3 [00877]  84 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00878]  85 H H [00879]  86 Cl H [00880]  
 87 CH.sub.3 H [00881]  88 H CH.sub.3 [00882]  
 89 Cl CH.sub.3 [00883]  90 CH.sub.3 CH.sub.3 [00884]  
 91 H CH.sub.2CH.sub.3 [00885]  92 Cl  
CH.sub.2CH.sub.3 [00886]  93 CH.sub.3 CH.sub.2CH.sub.3 [00887]  
 94 H (CH.sub.2).sub.2CH.sub.3 [00888]  95 Cl  
(CH.sub.2).sub.2CH.sub.3 [00889]  96 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00890]  97 H H [00891]  98 Cl H [00892]  
 99 CH.sub.3 H [00893]  100 H CH.sub.3 [00894]  
 101 Cl CH.sub.3 [00895]  102 CH.sub.3 CH.sub.3 [00896]

















 embedded image 103 H CH.sub.2CH.sub.3 [00897] embedded image 104 Cl  
CH.sub.2CH.sub.3 [00898] embedded image 105 CH.sub.3 CH.sub.2CH.sub.3 [00899]  
 embedded image 106 H (CH.sub.2).sub.2CH.sub.3 [00900] embedded image 107 Cl  
(CH.sub.2).sub.2CH.sub.3 [00901] embedded image 108 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00902] embedded image 109 H H [00903] embedded image 110 Cl H [00904]  
 embedded image 111 CH.sub.3 H [00905] embedded image 112 H CH.sub.3 [00906]  
 embedded image 113 Cl CH.sub.3 [00907] embedded image 114 CH.sub.3 CH.sub.3 [00908]  
 embedded image 115 H CH.sub.2CH.sub.3 [00909] embedded image 116 Cl  
CH.sub.2CH.sub.3 [00910] embedded image 117 CH.sub.3 CH.sub.2CH.sub.3 [00911]  
 embedded image 118 H (CH.sub.2).sub.2CH.sub.3 [00912] embedded image 119 Cl  
(CH.sub.2).sub.2CH.sub.3 [00913] embedded image 120 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00914] embedded image 121 H H [00915] embedded image 122 Cl H [00916]  
 embedded image 123 CH.sub.3 H [00917] embedded image 124 H CH.sub.3 [00918]  
 embedded image 125 Cl CH.sub.3 [00919] embedded image 126 CH.sub.3 CH.sub.3 [00920]  
 embedded image 127 H CH.sub.2CH.sub.3 [00921] embedded image 128 Cl  
CH.sub.2CH.sub.3 [00922] embedded image 129 CH.sub.3 CH.sub.2CH.sub.3 [00923]  
 embedded image 130 H (CH.sub.2).sub.2CH.sub.3 [00924] embedded image 131 Cl  
(CH.sub.2).sub.2CH.sub.3 [00925] embedded image 132 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00926] embedded image 133 H H [00927] embedded image 134 Cl H [00928]  
 embedded image 135 CH.sub.3 H [00929] embedded image 136 H CH.sub.3 [00930]  
 embedded image 137 Cl CH.sub.3 [00931] embedded image 138 CH.sub.3 CH.sub.3 [00932]  
 embedded image 139 H CH.sub.2CH.sub.3 [00933] embedded image 140 Cl  
CH.sub.2CH.sub.3 [00934] embedded image 141 CH.sub.3 CH.sub.2CH.sub.3 [00935]  
 embedded image 142 H (CH.sub.2).sub.2CH.sub.3 [00936] embedded image 143 Cl  
(CH.sub.2).sub.2CH.sub.3 [00937] embedded image 144 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00938] embedded image 145 H H [00939] embedded image 146 Cl H [00940]  
 embedded image 147 CH.sub.3 H [00941] embedded image 148 H CH.sub.3 [00942]  
 embedded image 149 Cl CH.sub.3 [00943] embedded image 150 CH.sub.3 CH.sub.3 [00944]  
 embedded image 151 H CH.sub.2CH.sub.3 [00945] embedded image 152 Cl  
CH.sub.2CH.sub.3 [00946] embedded image 153 CH.sub.3 CH.sub.2CH.sub.3 [00947]  
 embedded image 154 H (CH.sub.2).sub.2CH.sub.3 [00948] embedded image 155 Cl  
(CH.sub.2).sub.2CH.sub.3 [00949] embedded image 156 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00950] embedded image 157 H H [00951] embedded image 158 Cl H [00952]  
 embedded image 159 CH.sub.3 H [00953] embedded image 160 H CH.sub.3 [00954]  
 embedded image 161 Cl CH.sub.3 [00955] embedded image 162 CH.sub.3 CH.sub.3 [00956]  
 embedded image 163 H CH.sub.2CH.sub.3 [00957] embedded image 164 Cl  
CH.sub.2CH.sub.3 [00958] embedded image 165 CH.sub.3 CH.sub.2CH.sub.3 [00959]  
 embedded image 166 H (CH.sub.2).sub.2CH.sub.3 [00960] embedded image 167 Cl  
(CH.sub.2).sub.2CH.sub.3 [00961] embedded image 168 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00962] embedded image 169 H H [00963] embedded image 170 Cl H [00964]  
 embedded image 171 CH.sub.3 H [00965] embedded image 172 H CH.sub.3 [00966]  
 embedded image 173 Cl CH.sub.3 [00967] embedded image 174 CH.sub.3 CH.sub.3 [00968]  
 embedded image 175 H CH.sub.2CH.sub.3 [00969] embedded image 176 Cl  
CH.sub.2CH.sub.3 [00970] embedded image 177 CH.sub.3 CH.sub.2CH.sub.3 [00971]  
 embedded image 178 H (CH.sub.2).sub.2CH.sub.3 [00972] embedded image 179 Cl  
(CH.sub.2).sub.2CH.sub.3 [00973] embedded image 180 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00974] embedded image 181 H H [00975] embedded image 182 Cl H [00976]  
 embedded image 183 CH.sub.3 H [00977] embedded image 184 H CH.sub.3 [00978]  
 embedded image 185 Cl CH.sub.3 [00979] embedded image 186 CH.sub.3 CH.sub.3 [00980]  
 embedded image 187 H CH.sub.2CH.sub.3 [00981] embedded image 188 Cl

CH.sub.2CH.sub.3 [00982]  embedded image 189 CH.sub.3 CH.sub.2CH.sub.3 [00983]  
 embedded image 190 H (CH.sub.2).sub.2CH.sub.3 [00984]  embedded image 191 Cl  
(CH.sub.2).sub.2CH.sub.3 [00985]  embedded image 192 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00986]  embedded image 193 H H [00987]  embedded image 194 Cl H [00988]  
 embedded image 195 CH.sub.3 H [00989]  embedded image 196 H CH.sub.3 [00990]  
 embedded image 197 Cl CH.sub.3 [00991]  embedded image 198 CH.sub.3 CH.sub.3 [00992]  
 embedded image 199 H CH.sub.2CH.sub.3 [00993]  embedded image 200 Cl  
CH.sub.2CH.sub.3 [00994]  embedded image 201 CH.sub.3 CH.sub.2CH.sub.3 [00995]  
 embedded image 202 H (CH.sub.2).sub.2CH.sub.3 [00996]  embedded image 203 Cl  
(CH.sub.2).sub.2CH.sub.3 [00997]  embedded image 204 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[00998]  embedded image 205 H H [00999]  embedded image 206 Cl H [01000]  
 embedded image 207 CH.sub.3 H [01001]  embedded image 208 H CH.sub.3 [01002]  
 embedded image 209 Cl CH.sub.3 [01003]  embedded image 210 CH.sub.3 CH.sub.3 [01004]  
 embedded image 211 H CH.sub.2CH.sub.3 [01005]  embedded image 212 Cl  
CH.sub.2CH.sub.3 [01006]  embedded image 213 CH.sub.3 CH.sub.2CH.sub.3 [01007]  
 embedded image 214 H (CH.sub.2).sub.2CH.sub.3 [01008]  embedded image 215 Cl  
(CH.sub.2).sub.2CH.sub.3 [01009]  embedded image 216 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01010]  embedded image 217 H H [01011]  embedded image 218 Cl H [01012]  
 embedded image 219 CH.sub.3 H [01013]  embedded image 220 H CH.sub.3 [01014]  
 embedded image 221 Cl CH.sub.3 [01015]  embedded image 222 CH.sub.3 CH.sub.3 [01016]  
 embedded image 223 H CH.sub.2CH.sub.3 [01017]  embedded image 224 Cl  
CH.sub.2CH.sub.3 [01018]  embedded image 225 CH.sub.3 CH.sub.2CH.sub.3 [01019]  
 embedded image 226 H (CH.sub.2).sub.2CH.sub.3 [01020]  embedded image 227 Cl  
(CH.sub.2).sub.2CH.sub.3 [01021]  embedded image 228 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01022]  embedded image 229 H H [01023]  embedded image 230 Cl H [01024]  
 embedded image 231 CH.sub.3 H [01025]  embedded image 232 H CH.sub.3 [01026]  
 embedded image 233 Cl CH.sub.3 [01027]  embedded image 234 CH.sub.3 CH.sub.3 [01028]  
 embedded image 235 H CH.sub.2CH.sub.3 [01029]  embedded image 236 Cl  
CH.sub.2CH.sub.3 [01030]  embedded image 237 CH.sub.3 CH.sub.2CH.sub.3 [01031]  
 embedded image 238 H (CH.sub.2).sub.2CH.sub.3 [01032]  embedded image 239 H  
(CH.sub.2).sub.2CH.sub.3 [01033]  embedded image 240 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01034]  embedded image 241 H H [01035]  embedded image 242 Cl H [01036]  
 embedded image 243 CH.sub.3 H [01037]  embedded image 244 H CH.sub.3 [01038]  
 embedded image 245 Cl CH.sub.3 [01039]  embedded image 246 CH.sub.3 CH.sub.3 [01040]  
 embedded image 247 H CH.sub.2CH.sub.3 [01041]  embedded image 248 Cl  
CH.sub.2CH.sub.3 [01042]  embedded image 249 CH.sub.3 CH.sub.2CH.sub.3 [01043]  
 embedded image 250 H (CH.sub.2).sub.2CH.sub.3 [01044]  embedded image 251 Cl  
(CH.sub.2).sub.2CH.sub.3 [01045]  embedded image 252 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01046]  embedded image 253 H H [01047]  embedded image 254 Cl H [01048]  
 embedded image 255 CH.sub.3 H [01049]  embedded image 256 H CH.sub.3 [01050]  
 embedded image 257 Cl CH.sub.3 [01051]  embedded image 258 CH.sub.3 CH.sub.3 [01052]  
 embedded image 259 H CH.sub.2CH.sub.3 [01053]  embedded image 260 Cl  
CH.sub.2CH.sub.3 [01054]  embedded image 261 CH.sub.3 CH.sub.2CH.sub.3 [01055]  
 embedded image 262 H (CH.sub.2).sub.2CH.sub.3 [01056]  embedded image 263 Cl  
(CH.sub.2).sub.2CH.sub.3 [01057]  embedded image 264 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01058]  embedded image 265 H H [01059]  embedded image 266 Cl H [01060]  
 embedded image 267 CH.sub.3 H [01061]  embedded image 268 H CH.sub.3 [01062]  
 embedded image 269 Cl CH.sub.3 [01063]  embedded image 270 CH.sub.3 CH.sub.3 [01064]  
 embedded image 271 H CH.sub.2CH.sub.3 [01065]  embedded image 272 Cl  
CH.sub.2CH.sub.3 [01066]  embedded image 273 CH.sub.3 CH.sub.2CH.sub.3 [01067]

 embedded image 274 H (CH.sub.2).sub.2CH.sub.3 [01068] embedded image 275 Cl  
(CH.sub.2).sub.2CH.sub.3 [01069] embedded image 276 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01070] embedded image 277 H H [01071] embedded image 278 Cl H [01072]  
 embedded image 279 CH.sub.3 H [01073] embedded image 280 H CH.sub.3 [01074]  
 embedded image 281 Cl CH.sub.3 [01075] embedded image 282 CH.sub.3 CH.sub.3 [01076]  
 embedded image 283 H CH.sub.2CH.sub.3 [01077] embedded image 284 Cl  
CH.sub.2CH.sub.3 [01078] embedded image 285 CH.sub.3 CH.sub.2CH.sub.3 [01079]  
 embedded image 286 H (CH.sub.2).sub.2CH.sub.3 [01080] embedded image 287 H  
(CH.sub.2).sub.2CH.sub.3 [01081] embedded image 288 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01082] embedded image 289 H H [01083] embedded image 290 Cl H [01084]  
 embedded image 291 CH.sub.3 H [01085] embedded image 292 H CH.sub.3 [01086]  
 embedded image 293 Cl CH.sub.3 [01087] embedded image 294 CH.sub.3 CH.sub.3 [01088]  
 embedded image 295 H CH.sub.2CH.sub.3 [01089] embedded image 296 Cl  
CH.sub.2CH.sub.3 [01090] embedded image 297 CH.sub.3 CH.sub.2CH.sub.3 [01091]  
 embedded image 298 H (CH.sub.2).sub.2CH.sub.3 [01092] embedded image 299 Cl  
(CH.sub.2).sub.2CH.sub.3 [01093] embedded image 300 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01094] embedded image 301 H H [01095] embedded image 302 Cl H [01096]  
 embedded image 303 CH.sub.3 H [01097] embedded image 304 H CH.sub.3 [01098]  
 embedded image 305 Cl CH.sub.3 [01099] embedded image 306 CH.sub.3 CH.sub.3 [01100]  
 embedded image 307 H CH.sub.2CH.sub.3 [01101] embedded image 308 Cl  
CH.sub.2CH.sub.3 [01102] embedded image 309 CH.sub.3 CH.sub.2CH.sub.3 [01103]  
 embedded image 310 H (CH.sub.2).sub.2CH.sub.3 [01104] embedded image 311 Cl  
(CH.sub.2).sub.2CH.sub.3 [01105] embedded image 312 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01106] embedded image 313 H H [01107] embedded image 314 Cl H [01108]  
 embedded image 315 CH.sub.3 H [01109] embedded image 316 H CH.sub.3 [01110]  
 embedded image 317 Cl CH.sub.3 [01111] embedded image 318 CH.sub.3 CH.sub.3 [01112]  
 embedded image 319 H CH.sub.2CH.sub.3 [01113] embedded image 320 Cl  
CH.sub.2CH.sub.3 [01114] embedded image 321 CH.sub.3 CH.sub.2CH.sub.3 [01115]  
 embedded image 322 H (CH.sub.2).sub.2CH.sub.3 [01116] embedded image 323 Cl  
(CH.sub.2).sub.2CH.sub.3 [01117] embedded image 324 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01118] embedded image 325 H H [01119] embedded image 326 Cl H [01120]  
 embedded image 327 CH.sub.3 H [01121] embedded image 328 H CH.sub.3 [01122]  
 embedded image 329 Cl CH.sub.3 [01123] embedded image 330 CH.sub.3 CH.sub.3 [01124]  
 embedded image 331 H CH.sub.2CH.sub.3 [01125] embedded image 332 Cl  
CH.sub.2CH.sub.3 [01126] embedded image 333 CH.sub.3 CH.sub.2CH.sub.3 [01127]  
 embedded image 334 H (CH.sub.2).sub.2CH.sub.3 [01128] embedded image 335 Cl  
(CH.sub.2).sub.2CH.sub.3 [01129] embedded image 336 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01130] embedded image 337 H H [01131] embedded image 338 Cl H [01132]  
 embedded image 339 CH.sub.3 H [01133] embedded image 340 H CH.sub.3 [01134]  
 embedded image 341 Cl CH.sub.3 [01135] embedded image 342 CH.sub.3 CH.sub.3 [01136]  
 embedded image 343 H CH.sub.2CH.sub.3 [01137] embedded image 344 Cl  
CH.sub.2CH.sub.3 [01138] embedded image 345 CH.sub.3 CH.sub.2CH.sub.3 [01139]  
 embedded image 346 H (CH.sub.2).sub.2CH.sub.3 [01140] embedded image 347 Cl  
(CH.sub.2).sub.2CH.sub.3 [01141] embedded image 348 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01142] embedded image 349 H H [01143] embedded image 350 Cl H [01144]  
 embedded image 351 CH.sub.3 H [01145] embedded image 352 H CH.sub.3 [01146]  
 embedded image 353 Cl CH.sub.3 [01147] embedded image 354 CH.sub.3 CH.sub.3 [01148]  
 embedded image 355 H CH.sub.2CH.sub.3 [01149] embedded image 356 Cl  
CH.sub.2CH.sub.3 [01150] embedded image 357 CH.sub.3 CH.sub.2CH.sub.3 [01151]  
 embedded image 358 H (CH.sub.2).sub.2CH.sub.3 [01152] embedded image 359 Cl



(CH.sub.2).sub.2CH.sub.3 [01153]  360 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01154]  361 H H [01155]  362 Cl H [01156]  363 CH.sub.3 H [01157]  364 H CH.sub.3 [01158]  365 Cl CH.sub.3 [01159]  366 CH.sub.3 CH.sub.3 [01160]  367 H CH.sub.2CH.sub.3 [01161]  368 Cl CH.sub.2CH.sub.3 [01162]  369 CH.sub.3 CH.sub.2CH.sub.3 [01163]  370 H (CH.sub.2).sub.2CH.sub.3 [01164]  371 Cl (CH.sub.2).sub.2CH.sub.3 [01165]  372 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01166]  373 H H CO.sub.2Me 374 H Et CO.sub.2Me 375 H H CO.sub.2Et 376 H Et CO.sub.2Et 377 H H CH.sub.2CO.sub.2Me 378 H Et CH.sub.2CO.sub.2Me 379 H H CH.sub.2CO.sub.2Et 380 H Et CH.sub.2CO.sub.2Et 381 H H (CH.sub.2).sub.2CO.sub.2Me 382 H Et (CH.sub.2).sub.2CO.sub.2Me 383 H H (CH.sub.2).sub.3CO.sub.2Me 384 H Et (CH.sub.2).sub.3CO.sub.2Me 385 H H (CH.sub.2).sub.3CO.sub.2Et 386 H Et (CH.sub.2).sub.3CO.sub.2Et 387 H H (CH.sub.2).sub.3CO.sub.2Ph 388 H Et (CH.sub.2).sub.3CO.sub.2Ph























































































[0145] Additional preferred compounds according to the invention and their enantiomers and pharmaceutically acceptable salts thereof are represented by Formula (IIIc),




































































##STR01167##

wherein the preferred substituent combinations R<sup>sup</sup>.C, R<sup>sup</sup>.D, and Z are as defined in Table 4c, and Y<sup>sup</sup>.- is a pharmaceutically acceptable anion as defined above, and q is 0, 1, 2, or 3. In certain preferred embodiments, the compound is selected from Table 4c wherein q is 0. In other preferred aspects, the compound is selected from Table 4c wherein q is 1. In other preferred aspects, the compound is selected from Table 4c wherein q is 2. In yet further preferred aspects, the compound is selected from Table 4c wherein q is 3. The compounds can be made according to the methods generally described below.























































































TABLE-US-00007 TABLE 4c Preferred Combinations of R<sup>sup</sup>.C, R<sup>sup</sup>.D, and Z Substituents according to Formula (IIIc). Combination Number R<sup>sup</sup>.C R<sup>sup</sup>.D Z










































































1	H H [01168]	
2	Cl H [01169]	3 CH.sub.3 H [01170]
4	H CH.sub.3 [01171]	5 Cl CH.sub.3 [01172]
6	CH.sub.3 CH.sub.3 [01173]	7 H CH.sub.2CH.sub.3 [01174]
8	Cl CH.sub.2CH.sub.3 [01175]	9 CH.sub.3 CH.sub.2CH.sub.3 [01176]
10	H (CH.sub.2).sub.2CH.sub.3 [01177]	11 Cl (CH.sub.2).sub.2CH.sub.3 [01178]
12	CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01179]	13 H H [01180]
14	Cl H [01181]	15 CH.sub.3 H [01182]
16	H CH.sub.3 [01183]	17 Cl CH.sub.3 [01184]
18	CH.sub.3 CH.sub.3 [01185]	19 H CH.sub.2CH.sub.3 [01186]
20	Cl CH.sub.2CH.sub.3 [01187]	21 CH.sub.3 CH.sub.2CH.sub.3 [01188]
22	H (CH.sub.2).sub.2CH.sub.3 [01189]	23 Cl (CH.sub.2).sub.2CH.sub.3 [01190]
24	CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01191]	25 H H [01192]
26	Cl H [01193]	27 CH.sub.3 H [01194]
28	H CH.sub.3 [01195]	29 Cl CH.sub.3 [01196]
30	CH.sub.3 CH.sub.3 [01197]	31 H CH.sub.2CH.sub.3 [01198]
32	Cl CH.sub.2CH.sub.3 [01199]	33 CH.sub.3 CH.sub.2CH.sub.3 [01200]
34	H (CH.sub.2).sub.2CH.sub.3 [01201]	35 Cl (CH.sub.2).sub.2CH.sub.3 [01202]
36	CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01203]	37 H H [01204]
38	Cl H [01205]	39 CH.sub.3 H [01206]
40	H CH.sub.3 [01207]	41 Cl CH.sub.3 [01208]
42	CH.sub.3 CH.sub.3 [01209]	

 43 H CH.sub.2CH.sub.3 [01210]  44 Cl  
CH.sub.2CH.sub.3 [01211]  45 CH.sub.3 CH.sub.2CH.sub.3 [01212]  
 46 H (CH.sub.2).sub.2CH.sub.3 [01213]  47 Cl  
(CH.sub.2).sub.2CH.sub.3 [01214]  48 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01215]  49 H H [01216]  50 Cl H [01217]  
 51 CH.sub.3 H [01218]  52 H CH.sub.3 [01219]  
 53 Cl CH.sub.3 [01220]  54 CH.sub.3 CH.sub.3 [01221]  
 55 H CH.sub.2CH.sub.3 [01222]  56 Cl  
CH.sub.2CH.sub.3 [01223]  57 CH.sub.3 CH.sub.2CH.sub.3 [01224]  
 58 H (CH.sub.2).sub.2CH.sub.3 [01225]  59 Cl  
(CH.sub.2).sub.2CH.sub.3 [01226]  60 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01227]  61 H H [01228]  62 Cl H [01229]  
 63 CH.sub.3 H [01230]  64 H CH.sub.3 [01231]  
 65 Cl CH.sub.3 [01232]  66 CH.sub.3 CH.sub.3 [01233]  
 67 H CH.sub.2CH.sub.3 [01234]  68 Cl  
CH.sub.2CH.sub.3 [01235]  69 CH.sub.3 CH.sub.2CH.sub.3 [01236]  
 70 H (CH.sub.2).sub.2CH.sub.3 [01237]  71 Cl  
(CH.sub.2).sub.2CH.sub.3 [01238]  72 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01239]  73 H H [01240]  74 Cl H [01241]  
 75 CH.sub.3 H [01242]  76 H CH.sub.3 [01243]  
 77 Cl CH.sub.3 [01244]  78 CH.sub.3 CH.sub.3 [01245]  
 79 H CH.sub.2CH.sub.3 [01246]  80 Cl  
CH.sub.2CH.sub.3 [01247]  81 CH.sub.3 CH.sub.2CH.sub.3 [01248]  
 82 H (CH.sub.2).sub.2CH.sub.3 [01249]  83 Cl  
(CH.sub.2).sub.2CH.sub.3 [01250]  84 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01251]  85 H H [01252]  86 Cl H [01253]  
 87 CH.sub.3 H [01254]  88 H CH.sub.3 [01255]  
 89 Cl CH.sub.3 [01256]  90 CH.sub.3 CH.sub.3 [01257]  
 91 H CH.sub.2CH.sub.3 [01258]  92 Cl  
CH.sub.2CH.sub.3 [01259]  93 CH.sub.3 CH.sub.2CH.sub.3 [01260]  
 94 H (CH.sub.2).sub.2CH.sub.3 [01261]  95 Cl  
(CH.sub.2).sub.2CH.sub.3 [01262]  96 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01263]  97 H H [01264]  98 Cl H [01265]  
 99 CH.sub.3 H [01266]  100 H CH.sub.3 [01267]  
 101 Cl CH.sub.3 [01268]  102 CH.sub.3 CH.sub.3 [01269]  
 103 H CH.sub.2CH.sub.3 [01270]  104 Cl  
CH.sub.2CH.sub.3 [01271]  105 CH.sub.3 CH.sub.2CH.sub.3 [01272]  
 106 H (CH.sub.2).sub.2CH.sub.3 [01273]  107 Cl  
(CH.sub.2).sub.2CH.sub.3 [01274]  108 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01275]  109 H H [01276]  110 Cl H [01277]  
 111 CH.sub.3 H [01278]  112 H CH.sub.3 [01279]  
 113 Cl CH.sub.3 [01280]  114 CH.sub.3 CH.sub.3 [01281]  
 115 H CH.sub.2CH.sub.3 [01282]  116 Cl  
CH.sub.2CH.sub.3 [01283]  117 CH.sub.3 CH.sub.2CH.sub.3 [01284]  
 118 H (CH.sub.2).sub.2CH.sub.3 [01285]  119 Cl  
(CH.sub.2).sub.2CH.sub.3 [01286]  120 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01287]  121 H H [01288]  122 Cl H [01289]  
 123 CH.sub.3 H [01290]  124 H CH.sub.3 [01291]  
 125 Cl CH.sub.3 [01292]  126 CH.sub.3 CH.sub.3 [01293]  
 127 H CH.sub.2CH.sub.3 [01294]  128 Cl

CH.sub.2CH.sub.3 [01295]  embedded image 129 CH.sub.3 CH.sub.2CH.sub.3 [01296]  
 embedded image 130 H (CH.sub.2).sub.2CH.sub.3 [01297]  embedded image 131 Cl  
(CH.sub.2).sub.2CH.sub.3 [01298]  embedded image 132 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01299]  embedded image 133 H H [01300]  embedded image 134 Cl H [01301]  
 embedded image 135 CH.sub.3 H [01302]  embedded image 136 H CH.sub.3 [01303]  
 embedded image 137 Cl CH.sub.3 [01304]  embedded image 138 CH.sub.3 CH.sub.3 [01305]  
 embedded image 139 H CH.sub.2CH.sub.3 [01306]  embedded image 140 Cl  
CH.sub.2CH.sub.3 [01307]  embedded image 141 CH.sub.3 CH.sub.2CH.sub.3 [01308]  
 embedded image 142 H (CH.sub.2).sub.2CH.sub.3 [01309]  embedded image 143 Cl  
(CH.sub.2).sub.2CH.sub.3 [01310]  embedded image 144 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01311]  embedded image 145 H H [01312]  embedded image 146 Cl H [01313]  
 embedded image 147 CH.sub.3 H [01314]  embedded image 148 H CH.sub.3 [01315]  
 embedded image 149 Cl CH.sub.3 [01316]  embedded image 150 CH.sub.3 CH.sub.3 [01317]  
 embedded image 151 H CH.sub.2CH.sub.3 [01318]  embedded image 152 Cl  
CH.sub.2CH.sub.3 [01319]  embedded image 153 CH.sub.3 CH.sub.2CH.sub.3 [01320]  
 embedded image 154 H (CH.sub.2).sub.2CH.sub.3 [01321]  embedded image 155 Cl  
(CH.sub.2).sub.2CH.sub.3 [01322]  embedded image 156 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01323]  embedded image 157 H H [01324]  embedded image 158 Cl H [01325]  
 embedded image 159 CH.sub.3 H [01326]  embedded image 160 H CH.sub.3 [01327]  
 embedded image 161 Cl CH.sub.3 [01328]  embedded image 162 CH.sub.3 CH.sub.3 [01329]  
 embedded image 163 H CH.sub.2CH.sub.3 [01330]  embedded image 164 Cl  
CH.sub.2CH.sub.3 [01331]  embedded image 165 CH.sub.3 CH.sub.2CH.sub.3 [01332]  
 embedded image 166 H (CH.sub.2).sub.2CH.sub.3 [01333]  embedded image 167 Cl  
(CH.sub.2).sub.2CH.sub.3 [01334]  embedded image 168 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01335]  embedded image 169 H H [01336]  embedded image 170 Cl H [01337]  
 embedded image 171 CH.sub.3 H [01338]  embedded image 172 H CH.sub.3 [01339]  
 embedded image 173 Cl CH.sub.3 [01340]  embedded image 174 CH.sub.3 CH.sub.3 [01341]  
 embedded image 175 H CH.sub.2CH.sub.3 [01342]  embedded image 176 Cl  
CH.sub.2CH.sub.3 [01343]  embedded image 177 CH.sub.3 CH.sub.2CH.sub.3 [01344]  
 embedded image 178 H (CH.sub.2).sub.2CH.sub.3 [01345]  embedded image 179 Cl  
(CH.sub.2).sub.2CH.sub.3 [01346]  embedded image 180 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01347]  embedded image 181 H H [01348]  embedded image 182 Cl H [01349]  
 embedded image 183 CH.sub.3 H [01350]  embedded image 184 H CH.sub.3 [01351]  
 embedded image 185 Cl CH.sub.3 [01352]  embedded image 186 CH.sub.3 CH.sub.3 [01353]  
 embedded image 187 H CH.sub.2CH.sub.3 [01354]  embedded image 188 Cl  
CH.sub.2CH.sub.3 [01355]  embedded image 189 CH.sub.3 CH.sub.2CH.sub.3 [01356]  
 embedded image 190 H (CH.sub.2).sub.2CH.sub.3 [01357]  embedded image 191 Cl  
(CH.sub.2).sub.2CH.sub.3 [01358]  embedded image 192 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01359]  embedded image 193 H H [01360]  embedded image 194 Cl H [01361]  
 embedded image 195 CH.sub.3 H [01362]  embedded image 196 H CH.sub.3 [01363]  
 embedded image 197 Cl CH.sub.3 [01364]  embedded image 198 CH.sub.3 CH.sub.3 [01365]  
 embedded image 199 H CH.sub.2CH.sub.3 [01366]  embedded image 200 Cl  
CH.sub.2CH.sub.3 [01367]  embedded image 201 CH.sub.3 CH.sub.2CH.sub.3 [01368]  
 embedded image 202 H (CH.sub.2).sub.2CH.sub.3 [01369]  embedded image 203 Cl  
(CH.sub.2).sub.2CH.sub.3 [01370]  embedded image 204 CH.sub.3 (CH.sub.2).sub.2CH.sub.3  
[01371]  embedded image 205 H H [01372]  embedded image 206 Cl H [01373]  
 embedded image 207 CH.sub.3 H [01374]  embedded image 208 H CH.sub.3 [01375]  
 embedded image 209 Cl CH.sub.3 [01376]  embedded image 210 CH.sub.3 CH.sub.3 [01377]  
 embedded image 211 H CH.sub.2CH.sub.3 [01378]  embedded image 212 Cl  
CH.sub.2CH.sub.3 [01379]  embedded image 213 CH.sub.3 CH.sub.2CH.sub.3 [01380]



 embedded image 214 H (CH.sub.2).sub.2CH.sub.3 [01381] embedded image 215 Cl (CH.sub.2).sub.2CH.sub.3 [01382] embedded image 216 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01383] embedded image 217 H H [01384] embedded image 218 Cl H [01385]  
 embedded image 219 CH.sub.3 H [01386] embedded image 220 H CH.sub.3 [01387]  
 embedded image 221 Cl CH.sub.3 [01388] embedded image 222 CH.sub.3 CH.sub.3 [01389]  
 embedded image 223 H CH.sub.2CH.sub.3 [01390] embedded image 224 Cl CH.sub.2CH.sub.3 [01391] embedded image 225 CH.sub.3 CH.sub.2CH.sub.3 [01392]  
 embedded image 226 H (CH.sub.2).sub.2CH.sub.3 [01393] embedded image 227 Cl (CH.sub.2).sub.2CH.sub.3 [01394] embedded image 228 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01395]  
 embedded image 229 H H [01396] embedded image 230 Cl H [01397]  
 embedded image 231 CH.sub.3 H [01398] embedded image 232 H CH.sub.3 [01399]  
 embedded image 233 Cl CH.sub.3 [01400] embedded image 234 CH.sub.3 CH.sub.3 [01401]  
 embedded image 235 H CH.sub.2CH.sub.3 [01402] embedded image 236 Cl CH.sub.2CH.sub.3 [01403] embedded image 237 CH.sub.3 CH.sub.2CH.sub.3 [01404]  
 embedded image 238 H (CH.sub.2).sub.2CH.sub.3 [01405] embedded image 239 Cl (CH.sub.2).sub.2CH.sub.3 [01406] embedded image 240 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01407]  
 embedded image 241 H H [01408] embedded image 242 Cl H [01409]  
 embedded image 243 CH.sub.3 H [01410] embedded image 244 H CH.sub.3 [01411]  
 embedded image 245 Cl CH.sub.3 [01412] embedded image 246 CH.sub.3 CH.sub.3 [01413]  
 embedded image 247 H CH.sub.2CH.sub.3 [01414] embedded image 248 Cl CH.sub.2CH.sub.3 [01415] embedded image 249 CH.sub.3 CH.sub.2CH.sub.3 [01416]  
 embedded image 250 H (CH.sub.2).sub.2CH.sub.3 [01417] embedded image 251 Cl (CH.sub.2).sub.2CH.sub.3 [01418] embedded image 252 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01419]  
 embedded image 253 H H [01420] embedded image 254 Cl H [01421]  
 embedded image 255 CH.sub.3 H [01422] embedded image 256 H CH.sub.3 [01423]  
 embedded image 257 Cl CH.sub.3 [01424] embedded image 258 CH.sub.3 CH.sub.3 [01425]  
 embedded image 259 H CH.sub.2CH.sub.3 [01426] embedded image 260 Cl CH.sub.2CH.sub.3 [01427] embedded image 261 CH.sub.3 CH.sub.2CH.sub.3 [01428]  
 embedded image 262 H (CH.sub.2).sub.2CH.sub.3 [01429] embedded image 263 Cl (CH.sub.2).sub.2CH.sub.3 [01430] embedded image 264 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01431]  
 embedded image 265 H H [01432] embedded image 266 Cl H [01433]  
 embedded image 267 CH.sub.3 H [01434] embedded image 268 H CH.sub.3 [01435]  
 embedded image 269 Cl CH.sub.3 [01436] embedded image 270 CH.sub.3 CH.sub.3 [01437]  
 embedded image 271 H CH.sub.2CH.sub.3 [01438] embedded image 272 Cl CH.sub.2CH.sub.3 [01439] embedded image 273 CH.sub.3 CH.sub.2CH.sub.3 [01440]  
 embedded image 274 H (CH.sub.2).sub.2CH.sub.3 [01441] embedded image 275 Cl (CH.sub.2).sub.2CH.sub.3 [01442] embedded image 276 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01443]  
 embedded image 277 H H [01444] embedded image 278 Cl H [01445]  
 embedded image 279 CH.sub.3 H [01446] embedded image 280 H CH.sub.3 [01447]  
 embedded image 281 Cl CH.sub.3 [01448] embedded image 282 CH.sub.3 CH.sub.3 [01449]  
 embedded image 283 H CH.sub.2CH.sub.3 [01450] embedded image 284 Cl CH.sub.2CH.sub.3 [01451] embedded image 285 CH.sub.3 CH.sub.2CH.sub.3 [01452]  
 embedded image 286 H (CH.sub.2).sub.2CH.sub.3 [01453] embedded image 287 Cl (CH.sub.2).sub.2CH.sub.3 [01454] embedded image 288 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01455]  
 embedded image 289 H H [01456] embedded image 290 Cl H [01457]  
 embedded image 291 CH.sub.3 H [01458] embedded image 292 H CH.sub.3 [01459]  
 embedded image 293 Cl CH.sub.3 [01460] embedded image 294 CH.sub.3 CH3 [01461]  
 embedded image 295 H CH.sub.2CH.sub.3 [01462] embedded image 296 Cl CH.sub.2CH.sub.3 [01463] embedded image 297 CH.sub.3 CH.sub.2CH.sub.3 [01464]  
 embedded image 298 H (CH.sub.2).sub.2CH.sub.3 [01465] embedded image 299 Cl

(CH.sub.2).sub.2CH.sub.3 [01466]  embedded image 300 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01467]  embedded image 301 H H [01468]  embedded image 302 Cl H [01469]  embedded image 303 CH.sub.3 H [01470]  embedded image 304 H CH.sub.3 [01471]  embedded image 305 Cl CH.sub.3 [01472]  embedded image 306 CH.sub.3 CH.sub.3 [01473]  embedded image 307 H CH.sub.2CH.sub.3 [01474]  embedded image 308 Cl CH.sub.2CH.sub.3 [01475]  embedded image 309 CH.sub.3 CH.sub.2CH.sub.3 [01476]  embedded image 310 H (CH.sub.2).sub.2CH.sub.3 [01477]  embedded image 311 Cl (CH.sub.2).sub.2CH.sub.3 [01478]  embedded image 312 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01479]  embedded image 313 H H [01480]  embedded image 314 Cl H [01481]  embedded image 315 CH.sub.3 H [01482]  embedded image 316 H CH.sub.3 [01483]  embedded image 317 Cl CH.sub.3 [01484]  embedded image 318 CH.sub.3 CH.sub.3 [01485]  embedded image 319 H CH.sub.2CH.sub.3 [01486]  embedded image 320 Cl CH.sub.2CH.sub.3 [01487]  embedded image 321 CH.sub.3 CH.sub.2CH.sub.3 [01488]  embedded image 322 H (CH.sub.2).sub.2CH.sub.3 [01489]  embedded image 323 Cl (CH.sub.2).sub.2CH.sub.3 [01490]  embedded image 324 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01491]  embedded image 325 H H [01492]  embedded image 326 Cl H [01493]  embedded image 327 CH.sub.3 H [01494]  embedded image 328 H CH.sub.3 [01495]  embedded image 329 Cl CH.sub.3 [01496]  embedded image 330 CH.sub.3 CH.sub.3 [01497]  embedded image 331 H CH.sub.2CH.sub.3 [01498]  embedded image 332 Cl CH.sub.2CH.sub.3 [01499]  embedded image 333 CH.sub.3 CH.sub.2CH.sub.3 [01500]  embedded image 334 H (CH.sub.2).sub.2CH.sub.3 [01501]  embedded image 335 Cl (CH.sub.2).sub.2CH.sub.3 [01502]  embedded image 336 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01503]  embedded image 337 H H [01504]  embedded image 338 Cl H [01505]  embedded image 339 CH.sub.3 H [01506]  embedded image 340 H CH.sub.3 [01507]  embedded image 341 Cl CH.sub.3 [01508]  embedded image 342 CH.sub.3 CH.sub.3 [01509]  embedded image 343 H CH.sub.2CH.sub.3 [01510]  embedded image 344 Cl CH.sub.2CH.sub.3 [01511]  embedded image 345 CH.sub.3 CH.sub.2CH.sub.3 [01512]  embedded image 346 H (CH.sub.2).sub.2CH.sub.3 [01513]  embedded image 347 Cl (CH.sub.2).sub.2CH.sub.3 [01514]  embedded image 348 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01515]  embedded image 349 H H [01516]  embedded image 350 Cl H [01517]  embedded image 351 CH.sub.3 H [01518]  embedded image 352 H CH.sub.3 [01519]  embedded image 353 Cl CH.sub.3 [01520]  embedded image 354 CH.sub.3 CH.sub.3 [01521]  embedded image 355 H CH.sub.2CH.sub.3 [01522]  embedded image 356 Cl CH.sub.2CH.sub.3 [01523]  embedded image 357 CH.sub.3 CH.sub.2CH.sub.3 [01524]  embedded image 358 H (CH.sub.2).sub.2CH.sub.3 [01525]  embedded image 359 Cl (CH.sub.2).sub.2CH.sub.3 [01526]  embedded image 360 CH.sub.3 (CH.sub.2).sub.2CH.sub.3 [01527]  embedded image 361 H H [01528]  embedded image 362 Cl H [01529]  embedded image 363 CH.sub.3 H [01530]  embedded image 364 H CH.sub.3 [01531]  embedded image 365 Cl CH.sub.3 [01532]  embedded image 366 CH.sub.3 CH.sub.3 [01533]  embedded image 367 H CH.sub.2CH.sub.3 [01534]  embedded image 368 Cl CH.sub.2CH.sub.3 [01535]  embedded image 369 CH.sub.3 CH.sub.2CH.sub.3 [01536]  embedded image 370 H (CH.sub.2).sub.2CH.sub.3 [01537]  embedded image 371 Cl (CH.sub.2).sub.2CH.sub.3 [01538]  embedded image 372 H H CO.sub.2Me 373 H Et CO.sub.2Me 374 H H CO.sub.2Et 375 H Et CO.sub.2Et 376 H H CH.sub.2CO.sub.2Me 377 H Et CH.sub.2CO.sub.2Me 378 H H CH.sub.2CO.sub.2Et 379 H Et CH.sub.2CO.sub.2Et 380 H H (CH.sub.2).sub.2CO.sub.2Me 381 H Et (CH.sub.2).sub.2CO.sub.2Me 382 H H (CH.sub.2).sub.3CO.sub.2Me 383 H Et (CH.sub.2).sub.3CO.sub.2Me 384 H H (CH.sub.2).sub.3CO.sub.2Et 385 H Et (CH.sub.2).sub.3CO.sub.2Et 386 H H (CH.sub.2).sub.3CO.sub.2Ph 387 H Et (CH.sub.2).sub.3CO.sub.2Ph [0146] Each preferred embodiment described herein can be taken in combination with one, any or



all other preferred embodiments, as though presented herein in every permutation.

[0147] Compositions of the invention can comprise racemic mixtures, pure enantiomers, or an excess of one enantiomer over the other. For example, a composition can comprise an enantiomeric excess of at least 5, 10, 20, 30, 40, 50, 60, 70, 80 or 90%. In one embodiment, the enantiomeric excess is at least 95%.

[0148] The compounds of the invention include all enantiomers which may be defined, in terms of absolute stereochemistry, as (R)- or (S)-, as well as their racemic and optically pure forms, and is not limited to those described herein in any of their pharmaceutically acceptable forms, including enantiomers, salts, solvates, polymorphs, solvatomorphs, hydrates, anhydrous and other crystalline forms and combinations thereof. Likewise, all tautomeric forms are intended to be included.

[0149] Preferably, a pharmaceutical composition comprises a compound of the invention as an R enantiomer in substantially pure form; or, a pharmaceutical composition comprises a compound of the invention as an S enantiomer in substantially pure form; or, a pharmaceutical composition comprises a compound of the invention as enantiomeric mixtures which contain an excess of the R enantiomer or an excess of the S enantiomer. It is particularly preferred that the pharmaceutical composition contains a compound of the invention which is a substantially pure optical isomer. For the avoidance of doubt, a compound of the invention can, if desired, be used in the form of solvates.

#### Synthesis

[0150] Compounds having Formula (I) can be prepared using methods analogous to the following general synthetic schemes:

##STR01539##

and,

##STR01540##

For example,

##STR01541##

[0151] and

##STR01542##

#### Additional Biologically Active Agents and Exogenous Large Pore Channel Agonists

[0152] As described above, the compound or composition of the invention can be administered with a biologically active agent. For example, one or more additional biologically active agents, including those typically used to treat neurogenic inflammation, may be used in combination with a compound or composition of the invention described herein. The biologically active agents include, but are not limited to, TRP1A receptor agonists, TRPV1-4 receptor agonists, TRPM8 agonists, ASIC agonists, P2X receptor agonists, acetaminophen, NSAIDs, glucocorticoids, narcotics, tricyclic antidepressants, amine transporter inhibitors, anticonvulsants, anti-proliferative and immune modulatory agents, an antibody or antibody fragment, an antibiotic, a polynucleotide, a polypeptide, a protein, an anti-cancer agent, a growth factor, and a vaccine.

[0153] TRPV1 agonists that can be employed in the methods, kits and compositions of the invention include, but are not limited to, any that activates TRPV1 receptors on nociceptors and allows for entry of at least one inhibitor of voltage-gated ion channels (for example, a compound of the invention). A suitable TRPV1 agonist is capsaicin or another capsaicinoids, which are members of the vanilloid family of molecules. Naturally occurring capsaicinoids are capsaicin itself, dihydrocapsaicin, nordihydrocapsaicin, homodihydrocapsaicin, homocapsaicin, and nonivamide. Other suitable capsaicinoids and capsaicinoid analogs and derivatives for use in the compositions and methods of the present invention include naturally occurring and synthetic capsaicin derivatives and analogs including, e.g., vanilloids (e.g., N-vanillyl-alkanedieneamides, N-vanillyl-alkanediens, and N-vanillyl-cis-monounsaturated alkenamides), capsiate, dihydrocapsiate, nordihydrocapsiate and other capsinoids, capsiconiate, dihydrocapsiconiate and other coniferyl esters, capsiconinoid, resiniferatoxin, tinyatoxin, civamide, N-phenylmethylalkenamide capsaicin

derivatives, olvanil, N-[(4-(2-aminoethoxy)-3-methoxyphenyl)methyl]-9Z-octa-decanamide, N-oleyl-homovanillamide, triprenyl phenols (e.g., scutigeral), gingerols, piperines, shogaols, guaiacol, eugenol, zingerone, nuvanil, NE-19550, NE-21610, and NE-28345. Additional capsaicinoids, their structures, and methods of their manufacture are described in U.S. Pat. Nos. 7,446,226 and 7,429,673, which are hereby incorporated by reference.

[0154] Additional suitable TRPV1 agonists include but are not limited to eugenol, arvanil (N-arachidonoylvanillamine), anandamide, 2-aminoethoxydiphenyl borate (2APB), AM404, resiniferatoxin, phorbol 12-phenylacetate 13-acetate 20-homovanillate (PPAHV), olvanil (NE 19550), OLDA (N-oleoyldopamine), N-arachidonyldopamine (NADA), 6'-iodoresiniferatoxin (6'-IRTX), C18 N-acylethanolamines, lipoxygenase derivatives such as 12-hydroperoxyeicosatetraenoic acid, inhibitor cysteine knot (ICK) peptides (vanillotoxins), piperine, MSK195 (N-[2-(3,4-dimethylbenzyl)-3-(pivaloyloxy)propyl]-2-[4-(2-aminoethoxy)-3-methoxyphenyl]acetamide), JYL79 (N-[2-(3,4-dimethylbenzyl)-3-(pivaloyloxy)propyl]-N'-(4-hydroxy-3-methoxybenzyl)thiourea), hydroxy-alpha-sanshool, 2-aminoethoxydiphenyl borate, 10-shogaol, oleylgingerol, oleylshogaol, and SU200 (N-(4-tert-butylbenzyl)-N'-(4-hydroxy-3-methoxybenzyl)thiourea). Still other TRPV1 agonists include amylocaine, articaine, benzocaine, bupivacaine, carbocaine, carticaine, chloroprocaine, cyclomethycaine, dibucaine (cinchocaine), dimethocaine (larocaine), etidocaine, hexylcaine, levobupivacaine, lidocaine, mepivacaine, meprylcaine (oracaine), metabutoxycaine, piperocaine, prilocaine, procaine (novacaine), proparacaine, propoxycaine, risocaine, ropivacaine, tetracaine (amethocaine), and trimecaine.

[0155] Suitable TRPV2-4 agonists include, but are not limited to, are 2-APB, cannabinal, diphenylboronic anhydride, insulin-like growth factor 1, lysophosphatidylcholine, lysophosphatidylinositol, probenecid, Δ9-tetrahydrocannabinol, vanillin, eugenol, cinnamaldehyde, camphor, carvacrol, thymol, citral, farnesyl diphosphate, tetrahydrocannabivarin, incensole acetate, diphenylboronic anhydride, 6-tert-butyl-m-cresol, dihydrocarveocarveol, borneol, (-)-menthol, GSK1016790A, 4α-PDH, 5,6-epoxyeicosatrienoic acid, 4α-PDD, bisandrographolide, citric acid, phorbol 12-myristate 13-acetate and RN1747.

[0156] Suitable TRPM8 agonists include, but are not limited to, are menthol, icilin, eucalyptus, linalool, geraniol, hydroxy-citronellal, WS-3, WS-23, Frescolat MGA, Frescolat ML, PMD 38, CPS125, Coolact P, M8-Ag, AITC, cryosim-3 and Cooling Agent 10.

[0157] Suitable ASIC agonists include, but are not limited to, chlorophenylguanidine hydrochloride, GMQ hydrochloride, tetrahydropapaveroline (THP), reticulin, polyamine agmatine, lysophosphatidylcholine, arachidonic acid and neuropeptide SF.

[0158] Other biologically active agents which can be employed in the methods, compositions, and kits of the invention include any that activates TRP1A receptors on nociceptors or pruriceptors and allows for entry of at least one inhibitor of voltage-gated ion channels.

[0159] Suitable TRP1A agonists include but are not limited to cinnamaldehyde, allyl-isothiocyanate (mustard oil), diallyl disulfide, icilin, cinnamon oil, wintergreen oil, clove oil, acrolein, hydroxy-alpha-sanshool, 2-aminoethoxydiphenyl borate, 4-hydroxynonenal, methyl p-hydroxybenzoate, and 3'-carbamoylebiphenyl-3-yl cyclohexylcarbamate (URB597).

[0160] P2X agonists that can be employed in the methods, compositions, and kits of the invention include any that activates P2X receptors on nociceptors or pruriceptors and allows for entry of at least one inhibitor of voltage-gated ion channels. Suitable P2X agonists include but are not limited to ATP, □,□-methylene ATP, 2-methylthio-ATP, 2' and 3'-O-(4-benzoylbenzoyl)-ATP, and ATP5'—O-(3-thiotriphosphate).

[0161] Other biologically active agents that can be used in combination with the compounds of the invention include NSAIDs, glucocorticoids, narcotics, tricyclic antidepressants, amine transporter inhibitors, anticonvulsants, anti-proliferative and immune modulatory agents, an antibody or antibody fragment, an antibiotic, a polynucleotide, a polypeptide, a protein, an anti-cancer agent, a growth factor, and a vaccine.

[0162] Non-steroidal anti-inflammatory drugs (NSAIDs) that can be administered to a patient (e.g., a human) suffering from neurogenic inflammation in combination with a composition of the invention include, but are not limited to, acetylsalicylic acid, amoxiprin, benorylate, benorilate, choline magnesium salicylate, diflunisal, ethebamide, fexofenadine, methyl salicylate, magnesium salicylate, salicyl salicylate, salicylamide, diclofenac, aceclofenac, acetaminophen, alclufenac, bromfenac, etodolac, indometacin, nabumetone, oxametacin, proglumetacin, sulindac, tolmetin, ibuprofen, alminoprofen, benoxaprofen, carprofen, dexibuprofen, dexketoprofen, fenbufen, fenoprofen, flunoxaprofen, flurbiprofen, ibuprofen, indoprofen, ketoprofen, ketorolac, loxoprofen, naproxen, oxaprozin, piroxicam, suprofen, tiaprofenic acid, mefenamic acid, flufenamic acid, meclofenamic acid, tolufenamic acid, phenylbutazone, ampyrone, azapropazone, clofezone, ketorolac, metamizole, mofebutazone, oxyphenbutazone, phenazone, sulfapyrazone, piroxicam, droxicam, lornoxicam, meloxicam, tenoxicam, and the COX-2 inhibitors celecoxib, etoricoxib, lumiracoxib, parecoxib, rofecoxib, valdecoxib, and pharmaceutically acceptable salts thereof.

[0163] Glucocorticoids that can be administered to a patient (e.g., a human) suffering from neurogenic inflammation in combination with a composition of the invention include, but are not limited to, hydrocortisone, cortisone acetate, prednisone, prednisolone, methylprednisolone, dexamethasone, betamethasone, triamcinolone, beclomethasone, fludrocortisone acetate, deoxycorticosterone acetate, aldosterone, and pharmaceutically acceptable salts thereof.

[0164] Narcotics that can be administered to a patient (e.g., a human) suffering from neurogenic inflammation in combination with a composition of the invention include, but are not limited to, tramadol, hydrocodone, oxycodone, morphine, and pharmaceutically acceptable salts thereof.

[0165] Antiproliferative and immune modulatory agents that can be administered to a patient (e.g., a human) suffering from neurogenic inflammation in combination with a composition of the invention include, but are not limited to, alkylating agents, platinum agents, antimetabolites, topoisomerase inhibitors, dihydrofolate reductase inhibitors, antitumor antibiotics, antimitotic agents, aromatase inhibitors, thymidylate synthase inhibitors, DNA antagonists, farnesyltransferase inhibitors, pump inhibitors, histone acetyltransferase inhibitors, metalloproteinase inhibitors, ribonucleoside reductase inhibitors, TNF-alpha agonists, TNF-alpha antagonists or scavengers, interleukin 1 (IL-1) antagonists or scavengers, endothelin A receptor antagonists, retinoic acid receptor agonists, hormonal agents, antihormonal agents, photodynamic agents, and tyrosine kinase inhibitors.

[0166] The biologically active agents can be administered prior to, concurrent with, or following administration of a composition of the invention, using any formulation, dosing, or administration known in the art that is therapeutically effective.

#### Formulation of Compositions

[0167] The administration of the compounds of the invention may be by any suitable means that results in the reduction of perceived pain sensation at the target region. The compounds of the invention may be contained in any appropriate amount in any suitable carrier substance and are generally present in amounts totaling 1-99% by weight of the total weight of the composition. The composition may be provided in a dosage form that is suitable for oral, parenteral (e.g., intravenous, intramuscular), rectal, cutaneous, subcutaneous, topical, transdermal, sublingual, nasal, vaginal, intrathecal, epidural, or ocular administration, or by injection, inhalation, or direct contact with the nasal or oral mucosa.

[0168] Thus, the composition may be in the form of, e.g., tablets, capsules, pills, powders, granules, suspensions, emulsions, solutions, gels including hydrogels, pastes, ointments, creams, plasters, drenches, osmotic delivery devices, suppositories, enemas, injectables, implants, sprays, or aerosols. The compositions may be formulated according to conventional pharmaceutical practice (see, e.g., Remington: The Science and Practice of Pharmacy, 22nd edition, 2013, ed. L. V. Allen, Pharmaceutical Press, Philadelphia, and Encyclopedia of Pharmaceutical Technology, 4th Edition, ed. J. Swarbrick, 2013, CRC Press, New York).

[0169] Each compound may be formulated in a variety of ways that are known in the art. For example, a compound of the invention and a biologically active agent as defined herein may be formulated together or separately. Desirably, a compound of the invention and a biologically active agent are formulated together for their simultaneous or near simultaneous administration. In another embodiment, two or more biologically active agents may be formulated together with a compound of the invention, or separately. Other examples include, but are not limited to, two or more compounds of the invention formulated together, wherein the compounds are formulated together with or without one or more biologically active agents.

[0170] The individually or separately formulated agents can be packaged together as a kit. Non-limiting examples include but are not limited to kits that contain, e.g., two pills, a pill and a powder, a suppository and a liquid in a vial, two topical creams, etc. The kit can include optional components that aid in the administration of the unit dose to patients, such as vials for reconstituting powder forms, syringes for injection, customized IV delivery systems, inhalers, etc. Additionally, the unit dose kit can contain instructions for preparation and administration of the compositions.

[0171] The kit may be manufactured as a single use unit dose for one patient, multiple uses for a particular patient (at a constant dose or in which the individual compounds may vary in potency as therapy progresses); or the kit may contain multiple doses suitable for administration to multiple patients ("bulk packaging"). The kit components may be assembled in cartons, blister packs, bottles, tubes, and the like.

#### Controlled Release Formulations

[0172] Each compound of the invention, alone or in combination with one or more of the biologically active agents as described herein, can be formulated for controlled release (e.g., sustained or measured) administration, as described in U.S. Patent Application Publication Nos. 2003/0152637 and 2005/0025765, each incorporated herein by reference. For example, a compound of the invention, alone or in combination with one or more of the biologically active agents as described herein, can be incorporated into a capsule or tablet that is administered to the patient.

[0173] Any pharmaceutically acceptable vehicle or formulation suitable for local application and/or injection into a site to be treated (e.g., a painful surgical incision, wound, or joint), that is able to provide a sustained release of compound of the invention, alone or in combination with one or more of the biologically active agents as described herein, may be employed to provide for prolonged elimination or alleviation of inflammation, as needed. Controlled release formulations known in the art include specially coated pellets, polymer formulations or matrices for surgical insertion or as sustained release microparticles, e.g., microspheres or microcapsules, for implantation, insertion, infusion or injection, wherein the slow release of the active medicament is brought about through sustained or controlled diffusion out of the matrix and/or selective breakdown of the coating of the preparation or selective breakdown of a polymer matrix. Other formulations or vehicles for controlled, sustained or immediate delivery of an agent to a preferred localized site in a patient include, e.g., suspensions, emulsions, gels, liposomes and any other suitable art known delivery vehicle or formulation acceptable for subcutaneous or intramuscular administration.

[0174] A wide variety of biocompatible materials may be utilized as a controlled release carrier to provide the controlled release of a compound of the invention, alone or in combination with one or more biologically active agents, as described herein. Any pharmaceutically acceptable biocompatible polymer known to those skilled in the art may be utilized. It is preferred that the biocompatible controlled release material degrade in vivo within about one year, preferably within about 3 months, more preferably within about two months. More preferably, the controlled release material will degrade significantly within one to three months, with at least 50% of the material degrading into non-toxic residues, which are removed by the body, and 100% of the compound of

the invention being released within a time period within about two weeks, preferably within about 2 days to about 7 days. A degradable controlled release material should preferably degrade by hydrolysis, either by surface erosion or bulk erosion, so that release is not only sustained but also provides desirable release rates. However, the pharmacokinetic release profile of these formulations may be first order, zero order, bi- or multi-phasic, to provide the desired reversible local anti-nociceptive effect over the desired time period.

[0175] Suitable biocompatible polymers can be utilized as the controlled release material. The polymeric material may comprise biocompatible, biodegradable polymers, and in certain preferred embodiments, is preferably a copolymer of lactic and glycolic acid. Preferred controlled release materials which are useful in the formulations of the invention include the polyanhydrides, polyesters, co-polymers of lactic acid and glycolic acid (preferably wherein the weight ratio of lactic acid to glycolic acid is no more than 4:1 i.e., 80% or less lactic acid to 20% or more glycolic acid by weight) and polyorthoesters containing a catalyst or degradation enhancing compound, for example, containing at least 1% by weight anhydride catalyst such as maleic anhydride. Examples of polyesters include polylactic acid, polyglycolic acid and polylactic acid-polyglycolic acid copolymers. Other useful polymers include protein polymers such as collagen, gelatin, fibrin and fibrinogen and polysaccharides such as hyaluronic acid.

[0176] The polymeric material may be prepared by any method known to those skilled in the art. For example, where the polymeric material is comprised of a copolymer of lactic and glycolic acid, this copolymer may be prepared by the procedure set forth in U.S. Pat. No. 4,293,539, incorporated herein by reference. Alternatively, copolymers of lactic and glycolic acid may be prepared by any other procedure known to those skilled in the art. Other useful polymers include polylactides, polyglycolides, polyanhydrides, polyorthoesters, polycaprolactones, polyphosphazenes, polyphosphoesters, polysaccharides, proteinaceous polymers, soluble derivatives of polysaccharides, soluble derivatives of proteinaceous polymers, polypeptides, polyesters, and polyorthoesters or mixtures or blends of any of these.

[0177] Pharmaceutically acceptable polyanhydrides which are useful in the present invention have a water-labile anhydride linkage. The rate of drug release can be controlled by the particular polyanhydride polymer utilized and its molecular weight. The polysaccharides may be poly-1,4-glucans, e.g., starch glycogen, amylose, amylopectin, and mixtures thereof. The biodegradable hydrophilic or hydrophobic polymer may be a water-soluble derivative of a poly-1,4-glucan, including hydrolyzed amylopectin, derivatives of hydrolyzed amylopectin such as hydroxyethyl starch (HES), hydroxyethyl amylose, dialdehyde starch, and the like. The polyanhydride polymer may be branched or linear.

[0178] Examples of polymers which are useful in the present invention include (in addition to homopolymers and copolymers of poly(lactic acid) and/or poly(glycolic acid)) poly[bis(p-carboxyphenoxy) propane anhydride](PCPP), poly[bis(p-carboxy)methane anhydride](PCPM), polyanhydrides of oligomerized unsaturated aliphatic acids, polyanhydride polymers prepared from amino acids which are modified to include an additional carboxylic acid, aromatic polyanhydride compositions, and co-polymers of polyanhydrides with other substances, such as fatty acid terminated polyanhydrides, e.g., polyanhydrides polymerized from monomers of dimers and/or trimers of unsaturated fatty acids or unsaturated aliphatic acids. Polyanhydrides may be prepared in accordance with the methods set forth in U.S. Pat. No. 4,757,128, incorporated herein by reference. Polyorthoester polymers may be prepared, e.g., as set forth in U.S. Pat. No. 4,070,347, incorporated herein by reference. Polyphosphoesters may be prepared and used as set forth in U.S. Pat. Nos. 6,008,318, 6,153,212, 5,952,451, 6,051,576, 6,103,255, 5,176,907 and 5,194,581, each of which is incorporated herein by reference.

[0179] Proteinaceous polymers may also be used. Proteinaceous polymers and their soluble derivatives include gelation biodegradable synthetic polypeptides, elastin, alkylated collagen, alkylated elastin, and the like. Biodegradable synthetic polypeptides include poly-(N-

hydroxyalkyl)-L-asparagine, poly-(N-hydroxyalkyl)-L-glutamine, copolymers of N-hydroxyalkyl-L-asparagine and N-hydroxyalkyl-L-glutamine with other amino acids. Suggested amino acids include L-alanine, L-lysine, L-phenylalanine, L-valine, L-tyrosine, and the like.

[0180] In additional embodiments, the controlled release material, which in effect acts as a carrier for a compound of the invention, alone or in combination with one or more biologically active agents as described herein, can further include a bioadhesive polymer such as pectins (polygalacturonic acid), mucopolysaccharides (hyaluronic acid, mucin) or non-toxic lectins or the polymer itself may be bioadhesive, e.g., polyanhydride or polysaccharides such as chitosan.

[0181] In embodiments where the biodegradable polymer comprises a gel, one such useful polymer is a thermally gelling polymer, e.g., polyethylene oxide, polypropylene oxide (PEO-PPO) block copolymer such as Pluronic™ F127 from BASF Wyandotte. In such cases, the local anesthetic formulation may be injected via syringe as a free-flowing liquid, which gels rapidly above 30° C. (e.g., when injected into a patient). The gel system then releases a steady dose of a compound of the invention, alone or in combination with one or more biologically active agents as described herein, at the site of administration.

#### Dosage Forms for Oral Use

[0182] Formulations for oral use include tablets containing the active ingredient(s) in a mixture with non-toxic pharmaceutically acceptable excipients. These excipients may be, for example, inert diluents or fillers (e.g., sucrose, sorbitol, sugar, mannitol, microcrystalline cellulose, starches including potato starch, calcium carbonate, sodium chloride, lactose, calcium phosphate, calcium sulfate, or sodium phosphate); granulating and disintegrating agents (e.g., cellulose derivatives including microcrystalline cellulose, starches including potato starch, croscarmellose sodium, alginates, or alginic acid); binding agents (e.g., sucrose, glucose, sorbitol, acacia, alginic acid, sodium alginate, gelatin, starch, pregelatinized starch, microcrystalline cellulose, magnesium aluminum silicate, carboxymethylcellulose sodium, methylcellulose, hydroxypropyl methylcellulose, ethylcellulose, polyvinylpyrrolidone, or polyethylene glycol); and lubricating agents, glidants, and antiadhesives (e.g., magnesium stearate, zinc stearate, stearic acid, silicas, hydrogenated vegetable oils, or talc). Other pharmaceutically acceptable excipients can be colorants, flavoring agents, plasticizers, humectants, buffering agents, taste masking agents (such as hydroxypropyl methylcellulose, hydroxypropyl cellulose), and the like.

[0183] One or more compounds of the invention and one or more biologically active agents, as defined herein, may be mixed together in a tablet, capsule, or other vehicle, or may be partitioned. In one example, a compound of the invention is contained on the inside of the tablet, and the biologically active agent is on the outside of the tablet, such that a substantial portion of the biologically active agent is released prior to the release of the compound of the invention.

[0184] Formulations for oral use may also be provided as chewable tablets, or as hard gelatin capsules wherein the active ingredient is mixed with an inert solid diluent (e.g., potato starch, lactose, microcrystalline cellulose, calcium carbonate, calcium phosphate or kaolin), or as soft gelatin capsules wherein the active ingredient is mixed with water or an oil medium, for example, peanut oil, liquid paraffin, or olive oil. Powders, granulates, and pellets may be prepared using the ingredients mentioned above under tablets and capsules in a conventional manner using, e.g., a mixer, a fluid bed apparatus or a spray drying equipment.

[0185] Formulations for oral administration to the mouth may also be provided as a mouthwash, an oral spray, oral rinse solution, oral ointment, or oral gel.

[0186] Dissolution or diffusion controlled release can be achieved by appropriate coating of a tablet, capsule, pellet, or granulate formulation of compounds, or by incorporating the compound into an appropriate matrix. A controlled release coating may include one or more of the coating substances mentioned above and/or, e.g., shellac, beeswax, glycowax, castor wax, carnauba wax, stearyl alcohol, glyceryl monostearate, glyceryl distearate, glycerol palmitostearate, ethylcellulose, acrylic resins, dl-poly-lactic acid, cellulose acetate butyrate, polyvinyl chloride, polyvinyl acetate,

vinyl pyrrolidone, polyethylene, polymethacrylate, methylmethacrylate, 2-hydroxymethacrylate, methacrylate hydrogels, 1,3 butylene glycol, ethylene glycol methacrylate, and/or polyethylene glycols. In a controlled release matrix formulation, the matrix material may also include, e.g., hydrated methylcellulose, carnauba wax and stearyl alcohol, carbopol 934, silicone, glyceryl tristearate, methyl acrylate-methyl methacrylate, polyvinyl chloride, polyethylene, and/or halogenated fluorocarbon.

[0187] The liquid forms in which the compounds and compositions of the present invention can be incorporated for administration orally include aqueous solutions, suitably flavored syrups, aqueous or oil suspensions, and flavored emulsions with edible oils such as cottonseed oil, sesame oil, coconut oil, or peanut oil, as well as elixirs and similar pharmaceutical vehicles.

[0188] Generally, when administered to a human, the oral dosage of any of the compounds of the combination of the invention will depend on the nature of the compound, and can readily be determined by one skilled in the art. Typically, such dosage is normally about 0.001 mg to 2000 mg per day, desirably about 1 mg to 1000 mg per day, and more desirably about 5 mg to 500 mg per day. Dosages up to 200 mg per day may be necessary.

[0189] Administration of each drug in a combination therapy, as described herein, can, independently, be one to four times daily for one day to one year, and may even be for the life of the patient. Chronic, long-term administration will be indicated in many cases.

#### Parenteral Formulations

[0190] Formulations suitable for parenteral administration (e.g., by injection), include aqueous or non-aqueous, isotonic, pyrogen-free, sterile liquids (e.g., solutions, suspensions), in which the compound is dissolved, suspended, or otherwise provided (e.g., in a liposome or other microparticulate). Such liquids may additionally contain other pharmaceutically acceptable ingredients, such as anti-oxidants, buffers, preservatives, stabilizers, bacteriostats, suspending agents, thickening agents, and solutes which render the formulation isotonic with the blood (or other relevant bodily fluid) of the intended recipient. Examples of excipients include, for example, water, alcohols, polyols, glycerol, vegetable oils, and the like. Examples of suitable isotonic carriers for use in such formulations include Sodium Chloride Injection, Ringer's Solution, or Lactated Ringer's Injection. Typically, the concentration of the compound in the liquid is from about 1 ng/ml to about 10 g/ml, for example from about 10 ng/ml to about 1 g/ml. The formulations may be presented in unit-dose or multi-dose sealed containers, for example, ampoules and vials, and may be stored in a freeze-dried (lyophilised) condition requiring only the addition of the sterile liquid carrier, for example water for injections, immediately prior to use. Extemporaneous injection solutions and suspensions may be prepared from sterile powders, granules, and tablets.

#### Topical Formulations

[0191] The compositions of the invention, alone or in combination with one or more of the biologically active agents described herein, can also be adapted for topical use with a topical vehicle containing from between 0.0001% and 25% (w/w) or more of active ingredient(s).

[0192] In a preferred combination, the active ingredients are preferably each from between 0.0001% to 10% (w/w), more preferably from between 0.0005% to 4% (w/w) active agent. The topical formulation, including but not limited to a cream, gel, or ointment, can be applied one to four times daily, or as needed. Performing the methods described herein, the topical vehicle containing the composition of the invention, or a combination therapy containing a composition of the invention is preferably applied to the site of inflammation on the patient. For example, a cream may be applied to the hands of a patient suffering from arthritic fingers.

[0193] The compositions can be formulated using any dermatologically acceptable carrier.

Exemplary carriers include a solid carrier, such as alumina, clay, microcrystalline cellulose, silica, or talc; and/or a liquid carrier, such as an alcohol, a glycol, or a water-alcohol/glycol blend. The therapeutic agents may also be administered in liposomal formulations that allow therapeutic agents to enter the skin. Such liposomal formulations are described in U.S. Pat. Nos. 5,169,637;

5,000,958; 5,049,388; 4,975,282; 5,194,266; 5,023,087; 5,688,525; 5,874,104; 5,409,704; 5,552,155; 5,356,633; 5,032,582; 4,994,213; 8,822,537, and PCT Publication No. WO 96/40061. Examples of other appropriate vehicles are described in U.S. Pat. Nos. 4,877,805, 8,822,537, and EP Publication No. 0586106A1. Suitable vehicles of the invention may also include mineral oil, petrolatum, polydecene, stearic acid, isopropyl myristate, polyoxyl 40 stearate, stearyl alcohol, or vegetable oil.

[0194] The composition can further include a skin penetrating enhancer, such as those described in "Percutaneous Penetration enhancers", (eds. Smith E W and Maibach H I. CRC Press 1995).

Exemplary skin penetrating enhancers include alkyl (N,N-disubstituted amino alkanoate) esters, such as dodecyl 2-(N,N dimethylamino) propionate (DDAIP), which is described in U.S. Pat. Nos. 6,083,996 and 6,118,020, which are both incorporated herein by reference; a water-dispersible acid polymer, such as a polyacrylic acid polymer, a carbomer (e.g., Carbopol™ or Carbopol 940P™, available from B. F. Goodrich Company (Akron, Ohio)), copolymers of polyacrylic acid (e.g., Pemulen™ from B. F. Goodrich Company or Polycarbophil™ from A. H. Robbins, Richmond, Va.; a polysaccharide gum, such as agar gum, alginate, carrageenan gum, ghatti gum, karaya gum, kadaya gum, rhamosan gum, xanthan gum, and galactomannan gum (e.g., guar gum, carob gum, and locust bean gum), as well as other gums known in the art (see for instance, Industrial Gums: Polysaccharides & Their Derivatives, Whistler R. L., BeMiller J. N. (eds.), 3rd Ed. Academic Press (1992) and Davidson, R. L., Handbook of Water-Soluble Gums & Resins, McGraw-Hill, Inc., N.Y. (1980)); or combinations thereof.

[0195] Other suitable polymeric skin penetrating enhancers are cellulose derivatives, such as ethyl cellulose, methyl cellulose, hydroxypropyl cellulose. Additionally, known transdermal penetrating enhancers can also be added, if desired. Illustrative are dimethyl sulfoxide (DMSO) and dimethyl acetamide (DMA), 2-pyrrolidone, N,N-diethyl-m-toluamide (DEET), 1-dodecylazacycloheptane-2-one (AZONE™, a registered trademark of Nelson Research), N,N-dimethylformamide, N-methyl-2-pyrrolidone, calcium thioglycolate and other enhancers such as dioxolanes, cyclic ketones, and their derivatives and so on.

[0196] Also illustrative are a group of biodegradable absorption enhancers which are alkyl N,N-2-(disubstituted amino) alkanoates as described in U.S. Pat. Nos. 4,980,378 and 5,082,866, which are both incorporated herein by reference, including: tetradecyl (N,N-dimethylamino) acetate, dodecyl (N,N-dimethylamino) acetate, decyl (N,N-dimethylamino) acetate, octyl (N,N-dimethylamino) acetate, and dodecyl (N,N-diethylamino) acetate.

[0197] Particularly preferred skin penetrating enhancers include isopropyl myristate; isopropyl palmitate; dimethyl sulfoxide; decyl methyl sulfoxide; dimethylalanine amide of a medium chain fatty acid; dodecyl 2-(N,N-dimethylamino) propionate or salts thereof, such as its organic (e.g., hydrochloric, hydrobromic, sulfuric, phosphoric, and nitric acid addition salts) and inorganic salts (e.g., acetic, benzoic, salicylic, glycolic, succinic, nicotinic, tartaric, maleic, malic, pamoic, methanesulfonic, cyclohexanesulfamic, picric, and lactic acid addition salts), as described in U.S. Pat. No. 6,118,020; and alkyl 2-(N,N-disubstituted amino)-alkanoates, as described in U.S. Pat. Nos. 4,980,378 and 5,082,866.

[0198] The skin penetrating enhancer in this composition by weight would be in the range of 0.5% to 10% (w/w). The most preferred range would be between 1.0% and 5% (w/w). In another embodiment, the skin penetrating enhancer comprises between 0.5%-1%, 1%-2%, 2%-3%, 3%-4%, or 4%-5%, (w/w) of the composition.

[0199] The compositions can be provided in any useful form. For example, the compositions of the invention may be formulated as solutions, emulsions (including microemulsions), suspensions, creams, ointments, foams, lotions, gels, powders, or other typical solid, semi-solid, or liquid compositions (e.g., topical sprays) used for application to the skin or other tissues where the compositions may be used. Such compositions may contain other ingredients typically used in such products, such as colorants, fragrances, thickeners (e.g., xanthan gum, a fatty acid, a fatty acid salt



or ester, a fatty alcohol, a modified cellulose, a modified mineral material, Krisgel 100™, or a synthetic polymer), antimicrobials, solvents, surfactants, detergents, gelling agents, antioxidants, fillers, dyestuffs, viscosity-controlling agents, preservatives, humectants, emollients (e.g., natural or synthetic oils, hydrocarbon oils, waxes, or silicones), hydration agents, chelating agents, demulcents, solubilizing excipients, adjuvants, dispersants, skin penetrating enhancers, plasticizing agents, preservatives, stabilizers, demulsifiers, wetting agents, sunscreens, emulsifiers, moisturizers, astringents, deodorants, and optionally including anesthetics, anti-itch actives, botanical extracts, conditioning agents, darkening or lightening agents, glitter, humectants, mica, minerals, polyphenols, silicones or derivatives thereof, sunblocks, vitamins, and phytomedicinals. [0200] The compositions can also include other like ingredients to provide additional benefits and improve the feel and/or appearance of the topical formulation. Specific classes of additives commonly use in these formulations include: isopropyl myristate, sorbic acid NF powder, polyethylene glycol, phosphatidylcholine (including mixtures of phosphatidylcholine, such as phospholipon G), Krisgel 100™ distilled water, sodium hydroxide, decyl methyl sulfoxide (as a skin penetrating enhancer), menthol crystals, lavender oil, butylated hydroxytoluene, ethyl diglycol reagent, and 95% percent (190 proof) ethanol.

#### Formulations for Ophthalmic Administration

[0201] The compounds of the invention can also be formulated with an ophthalmically acceptable carrier in sufficient concentration so as to deliver an effective amount of the active compound or compounds to the optic nerve site of the eye. Preferably, the ophthalmic, therapeutic solutions contain one or more of the active compounds in a concentration range of approximately 0.0001% to approximately 5% (weight by volume) and more preferably approximately 0.0005% to approximately 0.1% (weight by volume).

[0202] An ophthalmically acceptable carrier does not cause significant irritation to the eye and does not abrogate the pharmacological activity and properties of the charged sodium channel blockers.

[0203] Ophthalmically acceptable carriers are generally sterile, essentially free of foreign particles, and generally have a pH in the range of 5-8. Preferably, the pH is as close to the pH of tear fluid (7.4) as possible. Ophthalmically acceptable carriers are, for example, sterile isotonic solutions such as isotonic sodium chloride or boric acid solutions. Such carriers are typically aqueous solutions contain sodium chloride or boric acid. Also useful are phosphate buffered saline (PBS) solutions.

[0204] Various preservatives may be used in the ophthalmic preparation. Preferred preservatives include, but are not limited to, benzalkonium potassium, chlorobutanol, thimerosal, phenylmercuric acetate, and phenylmercuric nitrate. Likewise, various preferred vehicles may be used in such ophthalmic preparation. These vehicles include, but are not limited to, polyvinyl alcohol, povidone, hydroxypropyl methyl cellulose, poloxamers, carboxymethyl cellulose and hydroxyethyl cellulose.

[0205] Tonicity adjustors may be added as needed or convenient. They include, but are not limited to, salts, particularly sodium chloride, potassium chloride, etc., mannitol and glycerin, or any other suitable ophthalmically acceptable tonicity adjustor.

[0206] Various buffers and means for adjusting pH may be used so long as the resulting preparation is ophthalmically acceptable. Accordingly, buffers include but are not limited to, acetate buffers, citrate buffers, phosphate buffers, and borate buffers. Acids or bases may be used to adjust the pH of these formulations as needed. Ophthalmically acceptable antioxidants can also be include.

Antioxidants include but are not limited to sodium metabisulfite, sodium thiosulfate, acetylcysteine, butylated hydroxyanisole, and butylated hydroxytoluene.

#### Formulations for Nasal and Inhalation Administration

[0207] The pharmaceutical compositions of the invention can be formulated for nasal or intranasal administration. Formulations suitable for nasal administration, when the carrier is a solid, include a coarse powder having a particle size, for example, in the range of approximately 20 to 500 microns which is administered by rapid inhalation through the nasal passage. When the carrier is a liquid,

for example, a nasal spray or as nasal drops, one or more of the formulations can be admixed in an aqueous or oily solution and inhaled or sprayed into the nasal passage.

[0208] For administration by inhalation, the active ingredient can be conveniently delivered in the form of an aerosol spray presentation from pressurized packs or a nebulizer, with the use of a suitable propellant, e.g., dichlorodifluoromethane, trichlorofluoromethane, dichlorotetrafluoroethane, carbon dioxide or other suitable gas. In the case of a pressurized aerosol the dosage unit can be determined by providing a valve to deliver a metered amount. Capsules and cartridges of, for example, gelatin for use in an inhaler or insufflator can be formulated containing a powder mix of the compound and a suitable powder base such as lactose or starch.

[0209] Dry powder compositions for topical delivery to the lung by inhalation may, for example, be presented in capsules and cartridges of, for example, gelatin or blisters of, for example, laminated aluminum foil, for use in an inhaler or insufflator. Powder blend formulations generally contain a powder mix for inhalation of the compound of the invention and a suitable powder base (carrier/diluent/excipient substance) such as mono-, di or poly-saccharides (e.g. lactose or starch). Use of lactose is preferred. In one embodiment, each capsule or cartridge may contain between about 2  $\mu$ g to about 100 mg of the compound of formula (I) optionally in combination with another therapeutically active ingredient. In a preferred embodiment, each capsule or cartridge may contain between about 10  $\mu$ g to about 50 mg of the compound of formula (I) optionally in combination with another therapeutically active ingredient. In another embodiment, each capsule or cartridge may contain between about 20  $\mu$ g to about 10 mg of the compound of formula (I) optionally in combination with another therapeutically active ingredient. Alternatively, the compound of the invention may be delivered without excipients.

[0210] Suitably, the packaging/medicament dispenser is of a type selected from the group consisting of a reservoir dry powder inhaler (RDPI), a single use inhaler (e.g., capsule or blister inhaler), a multi-dose dry powder inhaler (MDPI), and a metered dose inhaler (MDI).

[0211] Solutions or suspensions for use in a pressurized container, pump, spray, atomizer, or nebulizer can be formulated to contain an aqueous medium, ethanol, aqueous ethanol, or a suitable alternative agent for dispersing, solubilizing, or extending release of the active ingredient(s); a propellant as solvent; and/or a surfactant, such as sorbitan trioleate, oleic acid, or an oligolactic acid.

[0212] Compositions formulated for nasal or inhalation administration may include one or more taste-masking agents such as flavoring agents, sweeteners, and other strategies, such as sucrose, dextrose, and lactose, carboxylic acids, menthol, amino acids or amino acid derivatives such as arginine, lysine, and monosodium glutamate, and/or synthetic flavor oils and flavoring aromatics and/or natural oils, extracts from plants, leaves, flowers, fruits, etc., and combinations thereof. These may include cinnamon oils, oil of wintergreen, peppermint oils, clover oil, bay oil, anise oil, eucalyptus, vanilla, citrus oil such as lemon oil, orange oil, grape and grapefruit oil, fruit essences including apple, peach, pear, strawberry, raspberry, cherry, plum, pineapple, apricot, etc. Additional sweeteners include sucrose, dextrose, aspartame, acesulfame-K, sucralose and saccharin, organic acids (by non-limiting example citric acid and aspartic acid). Such flavors may be present at from about 0.05 to about 4 percent by weight, and may be present at lower or higher amounts as a factor of one or more of potency of the effect on flavor, solubility of the flavorant, effects of the flavorant on solubility or other physicochemical or pharmacokinetic properties of other formulation components, or other factors.

#### Indications

[0213] The compounds, compositions, methods, and kits of the invention can be used to treat pain, cough or itch associated with any of a number of conditions, including trigeminal trophic syndrome, erythromelalgia, back and neck pain, lower back pain, cancer pain, gynecological and labor pain, abdominal wall pain, chronic abdominal wall pain, fibromyalgia, allergic rhinitis, arthritis, rheumatoid arthritis, osteoarthritis, rheumatological pains, orthopedic pains, acute and

post herpetic neuralgia and other neuropathic pains (including peripheral neuropathy), sickle cell crises, muscle pain, vulvodynia, rectal pain, Levator ani syndrome, proctalgia fugax, peri-anal pain, hemorrhoid pain, stomach pain, ulcers, inflammatory bowel disease, irritable bowel disease, irritable bowel syndrome, oral mucositis, esophagitis, interstitial cystitis, urethritis and other urological pains, dental pain, burn pain, headaches, ophthalmic irritation, conjunctivitis (e.g., allergic conjunctivitis), eye redness, dry eye, dry eye syndrome (chronic ocular pain), complex regional pain syndrome, acute postoperative pain, postoperative pain, post-surgical ocular pain, and procedural pain (i.e., pain associated with injections, draining an abscess, surgery, dental procedures, ophthalmic procedures, ophthalmic irritation, conjunctivitis (e.g., allergic conjunctivitis), eye redness, dry eye, arthroscopies and use of other medical instrumentation, cosmetic surgical procedures, dermatological procedures, setting fractures, biopsies, and the like). [0214] Since a subclass of nociceptors mediate itch sensation, the compounds, compositions, methods, and kits of the invention can also be used to treat itch in patients with conditions like pruritus (including, but not limited to, brachioradial, chronic idiopathic, genital/anal, notalgia paresthetica, and scalp), allergic dermatitis, atopic dermatitis, contact dermatitis, poison ivy, infections, parasites, insect bites, pregnancy, metabolic disorders, liver or renal failure, drug reactions, allergic reactions, eczema, hand eczema, genital and anal itch, hemorrhoid itch, and cancer.

[0215] Since a subclass of nociceptors can initiate aberrant cough reflexes, the compounds, compositions, methods, and kits of the invention can also be used to treat cough in patients with conditions like asthma, COPD, asthma-COPD overlap syndrome (ACOS), interstitial pulmonary fibrosis (IPF), idiopathic pulmonary fibrosis, post viral cough, post-infection cough, chronic idiopathic cough and lung cancer.

[0216] The compounds, compositions, methods, and kits of the invention can also be used to treat neurogenic inflammation and neurogenic inflammatory disorders. Inflammation is a complex set of responses to harmful stimuli that results in localized redness, swelling, and pain. Inflammation can be innate or adaptive, the latter driven by antigens and is mediated by immune cells (immune-mediated inflammation). Neurogenic inflammation results from the efferent functions of pain-sensing neurons (nociceptors), wherein neuropeptides and other chemicals that are pro-inflammatory mediators are released from the peripheral terminals of the nociceptors when they are activated. This release process is mediated by calcium influx and exocytosis of peptide containing vesicles, and the pro-inflammatory neuropeptides include substance P, neurokinin A and B (collectively known as tachykinins), calcitonin gene-related peptide (CGRP), and vasoactive intestinal polypeptide (VIP).

[0217] The release of peripheral terminal chemicals stimulate a variety of inflammatory responses. First, the release of substance P can result in an increase in capillary permeability such that plasma proteins leak from the intravascular compartment into the extracellular space (plasma extravasation), causing edema. This can be detected as a wheal (a firm, elevated swelling of the skin) which is one component of a triad of inflammatory responses-wheal, red spot, and flare-known as the Lewis triple response. Second, the release of CGRP causes vasodilation, leading to increased blood flow. This can be detected as a flare, which is another component of the Lewis triple response.

[0218] Substance P also has a pro-inflammatory action on immune cells (e.g. macrophages, T-cells, mast cells, and dendritic cells) via their neurokinin-1 (NK1) receptor. This effect has been documented in allergic rhinitis, gastritis, and colitis, and represents an interface between the neurogenic and immune-mediated components of inflammation. Substance P released from one nociceptor may also act on NK1 receptors on neighboring nociceptors to sensitize or activate them, causing a spread of activation and afferent/efferent function. These efferent functions of nociceptors can be triggered by: 1) Direct activation of a nociceptor terminal by a peripheral adequate stimulus applied to the terminal (e.g. a pinch); 2) Indirect antidromic activation of a non-

stimulated nociceptor terminal by the axon reflex, wherein action potential input from one terminal of a nociceptor, upon reaching a converging axonal branch point in the periphery, results in an action potential traveling from the branch point down to the peripheral terminal of a non-stimulated terminal; and 3) Activation as a result of activity in nociceptor central terminals in the CNS traveling to the periphery (e.g., primary afferent depolarization of central terminals produced by GABA can be sufficient to initiate action potentials traveling the “wrong way”).

[0219] Genomic analysis of lung resident ILC2 cells has revealed expression of receptors for several neuropeptides released by sensory neurons, including SP, CGRP and VIP, providing an opportunity for nociceptors to directly communicate with these cells. In particular, VIP is found to be expressed in NaV1.8+ nodose ganglion neurons, including lung afferents in OVA-exposed mice. Cultured nodose ganglion neurons stimulated with capsaicin or IL5 also released VIP while BALF from OVA-exposed mice contained elevated VIP compared to vehicle-challenged mice (Talbot et al., *Neuron*. 2015 July 15; 87(2): 341-354). These data indicate that VIP is released in the inflamed lung and can be blocked by silencing neurons with charged sodium channel blockers of the present invention. In addition, when CD4<sup>+</sup> T cells cultured under T.sub.H2 skewing conditions were exposed to recombinant mouse VIP, the transcript levels of IL-13 and IL-5 increased, suggesting that VIP contributes to the competence of T.sub.H2 cells to transcribe these type II regulatory cytokines.

[0220] Immune mediator release from immune cells can also activate nociceptors. Mast cells are found close to primary nociceptive neurons and contribute to nociceptor sensitization in a number of contexts. Injection of the secretagogue compound 48/80 promotes degranulation of mast cells in the dura and leads to excitation of meningeal nociceptors. Mast cell degranulation also contributes to the rapid onset of nerve growth factor-induced thermal hyperalgesia. Macrophages contribute to nociceptor sensitization by releasing several soluble mediators. Expression of the chemokine macrophage inflammatory protein-1 $\alpha$  (MIP-1 $\alpha$ ) and its receptors CCR1 and CCR5 is increased in macrophages and Schwann cells after partial ligation of the sciatic nerve and contributes to the development of neuropathic pain. Lymphocytes contribute to the sensitization of peripheral nociceptors. T cells infiltrate the sciatic nerve and dorsal root ganglion (DRG) after nerve injury. Hyperalgesia and allodynia induced by nerve injury are markedly attenuated or abrogated in rodents lacking T cells and the immunosuppressant rapamycin attenuates neuropathic pain in rats, partly owing to an effect on T cells. Among the subsets of T cells, type 1 and 2 helper T cells (T.sub.H1 and T.sub.H2 cells) have been shown to have different roles in neuropathic pain. T.sub.H1 cells facilitate neuropathic pain behavior by releasing proinflammatory cytokines (IL-2 and interferon- $\gamma$  (IFN $\gamma$ )), whereas T.sub.H2 cells inhibit it by releasing anti-inflammatory cytokines (IL-4, IL-10 and IL-13). The complement system also has a role in inflammatory hyperalgesia and neuropathic pain. C5a, an anaphylatoxin, is an important effector of the complement cascade and upon binding to C5aR1 receptors on neutrophils it becomes a potent neutrophil attractant (Ren & Dubner, *Nat. Med.* 16:1267-1276 (2010)).

[0221] Bacterial infections have been shown to directly activate nociceptors, and that the immune response mediated through TLR2, MyD88, T cells, B cells, and neutrophils and monocytes is not necessary for *Staphylococcus aureus*-induced pain in mice (Chiu et al., *Nature* 501:52-57 (2013)). Mechanical and thermal hyperalgesia in mice is correlated with live bacterial load rather than tissue swelling or immune activation. Bacteria induce calcium flux and action potentials in nociceptor neurons, in part via bacterial N-formylated peptides and the pore-forming toxin  $\alpha$ -haemolysin, through distinct mechanisms. Specific ablation of Nav1.8-lineage neurons, which include nociceptors, abrogated pain during bacterial infection, but concurrently increased local immune infiltration and lymphadenopathy of the draining lymph node. Thus, bacterial pathogens produce pain by directly activating sensory neurons that modulate inflammation, an unsuspected role for the nervous system in host-pathogen interactions. Data from Talbot et al., (*Neuron*. 2015 July 15; 87(2): 341-354) have also suggested that nociceptors are activated during exposure to allergens in

sensitized animals.

[0222] In certain disorders, neurogenic inflammation contributes to the peripheral inflammation elicited by tissue injury, autoimmune disease, infection, and exposure to irritants in soft tissue, skin, the respiratory system, joints, the urogenital and GI tract, the liver, and the brain. Neurogenic inflammatory disorders include, but are not limited to, allergic inflammation, inflammatory bowel disease, interstitial cystitis, atopic dermatitis, asthma, conjunctivitis, arthritis, colitis, contact dermatitis, diabetes, eczema, cystitis, gastritis, migraine headache, psoriasis, rhinitis, rosacea, sunburn, pancreatitis, chronic cough, chronic rhinosinusitis, traumatic brain injury, polymicrobial sepsis, tendinopathies, chronic urticaria, rheumatic disease, acute lung injury, exposure to irritants, inhalation of irritants, pollutants, or chemical warfare agents, as described herein.

#### Assessment of Pain, Cough, Itch, and Neurogenic Inflammation

[0223] In order to measure the efficacy of any of the compounds, compositions, methods, and kits of the invention in the treatment of pain associated with musculoskeletal, immunoinflammatory and neuropathic disorders, a measurement index may be used. Indices that are useful include a visual analog scale (VAS), a Likert scale, categorical pain scales, descriptors, the Lequesne index, the WOMAC index, and the AUSCAN index, each of which is well known in the art. Such indices may be used to measure pain, itch, function, stiffness, or other variables.

[0224] A visual analog scale (VAS) provides a measure of a one-dimensional quantity. A VAS generally utilizes a representation of distance, such as a picture of a line with hash marks drawn at regular distance intervals, e.g., ten 1-cm intervals. For example, a patient can be asked to rank a sensation of pain or itch by choosing the spot on the line that best corresponds to the sensation of pain or itch, where one end of the line corresponds to “no pain” (score of 0 cm) or “no itch” and the other end of the line corresponds to “unbearable pain” or “unbearable itch” (score of 10 cm). This procedure provides a simple and rapid approach to obtaining quantitative information about how the patient is experiencing pain or itch. VAS scales and their use are described, e.g., in U.S. Pat. Nos. 6,709,406 and 6,432,937.

[0225] A Likert scale similarly provides a measure of a one-dimensional quantity. Generally, a Likert scale has discrete integer values ranging from a low value (e.g., 0, meaning no pain) to a high value (e.g., 7, meaning extreme pain). A patient experiencing pain is asked to choose a number between the low value and the high value to represent the degree of pain experienced. Likert scales and their use are described, e.g., in U.S. Pat. Nos. 6,623,040 and 6,766,319.

[0226] The Lequesne index and the Western Ontario and McMaster Universities (WOMAC) osteoarthritis index assess pain, function, and stiffness in the knee and hip of OA patients using self-administered questionnaires. Both knee and hip are encompassed by the WOMAC, whereas there is one Lequesne questionnaire for the knee and a separate one for the hip. These questionnaires are useful because they contain more information content in comparison with VAS or Likert. Both the WOMAC index and the Lequesne index questionnaires have been extensively validated in OA, including in surgical settings (e.g., knee and hip arthroplasty). Their metric characteristics do not differ significantly.

[0227] The AUSCAN (Australian-Canadian hand arthritis) index employs a valid, reliable, and responsive patient self-reported questionnaire. In one instance, this questionnaire contains 15 questions within three dimensions (Pain, 5 questions; Stiffness, 1 question; and Physical function, 9 questions). An AUSCAN index may utilize, e.g., a Likert or a VAS scale.

[0228] Indices that are useful in the methods, compositions, and kits of the invention for the measurement of pain include the Pain Descriptor Scale (PDS), the Visual Analog Scale (VAS), the Verbal Descriptor Scales (VDS), the Numeric Pain Intensity Scale (NPIS), the Neuropathic Pain Scale (NPS), the Neuropathic Pain Symptom Inventory (NPSI), the Present Pain Inventory (PPI), the Geriatric Pain Measure (GPM), the McGill Pain Questionnaire (MPQ), mean pain intensity (Descriptor Differential Scale), numeric pain scale (NPS) global evaluation score (GES) the Short-Form McGill Pain Questionnaire, the Minnesota Multiphasic Personality Inventory, the Pain

Profile and Multidimensional Pain Inventory, the Child Health Questionnaire, and the Child Assessment Questionnaire.

[0229] Itch can be measured by subjective measures (VAS, Lickert, descriptors). Another approach is to measure scratch which is an objective correlate of itch using a vibration transducer or movement-sensitive meters.

[0230] Cough can be measured by standard questionnaires like the Leicester Cough Questionnaire as well as validated objective instruments to measure cough frequency (e.g. VitaloJAK).

#### EXAMPLES

[0231] The following examples are intended to illustrate the invention and are not intended to limit it.

#### Example 1—Compound Syntheses

##### General Abbreviation Definitions

[0232] ACN acetonitrile [0233] aq. aqueous [0234] brine saturated sodium chloride solution in water [0235] ° C. degrees Celsius [0236]  $\delta$  chemical shift (ppm) [0237] d deuterium [0238] DCM dichloromethane [0239] DMSO dimethyl sulfoxide [0240] ESI electrospray ionization [0241] Et.sub.2O diethyl ether [0242] EtOAc ethyl acetate [0243] g gram [0244] h hour [0245] MeOH methanol [0246] MHz megahertz [0247] min minute [0248] ml milliliter [0249] MS mass spectrometry [0250] m/z mass to charge ratio [0251] NMR nuclear magnetic resonance [0252] Pet ether petroleum ether [0253] RT room temperature [0254] TLC thin layer chromatography [0255] UV ultraviolet light

Synthesis of 1-(2-((2, 6-dimethylphenyl) amino)-2-oxoethyl)-1-ethyl-3-phenylpiperidin-1-ium iodide

##STR01543##

Synthesis of N-(2, 6-dimethylphenyl)-2-(3-phenylpiperidin-1-yl) acetamide

[0256] To a stirred solution of 2-chloro-N-(2, 6-dimethylphenyl) acetamide (450 mg, 2.276 mmol) in ACN (10 mL) was added K.sub.2CO.sub.3 (944 mg, 6.829 mmol) followed by 3-phenyl piperidine (550 mg, 3.414 mmol) and the reaction mixture was stirred at 80° C. for 15 h in a sealed tube as progress of the reaction was monitored by TLC (50% EtOAc in pet ether, Visualization: UV). The reaction mixture was diluted with water (150 mL) and extracted with EtOAc (2×150 mL). The combined organic extracts were washed with brine (150 mL), dried over anhydrous Na.sub.2SO.sub.4 and concentrated under reduced pressure to afford crude compound which was purified by column chromatography (eluted with 60% of EtOAc/in pet ether) to afford pure N-(2, 6-dimethylphenyl)-2-(3-phenylpiperidin-1-yl) acetamide (560 mg). MS (ESI): m/z 323.19 [M+H].sup.+ .sup.1H NMR (400 MHz, DMSO-d.sub.6)  $\delta$  ppm 9.20 (s, 1H), 7.32-7.18 (m, 5H), 7.06 (s, 3H), 3.15-3.13 (m, 2H), 3.00-2.97 (m, 3H), 2.25-2.19 (m, 2H), 2.13 (s, 6H), 1.82-1.73 (m, 3H), 1.19-1.15 (m, 1H).









Synthesis of 1-(2-((2, 6-dimethylphenyl) amino)-2-oxoethyl)-1-ethyl-3-phenylpiperidin-1-ium iodide

[0257] To a stirred solution of N-(2, 6-dimethylphenyl)-2-(3-phenylpiperidin-1-yl) acetamide (100 mg, 0.310 mmol) in ACN (2 mL) was added ethyl iodide (0.149 ml, 1.860 mmol) at room temperature, and the resulting reaction mixture was stirred at 90° C. for 2 days in sealed tube as progress of the reaction was monitored by TLC (10% MeOH in DCM, Visualization: UV). The reaction mixture was concentrated under reduced pressure to afford crude compound which was triturated with Et.sub.2O (5 mL) & EtOAc (10 mL) to afford 1-(2-((2, 6-dimethylphenyl)amino)-2-oxoethyl)-1-ethyl-3-phenylpiperidin-1-ium iodide (90 mg) as a brown solid. Mass (ESI): m/z: 351.1 [M].sup.+ .sup.1H NMR (400 MHz, DMSO-d.sub.6)  $\delta$  ppm 10.03-9.96 (m, 1H), 7.39 (t, 2H), 7.29-7.33 (m, 3H), 7.15-7.08 (m, 3H), 4.62-4.46 (m, 1H), 4.41-4.33 (m, 1H), 3.99-3.87 (m, 3H), 3.70-3.64 (m, 4H), 2.15 (d, 7H), 2.01-1.90 (m, 2H), 1.78-1.75 (m, 1H), 1.42-1.34 (m, 3H).

Synthesis of Compounds 2A-13A: Table A

[0258] The following Table A provides additional representative examples of the invention which were synthesized from 2-chloro-N-(2, 6-dimethylphenyl) acetamide, phenyl piperidine and the appropriate alkylating reagent employing procedures described for compound 1A.

TABLE-US-00008 TABLE A MS Com- (ESI): pound Structure m/z 2A [01544]

 3A [01545]	 4A [01546]
 5A [01547]	 6A [01548]
 7A [01549]	 8A [01550]
 9A [01551]	 10A [01552]

Example 2—Inhibition of Nav1.7 Current

[0259] Representative compounds of the invention were synthesized according to the described methods and tested for the ability to inhibit voltage-gated sodium channels.

#### Cell Culture

[0260] NaV1.7 was expressed upon induction with tetracycline. Cells were cultured in DMEM containing 10% dialyzed Fetal Bovine Serum (VWR, Radnor, PA), 1% Glutamax (VWR, Radnor, PA), 1% Penicillin-Streptomycin (VWR, Radnor, PA), 100 mg/L Hygromycin (Thermo Fisher Scientific, Waltham, MA) and 5 mg/L Blasticidin (Alfa Aesar, Haverhill, MA). Cells were grown and maintained at 37° C. in a humidified environment containing 10% CO<sub>2</sub> in air. Cells were detached from the culture flask for passage and harvested using 0.05% Trypsin-EDTA (Thermo Fisher Scientific, Waltham, MA). To induce NaV1.7, cells were induced with tetracycline (0.1-1 µg/mL, IBI Scientific, Peosta, IA) the day before recording and plated onto 24-well plates. Cells were washed with DPBS (VWR, Radnor, PA), trypsinized and then triturated five times in 10 mL of growth media to break apart cell aggregates. For one 24-well plate, 2 mL of cell suspension was mixed with 23 mL of fresh growth media and 0.1-1 µg/mL tetracycline added. 1 mL of mixed media with cells was then added to each well of a 24-well plate, with a 12 mm coverslip already placed in the bottom of the well. Cells were then incubated in 37° C. and 10% CO<sub>2</sub> overnight.

#### Patch Clamp Solutions & Drugs

[0261] The intracellular solution contained the following (in mM) CsCl 135, NaCl 10, EGTA 10, HEPES 10, MgCl<sub>2</sub> 2, adjusted to pH 7.2 with CsOH. The external solution was a normal Ringer solution containing (in mM) NaCl 155, HEPES 10, glucose 10, KCl 3.5, CaCl<sub>2</sub> 1.5, MgCl<sub>2</sub> 1 adjusted to pH 7.4 with NaOH. CsCl is from Alfa Aesar, Haverhill, MA. All other chemicals are from Sigma-Aldrich, St. Louis, MO. In order to test the degree of internal block by test compounds the compounds were dissolved in internal solution at the indicated test concentration. In control experiments the internal solution did not contain any compound. In order to test the degree of external block by test compounds the compounds were dissolved in external solution at the indicated test concentration.

#### Whole Cell Patch Clamp Protocol

[0262] 18-24 hours after cells were induced with tetracycline, coverslips were placed into a chamber filled with Normal Ringer solution at room temperature and the chamber placed on a microscope. Pipettes were pulled from borosilicate glass on a P97 puller (Sutter Instrument, Novato, CA) and polished with a MF-830 Microforge (Narishige International USA, Inc, Amityville, NY) to have a resistance of 1.5-2.5 MΩ when filled with CsCl internal solution at room temperature. Healthy cells (those that are round and translucent with no visible blemishes) were chosen for seal formation. A seal was formed between the pipette and the cell, and a brief pulse of suction was used to “break in” and establish the whole-cell configuration. The membrane potential was held at -100 mV before the voltage protocol began. Only cells with series resistance between 1.5-5 MΩ were retained for analysis. The voltage protocol was as follows: Cells were held at -100 mV for 12 ms followed by a hyperpolarizing step to -105 mV for 12 ms to monitor the leak. Cells were then stepped back to -100 mV for 40 ms. Cells were then depolarized to -20 mV for 10 ms and then returned to -100 mV for 26 ms.

#### Internal Block by Test Compounds

[0263] Once the recording was started, the voltage protocol was run at 30 second intervals for 5 minutes to get a stable baseline. This was followed by four 30-second periods of 5 Hz stimulation of the same voltage protocol separated by 1 minute of rest which was then followed by 0.33 Hz stimulation after the last train. Currents were recorded using PatchMaster software with Heka EPC10 (HEKA Electronics, Lambrecht, Germany). Only cells with inward current amplitudes at  $-20$  mV between 400 pA and 4 nA were accepted. In addition, cells having leak currents greater than 10% of their current amplitudes were discarded.

#### Data Analysis: Internal Block

[0264] The data was plotted using the Patchmaster software (HEKA Electronics, Lambrecht, Germany) and analyzed by plotting the minimum current during the voltage step to  $-20$  mV (peak inward current) as a function of time. In order to determine the degree of rundown over the course of an experiment, the average peak inward current amplitude (2-3 points) before 5 Hz stimulation was designated as the baseline (I.sub.baseline). The average peak inward current during the last 2 second of the last 5 Hz train was measured (I.sub.test). The control fraction current remaining was calculated by dividing I.sub.test by I.sub.baseline. On each recording day three cells were tested with control internal solution and the average fraction of current remaining calculated (Ctrl fraction current).

[0265] To determine the % block produced by test compounds applied internally the following was done. The average peak inward current amplitude (2-3 points) before 5 Hz stimulation was designated as 0% block (I.sub.0% block). To correct for the current change under control conditions, I.sub.0% block was multiplied by the average Ctrl fraction current remaining to get the corrected 0% block current. The average peak inward current during the last 2 seconds of the last 5 Hz train was designated as the unblocked current (I.sub.unblocked). The % block was calculated using the following equation:  $(1 - \text{I.sub.unblocked} / (\text{I.sub.0\% block} * \text{Ctrl fraction current remaining})) \times 100$ .

[0266] Representative examples of the invention were tested for intracellular inhibition of Nav 1.7. Activity Range is % inhibition at 1  $\mu$ M test concentration: “++++” (>90%), “+++” 90-70%, “++” (70-30%) or “+” (<30%). The results are presented below:

TABLE-US-00009 Nav1.7 Nav1.7 Nav1.7 Com- Intracellular Com- Intracellular Com-  
Intracellular pound Inhibition pound Inhibition pound Inhibition 1A ++++ 2A ++++ 3A ++ 4A +++  
5A +++ 6A ++++ 7A ++++ 8A ++ 9A ++ 10A ++

#### External Block by Test Compounds

[0267] Once the recording was started, the voltage protocol was run at 30 second intervals for 5 minutes to get a stable baseline. This is followed by 5 Hz stimulation of the same voltage protocol run until the end of experiment. The test compound is added during the 5 Hz stimulation train making sure to wait until the cell shows stable current rundown rate before addition of the compound. The test compound is added for 5 minutes before washing out with normal Ringer's solution. Currents were recorded using PatchMaster software with Heka EPC10 (HEKA Electronics, Lambrecht, Germany). Only cells with inward current amplitudes at  $-20$  mV between 400 pA and 4 nA were accepted. In addition, cells having leak currents greater than 10% of their current amplitudes were discarded.

#### Data Analysis: External Block

[0268] The data was plotted using the Patchmaster software (HEKA Electronics, Lambrecht, Germany) and analyzed by plotting the minimum current during the voltage step to  $-20$  mV (peak inward current) as a function of time. To determine the % block produced by test compounds applied externally the following was done. After the stable current rundown rate was established during the 5 Hz stimulation train, the Rate.sub.rundown was calculated by dividing the change in peak current amplitude by time. The average peak inward current amplitude (2-3 seconds) before addition of compound was used to determine 0% block (I.sub.0% block). To correct for the



rundown,  $I_{sub.0\% \text{ block}}$  is subtracted by the  $(Rate_{sub.rundown} * 5 \text{ min})$  to get the corrected 0% block current. The average peak inward current during the last 2-3 seconds of the 5 minutes of compound application time before washing is the unblocked current ( $I_{sub.unblocked}$ ). The % block was then calculated using the following equation:  $Fraction \text{ current block} = 1 - I_{sub.unblocked} / (I_{sub.0\% \text{ block}} - Rate_{sub.rundown} * 5 \text{ min})$ .

[0269] Representative examples of the invention were tested for extracellular inhibition of Nav1.7. Activity Range is % inhibition: “++++” (>90%), “+++” 90–70%, “++” (70–30%) or “+” (<30%). The results are presented below.

TABLE-US-00010 Compound Test Concentration Nav1.7 Extracellular Inhibition 2A 10  $\mu$ M + 3A 10  $\mu$ M ++ 5A 30  $\mu$ M ++ 6A 10  $\mu$ M ++ 8A 30  $\mu$ M ++

#### Example 3—Membrane Permeability

[0270] The PAMPA assay (pION, Inc., Woburn MA) was used to determine the ability of compounds of the invention to cross an artificial lipid membrane by passive diffusion. Test compounds were dissolved in DMSO (10 mM) and diluted 200-fold in buffer (pION Inc., pH 7.4) to provide 50  $\mu$ M stock solutions. Buffer (150  $\mu$ L) was added to a UV blank plate and stock solutions (150  $\mu$ L) were transferred to a UV reference plate. The blank and reference spectrum were read using a spectrophotometer. Stock solutions (200  $\mu$ L) were added to the donor plate of the PAMPA sandwich plate and an accept plate painted with GIT lipid (pION Inc, 5  $\mu$ L) was placed on top. Buffer (200  $\mu$ L) was added to the acceptor plate and the PAMPA sandwich plate was incubated for 4 hours. Aliquots (150  $\mu$ L) from the acceptor plate were added to a UV plate and read as acceptor spectrum. Aliquots (150  $\mu$ L) of the donor solutions were added to a UV analysis plate and read as donor spectrum. The permeability coefficient of test compounds was calculated using PAMPA Explorer™ software (version 3.5.0.4) based on the AUC of the reference plate, the donor plate, and the acceptor plate.

[0271] The PAMPA permeability results ( $10^{sup.-6}$  cm/s) of representative compounds are reported as “+” (<0.1  $10^{sup.-6}$  cm/s), “++” (0.1–2.0  $10^{sup.-6}$  cm/s), “+++” (2.0–10.0  $10^{sup.-6}$  cm/s) or “++++” (>10.0  $10^{sup.-6}$  cm/s).

TABLE-US-00011 Com- PAMPA Com- PAMPA Com- PAMPA pound ( $10^{sup.-6}$  cm/s) pound ( $10^{sup.-6}$  cm/s) pound ( $10^{sup.-6}$  cm/s) 2A + 3A + 4A + 5A + 6A + 7A + 8A + 9A +



[0272] The patent and scientific literature referred to herein establishes the knowledge that is available to those with skill in the art. All United States patents and published or unpublished United States patent applications cited herein are incorporated by reference. All published foreign patents and patent applications cited herein are hereby incorporated by reference. All other published references, documents, manuscripts and scientific literature cited herein are hereby incorporated by reference.

[0273] While this invention has been particularly shown and described with references to preferred embodiments thereof, it will be understood by those skilled in the art that various changes in form and details may be made therein without departing from the scope of the invention encompassed by the appended claims. It will also be understood that none of the embodiments described herein are mutually exclusive and may be combined in various ways without departing from the scope of the invention encompassed by the appended claims.

## Claims

1. A compound represented by Formula (I) ##STR01553## wherein:  $Y^{sup.-}$  is a pharmaceutically acceptable anion; n is 1, 2, 3, or 4;  $R^{sup.A}$ ,  $R^{sup.B}$ , and  $R^{sup.C}$  are each independently selected from H, D, halogen, substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, substituted or unsubstituted aryl, substituted or unsubstituted heteroaryl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl, OR<sup>sup.I</sup>, CN, NR<sup>sup.JR</sup>, NR<sup>sup.LC</sup>(O)R<sup>sup.M</sup>, S(O)R<sup>sup.N</sup>, S(O).sub.2R<sup>sup.N</sup>,

SO.sub.2R.sup.OR.sup.P, SO.sub.2NR.sup.QR.sup.R, SO.sub.3R.sup.S, CO.sub.2R.sup.T; C(O)R.sup.U, and C(O)NR.sup.VR.sup.W; each of R.sup.I, R.sup.J, R.sup.K, R.sup.L, R.sup.M, R.sup.N, R.sup.O, R.sup.P, R.sup.Q, R.sup.R, R.sup.S, R.sup.T, R.sup.U, R.sup.V, and R.sup.W is independently selected from H, D, substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, substituted or unsubstituted aryl, substituted or unsubstituted heteroaryl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl; or R.sup.J and R.sup.K or R.sup.V and R.sup.W or R.sup.Q and R.sup.R can also be taken together with the nitrogen to which they are attached to form a substituted or unsubstituted 5, 6, 7, or 8 membered ring; R.sup.A, R.sup.B, and/or R.sup.C can be taken together with the phenyl ring to which they are attached can form a fused bicyclic or tricyclic ring system; X.sup.1 is selected from —CR.sup.XR.sup.Y—, —NR.sup.ZC(O)—, —OC(O)—, —SC(O)—, —C(O)NR.sup.1A—, —C(O)O—, —C(O)—, —(O)CS—, —NR.sup.1AS(O)—, —S(O)NR.sup.1A—, —NR.sup.1AC(O)NR.sup.1A—, —S(O)—, —S(O).sub.2— and —NR.sup.ZC(O)CR.sup.XR.sup.Y—; each of R.sup.X, R.sup.Y, R.sup.Z, and R.sup.1A is independently selected from H, D, substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, and substituted or unsubstituted heteroalkyl; each of R.sup.D and R.sup.E is independently selected from H, D, substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, substituted or unsubstituted heteroalkyl, and substituted or unsubstituted cycloalkyl; or R.sup.D and R.sup.E together with the carbon to which they are attached form a substituted or unsubstituted C.sub.3-C.sub.6 cycloalkyl, substituted or unsubstituted heterocyclic, or substituted or unsubstituted heteroalkyl ring; or R.sup.D and R.sup.Z together with the carbon and the —N—C(O)— to which they are attached form an optionally substituted 5-8-membered lactam; R.sup.H is a substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl, substituted or unsubstituted alkynyl, substituted or unsubstituted aryl, substituted or unsubstituted heteroaryl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl; and R.sup.1B is a substituted or unsubstituted aryl or substituted or unsubstituted heteroaryl, preferably phenyl.

2. The compound of claim 1, wherein R.sup.H is substituted or unsubstituted alkylcarboxylate or substituted or unsubstituted alkylcarboxamide.
3. The compound of claim 1, wherein R.sup.H can be a substituted or unsubstituted aralkyl or heteroarylalkyl.
4. The compound of claim 1, wherein Y.sup.— is bromide, chloride, or iodide.
5. The compound of claim 1, wherein X.sup.1 is NHC(O)—.
6. The compound of claim 3, wherein R.sup.H is selected from a C.sub.6-10 aralkyl or a C.sub.5-10 heteroarylalkyl, each optionally substituted with C.sub.1-6 alkane, C.sub.3-C.sub.6 cycloalkyl, heterocyclyl, phenyl, substituted phenyl, heteroaryl, substituted heteroaryl, hydroxyl, amide, ester, sulfonamide, urea, nitrile, or halogen.
7. The compound of claim 1, wherein R.sup.H is a substituted or unsubstituted alkyl.
8. The compound of claim 1, wherein each of R.sup.A and R.sup.B is independently selected from H, halogen, and C.sub.1-4 alkyl, and R.sup.C is H.
9. The compound of claim 1, wherein each of R.sup.A and R.sup.B is CH.sub.3, and R.sup.C is selected from the group consisting of H, CH.sub.3, halogen, nitrile, methoxy, and ethoxy.
10. The compound of claim 1, wherein R.sup.1B is phenyl.
11. The compound of claim 1, wherein R.sup.D and R.sup.E are both hydrogen.
12. The compound of claim 1, wherein R.sup.D is hydrogen and R.sup.E is an alkyl.
13. The compound of claim 1, wherein n is 1.
14. The compound of claim 1, wherein n is 2.
15. The compound of claim 1, wherein n is 3.
16. The compound of claim 1, wherein the compound is selected from the following: TABLE-US-00012 Compound Structure 1A  2A  3A

**17.** A pharmaceutical composition comprising the compound of claim 1 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable excipient.

**18.** The composition of claim 17, wherein said composition is formulated for oral, intravenous, intramuscular, rectal, cutaneous, subcutaneous, topical, transdermal, sublingual, nasal, inhalation, vaginal, intrathecal, epidural, or ocular administration.

**19.** A method for treating pain, cough, itch, or a neurogenic inflammatory disorder in a patient, comprising administering to said patient an effective amount of the compound of claim 1.

**20.** The method of claim 19, wherein said pain is selected from the group consisting of pain due to back and neck pain, lower back pain, cancer pain, gynecological and labor pain, fibromyalgia, arthritis, rheumatoid arthritis, osteoarthritis, rheumatological pains, orthopedic pains, acute and post herpetic neuralgia and other neuropathic pains (including peripheral neuropathy), sickle cell crises, vulvodynia, peri-anal pain, irritable bowel disease, irritable bowel syndrome, inflammatory bowel disease, oral mucositis, esophagitis, interstitial cystitis, urethritis and other urological pains, dental pain, headaches, trigeminal trophic syndrome, erythromelalgia, abdominal wall pain, chronic abdominal wall pain, allergic rhinitis, muscle pain, rectal pain, Levator ani syndrome, proctalgia fugax, hemorrhoid pain, stomach pain, skin ulcers, stomach ulcers, burn pain, ophthalmic irritation, conjunctivitis (e.g., allergic conjunctivitis), eye redness, dry eye, dry eye syndrome (chronic ocular pain), complex regional pain syndrome, post-surgical ocular pain, postoperative pain, acute postoperative pain, and procedural pain (i.e., pain associated with injections, draining an abscess, surgery, dental procedures, ophthalmic procedures, arthroscopies and use of other medical instrumentation, cosmetic surgical procedures, dermatological procedures, setting fractures, biopsies, and the like).

**21.** The method of claim 20, wherein said cough is selected from the group consisting of cough in patients with asthma, COPD, asthma-COPD overlap syndrome (ACOS), interstitial pulmonary fibrosis (IPF), idiopathic pulmonary fibrosis, post viral cough, post-infection cough, chronic idiopathic cough and lung cancer.

**22.** The method of claim 20, wherein said itch is selected from the group consisting of itch due to pruritus, brachioradial pruritus, chronic idiopathic pruritus, genital/anal pruritus, notalgia paresthetica, scalp pruritus, allergic dermatitis, contact dermatitis, atopic dermatitis, hand eczema, poison ivy, infections, parasites, insect bites, pregnancy, metabolic disorders, liver or renal failure, drug reactions, allergic reactions, eczema, genital and anal itch, hemorrhoid itch, and cancer.

**23.** The method of claim 20, wherein said neurogenic inflammatory disorder is selected from the group consisting of allergic inflammation, asthma, chronic cough, conjunctivitis, rhinitis, psoriasis, inflammatory bowel disease, interstitial cystitis, arthritis, colitis, contact dermatitis, diabetes, eczema, cystitis, gastritis, migraine headache, rosacea, sunburn, pancreatitis, chronic rhinosinusitis, traumatic brain injury, polymicrobial sepsis, tendinopathies, chronic urticaria, rheumatic disease, acute lung injury, exposure to irritants, inhalation of irritants, pollutants, chemical warfare agents, and atopic dermatitis.

**24.** The method of claim 20, wherein a compound represented by Formula (I) is used in combination with one or more exogenous large pore receptor agonists.

---