



US012390255B2

(12) **United States Patent**
Prandi et al.

(10) **Patent No.:** **US 12,390,255 B2**

(45) **Date of Patent:** ***Aug. 19, 2025**

(54) **RESORPTIVE INTRAMEDULLARY
IMPLANT BETWEEN TWO BONES OR TWO
BONE FRAGMENTS**

(71) Applicant: **Stryker European Operations
Holdings LLC**, Portage, MI (US)

(72) Inventors: **Bernard Prandi**, Rennes (FR); **Marc
Augoyard**, Tassin la Demi Lune (FR);
Thomas Ledermann, Eschenbach
(CH); **Tristan Meusnier**, Saint-Etienne
(FR); **Jacques Peyrot**, Tassin la Demi
Lune (FR); **Judith Fellmann**, Stafa
(CH)

(73) Assignee: **Stryker European Operations
Holdings LLC**, Portage, MI (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **19/023,819**

(22) Filed: **Jan. 16, 2025**

(65) **Prior Publication Data**

US 2025/0152218 A1 May 15, 2025

Related U.S. Application Data

(60) Continuation of application No. 18/770,767, filed on
Jul. 12, 2024, which is a continuation of application
(Continued)

(30) **Foreign Application Priority Data**

Sep. 9, 2008 (FR) 0856035

(51) **Int. Cl.**
A61B 17/72 (2006.01)
A61B 17/16 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **A61B 17/8605** (2013.01); **A61B 17/1655**
(2013.01); **A61B 17/68** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC . A61B 17/8605; A61B 17/68; A61B 17/7233;
A61B 17/7225; A61B 17/7283; A61F
2/4225; A61F 2/4241
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

321,389 A 6/1885 Schirmer
1,095,054 A 4/1914 Wiesenfeld
(Continued)

FOREIGN PATENT DOCUMENTS

CA 2551021 A1 3/2005
CA 2243699 C 1/2006
(Continued)

OTHER PUBLICATIONS

Collins English Dictionary Excerpt (Jun. 2007), 6 pages. [Exhibit
No. 2001 to Patent Owner's Preliminary Response, IPR2022-00486
of U.S. Pat. No. 9,168,074 filed May 16, 2022].

(Continued)


Primary Examiner — Ellen C Hammond

(74) *Attorney, Agent, or Firm* — Lerner David LLP

(57) **ABSTRACT**

The invention relates to a resorptive intramedullary implant
between two bones or two bone fragments. The implant
includes a single-piece body (1) having a generally elongate
shape and having, at each end, areas for anchoring to the
bone portions in question, characterized in that one of said
areas (A1) has a cylindrical cross-section while the other
area (A2) has a flat cross-section.

19 Claims, 4 Drawing Sheets



Related U.S. Application Data

No. 16/506,353, filed on Jul. 9, 2019, now Pat. No. 12,059,186, which is a continuation of application No. 14/858,855, filed on Sep. 18, 2015, now Pat. No. 10,383,671, which is a division of application No. 13/795,946, filed on Mar. 12, 2013, now Pat. No. 9,168,074, which is a continuation of application No. 12/918,105, filed as application No. PCT/FR2009/051658 on Sep. 2, 2009, now Pat. No. 8,414,583.

(51) Int. Cl.

A61B 17/68 (2006.01)
A61B 17/86 (2006.01)
A61B 17/88 (2006.01)
A61F 2/42 (2006.01)
A61B 17/00 (2006.01)
A61F 2/30 (2006.01)

(52) U.S. Cl.

CPC *A61B 17/233* (2013.01); *A61B 17/88* (2013.01); *A61F 2/4225* (2013.01); *A61F 2/4241* (2013.01); *A61B 2017/00862* (2013.01); *A61B 2017/681* (2013.01); *A61B 17/7208* (2013.01); *A61B 17/7225* (2013.01); *A61B 17/7266* (2013.01); *A61B 17/7283* (2013.01); *A61B 2017/8655* (2013.01); *A61F 2002/30062* (2013.01); *A61F 2002/30563* (2013.01); *A61F 2002/30622* (2013.01); *A61F 2002/3085* (2013.01); *A61F 2002/30878* (2013.01); *A61F 2210/0004* (2013.01)

(56)**References Cited****U.S. PATENT DOCUMENTS**

1,517,334 A 12/1924 Young
 1,893,864 A 1/1933 Kocher
 2,128,005 A 8/1938 Lombard
 2,208,848 A 7/1940 Jorgensen
 2,531,911 A 11/1950 Johnson
 2,580,821 A 1/1952 Nicola
 2,984,248 A 5/1961 Sidelman
 3,338,689 A 8/1967 Hetzel et al.
 3,462,765 A 8/1969 Swanson
 3,466,669 A 9/1969 Flatt
 3,593,342 A 7/1971 Niebauer et al.
 3,646,654 A 3/1972 Cervenka et al.
 3,681,786 A 8/1972 Lynch
 3,739,403 A 6/1973 Nicolle
 3,805,302 A 4/1974 Mathys
 3,824,631 A 7/1974 Burstein et al.
 3,875,594 A 4/1975 Swanson
 D243,716 S 3/1977 Treace et al.
 4,091,806 A 5/1978 Aginsky
 4,158,893 A 6/1979 Swanson
 4,204,284 A 5/1980 Koeneman
 4,237,875 A 12/1980 Termanini
 4,276,660 A 7/1981 Laure
 4,364,382 A 12/1982 Mennen
 4,367,562 A 1/1983 Gauthier et al.
 4,485,816 A 12/1984 Krumme
 D277,509 S 2/1985 Lawrence et al.
 D277,784 S 2/1985 Sgarlato et al.
 4,522,200 A 6/1985 Stednitz
 D284,099 S 6/1986 Laporta et al.
 4,634,382 A 1/1987 Kusano et al.
 D291,731 S 9/1987 Aikins
 4,759,768 A 7/1988 Hermann et al.
 4,871,367 A 10/1989 Christensen et al.
 4,905,679 A 3/1990 Morgan
 4,955,916 A 9/1990 Carignan et al.
 4,969,909 A 11/1990 Barouk
 5,011,497 A 4/1991 Persson et al.

5,047,059 A 9/1991 Saffar
 5,062,851 A 11/1991 Branemark
 5,074,865 A 12/1991 Fahmy
 5,092,896 A 3/1992 Meuli et al.
 5,108,443 A 4/1992 Branemark
 5,133,761 A 7/1992 Krouskop
 5,179,915 A 1/1993 Cohen et al.
 5,190,546 A 3/1993 Jervis
 5,207,712 A 5/1993 Cohen
 5,326,364 A 7/1994 Clift, Jr. et al.
 5,360,450 A 11/1994 Giannini
 5,382,251 A 1/1995 Hood et al.
 5,405,400 A 4/1995 Linscheid et al.
 5,405,401 A 4/1995 Lippincott, III et al.
 5,417,692 A 5/1995 Goble et al.
 5,425,776 A 6/1995 Cohen
 5,425,777 A 6/1995 Sarkisian et al.
 5,454,814 A 10/1995 Comte
 5,464,427 A 11/1995 Curtis et al.
 5,474,557 A 12/1995 Mai
 D366,114 S 1/1996 Ohata
 5,480,447 A 1/1996 Skiba
 5,484,443 A 1/1996 Pascarella et al.
 D369,412 S 4/1996 Morgan
 5,507,822 A 4/1996 Bouchon et al.
 5,522,903 A 6/1996 Sokolow et al.
 5,554,157 A 9/1996 Errico et al.
 5,578,036 A 11/1996 Stone et al.
 5,634,925 A 6/1997 Urbanski
 5,674,297 A 10/1997 Lane et al.
 5,690,631 A 11/1997 Duncan et al.
 5,702,472 A 12/1997 Huebner
 D388,877 S 1/1998 Morgan
 5,725,585 A 3/1998 Zobel
 5,779,707 A 7/1998 Bertholet et al.
 5,782,927 A 7/1998 Klawitter et al.
 5,824,095 A 10/1998 Di Maio, Jr. et al.
 5,876,434 A 3/1999 Flomenblit et al.
 5,881,443 A 3/1999 Roberts et al.
 5,882,444 A 3/1999 Flomenblit et al.
 5,919,193 A 7/1999 Slavitt
 5,951,288 A 9/1999 Sawa
 5,958,159 A 9/1999 Prandi
 5,984,970 A 11/1999 Bramlet
 5,984,971 A 11/1999 Faccioli et al.
 6,011,497 A 1/2000 Tsang et al.
 6,017,366 A 1/2000 Berman
 6,093,188 A 7/2000 Murray
 6,123,709 A 9/2000 Jones
 6,146,387 A 11/2000 Trott et al.
 6,162,234 A 12/2000 Freedland et al.
 6,187,008 B1 2/2001 Hamman
 6,193,757 B1 2/2001 Foley et al.
 6,197,037 B1 3/2001 Hair
 6,200,330 B1 3/2001 Benderev et al.
 6,248,109 B1 6/2001 Stoffella
 6,261,289 B1 7/2001 Levy
 6,319,284 B1 11/2001 Rushdy et al.
 6,325,805 B1 12/2001 Ogilvie et al.
 6,342,076 B1 1/2002 Lundborg
 6,348,052 B1 2/2002 Sammarco
 6,352,560 B1 3/2002 Poeschmann et al.
 6,383,223 B1 5/2002 Baehler et al.
 6,386,877 B1 5/2002 Sutter
 6,395,031 B1 5/2002 Foley et al.
 6,413,260 B1 7/2002 Berrevoets et al.
 6,423,097 B2 7/2002 Rauscher
 6,428,634 B1 8/2002 Besselink et al.
 6,454,808 B1 9/2002 Masada
 6,458,134 B1 10/2002 Songer et al.
 6,475,242 B1 11/2002 Bramlet
 6,517,543 B1 2/2003 Berrevoets et al.
 6,554,833 B2 4/2003 Levy et al.
 6,689,169 B2 2/2004 Harris
 6,692,499 B2 2/2004 Tormala et al.
 6,699,247 B2 3/2004 Zucherman et al.
 6,699,292 B2 3/2004 Ogilvie et al.
 6,706,045 B2 3/2004 Lin et al.
 6,736,818 B2 5/2004 Perren et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,773,437 B2	8/2004	Ogilvie et al.	9,135,374 B2	9/2015	Jones et al.
6,811,568 B2	11/2004	Minamikawa	9,161,789 B2	10/2015	Peyrot et al.
6,827,741 B2	12/2004	Reeder	9,168,074 B2	10/2015	Prandi et al.
6,833,006 B2	12/2004	Foley et al.	9,180,010 B2	11/2015	Dong et al.
6,869,449 B2	3/2005	Ball et al.	9,282,977 B2	3/2016	Penzimer et al.
6,896,177 B2	5/2005	Carter	9,283,007 B2	3/2016	Augoyard et al.
6,981,974 B2	1/2006	Berger	9,403,213 B2	8/2016	Lapszynski
7,025,789 B2	4/2006	Chow et al.	9,452,002 B2	9/2016	Roman et al.
7,037,342 B2	5/2006	Nilsson et al.	9,492,215 B2	11/2016	Augoyard et al.
7,041,106 B1	5/2006	Carver et al.	9,498,266 B2	11/2016	McCormick et al.
7,044,953 B2	5/2006	Capanni	9,498,273 B2	11/2016	Thoren et al.
7,052,498 B2	5/2006	Levy et al.	9,554,914 B2	1/2017	Taylor et al.
7,182,787 B2	2/2007	Hassler et al.	9,724,140 B2	8/2017	McCormick
7,240,677 B2	7/2007	Fox	9,757,168 B2	9/2017	Seavey et al.
7,291,175 B1	11/2007	Gordon	9,775,630 B2	10/2017	Leavitt et al.
7,537,664 B2	5/2009	O'Neill et al.	10,022,167 B2	7/2018	Augoyard et al.
7,588,603 B2	9/2009	Leonard	10,111,690 B2	10/2018	Anderson et al.
7,600,956 B2	10/2009	McDuff et al.	2001/0025199 A1	9/2001	Rauscher
7,601,152 B2	10/2009	Levy et al.	2001/0049529 A1	12/2001	Cachia et al.
7,655,042 B2	2/2010	Foley et al.	2002/0019636 A1	2/2002	Ogilvie et al.
7,670,339 B2	3/2010	Levy et al.	2002/0055785 A1	5/2002	Harris
7,674,426 B2	3/2010	Grohowski, Jr.	2002/0065561 A1	5/2002	Ogilvie et al.
7,780,737 B2	8/2010	Bonnard et al.	2002/0068939 A1	6/2002	Levy et al.
7,794,483 B2	9/2010	Capanni	2002/0082705 A1	6/2002	Bouman et al.
7,837,738 B2	11/2010	Reigstad et al.	2002/0099395 A1	7/2002	Acampora et al.
7,842,091 B2	11/2010	Johnstone et al.	2002/0133156 A1	9/2002	Cole
7,909,880 B1	3/2011	Grant	2002/0169066 A1	11/2002	Cassidy et al.
7,918,879 B2	4/2011	Yeung et al.	2002/0189622 A1	12/2002	Cauthen et al.
7,922,765 B2	4/2011	Reiley	2003/0040805 A1	2/2003	Minamikawa
7,955,388 B2	6/2011	Jensen et al.	2003/0069645 A1	4/2003	Ball et al.
7,976,580 B2	7/2011	Berger	2003/0120277 A1	6/2003	Berger
7,993,403 B2	8/2011	Foley et al.	2003/0130660 A1	7/2003	Levy et al.
8,048,173 B2	11/2011	Ochoa	2004/0002759 A1	1/2004	Ferree
8,100,983 B2	1/2012	Schulte	2004/0093081 A1	5/2004	Nilsson et al.
8,162,942 B2	4/2012	Coati et al.	2004/0102853 A1	5/2004	Boumann et al.
8,202,305 B2	6/2012	Reiley	2004/0138756 A1	7/2004	Reeder
8,262,712 B2	9/2012	Coilard-Lavirotte et al.	2004/0172031 A1	9/2004	Rubecamp et al.
8,308,779 B2	11/2012	Reiley	2004/0220574 A1	11/2004	Pelo et al.
8,388,667 B2	3/2013	Reiley et al.	2004/0220678 A1	11/2004	Chow et al.
8,394,097 B2	3/2013	Peyrot et al.	2004/0230193 A1	11/2004	Cheung et al.
8,414,583 B2	4/2013	Prandi et al.	2005/0065589 A1	3/2005	Schneider et al.
8,414,648 B2	4/2013	Reiley	2005/0119757 A1	6/2005	Hassler et al.
8,425,570 B2	4/2013	Reiley	2005/0124990 A1	6/2005	Teague et al.
8,444,693 B2	5/2013	Reiley	2005/0216015 A1	9/2005	Kreidler
8,470,004 B2	6/2013	Reiley	2005/0251265 A1	11/2005	Calandrucchio et al.
8,475,456 B2	7/2013	Augoyard et al.	2005/0261768 A1	11/2005	Trieu
8,529,611 B2	9/2013	Champagne et al.	2005/0283159 A1	12/2005	Amara
8,597,337 B2	12/2013	Champagne	2006/0015181 A1	1/2006	Elberg
8,608,785 B2	12/2013	Reed et al.	2006/0036322 A1	2/2006	Reiley
8,685,024 B2	4/2014	Roman	2006/0052725 A1	3/2006	Santilli
8,715,325 B2	5/2014	Weiner et al.	2006/0052878 A1	3/2006	Schmieding
8,728,387 B2	5/2014	Jones et al.	2006/0074492 A1	4/2006	Frey
8,734,462 B2	5/2014	Reiley et al.	2006/0084998 A1	4/2006	Levy et al.
8,734,491 B2	5/2014	Seavey	2006/0085075 A1	4/2006	McLeer
8,834,483 B2	9/2014	Cheney et al.	2006/0147332 A1	7/2006	Jones et al.
8,834,572 B2	9/2014	Averous et al.	2006/0247787 A1	11/2006	Rydell et al.
8,840,623 B2	9/2014	Reiley	2007/0038303 A1	2/2007	Myerson et al.
8,840,651 B2	9/2014	Reiley	2007/0123993 A1	5/2007	Hassler et al.
8,858,601 B2	10/2014	Reiley	2007/0142920 A1	6/2007	Niemi
8,864,804 B2	10/2014	Champagne et al.	2007/0156241 A1	7/2007	Reiley et al.
8,920,477 B2	12/2014	Reiley	2007/0162018 A1	7/2007	Jensen et al.
8,986,348 B2	3/2015	Reiley	2007/0166122 A1	7/2007	McDuff et al.
8,992,703 B2	3/2015	O'Neill et al.	2007/0185584 A1	8/2007	Kaufmann et al.
8,998,999 B2	4/2015	Lewis et al.	2007/0198088 A1	8/2007	Biedermann et al.
9,011,504 B2	4/2015	Reed	2007/0213831 A1	9/2007	de Cubber
9,039,743 B2	5/2015	Reiley	2007/0233110 A1	10/2007	Muhanna et al.
9,044,287 B2	6/2015	Reed et al.	2007/0239158 A1	10/2007	Trieu et al.
9,056,014 B2	6/2015	McCormick et al.	2008/0039949 A1	2/2008	Meesenburg et al.
9,072,562 B2	7/2015	Weiner et al.	2008/0132894 A1	6/2008	Coilard-Lavirotte et al.
9,072,564 B2	7/2015	Reed et al.	2008/0154385 A1	6/2008	Trail et al.
9,089,427 B2	7/2015	Grohowski, Jr.	2008/0177262 A1	7/2008	Augoyard et al.
9,089,431 B2	7/2015	Grohowski, Jr.	2008/0177291 A1	7/2008	Jensen et al.
D738,504 S	9/2015	Weiner et al.	2008/0195219 A1	8/2008	Wiley et al.
9,125,698 B2	9/2015	Miller	2008/0221697 A1	9/2008	Graser
9,125,704 B2	9/2015	Reed et al.	2008/0221698 A1	9/2008	Berger
			2008/0234763 A1	9/2008	Patterson et al.
			2008/0269908 A1	10/2008	Warburton
			2009/0005821 A1	1/2009	Chirico et al.
			2009/0012564 A1	1/2009	Chirico et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2009/0018556	A1	1/2009	Prandi	
2009/0138096	A1	5/2009	Myerson et al.	
2009/0254189	A1	10/2009	Scheker	
2009/0254190	A1	10/2009	Gannoe et al.	
2010/0010637	A1	1/2010	Pequignot	
2010/0016905	A1	1/2010	Greenhalgh et al.	
2010/0016982	A1	1/2010	Solomons	
2010/0057214	A1	3/2010	Graham et al.	
2010/0121390	A1	5/2010	Kleinman	
2010/0131014	A1	5/2010	Peyrot	
2010/0131072	A1	5/2010	Schulte	
2010/0161068	A1	6/2010	Lindner et al.	
2010/0185295	A1	7/2010	Emmanuel	
2010/0228301	A1	9/2010	Greenhalgh et al.	
2010/0249942	A1	9/2010	Goswami et al.	
2010/0256731	A1	10/2010	Mangiardi	
2010/0256770	A1	10/2010	Hakansson et al.	
2010/0262254	A1	10/2010	Lawrence et al.	
2011/0004317	A1	1/2011	Hacking et al.	
2011/0093084	A1	4/2011	Morton	
2011/0093085	A1	4/2011	Morton	
2011/0118739	A1	5/2011	Tyber et al.	
2011/0144644	A1	6/2011	Prandi et al.	
2011/0208304	A1	8/2011	Justin et al.	
2011/0301652	A1	12/2011	Reed et al.	
2011/0301653	A1	12/2011	Reed et al.	
2011/0318138	A1 *	12/2011	Anderson	F16B 21/02 24/456
2012/0029579	A1	2/2012	Bottlang et al.	
2012/0065692	A1	3/2012	Champagne et al.	
2012/0083791	A1	4/2012	Cheney et al.	
2012/0089197	A1	4/2012	Anderson	
2012/0197311	A1	8/2012	Kirschman	
2012/0259419	A1	10/2012	Brown et al.	
2013/0053975	A1	2/2013	Reed et al.	
2013/0060295	A1	3/2013	Reed et al.	
2013/0066435	A1	3/2013	Averous et al.	
2013/0123862	A1	5/2013	Anderson et al.	
2013/0131822	A1	5/2013	Lewis et al.	
2013/0150965	A1	6/2013	Taylor et al.	
2013/0190761	A1	7/2013	Prandi et al.	
2013/0190831	A1	7/2013	Ek et al.	
2013/0231744	A1	9/2013	Taylor et al.	
2013/0317559	A1	11/2013	Leavitt et al.	
2013/0325077	A1	12/2013	Champagne et al.	
2014/0005219	A1	1/2014	Foster et al.	
2014/0039630	A1	2/2014	Peyrot et al.	
2014/0058462	A1	2/2014	Reed et al.	
2014/0107712	A1	4/2014	Fallin et al.	
2014/0142715	A1	5/2014	McCormick	
2014/0180428	A1	6/2014	McCormick	
2014/0188239	A1	7/2014	Cummings	
2014/0257509	A1	9/2014	Dacosta et al.	
2014/0276827	A1	9/2014	Roman et al.	
2014/0277554	A1	9/2014	Roman et al.	
2014/0309747	A1	10/2014	Taylor et al.	
2014/0316474	A1	10/2014	Graham	
2014/0343615	A1	11/2014	Cheney et al.	
2015/0011998	A1	1/2015	McCormick et al.	
2015/0066097	A1	3/2015	Biedermann	
2015/0073413	A1	3/2015	Palmer et al.	
2015/0094778	A1	4/2015	McCormick et al.	
2015/0112341	A1	4/2015	Penzimer et al.	
2015/0112342	A1	4/2015	Penzimer et al.	
2015/0112446	A1	4/2015	Melamed et al.	
2015/0150607	A1	6/2015	Chen et al.	
2015/0164563	A1	6/2015	Lewis et al.	
2015/0223848	A1	8/2015	McCormick	
2015/0223849	A1	8/2015	McCormick et al.	
2015/0223850	A1	8/2015	Reed	
2015/0223853	A1	8/2015	Appenzeller et al.	
2015/0342655	A1	12/2015	Reed et al.	
2016/0058484	A1	3/2016	McCombs-Stearnes et al.	
2016/0338751	A1	11/2016	Kellar et al.	
2017/0065310	A1	3/2017	Girod et al.	

2017/0239059	A1	8/2017	Boublil et al.
2017/0252084	A1	9/2017	Anderson et al.
2017/0333081	A1	11/2017	Cordier et al.
2018/0021145	A1	1/2018	Seavey et al.
2018/0161170	A1	6/2018	Petranto

FOREIGN PATENT DOCUMENTS

CA	2836654	A1	6/2014
CA	2837497	A1	6/2014
EP	0042808	A1	12/1981
EP	0340159	A1	11/1989
EP	0420794	A1	4/1991
EP	0454645	A1	10/1991
EP	1300122	A2	4/2003
EP	1356794	A3	11/2003
EP	1582159	A1	10/2005
EP	1923012	A1	5/2008
EP	2228015	A3	3/2011
EP	2471477	A1	7/2012
EP	2471478	A1	7/2012
EP	2544633	A1	1/2013
EP	2749236	A3	10/2014
FR	2663838	A1	1/1992
FR	2725126	A1	4/1996
FR	2783702	A1	3/2000
FR	2787313	A1	6/2000
FR	2794019	A1	12/2000
FR	2801189	A1	5/2001
FR	2846545	A1	5/2004
FR	2856269	A1	12/2004
FR	2884406		10/2006
FR	2927529	A1	8/2009
FR	2935601	A1	3/2010
FR	2957244	A1	9/2011
GB	2119655	A	11/1983
GB	2430625	B	4/2007
JP	S60145133	A	7/1985
JP	03001854	A	8/1991
JP	H7303662	A	11/1995
JP	2004535249	A	11/2004
JP	3648687	B2	5/2005
JP	2007530194	A	11/2007
JP	2008188411	A	8/2008
JP	2008537696	A	9/2008
JP	4695511	B2	6/2011
JP	5631597	B2	11/2014
JP	5645826	B2	12/2014
KR	20070004513	A	1/2007
KR	20070022256	A	2/2007
KR	101004561	B1	1/2011
KR	101235983	B1	2/2013
WO	9116014	A1	10/1991
WO	9625129	A1	8/1996
WO	9641596	A1	12/1996
WO	9726846	A1	7/1997
WO	9733537	A1	9/1997
WO	0117445	A1	3/2001
WO	03084416	A1	10/2003
WO	2005020830	A1	3/2005
WO	2005020831	A2	3/2005
WO	2005063149	A1	7/2005
WO	2005104961	A1	11/2005
WO	2006109004	A1	10/2006
WO	2007135322	A1	11/2007
WO	2008057404	A2	5/2008
WO	2008112308	A1	9/2008
WO	2008129214	A2	10/2008
WO	2009055952	A1	5/2009
WO	2009103085	A1	8/2009
WO	2010029246	A1	3/2010
WO	2011082343	A1	7/2011
WO	2011110784	A1	9/2011
WO	2011116078	A1	9/2011
WO	2011130229	A1	10/2011
WO	2012089330	A1	7/2012
WO	2012089331	A1	7/2012
WO	2013164819	A1	11/2013

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	2014031947	A1	2/2014
WO	2014165123	A1	10/2014
WO	2015136212	A1	9/2015

OTHER PUBLICATIONS

Cross section, <<https://byjus.com/maths/cross-section/>> (last visited Jan. 26, 2022). 4 pgs. [Exhibit No. 1009 to Petition for Inter Partes Review of U.S. Pat. No. 9,168,074].

Declaration of Michael Sherman (Jan. 28, 2022). 119 pgs. [Exhibit No. 1002 to Petition for Inter Partes Review of U.S. Pat. No. 9,168,074].

EP Notification for Application No. 09741356.1 dated Feb. 12, 2015, 4 pages.

Excerpt from Tool.com—File and Rasp Tools, (Copyright 2022), 6 pages. [Exhibit No. 2002 to Patent Owner's Preliminary Response, IPR2022-00486 of U.S. Pat. No. 9,168,074 filed May 16, 2022].

HammerFix IP Fusion System, Hammertoe Deformity Surgical Technique, designed by Extremity Medical, published Mar. 31, 2014 (8 pages).

International Search Report for PCT/FR2008/050453 dated Nov. 4, 2008, 4 pages.

International Search Report, PCT/FR2006/050345, dated Aug. 30, 2006, 3 pages.

Intraosseous Fixation System, Hammertoe Surgical Technique, designed by OrthoHelix, published Aug. 23, 2012 (16 pages).

Japanese Office Action for Application No. 2011-526540 dated Aug. 13, 2013, 3 pages.

Jung, H. J. et al., JJ., Decision Denying Institution of Inter Partes Review, IPR2022-00486 of U.S. Pat. No. 9,168,074, *OsteoMed LLC v. Stryker European Operations Holdings LLC*. (Aug. 12, 2022). 42 pages.

Patent Owner's Preliminary Response and Exhibits List, IPR2022-00486 of U.S. Pat. No. 9,168,074, *OsteoMed LLC v. Stryker European Operations Holdings LLC*. (Filed May 16, 2022), 77 pages. [Including Appendices at Exhibits 2003 and 2004].

Petition For Inter Partes Review of U.S. Pat. No. 9,168,074, *OsteoMed LLC v. Stryker European Operations Holdings LLC*. (Jan. 28, 2022). 98 pgs.

Pietrzak WS, et al., "A bioabsorbable fixation implant for use in proximal interphalangeal joint (hammer toe) arthrodesis: Biomechanical testing in a synthetic bone substrate". *J Foot Ankle Surg.* Sep.-Oct. 2006;45(5):288-94. doi: 10.1053/j.jfas.2006.05.004. PMID: 16949524. 7 pgs. [Exhibit No. 1007 to Petition for Inter Partes Review of U.S. Pat. No. 9,168,074].

The American Heritage College Dictionary, Fourth Edition, Houghton Mifflin Company (Apr. 2007). 3 pgs. [Exhibit No. 1008 to Petition for Inter Partes Review of U.S. Pat.No. 9,168,074].

* cited by examiner




Fig. 1




Fig. 3

Fig. 2

Fig. 4




Fig. 5




Fig. 6




Fig. 7

1

RESORPTIVE INTRAMEDULLARY IMPLANT BETWEEN TWO BONES OR TWO BONE FRAGMENTS

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. patent application Ser. No. 18/770,767, filed on Jul. 12, 2024, which is a continuation of U.S. patent application Ser. No. 16/506,353, filed on Jul. 9, 2019, now U.S. Pat. No. 12,059,186, which is a continuation of U.S. patent application Ser. No. 14/858,855, filed Sep. 18, 2015, now U.S. Pat. No. 10,383,671, which is a divisional of U.S. patent application Ser. No. 13/795,946, filed Mar. 12, 2013, now U.S. Pat. No. 9,168,074, which is a continuation of U.S. patent application Ser. No. 12/918,105, filed Oct. 29, 2010, now U.S. Pat. No. 8,414,583, which application is a U.S. national phase entry under 35 U.S.C. § 371 of International Application No. PCT/FR2009/051658, filed Sep. 2, 2009, published as WO 2010/029246, which claims priority from French Patent Application No. 0856035, filed Sep. 9, 2008, whose entire disclosures are herewith incorporated by reference.

FIELD OF THE INVENTION

The invention relates to the technical field of orthopedic implants, particularly for arthrodesis and osteosynthesis.

More particularly, the invention relates to an intramedullary implant for arthrodesis between two bone parts or osteosynthesis between two bone fragments, particularly in the case of the hand or foot.

BACKGROUND OF THE INVENTION

Different solutions have been proposed to achieve these functions.

For example, a solution comes from the teaching of patent application FR 2,884,406 [US 2008/0177262], of which the applicant of the present application is also the applicant. This patent describes an intramedullary osteosynthesis device constituted of an elongated body whose ends constitute anchor zones cooperating with the bone parts to be immobilized. The anchor zones are shaped and made of a material selected to enable insertion into the bone parts, then to ensure an anchor in the bone parts by preventing any rotational movement by resisting traction and by maintaining a compression force.

Another solution also comes from patent application FR 07.02003 [US 2010/0131014], also from the same applicant. This document describes an implant in the form of two anchor zones connected by a central zone and whose general shape is substantially inscribed in a very elongated rectangle of X-shape, so as to form in the anchor zones two legs adapted to move apart by elastic or shape-memory effect.

From this design, different criteria have been established to make the implant easy to place and efficient in order to create a primary and secondary stability for the osteosynthesis or arthrodesis site.

However, these solutions are not adapted for the case of an implant made of resorptive material.

BRIEF SUMMARY OF THE INVENTION

From this state of the art, the object that the invention proposes to attain is further improving the anchor and the

2

stability of the implant as well as its adaptation to the morphology of the implantation site when the implant is made of resorptive material.

To solve such a problem, a resorptive intramedullary implant between two bones or two bone fragments has been designed and developed; it is constituted, in a known manner, of a single-piece body having a general elongated shape with, at each end, zones for anchoring to the bone parts being considered. According to the invention, one of the zones has a cylindrical shape, whereas the other zone is flat.

Advantageously, the implant is made of a resorptive material whose mechanical properties are determined to last the time necessary for the consolidation, so that the implant is resorbed after six months. For example, the implant is composed of lactic acid polymer or copolymer (PLA, PGA . . .).

Considering the specific mechanical characteristics of resorptive materials, and to solve the given problem of improving anchor and stability, the cylindrical cross-section is threaded and tapers in the direction of its free end.

To solve the given problem of enabling a deformation by elasticity, thus causing an expansion adapted to the geometry of the site and to the properties of the material, the flat cross-section zone has, substantially in its median portion, an opening adapted to enable elastic deformation of the zone. The opening defines at least two anchor arms.

It therefore appears that the combination of a cylindrical and threaded anchor zone and a flat-sectioned anchor zone is particularly advantageous considering the problem to be solved.

To solve the given problem of resisting the shear and flexion forces susceptible of occurring in the area of the bone site, between the two anchor zones, the body has a central zone of transition adapted to resist the shear and flexion forces occurring in the area of the bone site and adapted to serve as an abutment.

From this basic design of the implant, the anchor zones are either coaxial or angularly offset by between about 1° and 30° and, advantageously, by 10°. The bend between the anchor zones is located so as to substantially correspond to an arthrodesis line of the bones being considered.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention is explained in more detail hereinafter with reference to the attached drawings, in which:

FIG. 1 is a perspective view of the implant;

FIG. 2 is a front view of the implant before insertion into the bone part in question;

FIG. 3 is a side view corresponding to FIG. 2;

FIG. 4 is a view like FIG. 2 showing the position of the anchor arms of the flat section after insertion;

FIG. 5 is a perspective view of another advantageous embodiment of the implant;

FIGS. 6 and 7 show the installation of the implant into two bone parts.

DETAILED DESCRIPTION

The implant according to the invention has a one-piece body 1 of elongated shape and having a first proximal zone A1 and a second distal zone A2. The entire implant body is made of a resorptive material whose mechanical properties are determined for the implant to be resorbed in no less than about 6 months. In one embodiment, the implant is composed of lactic acid polymer or copolymer (PLA, PGA . . .).

3

As will be described later in the description, the zones A1 and A2 have anchor formations for the respective bone parts. Taking into account the specific characteristics of the resorptive material and to attain the given object of anchor and stability, the zone A1 is of a cylindrical shape section 5 whereas the other zone A2 is flat.

The zone A1 has a generally cylindrical outer surface 1a with a limited taper toward its free end. The surface 1a has a helical rib forming a screwthread 1a1.

The zone A2 is flat and has substantially in its center, an opening 1b adapted to enable elastic deformation of the zone A2. More particularly, the opening 1b defines at least two anchor arms 1c and 1d, each having at least one outwardly projecting tooth 1c1, 1d1.

Advantageously, between the two zones A1 and A2 the body 1 has a central zone C for transition adapted to resist shear and flexion forces that can occur at the end of a bone. By way of nonlimiting example, this median zone C can have a length of about 3.5 mm and a thickness of about 2 mm, for an overall implant length comprised between about 15 and 25 mm and a diameter of about 2 or 3 mm at the zone A1.

In the embodiment shown in FIG. 1, the two zones A1 and A2 are coaxial.

To solve the problem of adaptation to the shape of the implantation site, the anchor zones A1 and A2 can be offset at an angle α adapted to the geometry of the bone site. This angle α is comprised between about 1° and 30° and, advantageously, on the order of 10° when the implant is for foot arthrodesis (FIG. 5).

In this embodiment in which the two anchor zones are angularly offset, the bend is located so as to correspond substantially to the arthrodesis line of the bone parts being fused.

FIGS. 6 and 7 schematically show the positioning of the implant according to the invention between two bone parts O1 and O2. After suitable holes have been made in the bone by a rasp-type tool, the operator screws the thread 1a into the bone part O1 substantially up to the median zone C that serves as abutment preventing the implant from sinking too deeply into the bone (FIG. 6). The operator then fits the second bone part O2 back onto the anchor arms 1d and 1c of the zone A2, the anchor arms then spread and tighten by elasticity (FIG. 7).

The operative technique can be the following:

- Drilling of the two holes with a conventional drill;
- Preparation of the holes with a rasp for the flat side and a bone tap to form the inner screw thread on the cylindrical side;
- Use of a screwdriver with a gripper end;
- Screwing in the cylindrical side P1 [A1] for an arthrodesis IPP of the foot;
- Fitting of the bone back onto the flat side [A2] of the implant.

The advantages are readily apparent from the description; in particular, it is to be emphasized and understood that the combination of the two anchor zones A1 and A2 of cylindrical and a flat shape, respectively, significantly enhances anchor and stability of the implant adapted to the geometry of the bone site and to the material properties, namely, a resorptive material.

The invention claimed is:

1. An intramedullary implant for use between first and second bone parts, the implant being a monolithic body comprising:

- a first threaded end for anchoring to the first bone part; and

4

a second end extending from the first end for anchoring to the second bone part, the second end having:

- a first anchor arm having a first tooth and a spaced apart second tooth, the first and second teeth extending from the first anchor arm in a first direction,
- a second anchor arm having a third tooth extending from the second anchor arm in a second direction, the first and second directions being different, and
- an opening between the first and second anchor arms to permit the first and second anchor arms to move with respect to each other.

2. The intramedullary implant of claim 1, wherein the intramedullary implant is made of resorptive material.

3. The intramedullary implant of claim 1, wherein the intramedullary implant is made of a polymer.

4. The intramedullary implant of claim 1, further comprising a step having a step surface.

5. The intramedullary implant of claim 4, wherein the step is formed between the first and second ends.

6. The intramedullary implant of claim 4, wherein the intramedullary implant includes a longitudinal axis and the step defines a plane substantially perpendicular to the longitudinal axis.

7. The intramedullary implant of claim 1, wherein the first tooth includes a first flat portion, the second tooth includes a second flat portion, and the third tooth includes a third flat portion.

8. The intramedullary implant of claim 7, wherein the first, second and third flat portions are substantially coplanar.

9. The intramedullary implant of claim 7, wherein the first, second, third and fourth flat portions are substantially coplanar.

10. The intramedullary implant of claim 1, wherein the first tooth includes first and second opposing surface portions, the second tooth includes third and fourth opposing surface portions, and the third tooth includes fifth and sixth opposing surface portions.

11. The intramedullary implant of claim 10, wherein each of the first, the third, and the fifth opposing surface portions define a first plane and each of the second, the fourth, and the sixth opposing surface portions define a second plane substantially parallel to the first plane.

12. The intramedullary implant of claim 1, wherein the first and second anchor arms are elastically deformable.

13. The intramedullary implant of claim 1, wherein the first and second ends are offset from each other.

14. An intramedullary implant for use between first and second bone parts, the implant being a monolithic body comprising:

- a first threaded end for anchoring to the first bone part; and

a second end including:

- a first anchor arm having a first tooth and a spaced apart second tooth, the first and second teeth extending from the first anchor arm in a first direction,
- a second anchor arm having a third tooth and a spaced apart fourth tooth, the third and fourth teeth extending from the second anchor arm in a second direction, the first and second directions being different, and

an opening formed between the first and second anchor arms and adapted to enable elastic deformation of the first and second anchor arms, and

a step forming an abutment between the opposing ends adapted to prevent over insertion of the first threaded end into the first bone part.

15. The intramedullary implant of claim 14, wherein the intramedullary implant is made of resorptive material.

16. The intramedullary implant of claim 14, wherein the intramedullary implant is made of a polymer.

17. The intramedullary implant of claim 14, wherein the intramedullary implant includes a longitudinal axis and the abutment defines a plane substantially perpendicular to the longitudinal axis. 5

18. The intramedullary implant of claim 14, wherein the first tooth includes a first flat portion, the second tooth 10 includes a second flat portion, the third tooth includes a third flat portion and the fourth tooth includes a fourth flat portion.

19. The intramedullary implant of claim 14, wherein the first and second ends are offset from each other.

* * * * *