



US0D1089111S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,089,111 S**
Shinmyo et al. (45) **Date of Patent:** **** Aug. 19, 2025**

(54) **CONNECTOR**

(71) Applicant: **Japan Aviation Electronics Industry, Limited**, Tokyo (JP)

(72) Inventors: **Minoru Shinmyo**, Tokyo (JP); **Yuichi Uchiyama**, Tokyo (JP); **Osamu Takagi**, Tokyo (JP); **Masaki Ishiguro**, Tokyo (JP); **Junichi Miyamoto**, Tokyo (JP); **Takashi Tokunaga**, Tokyo (JP); **Tomoyuki Uchida**, Tokyo (JP); **Takuya Shiraishi**, Tokyo (JP)

(73) Assignee: **Japan Aviation Electronics Industry, Limited**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/929,451**

(22) Filed: **Feb. 22, 2024**

(30) **Foreign Application Priority Data**

Sep. 11, 2023 (JP) 2023-018542 D

(51) **LOC (15) Cl.** **13-03**

(52) **U.S. Cl.** **D13/146**
USPC

(58) **Field of Classification Search**
USPC ... D13/133, 101, 123, 146, 147, 153, 137.1, D13/149, 139.8, 182; D14/435.1, 433
CPC G02B 6/38; G02B 6/38875; G02B 6/4284; H01R 13/40; H01R 13/58; H01R 13/627; H01R 13/66; H01R 13/6335; H01R 13/6272; H01R 13/6397; H01R 13/639; H01R 13/6275; H01R 31/06; H01R 24/00; H01R 24/46; H01R 43/26
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D407,370 S * 3/1999 Wang D13/133
D454,545 S * 3/2002 Hayashi D13/133

D475,022 S * 5/2003 Kihira D13/133
D621,368 S * 8/2010 Lee D13/154
D645,409 S * 9/2011 Lam D13/154
D665,360 S * 8/2012 Gieski D13/154
D668,621 S * 10/2012 Gieski D13/154
D670,650 S * 11/2012 Ebihara D13/133
D783,618 S * 4/2017 Wu D13/133
D841,588 S * 2/2019 Endo D13/133
D842,811 S * 3/2019 Iwasawa D13/133

(Continued)

Primary Examiner — Amber R Stiles

Assistant Examiner — Leah E Hoeferkamp

(74) *Attorney, Agent, or Firm* — Kreative IP Management LLC; Fuiyeong Kim


(57) **CLAIM**

The ornamental design for a connector as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a connector showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front, top, and right side perspective view thereof;
FIG. 8 is a rear, bottom, and left side perspective view thereof;
FIG. 9 is a front, right, and bottom side perspective view thereof; and,
FIG. 10 is a rear, left, and top side perspective view thereof.
The broken line showing of the connector is for the purpose of illustrating portions of the article and forms no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D852,137	S	*	6/2019	Sasaki	D13/133
D867,292	S	*	11/2019	Fukuyama	D13/133
D867,293	S	*	11/2019	Fukuyama	D13/133
D870,051	S	*	12/2019	Endo	D13/154
D880,424	S	*	4/2020	Fukuyama	D13/133
D882,518	S	*	4/2020	Otsu	D13/133
D883,931	S	*	5/2020	Otsu	D13/133
D911,962	S	*	3/2021	Obata	D13/133
D913,241	S	*	3/2021	Gregori	D13/133
D1,035,588	S	*	7/2024	Williams	D13/146
2011/0223799	A1	*	9/2011	Hasebe	H01R 13/465 439/488

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10