US Patent & Trademark Office Patent Public Search | Text View

United States Patent Application Publication

Kind Code

A1

Publication Date

Inventor(s)

August 21, 2025

Means; Michael Wayne

Net Ball Indicator "NBI"

Abstract

The Net Ball Indicator "NBI" was invented to enhance the sports of Table Tennis, Tennis, Pickle Ball or Volley Ball. This invention will indicate whether a net ball has occurred. There will no longer be the need for judges to make that call. Existing nets can be altered or new nets can be manufactured to know when a ball has hit it. If it is hit, then it will emit a sound and flash an LED light.

Inventors: Means; Michael Wayne (KIHEI, HI)

Applicant: Means; Michael Wayne (KIHEI, HI)

Family ID: 1000008544167

Appl. No.: 19/009691

Filed: January 03, 2025

Related U.S. Application Data

us-provisional-application US 63555827 20240220

Publication Classification

Int. Cl.: A63B71/06 (20060101); A63B61/00 (20060101); A63B102/02 (20150101); A63B102/08

(20150101); **A63B102/16** (20150101)

U.S. Cl.:

CPC **A63B71/0605** (20130101); **A63B61/003** (20130101); **A63B71/0622** (20130101); A63B2071/0625 (20130101); A63B2102/02 (20151001); A63B2102/08 (20151001);

A63B2102/16 (20151001); A63B2225/74 (20200801); A63B2243/0095 (20130101)

Background/Summary

[0001] This invention was made for the purpose of indicating whether a serve or volley of a ball has hit the net, resulting in a "net" ball.

[0002] This applies to everything from Table Tennis to actual Tennis or Pickleball. The mechanism can be installed as an after-market application. Or it can be manufactured as a new product (OEM) with the mechanism installed as an integral part of the net. The idea is that if a ball is served or volleyed and it hits the top of the net in any way, the indicator cord or net, will feel the vibration or impact. The line/cord will be connected to a power source, such as a rechargeable battery. The power source will be connected to the LED and audio device. When the net is impacted by a ball, an LED light source and audio sound will be triggered to show that there has been a net ball. This idea came to me while playing Table Tennis. There were at least two times when we were unsure whether there was a net ball. Most of the time it is apparent that a net ball has occured. But there are also many times when the players just aren't sure. I think this idea can be applied to the other sports where a net is involved. Even in professional or organized settings where a judge is involved, there are still possible instances of uncertainty of a ruling.

Description

[0003] The attached drawings show the idea being installed as an after-market application and as a new (OEM) application, where the mechanism is built into the net apparatus.

[0004] FIG. **1** illustrates the Table Tennis-OEM application. Reference **1** indicates where the impact line/area is located. Reference **2** indicates where the LED light/audio source is located. Reference **3** indicates where the power/battery source is located.

[0005] FIG. **2** illustrates the Table Tennis-After Market application. Reference **1** indicates where the impact line/area is located. Reference **2** indicates where the LED light/audio source is located. Reference **3** indicates where the power/battery source is located.

[0006] FIG. **3** illustrates the Tennis/Pickle Ball OEM application. Reference **1** indicates where the impact line/area is located. Reference **2** indicates where the LED light/audio source is located. Reference **3** indicates where the power/battery source is located.

[0007] FIG. **4** illustrates the Tennis/Pickle Ball-After Market application. Reference **1** indicates where the impact line/area is located. Reference **2** indicates where the LED light/audio source is located. Reference **3** indicates where the power/battery source is located.

[0008] FIG. **5** illustrates the Volley Ball/Badminton OEM application. Reference **1** indicates where the impact line/area is located. Reference **2** indicates where the LED light/audio is located. Reference **3** indicates where the power/battery source is located.

[0009] FIG. **6** illustrates the Volley Ball/Badminton-After Market application. Reference **1** indicates where the impact/area is located. Reference **2** indicates where the LED light/audio source is located. Reference **3** indicates where the power/battery source is located.

Claims

1. This type of net system will indicate whether a ball has hit the net during a serve. It is called the Net Ball Indicator (NBI). The system is comprised of a detection line that is installed in the net. Or the net itself will function as the detection device. There will be LED lights and an audible function that will emit light and sound when activated or hit. The power source (battery) will be built in and installed at the LED and audible device location. What makes this a novel idea is that there won't

be any more confusion or discrepancy of whether a ball hits a net. During professional play, there is a judge present, just for the purpose of calling a net ball. This idea will translate from Table Tennis, to Pickle Ball and Tennis, even Volley Ball