

US0D1089774S

(12) United States Design Patent (10) Patent No.:

Geiger et al.

(10) Patent No.: US D1,089,774 S

(45) Date of Patent: ** Aug. 19, 2025

(54) STRUCTURAL LIGHT FIXTURE FOR A CLEAN ROOM CEILING

(71) Applicant: AES Clean Technology, Inc.,

Montgomeryville, PA (US)

(72) Inventors: Robert J. Geiger, North Wales, PA

(US); Jason Peers, Chalfont, PA (US); Juliann Michelle Hess, Denver, PA (US); Andrew J. Kugler, Jenkintown,

PA (US)

(73) Assignee: AES Clean Technology, Inc.,

Montgomeryville, PA (US)

(**) Term: 15 Years

(21) Appl. No.: 29/839,078

(22) Filed: May 18, 2022

(52) U.S. Cl.

USPC **D26/72**

(58) Field of Classification Search

USPC D26/24, 25, 37, 39, 42, 46, 55, 60, 61, D26/64, 72, 74, 75, 76, 77, 79, 80, 81, D26/82, 83, 84, 85, 88, 89, 90, 120, 127

CPC F21V 21/10; F21V 21/14; F21V 19/008; F21V 23/0442; F21V 23/0471; F21V

23/0485; F21Y 2103/00; F21Y 2103/10;

(Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

D380,058	\mathbf{S}	*	6/1997	Kane	D26/27		
D473,670	S	*	4/2003	Kelmelis	D26/74		
(Continued)							

Primary Examiner — Richard Edgar Assistant Examiner — Audris Park

(74) Attorney, Agent, or Firm — Robert J. Yarbrough; Lipton, Weinberger & Husick

(57) CLAIM

The ornamental design for a structural light fixture for a clean room ceiling, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the structural light fixture for a clean room ceiling from above. The broken line circle, lead line and the reference number '9' are not part of the ornamental design and instead indicate the portion of the structural light fixture for a clean room ceiling shown by the detail perspective view of FIG. 9;

FIG. 2 is a perspective view of the structural light fixture for a clean room ceiling from below. The broken line circle, lead line and the reference number '10' are not part of the ornamental design and instead indicate the portion of the structural light fixture for a clean room ceiling shown by the detail perspective view of FIG. 10;

FIG. $\hat{\mathbf{3}}$ is a front side elevation view of the structural light fixture for a clean room ceiling;

FIG. 4 is a back side elevation view of the structural light fixture for a clean room ceiling;

FIG. 5 is a right side elevation view of the structural light fixture for a clean room ceiling;

FIG. 6 is a left side elevation view of the structural light fixture for a clean room ceiling;


FIG. 7 is a top view of the structural light fixture for a clean

room ceiling; FIG. $\bf 8$ is a bottom view of the structural light fixture for a

clean room ceiling; FIG. 9 is a detail perspective view from above as indicated by the broken line circle labelled '9' on FIG. 1; and,

FIG. 10 is a detailed perspective view from below as indicated by the broken line circle labelled '10' on FIG. 2. The ornamental design that is claimed is shown in solid lines in the drawings. The broken lines, lead lines and reference numbers form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D1,089,774 S

Page 2

(58) Field of Classification Search

CPC F21Y 2105/16; F21W 2131/109; F21W 2131/301; A01G 7/045; A01G 9/249; F21S 4/00; F21S 4/28; F21S 8/00; F21S 8/02; F21S 8/024; F21S 8/026; F21S 8/03; F21S 8/031; F21S 8/033; F21S 8/04; F21S 8/06; F21S 8/061

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D536,819	\mathbf{S}	*	2/2007	Krahe, II D26/75
D603,548	S	*	11/2009	Pei D26/76
D610,293	S	*	2/2010	Klaus D26/76
D663,065	S	*	7/2012	Beghelli D26/76
D729,423	S	*	5/2015	Noh D26/24
D735,392	S	*	7/2015	Ng D26/76
D756,553	S	*	5/2016	Kim D26/76
D785,229	S	*	4/2017	Noh D26/76
D817,534	S	*	5/2018	Noh D26/76
10,113,724	B2	*	10/2018	Satterfield F21V 15/013
10,151,462	В1	*	12/2018	Satterfield F21V 21/048
D850,698	S	*	6/2019	Prats D26/76
D878,657	S	*	3/2020	Carini D26/76
D921,272	S	*	6/2021	Li D26/76
11,555,589	В1	*	1/2023	Geiger F21S 8/043
D987,886	\mathbf{S}	*	5/2023	Wang D26/138
2017/0356631	Αl	*	12/2017	Satterfield F21S 4/28

^{*} cited by examiner

