

US0D1089329S

(12) United States Design Patent (10) Patent No.:

Seidl

(10) Patent No.: US D1,089,329 S

(45) Date of Patent: ** Aug. 19, 2025

(54) LIQUID CHILLER

(71) Applicant: Luigi Lavazza S.p.A., Turin (IT)

(72) Inventor: Florian Seidl, Turin (IT)

(73) Assignee: Luigi Lavazza S.p.A., Turin (IT)

(**) Term: 15 Years

(21) Appl. No.: 29/837,283

(22) Filed: May 4, 2022

(51) LOC (15) Cl. 15-07

(52) **U.S. Cl.**USDC

USPC D15/79

(58) Field of Classification Search

> F25D 17/06; F25D 17/067; F25D 19/00; F25D 19/003; F25D 19/02; F25D 21/08;

F25D 23/006; F25D 2317/0684; F25D 2331/803; F25D 2400/02; F25D

2700/121; F25D

(Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

D618,950 S	S	*	7/2010	Jaffe	D7/397				
D674,412 S	S	*	1/2013	Woolford	D15/79				
(Continued)									

OTHER PUBLICATIONS

Active Aqua Water Chillers with Power Boost, HydroBuilder. (Continued)

Primary Examiner — Khawaja Anwar

(74) Attorney, Agent, or Firm — The Belles Group, P.C.

(57) CLAIM

The ornamental design for a liquid chiller, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right perspective view of a liquid chiller according to a first embodiment of my new design;

FIG. 2 is a bottom, rear, left perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a right side view thereof,

FIG. 6 is a left side view thereof;

FIG. 7 is a top view thereof;

FIG. 8 is a bottom view thereof;

FIG. 9 is a top, front, right perspective view of a liquid chiller according to a second embodiment of my new design;

FIG. 10 is a bottom, rear, left perspective view thereof;

FIG. 11 is a front view thereof;

FIG. 12 is a rear view thereof;

FIG. 13 is a right side view thereof,

FIG. 14 is a left side view thereof;

FIG. 15 is a top view thereof;

FIG. 16 is a bottom view thereof;

FIG. 17 is a top, front, right perspective view of a liquid chiller according to a third embodiment of my new design;

FIG. 18 is a bottom, rear, left perspective view thereof;

FIG. 19 is a front view thereof;

FIG. 20 is a rear view thereof;

FIG. 21 is a right side view thereof,


FIG. 22 is a left side view thereof;

FIG. 23 is a top view thereof; and,

FIG. 24 is a bottom view thereof.

The broken lines illustrating portions of the liquid chiller form no part of the claimed design. The dot-dash broken lines define the bounds of the claimed design and form no part thereof.

1 Claim, 24 Drawing Sheets



US D1,089,329 S

Page 2

(58) Field of Classification Search

CPC 29/00; F25D 29/001; F25D 13/06; F25D 13/062; F25D 13/067; F25D 21/125; F25D 23/126; F25D 2323/121; F25D 2331/809; F25D 2331/811; F25D 2400/20; F25D 2400/28; F25D 2400/30; F25D 2500/04; F25D 2700/06; F25D 29/005; F25D 31/00

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

9,357,847	B2	!	6/2016	Licare	
D761,332	\mathbf{S}	*	7/2016	Austin	D15/79
D834,073	S	*	11/2018	Adomat	D15/79
D870,161	\mathbf{S}	*	12/2019	Kreuscher	D15/79
D976,286	\mathbf{S}	*	1/2023	Rhein	D15/79
D1,004,636	S	*	11/2023	Rhein	D15/79
D1,017,649	\mathbf{S}	*	3/2024	Ito	D15/79
D1,055,990	S	*	12/2024	Lei	D15/79

OTHER PUBLICATIONS

BrewBuilt Ice Master Max 2 Glycol Chiller, MoreBeer. Flavia Chill Creation 600. Franke Little Butler Chiller Tank CT-200. Hyperchiller Iced Coffee Maker.

^{*} cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24