



US012383407B2

(12) **United States Patent**  
Parisi et al.(10) **Patent No.:** US 12,383,407 B2  
(45) **Date of Patent:** \*Aug. 12, 2025(54) **TIBIAL BEARING COMPONENT FOR A KNEE PROSTHESIS WITH IMPROVED ARTICULAR CHARACTERISTICS**(71) Applicant: **Zimmer, Inc.**, Warsaw, IN (US)(72) Inventors: **Raymond C. Parisi**, Wakarusa, IN (US); **Abraham P. Habegger**, Warsaw, IN (US); **Jeff Blaylock**, Fort Wayne, IN (US)(73) Assignee: **Zimmer, Inc.**, Warsaw, IN (US)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1128 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **17/134,885**(22) Filed: **Dec. 28, 2020**(65) **Prior Publication Data**

US 2021/0113340 A1 Apr. 22, 2021

**Related U.S. Application Data**

(60) Continuation of application No. 15/720,866, filed on Sep. 29, 2017, now Pat. No. 10,898,337, which is a continuation of application No. 14/740,690, filed on Jun. 16, 2015, now Pat. No. 9,788,954, which is a division of application No. 13/459,041, filed on Apr. 27, 2012, now Pat. No. 9,072,607.

(60) Provisional application No. 61/561,657, filed on Nov. 18, 2011, provisional application No. 61/577,293, filed on Dec. 19, 2011, provisional application No. (Continued)

(51) **Int. Cl.***A61F 2/38*  
*A61F 2/30*(2006.01)  
(2006.01)(52) **U.S. Cl.**CPC ..... *A61F 2/3868* (2013.01); *A61F 2/3886* (2013.01); *A61F 2/389* (2013.01); *A61F 2002/30604* (2013.01); *A61F 2002/30616* (2013.01)(58) **Field of Classification Search**CPC ..... *A61F 2/389*; *A61F 2/3868*; *A61F 2/3886*  
See application file for complete search history.

## (56)

**References Cited**

## U.S. PATENT DOCUMENTS

3,774,244 A 11/1973 Walker  
4,016,606 A 4/1977 Murray et al.  
(Continued)

## FOREIGN PATENT DOCUMENTS

AU 2011343440 B2 4/2014  
AU 2011286306 B2 10/2014  
(Continued)


## OTHER PUBLICATIONS

“U.S. Appl. No. 16/179,201, Supplemental Notice of Allowability mailed Aug. 2, 2022”, 2 pgs.

(Continued)

*Primary Examiner* — Brian A Dukert(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.(57) **ABSTRACT**

An orthopaedic knee prosthesis includes a tibial bearing component with articular features which operate to protect adjacent soft tissues of the natural knee, promote and/or accommodate desired articulation with an abutting femoral component, and facilitate expedient and effective implantation by a surgeon.

**20 Claims, 26 Drawing Sheets**

**Related U.S. Application Data**

61/592,576, filed on Jan. 30, 2012, provisional application No. 61/621,361, filed on Apr. 6, 2012, provisional application No. 61/621,363, filed on Apr. 6, 2012, provisional application No. 61/621,364, filed on Apr. 6, 2012, provisional application No. 61/621,366, filed on Apr. 6, 2012.

**(56) References Cited****U.S. PATENT DOCUMENTS**

4,257,129 A	3/1981	Volz	5,556,433 A	9/1996	Gabriel et al.
4,301,553 A	11/1981	Noiles	5,571,194 A	11/1996	Gabriel
4,340,978 A	7/1982	Buechel et al.	5,609,639 A	3/1997	Walker
4,501,266 A	2/1985	McDaniel	5,609,641 A	3/1997	Johnson et al.
4,568,348 A	2/1986	Johnson et al.	5,609,643 A	3/1997	Colleran et al.
4,673,408 A	6/1987	Grobblehaar	5,609,645 A	3/1997	Vinciurra
4,711,639 A	12/1987	Grundei	5,613,970 A	3/1997	Houston et al.
4,714,474 A	12/1987	Brooks, Jr. et al.	5,656,785 A	8/1997	Trainor et al.
4,759,767 A	7/1988	Lacey	5,658,341 A	8/1997	Delfosse
4,769,040 A	9/1988	Wevers	5,658,342 A	8/1997	Draganich et al.
4,770,661 A	9/1988	Oh	5,658,344 A	8/1997	Hurlburt
4,795,468 A	1/1989	Hodorek et al.	5,683,470 A	11/1997	Johnson et al.
4,822,365 A	4/1989	Walker et al.	5,702,463 A	12/1997	Pothier et al.
4,936,853 A	6/1990	Fabian et al.	5,702,464 A	12/1997	Lackey et al.
4,944,756 A	7/1990	Kenna	5,702,466 A	12/1997	Pappas et al.
4,944,757 A	7/1990	Martinez et al.	5,733,292 A	3/1998	Gustilo et al.
4,950,298 A	8/1990	Gustilo et al.	5,755,801 A	5/1998	Walker et al.
4,959,071 A	9/1990	Brown et al.	5,755,802 A	5/1998	Gerber
4,963,152 A	10/1990	Hofmann et al.	5,776,200 A	7/1998	Johnson et al.
5,007,933 A	4/1991	Sidebotham et al.	5,782,925 A	7/1998	Collazo et al.
5,047,057 A	9/1991	Lawes	5,824,100 A	10/1998	Kester et al.
5,047,058 A	9/1991	Roberts et al.	5,824,102 A	10/1998	Buscayret
5,059,216 A	10/1991	Winters	5,824,103 A	10/1998	Williams et al.
5,061,271 A	10/1991	Van Zile	5,871,539 A	2/1999	Pappas
5,071,438 A	12/1991	Jones et al.	5,871,541 A	2/1999	Gerber
5,108,442 A	4/1992	Smith	5,871,543 A	2/1999	Hofmann
5,116,375 A	5/1992	Hofmann	5,871,545 A	2/1999	Goodfellow et al.
5,133,758 A	7/1992	Hollister	5,879,394 A	3/1999	Ashby et al.
5,137,536 A	8/1992	Koshino	5,906,643 A	5/1999	Walker
5,147,405 A	9/1992	Van Zile	5,911,723 A	6/1999	Ashby et al.
5,171,283 A	12/1992	Pappas et al.	5,928,286 A	7/1999	Ashby et al.
5,192,328 A	3/1993	Winters	5,964,808 A	10/1999	Blaha et al.
5,194,066 A	3/1993	Van Zile	5,968,099 A	10/1999	Badorf et al.
5,197,488 A	3/1993	Kovacevic	5,976,147 A	11/1999	LaSalle et al.
5,219,362 A	6/1993	Tuke et al.	6,004,351 A	12/1999	Tomita et al.
5,226,915 A	7/1993	Bertin	6,004,352 A	12/1999	Buni
5,236,461 A	8/1993	Forte	6,010,534 A	1/2000	O'neil et al.
5,246,459 A	9/1993	Elias	6,013,103 A	1/2000	Kaufman et al.
5,271,737 A	12/1993	Baldwin et al.	6,039,764 A	3/2000	Pottenger et al.
5,275,603 A	1/1994	Ferrante et al.	6,068,658 A	5/2000	Insall et al.
5,282,861 A	2/1994	Kaplan	6,074,425 A	6/2000	Pappas
5,282,868 A	2/1994	Bahler	6,080,195 A	6/2000	Colleran et al.
5,282,870 A	2/1994	Moser et al.	6,090,144 A	7/2000	Letot et al.
5,290,313 A	3/1994	Heldreth	6,102,954 A	8/2000	Albrektsson et al.
5,310,480 A	5/1994	Vidueira	6,102,955 A	8/2000	Mendes et al.
5,326,361 A	7/1994	Hollister	6,123,728 A	9/2000	Brosnahan et al.
5,344,460 A	9/1994	Turanyi et al.	6,123,729 A	9/2000	Insall et al.
5,344,461 A	9/1994	Phlipot	6,126,692 A	10/2000	Robie et al.
5,360,016 A	11/1994	Kovacevic	6,143,034 A	11/2000	Burrows
5,364,402 A	11/1994	Mumme et al.	6,197,064 B1	3/2001	Haines et al.
5,370,699 A	12/1994	Hood et al.	6,203,576 B1	3/2001	Afriat et al.
5,370,701 A	12/1994	Finn	6,206,927 B1	3/2001	Fell et al.
5,387,239 A	2/1995	Bianco et al.	6,210,443 B1	4/2001	Marceaux et al.
5,387,240 A	2/1995	Pottenger et al.	6,217,618 B1	4/2001	Hileman
5,395,401 A	3/1995	Bahler	RE37,277 E	7/2001	Baldwin et al.
5,405,396 A	4/1995	Heldreth et al.	6,258,127 B1	7/2001	Schmotzer
5,413,604 A	5/1995	Hodge	6,306,172 B1	10/2001	O'Neil et al.
5,413,605 A	5/1995	Ashby et al.	6,325,828 B1	12/2001	Dennis et al.
5,425,775 A	6/1995	Kovacevic et al.	6,379,388 B1	4/2002	Ensign et al.
5,445,642 A	8/1995	McNulty et al.	6,406,497 B2	6/2002	Takei et al.
5,458,637 A	10/1995	Hayes	6,413,279 B1	7/2002	Metzger et al.
5,470,354 A	11/1995	Hershberger et al.	6,428,577 B1	8/2002	Evans
5,489,311 A	2/1996	Cipolletti	6,436,145 B1	8/2002	Miller
5,507,820 A	4/1996	Pappas	6,485,519 B2	11/2002	Meyers et al.
5,549,688 A	8/1996	Ries et al.	6,491,726 B2	12/2002	Pappas
			6,506,215 B1	1/2003	Letot et al.
			6,506,216 B1	1/2003	McCue et al.
			6,558,426 B1	5/2003	Masini
			6,607,559 B2	8/2003	Ralph et al.
			6,623,526 B1	9/2003	Lloyd
			6,632,225 B2	10/2003	Sanford et al.
			6,660,039 B1	12/2003	Evans et al.
			6,702,821 B2	3/2004	Bonutti
			6,709,461 B2	3/2004	O'neil et al.
			6,743,258 B1	6/2004	Keller
			6,755,864 B1	6/2004	Brack et al.
			6,770,078 B2	8/2004	Bonutti
			6,869,448 B2	3/2005	Tuke
			6,916,340 B2	7/2005	Metzger et al.

(56)	References Cited					
U.S. PATENT DOCUMENTS						
6,923,832 B1	8/2005	Sharkey et al.	8,795,282 B2	8/2014	Earl et al.	
6,942,670 B2	9/2005	Heldreth et al.	8,808,387 B2	8/2014	Hawkins et al.	
6,953,479 B2	10/2005	Carson et al.	8,858,643 B2	10/2014	Parisi et al.	
6,974,481 B1	12/2005	Carson	8,932,298 B2	1/2015	Colquhoun et al.	
6,986,791 B1	1/2006	Metzger	8,932,365 B2	1/2015	Parisi et al.	
7,025,788 B2	4/2006	Metzger et al.	8,979,847 B2	3/2015	Belcher et al.	
7,060,074 B2	6/2006	Rosa et al.	8,979,936 B2	3/2015	White et al.	
7,081,137 B1	7/2006	Servidio	8,998,997 B2	4/2015	Ries et al.	
7,083,652 B2	8/2006	McCue et al.	9,011,459 B2	4/2015	Claypool et al.	
7,153,326 B1	12/2006	Metzger	9,060,866 B2 *	6/2015	Fankhauser ..... A61F 2/38	
7,160,330 B2	1/2007	Axelson, Jr. et al.	9,072,607 B2	7/2015	Parisi et al.	
7,189,262 B2	3/2007	Hayes, Jr. et al.	9,131,945 B2	9/2015	Aram et al.	
7,261,740 B2	8/2007	Tuttle	9,149,206 B2	10/2015	Claypool et al.	
7,264,635 B2	9/2007	Suguro	9,173,744 B2	11/2015	Donno et al.	
7,294,149 B2	11/2007	Hozack et al.	9,186,255 B2	11/2015	Parisi	
7,309,362 B2	12/2007	Yasuda et al.	9,192,480 B2	11/2015	Wentorf et al.	
7,309,363 B2	12/2007	Dietz	9,204,970 B2	12/2015	Parisi et al.	
7,326,252 B2	2/2008	Otto et al.	9,283,082 B2	3/2016	Sanford et al.	
7,351,263 B2	4/2008	Afriat	9,295,557 B2	3/2016	Wentorf et al.	
7,364,581 B2	4/2008	Michalowicz	9,295,558 B2	3/2016	Parisi et al.	
7,412,897 B2	8/2008	Crottet et al.	9,308,095 B2	4/2016	Parisi et al.	
7,413,577 B1	8/2008	Servidio	9,308,096 B2	4/2016	Wentorf et al.	
7,442,196 B2	10/2008	Fisher et al.	9,314,343 B2	4/2016	Parisi et al.	
7,445,639 B2	11/2008	Metzger et al.	9,381,090 B2	7/2016	Wentorf et al.	
7,488,330 B2	2/2009	Stad	9,427,337 B2	8/2016	Claypool et al.	
7,497,874 B1	3/2009	Metzger et al.	9,492,290 B2	11/2016	Claypool et al.	
7,513,912 B2	4/2009	Hayes, Jr. et al.	9,539,116 B2	1/2017	Claypool	
7,544,211 B2	6/2009	Rochetin	9,592,133 B2	3/2017	Toler et al.	
7,547,327 B2	6/2009	Collazo	9,597,090 B2	3/2017	Claypool et al.	
7,575,602 B2	8/2009	Amirouche et al.	9,655,728 B2	5/2017	Parisi et al.	
7,578,821 B2	8/2009	Fisher et al.	9,655,729 B2	5/2017	Parisi et al.	
7,585,328 B2	9/2009	Haas	9,707,089 B2	7/2017	Grey et al.	
7,587,945 B2	9/2009	Crottet et al.	9,763,794 B2	9/2017	Sanford et al.	
7,591,854 B2	9/2009	Wasielewski	9,763,795 B2	9/2017	Parisi et al.	
7,625,407 B2	12/2009	Akizuki	9,763,796 B2	9/2017	Wentorf et al.	
7,628,818 B2	12/2009	Hazebrouck et al.	9,763,807 B2	9/2017	Claypool et al.	
7,632,283 B2	12/2009	Heldreth	9,788,954 B2	10/2017	Parisi et al.	
7,632,314 B2	12/2009	Dietz	9,861,490 B2	1/2018	Wentorf et al.	
7,635,390 B1	12/2009	Bonutti	9,901,331 B2	2/2018	Toler et al.	
7,678,152 B2	3/2010	Suguro et al.	9,918,844 B2	3/2018	Sanford et al.	
7,695,519 B2	4/2010	Collazo	9,925,050 B2	3/2018	Parisi et al.	
7,695,520 B2	4/2010	Metzger et al.	9,925,052 B2	3/2018	Dai et al.	
7,731,755 B2	6/2010	Wyss et al.	10,010,330 B2	7/2018	Claypool et al.	
7,776,085 B2	8/2010	Bernero et al.	10,092,407 B2	10/2018	Faccioli et al.	
7,837,691 B2	11/2010	Cordes et al.	10,188,530 B2	1/2019	Claypool et al.	
7,850,698 B2	12/2010	Straszheim-Morley et al.	10,195,041 B2	2/2019	Wentorf et al.	
8,012,216 B2	9/2011	Metzger	10,195,056 B2	2/2019	Wogoman et al.	
8,065,927 B2	11/2011	Crottet et al.	10,198,282 B2	4/2019	Wentorf et al.	
8,105,386 B2	1/2012	Perrone, Jr. et al.	10,413,415 B2	5/2019	Drury et al.	
8,141,437 B2	3/2012	Amirouche et al.	10,470,889 B2	9/2019	Parisi et al.	
8,152,853 B2	4/2012	Belcher	10,500,054 B2	11/2019	Wentorf et al.	
8,163,028 B2	4/2012	Metzger et al.	10,517,735 B2	12/2019	Croll	
8,187,280 B2	5/2012	May et al.	10,537,445 B2	12/2019	Lloyd et al.	
8,197,549 B2	6/2012	Amirouche et al.	10,543,099 B2	1/2020	Wogoman et al.	
8,211,041 B2	7/2012	Fisher et al.	10,575,956 B2	3/2020	Sanford et al.	
8,245,583 B2	8/2012	Stein	10,675,153 B2	6/2020	Byrd et al.	
8,268,006 B2	9/2012	Meyers et al.	10,835,380 B2	11/2020	Drury et al.	
8,317,870 B2	11/2012	Wagner et al.	10,898,337 B2	1/2021	Parisi et al.	
8,328,873 B2	12/2012	Metzger et al.	11,051,948 B2	7/2021	Arnold et al.	
8,366,782 B2	2/2013	Wright	11,160,659 B2	11/2021	Drury et al.	
8,491,589 B2	7/2013	Fisher et al.	11,207,198 B2	12/2021	Oh et al.	
8,506,571 B2	8/2013	Chana et al.	11,324,598 B2	5/2022	Dai et al.	
RE44,476 E	9/2013	Meyers et al.	11,324,599 B2	5/2022	Croll	
8,568,486 B2	10/2013	Wentorf et al.	11,426,282 B2	8/2022	Yager	
8,574,304 B2	11/2013	Wentorf et al.	11,547,571 B2	1/2023	Byrd et al.	
8,591,594 B2	11/2013	Parisi et al.	11,911,279 B2	2/2024	Drury et al.	
8,603,101 B2	12/2013	Claypool et al.	2001/0047210 A1	11/2001	Wolf	
8,613,775 B2	12/2013	Wentorf et al.	2002/0058997 A1	5/2002	O'connor et al.	
8,617,250 B2	12/2013	Metzger	2002/0072802 A1	6/2002	O'Neill et al.	
8,628,580 B2	1/2014	Sanford et al.	2002/0103541 A1	8/2002	Meyers et al.	
8,690,954 B2	4/2014	Parisi et al.	2002/0120340 A1	8/2002	Metzger et al.	
8,740,984 B2	6/2014	Hartdegen et al.	2002/0161448 A1	10/2002	Hayes, Jr. et al.	
8,758,444 B2	6/2014	Wentorf et al.	2003/0055509 A1	3/2003	Mccue et al.	
8,764,838 B2	7/2014	Parisi et al.	2003/0199985 A1	10/2003	Masini	
8,764,840 B2	7/2014	Sanford et al.	2004/0019382 A1	1/2004	Amirouche et al.	
			2004/0019383 A1	1/2004	Beguec	
			2004/0034432 A1	2/2004	Hughes et al.	
			2004/0059340 A1	3/2004	Serra et al.	

(56)

**References Cited****U.S. PATENT DOCUMENTS**

2004/0064191 A1	4/2004	Wasielewski	2009/0088862 A1	4/2009	Thomas et al.
2004/0122441 A1	6/2004	Muratsu	2009/0125114 A1	5/2009	May et al.
2004/0153066 A1	8/2004	Coon et al.	2009/0149963 A1	6/2009	Sekel
2004/0162620 A1	8/2004	Wyss	2009/0149964 A1	6/2009	May et al.
2004/0167537 A1	8/2004	Errico et al.	2009/0204221 A1	8/2009	Walker
2004/0186582 A1	9/2004	Yasuda et al.	2009/0204222 A1	8/2009	Burstein et al.
2004/0204765 A1	10/2004	Fenning et al.	2009/0210066 A1	8/2009	Jasty
2004/0225368 A1	11/2004	Plumet et al.	2009/0222103 A1	9/2009	Fitz et al.
2004/0236429 A1	11/2004	Ensign et al.	2009/0259314 A1	10/2009	Linder-ganz et al.
2004/0243244 A1	12/2004	Otto et al.	2009/0264894 A1	10/2009	Wasielewski
2004/0267371 A1	12/2004	Hayes, Jr. et al.	2009/0265011 A1	10/2009	Mandell
2005/0055102 A1	3/2005	Tornier et al.	2009/0265013 A1	10/2009	Mandell
2005/0075736 A1	4/2005	Collazo	2009/0287310 A1	11/2009	Fisher et al.
2005/0096747 A1	5/2005	Tuttle et al.	2009/0306786 A1	12/2009	Samuelson
2005/0143831 A1	6/2005	Justin et al.	2009/0306787 A1	12/2009	Crabtree et al.
2005/0143832 A1	6/2005	Carson	2009/0319047 A1	12/2009	Walker
2005/0177170 A1	8/2005	Fisher et al.	2009/0319048 A1	12/2009	Shah et al.
2005/0197710 A1	9/2005	Naegerl	2009/0319049 A1	12/2009	Shah et al.
2005/0209701 A1	9/2005	Suguro et al.	2009/0326663 A1	12/2009	Dun
2005/0209702 A1	9/2005	Todd et al.	2009/0326665 A1	12/2009	Wyss et al.
2005/0246030 A1	11/2005	Yao	2009/0326666 A1	12/2009	Wyss et al.
2005/0267485 A1	12/2005	Cordes et al.	2009/0326668 A1	12/2009	Dun
2005/0267584 A1	12/2005	Burdulis, Jr. et al.	2010/0010494 A1	1/2010	Quirno
2005/0278035 A1	12/2005	Wyss et al.	2010/0016976 A1	1/2010	Siebel
2006/0004460 A1	1/2006	Engh et al.	2010/0016977 A1	1/2010	Masini
2006/0020343 A1	1/2006	Ek	2010/0016978 A1	1/2010	Williams et al.
2006/0025866 A1	2/2006	Serafin, Jr. et al.	2010/0016979 A1	1/2010	Wyss et al.
2006/0030945 A1	2/2006	Wright	2010/0036499 A1	2/2010	Pinskerova
2006/0052782 A1	3/2006	Morgan et al.	2010/0036500 A1	2/2010	Heldreth et al.
2006/0069436 A1	3/2006	Sutton et al.	2010/0063594 A1	3/2010	Hazebruck et al.
2006/0089653 A1	4/2006	Auger et al.	2010/0063595 A1	3/2010	Dietz
2006/0111726 A1	5/2006	Felt et al.	2010/0076563 A1	3/2010	Otto et al.
2006/0142869 A1	6/2006	Gross	2010/0082111 A1	4/2010	Thomas
2006/0161259 A1	7/2006	Cheng et al.	2010/0100011 A1	4/2010	Roche
2006/0184176 A1	8/2006	Strasheim-Morley et al.	2010/0100189 A1	4/2010	Metzger
2006/0189864 A1	8/2006	Paradis et al.	2010/0100191 A1	4/2010	May et al.
2006/0190087 A1	8/2006	O'Connor	2010/0125339 A1	5/2010	Earl et al.
2006/0195195 A1	8/2006	Burstein et al.	2010/0152858 A1	6/2010	Lu et al.
2006/0224244 A1	10/2006	Thomas et al.	2010/0191298 A1	7/2010	Earl et al.
2006/0265080 A1	11/2006	Mcminn	2010/0191341 A1	7/2010	Byrd
2007/0010890 A1	1/2007	Collazo	2010/0198275 A1	8/2010	Chana et al.
2007/0123992 A1	5/2007	Sanford	2010/0222890 A1	9/2010	Barnett et al.
2007/0129808 A1	6/2007	Justin et al.	2010/0249660 A1	9/2010	Sherman et al.
2007/0135924 A1	6/2007	Verhoogen	2010/0249789 A1	9/2010	Rock et al.
2007/0135926 A1	6/2007	Walker	2010/0262253 A1	10/2010	Cipolletti et al.
2007/0185581 A1	8/2007	Akizuki et al.	2010/0286788 A1	11/2010	Komistek
2007/0198022 A1	8/2007	Lang et al.	2010/0292804 A1	11/2010	Samuelson
2007/0233269 A1	10/2007	Steines et al.	2010/0305708 A1	12/2010	Lang
2007/0234819 A1	10/2007	Amirouche et al.	2010/0329530 A1	12/2010	Lang et al.
2007/0239165 A1	10/2007	Amirouche	2011/0022179 A1	1/2011	Andriacchi et al.
2008/0021566 A1	1/2008	Peters et al.	2011/0029091 A1	2/2011	Bojarski et al.
2008/0051908 A1	2/2008	Angibaud et al.	2011/0040387 A1	2/2011	Ries et al.
2008/0058947 A1	3/2008	Earl et al.	2011/0066246 A1	3/2011	Ries et al.
2008/0058948 A1	3/2008	Biegum et al.	2011/0082558 A1	4/2011	Kim et al.
2008/0091271 A1	4/2008	Bonitati et al.	2011/0082559 A1	4/2011	Hartdegen et al.
2008/0091272 A1	4/2008	Aram et al.	2011/0087332 A1	4/2011	Bojarski et al.
2008/0091273 A1	4/2008	Hazebruck	2011/0098824 A1	4/2011	Jukes et al.
2008/0103603 A1	5/2008	Hintermann	2011/0100011 A1	5/2011	Staffend
2008/0114462 A1	5/2008	Guidera et al.	2011/0125278 A1	5/2011	Bercovy et al.
2008/0119938 A1	5/2008	Oh	2011/0144760 A1	6/2011	Wong et al.
2008/0119940 A1	5/2008	Otto et al.	2011/0153026 A1	6/2011	Heggendorf et al.
2008/0140212 A1	6/2008	Metzger et al.	2011/0190898 A1	8/2011	Lenz et al.
2008/0161918 A1	7/2008	Fankhauser et al.	2011/0202139 A1	8/2011	Metzger et al.
2008/0167722 A1	7/2008	Metzger et al.	2011/0251695 A1	10/2011	Lenz et al.
2008/0215156 A1	9/2008	Duggal et al.	2012/0022658 A1	1/2012	Wentorf
2008/0243258 A1	10/2008	Sanchez	2012/0022659 A1	1/2012	Wentorf
2008/0262624 A1	10/2008	White et al.	2012/0022660 A1	1/2012	Wentorf
2008/0281426 A1	11/2008	Fitz et al.	2012/0035735 A1	2/2012	Sanford et al.
2008/0288080 A1	11/2008	Sanchez	2012/0035737 A1	2/2012	Sanford
2008/0300689 A1	12/2008	McKinnon et al.	2012/0095563 A1	4/2012	Sanford et al.
2008/0300690 A1	12/2008	Burstein et al.	2012/0101585 A1	4/2012	Parisi et al.
2009/0005708 A1	1/2009	Johanson et al.	2012/0158152 A1	6/2012	Claypool et al.
2009/0036992 A1	2/2009	Tsakonas	2012/0179069 A1	7/2012	Amirouche
2009/0043395 A1	2/2009	Hotokebuchi et al.	2012/0185054 A1	7/2012	Maloney et al.
2009/0082873 A1	3/2009	Hazebruck et al.	2012/0185055 A1	7/2012	Maloney et al.
			2012/0232429 A1	9/2012	Fischer et al.
			2012/0290088 A1	11/2012	Amirouche et al.
			2012/0296437 A1	11/2012	Wyss et al.
			2012/0310246 A1	12/2012	Belcher et al.

(56)	References Cited						
U.S. PATENT DOCUMENTS							
2012/0310361 A1	12/2012	Zubok et al.	2022/0233321 A1	7/2022	Croll		
2012/0323335 A1	12/2012	Parisi et al.	2022/0241081 A1	8/2022	Garino		
2012/0323336 A1	12/2012	Parisi et al.	2022/0346962 A1	11/2022	Yager		
2013/0013076 A1	1/2013	Fisher et al.	2023/0113335 A1	4/2023	Byrd et al.		
2013/0024001 A1	1/2013	Wentorf et al.	2024/0000575 A1	1/2024	Drury et al.		
FOREIGN PATENT DOCUMENTS							
2013/0079671 A1	3/2013	Stein et al.	CA 2190029 A1	11/1995			
2013/0096567 A1	4/2013	Fisher et al.	CA 2856070 C	7/2016			
2013/0102929 A1	4/2013	Haight et al.	CH 687584 A5	1/1997			
2013/0103038 A1	4/2013	Fischer et al.	CN 1087506 A	6/1994			
2013/0131816 A1	5/2013	Parisi et al.	CN 1174498 A	2/1998			
2013/0131817 A1	5/2013	Parisi et al.	CN 1179709 A	4/1998			
2013/0131818 A1	5/2013	Parisi et al.	CN 1440262 A	9/2003			
2013/0131819 A1	5/2013	Parisi et al.	CN 1549695 A	11/2004			
2013/0131820 A1	5/2013	Wentorf et al.	CN 2768715 Y	4/2006			
2013/0173010 A1	7/2013	Irwin	CN 1780594 A	5/2006			
2013/0226305 A1	8/2013	Donno et al.	CN 1874738 A	12/2006			
2013/0253378 A1	9/2013	Claypool et al.	CN 101214175 A	7/2008			
2013/0261504 A1	10/2013	Claypool et al.	CN 101222886 A	7/2008			
2013/0261757 A1	10/2013	Claypool et al.	CN 101288597 A	10/2008			
2013/0261758 A1	10/2013	Claypool et al.	CN 101347359 A	1/2009			
2013/0345820 A1	12/2013	Maloney et al.	CN 201175391 Y	1/2009			
2014/0025175 A1	1/2014	Wentorf et al.	CN 101361684 A	2/2009			
2014/0025176 A1	1/2014	Wentorf	CN 101401750 A	4/2009			
2014/0025177 A1	1/2014	Wentorf et al.	CN 101426453 A	5/2009			
2014/0052268 A1	2/2014	Sanford et al.	CN 101522136 A	9/2009			
2014/0052269 A1	2/2014	Claypool et al.	CN 101646392 A	2/2010			
2014/0156015 A1	6/2014	Parisi et al.	CN 101658446 A	3/2010			
2014/0163687 A1	6/2014	Parisi et al.	CN 101683289 A	3/2010			
2014/0249641 A1	9/2014	Wentorf et al.	CN 101711701 A	5/2010			
2014/0257505 A1	9/2014	Parisi et al.	CN 101795643 A	8/2010			
2014/0257506 A1	9/2014	Sanford et al.	CN 101835441 A	9/2010			
2014/0296859 A1	10/2014	Claypool et al.	CN 102018584 A	4/2011			
2015/0005890 A1	1/2015	Parisi et al.	CN 102048594 A	5/2011			
2015/0025644 A1	1/2015	Heggendorf et al.	CN 102058446 A	5/2011			
2015/0066150 A1	3/2015	Dai et al.	CN 102058448 A	5/2011			
2015/0088140 A1	3/2015	Toler et al.	CN 102917670 A	2/2013			
2015/0190243 A1	7/2015	Claypool et al.	CN 103118634 A	5/2013			
2015/0257889 A1	9/2015	Kang	CN 103118635 A	5/2013			
2015/0282936 A1	10/2015	Parisi et al.	CN 103370025 A	10/2013			
2015/0320564 A1	11/2015	Parisi et al.	CN 103379880 A	10/2013			
2015/0359642 A1	12/2015	Claypool et al.	CN 103732186 A	4/2014			
2016/0030053 A1	2/2016	Yager et al.	CN 104039273 A	9/2014			
2016/0038294 A1	2/2016	Parisi et al.	CN 104066402 A	9/2014			
2016/0045322 A1	2/2016	Parisi et al.	CN 104093380 A	10/2014			
2016/0135959 A1	5/2016	Sanford et al.	CN 104135968	11/2014			
2016/0158019 A1	6/2016	Grey et al.	CN 104135969 A	11/2014			
2016/0184107 A1	6/2016	Parisi et al.	CN 104203160 A	12/2014			
2016/0287397 A1	10/2016	Wentorf	CN 104321263 A	1/2015			
2016/0324647 A1	11/2016	Claypool et al.	CN 104379094 A	2/2015			
2017/0079801 A1	3/2017	Drury et al.	CN 104736105 A	6/2015			
2017/0143324 A1	5/2017	Toler et al.	CN 105055052 A	11/2015			
2017/0156736 A1	6/2017	Claypool et al.	CN 105167889 A	12/2015			
2017/0231773 A1	8/2017	Lu	CN 103118634 B	8/2016			
2017/0266011 A1	9/2017	Wentorf et al.	CN 103118636 B	8/2016			
2017/0281354 A1	10/2017	Soffiatti et al.	CN 104093380 B	8/2016			
2018/0000601 A1	1/2018	Sanford et al.	CN 106037997 A	10/2016			
2018/0000602 A1	1/2018	Wentorf et al.	CN 103370025 B	11/2016			
2018/0000612 A1	1/2018	Claypool et al.	CN 106073949 A	11/2016			
2018/0021143 A1	1/2018	Parisi et al.	CN 106214292 A	12/2016			
2018/0021144 A1	1/2018	Parisi et al.	CN 108135701 A	6/2018			
2018/0085225 A1	3/2018	Wentorf et al.	CN 106073949 B	12/2018			
2018/0161166 A1	6/2018	Dai et al.	CN 109310504 A	2/2019			
2018/0256346 A1	9/2018	Byrd et al.	CN 110022798 A	7/2019			
2018/0325684 A1	11/2018	Croll	CN 110402123 A	11/2019			
2019/0142594 A1	5/2019	Yager	CN 110636818 A	12/2019			
2019/0209333 A1	7/2019	Drury et al.	CN 113317912 A	8/2021			
2019/0328535 A1	10/2019	Drury et al.	CN 113317912	6/2024			
2019/0350718 A1	11/2019	Parisi et al.	EP 0021421 A1	1/1981			
2020/0030106 A1	1/2020	Wentorf et al.	EP 0303467 A2	2/1989			
2020/0060833 A1	2/2020	Arnold et al.	EP 0327495 A2	8/1989			
2020/0069433 A1	3/2020	Croll	EP 0340919 A1	11/1989			
2020/0113702 A1	4/2020	Sanford et al.	EP 0372811 A1	6/1990			
2020/0146830 A1	5/2020	Dai et al.	EP 0306744 B1	4/1992			
2020/0237518 A1	7/2020	Byrd et al.	EP 0495340 A1	7/1992			
2021/0022875 A1	1/2021	Drury et al.	EP 0636353 A1	2/1995			

(56)	References Cited		JP	2010240406 A	10/2010
	FOREIGN PATENT DOCUMENTS		JP	2010259808 A	11/2010
EP	0672397 A1 9/1995		JP	2011004848	1/2011
EP	0552950 B1 9/1996		JP	2011092738 A	5/2011
EP	0536457 B1 1/1997		JP	2012500667 A	1/2012
EP	0642328 B1 12/1998		JP	2012531265 A	12/2012
EP	0592750 B1 1/1999		JP	2015512307 A	4/2013
EP	0903125 A1 3/1999		JP	2013535276 A	9/2013
EP	0956836 A1 11/1999		JP	2013536005 A	9/2013
EP	0956836 B1 11/1999		JP	2014505517 A	3/2014
EP	1025818 A2 8/2000		JP	2014508554 A	4/2014
EP	1097679 A1 5/2001		JP	2014522292 A	9/2014
EP	0709074 B1 12/2002		JP	2014239900 A	12/2014
EP	1327424 A1 7/2003		JP	2015502203 A	1/2015
EP	1378216 A2 1/2004		JP	2015504333 A	2/2015
EP	1477143 A1 11/2004		JP	2015504759 A	2/2015
EP	1568336 A1 8/2005		JP	2015513966 A	5/2015
EP	1719478 A2 11/2006		JP	2015231566 A	12/2015
EP	1722721 A1 11/2006		JP	2016028729 A	3/2016
EP	1354571 B1 6/2007		JP	5980341 B2	8/2016
EP	1396240 B1 4/2008		JP	2016195841 A	11/2016
EP	1604623 B1 6/2008		JP	2017221732 A	12/2017
EP	1996122 A1 12/2008		JP	2021142355 A	9/2021
EP	0927009 B1 1/2009		KR	20150096186	8/2015
EP	2011455 A1 1/2009		WO	WO-9305729 A2	4/1993
EP	1696835 B1 2/2009		WO	WO-9409725 A1	5/1994
EP	1132063 A2 9/2009		WO	WO-9514444 A1	6/1995
EP	1591082 B1 9/2009		WO	WO-9514446 A1	6/1995
EP	2140838 A2 1/2010		WO	WO-9530389 A1	11/1995
EP	2140839 A1 1/2010		WO	WO-9535074 A1	12/1995
EP	2143403 A1 1/2010		WO	WO-9934755 A1	7/1999
EP	2237177 A1 10/2010		WO	WO-0141680 A1	6/2001
EP	1555962 B1 2/2011		WO	WO-200141680 A1	6/2001
EP	2319460 A1 5/2011		WO	WO-03099106 A2	12/2003
EP	2324799 A2 5/2011		WO	WO-2004058108 A1	7/2004
EP	2335654 A1 6/2011		WO	WO-2005037147 A1	4/2005
EP	2347733 A1 7/2011		WO	WO-2005051240 A1	6/2005
EP	0689808 B1 9/2012		WO	WO-2005122967 A1	12/2005
EP	2595573 A1 5/2013		WO	WO-2006058057 A2	6/2006
EP	2782525 A1 10/2014		WO	WO-2006092167 A1	9/2006
EP	2830543 A1 2/2015		WO	WO-2007108804 A1	9/2007
EP	2830544 A1 2/2015		WO	WO-2007109641 A2	9/2007
EP	2830544 B1 9/2016		WO	WO-2007119173 A2	10/2007
EP	2918235 B1 1/2017		WO	WO-2009029631 A1	3/2009
EP	3143964 A2 3/2017		WO	WO-2009088235 A2	7/2009
EP	2595574 B1 5/2017		WO	WO-2009088236 A2	7/2009
EP	3111894 B1 12/2018		WO	WO-2009088238 A2	7/2009
FR	2728782 A1 7/1996		WO	WO-2009105495 A1	8/2009
FR	2736819 A1 1/1997		WO	WO-2010001010 A1	1/2010
FR	2747914 A1 10/1997		WO	WO-2010008803 A2	1/2010
FR	2778332 A1 11/1999		WO	WO-2010011590 A1	1/2010
FR	2788964 A1 8/2000		WO	WO-2010022272 A1	2/2010
FR	2824260 A1 11/2002		WO	WO-2010023062 A2	3/2010
FR	2852819 A1 10/2004		WO	WO-2010045537 A1	4/2010
FR	2926719 A1 7/2009		WO	WO-2010075365 A2	7/2010
GB	225347 A 12/1924		WO	WO-2011043955 A1	4/2011
GB	2253147 A 9/1992		WO	WO-2011063123 A2	5/2011
GB	2345446 A 7/2000		WO	WO-2011071979 A2	6/2011
IN	7145DELNP2014 A 4/2015		WO	WO-2011072235 A2	6/2011
JP	61247449 A 11/1986		WO	WO-2011110865 A2	9/2011
JP	62270153 A 11/1987		WO	WO-2012004580 A1	1/2012
JP	06203576 A 7/1994		WO	WO-2012018563 A1	2/2012
JP	09289998 A 11/1997		WO	WO-2012018564 A1	2/2012
JP	09511668 A 11/1997		WO	WO-2012018565 A1	2/2012
JP	2000000255 A 1/2000		WO	WO-2012018566 A1	2/2012
JP	2000245758 A 9/2000		WO	WO-2012018567 A1	2/2012
JP	2003516183 A 5/2003		WO	WO-2012020460 A1	2/2012
JP	2004166802 A 6/2004		WO	WO-2012082628 A1	6/2012
JP	2004254811 A 9/2004		WO	WO-2012083280 A1	6/2012
JP	3734270 B2 1/2006		WO	WO-2012112698 A2	8/2012
JP	2007054488 A 3/2007		WO	WO-2012173704 A1	12/2012
JP	2007509709 A 4/2007		WO	WO-2012173706 A1	12/2012
JP	2007222616 A 9/2007		WO	WO-2013003433 A1	1/2013
JP	2009082713 A 4/2009		WO	WO-2013013094 A1	1/2013
JP	2009245619 A 10/2009		WO	WO-2013074142 A1	5/2013
JP	2010022827 A 2/2010		WO	WO-2013074143 A1	5/2013
JP	2010188051 A 9/2010		WO	WO-2013074144 A1	5/2013

(56)

**References Cited**

## FOREIGN PATENT DOCUMENTS

WO	WO-2013074145	A1	5/2013
WO	WO-2013077919	A1	5/2013
WO	WO-2013115849	A1	8/2013
WO	WO-2013148954	A1	10/2013
WO	WO-2013148960	A1	10/2013
WO	WO-2017053196	A1	3/2017
WO	WO-2018165442	A1	9/2018
WO	WO-2018208612	A1	11/2018

## OTHER PUBLICATIONS

“U.S. Appl. No. 16/849,394, Examiner Interview Summary mailed Aug. 29, 2022”, 2 pgs.

“U.S. Appl. No. 16/849,394, Non Final Office Action mailed Jun. 3, 2022”, 9 pgs.

“U.S. Appl. No. 16/849,394, Notice of Allowance mailed Sep. 15, 2022”, 8 pgs.

“U.S. Appl. No. 16/849,394, Response filed Aug. 24, 2022 to Non Final Office Action mailed Jun. 3, 2022”, 15 pgs.

“U.S. Appl. No. 17/717,898, Preliminary Amendment filed Apr. 29, 2022”, 7 pgs.

“U.S. Appl. No. 17/866,151, Preliminary Amendment filed Aug. 3, 2022”, 6 pgs.

“European Application Serial No. 21177256.1, Extended European Search Report mailed May 17, 2022”, 9 pgs.

“Japanese Application Serial No. 2021-097369, Notification of Reasons for Rejection mailed Jun. 14, 2022”, w/ English Translation, 11 pgs.

“U.S. Appl. No. 17/068,435, Non Final Office Action mailed Jun. 15, 2023”, 13 pgs.

“U.S. Appl. No. 17/068,435, Notice of Allowance mailed Oct. 17, 2023”, 5 pgs.

“U.S. Appl. No. 17/068,435, Response filed Sep. 12, 2023 to Non Final Office Action mailed Jun. 15, 2023”, 11 pgs.

“U.S. Appl. No. 18/081,481, Preliminary Amendment filed Jan. 11, 2023”, 6 pgs.

“U.S. Appl. No. 18/228,322, Preliminary Amendment filed Aug. 16, 2023”, 6 pgs.

“Chinese Application Serial No. 202110590378.1, Office Action mailed Dec. 26, 2023”, w/ English Translation, 15 pgs.

“European Application Serial No. 18726670.5, Communication Pursuant to Article 94(3) EPC mailed Dec. 15, 2022”, 5 pgs.

“European Application Serial No. 18726670.5, Response filed Apr. 25, 2023 to Communication Pursuant to Article 94(3) EPC mailed Dec. 15, 2022”, 35 pgs.

“European Application Serial No. 21177256.1, Communication Pursuant to Article 94(3) EPC mailed Jun. 7, 2023”, 4 pgs.

“European Application Serial No. 21177256.1, Response filed Oct. 17, 2023 to Communication Pursuant to Article 94(3) EPC mailed Jun. 7, 2023”, 10 pgs.

“European Application Serial No. 21177256.1, Response filed Dec. 21, 2022 to Extended European Search Report mailed May 17, 2022”, 35 pgs.

“European Application Serial No. 21178298.2, Communication Pursuant to Article 94(3) EPC mailed Nov. 29, 2023”, 5 pgs.

“European Application Serial No. 21178298.2, Response filed Feb. 29, 2024 to Communication Pursuant to Article 94(3) EPC mailed Nov. 29, 2023”, 21 pgs.

“European Application Serial No. 21178298.2, Response filed Dec. 21, 2022 to Extended European Search Report mailed Mar. 1, 2022”, 23 pgs.

“Japanese Application Serial No. 2021-097369, Response filed Sep. 12, 2022 to Notification of Reasons for Rejection mailed Jun. 14, 2022”, w/ English claims, 17 pgs.

“U.S. Appl. No. 16/179,201, Advisory Action mailed Jun. 25, 2021”, 3 pgs.

“U.S. Appl. No. 16/179,201, Examiner Interview Summary mailed Feb. 8, 2021”, 3 pgs.

“U.S. Appl. No. 16/179,201, Examiner Interview Summary mailed Nov. 9, 2021”, 4 pgs.

“U.S. Appl. No. 16/179,201, Examiner Interview Summary mailed Nov. 17, 2021”, 3 pgs.

“U.S. Appl. No. 16/179,201, Final Office Action mailed Apr. 20, 2021”, 11 pgs.

“U.S. Appl. No. 16/179,201, Non Final Office Action mailed Sep. 22, 2021”, 11 pgs.

“U.S. Appl. No. 16/179,201, Non Final Office Action mailed Nov. 2, 2020”, 15 pgs.

“U.S. Appl. No. 16/179,201, Notice of Allowance mailed Apr. 21, 2022”, 9 pgs.

“U.S. Appl. No. 16/179,201, Response filed Jan. 28, 2021 to Non Final Office Action mailed Nov. 2, 2020”, 16 pgs.

“U.S. Appl. No. 16/179,201, Response filed Jun. 18, 2021 to Final Office Action mailed Apr. 20, 2021”, 16 pgs.

“U.S. Appl. No. 16/179,201, Response filed Oct. 5, 2020 to Restriction Requirement mailed Aug. 7, 2020”, 9 pgs.

“U.S. Appl. No. 16/179,201, Response filed Dec. 3, 2021 to Non Final Office Action mailed Sep. 22, 2021”, 11 pgs.

“U.S. Appl. No. 16/179,201, Supplemental Response filed Feb. 19, 2021 to Non-Final Office Action mailed Nov. 2, 2020”, 17 pgs.

“U.S. Appl. No. 16/352,287, Final Office Action mailed May 25, 2021”, 8 pgs.

“U.S. Appl. No. 16/352,287, Non Final Office Action mailed Dec. 10, 2020”, 12 pgs.

“U.S. Appl. No. 16/352,287, Notice of Allowance mailed Jun. 30, 2021”, 7 pgs.

“U.S. Appl. No. 16/352,287, Response filed Feb. 22, 2021 to Non Final Office Action mailed Dec. 10, 2020”, 14 pgs.

“U.S. Appl. No. 16/352,287, Response filed Jun. 18, 2021 to Final Office Action mailed May 25, 2021”, 8 pgs.

“U.S. Appl. No. 16/352,287, Response filed Oct. 12, 2020 to Restriction Requirement mailed Aug. 17, 2020”, 8 pgs.

“U.S. Appl. No. 16/675,938, Non Final Office Action mailed Sep. 16, 2021”, 5 pgs.

“U.S. Appl. No. 16/675,938, Notice of Allowance mailed Jan. 12, 2022”, 8 pgs.

“U.S. Appl. No. 16/675,938, Response filed Dec. 3, 2021 to Non Final Office Action mailed Sep. 16, 2021”, 8 pgs.

“U.S. Appl. No. 16/675,938, Supplemental Notice of Allowability mailed Feb. 1, 2022”, 2 pgs.

“U.S. Appl. No. 16/743,746, Notice of Allowance mailed Jan. 13, 2022”, 14 pgs.

“U.S. Appl. No. 16/743,746, Supplemental Notice of Allowability mailed Jan. 27, 2022”, 2 pgs.

“U.S. Appl. No. 17/068,435, Preliminary Amendment filed Nov. 13, 2020”, 7 pgs.

“Australian Application Serial No. 2020204019, First Examination Report mailed Jun. 18, 2021”, 7 pgs.

“Australian Application Serial No. 2020204019, Response filed Jan. 11, 2022 to Subsequent Examiners Report mailed Nov. 16, 2021”, 19 pgs.

“Australian Application Serial No. 2020204019, Response filed Aug. 19, 2021 to First Examination Report mailed Jun. 18, 2021”, 3 pgs.

“Australian Application Serial No. 2020204019, Response filed Oct. 15, 2021 to Subsequent Examiners Report mailed Sep. 2, 2021”, 22 pgs.

“Australian Application Serial No. 2020204019, Subsequent Examiners Report mailed Sep. 2, 2021”, 4 pgs.

“Australian Application Serial No. 2020204019, Subsequent Examiners Report mailed Nov. 16, 2021”, 3 pgs.

“Brazilian Application Serial No. BR1120130016736, Response filed Oct. 5, 2020 to Office Action mailed Jun. 10, 2020”, (W/ English Translation of Claims), 91 pgs.

“Canadian Application Serial No. 3,063,415, Response filed Nov. 12, 2020 to Office Action mailed Jul. 13, 2020”, 15 pgs.

“Chinese Application Serial No. 201880016775.4, Decision of Rejection mailed Jul. 12, 2021”, (W/ English Translation), 13 pgs.

“Chinese Application Serial No. 201880016775.4, Office Action mailed Jan. 22, 2021”, with English translation, 15 pages.

(56)

**References Cited****OTHER PUBLICATIONS**

- “Chinese Application Serial No. 201880031319.7, Office Action mailed Nov. 18, 2020”, (W/ English Translation), 9 pgs.
- “Chinese Application Serial No. 201880031319.7, Response filed Jan. 18, 2021 to Office Action mailed Nov. 18, 2020”, (W/ English Claims), 16 pgs.
- “European Application Serial No. 20175535.2, Extended European Search Report mailed Aug. 18, 2021”, 16 pgs.
- “European Application Serial No. 20175535.2, Partial European Search Report mailed May 18, 2021”, 18 pgs.
- “European Application Serial No. 20175535.2, Response Filed Mar. 15, 2022 to Extended European Search Report mailed Aug. 18, 2021”, 31 pgs.
- “European Application Serial No. 21178298.2, Extended European Search Report mailed Mar. 1, 2022”, 9 pgs.
- “Indian Application Serial No. 1545/DELNP/2013, Response filed Jun. 9, 2020 to Office Action mailed Dec. 9, 2019”, (W/ English Claims), 78 pgs.
- “Japanese Application Serial No. 2019-562605, Notification of Reasons for Refusal mailed Nov. 10, 2020”, (W/ English Translation), 5 pgs.
- “Japanese Application Serial No. 2019-562605, Response filed Feb. 9, 2021 to Notification of Reasons for Refusal mailed Nov. 10, 2020”, (W/ English Claims), 19 pgs.
- “Japanese Application Serial No. 2019-562605, Response filed Sep. 15, 2020 to Notification of Reasons for Refusal mailed Jun. 16, 2020”, (W/ English Claims), 15 pgs.
- “U.S. Appl. No. 13/087,610, Non Final Office Action mailed Feb. 26, 2013”, 7 pgs.
- “U.S. Appl. No. 13/087,610, Notice of Allowance mailed Jun. 28, 2013”, 6 pgs.
- “U.S. Appl. No. 13/087,610, Notice of Allowance mailed Oct. 8, 2013”, 7 pgs.
- “U.S. Appl. No. 13/087,610, Response filed May 24, 2013 to Non Final Office Action mailed Feb. 26, 2013”, 15 pgs.
- “U.S. Appl. No. 13/189,324, Examiner Interview Summary mailed Jan. 13, 2014”, 4 pgs.
- “U.S. Appl. No. 13/189,324, Final Office Action mailed Jul. 16, 2013”, 19 pgs.
- “U.S. Appl. No. 13/189,324, Non Final Office Action mailed Dec. 11, 2012”, 19 pgs.
- “U.S. Appl. No. 13/189,324, Notice of Allowance mailed Feb. 20, 2014”, 8 pgs.
- “U.S. Appl. No. 13/189,324, PTO Response to 312 Amendment mailed May 29, 2014”, 2 pgs.
- “U.S. Appl. No. 13/189,324, Response filed Jan. 15, 2014 to Final Office Action dated Jul. 16, 2013”, 23 pgs.
- “U.S. Appl. No. 13/189,324, Response filed Jun. 10, 2013 to Non Final Office Action mailed Dec. 11, 2012”, 24 pgs.
- “U.S. Appl. No. 13/189,328, Non Final Office Action mailed Mar. 19, 2013”, 10 pgs.
- “U.S. Appl. No. 13/189,328, Notice of Allowance mailed Oct. 8, 2013”, 12 pgs.
- “U.S. Appl. No. 13/189,328, PTO Response to 312 Amendment mailed Dec. 13, 2013”, 2 pgs.
- “U.S. Appl. No. 13/189,328, Response filed Jan. 10, 2013 to Restriction Requirement mailed Dec. 10, 2012”, 9 pgs.
- “U.S. Appl. No. 13/189,328, Response filed Jul. 18, 2013 to Non Final Office Action mailed Mar. 19, 2013”, 16 pgs.
- “U.S. Appl. No. 13/189,328, Restriction Requirement mailed Dec. 10, 2012”, 6 pgs.
- “U.S. Appl. No. 13/189,336, Notice of Allowance mailed Sep. 13, 2013”, 30 pgs.
- “U.S. Appl. No. 13/189,336, PTO Response to 312 Amendment mailed Nov. 25, 2013”, 2 pgs.
- “U.S. Appl. No. 13/189,336, Response filed Apr. 15, 2013 to Restriction Requirement mailed Jan. 30, 2013”, 21 pgs.
- “U.S. Appl. No. 13/189,336, Response filed Jul. 17, 2013 to Restriction Requirement mailed Jun. 17, 2013”, 20 pgs.
- “U.S. Appl. No. 13/189,336, Restriction Requirement mailed Jan. 30, 2013”, 5 pgs.
- “U.S. Appl. No. 13/189,336, Restriction Requirement mailed Jun. 17, 2013”, 6 pgs.
- “U.S. Appl. No. 13/189,338, Notice of Allowance mailed Sep. 23, 2013”, 23 pgs.
- “U.S. Appl. No. 13/189,338, Response filed Apr. 15, 2013 to Restriction Requirement mailed Feb. 14, 2013”, 18 pgs.
- “U.S. Appl. No. 13/189,338, Response filed Jul. 17, 2013 to Restriction Requirement mailed Jun. 17, 2013”, 16 pgs.
- “U.S. Appl. No. 13/189,338, Restriction Requirement mailed Feb. 14, 2013”, 5 pgs.
- “U.S. Appl. No. 13/189,338, Restriction Requirement mailed Jun. 17, 2013”, 6 pgs.
- “U.S. Appl. No. 13/189,339, Notice of Allowance mailed Sep. 20, 2013”, 16 pgs.
- “U.S. Appl. No. 13/189,339, Response filed Apr. 15, 2013 to Restriction Requirement mailed Mar. 6, 2013”, 11 pgs.
- “U.S. Appl. No. 13/189,339, Response filed Jul. 17, 2013 to Restriction Requirement mailed Jun. 17, 2013”, 10 pgs.
- “U.S. Appl. No. 13/189,339, Restriction Requirement mailed Mar. 6, 2013”, 6 pgs.
- “U.S. Appl. No. 13/189,339, Restriction Requirement mailed Jun. 17, 2013”, 7 pgs.
- “U.S. Appl. No. 13/229,103, Applicant Interview Summary mailed Sep. 23, 2013”, 2 pgs.
- “U.S. Appl. No. 13/229,103, Examiner Interview Summary mailed Sep. 13, 2013”, 3 pgs.
- “U.S. Appl. No. 13/229,103, Non Final Office Action mailed Apr. 1, 2013”, 18 pgs.
- “U.S. Appl. No. 13/229,103, Notice of Allowance mailed Sep. 18, 2013”, 9 pgs.
- “U.S. Appl. No. 13/229,103, Response filed Jul. 1, 2013 to Non Final Office Action mailed Apr. 1, 2013”, 19 pgs.
- “U.S. Appl. No. 13/229,103, Supplemental Notice of Allowability mailed Oct. 18, 2013”, 2 pgs.
- “U.S. Appl. No. 13/459,037, Final Office Action mailed Sep. 23, 2013”, 9 pgs.
- “U.S. Appl. No. 13/459,037, Non Final Office Action mailed Apr. 23, 2013”, 10 pgs.
- “U.S. Appl. No. 13/459,037, Notice of Allowance mailed Jun. 13, 2014”, 9 pgs.
- “U.S. Appl. No. 13/459,037, Preliminary Amendment filed Apr. 27, 2012”, 3 pgs.
- “U.S. Appl. No. 13/459,037, Response filed Mar. 21, 2014 to Final Office Action mailed Sep. 23, 2013”, 15 pgs.
- “U.S. Appl. No. 13/459,037, Response filed Mar. 28, 2013 to Restriction Requirement mailed Feb. 26, 2013”, 9 pgs.
- “U.S. Appl. No. 13/459,037, Response filed Jul. 23, 2013 to Non Final Office Action mailed Apr. 23, 2013”, 19 pgs.
- “U.S. Appl. No. 13/459,037, Restriction Requirement mailed Feb. 26, 2013”, 6 pgs.
- “U.S. Appl. No. 13/459,041, Non Final Office Action mailed Jan. 15, 2014”, 16 pgs.
- “U.S. Appl. No. 13/459,041, Non Final Office Action mailed Sep. 9, 2014”, 14 pgs.
- “U.S. Appl. No. 13/459,041, Notice of Allowance mailed Apr. 2, 2015”, 10 pgs.
- “U.S. Appl. No. 13/459,041, Preliminary Amendment mailed Apr. 27, 2012”, 7 pgs.
- “U.S. Appl. No. 13/459,041, PTO Response to Rule 312 Communication mailed Jun. 9, 2015”, 2 pgs.
- “U.S. Appl. No. 13/459,041, Response filed May 15, 2014 to Non-Final Office Action dated Jan. 15, 2014”, 24 pgs.
- “U.S. Appl. No. 13/459,041, Response filed Sep. 23, 2013 to Restriction Requirement mailed Jul. 25, 2013”, 18 pgs.
- “U.S. Appl. No. 13/459,041, Response filed Dec. 9, 2014 to Non-Final Office Action mailed Sep. 9, 2014”, 23 pgs.
- “U.S. Appl. No. 13/459,041, Restriction Requirement mailed Jul. 25, 2013”, 9 pgs.
- “U.S. Appl. No. 13/459,048, Non Final Office Action mailed Jul. 11, 2013”, 6 pgs.

(56)

**References Cited**

## OTHER PUBLICATIONS

- “U.S. Appl. No. 13/459,048, Notice of Allowance mailed Nov. 26, 2013”, 10 pgs.
- “U.S. Appl. No. 13/459,048, Preliminary Amendment filed Apr. 27, 2012”, 7 pgs.
- “U.S. Appl. No. 13/459,048, Response filed Nov. 11, 2013 to Non-Final Office Action mailed Jul. 11, 2013”, 16 pgs.
- “U.S. Appl. No. 13/459,056, Examiner Interview Summary mailed Dec. 26, 2013”, 3 pgs.
- “U.S. Appl. No. 13/459,056, Non Final Office Action mailed Jul. 25, 2013”, 11 pgs.
- “U.S. Appl. No. 13/459,056, Notice of Allowance mailed Feb. 20, 2014”, 5 pgs.
- “U.S. Appl. No. 13/459,056, Preliminary Amendment filed Apr. 27, 2012”, 7 pgs.
- “U.S. Appl. No. 13/459,056, PTO Response to Rule 312 Communication mailed May 22, 2014”, 2 pgs.
- “U.S. Appl. No. 13/459,056, Response filed Jan. 24, 2014 to Non-Final office Action mailed Jul. 25, 2013”, 27 pgs.
- “U.S. Appl. No. 13/459,056, Response filed Apr. 8, 2013 to Restriction Requirement mailed Mar. 6, 2013”, 15 pgs.
- “U.S. Appl. No. 13/459,056, Restriction Requirement mailed Mar. 6, 2013”, 6 pgs.
- “U.S. Appl. No. 13/593,339, Non Final Office Action mailed Oct. 4, 2013”, 7 pgs.
- “U.S. Appl. No. 13/593,339, Notice of Allowance mailed Feb. 14, 2014”, 9 pgs.
- “U.S. Appl. No. 13/593,339, Preliminary Amendment filed Aug. 23, 2012”, 6 pgs.
- “U.S. Appl. No. 13/593,339, Response filed Jan. 31, 2014 to Non-Final Office Action dated Oct. 4, 2013”, 19 pgs.
- “U.S. Appl. No. 13/593,339, Response filed Aug. 30, 2013 to Restriction Requirement mailed Aug. 1, 2013”, 14 pgs.
- “U.S. Appl. No. 13/593,339, Restriction Requirement mailed Aug. 1, 2013”, 5 pgs.
- “U.S. Appl. No. 13/593,339, Supplemental Notice of Allowability mailed Mar. 31, 2014”, 2 pgs.
- “U.S. Appl. No. 13/594,543, Corrected Notice of Allowance mailed Mar. 16, 2016”, 2 pgs.
- “U.S. Appl. No. 13/594,543, Examiner Interview Summary mailed Jan. 22, 2016”, 3 pgs.
- “U.S. Appl. No. 13/594,543, Final Office Action mailed Jul. 17, 2014”, 12 pgs.
- “U.S. Appl. No. 13/594,543, Final Office Action mailed Nov. 20, 2015”, 28 pgs.
- “U.S. Appl. No. 13/594,543, Non Final Office Action mailed Jun. 19, 2015”, 30 pgs.
- “U.S. Appl. No. 13/594,543, Non Final Office Action mailed Dec. 26, 2013”, 15 pgs.
- “U.S. Appl. No. 13/594,543, Non-Final Office Action mailed Jan. 9, 2015”, 23 pgs.
- “U.S. Appl. No. 13/594,543, Notice of Allowance mailed Mar. 1, 2016”, 9 pgs.
- “U.S. Appl. No. 13/594,543, Preliminary Amendment filed Aug. 24, 2012”, 4 pgs.
- “U.S. Appl. No. 13/594,543, Response filed Feb. 8, 2016 to Final Office Action mailed Nov. 20, 2015”, 17 pgs.
- “U.S. Appl. No. 13/594,543, Response filed Apr. 7, 2015 to Non-Final Office Action mailed Jan. 9, 2015”, 27 pgs.
- “U.S. Appl. No. 13/594,543, Response filed May 7, 2014 to Non-Final office Action mailed Dec. 26, 2013”, 17 pgs.
- “U.S. Appl. No. 13/594,543, Response filed Sep. 21, 2015 to Non-Final Office Action mailed Jun. 19, 2015”, 25 pgs.
- “U.S. Appl. No. 13/594,543, Response filed Oct. 11, 2013 to Restriction Requirement mailed Sep. 12, 2013”, 8 pgs.
- “U.S. Appl. No. 13/594,543, Response filed Dec. 17, 2014 to Final Office Action mailed Jul. 17, 2014”, 15 pgs.
- “U.S. Appl. No. 13/594,543, Restriction Requirement mailed Sep. 12, 2013”, 5 pgs.
- “U.S. Appl. No. 13/819,116, Advisory Action mailed Jan. 5, 2016”, 3 pgs.
- “U.S. Appl. No. 13/819,116, Corrected Notice of Allowance mailed Oct. 21, 2016”, 2 pgs.
- “U.S. Appl. No. 13/819,116, Examiner Interview Summary mailed Apr. 18, 2016”, 11 pgs.
- “U.S. Appl. No. 13/819,116, Final Office Action mailed Jul. 26, 2016”, 6 pgs.
- “U.S. Appl. No. 13/819,116, Final Office Action mailed Oct. 21, 2015”, 15 pgs.
- “U.S. Appl. No. 13/819,116, Non Final Office Action mailed Feb. 17, 2016”, 15 pgs.
- “U.S. Appl. No. 13/819,116, Non Final Office Action mailed Jun. 2, 2015”, 14 pgs.
- “U.S. Appl. No. 13/819,116, Notice of Allowance mailed Sep. 29, 2016”, 5 pgs.
- “U.S. Appl. No. 13/819,116, Preliminary Amendment filed Feb. 26, 2013”, 8 pgs.
- “U.S. Appl. No. 13/819,116, Response filed Mar. 27, 2015 to Restriction Requirement mailed Feb. 12, 2015”, 11 pgs.
- “U.S. Appl. No. 13/819,116, Response filed Apr. 29, 2016 to Non Final Office Action mailed Feb. 17, 2016”, 17 pgs.
- “U.S. Appl. No. 13/819,116, Response filed Jul. 16, 2015 to Non Final Office Action mailed Jun. 2, 2015”, 22 pgs.
- “U.S. Appl. No. 13/819,116, Response filed Sep. 14, 2016 Final Office Action mailed Jul. 26, 2016”, 10 pgs.
- “U.S. Appl. No. 13/819,116, Response filed Dec. 15, 2015 to Final Office Action mailed Oct. 21, 2015”, 16 pgs.
- “U.S. Appl. No. 13/819,116, Restriction Requirement mailed Feb. 12, 2015”, 7 pgs.
- “U.S. Appl. No. 13/836,586, Express Abandonment filed May 30, 2014”, 1 pg.
- “U.S. Appl. No. 13/836,665, Examiner Interview Summary mailed Jul. 17, 2014”, 4 pgs.
- “U.S. Appl. No. 13/836,665, Final Office Action mailed Jul. 25, 2014”, 25 pgs.
- “U.S. Appl. No. 13/836,665, Non Final Office Action mailed Jan. 30, 2014”, 21 pgs.
- “U.S. Appl. No. 13/836,665, Notice of Allowance mailed Jun. 9, 2015”, 10 pgs.
- “U.S. Appl. No. 13/836,665, Response filed Jan. 23, 2015 to Final Office Action mailed Jul. 25, 2014”, 25 pgs.
- “U.S. Appl. No. 13/836,665, Response filed May 30, 2014 to Non-Final Office Action mailed Jan. 30, 2014”, 21 pgs.
- “U.S. Appl. No. 13/837,294, Final Office Action mailed Apr. 25, 2016”, 7 pgs.
- “U.S. Appl. No. 13/837,294, Final Office Action mailed Jun. 2, 2016”, 7 pgs.
- “U.S. Appl. No. 13/837,294, Non Final Office Action mailed Dec. 10, 2015”, 8 pgs.
- “U.S. Appl. No. 13/837,294, Notice of Allowance mailed Aug. 25, 2016”, 5 pgs.
- “U.S. Appl. No. 13/837,294, Response filed Mar. 4, 2016 to Non Final Office Action mailed Dec. 10, 2015”, 16 pgs.
- “U.S. Appl. No. 13/837,294, Response filed Aug. 3, 2016 to Final Office Action mailed Jun. 2, 2016”, 7 pgs.
- “U.S. Appl. No. 13/837,294, Response filed Oct. 12, 2015 to Restriction Requirement mailed Aug. 24, 2015”, 9 pgs.
- “U.S. Appl. No. 13/837,294, Restriction Requirement mailed Aug. 24, 2015”, 6 pgs.
- “U.S. Appl. No. 13/837,774, Examiner Interview Summary mailed Jul. 22, 2014”, 4 pgs.
- “U.S. Appl. No. 13/837,774, Final Office Action mailed Mar. 17, 2016”, 14 pgs.
- “U.S. Appl. No. 13/837,774, Final Office Action mailed Jul. 28, 2014”, 17 pgs.
- “U.S. Appl. No. 13/837,774, Non Final Office Action mailed Feb. 10, 2014”, 33 pgs.
- “U.S. Appl. No. 13/837,774, Non Final Office Action mailed Sep. 18, 2015”, 16 pgs.
- “U.S. Appl. No. 13/837,774, Response filed Jan. 28, 2015 to Final Office Action mailed Jul. 28, 2014”, 16 pgs.

(56)

**References Cited**

## OTHER PUBLICATIONS

- “U.S. Appl. No. 13/837,774, Response filed Jun. 10, 2014 to Non-Final Office Action mailed Feb. 20, 2014”, 29 pgs.
- “U.S. Appl. No. 13/837,774, Response filed Jul. 7, 2015 to Restriction Requirement mailed May 20, 2015”, 10 pgs.
- “U.S. Appl. No. 13/837,774, Response filed Dec. 16, 2015 to Non Final Office Action mailed Sep. 18, 2015”, 17 pgs.
- “U.S. Appl. No. 13/837,774, Restriction Requirement mailed May 20, 2015”, 6 pgs.
- “U.S. Appl. No. 14/034,076, Appeal Brief Filed Apr. 18, 2016”, 21 pgs.
- “U.S. Appl. No. 14/034,076, Final Office Action mailed Dec. 21, 2015”, 11 pgs.
- “U.S. Appl. No. 14/034,076, Non Final Office Action mailed Jun. 24, 2015”, 11 pgs.
- “U.S. Appl. No. 14/034,076, Notice of Allowance mailed Oct. 28, 2016”, 7 pgs.
- “U.S. Appl. No. 14/034,076, Response filed Nov. 16, 2015 to Non Final Office Action mailed Jun. 24, 2015”, 13 pgs.
- “U.S. Appl. No. 14/034,937, Appeal Brief Filed Sep. 9, 2015”, 41 pgs.
- “U.S. Appl. No. 14/034,937, Appeal Decision mailed May 30, 2017”, 34 pgs.
- “U.S. Appl. No. 14/034,937, Final Office Action mailed Jun. 5, 2015”, 22 pgs.
- “U.S. Appl. No. 14/034,937, Non Final Office Action mailed Jan. 2, 2015”, 21 pgs.
- “U.S. Appl. No. 14/034,937, Notice of Allowance mailed Aug. 30, 2017”, 14 pgs.
- “U.S. Appl. No. 14/034,937, Preliminary Amendment filed Sep. 24, 2013”, 3 pgs.
- “U.S. Appl. No. 14/034,937, PTO Response to Rule 312 Communication mailed Oct. 10, 2017”, 2 pgs.
- “U.S. Appl. No. 14/034,937, Response filed Mar. 30, 2015 to Non-Final Office Action”, 24 pgs.
- “U.S. Appl. No. 14/034,937, Response filed Oct. 27, 2014 to Restriction Requirement mailed Sep. 11, 2014”, 12 pgs.
- “U.S. Appl. No. 14/034,937, Restriction Requirement mailed Sep. 11, 2014”, 6 pgs.
- “U.S. Appl. No. 14/034,937, Supplemental Preliminary Amendment filed Oct. 24, 2013”, 11 pgs.
- “U.S. Appl. No. 14/034,944, Non Final Office Action mailed Mar. 3, 2015”, 16 pgs.
- “U.S. Appl. No. 14/034,944, Notice of Allowance mailed Aug. 28, 2015”, 7 pgs.
- “U.S. Appl. No. 14/034,944, Preliminary Amendment filed Sep. 24, 2013”, 3 pgs.
- “U.S. Appl. No. 14/034,944, Response filed Jun. 23, 2015 to Non Final Office Action mailed Mar. 3, 2015”, 15 pgs.
- “U.S. Appl. No. 14/034,944, Response filed Dec. 15, 2014 to Restriction Requirement mailed Oct. 14, 2014”, 12 pgs.
- “U.S. Appl. No. 14/034,944, Restriction Requirement mailed Oct. 14, 2014”, 6 pgs.
- “U.S. Appl. No. 14/034,944, Supplemental Preliminary Amendment filed Oct. 24, 2013”, 11 pgs.
- “U.S. Appl. No. 14/034,954, Advisory Action mailed Aug. 25, 2015”, 3 pgs.
- “U.S. Appl. No. 14/034,954, Final Office Action mailed Jun. 1, 2015”, 26 pgs.
- “U.S. Appl. No. 14/034,954, Non Final Office Action mailed Dec. 19, 2014”, 25 pgs.
- “U.S. Appl. No. 14/034,954, Notice of Allowance mailed Nov. 20, 2015”, 11 pgs.
- “U.S. Appl. No. 14/034,954, Preliminary Amendment filed Sep. 24, 2013”, 3 pgs.
- “U.S. Appl. No. 14/034,954, Response filed Mar. 17, 2015 to Non Final Office Action mailed Dec. 19, 2014”, 21 pgs.
- “U.S. Appl. No. 14/034,954, Response filed Aug. 3, 2015 to Final Office Action mailed Jun. 1, 2015”, 19 pgs.
- “U.S. Appl. No. 14/034,954, Response filed Aug. 31, 2015 to Advisory Action mailed Aug. 25, 2015”, 21 pgs.
- “U.S. Appl. No. 14/034,954, Response filed Oct. 27, 2014 to Restriction Requirement mailed Aug. 25, 2014”, 11 pgs.
- “U.S. Appl. No. 14/034,954, Restriction Requirement mailed Aug. 25, 2014”, 7 pgs.
- “U.S. Appl. No. 14/034,954, Supplemental Preliminary Amendment filed Oct. 25, 2013”, 8 pgs.
- “U.S. Appl. No. 14/034,963, Final Office Action mailed Apr. 13, 2015”, 22 pgs.
- “U.S. Appl. No. 14/034,963, Final Office Action mailed Oct. 13, 2015”, 11 pgs.
- “U.S. Appl. No. 14/034,963, Non Final Office Action mailed Jul. 1, 2015”, 15 pgs.
- “U.S. Appl. No. 14/034,963, Non Final Office Action mailed Nov. 21, 2014”, 19 pgs.
- “U.S. Appl. No. 14/034,963, Notice of Allowance mailed Dec. 18, 2015”, 5 pgs.
- “U.S. Appl. No. 14/034,963, Preliminary Amendment filed Sep. 24, 2013”, 3 pgs.
- “U.S. Appl. No. 14/034,963, Response filed Mar. 20, 2015 to Non-Final Office Action mailed Nov. 21, 2014”, 20 pgs.
- “U.S. Appl. No. 14/034,963, Response filed Jun. 19, 2015 to Final Office Action mailed Apr. 13, 2015”, 17 pgs.
- “U.S. Appl. No. 14/034,963, Response filed Sep. 30, 2015 to Non Final Office Action mailed Jul. 1, 2015”, 14 pgs.
- “U.S. Appl. No. 14/034,963, Response filed Nov. 20, 2015 to Final Office Action mailed Oct. 13, 2015”, 12 pgs.
- “U.S. Appl. No. 14/063,032, Non Final Office Action mailed Jun. 20, 2014”, 6 pgs.
- “U.S. Appl. No. 14/063,032, Notice of Allowance mailed Dec. 19, 2014”, 6 pgs.
- “U.S. Appl. No. 14/063,032, Preliminary Amendment filed Oct. 25, 2013”, 3 pgs.
- “U.S. Appl. No. 14/063,032, Response filed Oct. 20, 2014 to Non-Final Office Action mailed Jun. 20, 2014”, 9 pgs.
- “U.S. Appl. No. 14/063,593, Advisory Action mailed Aug. 19, 2016”, 3 pgs.
- “U.S. Appl. No. 14/063,593, Final Office Action mailed Jun. 9, 2016”, 10 pgs.
- “U.S. Appl. No. 14/063,593, Non Final Office Action mailed Jan. 25, 2016”, 9 pgs.
- “U.S. Appl. No. 14/063,593, Non Final Office Action mailed Nov. 30, 2016”, 12 pgs.
- “U.S. Appl. No. 14/063,593, Notice of Allowance mailed May 2, 2017”, 5 pgs.
- “U.S. Appl. No. 14/063,593, Notice of Allowance mailed May 25, 2017”, 5 pgs.
- “U.S. Appl. No. 14/063,593, Preliminary Amendment filed Oct. 25, 2013”, 3 pgs.
- “U.S. Appl. No. 14/063,593, Response filed Jan. 4, 2016 to Restriction Requirement mailed Nov. 6, 2015”, 6 pgs.
- “U.S. Appl. No. 14/063,593, Response filed Feb. 24, 2017 to Non Final Office Action mailed Nov. 30, 2016”, 17 pgs.
- “U.S. Appl. No. 14/063,593, Response filed Apr. 20, 2016 to Non Final Office Action mailed Jan. 25, 2016”, 17 pgs.
- “U.S. Appl. No. 14/063,593, Response filed Aug. 11, 2016 to Final Office Action mailed Jun. 9, 2016”, 10 pgs.
- “U.S. Appl. No. 14/063,593, Restriction Requirement mailed Nov. 6, 2015”, 6 pgs.
- “U.S. Appl. No. 14/181,033, Non Final Office Action mailed May 1, 2015”, 5 pgs.
- “U.S. Appl. No. 14/181,033, Notice of Allowance mailed Jul. 17, 2015”, 10 pgs.
- “U.S. Appl. No. 14/181,033, Response filed Jun. 22, 2015 to Non-Final Office Action mailed May 1, 2015”, 11 pgs.
- “U.S. Appl. No. 14/278,805, Notice of Allowance mailed Dec. 1, 2015”, 8 pgs.
- “U.S. Appl. No. 14/278,805, Supplemental Notice of Allowability mailed Jan. 21, 2016”, 2 pgs.
- “U.S. Appl. No. 14/284,028, Non Final Office Action mailed Jul. 7, 2015”, 17 pgs.

(56)

**References Cited**

## OTHER PUBLICATIONS

- “U.S. Appl. No. 14/284,028, Notice of Allowance mailed Nov. 6, 2015”, 5 pgs.
- “U.S. Appl. No. 14/284,028, Response filed Oct. 6, 2015 to Non Final Office Action mailed Jul. 7, 2015”, 15 pgs.
- “U.S. Appl. No. 14/284,028, Supplemental Notice of Allowability mailed Feb. 26, 2016”, 5 pgs.
- “U.S. Appl. No. 14/284,028, Supplemental Preliminary Amendment filed Jul. 8, 2014”, 13 pgs.
- “U.S. Appl. No. 14/284,144, Final Office Action mailed Aug. 7, 2015”, 13 pgs.
- “U.S. Appl. No. 14/284,144, Non Final Office Action mailed Mar. 25, 2015”, 26 pgs.
- “U.S. Appl. No. 14/284,144, Notice of Allowance mailed Oct. 29, 2015”, 8 pgs.
- “U.S. Appl. No. 14/284,144, Preliminary Amendment filed May 21, 2014”, 3 pgs.
- “U.S. Appl. No. 14/284,144, Response filed Oct. 9, 2015 to Final Office Action mailed Aug. 7, 2015”, 13 pgs.
- “U.S. Appl. No. 14/284,144, Response filed Jun. 23, 2015 to Non Final Office Action mailed Mar. 25, 2015”, 22 pgs.
- “U.S. Appl. No. 14/284,144, Supplemental Preliminary Amendment filed Jul. 3, 2014”, 10 pgs.
- “U.S. Appl. No. 14/304,009, Notice of Allowance mailed Nov. 16, 2016”, 7 pgs.
- “U.S. Appl. No. 14/304,009, Preliminary Amendment Filed Jul. 31, 2014”, 7 pgs.
- “U.S. Appl. No. 14/471,440, Notice of Allowance mailed Nov. 13, 2017”, 9 pgs.
- “U.S. Appl. No. 14/471,440, Response filed Aug. 16, 2017 to Restriction Requirement mailed Jun. 30, 2017”, 8 pgs.
- “U.S. Appl. No. 14/471,440, Restriction Requirement mailed Jun. 30, 2017”, 6 pgs.
- “U.S. Appl. No. 14/490,153, Final Office Action mailed Apr. 15, 2015”, 18 pgs.
- “U.S. Appl. No. 14/490,153, Non Final Office Action mailed Nov. 12, 2014”, 9 pgs.
- “U.S. Appl. No. 14/490,153, Notice of Allowance mailed Aug. 14, 2015”, 10 pgs.
- “U.S. Appl. No. 14/490,153, Preliminary Amendment filed Sep. 18, 2014”, 3 pgs.
- “U.S. Appl. No. 14/490,153, Response filed Feb. 18, 2015 to Non-Final Office Action mailed Nov. 12, 2014”, 14 pgs.
- “U.S. Appl. No. 14/490,153, Response filed Jul. 7, 2015 to Final Office Action mailed Apr. 15, 2015”, 14 pgs.
- “U.S. Appl. No. 14/660,217, Corrected Notice of Allowance mailed May 26, 2016”, 3 pgs.
- “U.S. Appl. No. 14/660,217, Non Final Office Action mailed Dec. 17, 2015”, 8 pgs.
- “U.S. Appl. No. 14/660,217, Notice of Allowance mailed Apr. 26, 2016”, 5 pgs.
- “U.S. Appl. No. 14/660,217, Preliminary Amendment filed Mar. 18, 2015”, 9 pgs.
- “U.S. Appl. No. 14/660,217, Response filed Mar. 23, 2016 to Non Final Office Action mailed Dec. 17, 2015”, 14 pgs.
- “U.S. Appl. No. 14/740,690, Non Final Office Action mailed Dec. 7, 2016”, 19 pgs.
- “U.S. Appl. No. 14/740,690, Notice of Allowability mailed Aug. 29, 2017”, 2 pgs.
- “U.S. Appl. No. 14/740,690, Notice of Allowance mailed Jun. 13, 2017”, 9 pgs.
- “U.S. Appl. No. 14/740,690, Response filed Mar. 3, 2017 to Non Final Office Action mailed Dec. 7, 2016”, 14 pgs.
- “U.S. Appl. No. 14/791,952, Corrected Notice of Allowance mailed Jul. 21, 2017”, 2 pgs.
- “U.S. Appl. No. 14/791,952, Final Office Action mailed Mar. 31, 2017”, 8 pgs.
- “U.S. Appl. No. 14/791,952, Final Office Action mailed Sep. 1, 2016”, 17 pgs.
- “U.S. Appl. No. 14/791,952, Non Final Office Action mailed Apr. 21, 2016”, 12 pgs.
- “U.S. Appl. No. 14/791,952, Non Final Office Action mailed Dec. 29, 2016”, 12 pgs.
- “U.S. Appl. No. 14/791,952, Notice of Allowance mailed May 30, 2017”, 7 pgs.
- “U.S. Appl. No. 14/791,952, Preliminary Amendment filed Jul. 7, 2015”, 7 pgs.
- “U.S. Appl. No. 14/791,952, Response filed Mar. 20, 2017 to Non Final Office Action mailed Dec. 29, 2016”, 12 pgs.
- “U.S. Appl. No. 14/791,952, Response filed May 17, 2017—to Final Office Action mailed Mar. 31, 2017”, 10 pgs.
- “U.S. Appl. No. 14/791,952, Response filed Jul. 15, 2016 to Non Final Office Action mailed Apr. 21, 2016”, 18 pgs.
- “U.S. Appl. No. 14/791,952, Response filed Nov. 21, 2016 to Final Office Action mailed Sep. 1, 2016”, 15 pgs.
- “U.S. Appl. No. 14/833,385, Examiner Interview Summary mailed Dec. 27, 2017”, 3 pgs.
- “U.S. Appl. No. 14/833,385, Final Office Action mailed Nov. 13, 2017”, 9 pgs.
- “U.S. Appl. No. 14/833,385, Non Final Office Action mailed Jun. 19, 2017”, 10 pgs.
- “U.S. Appl. No. 14/833,385, Preliminary Amendment filed Aug. 25, 2015”, 6 pgs.
- “U.S. Appl. No. 14/833,385, Response filed May 12, 2017 to Restriction Requirement mailed Mar. 17, 2017”, 8 pgs.
- “U.S. Appl. No. 14/833,385, Response filed Sep. 18, 2017 to Non Final Office Action mailed Jun. 19, 2017”, 14 pgs.
- “U.S. Appl. No. 14/833,385, Restriction Requirement mailed Mar. 17, 2017”, 6 pgs.
- “U.S. Appl. No. 14/918,721, Final Office Action mailed Oct. 20, 2016”, 5 pgs.
- “U.S. Appl. No. 14/918,721, Non Final Office Action mailed Jun. 16, 2016”, 6 pgs.
- “U.S. Appl. No. 14/918,721, Notice of Allowance mailed Feb. 1, 2017”, 9 pgs.
- “U.S. Appl. No. 14/918,721, Preliminary Amendment filed Oct. 23, 2015”, 8 pgs.
- “U.S. Appl. No. 14/918,721, PTO Response to Rule 312 Communication mailed Mar. 17, 2017”, 2 pgs.
- “U.S. Appl. No. 14/918,721, Response filed Sep. 12, 2016 to Non Final Office Action mailed Jun. 16, 2016”, 12 pgs.
- “U.S. Appl. No. 14/918,721, Response filed Dec. 13, 2016 to Final Office Action mailed Oct. 20, 2016”, 9 pgs.
- “U.S. Appl. No. 14/926,281, Non Final Office Action mailed Jun. 21, 2017”, 17 pgs.
- “U.S. Appl. No. 14/926,281, Notice of Allowance mailed Nov. 16, 2017”, 9 pgs.
- “U.S. Appl. No. 14/926,281, Preliminary Amendment filed Oct. 30, 2015”, 8 pgs.
- “U.S. Appl. No. 14/926,281, Response filed Sep. 18, 2017 to Non Final Office Action mailed Jun. 21, 2017”, 11 pgs.
- “U.S. Appl. No. 15/003,091, Preliminary Amendment filed Jan. 22, 2016”, 12 pgs.
- “U.S. Appl. No. 15/003,091, Non Final Office Action mailed Jun. 20, 2017”, 14 pgs.
- “U.S. Appl. No. 15/003,091, Notice of Allowance mailed Nov. 6, 2017”, 8 pgs.
- “U.S. Appl. No. 15/003,091, PTO Response to Rule 312 Communication mailed Jan. 23, 2018”, 2 pgs.
- “U.S. Appl. No. 15/003,091, Response filed Sep. 20, 2017 to Non Final Office Action mailed Jun. 20, 2017”, 17 pgs.
- “U.S. Appl. No. 15/045,799, Non Final Office Action mailed Nov. 1, 2016”, 8 pgs.
- “U.S. Appl. No. 15/045,799, Notice of Allowance mailed Mar. 10, 2017”, 10 pgs.
- “U.S. Appl. No. 15/045,799, Preliminary Amendment filed Feb. 18, 2016”, 9 pgs.
- “U.S. Appl. No. 15/045,799, PTO Response to Rule 312 Communication mailed Apr. 18, 2017”, 2 pgs.
- “U.S. Appl. No. 15/045,799, Response filed Feb. 1, 2017 to Non Final Office Action mailed Nov. 1, 2016”, 15 pgs.

(56)

**References Cited**

## OTHER PUBLICATIONS

- “U.S. Appl. No. 15/062,252, Preliminary Amendment filed Mar. 9, 2016”, 8 pgs.
- “U.S. Appl. No. 15/062,262, Non Final Office Action mailed Jul. 22, 2016”, 12 pgs.
- “U.S. Appl. No. 15/062,262, Notice of Allowance mailed Jan. 31, 2017”, 5 pgs.
- “U.S. Appl. No. 15/062,262, PTO Response to Rule 312 Communication mailed Mar. 7, 2017”, 2 pgs.
- “U.S. Appl. No. 15/062,262, Response filed Oct. 24, 2016 to Non Final Office Action mailed Jul. 22, 2016”, 13 pgs.
- “U.S. Appl. No. 15/177,734, Non Final Office Action mailed Feb. 10, 2017”, 21 pgs.
- “U.S. Appl. No. 15/177,734, Notice of Allowance mailed May 17, 2017”, 7 pgs.
- “U.S. Appl. No. 15/177,734, Preliminary Amendment filed Jun. 22, 2016”, 8 pgs.
- “U.S. Appl. No. 15/177,734, Response filed Apr. 19, 2017 to Non Final Office Action mailed Feb. 10, 2017”, 22 pgs.
- “U.S. Appl. No. 15/211,812, Non Final Office Action mailed Jan. 27, 2017”, 5 pgs.
- “U.S. Appl. No. 15/211,812, Notice of Allowance mailed May 31, 2017”, 5 pgs.
- “U.S. Appl. No. 15/211,812, Preliminary Amendment filed Sep. 8, 2016”, 8 pgs.
- “U.S. Appl. No. 15/211,812, Response filed Apr. 19, 2017 to Non Final Office Action mailed Jan. 27, 2017”, 9 pgs.
- “U.S. Appl. No. 15/267,793, Non Final Office Action mailed Jun. 14, 2018”, 12 pgs.
- “U.S. Appl. No. 15/267,793, Notice of Allowability mailed Jan. 17, 2019”, 2 pgs.
- “U.S. Appl. No. 15/267,793, Notice of Allowance mailed Dec. 21, 2018”, 5 pgs.
- “U.S. Appl. No. 15/267,793, Response Filed Apr. 11, 2018 to Restriction Requirement Mailed Feb. 16, 2018”, 8 pgs.
- “U.S. Appl. No. 15/267,793, Response filed Aug. 22, 2018 Non Final Office Action mailed Jun. 14, 2018”, 16 pgs.
- “U.S. Appl. No. 15/267,793, Restriction Requirement mailed Feb. 16, 2018”, 7 pgs.
- “U.S. Appl. No. 15/424,328, Non Final Office Action mailed Jun. 23, 2017”, 5 pgs.
- “U.S. Appl. No. 15/424,328, Notice of Allowance mailed Oct. 16, 2017”, 6 pgs.
- “U.S. Appl. No. 15/424,328, Preliminary Amendment filed Feb. 28, 2017”, 10 pgs.
- “U.S. Appl. No. 15/424,328, Response filed Sep. 20, 2017 to Non Final Office Action mailed Jun. 23, 2017”, 9 pgs.
- “U.S. Appl. No. 15/435,620, Final Office Action mailed Dec. 15, 2017”, 9 pgs.
- “U.S. Appl. No. 15/435,620, Non Final Office Action mailed Jul. 26, 2017”, 10 pgs.
- “U.S. Appl. No. 15/435,620, Notice of Allowance mailed Mar. 13, 2018”, 5 pgs.
- “U.S. Appl. No. 15/435,620, Preliminary Amendment filed Mar. 20, 2017”, 7 pgs.
- “U.S. Appl. No. 15/435,620, Response filed Feb. 12, 2018 to Final Office Action mailed Dec. 15, 2017”, 9 pgs.
- “U.S. Appl. No. 15/435,620, Response filed Oct. 25, 2017 to Non Final Office Action mailed Jul. 26, 2017”, 13 pgs.
- “U.S. Appl. No. 15/616,561, Non Final Office Action mailed Aug. 9, 2018”, 8 pgs.
- “U.S. Appl. No. 15/616,561, Notice of Allowability mailed Feb. 12, 2019”, 2 pgs.
- “U.S. Appl. No. 15/616,561, Notice of Allowance mailed Dec. 10, 2018”, 7 pgs.
- “U.S. Appl. No. 15/616,561, Preliminary Amendment filed Jun. 8, 2017”, 7 pgs.
- “U.S. Appl. No. 15/616,561, Response filed Nov. 8, 2018 to Non Final Office Action mailed Aug. 9, 2018”, 11 pgs.
- “U.S. Appl. No. 15/703,678, Non Final Office Action mailed Apr. 8, 2019”, 11 pgs.
- “U.S. Appl. No. 15/703,678, Notice of Allowance mailed Sep. 17, 2019”, 7 pgs.
- “U.S. Appl. No. 15/703,678, Preliminary Amendment filed Sep. 28, 2017”, 9 pgs.
- “U.S. Appl. No. 15/703,678, Response Filed Jan. 3, 2019 to Restriction Requirement Mailed Nov. 5, 2018”, 8 pgs.
- “U.S. Appl. No. 15/703,678, Response filed Jul. 3, 2019 to Non-Final Office Action mailed Apr. 8, 2019”, 20 pgs.
- “U.S. Appl. No. 15/703,678, Restriction Requirement mailed Nov. 5, 2018”, 6 pgs.
- “U.S. Appl. No. 15/703,692, Corrected Notice of Allowability mailed Jul. 8, 2019”, 2 pgs.
- “U.S. Appl. No. 15/703,692, Non Final Office Action mailed Jan. 14, 2019”, 11 pgs.
- “U.S. Appl. No. 15/703,692, Notice of Allowance mailed May 7, 2019”, 5 pgs.
- “U.S. Appl. No. 15/703,692, Preliminary Amendment filed Sep. 28, 2017”, 9 pgs.
- “U.S. Appl. No. 15/703,692, Response filed Apr. 4, 2019 to Non Final Office Action mailed Jan. 14, 2019”, 11 pgs.
- “U.S. Appl. No. 15/703,698, Corrected Notice of Allowability mailed Dec. 18, 2018”, 2 pgs.
- “U.S. Appl. No. 15/703,698, Non Final Office Action mailed Apr. 6, 2018”, 7 pgs.
- “U.S. Appl. No. 15/703,698, Notice of Allowance mailed Sep. 12, 2018”, 5 pgs.
- “U.S. Appl. No. 15/703,698, Preliminary Amendment filed Sep. 28, 2017”, 8 pgs.
- “U.S. Appl. No. 15/703,698, Response filed Jul. 6, 2018 to Non Final Office Action mailed Apr. 6, 2018”, 10 pgs.
- “U.S. Appl. No. 15/703,713, Non Final Office Action mailed Mar. 27, 2018”, 29 pgs.
- “U.S. Appl. No. 15/703,713, Notice of Allowance mailed Sep. 25, 2018”, 11 pgs.
- “U.S. Appl. No. 15/703,713, Response Filed Jun. 15, 2018 to Non-Final Office Action Mailed Mar. 27, 2018”, 16 pgs.
- “U.S. Appl. No. 15/703,w713, Preliminary Amendment filed Sep. 28, 2017”, 7 pgs.
- “U.S. Appl. No. 15/720,866, Final Office Action mailed Feb. 28, 2020”, 10 pgs.
- “U.S. Appl. No. 15/720,866, Non Final Office Action mailed Sep. 9, 2019”, 12 pgs.
- “U.S. Appl. No. 15/720,866, Notice of Allowance mailed Sep. 23, 2020”, 7 pgs.
- “U.S. Appl. No. 15/720,866, PTO Response to Rule 312 Communication mailed Nov. 20, 2020”, 2 pgs.
- “U.S. Appl. No. 15/720,866, Response filed Jan. 9, 2020 to Non Final Office Action mailed Sep. 9, 2019”, 11 pgs.
- “U.S. Appl. No. 15/720,866, Response filed May 27, 2020 to Final Office Action mailed Feb. 28, 2020”, 13 pgs.
- “U.S. Appl. No. 15/720,866, Response filed Jul. 10, 2019 to Restriction Requirement mailed May 14, 2019”, 10 pgs.
- “U.S. Appl. No. 15/720,866, Response filed Nov. 13, 2017 to Non Final Office Action mailed Sep. 14, 2017”, 10 pgs.
- “U.S. Appl. No. 15/720,866, Restriction Requirement mailed May 14, 2019”, 7 pgs.
- “U.S. Appl. No. 15/720,866, Preliminary Amendment filed Nov. 13, 2017”, 9 pgs.
- “U.S. Appl. No. 15/827,654, Examiner Interview Summary mailed Apr. 26, 2019”, 4 pgs.
- “U.S. Appl. No. 15/827,654, Final Office Action mailed Feb. 19, 2019”, 19 pgs.
- “U.S. Appl. No. 15/827,654, Non Final Office Action mailed Sep. 7, 2018”, 21 pgs.
- “U.S. Appl. No. 15/827,654, Notice of Allowance mailed Jul. 8, 2019”, 8 pgs.
- “U.S. Appl. No. 15/827,654, Preliminary Amendment filed Dec. 22, 2017”, 11 pgs.
- “U.S. Appl. No. 15/827,654, Response Filed May 20, 2019 to Final Office Action Mailed Feb. 19, 2019”, 17 pgs.

(56)

**References Cited****OTHER PUBLICATIONS**

- “U.S. Appl. No. 15/827,654, Response filed Jun. 6, 2018 to Restriction Requirement mailed Apr. 6, 2018”, 11 pgs.
- “U.S. Appl. No. 15/827,654, Response filed to Non Final Office Action mailed Sep. 7, 2018”, 24 pgs.
- “U.S. Appl. No. 15/827,654, Restriction Requirement mailed Apr. 6, 2018”, 6 pgs.
- “U.S. Appl. No. 15/890,735, Notice of Allowance mailed Oct. 29, 2019”, 11 pgs.
- “U.S. Appl. No. 15/915,886, Non Final Office Action mailed Aug. 2, 2019”, 9 pgs.
- “U.S. Appl. No. 15/915,886, Notice of Allowance mailed Jan. 16, 2020”, 9 pgs.
- “U.S. Appl. No. 15/915,886, PTO Response to Rule 312 Communication mailed May 8, 2020”, 2 pgs.
- “U.S. Appl. No. 15/915,886, Response Filed Nov. 4, 2019 to Non-Final Office Action Mailed Aug. 2, 2019”, 8 pgs.
- “U.S. Appl. No. 15/971,743, Notice of Allowance mailed Aug. 6, 2019”, 8 pgs.
- “U.S. Appl. No. 16/179,201, Restriction Requirement mailed Aug. 7, 2020”, 10 pgs.
- “U.S. Appl. No. 16/352,287, Restriction Requirement mailed Aug. 17, 2020”, 6 pgs.
- “U.S. Appl. No. 16/389,381, Non Final Office Action mailed Mar. 30, 2020”, 9 pgs.
- “U.S. Appl. No. 16/389,381, Notice of Allowance mailed Jul. 16, 2020”, 5 pgs.
- “U.S. Appl. No. 16/389,381, Response filed Jun. 19, 2020 to Non Final Office Action mailed Mar. 30, 2020”, 9 pgs.
- “U.S. Appl. No. 16/530,423, Preliminary Amendment filed Aug. 28, 2019”, 7 pgs.
- “U.S. Appl. No. 16/596,194, Preliminary Amendment Filed Nov. 14, 2019”, 8 pgs.
- “U.S. Appl. No. 16/675,938, Preliminary Amendment filed Jan. 22, 2020”, 7 pgs.
- “U.S. Appl. No. 16/715,092, Preliminary Amendment filed Mar. 19, 2020”, 10 pgs.
- “U.S. Appl. No. 16/743,746, Preliminary Amendment filed Mar. 19, 2020”, 8 pgs.
- “U.S. Appl. No. 16/849,394, Preliminary Amendment filed Jun. 3, 2020”, 7 pgs.
- “Australian Application Serial No. 2011286306, First Examiner Report mailed Jun. 19, 2013”, 4 pgs.
- “Australian Application Serial No. 2011286306, Response filed Jun. 3, 2014 to First Examiner Report mailed Jun. 19, 2013”, 16 pgs.
- “Australian Application Serial No. 2011286307, First Examiner Report mailed Oct. 17, 2013”, 2 pgs.
- “Australian Application Serial No. 2011286307, Response filed May 21, 2014 to First Examiner Report mailed Oct. 17, 2013”, 16 pgs.
- “Australian Application Serial No. 2011286308, First Examiner Report mailed Jun. 21, 2013”, 4 pgs.
- “Australian Application Serial No. 2011286308, Response filed Jun. 6, 2014 First Examiner Report mailed Jun. 21, 2013”, 19 pgs.
- “Australian Application Serial No. 2011286309, First Examiner Report mailed Jun. 21, 2013”, 3 pgs.
- “Australian Application Serial No. 2011286309, Response filed Jun. 10, 2014 to First Examiner Report mailed Jun. 21, 2013”, 4 pgs.
- “Australian Application Serial No. 2011343440, First Examiner Report mailed Feb. 17, 2014”, 3 pgs.
- “Australian Application Serial No. 2011343440, Response filed Mar. 21, 2014 to Office Action mailed Feb. 17, 2014”, 1 pg.
- “Australian Application Serial No. 2012271243, Office Action mailed Apr. 1, 2015”, 2 pgs.
- “Australian Application Serial No. 2012271243, Response filed Apr. 8, 2015 to Office Action mailed Apr. 1, 2015”, 4 pgs.
- “Australian Application Serial No. 2012271243, Response filed Apr. 15, 2015 to Office Action mailed Apr. 13, 2015”, 1 pg.
- “Australian Application Serial No. 2012271243, Subsequent Examiners Report mailed Apr. 13, 2015”, 2 pgs.
- “Australian Application Serial No. 2012341026, First Examiner Report mailed Jul. 14, 2014”, 2 pgs.
- “Australian Application Serial No. 2012341026, Response filed Nov. 21, 2014 to First Examiner Report mailed Jul. 14, 2014”, 1 pg.
- “Australian Application Serial No. 2012341026, Statement of Proposed Amendment filed Jun. 18, 2014”, 25 pgs.
- “Australian Application Serial No. 2012368262, First Examiner Report mailed Nov. 2, 2016”, 4 pgs.
- “Australian Application Serial No. 2012368262, Response filed Jan. 17, 2017 to Office Action mailed Nov. 2, 2016”, 21 pgs.
- “Australian Application Serial No. 2012368262, Response filed May 15, 2017 to Subsequent Examiners Report mailed Mar. 16, 2017”, 2 pgs.
- “Australian Application Serial No. 2012368262, Subsequent Examiners Report mailed Mar. 16, 2017”, 3 pgs.
- “Australian Application Serial No. 2013238046, First Examiner Report mailed Nov. 26, 2015”, 2 pgs.
- “Australian Application Serial No. 2013238046, Response filed Feb. 2, 2016 to First Examiner Report mailed Nov. 26, 2015”, 1 pg.
- “Australian Application Serial No. 2013238054, First Examiner Report mailed Oct. 17, 2016”, 4 pgs.
- “Australian Application Serial No. 2013238054, Response filed Jan. 18, 2017 to First Examiner Report mailed Oct. 17, 2016”, 9 pgs.
- “Australian Application Serial No. 2014250709, First Examiner Report mailed Dec. 21, 2015”, 3 pgs.
- “Australian Application Serial No. 2014250709, Response filed May 4, 2016 to First Examiner Report mailed Dec. 21, 2015”, 12 pgs.
- “Australian Application Serial No. 2014250709, Subsequent Examiners Report mailed May 31, 2016”, 6 pgs.
- “Australian Application Serial No. 2014250710, First Examiner Report mailed Dec. 11, 2015”, 7 pgs.
- “Australian Application Serial No. 2014250710, Response filed Mar. 22, 2016 to First Examiner Report mailed Dec. 11, 2015”, 18 pgs.
- “Australian Application Serial No. 2014250710, Response filed May 4, 2016 to Subsequent Examiners Report mailed Mar. 23, 2016”, 15 pgs.
- “Australian Application Serial No. 2014250710, Subsequent Examiners Report mailed Mar. 23, 2016”, 3 pgs.
- “Australian Application Serial No. 2014250711, First Examiner Report mailed Feb. 12, 2016”, 7 pgs.
- “Australian Application Serial No. 2014250711, Response filed Apr. 27, 2016 to First Examiner Report mailed Feb. 12, 2016”, 32 pgs.
- “Australian Application Serial No. 2015201511, First Examination Report mailed Apr. 18, 2016”, 2 pgs.
- “Australian Application Serial No. 2015201511, Response filed Jun. 30, 2016 to First Examiner Report mailed Apr. 18, 2016”, 12 pgs.
- “Australian Application Serial No. 2015238820, First Examination Report mailed May 30, 2017”, 3 pgs.
- “Australian Application Serial No. 2015238820, Response filed Jul. 12, 2017 to First Examination Report mailed May 30, 2017”, 12 pgs.
- “Australian Application Serial No. 2016225911, First Examiners Report mailed Jun. 2, 2017”, 3 pgs.
- “Australian Application Serial No. 2016225911, Response filed Aug. 22, 2017 to First Examiners Report mailed Jun. 2, 2017”, 18 pgs.
- “Australian Application Serial No. 2017235987, First Examination Report mailed Nov. 1, 2018”, 4 pgs.
- “Australian Application Serial No. 2017251736, First Examiners Report mailed Oct. 31, 2017”, 2 pgs.
- “Australian Application Serial No. 2018266322, First Examination Report mailed Dec. 19, 2019”, 2 pgs.
- “Bi-Cruciate Stabilized Knee System”, Design Rationale, Smith & Nephew Journal, (2006), 20 pgs.
- “Brazil Application Serial No. BR1120130016698, Office Action mailed Aug. 27, 2019”, (W/ English Translation), 8 pages.
- “Brazil Application Serial No. BR1120130016698, Response filed Dec. 9, 2019 to Office Action mailed Aug. 27, 2019”, w/ English Claims, 22 pgs.
- “Brazil Application Serial No. BR1120130016736, Office Action mailed Aug. 27, 2019”, (with English translation), 8 pages.

(56)

**References Cited****OTHER PUBLICATIONS**

- “Brazil Application Serial No. BR1120130016736, Response filed Dec. 9, 2019 to Office Action mailed Aug. 27, 2019”, w/ English Claims, 25 pgs.
- “Canadian Application Serial No. 2,806,321, Office Action mailed Jan. 15, 2018”, 3 pgs.
- “Canadian Application Serial No. 2,806,321, Response filed Jan. 22, 2018 to Office Action mailed Jan. 15, 2018”, 7 pgs.
- “Canadian Application Serial No. 2,806,321, Response filed Dec. 6, 2017 to Office Action mailed Jun. 15, 2017”, 12 pgs.
- “Canadian Application Serial No. 2,806,325, Office Action mailed Mar. 14, 2016”, 4 pgs.
- “Canadian Application Serial No. 2,806,325, Response filed Sep. 14, 2016 to Office Action mailed Mar. 14, 2016”, 17 pgs.
- “Canadian Application Serial No. 2,806,326, Examiner’s Rule 30(2) Requisition mailed Sep. 20, 2018”, 4 pgs.
- “Canadian Application Serial No. 2,806,326, Office Action mailed Feb. 8, 2018”, 4 pgs.
- “Canadian Application Serial No. 2,806,326, Office Action mailed Jun. 19, 2017”, 3 pgs.
- “Canadian Application Serial No. 2,806,326, Response Filed Mar. 20, 2019 to Examiner’s Rule 30(2) Requisition mailed Sep. 20, 2018”, 4 pgs.
- “Canadian Application Serial No. 2,806,326, Response filed Jul. 20, 2018 to Office Action mailed Feb. 8, 2018”, 12 pgs.
- “Canadian Application Serial No. 2,821,927, Office Action mailed Jan. 25, 2018”, 6 pgs.
- “Canadian Application Serial No. 2,821,927, Response filed Jul. 18, 2018 to Office Action mailed Jan. 25, 2018”, 10 pgs.
- “Canadian Application Serial No. 2,821,927, Voluntary Amendment mailed Jun. 14, 2013”, 7 pgs.
- “Canadian Application Serial No. 2,824,527, Office Action mailed Mar. 17, 2014”, 2 pgs.
- “Canadian Application Serial No. 2,824,527, Response filed Sep. 17, 2014 to Office Action mailed Mar. 17, 2014”, 14 pgs.
- “Canadian Application Serial No. 2,856,070, Preliminary Amendment filed May 25, 2015”, 27 pgs.
- “Canadian Application Serial No. 2,856,571 Response filed Jan. 22, 2015 to Office Action mailed Jul. 22, 2014”, 24 pgs.
- “Canadian Application Serial No. 2,856,571, Office Action mailed Jul. 22, 2014”, 2 pgs.
- “Canadian Application Serial No. 2,863,375, Office Action mailed Apr. 20, 2018”, 3 pgs.
- “Canadian Application Serial No. 2,863,375, Response filed Oct. 22, 2018 Office Action mailed Apr. 20, 2018”, 12 pgs.
- “Canadian Application Serial No. 2,868,825, Office Action mailed Dec. 27, 2018”, 3 pgs.
- “Canadian Application Serial No. 2,956,119, Examiner’s Rule 30(2) Requisition mailed Sep. 27, 2018”, 4 pgs.
- “Canadian Application Serial No. 2,956,119, Office Action mailed Jan. 22, 2018”, 3 pgs.
- “Canadian Application Serial No. 2,956,119, Response Filed Mar. 27, 2019 to Examiner’s Rule 30(2) Requisition mailed Sep. 27, 2018”, 7 pgs.
- “Canadian Application Serial No. 2,989,184, Office Action mailed Oct. 1, 2018”, 4 pgs.
- “Canadian Application Serial No. 2,989,184, Response filed Apr. 1, 2019 to Office Action mailed Oct. 1, 2018”, 10 pgs.
- “Canadian Application Serial No. 3,063,415, Office Action mailed Jul. 13, 2020”, 3 pgs.
- “Canadian Application Serial No. 2,806,321, Office Action mailed Jun. 15, 2017”, 3 pgs.
- “Chinese Application Serial No. 201180045673.3, Office Action mailed Feb. 14, 2016”, (W/ English Translation), 17 pgs.
- “Chinese Application Serial No. 201180045673.3, Office Action mailed Mar. 29, 2015”, (W/ English Translation), 6 pgs.
- “Chinese Application Serial No. 201180045673.3, Office Action mailed Aug. 12, 2015”, (W/ English Translation), 7 pgs.
- “Chinese Application Serial No. 201180045673.3, Response filed Jun. 19, 2015 to Office Action mailed Mar. 29, 2015”, (W/ English translation of claims), 11 pgs.
- “Chinese Application Serial No. 201180045673.3, Response filed Oct. 27, 2015 to Office Action mailed Aug. 12, 2015”, (W/ English translation of claims), 9 pgs.
- “Chinese Application Serial No. 201180045681.8, Office Action mailed Jan. 22, 2015”, (W/ English Translation), 11 pgs.
- “Chinese Application Serial No. 201180045681.8, Response filed May 14, 2015 to Office Action mailed Jan. 22, 2015”, W/ English Claims, 17 pgs.
- “Chinese Application Serial No. 201180045683.7, Office Action mailed Mar. 9, 2015”, (W/ English Translation), 6 pgs.
- “Chinese Application Serial No. 201180045683.7, Response filed Jul. 14, 2015 to Office Action mailed Mar. 9, 2015”, (W/ English translation of claims), 30 pgs.
- “Chinese Application Serial No. 201180045689.4, Office Action mailed Jan. 5, 2015”, (W/ English Translation), 4 pgs.
- “Chinese Application Serial No. 201180045689.4, Office Action mailed Feb. 2, 2016”, w/English Translation, 11 pgs.
- “Chinese Application Serial No. 201180045689.4, Office Action mailed Aug. 5, 2015”, (W/ English Translation), 11 pgs.
- “Chinese Application Serial No. 201180045689.4, Response filed May 1, 2015 to Office Action mailed Jan. 5, 2015”, W/ English Claims, 13 pgs.
- “Chinese Application Serial No. 201180067430.X, Office Action mailed Aug. 28, 2014”, (W/ English Translation), 8 pgs.
- “Chinese Application Serial No. 201180067430.X, Response filed Jan. 4, 2015 to Office Action mailed Sep. 26, 2014”, (W/ English Translation), 14 pgs.
- “Chinese Application Serial No. 201180067757.7, Office Action mailed Mar. 2, 2015”, (W/ English Translation), 18 pgs.
- “Chinese Application Serial No. 201180067757.7, Office Action mailed Jun. 1, 2016”, (W/ English Translation), 10 pgs.
- “Chinese Application Serial No. 201180067757.7, Office Action mailed Nov. 16, 2015”, (W/ English Translation), 17 pgs.
- “Chinese Application Serial No. 201180067757.7, Response filed Jan. 27, 2016 to Office Action mailed Nov. 16, 2015”, (W/ English Translation of Claims), 12 pgs.
- “Chinese Application Serial No. 201180067757.7, Response filed Jul. 10, 2015 to Office Action mailed Mar. 2, 2015”, (W/ English Translation), 13 pgs.
- “Chinese Application Serial No. 201180067757.7, Response filed Aug. 11, 2016 to Office Action mailed Jun. 1, 2016”, (W/ English Translation Of Claims), 9 pgs.
- “Chinese Application Serial No. 201180067757.7, Voluntary Amendment mailed Feb. 14, 2014”, (W/ English Translation of Claims), 8 pgs.
- “Chinese Application Serial No. 201280067473.2, Office Action mailed Feb. 1, 2016”, (W/ English Translation), 4 pgs.
- “Chinese Application Serial No. 201280067473.2, Office Action mailed May 20, 2015”, (W/ English Translation), 15 pgs.
- “Chinese Application Serial No. 201280067473.2, Office Action mailed Nov. 20, 2015”, W/ English Translation of Claims, 7 pgs.
- “Chinese Application Serial No. 201280067473.2, Response filed Apr. 7, 2016 to Office Action mailed Feb. 1, 2016”, (W/ English translation of claims), 11 pgs.
- “Chinese Application Serial No. 201280067473.2, Response filed Sep. 7, 2015 to Office Action mailed May 20, 2015”, (W/ English translation of claims), 12 pgs.
- “Chinese Application Serial No. 201280067473.2, Response filed Dec. 4, 2015 to Office Action mailed Nov. 20, 2015”, w/English Claims, 11 pgs.
- “Chinese Application Serial No. 201280067481.7, Office Action mailed Sep. 30, 2015”, (W/ English Translation), 7 pgs.
- “Chinese Application Serial No. 201280071940.9, Office Action mailed Jul. 22, 2015”, (W/ English Translation), 13 pgs.
- “Chinese Application Serial No. 201280071940.9, Preliminary Amendment filed Mar. 23, 2015”, W/ English Claims, 11 pgs.
- “Chinese Application Serial No. 201380028572.4, Office Action mailed Aug. 13, 2015”, (W/ English Translation), 16 pgs.
- “Chinese Application Serial No. 201380028683.5, Office Action mailed Jun. 27, 2016”, (W/ English Translation), 8 pgs.

(56)

**References Cited****OTHER PUBLICATIONS**

- “Chinese Application Serial No. 201380028683.5. Office Action mailed Nov. 4, 2015”, (W/ English Translation), 16 pgs.
- “Chinese Application Serial No. 201380028683.5, Office Action mailed Dec. 30, 2016”, (W/ English Translation), 4 pgs.
- “Chinese Application Serial No. 201380028683.5, Response filed Feb. 8, 2017 to Office Action mailed Dec. 30, 2016”, (W/ English Translation), 13 pgs.
- “Chinese Application Serial No. 201380028683.5, Response filed Mar. 18, 2016 to Office Action mailed Nov. 4, 2015”, (W/ English Translation of Claims), 11 pgs.
- “Chinese Application Serial No. 201380028683.5, Response filed Sep. 6, 2016 to Office Action mailed Jun. 27, 2016”, (W/ English Translation of Claims), 11 pgs.
- “Chinese Application Serial No. 201510394094.X, Office Action mailed May 24, 2017”, (W/ English Translation), 11 pgs.
- “Chinese Application Serial No. 201510394094.X, Office Action mailed Aug. 30, 2016”, (W/ English Translation), 14 pgs.
- “Chinese Application Serial No. 201510394094.X, Office Action mailed Nov. 3, 2017”, (W/ English Translation), 10 pgs.
- “Chinese Application Serial No. 201510394094.X, Response filed Jan. 16, 2017 to Office Action mailed Aug. 30, 2016”, (W/ English Translation of Claims), 11 pgs.
- “Chinese Application Serial No. 201510394094.X, Response filed Jan. 18, 2018 to Office Action mailed Nov. 3, 2017”, (W/ English Claims), 10 pgs.
- “Chinese Application Serial No. 201510394094.X, Response filed Jul. 10, 2017 to Office Action mailed May 24, 2017”, (W/ English Translation), 10 pgs.
- “Chinese Application Serial No. 201510640436.1, Office Action mailed Sep. 28, 2016”, (W/ English Translation), 13 pgs.
- “Chinese Application Serial No. 201510640436.1, Response filed Feb. 16, 2017 to Office Action mailed Sep. 28, 2016”, (W/ English Translation), 18 pgs.
- “Chinese Application Serial No. 201610634595.5, Office Action mailed Apr. 20, 2018”, (W/ English Translation), 8 pgs.
- “Chinese Application Serial No. 201610634595.5, Office Action mailed Jun. 21, 2017”, w/English Translation, 9 pgs.
- “Chinese Application Serial No. 201610634595.5, Response filed Jun. 4, 2018 to Office Action mailed Apr. 20, 2018”, (W/ English Translation of Claims), 8 pgs.
- “Chinese Application Serial No. 201610634595.5, Response filed Nov. 3, 2017 to Office Action mailed Jun. 21, 2017”, w/English Claims, 8 pgs.
- “Chinese Application Serial No. 201610685172.6, Office Action mailed Apr. 10, 2017”, (W/ English Translation), 11 pgs.
- “Chinese Application Serial No. 201610685172.6, Office Action mailed Sep. 28, 2017”, (W/ English Translation), 9 pgs.
- “Chinese Application Serial No. 201610685172.6, Response filed Dec. 13, 2017 to Office Action mailed Sep. 28, 2017”, (W/ English Claims), 13 pgs.
- “Chinese Application Serial No. 201680061268.3, Office Action mailed Apr. 24, 2019”, (W/ English Translation), 11 pgs.
- “Chinese Application Serial No. 201680061268.3, Response filed Aug. 21, 2019 to Office Action mailed Apr. 24, 2019”, (W/ English Claims), 8 pgs.
- “Chinese Application Serial No. 201880031319.7, Office Action mailed May 15, 2020”, (W/ English Translation), 12 pgs.
- “Chinese Application Serial No. 201880031319.7, Response filed Jul. 22, 2020 to Office Action mailed May 15, 2020”, (W/ English Claims), 10 pgs.
- “Complete Knee Solution Surgical Technique for the CR-Flex Fixed Bearing Knee”, Zimmer Nexgen, (2003), 22 pgs.
- “European Application Serial No. 18726670.5, Response to Communication pursuant to Rules 161(1) and 162 EPC filed Jul. 20, 2020”, 9 pgs.
- “European Application Serial No. 11738918.9, Examination Notification Art. 94(3) mailed Oct. 23, 2014”, 5 pgs.
- “European Application Serial No. 11738918.9, Preliminary Amendment filed Sep. 24, 2013”, 11 pgs.
- “European Application Serial No. 11738918.9, Response filed Mar. 2, 2015 to Examination Notification Art. 94(3) mailed Oct. 23, 2014”, 14 pgs.
- “European Application Serial No. 11738919.7, Examination Notification Art. 94(3) mailed Jul. 7, 2014”, 4 pgs.
- “European Application Serial No. 11738919.7, Preliminary Amendment filed Nov. 4, 2013”, 25 pgs.
- “European Application Serial No. 11738919.7, Response filed Nov. 13, 2014 to Examination Notification Art. 94(3) mailed Jul. 7, 2014”, 14 pgs.
- “European Application Serial No. 11738920.5, Communication Pursuant to Article 94(3) EPC mailed Mar. 15, 2016”, 4 pgs.
- “European Application Serial No. 11738920.5, Preliminary Amendment Sep. 24, 2013”, 9 pgs.
- “European Application Serial No. 11738920.5, Response filed Jul. 25, 2016 to Communication Pursuant to Article 94(3) EPC mailed Mar. 15, 2016”, 6 pgs.
- “European Application Serial No. 11738920.5, Response filed Sep. 24, 2013 to Communication pursuant to Rules 161(2) and 162 EPC mailed Mar. 15, 2013”, 22 pgs.
- “European Application Serial No. 11758060.5, Communication Pursuant to Article 94(3) EPC mailed Jul. 12, 2016”, 3 pgs.
- “European Application Serial No. 11758060.5, Communication Pursuant to Article 94(3) EPC mailed Dec. 11, 2015”, 4 pgs.
- “European Application Serial No. 11758060.5, Preliminary Amendment filed Nov. 4, 2013”, 15 pgs.
- “European Application Serial No. 11758060.5, Response filed Apr. 21, 2016 to Communication Pursuant to Article 94(3) EPC mailed Dec. 11, 2015”, 16 pgs.
- “European Application Serial No. 11758060.5, Response filed Nov. 15, 2016 to Communication Pursuant to Article 94(3) EPC mailed Jul. 12, 2016”, 23 pgs.
- “European Application Serial No. 11802835.6, Communication Pursuant to Article 94(3) EPC mailed Dec. 11, 2017”, 4 pgs.
- “European Application Serial No. 11802835.6, Response filed Apr. 23, 2018 to Office Action mailed Dec. 11, 2017”, 16 pgs.
- “European Application Serial No. 11808493.8, Communication Pursuant to Article 94(3) EPC mailed Dec. 7, 2015”, 4 pgs.
- “European Application Serial No. 11808493.8, Examination Notification Art. 94(3) mailed Feb. 20, 2015”, 6 pgs.
- “European Application Serial No. 11808493.8, Response filed Feb. 26, 2014 to Communication pursuant to Rules 161(1) and 162 EPC mailed Aug. 16, 2013”, 14 pgs.
- “European Application Serial No. 11808493.8, Response filed Apr. 18, 2016 to Communication Pursuant to Article 94(3) EPC mailed Dec. 7, 2015”, 15 pgs.
- “European Application Serial No. 11808493.8, Response filed Jul. 2, 2015 to Examination Notification Art. 94(3) mailed Feb. 20, 2015”, 13 pgs.
- “European Application Serial No. 11815029.1, Communication Pursuant to Article 94(3) EPC mailed Sep. 29, 2016”, 4 pgs.
- “European Application Serial No. 11815029.1, Extended European Search Report mailed Dec. 10, 2013”, 8 pgs.
- “European Application Serial No. 11815029.1, Response filed Apr. 10, 2017 to Communication Pursuant to Article 94(3) EPC mailed Sep. 29, 2016”, 22 pgs.
- “European Application Serial No. 11815029.1, Response filed Jul. 21, 2014 Extended European Search Report mailed Dec. 10, 2013”, 15 pgs.
- “European Application Serial No. 12718882.9, Communication Pursuant to Article 94(3) EPC mailed Dec. 1, 2015”, 11 pgs.
- “European Application Serial No. 12718882.9, Response filed Feb. 10, 2015 to Communication Pursuant to Rules 161(1) and 162 EPC mailed Jul. 31, 2014”, 11 pgs.
- “European Application Serial No. 12718882.9, Response filed Apr. 11, 2016 to Communication Pursuant to Article 94(3) EPC mailed Dec. 1, 2015”, 12 pgs.
- “European Application Serial No. 12718883.7, Communication Pursuant to Article 94(3) EPC mailed Dec. 2, 2015”, 4 pgs.
- “European Application Serial No. 12718883.7, Communication Pursuant to Rules 161(1) and 162 EPC mailed Jul. 31, 2014”, 2 pgs.
- “European Application Serial No. 12718883.7, Intention to Grant mailed May 20, 2016”, 5 pgs.

(56)

**References Cited****OTHER PUBLICATIONS**

- “European Application Serial No. 12718883.7, Response filed Feb. 10, 2015 to Communication Pursuant to Rules 161(1) and 162 EPC mailed Jul. 31, 2014”, 16 pgs.
- “European Application Serial No. 12718883.7, Response filed Apr. 12, 2016 to Communication Pursuant to Article 94(3) EPC mailed Dec. 2, 2015”, 30 pgs.
- “European Application Serial No. 12719236.7 Response filed Feb. 9, 2015 to Communication Pursuant to Rules 161(1) and 162 EPC mailed Jul. 30, 2014”, 10 pgs.
- “European Application Serial No. 12719236.7, Decision to Grant mailed Feb. 18, 2016”, 3 pgs.
- “European Application Serial No. 12719236.7, Office Action mailed Aug. 27, 2015”, 7 pgs.
- “European Application Serial No. 12720352.9 Response filed Feb. 9, 2015 to Communication Pursuant to Rules 161(1) and 162 EPC mailed Jul. 30, 2014”, 10 pgs.
- “European Application Serial No. 12756058.9, Communication Pursuant to Article 94(3) EPC mailed Feb. 18, 2019”, 4 pgs.
- “European Application Serial No. 12756058.9, Office Action mailed Jan. 17, 2017”, 5 Pgs.
- “European Application Serial No. 12756058.9, Preliminary Amendment filed Apr. 20, 2015”, 12 pgs.
- “European Application Serial No. 12756058.9, Response filed May 26, 2017 to Office Action mailed Jan. 17, 2017”, 16 pgs.
- “European Application Serial No. 12756058.9, Response filed Jun. 28, 2019 to Communication Pursuant to Article 94(3) EPC mailed Feb. 18, 2019”, 21 pgs.
- “European Application Serial No. 12756869.9 Response filed Feb. 10, 2015 to Communication Pursuant to Rule 161(1) and 162 EPC mailed Jul. 31, 2014”, 14 pgs.
- “European Application Serial No. 12756869.9, Examination Notification Art. 94(3) mailed Jul. 2, 2015”, 4 pgs.
- “European Application Serial No. 12756869.9, Response filed Nov. 12, 2015 to Examination Notification Art. 94(3) mailed Jul. 2, 2015”, 28 pgs.
- “European Application Serial No. 13716636.9, Communication Pursuant to Article 94(3) EPC mailed Nov. 16, 2015”, 4 pgs.
- “European Application Serial No. 13716636.9, Communication Pursuant to Article 94(3) EPC mailed Nov. 17, 2016”, 4 pgs.
- “European Application Serial No. 13716636.9, Communication Pursuant to Article 94(3) EPC mailed Jun. 6, 2016”, 5 pgs.
- “European Application Serial No. 13716636.9, Communication pursuant to Rules 161(1) and 162 EPC mailed Dec. 12, 2014”, 2 pgs.
- “European Application Serial No. 13716636.9, Response filed Mar. 24, 2016 to Communication Pursuant to Article 94(3) EPC mailed Nov. 16, 2015”, 18 pgs.
- “European Application Serial No. 13716636.9, Response filed Mar. 27, 2017 to Communication Pursuant to Article 94(3) EPC mailed Nov. 17, 2016”, 15 pgs.
- “European Application Serial No. 13716636.9, Response filed Jun. 22, 2015 to Communication pursuant to Rules 161(1) and 162 EPC mailed Dec. 12, 2014”, 10 pgs.
- “European Application Serial No. 13716636.9, Response filed Oct. 17, 2016 to Communication Pursuant to Article 94(3) EPC mailed Jun. 6, 2016”, 5 pgs.
- “European Application Serial No. 14190180.1, Extended European Search Report mailed Sep. 24, 2015”, 8 pgs.
- “European Application Serial No. 15160934.4, Communication Pursuant to Article 94(3) EPC mailed Apr. 26, 2018”, 5 pgs.
- “European Application Serial No. 15160934.4, Extended European Search Report mailed Jun. 1, 2016”, 8 pgs.
- “European Application Serial No. 15160934.4, Response filed Aug. 30, 2018 to Communication Pursuant to Article 94(3) EPC mailed Apr. 26, 2018”, 63 pgs.
- “European Application Serial No. 15160934.4, Response filed Dec. 21, 2016 to Extended European Search Report mailed Jun. 1, 2016”, 5 pgs.
- “European Application Serial No. 15174394.5, Extended European Search Report mailed Mar. 21, 2016”, 8 pgs.
- “European Application Serial No. 15174394.5, Response filed Nov. 18, 2016 to Extended European Search Report mailed Mar. 21, 2016”, 12 pgs.
- “European Application Serial No. 15191781.2, Communication Pursuant to Article 94(3) EPC mailed Jan. 8, 2018”, 4 pgs.
- “European Application Serial No. 15191781.2, Extended European Search Report mailed Mar. 1, 2017”, 8 pgs.
- “European Application Serial No. 15191781.2, Response filed May 17, 2018 to Communication Pursuant to Article 94(3) EPC mailed Jan. 8, 2018”, 58 pgs.
- “European Application Serial No. 15191781.2, Response filed Sep. 28, 2017 to Extended European Search Report mailed Mar. 1, 2017”, 14pgs.
- “European Application Serial No. 16156228.5, Extended European Search Report mailed May 11, 2017”, 5 pgs.
- “European Application Serial No. 16183635.8, Extended European Search Report mailed Jun. 30, 2017”, 9 pgs.
- “European Application Serial No. 16183635.8, Response filed Mar. 27, 2018 to Extended European Search Report mailed Jun. 30, 2017”, 8 pgs.
- “European Application Serial No. 16189084.3, Extended European Search Report mailed Oct. 9, 2017”, 9 pgs.
- “European Application Serial No. 16189084.3, Response filed May 10, 2018 to Extended European Search Report mailed Oct. 9, 2017”, 20 pgs.
- “European Application Serial No. 16770657.1, Communication Pursuant to Article 94(3) EPC mailed May 20, 2019”, 3 pgs.
- “European Application Serial No. 16770657.1, Response filed Sep. 30, 2019 to Communication Pursuant to Article 94(3) EPC mailed May 20, 2019”, 26 pgs.
- “European Application Serial No. 16770657.1, Response filed Nov. 26, 2018 to Office Action mailed May 14, 2018”, 17 pgs.
- “European Application Serial No. 17157909.7, Extended European Search Report mailed Jul. 17, 2018”, 7 pgs.
- “European Application Serial No. 17157909.7, Response Filed Feb. 15, 2019 to Extended European Search Report mailed Jul. 17, 2018”, 37 pgs.
- “European Application Serial No. 17163432.2, Extended European Search Report mailed May 14, 2018”, 6 pgs.
- “European Application Serial No. 17163440.5, Extended European Search Report mailed Jan. 3, 2019”, 16 pgs.
- “European Application Serial No. 17163440.5, Partial European Search Report mailed Jul. 23, 2018”, 15 pgs.
- “European Application Serial No. 17163440.5, Response filed Jul. 22, 2019 to Extended European Search Report mailed Jan. 3, 2019”, 14 pgs.
- “European Application Serial No. 17168095.2, Extended European Search Report mailed Jun. 8, 2018”, 8 pgs.
- “European Application Serial No. 17168095.2, Response Filed Jan. 17, 2019 Extended European Search Report mailed Jun. 8, 2018”, 29 pgs.
- “European Application Serial No. 17168308.9, Extended European Search Report mailed Jun. 13, 2018”, 8 pgs.
- “European Application Serial No. 17168308.9, Response Filed Jan. 17, 2019 to Extended European Search Report mailed Jun. 13, 2018”, 24 pgs.
- “European Application Serial No. 18206326.3, Extended European Search Report mailed Apr. 15, 2019”, 10 pgs.
- “European Application Serial No. 18206326.3, Response filed Nov. 22, 2019 to Extended European Search Report mailed Apr. 15, 2019”, 15 pgs.
- “European Application Serial No. 18711801.3, Response to Communication pursuant to Rules 161(1) and 162 EPC filed May 7, 2020”, 14 pgs.
- “European Application Serial No. 19171990.5, Extended European Search Report mailed Oct. 16, 2019”, 8 pgs.
- “European Application Serial No. 19171990.5, Response filed May 13, 2020 to Extended European Search Report mailed Oct. 16, 2019”, 31 pgs.
- “Gender Solutions Natural Knee Flex System: Because Men and Women are Different”, Zimmer, Inc., (2007, 2009), 6 pg.

(56)

**References Cited****OTHER PUBLICATIONS**

- “Gender Solutions Natural Knee Flex System: Surgical Technique”, Zimmer, Inc., (2007, 2008, 2009), 36 pgs.
- “Gender Solutions Natural-Knee Flex System”, Zimmer, Inc., (2007, 2009), 6 pgs.
- “Indian Application Serial No. 1544/DELNP/2013, Office Action mailed May 21, 2019”, (W/ English Translation), 10 pgs.
- “Indian Application Serial No. 1544/DELNP/2013, Response filed Nov. 18, 2019 to Office Action mailed May 21, 2019”, (W/ English Translation), 34 pgs.
- “Indian Application Serial No. 1545/DELNP/2013, Office Action mailed Dec. 9, 2019”, (with English translation), 8 pages.
- “International Application Serial No. PCT/US2011/045077, International Preliminary Report on Patentability mailed Jul. 5, 2012”, 23 pgs.
- “International Application Serial No. PCT/US2011/045077, International Search Report and Written Opinion mailed Jan. 9, 2012”, 15 pgs.
- “International Application Serial No. PCT/US2011/045078, International Preliminary Report on Patentability mailed Feb. 7, 2013”, 11 pgs.
- “International Application Serial No. PCT/US2011/045078, International Search Report and Written Opinion mailed Jan. 9, 2012”, 14 pgs.
- “International Application Serial No. PCT/US2011/045080, International Preliminary Report on Patentability mailed Feb. 7, 2013”, 13 pgs.
- “International Application Serial No. PCT/US2011/045080, International Search Report mailed Jan. 9, 2012”, 7 pgs.
- “International Application Serial No. PCT/US2011/045080, Written Opinion mailed Jan. 9, 2012”, 11 pgs.
- “International Application Serial No. PCT/US2011/045082, International Preliminary Report on Patentability mailed Feb. 7, 2013”, 11 pgs.
- “International Application Serial No. PCT/US2011/045082, International Search Report mailed Jan. 9, 2012”, 5 pgs.
- “International Application Serial No. PCT/US2011/045082, Written Opinion mailed Jan. 9, 2012”, 10 pgs.
- “International Application Serial No. PCT/US2011/045083, International Preliminary Report on Patentability mailed Feb. 7, 2013”, 8 pgs.
- “International Application Serial No. PCT/US2011/045083, International Search Report mailed Dec. 7, 2011”, 2 pgs.
- “International Application Serial No. PCT/US2011/045083, Written Opinion mailed Dec. 7, 2011”, 6 pgs.
- “International Application Serial No. PCT/US2011/051021, International Preliminary Report on Patentability mailed Mar. 21, 2013”, 8 pgs.
- “International Application Serial No. PCT/US2011/051021, International Search Report mailed Nov. 23, 2011”, 12 pgs.
- “International Application Serial No. PCT/US2011/051021, Written Opinion mailed Nov. 23, 2011”, 7 pgs.
- “International Application Serial No. PCT/US2011/064435, International Preliminary Report on Patentability mailed Jun. 27, 2013”, 9 pgs.
- “International Application Serial No. PCT/US2011/064435, Search Report mailed Jun. 21, 2012”, 5 pgs.
- “International Application Serial No. PCT/US2011/064435, Written Opinion mailed Jun. 21, 2012”, 7 pgs.
- “International Application Serial No. PCT/US2011/065683, International Preliminary Report on Patentability mailed Jun. 27, 2013”, 11 pgs.
- “International Application Serial No. PCT/US2011/065683, International Search Report mailed Apr. 24, 2012”, 12 pgs.
- “International Application Serial No. PCT/US2011/065683, Written Opinion mailed Apr. 24, 2012”, 10 pgs.
- “International Application Serial No. PCT/US2012/035679, International Preliminary Report on Patentability mailed May 30, 2014”, 8 pgs.
- “International Application Serial No. PCT/US2012/035679, International Search Report mailed Jun. 8, 2012”, 4 pgs.
- “International Application Serial No. PCT/US2012/035679, Written Opinion mailed Jun. 8, 2012”, 7 pgs.
- “International Application Serial No. PCT/US2012/035680, International Preliminary Report on Patentability mailed May 30, 2014”, 13 pgs.
- “International Application Serial No. PCT/US2012/035680, Search Report mailed Oct. 9, 2012”, 7 pgs.
- “International Application Serial No. PCT/US2012/035680, Written Opinion mailed Oct. 9, 2012”, 11 pgs.
- “International Application Serial No. PCT/US2012/035683, International Preliminary Report on Patentability mailed May 30, 2014”, 9 pgs.
- “International Application Serial No. PCT/US2012/035683, International Search Report and Written Opinion mailed Jun. 5, 2012”, 12 pgs.
- “International Application Serial No. PCT/US2012/035684, International Preliminary Report on Patentability mailed May 30, 2014”, 14 pgs.
- “International Application Serial No. PCT/US2012/035684, International Search Report mailed Aug. 8, 2012”, 9 pgs.
- “International Application Serial No. PCT/US2012/035684, Written Opinion mailed Jun. 8, 2012”, 12 pgs.
- “International Application Serial No. PCT/US2012/052132, International Preliminary Report on Patentability mailed Jun. 5, 2014”, 12 pgs.
- “International Application Serial No. PCT/US2012/052132, International Search Report mailed Jan. 10, 2013”, 5 pgs.
- “International Application Serial No. PCT/US2012/052132, Invitation to Pay Additional Fees and Partial Search Report mailed Nov. 15, 2012”, 7 pgs.
- “International Application Serial No. PCT/US2012/052132, Written Opinion mailed Jan. 10, 2013”, 10 pgs.
- “International Application Serial No. PCT/US2012/052340, International Preliminary Report on Patentability mailed Aug. 14, 2014”, 8 pgs.
- “International Application Serial No. PCT/US2012/052340, Search Report mailed Oct. 12, 2012”, 4 pgs.
- “International Application Serial No. PCT/US2012/052340, Written Opinion mailed Oct. 12, 2012”, 6 pgs.
- “International Application Serial No. PCT/US2013/034286, International Preliminary Report on Patentability mailed Oct. 9, 2014”, 8 pgs.
- “International Application Serial No. PCT/US2013/034286, International Search Report mailed Jun. 25, 2013”, 6 pgs.
- “International Application Serial No. PCT/US2013/034286, Written Opinion mailed Jun. 25, 2013”, 6 pgs.
- “International Application Serial No. PCT/US2013/034293, International Preliminary Report on Patentability mailed Oct. 9, 2014”, 9 pgs.
- “International Application Serial No. PCT/US2013/034293, International Search Report mailed Jun. 25, 2013”, 6 pgs.
- “International Application Serial No. PCT/US2013/034293, Written Opinion mailed Jun. 25, 2013”, 7 pgs.
- “International Application Serial No. PCT/US2016/052163, International Preliminary Report on Patentability Mailed Apr. 5, 2018”, 10 pgs.
- “International Application Serial No. PCT/US2016/052163, International Search Report mailed Jan. 20, 2017”, 7 pgs.
- “International Application Serial No. PCT/US2016/052163, Invitation to Pay Add'l Fees and Partial Search Report mailed Nov. 7, 2016”, 7 pgs.
- “International Application Serial No. PCT/US2016/052163, Written Opinion mailed Jan. 20, 2017”, 8 pgs.
- “International Application Serial No. PCT/US2018/021571, International Preliminary Report on Patentability mailed Sep. 19, 2019”, 8 pgs.
- “International Application Serial No. PCT/US2018/021571, International Search Report mailed Jun. 7, 2018”, 6 pgs.
- “International Application Serial No. PCT/US2018/021571, Written Opinion mailed Jun. 7, 2018”, 6 pgs.

(56)

**References Cited****OTHER PUBLICATIONS**

- “International Application Serial No. PCT/US2018/031177, International Preliminary Report on Patentability mailed Nov. 21, 2019”, 8 pgs.
- “International Application Serial No. PCT/US2018/031177, International Search Report mailed Jul. 31, 2018”, 6 pgs.
- “International Application Serial No. PCT/US2018/031177, Written Opinion mailed Jul. 31, 2018”, 6 pgs.
- “Intramedullary Instrumentation Surgical Technique for the NexGen Cruciate Retaining & Legacy Posterior Stabilized Knee”, Zimmer, Inc. Nexgen Complete Knee Solution, 97-5973-102, Rev. 1, (1995,1997,1998), 36 pgs.
- “Japanese Application Serial No. 2015-162707, Office Action mailed Jun. 28, 2016”, (W/ English Translation), 8 pgs.
- “Japanese Application Serial No. 2013-521854, Notice of Reason for Rejection mailed Sep. 16, 2014”, (W/ English Translation), 6 pgs.
- “Japanese Application Serial No. 2013-521854, Response filed Dec. 16, 2014 to Notice of Reason for Rejection mailed Sep. 16, 2014”, W/ English Claims, 11 pgs.
- “Japanese Application Serial No. 2013-521855, Amendment filed Jul. 22, 2014”, (W/ English Translation), 20 pgs.
- “Japanese Application Serial No. 2013-521855, Office Action mailed Mar. 24, 2015”, W/ English Translation, 8 pgs.
- “Japanese Application Serial No. 2013-521856, Notice of Allowance mailed Jan. 5, 2016”, w/English Translation, 6 pgs.
- “Japanese Application Serial No. 2013-521856, Office Action mailed Sep. 1, 2015”, (W/ English Translation), 5 pgs.
- “Japanese Application Serial No. 2013-521856, Response filed Dec. 1, 2015 to Office Action mailed Sep. 1, 2015”, w/English Translation, 9 pgs.
- “Japanese Application Serial No. 2013-521857, Notice of Allowance mailed Feb. 9, 2016”, w/English Translation, 6 pgs.
- “Japanese Application Serial No. 2013-521857, Notice of Reasons for Rejection mailed Aug. 18, 2015”, (W/ English Translation), 6 pgs.
- “Japanese Application Serial No. 2013-521857, Preliminary Amendment filed May 18, 2014”, (W/ English translation of claims), 9 pgs.
- “Japanese Application Serial No. 2013-521857, Response filed Jan. 25, 2016 to Notice of Reasons for Rejection mailed Aug. 18, 2015”, (W/ English Translation), 17 pgs.
- “Japanese Application Serial No. 2013-544655, Office Action mailed Mar. 8, 2016”, (W/ English Translation), 8 pgs.
- “Japanese Application Serial No. 2013-544655, Office Action mailed Sep. 29, 2015”, (W/ English) Translation), 7 pgs.
- “Japanese Application Serial No. 2013-544655, Response filed Jan. 4, 2016 to Office Action mailed Sep. 29, 2015”, (English Translation of Claims), 14 pgs.
- “Japanese Application Serial No. 2013-544655, Response filed Jul. 14, 2016 to Office Action mailed Mar. 8, 2016”, (w/ English Translation of Claims), 13 pgs.
- “Japanese Application Serial No. 2013-544858, Request for Examination filed Feb. 4, 2014”, (With English Translation), 14 pgs.
- “Japanese Application Serial No. 2014-121515, Notice of Reasons for Rejection mailed Jan. 5, 2016”, (W/ English Translation), 9 pgs.
- “Japanese Application Serial No. 2014-121515, Office Action mailed Jun. 2, 2015”, (W/ English Translation), 10 pgs.
- “Japanese Application Serial No. 2014-121515, Response filed May 11, 2016 to Notice of Reasons for Rejection mailed Jan. 5, 2016”, (W/ English Translation Of Claims), 11 pgs.
- “Japanese Application Serial No. 2014-121515, Response filed Aug. 20, 2015 to Office Action mailed Jun. 2, 2015”, (W/ English Translation Of Claims), 6 pgs.
- “Japanese Application Serial No. 2014-542297, Office Action mailed May 31, 2016”, (W/ English Translation Of Claims), 6 pgs.
- “Japanese Application Serial No. 2014-542297, Office Action mailed Jun. 30, 2015”, (W/ English Translation), 10 pgs.
- “Japanese Application Serial No. 2014-542297, Office Action mailed Nov. 24, 2015”, (W/ English Translation), 10 pgs.
- “Japanese Application Serial No. 2014-542297, Response filed Feb. 23, 2016 to Office Action mailed Nov. 24, 2015”, (W/ English Translation Of Claims), 15 pgs.
- “Japanese Application Serial No. 2014-542297, Response filed Jun. 8, 2016 to Office Action mailed May 31, 2016”, (W/ English Translation Of Claims), 14 pgs.
- “Japanese Application Serial No. 2014-542297, Response filed Sep. 28, 2015 to Office Action mailed Jun. 30, 2015”, (W/ English Translation Of Claims), 16 pgs.
- “Japanese Application Serial No. 2014-542301, Office Action mailed May 12, 2015”, (W/ English Translation), 6 pgs.
- “Japanese Application Serial No. 2014-542301, Response filed Aug. 10, 2015 to Office Action mailed May 12, 2015”, (W/ English translation of claims), 21 pgs.
- “Japanese Application Serial No. 2014-554709, Office Action mailed Jul. 5, 2016”, (W/ English Translation), 6 pgs.
- “Japanese Application Serial No. 2014-554709, Preliminary Amendment filed Jul. 29, 2015”, (W/ English translation of claims), 8 pgs.
- “Japanese Application Serial No. 2014-554709, Response filed Dec. 19, 2016 to Office Action mailed Jul. 5, 2016”, (W/ English Translation of Claims), 11 pgs.
- “Japanese Application Serial No. 2015-162707, Office Action mailed Nov. 29, 2016”, (W/ English Translation), 3 pgs.
- “Japanese Application Serial No. 2015-162707, Response filed Jan. 26, 2017 to Office Action mailed Nov. 27, 2016”, (W/ English Translation), 16 pgs.
- “Japanese Application Serial No. 2015-199496, Office Action mailed Sep. 6, 2016”, (W/ English Translation), 5 pgs.
- “Japanese Application Serial No. 2015-199496, Response filed Dec. 5, 2016 to Office Action mailed Sep. 6, 2016”, (W/ English Translation of Claims), 9 pgs.
- “Japanese Application Serial No. 2015-503563, Office Action mailed Dec. 20, 2016”, (W/ English Translation), 10 pgs.
- “Japanese Application Serial No. 2015-503563, Response Filed Mar. 13, 2017 to Office Action Mailed Dec. 20, 2016”, (W/ English Translation), 9 pgs.
- “Japanese Application Serial No. 2016-145390, Office Action mailed Apr. 25, 2017”, (W/ English Translation), 5 pgs.
- “Japanese Application Serial No. 2016-145390, Response filed Jul. 3, 2017 to Office Action mailed Apr. 25, 2017”, (W/ English Translation of Claims), 16 pgs.
- “Japanese Application Serial No. 2017-161246, Office Action mailed May 15, 2018”, (W/ English Translation), 6 pgs.
- “Japanese Application Serial No. 2019-562605, Notification of Reasons for Refusal mailed Jun. 16, 2020”, (W/ English Translation), 7 pgs.
- “Journey II XR, Bi-Cruciate Retaining Knee System”, Smith & Nephew, Surgical Technique, (2015), 40 pgs.
- “Legacy Implant Options”, Nexgen Complete Knee Solution, (2002), 8 pgs.
- “LPS-Flex Fixed Bearing Knee: Surgical Technique”, Zimmer, Inc., (2004, 2007, 2008), 16 pgs.
- “Mexican Application Serial No. MX/a/2013/000988, Office Action mailed Mar. 18, 2015”, w/English Claims, 17 pgs.
- “Mexican Application Serial No. MX/a/2013/000988, Response filed Jun. 1, 2015 to Office Action mailed Mar. 18, 2015”, (W/ English Translation), 12 pgs.
- “Mexican Application Serial No. MX/A/2013/000988. Office Action Mailed Jun. 5, 2015”, w/ summary in English, 6 pgs.
- “Mexican Application Serial No. MX/A/2013/000990, Final Office Action mailed Feb. 4, 2016”, w/ summary in English, 4 pgs.
- “Mexican Application Serial No. MX/A/2013/000990, Office Action mailed Feb. 19, 2015”, (W/ English Translation), 4 pgs.
- “Mexican Application Serial No. MX/A/2013/000990, Response filed Apr. 29, 2015 to Office Action mailed Feb. 19, 2015”, W/ English Claims, 18 pgs.
- “MIS Minimally Invasive Solution, The M/G Unicompartimental Knee Minimally Invasive Surgical Technique”, Zimmer, Inc. Nexgen Complete Knee Solution, 97-5791-02, (Aug. 14, 2008), 27 pgs.
- “Multi-Reference 4-in-1 Femoral Instrumentation Surgical Technique for NexGen Cruciate Retaining & NexGen Legacy Posterior Stabilized Knees”, Zimmer, Inc. Nexgen Complete Knee Solution, 97-5973-402 Rev. 1, (1998, 2000), 18 pgs.

(56)

**References Cited****OTHER PUBLICATIONS**

- “Natural-Knee II Primary System Surgical Technique”, Zimmer, Inc., (2005), 48 pgs.
- “Nexgen Complete Knee Solution”, Extramedullary/Intramedullary Tibial Resector: Surgical Technique, Zimmer, Inc. 97-5997-002-00 Rev. 2, (2000, 2008, 2009), 28 pgs.
- “Nexgen Complete Knee Solution”, Extramedullary/Intramedullary Tibial Resector: Surgical Technique, Zimmer, Inc. 97-5997-02 Rev 1, (2000), 26 pgs.
- “Nexgen Complete Knee Solution for the Legacy Knee LPS-Flex Fixed Bearing Knee”, Zimmer Surgical Technique, 97-5964-102-00, (2004, 2007), 12 pgs.
- “NexGen Complete Knee Solution, Intramedullary Instrumentation Surgical Technique for the NexGen Cruciate Retaining & Legacy Posterior Stabilized Knee”, Zimmer, Inc., (1995, 1997, 1998), 1-33.
- “NexGen Implant Options Surgeon-Specific”, Zimmer Inc., (2000), 16 pgs.
- “NexGen LPS Fixed Knee: Surgical Technique”, Zimmer Inc., (2002, 2008), 44 pgs.
- “NexGen LPS-Flex Mobile and LPS-Mobile Bearing Knees”, Zimmer, Inc., (2007, 2008), 4 pgs.
- “NexGen Trabecular Metal Modular Plates”, Zimmer Inc., (2007), 19 pgs.
- “Persona “Medial Congruent Articular Surface” System Overview”, Zimmer, Inc., (2015), 6 pgs.
- “Persona “The Personalized Knee System””, Medial Congruent Sales Training, Zimmer, Inc., (Jul. 2015), 53 pgs.
- “Persona “The Personalized Knee System” Medial Congruent Advanced Bearings”, Zimmer, Inc., (2015), 2 pgs.
- “Persona “The Personalized Knee System” Medial Congruent Articular Surface Design Rationale”, Zimmer, Inc., (2015), 20 pgs.
- “Persona “The Personalized Knee System” Persona Medial Congruent”, Mar. 24-28, 2015 at the American Academy of Orthopaedic Surgeons (AAOS) Annual Meeting., (Mar. 2015), 1 pg.
- “Persona “The Personalized Knee System” Surgical Technique”, Zimmer, Inc., (2015), 72 pgs.
- “Persona Medial Congruent Articular Surface”, Sales Training, Zimmer Biomet, (Jan. 2016), 71 pgs.
- “PFC Sigma Knee System with Rotating Platform Technical/Monograph”, Depuy PFC Sigma RP, 0611-29-050 (Rev. 3), (1999), 70 pgs.
- “Primary/Revision Surgical Technique for NexGen Rotating Hinge Knee (RHK)”, Zimmer, Inc. Nexgen Complete Knee Solution, 97-5880-02, (2002), 116 pgs.
- “Revision Instrumentation Surgical Technique for Legacy Knee Constrained Condylar Knee”, Zimmer, Inc. Nexgen Complete Knee Solution, 97-5994-202, (2001), 61 pgs.
- “Russian Application Serial No. 2013106942, Office Action mailed Apr. 16, 2015”, W/ English Translation, 5 pgs.
- “Russian Application Serial No. 2013106942, Response filed Jul. 15, 2015 Office Action mailed Apr. 16, 2015”, (W/ English translation of claims), 146 pgs.
- “Russian Application Serial No. 2013106943, Office Action mailed Jul. 1, 2015”, (W/ English Translation), 6 pgs.
- “Russian Application Serial No. 2013106943, Office Action mailed Dec. 28, 2015”, w/ partial English Translation, 6 pgs.
- “Russian Application Serial No. 2013106943, Response filed Apr. 28, 2016 to Office Action mailed Dec. 28, 2015”, (W/ English translation of claims), 19 pgs.
- “Russian Application Serial No. 2013106943, Response filed Oct. 30, 2015 to Office Action mailed Jul. 1, 2015”, (W/ English translation of claims), 21 pgs.
- “South African Application Serial No. 2013/01327, Amendment filed Apr. 24, 2014”, W/ English Translation, 4 pgs.
- “South African Application Serial No. 2013/01328, Amendment filed Apr. 24, 2014”, W/ English Translation, 4 pgs.
- “Surgical Technique for Cruciate Retaining Knees and Revision Instrumentation Surgical Technique for Cruciate Retaining Augmentable Knees”, Zimmer, Inc. Nexgen Complete Knee Solution, 97-5970-202, (2002), 130 pgs.
- “Surgical Technique for the CR-Flex Fixed Bearing Knee”, NexGen Complete Knee Solution, Zimmer, Inc., (2003), 22 pgs.
- “Surgical Technique for the Legacy Knee LPS-Flex Fixed Bearing Knee”, Zimmer, Inc. Nexgen Complete Knee Solution, 97-5964-02, Rev. 1, (2000, 2002), 15 pgs.
- “Surgical Technique for the Legacy Posterior Stabilized Knees”, Zimmer, Inc. Nexgen Complete Knee Solution, 97-5996-02, (2002), 43 pgs.
- “Surgical Technique—Nexgen Complete Knee Solution for the Legacy Knee LPS-Flex Fixed Bearing Knee”, Zimmer, Inc., (2004, 2007), 12 pgs.
- “The Zimmer Institute Surgical Technique MIS Quad-Sparing Surgical Technique for Total Knee Arthroplasty”, NExGen Complete Knee Solution, (2004), 55 pgs.
- “Tibial Baseplate: Pocket Guide (United States Version)”, Zimmer, Inc., (2009), 17 pgs.
- “Trabecular Metal Monoblock Tibial Components”, Zimmer, Inc., (2007), 4 pgs.
- “Trabecular Metal Monoblock Tibial Components Surgical Technique Addendum”, Nexgen Zimmer, Inc., (2005, 2007), 12 pgs.
- “Trabecular Metal Tibial Tray: Surgical Technique”, NexGen Zimmer, Inc., (2007, 2009), 16 pgs.
- “Turkish Application Serial No. 11808493.8, Working Requirements mailed Feb. 17, 2020”, 3 pgs.
- “Turkish Application Serial No. 12718882.9, Working Requirements mailed Feb. 13, 2020”, 3 pgs.
- “Vanguard® ID Total Knee, Surgical Technique”, Zimmer Biomet; 0682.1-GLBL-en-REV0317, (2017), 36 pgs.
- “Zimmer MIS Intramedullary Instrumentation Surgical Technique For NexGen Cruciate Retaining & NexGen Legacy Posterior Stabilized Knees”, printed 2005, 2009, Zimmer, Inc., (2009), 45 pgs.
- “Zimmer Nexgen Cruciate Retaining (CR) and Legacy Knee Posterior Stabilized (LPS) Trabecular Metal Monoblock Tibias”, Zimmer, Inc Surgical Technique Addendum, 97-7253-34, Rev. 3, (2004), 11 pgs.
- “Zimmer NexGen CR-Flex and LPS-Flex Knees Surgical Technique with posterior Referencing Instrumentation.”, Zimmer Inc., (2010, 2011), 48 pgs.
- “Zimmer NexGen LCCK Surgical Technique for use with LCCK 4-in-1 Instrumentation”, Zimmer, Inc.; copyright 2009, 2010, 2011, (May 2011), 52 pgs.
- “Zimmer NexGen MIS Modular Tibial Plate and Keel Cemented Surgical Technique”, Zimmer Inc., (2006, 2011), 26 pgs.
- “Zimmer NexGen MIS Tibial Component”, Brochure-97-5950-001-00 7.5mm, (2005, 2006), 8 pgs.
- “Zimmer NexGen MIS Tibial Component Cemented Surgical Technique”, Zimmer, Inc, #97-5950-002-00 Rev.1 1.5ML, (2005), 14 pgs.
- “Zimmer NexGen MIS Tibial Component Cemented Surgical Technique”, Zimmer Inc., (2005, 2006, 2008, 2009, 2010), 16 pgs.
- “Zimmer NexGen Trabecular Metal Augments—Abbreviated Surgical Technique”, Zimmer, Inc., (2004, 2006), 6 pgs.
- “Zimmer NexGen Trabecular Metal Augments Surgical Technique for LCCK & Rotating Hing Knee Trabecular Metal Augments”, Zimmer, Inc. 97-5448-02, Rev. 1, (2004), 6 pgs.
- “Zimmer NexGen Trabecular Metal Primary Patella Surgical Technique”, Zimmer, Inc., 97-7255-112-00, (2005), 10 pgs.
- “Zimmer NexGen Trabecular Metal Tibial Tray”, Surgical Technique, Zimmer, Inc., (2007, 2009), 16 pgs.
- “Zimmer Patient Specific Instruments”, Surgical Techniques for NexGen Complete Knee Solution Zimmer, Inc., (2010), 16 pgs.
- Annayappa, Ramesh, et al., “Tibial Prosthesis”, U.S. Appl. No. 13/189,324, filed Jul. 22, 2011, 50 pgs.
- Bellemans, Johan, et al., “Is Neutral Mechanical Alignment Normal for All Patients?”, Clinical Orthopaedics and Related Research; DOI 10.1007/s11999-011-1936-5, (Jun. 9, 2011), 9 pgs.
- Ding, M., et al., “Age-related variations in the microstructure of human tibial cancellous bone”, Journal of Orthopaedic Research, 20(3), (2002), 615-621.

(56)

**References Cited****OTHER PUBLICATIONS**

- Ding, M., et al., "Changes in the three-dimensional microstructure of human tibial cancellous bone in early osteoarthritis", *Journal of Bone & Joint Surgery (British)*, 85-B(6), (Aug. 2003), 906-912.
- Doyle, et al., "Comparative Analysis of Human Trabecular Bone and Polyurethane Foam", *Purdue University*, 1 pg.
- Dunbar, M. J., et al., "Fixation of a Trabecular Metal Knee Arthroplasty Component: A Prospective Randomized Study", *The Journal of Bone & Joint Surgery (American)*, vol. 91-A(7), (Jul. 2009), 1578-1586.
- Edwards, Andrew, et al., "The Attachments of the Fiber Bundles of the Posterior Cruciate ligament: An Anatomic Study", *Arthroscopy: The Journal of Arthroscopic and Related Surgery*, vol. 23, No. 3, (Mar. 2008), 284-290.
- Freeman, M.A.R., et al., "The Movement of the Knee Studied by Magnetic Resonance Imaging", *Advanced Bearings—Clinical Orthopedics & Related Research* 2003, (2003), 1 pg.
- Hofmann, Aaron A., et al., "Posterior Stabilization in Total Knee Arthroplasty with Use of an Ultracongruent Polyethylene", *The Journal of Arthroplasty* vol. 15, No. 5, (2000), 576-583.
- Hutt, Jonathan, et al., "Functional joint line obliquity after kinematic total knee arthroplasty", *International Orthopaedics*; DOI 10.1007/s00264-015-2733-7, (Mar. 21, 2015), 6 pgs.
- Hvid, Ivan, et al., "Trabecular bone Strength Patterns at the Proximal Tibial Epiphysis", *Journal of Orthopaedic Research*, vol. 3, No. 4, (1985), 464-472.
- Klostermann, et al., "Distribution of bone mineral density with age and gender in the proximal tibia", *Clinical Biomechanics* 19, 376-376.
- Lorenz, Stephan, et al., "Radiological evaluation of the anterolateral and posteromedial bundle insertion sites of the posterior cruciate ligament", *Knee Surg Sports Traumatol Arthosc*, vol. 17, (2009), 683-690.
- Moorman, Claude, et al., "Tibial Insertion of the Posterior Cruciate Ligament: A Sagittal Plane Analysis Using Gross, Histologic, and Radiographic Methods", *Arthroscopy: The Journal of Arthroscopic and Related Surgery*, vol. 24, No. 3, (Mar. 2008), 269-275.
- Parisi, Raymond C, "Motion Facilitating Tibial Components for a Knee Prosthesis", U.S. Appl. No. 13/229,103, filed Sep. 9, 2011, 46 pgs.
- Partovi, Hamid, "Flow-Through Latch and Edge-Triggered Flip-Flop Hybrid Elements", *Proceedings of the IEEE International Solid-State Circuits Conference, Digest of Technical Papers and Slide Supplement*, NexGen Inc., Milpitas, CA, (1996), 40 pgs.
- Siggelkow, Eik, et al., "Impact of Tibia Bearing Surface and Femoral Component Design on Flexion Kinematics During Lunge", Mar. 28-31, 2015 at the Orthopaedic Research Society (ORS) Annual Meeting (Poster #1645), (Mar. 2015), 1 pg.
- Siggelkow, Eik, et al., "Impact of Tibia Bearing Surface Design on Deep Knee Bend Kinematics", Mar. 24-28, 2015 at the AAOS Conference (Poster #P142), (Mar. 2015), 1 pg.
- Stilling, et al., "Superior fixation of pegged trabecular metal over screw-fixed pegged porous titanium fiber mesh", *Acta Orthopaedica*, (2011), 177-186.
- Victor, Jan M. K., et al., "Constitutional Varus Does Not Affect Joint Line Orientation in the Coronal Plane", *Joint Line Orientation in the Coronal Plane*; 472; DOI 10.1007/s11999-013-2898-6, (Jun. 4, 2013), pp. 98-104.
- Wentorf, Mary S. S, "Asymmetric Tibial Components for a Knee Prosthesis", U.S. Appl. No. 13/189,338, filed Jul. 22, 2011, 58 pgs.
- Wentorf, Mary S. S, "Asymmetric Tibial Components for a Knee Prosthesis", U.S. Appl. No. 13/189,339, filed Jul. 22, 2011, 52 pgs.
- Wentorf, Mary S. S, "Asymmetric Tibial Components for a Knee Prosthesis", U.S. Appl. No. 13/189,336, filed Jul. 22, 2011, 60 pgs.
- "Chinese Application Serial No. 202110590378.1, Response Filed Mar. 18, 2024 to Office Action mailed Dec. 26, 2023", W English Claims, 19 pgs.
- "U.S. Appl. No. 18/081,481, Non Final Office Action mailed Oct. 9, 2024", 9 pgs.

\* cited by examiner






FIG. 1A

**Articular Track Angular Arrangement - Cruciate-Retaining**




**FIG. 1B**

**Articular Track Angular Arrangement - Ultra-Congruent**



**FIG. 1C**



**FIG. 1D**




FIG. 2




FIG. 3A







FIG. 3B




**FIG. 3C**



**FIG. 3D**



**FIG. 3E**



**FIG. 3F**




FIG. 4A




FIG. 4B




FIG. 4C









FIG. 5A








FIG. 6C




FIG. 6D




FIG. 6E

(PRIOR ART)




FIG. 7A




FIG. 7B




FIG. 8A




FIG. 8B




FIG. 9A




FIG. 9D




FIG. 9B




FIG. 9C




FIG.10A




FIG. 10B





FIG. 10C



**1**
**TIBIAL BEARING COMPONENT FOR A  
KNEE PROSTHESIS WITH IMPROVED  
ARTICULAR CHARACTERISTICS**

This application is a continuation of U.S. patent application Ser. No. 15/720,866, filed on Sep. 29, 2017, U.S. patent application Ser. No. 14/740,690, filed on Jun. 16, 2015, now issued as U.S. Pat. No. 9,788,954, which is a divisional of U.S. patent application Ser. No. 13/459,041, filed on Apr. 27, 2012, now issued as U.S. Pat. No. 9,072,607, which claims the benefit of U.S. Provisional Patent Application Ser. No. 61/561,657 filed on Nov. 18, 2011, U.S. Provisional Patent Application Ser. No. 61/577,293 filed Dec. 19, 2011, U.S. Provisional Patent Application Ser. No. 61/592,576 filed Jan. 30, 2012, U.S. Provisional Patent Application Ser. No. 61/621,361 filed Apr. 6, 2012, U.S. Provisional Patent Application Ser. No. 61/621,363 filed Apr. 6, 2012, U.S. Provisional Patent Application Ser. No. 61/621,364 filed Apr. 6, 2012, and U.S. Provisional Patent Application Ser. No. 61/621,366 filed Apr. 6, 2012, the benefit of priority of each of which is claimed hereby, and each of which are incorporated by reference herein in its entirety.

**BACKGROUND**
**1. Technical Field**

The present disclosure relates to orthopaedic prostheses and, specifically, to articular tibial components in a knee prosthesis.

**2. Description of the Related Art**

Orthopaedic prostheses are commonly utilized to repair and/or replace damaged bone and tissue in the human body. For a damaged knee, a knee prosthesis may be implanted using a tibial baseplate, a tibial bearing component, and a distal femoral component. The tibial baseplate is affixed to a proximal end of the patient's tibia, which is typically resected to accept the baseplate. The femoral component is implanted on a distal end of the patient's femur, which is also typically resected to accept the femoral component. The tibial bearing component is placed between the tibial baseplate and femoral component, and may be fixed upon or slidably coupled to the tibial baseplate.

The tibial bearing component, which may also be referred to as a tibial insert or meniscal component, provides an articular surface which interacts with the adjacent femur or femoral component during extension and flexion of the knee. The features and geometry of the articular surface influences the articular characteristics of the knee, such as by defining maximum knee flexion, internal/external rotation, femoral rollback, and behavior of the knee prosthesis in hyperextension, for example. Accordingly, substantial design efforts have previously focused on providing knee prosthesis components which preserve flexion range and promote a desired kinematic motion profile for the widest possible range of prospective knee replacement patients.

**SUMMARY**

The present disclosure provides an orthopaedic knee prosthesis including a tibial bearing component with articular features which operate to protect adjacent soft tissues of the natural knee, promote and/or accommodate desired articulation with an abutting femoral component, and facilitate expedient and effective implantation by a surgeon.

**2**

Features which accommodate and protect soft tissues of the knee include 1) a relief or scallop formed in the proximal peripheral edge of the bearing component near an anterior/lateral corner thereof; and 2) a bulbous, convex flare protruding from the tibial bearing component sidewall at an anterior/medial portion thereof.

Features which facilitate and/or promote improved articular characteristics include: 1) medial and lateral articular tracks, defined by respective dished articular compartments of the tibial bearing component, which are angled or "clocked" with respect to the posterior edge of the tibial bearing component; 2) a lateral articular compartment which defines a low conformity with the corresponding condyle of the abutting femoral component, and a medial articular compartment which defines a high conformity with the corresponding medial condyle of the femoral component; 3) medial and lateral articular tracks which, when viewed in respective sagittal planes, define a distal-most point which is anteriorly shifted with respect to predicate devices; 4) a lateral articular track which transitions from an early- and mid-flexion path that is generally linear along an anterior/posterior path as viewed in a transverse plane, to an arcuate path at the deep-flexion, posterior end of the articular track; 5) a lateral articular compartment which defines a relatively "flattened" posterior edge profile as compared to the posterior edge profile of the medial articular compartment to define a differential "jump height" therebetween; 6) for posterior-stabilized (PS) prostheses, a spine defining a posterior face which transitions from symmetrical in a proximal portion (i.e., a portion contacted by a femoral cam in early flexion) to an angled configuration in a distal portion (i.e., a portion contacted by the femoral cam in mid- to deep flexion); and 7) for ultra-congruent (UC) knee prostheses, a posterior eminence disposed between medial and lateral articular compartments that is sized and shaped to smoothly transition into a position within the intercondylar notch of an abutting femoral component when the knee prosthesis is hyperextended.

Features which facilitate surgical implantation include provision of families of tibial bearing components from which the surgeon may choose intraoperatively. These families may include a range of component sizes, multiple components within a given size, and different component designs. For example, within a range of sizes, different components may feature varying clocking angles and/or levels of posterior "flattening" in the lateral articular compartment, as noted above. Within a given size, multiple components may feature differing thickness profiles, as viewed from a sagittal and/or coronal perspective, in order to selectively tilt or cant the articular surface. Moreover, various combinations of the design features described herein may be provided across several tibial bearing component designs, such as posterior-stabilized, ultra-congruent and cruciate-retaining designs.

According to one embodiment thereof, the present invention provides a tibial bearing component for articulation with a medial femoral condyle and a lateral femoral condyle, the tibial bearing component defining a tibial bearing component coordinate system comprising: a bearing component transverse plane extending along a medial/lateral direction and an anterior/posterior direction; a bearing component coronal plane extending along a proximal/distal direction and the medial/lateral direction, the bearing component coronal plane perpendicular to the bearing component transverse plane; and a bearing component sagittal plane extending along the anterior/posterior direction and the proximal/distal direction, the bearing component sagittal plane

perpendicular to the bearing component transverse plane and the bearing component coronal plane, the tibial bearing component comprising: an articular surface and an opposing distal surface, the distal surface parallel to the bearing component transverse plane, the articular surface including medial and lateral dished articular compartments sized and shaped for articulation with the medial and lateral femoral condyles respectively, the medial and lateral dished articular compartments separated from one another by the bearing component sagittal plane, the lateral articular compartment comprising a plurality of coronal cross-sectional profiles defining a lateral set of coronal distal-most points spanning a lateral anterior/posterior extent, the lateral set of coronal distal-most points defining a lateral articular track, the lateral articular track having an anterior portion and a posterior portion, the anterior portion defining a nominally straight line when projected onto the bearing component transverse plane, the posterior portion defining a curved line when projected onto the bearing component transverse plane.

According to another embodiment thereof, the present invention provides a tibial bearing component for articulation with a medial femoral condyle and a lateral femoral condyle, the tibial bearing component defining a tibial bearing component coordinate system comprising: a bearing component transverse plane extending along a medial/lateral direction and an anterior/posterior direction; a bearing component coronal plane extending along a proximal/distal direction and the medial/lateral direction, the bearing component coronal plane perpendicular to the bearing component transverse plane; and a bearing component sagittal plane extending along the anterior/posterior direction and the proximal/distal direction, the bearing component sagittal plane perpendicular to the bearing component transverse plane and the bearing component coronal plane, the tibial bearing component comprising: an articular surface and an opposing distal surface, the distal surface parallel to the bearing component transverse plane, the articular surface including medial and lateral dished articular compartments sized and shaped for articulation with the medial and lateral femoral condyles respectively, the medial and lateral dished articular compartments separated from one another by the bearing component sagittal plane, the articular and distal surfaces bounded by a tibial bearing periphery, the lateral articular compartment comprising a plurality of coronal cross-sectional profiles defining a lateral set of coronal distal-most points spanning a lateral anterior/posterior extent, the lateral set of coronal distal-most points defining a lateral articular track having an anterior portion and a posterior portion, the anterior portion defining a nominally straight line when projected onto the bearing component transverse plane, the anterior portion of the lateral articular track extrapolated posteriorly to define a lateral intersection point with the tibial bearing periphery, the medial articular compartment comprising a plurality of coronal cross-sectional profiles defining a medial set of coronal distal-most points spanning a medial anterior/posterior extent, the medial set of coronal distal-most points defining a medial articular track, the medial articular track defining a nominally straight line when projected onto the bearing component transverse plane, the medial articular track extrapolated posteriorly to define a medial intersection point with the tibial bearing periphery, the lateral and medial intersection points joined by a posterior line, at least one of the lateral articular track and the medial articular track defining an acute angle with the posterior line; and the acute angle of the small tibial bearing component less than the acute angle of the large tibial bearing component.

According to yet another embodiment thereof, the present invention provides a family of tibial bearing components for articulation with femoral condyles, each of the family of tibial bearing components defining a tibial bearing component coordinate system comprising: a bearing component transverse plane extending along a medial/lateral direction and an anterior/posterior direction; a bearing component coronal plane extending along a proximal/distal direction and the medial/lateral direction, the bearing component coronal plane perpendicular to the bearing component transverse plane; and a bearing component sagittal plane extending along the anterior/posterior direction and the proximal/distal direction, the bearing component sagittal plane perpendicular to the bearing component transverse plane and the bearing component coronal plane, the family of tibial bearing components comprising a small tibial bearing component and a large tibial bearing component, the small and large tibial bearing components each comprising: an articular surface and an opposing distal surface, the distal surface parallel to the bearing component transverse plane, the articular surface including medial and lateral dished articular compartments sized and shaped for articulation with the femoral condyles, the medial and lateral dished articular compartments separated from one another by the bearing component sagittal plane, the articular and distal surfaces bounded by a tibial bearing periphery, the lateral articular compartment comprising a plurality of coronal cross-sectional profiles defining a lateral set of coronal distal-most points spanning a lateral anterior/posterior extent, the lateral set of coronal distal-most points defining a lateral articular track having an anterior portion and a posterior portion, the anterior portion defining a nominally straight line when projected onto the bearing component transverse plane, the anterior portion of the lateral articular track extrapolated posteriorly to define a lateral intersection point with the tibial bearing periphery, the medial articular compartment comprising a plurality of coronal cross-sectional profiles defining a medial set of coronal distal-most points spanning a medial anterior/posterior extent, the medial set of coronal distal-most points defining a medial articular track, the medial articular track defining a nominally straight line when projected onto the bearing component transverse plane, the medial articular track extrapolated posteriorly to define a medial intersection point with the tibial bearing periphery, the lateral and medial intersection points joined by a posterior line, at least one of the lateral articular track and the medial articular track defining an acute angle with the posterior line; and the acute angle of the small tibial bearing component less than the acute angle of the large tibial bearing component.

According to still another embodiment thereof, the present invention provides a tibial bearing component for articulation with a medial femoral condyle and a lateral femoral condyle, the tibial bearing component defining a tibial bearing component coordinate system comprising: a bearing component transverse plane extending along a medial/lateral direction and an anterior/posterior direction; a bearing component coronal plane extending along a proximal/distal direction and the medial/lateral direction, the bearing component coronal plane perpendicular to the bearing component transverse plane; and a bearing component sagittal plane extending along the anterior/posterior direction and the proximal/distal direction, the bearing component sagittal plane perpendicular to the bearing component transverse plane and the bearing component coronal plane, the tibial bearing component comprising: an articular surface and an opposing distal surface, the distal surface parallel to the

bearing component transverse plane, the articular surface including medial and lateral dished articular compartments sized and shaped for articulation with the medial and lateral femoral condyles respectively, the medial and lateral dished articular compartments separated from one another by the bearing component sagittal plane, the articular and distal surfaces bounded by a tibial bearing periphery, the lateral articular compartment comprising a plurality of coronal cross-sectional profiles defining a lateral set of coronal distal-most points spanning a lateral anterior/posterior extent, the lateral set of coronal distal-most points defining a lateral articular track having an anterior portion and a posterior portion, the medial articular compartment comprising a plurality of coronal cross-sectional profiles defining a medial set of coronal distal-most points spanning a medial anterior/posterior extent, the medial set of coronal distal-most points defining a medial articular track; and means for clocking the medial articular track and the lateral articular track into a counterclockwise clocked rotation.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The above mentioned and other features and advantages of this disclosure, and the manner of attaining them, will become more apparent and the invention itself will be better understood by reference to the following description of embodiments of the invention taken in conjunction with the accompanying drawings, wherein:

FIG. 1A is a top plan view of a posterior stabilized (PS) tibial bearing component and baseplate in accordance with the present disclosure;

FIG. 1B is a graph plotting the angular arrangement of articular tracks of various sizes of ultra-congruent tibial bearing components in accordance with the present disclosure;

FIG. 1C is a graph plotting the angular arrangement of articular tracks of various sizes of posterior-stabilized tibial bearing components in accordance with the present disclosure;

FIG. 1D is a graph plotting the angular arrangement of articular tracks of various sizes of cruciate-retaining tibial bearing components in accordance with the present disclosure;

FIG. 2 is a perspective view of a femoral component in accordance with the present disclosure;

FIG. 3A is a sagittal, cross-sectional view of a tibial bearing component in accordance with the present disclosure, taken through a medial articular compartment along line 3A-3A of FIG. 1A;

FIG. 3B is a sagittal, cross-sectional view of a tibial bearing component in accordance with the present disclosure, taken through a lateral articular compartment along line 3B-3B of FIG. 1A;

FIG. 3C is a graph plotting the height differential between medial and lateral posterior compartment edges for various sizes of posterior-stabilized tibial bearing components in accordance with the present disclosure;

FIG. 3D is a graph plotting the height differential between medial and lateral posterior compartment edges for various sizes of ultra-congruent tibial bearing components in accordance with the present disclosure;

FIG. 3E is a graph plotting the anterior/posterior position of medial distal-most points of an articular surface for tibial bearing components in accordance with the present disclosure and prior art tibial bearing components (where prior art devices are listed as "predicate");

FIG. 3F is a graph plotting the anterior/posterior position of lateral distal-most points of an articular surface for tibial bearing components in accordance with the present disclosure and prior art tibial bearing components (where prior art devices are listed as "predicate");

FIG. 4A is an elevation, cross-sectional view of the tibial bearing shown in FIG. 1A, together with a femoral component made in accordance with the present disclosure, taken in a coronal plane;

FIG. 4B is an elevation, cross-sectional view of the tibial bearing and femoral components shown in FIG. 4A, taken in a sagittal plane through the lateral articular condyle and articular compartment thereof;

FIG. 4C is an elevation, cross-sectional view of the tibial bearing and femoral components shown in FIG. 4A, taken in a sagittal plane through the medial articular condyle and articular compartment thereof;

FIG. 5A is a top perspective view of the tibial bearing component shown in FIG. 1A;

FIG. 5B is a sagittal, cross-sectional view of the tibial bearing component shown in FIG. 5A, taken along the line 5B-5B of FIG. 5A;

FIG. 5C is another sagittal, cross-sectional view of the tibial bearing component shown in FIG. 5A, taken along the line 5C-5C of FIG. 5A;

FIG. 5D is another sagittal, cross-sectional view of the tibial bearing component shown in FIG. 5A, taken along the line 5D-5D of FIG. 5A;

FIG. 6A is a top plan view of an ultracongruent (UC) tibial bearing component made in accordance with the present disclosure;

FIG. 6B is a perspective view of the tibial bearing component shown in FIG. 6A, shown positioned atop a tibial baseplate;

FIG. 6C is an elevation, cross-sectional view of the tibial bearing component shown in FIG. 6A, taken in a coronal plane;

FIG. 6D is a sagittal, elevation, cross-sectional view of the tibial bearing component of FIG. 6A, in combination with a femoral component;

FIG. 6E is a fragmentary, anterior perspective view of a prior art ultracongruent (UC) tibial bearing component, illustrating a posterior eminence thereof (where prior art devices are listed as "predicate");

FIG. 7A is a top, perspective view of a cruciate-retaining (CR) tibial bearing component made in accordance with the present disclosure;

FIG. 7B is a top plan view of the tibial bearing component shown in FIG. 7A;

FIG. 8A is a side, elevation view of another ultracongruent (UC) tibial bearing component in accordance with the present disclosure, illustrating an anterior medial bulbous flare;

FIG. 8B is a bottom plan view of the tibial bearing component shown in FIG. 8A;

FIG. 9A is a sagittal, cross-sectional view of a tibial bearing component in accordance with the present disclosure, illustrating geometric changes to the distal surface of the tibial bearing component which affect the anterior/posterior orientation of the tibial articular surfaces with respect to the tibia;

FIG. 9B is a sagittal, cross-sectional view of the tibial bearing component of FIG. 9A, in which the geometric changes to the tibial bearing component replicate a decrease in the anteroposterior slope defined by the resected surface of the tibia;

FIG. 9C is a sagittal, cross-sectional view of the tibial bearing component of FIG. 9A, in which the geometric changes to the tibial bearing component replicate an increase in the anteroposterior slope defined by the resected surface of the tibia;

FIG. 9D is a sagittal, cross-sectional view of a tibial bearing component in accordance with the present disclosure, illustrating geometric changes to the articular surface of the tibial bearing component which affect the anterior/posterior orientation of the tibial articular surfaces with respect to the tibia;

FIG. 10A is a coronal, cross-sectional view of a tibial bearing component in accordance with the present disclosure, illustrating potential geometric changes to the distal surface of the tibial bearing component which affect the medial/lateral orientation of the tibial articular surfaces with respect to the tibia;

FIG. 10B is a coronal, cross-sectional view of an alternative tibial bearing component, in which one of the potential geometric changes to the bearing component shown in FIG. 10A is effected to compensate for a valgus deformity;

FIG. 10C is a coronal, cross-sectional view of an alternative tibial bearing component, in which one of the potential geometric changes to the bearing component shown in FIG. 10A is effected to compensate for a varus deformity; and

FIG. 11 is a perspective, exploded view illustrating assembly of a tibial bearing component and tibial baseplate made in accordance with the present disclosure.

Corresponding reference characters indicate corresponding parts throughout the several views. The exemplifications set out herein illustrate exemplary embodiments of the invention, and such exemplifications are not to be construed as limiting the scope of the invention in any manner.

#### DETAILED DESCRIPTION

The present disclosure provides tibial bearing components for a knee prosthesis in which the bearing components have various features which enhance articular characteristics throughout a range of motion while also protecting the soft tissues of the knee after implantation.

In order to prepare the tibia and femur for receipt of a knee joint prosthesis of the present disclosure, any suitable methods or apparatuses for preparation of the knee joint may be used. Exemplary surgical procedures and associated surgical instruments are disclosed in "Zimmer LPS-Flex Fixed Bearing Knee, Surgical Technique", "NEXGEN COMPLETE KNEE SOLUTION, Surgical Technique for the CR-Flex Fixed Bearing Knee" and "Zimmer NexGen Complete Knee Solution Extramedullary/Intramedullary Tibial Resector, Surgical Technique" (collectively, the "Zimmer Surgical Techniques"), the entireties of which are hereby expressly incorporated herein by reference, copies of which are filed in an information disclosure statement on even date here-with.

As used herein, "proximal" refers to a direction generally toward the torso of a patient, and "distal" refers to the opposite direction of proximal, i.e., away from the torso of a patient. "Anterior" refers to a direction generally toward the front of a patient or knee, and "posterior" refers to the opposite direction of anterior, i.e., toward the back of the patient or knee. In the context of a prosthesis alone, such directions correspond to the orientation of the prosthesis after implantation, such that a proximal portion of the prosthesis is that portion which will ordinarily be closest to

the torso of the patient, the anterior portion closest to the front of the patient's knee, etc.

Similarly, knee prostheses in accordance with the present disclosure may be referred to in the context of a coordinate system including transverse, coronal and sagittal planes of the component. Upon implantation of the prosthesis and with a patient in a standing position, a transverse plane of the knee prosthesis is generally parallel to an anatomic transverse plane, i.e., the transverse plane of the knee prosthesis is inclusive of imaginary vectors extending along medial/lateral and anterior/posterior directions. However, in some instances the bearing component transverse plane may be slightly angled with respect to the anatomic transverse plane, such as when the proximal surface of the resected tibia T (FIGS. 3A and 3B) defines anteroposterior slope S (described in detail below). In FIGS. 3A and 3B, tibia T is shown with a positive anteroposterior slope, in that the proximal resected surface of tibia T is not normal to anatomic axis A<sub>T</sub> of tibia T. Where such anteroposterior slope S is non-zero, the bearing component transverse plane will be angled with respect to the anatomic transverse plane, with the magnitude of such angle being approximately equal to the magnitude of the anteroposterior slope S.

Coronal and sagittal planes of the knee prosthesis are also generally parallel to the coronal and sagittal anatomic planes in a similar fashion. Thus, a coronal plane of the prosthesis is inclusive of vectors extending along proximal/distal and medial/lateral directions, and a sagittal plane is inclusive of vectors extending along anterior/posterior and proximal/distal directions. As with the relationship between the anatomic and bearing component transverse planes discussed above, it is appreciated that small angles may be formed between the bearing component sagittal and coronal planes and the corresponding anatomic sagittal and coronal planes depending upon the surgical implantation method. For example, creation of anteroposterior slope S (FIGS. 3A and 3B) will angle the bearing component coronal plane with respect to the anatomic coronal plane, while alteration of the resected surface S for correction of a varus or valgus deformity will angle the bearing component sagittal plane with respect to the anatomic sagittal plane.

As with anatomic planes, the sagittal, coronal and transverse planes defined by the knee prosthesis are mutually perpendicular to one another. For purposes of the present disclosure, reference to sagittal, coronal and transverse planes is with respect to the present knee prosthesis unless otherwise specified.

The embodiments shown and described herein illustrate components for a left knee prosthesis. Right and left knee prosthesis configurations are mirror images of one another about a sagittal plane. Thus, it will be appreciated that the aspects of the prosthesis described herein are equally applicable to a left or right knee configuration.

A tibial bearing component made in accordance with the present disclosure provides an articular surface with features and geometry which promote and accommodate an articular profile similar to a healthy natural knee. As described in detail below, features incorporated into the tibial bearing component articular surface advantageously provide an optimal level of constraint and motion guidance throughout a wide range of knee flexion.

Prosthesis designs in accordance with the present disclosure may include posterior stabilized (PS) prostheses and mid level constraint (MLC) prostheses, each of which includes spine 38 (FIG. 1A) and femoral cam 40 (FIG. 2) designed to cooperate with one another to stabilize femoral component 20 with respect to tibial bearing component 12 in

lieu of a resected posterior cruciate ligament (PCL). For purposes of the present disclosure, PS and MLC prostheses are both of a “posterior-stabilized” design, which includes spine 38 extending proximally from the articular surface, in which the spine is spaced posteriorly from an anterior edge of the periphery of tibial bearing component 12 (FIG. 1A). Spine 38 is disposed between medial and lateral dished articular compartments 16, 18.

Another contemplated design includes “cruciate retaining” (CR) prostheses, such as those using components configured as shown in FIGS. 4A and 4B. CR designs omit spine 38 and femoral cam 40, such that femoral component 220 defines an intercondylar space between medial and lateral condyles 222, 224 that is entirely open and uninterrupted by femoral cam 40. CR tibial components are generally used in surgical procedures which retain the PCL. Cruciate-retaining (CR) type tibial bearing component 212 is illustrated in FIGS. 7A and 7B. Tibial bearing component 212 and femoral component 220 are substantially similar to tibial bearing component 12 and femoral component 20 described herein, respectively, with reference numerals of components 212, 220 analogous to the reference numerals used in component 12, 20 except with 200 added thereto. Structures of tibial bearing component 212 and femoral component 220 correspond to similar structures denoted by corresponding reference numerals of tibial bearing component 12 and femoral component 20, except as otherwise noted.

Referring to FIG. 7A, posterior cutout 236 is sized and positioned to accommodate a posterior cruciate ligament upon implantation of tibial bearing component 212. Intercompartmental eminence 238 comprises an intercondylar ridge disposed between medial and lateral articular compartments 216, 218 and extending anteroposteriorly from posterior 236 cutout to anterior relief space 261. Thus, the intercondylar ridge defined by intercompartmental eminence 238 is disposed between the medial and lateral dished articular compartments and occupies the available anterior/posterior space therebetween.

Anterior relief space 261 is also disposed generally between medial and lateral articular compartments 216, 218, anterior of intercondylar eminence 238, and extending posteriorly from an anterior edge of the periphery of tibial bearing component 212. An exemplary embodiment of relief space 261 is described in U.S. Provisional Patent Application Ser. No. 61/621,361, entitled TIBIAL BEARING COMPONENT FOR A KNEE PROSTHESIS WITH IMPROVED ARTICULAR CHARACTERISTICS and filed on Apr. 6, 2012, the entire disclosure of which is hereby expressly incorporated herein by reference.

Yet another design includes “ultra congruent” (UC) prostheses, shown in FIGS. 6A, 6B, 8A and 8B, which also omits spine 38 and femoral cam 40 but is designed for use with a patient whose PCL is resected. Referring to FIGS. 6A and 6B, for example, ultra-congruent tibial bearing component 112 is illustrated which includes posterior eminence 138. Posterior eminence 138 extends proximally from the articular surface of tibial bearing component 112, by a distance more than intercondylar eminence 238 and less than spine 38. Posterior eminence 138 also extends anteriorly from a posterior edge of the tibial bearing periphery, in the area normally occupied by posterior cutout 36 (FIG. 1A). Thus, posterior eminence 138 is distinguished from spine 38 in that posterior eminence 138 resides at the posterior edge of tibial bearing component 112, and in that it defines an intermediate height above the surrounding articular surface. Like spine 38 and intercompartmental eminence 238, pos-

tior eminence 138 is disposed between the medial and lateral dished articular compartments 116, 118.

“Congruence,” in the context of knee prostheses, refers to the similarity of curvature between the convex femoral condyles and the correspondingly concave tibial articular compartments. A detailed discussion of congruence appears below. UC designs utilize very high congruence between the tibial bearing compartments and femoral condyles to provide prosthesis stability, particularly with respect to anterior/posterior relative motion.

In the exemplary embodiments described below, tibial bearing components 12, 112, 212 are each adapted to fixedly attach to tibial baseplate 14, such that the resulting tibial prosthesis is a “fixed-bearing” design. For purposes of illustration, tibial bearing component 212 is shown in FIG. 11. As shown in FIG. 11, distal surface 260 of tibial bearing component 212 includes a two-pronged recess 280 which cooperates with a correspondingly shaped two-prong boss 80 protruding proximally from tray 84 of tibial baseplate 14. Further, a peripheral undercut 282 formed around the periphery of distal surface 260 of tibial bearing component 212 is sized and shaped to receive peripheral wall 82. Upon assembly, tibial bearing component 212 is advanced along path P, such that tibial bearing component moves along a generally anterior-to-posterior path as recess 280 begins to engage with boss 80. Further posterior movement of tibial bearing component 212 causes a tight interfitting engagement between recess 280 and boss 80, and eventually aligns peripheral undercut 282 with peripheral wall 82. When so aligned, tibial bearing component 212 “snaps” into fixed engagement with tibial baseplate 14. Posterior-stabilized tibial bearing component 12 and ultra-congruent tibial bearing component 112 may fixedly engage with tibial baseplate in a similar fashion.

Once such fixed engagement takes place, tibial bearing component 212 (or components 12 or 112) is immovable with respect to tibial baseplate 14. As used herein, a “fixed bearing” tibial prosthesis is a prosthesis in which a bearing component is seated atop a tibial baseplate in a final, locked position such as the arrangement described above. In this locked position, lift-off of bearing components 12, 112, 212 from tibial baseplate 14, as well as transverse movement of bearing components 12, 112, 212 relative to tibial baseplate 14, is prevented during natural articulation of the knee. While some very small amount of motion (sometimes referred to as micromotion) may occur between tibial bearing components 12, 112, 212 and tibial baseplate 14 in a fixed bearing prosthesis, no such motion occurs by design along a designated path.

Exemplary fixed-bearing securement designs are described in U.S. Patent Application Publication No. 2012/0035737, filed Jul. 22, 2011 and entitled TIBIAL PROSTHESIS, and in U.S. Patent Application No. 2012/0035735, filed Jul. 22, 2011 and entitled TIBIAL PROSTHESIS, the entire disclosures of which are hereby expressly incorporated herein by reference. Other types of fixed bearing prostheses include “monoblock” type designs, in which the tibial bearing component is permanently molded over the tibial baseplate to create a unitary tibial prosthesis. However, it is also contemplated that the features of a tibial bearing component described herein may be used on a “mobile bearing” prosthesis design in which the tibial bearing component is allowed to move relative to the tibial baseplate during articulation.

Except as otherwise specified herein, all features described below may be used with any potential prosthesis design. While a particular design may potentially include all

## 11

the features described herein, it is contemplated that some prosthesis designs may include selected features described herein but omit other such features, as required or desired for a particular application.

1. Articular Tracks: Arcuate Posterior/Lateral Bearing Path for Deep Flexion Rollback

FIG. 1A illustrates tibial prosthesis 10 having tibial bearing component 12 and tibial baseplate 14. The perspective of FIG. 1A is a transverse-plane view of tibial prosthesis 10, looking down upon the proximally facing articular surface of bearing component 12, such that distal surface 60 (FIG. 3A) is substantially parallel to the transverse plane. Bearing component 12 includes medial articular compartment 16 and lateral articular compartment 18, each defining concave dished articular surfaces sized and shaped to articulate with femoral condyles, e.g., prosthetic condyles such as medial and lateral condyles 22, 24 of femoral component 20 (FIG. 2). For purposes of the present disclosure, a central sagittal plane may be said to bisect tibial prosthesis 10 into a medial portion including medial articular compartment 16 and a lateral portion including lateral compartment 18.

During articulation from knee extension to flexion, the contact point between condyles 22, 24 and articular compartments 16, 18 moves posteriorly, thereby defining medial articular track 26 and lateral articular track 28, respectively. Articular tracks 26, 28 are also representative of the lowest points along the anterior/posterior extent of medial and lateral articular compartments 16, 18. More particularly, any given coronal cross-section of articular compartments 16, 18 (such as, for example, the coronal cross-section shown in FIG. 4A) defines medial and lateral distal-most points in medial and lateral articular compartments 16, 18, respectively. These distal-most points are each coincident with medial and lateral articular tracks 26, 28, respectively. When the distal-most points of all possible coronal cross-sections (i.e., every coronal cross-section across the entire anterior/posterior extent of medial and lateral articular compartments 16, 18) are aggregated, the set of distal-most points form lines which define medial and lateral articular tracks 26, 28 respectively. As described in detail below, the location of distal-most points 42, 44 of articular compartments 16, 18 may be determined accounting for or ignoring the antero-posterior tibial slope S (FIGS. 3A and 3B), it being understood that the magnitude of slope S influences the anterior/posterior positions of distal-most points 42, 44. It is contemplated that either method of determining the locations of distal-most points 42, 44 may be appropriate in some instances, while in other instances a particular method is appropriate. For purposes of the present disclosure, both methods of determining the anterior/posterior positions of distal-most points 42, 44 may be used except where otherwise specified.

For convenience, the present discussion refers to "points" or "lines" of contact between tibial bearing component 12 and femoral component 20 along articular tracks 26, 28. However, it is of course appreciated that each potential point or line of contact (i.e., any of the points along one of articular tracks 26, 28) is not truly a point or line, but rather an area of contact. These areas of contact may be relatively larger or smaller depending on various factors, such as prosthesis materials, the amount of pressure applied at the interface between tibial bearing component 12 and femoral component 20, and the like. Moreover, it is appreciated that some of the factors affecting the size of the contact area may change dynamically during prosthesis use, such as the amount of applied pressure at the femoral/tibial interface during walking, climbing stairs or crouching, for example.

## 12

For purposes of the present discussion, a "contact point" may be taken as the point at the geometric center of the area of contact. The "geometric center", in turn, refers to the intersection of all straight lines that divide a given area into two parts of equal moment about each respective line. Stated another way, a geometric center may be said to be the "average" (i.e., arithmetic mean) of all points of the given area. Similarly, a "contact line" is the central line of contact passing through and bisecting an elongate area of contact.

10 Referring still to FIG. 1A, medial articular track 26 defines a generally straight line extending along an anterior/posterior direction when viewed from above (i.e., when projected onto the transverse plane) as shown in FIG. 1A. Thus, as medial condyle 22 of femoral component 20 15 articulates with medial compartment 16 of tibial bearing component 12, the point of contact therebetween follows a generally straight anterior/posterior path as projected onto the transverse plane. For purposes of the present disclosure, a "straight" line or path defined by a component of a knee 20 prosthesis refers to a nominally straight line or path, it being appreciated that manufacturing tolerances and circumstances of in vivo use may cause such straight lines or paths to deviate slightly from the nominal path. As used herein, a "nominal" quantity or feature refers to a feature as designed, 25 notwithstanding variabilities arising from manufacturing and/or use.

On the other hand, lateral articular track 28 includes arcuate portion 30 near the posterior edge of lateral articular compartment 18. The contact point between lateral condyle 24 and lateral articular compartment 18 follows a generally straight-line anteroposterior path throughout early and mid flexion, such that an anterior portion of lateral articular track 28 is linear in a similar fashion to medial articular track 26. However, when prosthesis 10 reaches a deep flexion configuration and the contact point between lateral condyle 24 and lateral articular compartment 18 advances toward the posterior portion of lateral compartment 18, the corresponding posterior portion of articular track 28 curves or arcs inwardly to define a curved line forming arcuate portion 30.

30 In the exemplary embodiment of FIG. 1A, arcuate portion 30 of articular track 28 defines an arc having a radius  $R_T$  defining radius center  $C_T$ , which is spaced medially from lateral articular track 28. In the illustrative embodiment of FIG. 1A, this medial spacing is equal to the medial/lateral separation distance  $D_T$  (FIG. 1A) between the parallel linear portions of medial and lateral articular tracks 26, 28, such that radius center  $C_T$  of radius  $R_T$  is coincident with medial articular track 26. Radius  $R_T$  may be between as little as 30 mm, 34 mm or 36 mm and as large as 48 mm, 52 mm or 60 mm, or may be any size within any range defined by any of the foregoing values. The magnitude of Radius  $R_T$  generally grows larger as the size of tibial bearing component 12 increases across a range of prosthesis sizes.

In addition to the coronal distal-most points described 45 above, each of medial and lateral articular tracks 26, 28 include an arcuate sagittal profile (shown in FIGS. 3A and 3B and described below) defining sagittal distal-most points 42, 44 respectively. Referring to FIG. 1A, the anterior/posterior position of radius center  $C_T$  is, in an exemplary embodiment, coincident with distal-most point 42 thereof as viewed in the transverse plane perspective of FIG. 1A. Further discussion of distal-most point 42 appears below within the context of an implanted knee prosthesis. For 50 purposes of the illustration of FIG. 1A, however, distal-most point 42 may be taken to be the point in lateral compartment 18 which is closest to distal surface 60 of tibial bearing component 12 (see FIG. 4B).

## 13

In addition, arcuate portion 30 defines a point of tangency with the linear anterior remainder of articular track 28 at transition point 31, such that transition point 31 represents the posterior terminus of such linear anterior portion and the anterior terminus of arcuate portion 30 of articular track 28. In the exemplary embodiment of FIG. 1A, radius center  $C_T$  and transition point 31 of lateral articular track 28 lie in a common coronal plane. Stated another way, the linear/arcuate transition point 31 of lateral articular track 28 and radius center  $C_T$  of medial articular track 26 share a common anteroposterior location along their respective articular tracks 26, 28.

Advantageously, setting the magnitude of radius  $R_T$  equal to bearing spacing distance  $D_T$  accommodates external rotation of the femur, which causes femoral component 20 (FIG. 2) to pivot in deep flexion about the contact point between medial condyle 22 and medial articular compartment 16. This contact point is coincident with radius center  $C_T$ , such that lateral condyle 24 follows the path of least resistance upon lateral articular compartment 18 even as external rotation and the associated femoral rollback occurs.

In an exemplary embodiment, arcuate portion 30 of lateral articular track 28 occupies as little as 20% or 25% and as much as 28%, 35% or 50% of the overall anterior/posterior extent of lateral articular compartment 18, or may occupy any percentage within any range defined by any of the foregoing values. This anterior/posterior location of transition point 31 cooperates with the articular surface geometry of lateral articular compartment 18 and the articular surface geometry of lateral condyle 24 of femoral component 20 to set the initial level of flexion for engagement of condyle 24 with arcuate portion 30 of articular track 28 at approximately 90 degrees of flexion, though it is appreciated that the actual initial engagement may vary substantially depending on, for example, unique patient anatomy and the particular conditions of articulation during prosthesis use.

As noted above, it is contemplated that articular tracks 26, 28 as described herein may be incorporated into ultra-congruent, posterior-stabilized and cruciate-retaining designs, and that the benefits and advantages conferred by the disclosed arrangement of articular tracks 26, 28 may be realized in any knee prosthesis design.

## 2. Articular Tracks: Rotational Orientation with Respect to Posterior Edge of the Tibial Prosthesis.

Articular tracks 26, 28 are angled with respect to the posterior edges of tibial bearing component 12 and tibial baseplate 14, which promotes a similarly angled orientation of articular track 26, 28 upon implantation to facilitate enhanced prosthesis articulation. Such angling may be defined in the context of tibial bearing component 12 alone, as described below, and/or when tibial bearing component 12 is attached to tibial baseplate 14.

Referring still to FIG. 1A, tibial bearing component 12 defines an acute angle  $\alpha$  between posterior line 32 (described in detail below) and medial articular track 26. Because medial articular track 26 and the linear anterior portion of lateral articular track 28 are parallel to one another (as noted above), angle  $\alpha$  is also defined between the linear anterior portion of lateral articular track 28 and posterior line 32.

Similarly, angle  $\theta$  is defined between posterior line 34 of tibial baseplate 14 and articular tracks 26, 28. As described in detail below, the medial compartment of tibial baseplate 14 extends further posteriorly compared to the posterior/medial edge of tibial bearing component 12, but tibial bearing component 12 and tibial baseplate 14 define similar

## 14

anteroposterior extents in their respective lateral sides. Therefore, as shown in FIG. 1A, angle  $\theta$  is less than angle  $\alpha$ .

To form posterior lines 32, 34 as shown in FIG. 1A, 5 medial articular track 26 and the linear anterior portion of lateral articular track 28 are first extrapolated posteriorly to intersect with the outer peripheries defined by tibial bearing component 12 and tibial baseplate 14, respectively. Posterior line 32 of tibial bearing component 12 is then defined as the 10 line which joins medial and lateral intersection points  $P_{TM}$ ,  $P_{TL}$  between medial and lateral articular tracks 26, 28 and the periphery of tibial bearing component 12. Posterior line 34 of tibial baseplate 14 is the line which joins intersection points  $P_{BM}$ ,  $P_{BL}$  between medial and lateral articular tracks 26, 28 and the periphery of tibial baseplate 14.

In an exemplary embodiment, angle  $\alpha$  defined by tibial bearing component 12 alone may be only slightly less than 90 degrees, such as by 0.5 degrees. In other embodiments and across various prosthesis sizes, angle  $\alpha$  may be less than 20 90 degrees by as much as 9 degrees or more. For example, referring to FIG. 1B, angle  $\alpha$  for various sizes of cruciate-retaining prosthesis designs are illustrated, with sizes 1 and 25 7 (on the horizontal axis) being the smallest and largest component sizes, respectively, and the intermediate sizes 2-6 growing progressively in size. For such cruciate-retaining designs, angle  $\alpha$  ranges from 81 degrees to 89.5 degrees across the seven cruciate-retaining component sizes.

Referring to FIG. 1C, angle  $\alpha$  for seven sizes (again shown on the horizontal axis) is illustrated for an ultra-congruent prosthesis design. Angle  $\alpha$ , as shown on the vertical axis, ranges from 82 degrees to 88.7 degrees across the seven ultra-congruent component sizes.

Referring to FIG. 1D, angle  $\alpha$  for eleven sizes of posterior-stabilized prosthesis designs are illustrated, with sizes 1 35 and 11 (on the horizontal axis) being the smallest and largest component sizes, respectively, and the intermediate sizes 2-10 growing progressively in size. Angle  $\alpha$ , again on the vertical axis, ranges from 81.7 degrees to 86.7 degrees across the eleven posterior-stabilized component sizes.

FIGS. 1B-1D all illustrate a family of tibial bearing components within a given design class (i.e., posterior-stabilized, ultra-congruent or cruciate-retaining), in which each family exhibits an upward trend in angle  $\alpha$  as the prosthesis size grows larger. Generally speaking, angle  $\alpha$  experiences a minimum value for the smallest component 40 size and a largest value for the largest component size, with angle  $\alpha$  in intermediate component sizes following an upward trend from smallest-to-largest. In some instances, the next-largest size will define a decreased angle  $\alpha$  as compared to the next-smallest size, as illustrated in FIGS. 45 1B-1D. However, a substantial majority of sizes experience an increase in angle  $\alpha$  from smaller to larger sizes, as well as the overall substantial increase exhibited by the overall change from the smallest to largest size. Therefore, it may be said that the trend in angle  $\alpha$  is generally upward across the 50 range of sizes.

Angle  $\theta$  is less than angle  $\alpha$ , and deviates from angle  $\alpha$  by any amount greater than 0 degrees. In an exemplary embodiment, angle  $\theta$  is less than angle  $\alpha$  by as little as 0.01 degrees, 60 0.4 degrees or 1 degree and as large as 6 degrees, 8.8 degrees or 15 degrees, or may be any value within any range defined by any of the foregoing values. The difference between angle  $\theta$  and angle  $\alpha$  generally smaller for small prosthesis sizes and larger for large prosthesis sizes.

Advantageously, the rotation of articular tracks 26, 28 with respect to posterior lines 32, 34 rotates or “clocks” 65 tibial bearing component 12 into a counterclockwise orientation.

tation, as viewed from above, as compared to a non-rotated or centered orientation (in which angles  $\alpha$  and/or  $\beta$  would be 90-degrees). Stated another way, such “clocking” can be thought of as rotation of the proximal, articular surface of a tibial bearing component while leaving the distal, baseplate-contacting surface non-rotated. Clocking in accordance with the present disclosure is therefore analogous to disconnecting articular compartments 16, 18 from distal surface 60, rotating articular compartments 16, 18 in a counterclockwise direction (as viewed from above), and reconnecting articular compartments 16, 18 to distal surface 60 in the new, rotated orientation. In this regard, the structure and arrangement of tibial bearing component 12 provides means for clocking articular tracks 26, 28.

Such clocking yields an improved articular profile which more closely mimics natural motion of the knee, reduces wear of the prosthesis components, and enhances prosthesis longevity. More particularly, tibial bearing component 12 promotes clinically successful prosthesis function by providing a correct orientation and position of the tibiofemoral “bearing couple” with respect to one another. The bearing couple is comprised of femoral component 20 and tibial bearing component 12. In prosthesis 10, articular compartments 16, 18 are fixed to tibial baseplate 14 and therefore the tibial component defines the articular surface orientation with respect to tibia T (see, e.g., FIG. 3A). Femoral component 20, which is mounted to the distal end of the femur F, is not mechanically coupled to tibial bearing component 12, but instead articulates therewith along an articular profile influenced by the mating articular surfaces of tibial bearing component 12 and femoral component 20. Thus, the placement and articular geometry of tibial bearing component 12 helps establish the lower (distal) half of the bearing couple.

The clocking of tibial articular tracks 26, 28, in cooperation with the asymmetric periphery of tibial baseplate 14, discourages implantation of tibial bearing component 12 such that tracks 26, 28 are relatively internally rotated. By preventing such internal rotation of tracks 26, 28, tibial bearing component 12 provides smooth cooperation with the knee’s soft tissues during *in vivo* knee articulation by ensuring that the articular bearing motion is properly oriented relative to the femur to deliver desired knee kinematics, range of motion (ROM) and stability. Advantageously, this cooperation promotes decreased material wear in tibial bearing component 12, enhanced prosthesis stability, proper knee balance, and high ROM.

Further, the substantial coverage provided by tibial baseplate 14 and the clocked orientation of articular tracks 26, 28 with respect thereto encourages proper rotation of tibial bearing component 12 upon implantation. When a bone-contacting surface of a properly sized tibial baseplate 14 is mated with a resected tibia, the asymmetric periphery thereof results in substantial coverage of the resected proximal surface and largely controls the rotational orientation thereof. A detailed description of the periphery of tibial baseplate 14 and the attendant substantial coverage of a resected proximal tibia is described in U.S. Patent Application Publication No. 2012/0022659 filed Jul. 22, 2011 and entitled “ASYMMETRIC TIBIAL COMPONENTS FOR A KNEE PROSTHESIS”, the entire disclosure of which is hereby expressly incorporated by reference herein. With tibial baseplate 14 properly oriented, fixing tibial bearing component 12 thereto will set the location and orientation of bearing component 12, which will then be automatically “clocked” in the advantageous manner described above.

The amount of rotation or “clocking” of articular tracks 26, 28 may vary depending on prosthesis design and/or

prosthesis size (as described above). For any given prosthesis design in a particular style and for a particular sized tibia, it is contemplated that a second tibial bearing component 12 may be provided which defines a different magnitude of clocking but is otherwise identical to the first tibial bearing component 12. Thus, two tibial bearing components 12 useable with a common tibial baseplate 14 and femoral component 20—but each with different levels of clocking—may be provided and chosen by a surgeon preoperatively or intraoperatively. Similarly, a set of three or more tibial bearing components 12 may be provided, each sharing a common size and prosthesis design, but all having different levels of clocking.

### 3. Articular Tracks: Anterior Shift of Bearing Compartment Distal-Most Points.

Referring now to FIGS. 3A and 3B, medial and lateral articular compartments 16, 18 define distal-most points 42, 44, respectively. Distal-most points 42, 44 are coincident with medial and lateral articular tracks 26, 28, respectively, and represent the distal-most points from a sagittal perspective on articular tracks 26, 28 when tibial bearing component 12 is implanted upon tibia T with an anteroposterior slope S of 5 degrees. Tibial baseplate 14, having a constant thickness across its anterior/posterior extent, does not affect the value of anteroposterior slope S. Anteroposterior slope S references a zero degree slope line 46, which is defined by a generally transverse reference plane normal to anatomic axis A<sub>T</sub> of tibia T. For purposes of the present disclosure, proximal and distal directions are directions normal to the reference plane (and, therefore, parallel to anatomic axis A<sub>T</sub> after implantation of tibial prosthesis 10).

Tibial bearing component 12 is a “high-flexion” prosthetic component, in that the geometry and configuration of articular compartments 16, 18 cooperate with a femoral component (e.g., femoral component 20 of FIGS. 4A and 4B) to allow a large total range of motion. For example, a high-flexion knee prosthesis may enable a flexion range of as little as 130 degrees, 135 degrees, or 140 degrees and as large as 150 degrees, 155 degrees or 170 degrees, or may enable any level of flexion within any range defined by any of the foregoing values. In the context of high-flexion components, enablement of high flexion refers to the ability of a prosthesis to reach a given level of flexion by articulation of condyles 22, 24 with articular compartments 16, 18 and without impingement of any prosthesis structures with non-articular prosthesis surfaces. While tibial bearing component 12 enables high prosthesis flexion as described below, it is of course appreciated that the actual level of flexion achievable for any given patient is also dependent upon various anatomical and surgical factors.

For tibial bearing component 12, high flexion may be enabled by one or both of two features. First, tibial bearing component 12 includes differential heights H<sub>L</sub>, H<sub>M</sub>, with H<sub>L</sub> less than H<sub>M</sub> to facilitate posterior rollback of lateral condyle 24 in deep flexion (as described in detail below). For purposes of the present disclosure, heights H<sub>L</sub>, H<sub>M</sub> are measured normal to slope line 46. When lateral condyle 24 is allowed to roll back in this manner, potential impingement between the articular surface of condyle 24 and/or the adjacent femoral bone against the posterior/lateral periphery of tibial bearing component 12 is avoided. Second, the medial/posterior periphery of tibial bearing component 12 includes posterior chamfer surface 27 (disposed at the posterior periphery of medial articular compartment 16, as shown in FIG. 3A), which slopes in a posterior direction from proximal-to-distal. Chamfer 27 creates an absence of a vertical peripheral wall immediately posterior of medial

articular compartment **16**, thereby creating a corresponding space the adjacent femoral bone and/or adjacent soft tissues in deep flexion. An exemplary embodiment of posterior/medial chamfer **27** is described in detail in U.S. patent application Ser. No. 13/229,103, filed Sep. 9, 2011 and entitled MOTION FACILITATING TIBIAL COMPONENT FOR A KNEE PROSTHESIS, the entire disclosure of which is hereby expressly incorporated herein by reference.

High flexion is also accommodated by a differential in curvature between medial and lateral condyles **22, 24**. For example, lateral condyle **24** of femoral component **20** may have a larger radius of curvature than medial condyle **22** thereof. An exemplary femoral component is described in U.S. Pat. No. 6,770,099, filed Nov. 19, 2002, titled FEMORAL PROSTHESIS, the entire disclosure of which is expressly incorporated by reference herein. During flexion and extension, the larger lateral condyle **24** of femoral component **20** tends to travel a greater distance along lateral articular track **28** of tibial bearing component **12** as compared to the smaller medial condyle **22** of femoral component **20**. This difference in distance traveled over a given range of knee flexion may be described as “big wheel/little wheel” movement, and is a feature which enables high flexion of the knee prosthesis by encouraging advancement of lateral condyle **24** toward the posterior edge of lateral articular compartment **18** at high levels of flexion.

In tibial bearing component **12**, medial and lateral distal-most points **42, 44** are shifted anteriorly with respect to predicate prostheses which enable comparably high levels of flexion, as described below. For purposes of the present disclosure, the relative anterior/posterior location of distal-most points **42, 44** are measured by the distances  $AP_{DM}$ ,  $AP_{DL}$  of distal-most points **42, 44** from the anterior edge of the tibial prosthesis (FIGS. 3A and 3B). For purposes of comparison, distances  $AP_{DM}$ ,  $AP_{DL}$  may each be expressed as a percentage of the overall anteroposterior extent  $AP_M$ ,  $AP_L$  of medial and lateral prosthesis portions, which is inclusive of tibial bearing component **12** and tibial baseplate **14** (FIGS. 1A, 3A and 3B) and is measured along the extrapolated articular tracks **26, 28** (as shown in FIG. 1A and described herein). For example, if distal-most point **42** were located in the middle of overall anteroposterior extent  $AP_M$  of medial articular compartment **16**, then distal-most point **42** would be considered to be disposed at an anteroposterior location of approximately 50%. If distal-most point **42** were located near the posterior edge of articular compartment **16**, then distal-most point would be near a 100% anteroposterior location. Conversely, if distal-most point **42** were located near the anterior edge of articular compartment **16**, the distal-most point **42** would be near a 0% anteroposterior location.

For purposes of the present disclosure, medial anterior/posterior extent  $AP_M$  (FIG. 1A) of the medial portion of tibial baseplate **14** is found by extrapolating medial articular track **26** anteriorly and posteriorly to intersect the periphery of baseplate **14** (in similar fashion to the intersection points used to define posterior line **34** described above), then measuring the distance between the resulting medial posterior and anterior intersection points. Similarly, lateral anterior/posterior extent  $AP_L$  (FIG. 1A) of the lateral portion of tibial baseplate **14** is found by extrapolating the linear anterior portion of lateral articular track **28** anteriorly and posteriorly to intersect the periphery of baseplate **14**, then measuring the distance between the resulting lateral posterior and anterior intersection points.

Turning to FIG. 3E, a graphical representation of the anterior/posterior position of medial distal-most point **42**

(FIG. 3A) is illustrated as compared to predicate high-flexion and non-high-flexion prostheses. In tibial bearing component **12**, the anterior/posterior position of medial distal-most point **42** (FIG. 3A) is in the range of 59% to 63% when implanted at an anterior/posterior slope S equal to 5 degrees. By comparison, one prior art high-flexion device is the Zimmer Natural Knee Flex Ultracongruent Tibial Bearing Component, which places its corresponding medial distal-most point in the range of 67% and 70% when implanted at a slope angle S of 5 degrees. Thus, the prior art Zimmer Natural Knee Flex Ultracongruent Tibial Bearing Component defines medial low points which are consistently posterior of medial distal-most point **42**. On the other hand, the prior art Zimmer Natural Knee II Ultracongruent Tibial Bearing Component places its corresponding medial distal-most point between 63% and 68% when implanted at a slope angle S of 5 degrees, but the Zimmer Natural Knee II Ultracongruent Tibial Bearing Component does not enable high flexion at least up to 130 degrees.

As for lateral compartment **18** (FIGS. 3B and 3F) of tibial bearing component **12**, distal-most point **44** has an anterior/posterior position of between 68% and 74%. The prior art high-flexion design, the Zimmer Natural Knee Flex Ultracongruent Tibial Bearing Component mentioned above, places such lateral distal-most points at between 70% and 73% when implanted at a slope angle S of 5 degrees. The non-high-flexion prior art design, the Zimmer Natural Knee II Ultracongruent Tibial Bearing Component mentioned above, places its distal-most point at between 66% and 70.5% when implanted at a slope angle S of 5 degrees.

Thus, the present ultracongruent prosthesis, as exemplified by tibial bearing component **12**, blends a high-flexion design enabling at least 130 degrees of knee flexion with low points that are relatively further anterior as compared to prior art ultracongruent prostheses. Advantageously, this anterior low-point shift discourages “paradoxical movement,” or movement between the femur and tibia in an opposite pattern from normal articulation. For example, the anterior shift of distal-most points **42, 44** inhibits anterior sliding of femoral component **20** with respect to tibial bearing component **12** when the knee is articulating from extension toward early flexion. Such early-flexion articulation is normally accompanied by a slight posterior shift in the contact points between condyles **22, 24** of femoral component **20** and articular compartments **16, 18** of tibial bearing component **12**. This posterior shift is facilitated—and a paradoxical anterior shift is inhibited—by the relative anterior positioning of distal-most points **42, 44**. Meanwhile, the potential of high-flexion articulation is preserved by the high-flexion features incorporated into tibial bearing component **12**, as described in detail herein.

The above discussion regarding anterior shift of articular surface low points refers to exemplary ultracongruent (UC) type tibial bearing components. However, such anterior shift may be applied to tibial bearing components of other designs, such as cruciate-retaining (CR) and posterior-stabilized (PS) designs.

#### 4. Articular Features: Differential Conformity in Medial/Lateral Articular Compartments.

Referring now to FIGS. 4A-4C, femoral component **220** and tibial bearing component **212** are shown. For purposes of the following discussion, femoral component **20** and tibial bearing component **12** will be described in the context of FIGS. 4A-4C, it being appreciated that any potential prosthesis design (e.g., PS, UC and CR type femoral components) may each include the present described features as noted above.

Femoral component 20 cooperates with tibial bearing component 12 to provide relatively low conformity between lateral condyle 24 and lateral articular compartment 18, and relatively high conformity between medial condyle 22 and medial articular compartment 16.

A convex surface may be considered to be highly conforming with a corresponding concave surface where the two surfaces have similar or identical convex and concave geometries, such that the convex surface "nests" or tightly interfits with the concave surface. For example, a hemisphere having a radius perfectly conforms (i.e., defines high conformity) with a corresponding hemispherical cavity having the same radius. Conversely, the hemisphere would have no conformity with an adjacent flat or convex surface.

Femoral condyles 22, 24 define a coronal conformity with tibial articular compartments 16, 18, respectively, as shown in FIG. 4A. Similarly, femoral condyles 22, 24 define sagittal conformity with the corresponding articular compartments 16, 18, respectively, as shown in FIG. 4B. Thus, medial condyle 22 cooperates with medial articular compartment 16 to define a medial conformity comprised of both a medial sagittal conformity and a medial coronal conformity. Similarly, lateral femoral condyle 24 cooperates with lateral articular compartment 18 to define a lateral conformity comprised of the lateral sagittal conformity and lateral coronal conformity. Although only a single prosthesis is shown in FIGS. 4A-4C, it is contemplated that conformity may be similarly defined across a range of prosthesis sizes within a particular prosthesis design.

For purposes of the present disclosure, any given component of conformity is defined as a ratio of two radii. Referring to FIG. 4A, a lateral coronal conformity is defined by the ratio of the coronal radius of lateral articular compartment 18 of tibial bearing component 12 along lateral articular track 28, which is illustrated as radius  $R_{CTL}$  (where CTL stands for coronal, tibial, lateral) to the corresponding coronal radius of lateral condyle 24 of femoral component 20, illustrated as radius  $R_{CFL}$  (where CFL denotes coronal, femoral, lateral). The conformity defined by  $R_{CTL}:R_{CFL}$  is a number greater than 1, because femoral condyle 24 is designed to fit within lateral articular compartment 18 to define point contact therewith, as described in detail above.

Similarly, medial coronal conformity is defined by the ratio  $R_{CTM}:R_{CFM}$  (where M denotes medial). Sagittal conformity between lateral condyle 24 and lateral articular compartment 18 is defined as the ratio  $R_{STL}:R_{SFL}$  (FIG. 4B, where S denotes sagittal, F denotes femoral, T denotes tibia, and L denotes lateral). Medial condyle 22 defines sagittal conformity with medial articular compartment 16 in a similar fashion, as  $R_{STM}:R_{SFM}$  (FIG. 4C). In exemplary embodiments ultra-congruent type prostheses, lateral sagittal conformity ratio  $R_{STM}:R_{SFL}$  may be between 1.0 and 1.7, and medial sagittal conformity ratio  $R_{STM}:R_{SFM}$  may be between 1.0 and 1.9, with lateral ratio  $R_{STL}:R_{SFL}$  greater than medial ratio  $R_{STM}:R_{SFM}$  by at least 0.2 through at least a portion of the flexion range. In exemplary embodiments of posterior-stabilized type prostheses, lateral sagittal conformity ratio  $R_{STL}:R_{SFL}$  may be between 1.4 and 1.8, and medial sagittal conformity ratio  $R_{STM}:R_{SFM}$  may be between 1.0 and 1.8, with lateral ratio  $R_{STL}:R_{SFL}$  greater than medial ratio  $R_{STM}:R_{SFM}$  by at least 0.4 through at least a portion of the flexion range. In exemplary embodiments of cruciate-retaining type prostheses, lateral sagittal conformity ratio  $R_{STL}:R_{SFL}$  may be between 1.1 and 2.6, and medial sagittal conformity ratio  $R_{STM}:R_{SFM}$  may be between 1.1 and 2.2, with lateral ratio  $R_{STL}:R_{SFL}$  greater than medial ratio  $R_{STM}:R_{SFM}$  by at least 0.5 through at least a portion of the flexion range.

Predicate devices have defined varying levels of medial and lateral conformity between the femoral condyles thereof and the corresponding tibial articular compartments. Generally speaking, in the case of tibial bearing component 12 and femoral component 20, the lateral conformity (defined by ratios  $R_{STL}:R_{SFL}$  and  $R_{CTL}:R_{CFL}$ ) is approximately equal to the lowest lateral conformity defined by the predicate devices, while the medial conformity (defined by ratios  $R_{STM}:R_{SFM}$  and  $R_{CTM}:R_{CFM}$ ) is approximately equal to the highest medial conformity defined by predicate devices.

#### 5. Articular Features: Low Barrier to Femoral Rollback in Posterior/Lateral Articular Compartment.

As used herein, "jump height" refers to the proximal/distal distance that a portion of femoral component 20 must traverse to sublux from the tibial bearing component 12. Referring to FIGS. 3A and 3B, medial and lateral articular compartments 16, 18 of tibial bearing component 12 are shown in cross-section to illustrate the location of distal-most points 42, 44. The vertical distance between respective 10 distal-most points 42, 44 (FIGS. 3A, 3B) on the articular surface of tibial bearing component 12 to the highest point 20 at the edge of such articular surface is the jump height of tibial bearing component 12. Referring to FIG. 3A, medial femoral condyle 22 (FIG. 2) would have to move proximally by a distance  $H_M$  to move the contact point between condyle 25 22 and medial compartment 16 from distal-most point 42 to the highest point along the posterior edge of medial compartment 16. For purposes of the present disclosure, such "highest point" is the point at which a posterior extrapolation of medial articular track 26 reaches its proximal peak as the extrapolated line advances toward the posterior edge of the tibial bearing periphery.

Thus,  $H_M$  may be referred to as the posterior jump height established by the particular curvature and geometry of 35 medial articular compartment 16. Jump height  $H_M$  is designed to provide an appropriately low barrier to desired posterior translation of the contact point between medial condyle 22 and medial compartment 16 along medial articular track 26, while also being sufficiently high to ensure that condyle 22 remains safely engaged with articular compartment 16 throughout the range of flexion provided by the knee prosthesis.

Referring to FIG. 3B, lateral jump height  $H_L$  is lower than medial jump height  $H_M$ . Advantageously, setting  $H_L$  lower than  $H_M$  facilitates femoral rollback by presenting a relatively lower barrier to lateral condyle 24 to traverse the posterior arcuate portion 30 of lateral articular track 28 when the knee prosthesis is in deep flexion. In an exemplary embodiment, the height differential between lateral and medial jump heights  $H_L$ ,  $H_M$  are between 0.4 mm and 2.3 mm, which has been found to be an ideal range in order to facilitate femoral rollback while maintaining appropriate barrier to subluxation in both medial and lateral compartments 16, 18.

55 For example, FIG. 3C illustrates the height differential between jump heights  $H_L$ ,  $H_M$  for eleven sizes of a posterior-stabilized tibial component design in accordance with the present disclosure, when such posterior-stabilized components are implanted with a tibial slope angle S (FIGS. 3A and 3B) of 3 degrees. As shown in FIG. 3C, the jump height differential ranges from 1.15 mm in the smallest prosthesis size, then trends generally downwardly to a minimum of 0.45 mm for the seventh of 11 sizes. In other exemplary embodiments, the jump height differential may be as large as 60 2.68 mm. It is contemplated that a jump height differential up to 3 mm may be used with prostheses according to the present disclosure.

FIG. 3D graphically depicts the jump height differentials between jump heights  $H_L$ ,  $H_M$  for seven sizes of an ultra-congruent tibial component design in accordance with the present disclosure, when such ultra-congruent components are implanted with a tibial slope angle S (FIGS. 3A and 3B) of 5 degrees. As illustrated, the jump height differential ranges from 2.25 mm in the smallest prosthesis size, then trends generally downwardly to a minimum of 0.56 mm for the largest of the seven sizes. By comparison, jump height differential for the above-mentioned prior art high-flexion prosthesis, i.e., the Zimmer Natural Knee Flex Ultracongruent Tibial Bearing Component discussed above, range from 0.09 mm to 0.39 mm. For non-high-flexion prior art designs, such as the Zimmer Natural Knee II Ultracongruent Tibial Bearing Component discussed above, the jump height differential ranges from 0.22 mm to 0.88 mm.

Similar to the trending of clocking angle  $\alpha$  (FIG. 1A) described in detail above, a majority of prosthesis sizes represented by FIGS. 3C and 3D experience a decrease in jump height differential from smaller to larger sizes, and an overall substantial decrease is exhibited in the difference between the smallest and largest sizes. Therefore, it may be said that the trend in jump height differential for posterior-stabilized and ultra-congruent tibial bearing components made in accordance with the present disclosure is generally downward across the range of sizes.

#### 6. Articular Features: Progressively Angled Posterior Spine Surface.

Turning now to FIG. 5A, spine 38 of tibial bearing component 12 defines posterior articular surface 48, which is designed to articulate with femoral cam 40 (FIG. 2) of femoral component 20 during prosthesis articulation, and particularly in mid- and deep flexion. As described in detail below, posterior articular surface 48 defines a progressively angled surface from a proximal, symmetric beginning to an angled distal end. This progressive angling accommodates external rotation of femoral component 20 in deep flexion.

In use, initial contact line 50 represents the line of contact between femoral cam 40 and posterior surface 48 when femoral cam 40 initially contacts spine 38 during flexion, while deep flexion contact line 52 represents the line of contact therebetween when femoral cam 40 has moved posteriorly down posterior surface 48 to a deep flexion orientation. The total distance traversed by femoral cam 40 along posterior surface 48 is referred to as the articular extent of posterior surface 48 as measured along a proximal/distal direction. In FIG. 5A, this articular extent may be represented as the distance from initial contact line 50 to deep-flexion contact line 52. In an exemplary embodiment, the articular extent of posterior surface 48 may be as little as 2 mm, 3 mm or 5 mm and as large as 10 mm, 15 mm or 20 mm, or may be any value within any range defined by any of the foregoing values.

For purposes of the present disclosure, spine 38 is considered to be bisected by a sagittal plane into medial and lateral halves, such that a posterior spine centerline is formed along the intersection between the bisecting sagittal plane and posterior surface 48. Posterior surface 48 defines a series of medial/lateral tangent lines, each of which is tangent to posterior surface 48 at the spine centerline. For purposes of illustration, a medial/lateral tangent line at the proximal end of posterior articular surface 48 is illustrated as initial contact line 50 in FIG. 5A, while a medial/lateral tangent line at the distal end thereof is illustrated as deep flexion contact line 52. In normal articulation, initial contact line 50 will be coincident with the proximal-most medial/lateral tangent line and deep-flexion contact line 52 will be

coincident with the distal-most medial/lateral tangent line, as shown in FIG. 5A and described herein. However, it is appreciated that a certain amount of variation from the designed articular profile of a prosthesis is normal for in vivo prosthesis articulation. Therefore, the actual lines of contact between femoral cam 40 and posterior surface 48 during prosthesis use may deviate slightly from the intended medial/lateral tangent lines. For purposes of the present disclosure, prosthesis characteristics such as contact lines 50, 52 are described solely in terms of the designed articular profile of the prosthesis when tibial and femoral components 12, 20 are articulated through their nominal range of motion.

As illustrated in FIG. 5A, contact lines 50 and 52 are not parallel, with contact line 50 running medially/laterally along a direction parallel to a coronal plane, and contact line 52 oblique to the coronal plane such that line 52 advances posteriorly as it extends laterally (and, concomitantly, also advances anteriorly as it extends medially). Both of lines 50, 52 are parallel to the transverse plane, such that the angle formed between lines 50, 52 is solely with respect to the coronal plane. In an exemplary embodiment, the angle formed between initial contact line 50 and deep-flexion contact line 52 may be as large as 3 degrees. However, it is contemplated that other exemplary embodiments may form such angle at 7 degrees, and that an angle up to 10 degrees may be used in some instances.

Turning to FIG. 5B, a cross-section of the medial portion of spine 38 is shown. Posterior articular surface 48 defines medial surface line 48A, extending between initial contact line 50 and deep flexion contact line 52. As described in detail below, if posterior articular surface 48 defined articular surface line 48A across the medial/lateral extent of spine 38, spine 38 would be symmetric and external femoral rotation in deep flexion would not be accommodated in the manner provided by the asymmetric spine 38 of the present disclosure.

Turning to FIG. 5C, a cross-section medially/laterally bisecting spine 38 is shown. Articular surface line 48B is defined by posterior articular surface 48 at this cross-section, and is shown juxtaposed against a hidden line representing articular surface line 48A from FIG. 5B. As illustrated in FIG. 5C, lines 48A and 48B both extend from a common proximal point along initial contact line 50. However, the distal point of line 48B (along deep flexion contact line 52) has moved posteriorly with respect to the distal end of line 48A. This posterior movement reflects a progressively increasing material buildup along the base or distal end of posterior articular surface 48, such that this base is increasingly “augmented” by additional spine material as the deep flexion contact line 52 traverses from medial to lateral. Stated another way, spine 38 is effectively thicker in the region of contact line 52 at the bisecting cross-section of FIG. 5C as compared to the medially-biased cross-section of FIG. 5B.

Turning to FIG. 5D, it can be seen that the process of material thickening or augmentation described above with respect to FIG. 5C has grown and further intensified. Thus, while line 48C still originates from a common proximal point with lines 48A, 48B along initial contact line 50, the distal end of line 48C along deep flexion contact line 52 has moved further posteriorly with respect to line 48A. Thus, at the lateral edge of posterior articular surface 48, the base of spine 38 is thicker still.

In effect, the changing geometry of posterior articular surface 48 of spine 38 from medial to lateral has the effect of imparting an angled appearance to the distal, deep-flexion portion of posterior articular surface 48. The remainder of

spine 38 is generally symmetrical about the sagittal plane, as illustrated in FIG. 5A. As femoral cam 40 traverses posterior articular surface 48 from the initial contact line 50 in mid flexion to the deep flexion contact line 52 in deep flexion, the angle of the surface encountered by femoral cam 40 changes, thereby changing the angle of the medial/lateral tangent lines described above with respect to the coronal plane. In an exemplary embodiment, the initial transition from non-angled contact lines (e.g., initial contact line 50) to angled contact lines (e.g., deep-flexion contact line 52) is spaced from a proximal terminus of posterior surface 48 by a distance of between 0% and 100% of the total proximal/distal extent of posterior articular surface 48 (i.e., the transition may occur immediately or at the very end of the flexion range, or anywhere in between). For purposes of the present disclosure, the proximal/distal extent of posterior articular surface 48 is the total distance traversed by femoral cam 40 throughout the range of flexion motion. In the illustrative embodiment of FIG. 5A, this total proximal/distal articular extent of posterior articular surface 48 (i.e., the distance between a proximal start point and a distal end point) may be as little as 2 mm, 3 mm or 4 mm and as large as 17 mm, 18.5 mm or 20 mm, or may be any value within any range defined by any of the foregoing values. The proximal end point coincides with an initial contact between cam 40 and posterior articular surface 48 at a prosthesis flexion of between 75 degrees flexion and 93 degrees flexion, while the distal end point is at a final contact between cam 40 and posterior articular surface 48 at a prosthesis flexion of 155 degrees.

Advantageously, the extent of the angling of posterior articular surface 48 changes with changing levels of flexion. More particularly, the angle grows by an amount corresponding to the expected increase in external rotation of femoral component 20 as flexion progresses, thereby ensuring that line contact is made between femoral cam 40 and posterior articular surface 48 throughout the range of flexion of prosthesis 10. In an exemplary embodiment, a maximum external rotation of femoral component 20 occur between 120 degrees flexion and 155 degrees flexion.

In contrast, if the posterior surface 48 of spine 38 had no angled surface portions (i.e., if initial contact line 50 were parallel to deep flexion contact line 52) femoral cam 40 would transition from line contact along initial contact line 50 to an increasingly point-like contact near the medial edge of posterior articular surface 48.

In the exemplary embodiment illustrated in the figures, femoral cam 40 is symmetrical in nature, such that accommodation of deep flexion external rotation without diminishment of cam/spine contact area is accomplished solely through the above described lateral augmentation of posterior articular surface 48 at the distal base of spine 38. Femoral cam 40 is described in detail in: U.S. Provisional Patent Application Ser. No. 61/561,658, filed on Nov. 18, 2011 and entitled FEMORAL COMPONENT FOR A KNEE PROSTHESIS WITH IMPROVED ARTICULAR CHARACTERISTICS; U.S. Provisional Patent Application Ser. No. 61/579,873, filed on Dec. 23, 2011 and entitled FEMORAL COMPONENT FOR A KNEE PROSTHESIS WITH IMPROVED ARTICULAR CHARACTERISTICS; U.S. Provisional Patent Application Ser. No. 61/592,575 filed on Jan. 30, 2012 and entitled FEMORAL COMPONENT FOR A KNEE PROSTHESIS WITH IMPROVED ARTICULAR CHARACTERISTICS; U.S. Provisional Patent Application Ser. No. 61/594,113 filed on Feb. 2, 2012 and entitled FEMORAL COMPONENT FOR A KNEE PROSTHESIS WITH IMPROVED ARTICULAR CHARACTERISTICS;

and in U.S. Provisional Patent Application Ser. No. 61/621,370, filed on Apr. 6, 2012, and entitled FEMORAL COMPONENT FOR A KNEE PROSTHESIS WITH IMPROVED ARTICULAR CHARACTERISTICS. The entire disclosures of each of the above-identified patent applications are hereby expressly incorporated herein by reference.

7. Articular Features: Posterior Eminence Providing Medial/Lateral Stability while Also Accommodating Hyperextension.

As noted above, FIGS. 6A and 6B illustrate an ultra congruent (UC) type tibial bearing component 112 designed for use with femoral component 120 lacking the femoral cam 40 found on femoral component 20 (FIG. 2). As also noted above, ultra congruent tibial bearing components such as component 112 lack spine 38 found on bearing component 12. Tibial bearing component 112 and femoral component 120 are otherwise substantially similar to tibial bearing component 12 and femoral component 20 described above, with reference numerals of components 112 and 120 analogous to the reference numerals used in components 12 and 20 respectively, except with 100 added thereto. Structures of tibial bearing component 112 and femoral component 120 correspond to similar structures denoted by corresponding reference numerals of tibial bearing component 12 and femoral component 20, except as otherwise noted. In one exemplary embodiment, femoral component 120 is similar or identical to cruciate-retaining (CR) femoral component 220 (FIGS. 4A and 4B).

In order to provide some medial/lateral constraint of femoral component 20, particularly in extension and early flexion configurations, posterior eminence 138 may be provided. As shown in FIG. 6A, femoral component 120 includes intercondylar notch 154 which, when in an extension orientation as shown, defines a width which provides minimal medial/lateral clearance with posterior eminence 138. Thus, any forces tending to urge femoral component 120 medially or laterally upon the proximal articular surface of tibial bearing component 112 encounter resistance as the inwardly facing lateral and medial sidewalls 155<sub>L</sub>, 155<sub>M</sub> of intercondylar notch 154 engage the lateral and medial sidewall portions 158<sub>L</sub>, 158<sub>H</sub> of sidewall 158 of posterior eminence 138.

As best seen in FIG. 6A, anterior portion 158<sub>A</sub> of sidewall 158 of posterior eminence 138 is generally arcuate and defines radius R<sub>A</sub>, thereby corresponding in shape to the inwardly facing anterior wall 155<sub>A</sub> defining radius RNA which joins lateral and medial sidewalls 155<sub>L</sub>, 155<sub>M</sub> to form intercondylar notch 154. In an exemplary embodiment, radius R<sub>E4</sub> is defined at the outer periphery of proximal surface 156, i.e., at the point where the planarity of proximal surface 156 gives way to the distally sloping profile of sidewall 158. Similarly, radius R<sub>N4</sub> of anterior wall 155<sub>A</sub> is measured at that portion of anterior wall 155<sub>A</sub> which is complimentary to radius R<sub>E4</sub> when femoral component 120 is seated upon tibial bearing component 112 in an extension orientation.

Thus, posterior eminence 138 and intercondylar notch 154 interfit with one another when femoral component 120 is in the extension orientation as shown. In an exemplary embodiment, radius R<sub>E4</sub> may be 4 mm and radius R<sub>N4</sub> may be 6 mm, such that a minimal clearance is provided between posterior eminence 138 and intercondylar notch 154 in the fully extended position of FIG. 6A.

Further, as best seen in FIG. 6B, the transition from proximal surface 156 to sidewall 158 is gradual and sloped, such that every potentially articular portion of posterior

eminence defines a radius of at least 1 mm, including the sagittal/coronal radii  $R_{SC1}$ ,  $R_{SC2}$  defined by sidewall 158. Radii  $R_{SC1}$ ,  $R_{SC2}$  are shown denoted only in the sagittal perspective in FIG. 6D, it being understood that radii  $R_{SC1}$ ,  $R_{SC2}$  also extend around lateral and medial sidewall portions 158<sub>L</sub>, 158<sub>M</sub>. Thus, radii  $R_{SC1}$ ,  $R_{SC2}$  extend around the medial, anterior and lateral portions of sidewall 158, thereby forming the gradual rounded transition between proximal surface 156 to the surrounding articular surfaces of ultracongruent tibial bearing component 112. Stated another way, any section plane perpendicular to a transverse plane (e.g., the transverse and coronal planes) taken through any of lateral, medial and anterior sidewall portions 158<sub>L</sub>, 158<sub>M</sub>, 158<sub>A</sub> of sidewall 158 will define radii greater than 1 mm at such sidewall portions 158<sub>L</sub>, 158<sub>M</sub>, 158<sub>A</sub>, such as radii  $R_{SC1}$ ,  $R_{SC2}$ . The posterior face of posterior eminence 138, which forms a portion of peripheral sidewall 172 of tibial bearing component 112, is not designed for articulation with any structure as femoral component 120 lacks any structure bridging the gap between medial and lateral condyles 122, 124 (such as, for example, femoral cam 40 of posterior stabilized femoral component 20).

When femoral component 120 enters a hyperextension configuration (i.e., when knee prosthesis 110 is articulated beyond full extension to a “backwards bend” of the knee), intercondylar notch 154 ascends the anterior portion of sidewall 158, gradually “beaching” or transitioning into contact between the patello-femoral groove adjacent intercondylar notch 154 and the medial and lateral portions of sidewall 158 over proximal surface 156. In an exemplary embodiment, such transition is designed to occur at 3.5 degrees of hyperextension (i.e., minus-3.5 degrees flexion), though other exemplary embodiments may experience the transition as high as 7 or 10 degrees of hyperextension. As shown in FIG. 6D, the level of hyperextension is controlled by the distance between anterior wall 155<sub>A</sub> of intercondylar notch 134 and anterior portion 158<sub>A</sub> of sidewall 158 in extension (as shown in FIG. 6D). This distance can be made smaller for an earlier engagement and larger for a later engagement.

The hyperextension “beaching” transition is further aided by the complementary angular arrangement of lateral and medial sidewalls 155<sub>L</sub>, 155<sub>M</sub> of intercondylar notch 154 as compared to lateral and medial sidewall portions 158<sub>L</sub>, 158<sub>M</sub> of posterior eminence 138. More particularly, FIG. 6A illustrates that angles  $\mu_F$ ,  $\mu_T$  are formed by sidewalls 155<sub>L</sub>, 155<sub>M</sub> and 158<sub>L</sub>, 158<sub>M</sub> of intercondylar notch 154 and posterior eminence 138, respectively, and are both arranged to converge anterior of posterior eminence 138 as shown. In the illustrative embodiment of FIG. 6A, angles  $\mu_F$ ,  $\mu_T$  are measured in a transverse plane with femoral component 120 seated upon tibial bearing component 112 in an extension orientation. Angles  $\mu_F$ ,  $\mu_T$  are large enough to guide and center femoral component 120 into engagement with posterior eminence 138 during hyperextension, but are small enough so that interaction between intercondylar notch 154 and posterior eminence 138 provides effective medial/lateral stability in extension and early flexion. In an exemplary embodiment, angle  $\mu_T$  is 21.5 degrees and angle  $\mu_F$  ranges from 21 degrees to 23 degrees through a range of prosthesis sizes. However, it is contemplated that angles  $\mu_F$ ,  $\mu_T$  would accomplish their dual roles of medial/lateral stability and hyperextension accommodation at any angle between 15 degrees and 30 degrees.

The distal portion of the patellofemoral groove or sulcus, which coincides with and gradually transitions into the anterior terminus of intercondylar notch 154, also has a

shape which matches the profile of lateral and medial portions 158<sub>L</sub>, 158<sub>M</sub> of sidewall 158. Advantageously, this matching shape and volume between intercondylar notch 154 and posterior eminence 138 cooperates with the gently sloped sidewall 158 to accommodate hyperextension by minimizing the abruptness of impact therebetween. Because hyperextension interaction is spread over a large area, potential abrasion of posterior eminence 138 by such interaction is also minimized, thereby potentially extending the service life of posterior eminence 138 and, ultimately, of tibial bearing component 112 in patients with hyperextending knees.

By contrast, the prior art Zimmer Natural Knee Flex Ultracongruent knee prosthesis, available from Zimmer, Inc. of Warsaw, Ind, includes prior art tibial bearing component 112A having posterior eminence 138A having areas which define a radius of less than 1 mm, as shown in FIG. 6E. The angle formed between lateral and medial sidewall portions 158A<sub>L</sub>, 158A<sub>M</sub> of posterior eminence 138A is substantially less than angle  $\mu_T$  defined by posterior eminence 138. More particularly, the prior art angle is 9-12 degrees, while angle  $\mu_T$  is between 21 and 23 degrees as noted above. Further, the intercondylar walls of the prior art femoral component designed for use with prior art tibial bearing component 112A (not shown) has parallel intercondylar walls, i.e., no angle is formed between the intercondylar walls. Moreover, the distance between posterior eminence 138A and the anterior edge of the intercondylar notch of the prior art femoral component is larger than the corresponding distance defined by eminence 138 and anterior wall 155<sub>A</sub> of the intercondylar notch of femoral component 120 (FIG. 6D), such that the prior art Zimmer Natural Knee Flex Ultracongruent knee prosthesis lacks the capability for hyperextension “beaching” as described above.

Turning back to FIG. 6C, medial/lateral stability is provided by the sloped surface provided by sidewall 158, and more particularly the height  $H_E$  of proximal surface 156 over distal-most points 142, 144, of medial and lateral articular compartments 116, 118. However, such stability is primarily desired for early flexion and is not needed in deeper levels of flexion. Accordingly, posterior eminence 138 is sized and shaped to cooperate with intercondylar notch 154 to provide steadily decreasing levels of medial/lateral constraint starting from a maximum at full extension and transition to a minimum at 90 degrees flexion, after which such constraint is no longer needed.

More particularly, as illustrated in FIG. 6A, lateral and medial sidewalls 155<sub>L</sub>, 155<sub>M</sub> of intercondylar notch 154 diverge posteriorly from the anterior terminus of notch 154 (at anterior wall 155A), such that the effective width between lateral and medial sidewalls 155<sub>L</sub>, 155<sub>M</sub> becomes steadily greater than posterior eminence 138 as flexion progresses. Thus, additional medial/lateral space between posterior eminence 138 and intercondylar notch becomes available as prosthesis 110 is transitioned into deeper flexion. An exemplary femoral component with such a divergent intercondylar notch is described in: U.S. Provisional Patent Application Ser. No. 61/561,658, filed on Nov. 18, 2011 and entitled FEMORAL COMPONENT FOR A KNEE PROSTHESIS WITH IMPROVED ARTICULAR CHARACTERISTICS; U.S. Provisional Patent Application Ser. No. 61/579,873, filed on Dec. 23, 2011 and entitled FEMORAL COMPONENT FOR A KNEE PROSTHESIS WITH IMPROVED ARTICULAR CHARACTERISTICS; U.S. Provisional Patent Application Ser. No. 61/592,575 filed on Jan. 30, 2012 and entitled FEMORAL COMPONENT FOR A KNEE PROSTHESIS WITH IMPROVED ARTICULAR

CHARACTERISTICS; U.S. Provisional Patent Application Ser. No. 61/594,113 filed on Feb. 2, 2012 and entitled FEMORAL COMPONENT FOR A KNEE PROSTHESIS WITH IMPROVED ARTICULAR CHARACTERISTICS; and in U.S. Provisional Patent Application Ser. No. 61/621,370, filed on Apr. 6, 2012, and entitled FEMORAL COMPONENT FOR A KNEE PROSTHESIS WITH IMPROVED ARTICULAR CHARACTERISTICS. The entire disclosures of each of the above-identified patent applications are hereby expressly incorporated herein by reference.

Posterior eminence 138 has a limited anterior/posterior extent which also operates to effect disengagement of posterior eminence 138 from intercondylar notch 154 at a desired level of prosthesis flexion, as described in detail below.

Thus, advantageously, posterior eminence 138 is shaped to cooperate with intercondylar notch 154 to be functional only where its medial/lateral stability function is desired, and to avoid interaction with intercondylar notch 154 where such function is no longer required. As compared to predicate posterior eminences, posterior eminence 138 accomplishes this balance by having a rounded shape that is complementary to intercondylar notch 154 of femoral component 120 as described above. For example, the prior art Natural Knee Flex Ultracongruent knee prosthesis, available from Zimmer, Inc. of Warsaw, Indiana, includes a tibial bearing component 112A (FIG. 6E) having a posterior eminence 138A which does not "interfit" with the corresponding femoral component in the manner described above.

In the illustrated embodiment of FIG. 6C, proximal surface 156 is substantially flat and/or planar and rises above distal-most points 144, 142 by a height  $H_E$ . In an exemplary embodiment, height  $H_E$  is between 3.8 mm and 5.5 mm. However, it is contemplated that height  $H_E$  may be as high as 10 mm, provided that anterior wall 155<sub>A</sub> is appropriately angled so as to prevent presentation of a non-ramped surface to anterior portion 158<sub>A</sub> of sidewall 158 of femoral intercondylar notch 154 during hyperextension.

By contrast, a traditional "cruciate retaining" tibial bearing component 212 (FIGS. 7A and 7B, described herein) includes intercompartmental eminence 238 which defines a reduced height  $H_E'$  and is not flat or planar in its proximal surface. In an exemplary embodiment, height  $H_E'$  of intercompartmental eminence is between 3.7 mm and 5.2 mm across a family of prosthesis sizes, but may have an alternative range of 2.0 mm-5.5 mm in some embodiments.

Further, posterior eminence 138 is distinguished from spine 38 of posterior-stabilized tibial bearing component (FIG. 5A) in that posterior eminence 138 is substantially shorter and defines a posterior surface that is non-articular. In an exemplary embodiment, for example, spine 38 protrudes proximally from the surrounding articular surface by at least 21 mm.

It is contemplated that posterior eminence 138 may define an increased height  $H_E''$ , and may include a rounded proximal surface 156' within the scope of the present disclosure. More particularly, increased height  $H_E''$  and rounded proximal surface 156' may be sized and shaped to match the distal end of the patellofemoral groove of femoral component 120, such that sidewalls 158' and proximal surface 156' make continuous contact around the adjacent periphery of the patellofemoral groove in hyperextension. Advantageously, this full-area contact may further reduce the contact pressures and impact magnitude experienced by posterior eminence 138 when femoral component 120 is hyperextended.

Posterior eminence 138 defines an anterior/posterior extent AP<sub>PE</sub>, which may be expressed in absolute terms or as a percentage of the corresponding overall anterior/posterior extent AP<sub>UC</sub> of ultracongruent tibial bearing component 112. For purposes of the present disclosure, anterior/posterior extent AP<sub>UC</sub> is measured at the same medial/lateral position as a sagittal plane bisecting posterior eminence 138. Across an exemplary range of sizes of tibial bearing component 112, anterior/posterior extent AP<sub>PE</sub> of posterior eminence 138 may be as little as 5 mm, 6 mm or 7 mm, and as much as 11 mm, 13 mm or 15 mm, or may be any value within any range defined by any of the foregoing values. This range of anterior/posterior extents AP<sub>PE</sub> correspond to a range of percentages of overall anterior/posterior extent AP<sub>UC</sub> for the respective sizes of tibial bearing component 112 that is as little as 10% or 18.7% and as much as 20.5% or 30%, or any percentage within any range defined by any of the foregoing values.

#### 8. Soft Tissue Accommodation: Anterior/Lateral Relief Scallop

Referring back to FIG. 7B, an anterior/lateral corner of tibial bearing component 212 may have material removed near the proximal edge thereof to create scallop 268. Scallop 268 creates extra space for the adjacent iliotibial (IT) band, which could potentially impinge upon tibial bearing component 212 in some patients. In an exemplary embodiment, scallop 268 extends around the entirety of the anterior/lateral corner of tibial bearing component 212. A detailed discussion of how the anterior/lateral corner of tibial prosthesis components are defined, and the advantages of pulling such corners away from the bone periphery, may be found in U.S. Patent Application Publication No. 2012/0022659 filed Jul. 22, 2011 and entitled "ASYMMETRIC TIBIAL COMPONENTS FOR A KNEE PROSTHESIS", the entire disclosure of which is hereby expressly incorporated herein by reference. Advantageously, scallop 268 may be used in lieu of or in addition to an anterior/lateral pullback to avoid or minimize the impact of potential impingement of the iliotibial band on such corner.

Scallop 268 extends inwardly into the area of lateral articular compartment 218, and downwardly toward the distal, baseplate-contacting surface of tibial bearing component 212. Thus, scallop 268 is a chamfer or fillet-like void in the periphery of tibial bearing component 212 which creates a space that may be occupied by nearby soft tissues that would otherwise impinge upon such periphery. Scallop 268 may extend distally almost to the distal baseplate-contacting surface, or may extend a lesser amount distally. The inward (i.e., medial and posterior) extent of scallop into lateral articular compartment 218 may be approximately equal to the distal extent, or may deviate from the distal extent. In an exemplary embodiment, scallop 268 occupies a 10-degree angular sweep around the anterior/lateral portion of the periphery of lateral articular compartment 218.

It is also contemplated that similar scallops or relief spaces may be provided around the periphery of tibial bearing component 212 to accommodate other adjacent soft tissues, such as the medial collateral ligament (MCL) and the lateral collateral ligament (LCL). Scallop 268 and any other scallops positioned for relief around other soft tissues are sufficiently sized and shaped to provide relief space for the intended soft tissue throughout a full range of flexion, and for a wide variety of patients.

#### 9. Soft Tissue Accommodation: Anterior/Medial Bulbous Flare

Referring now to FIGS. 8A and 8B, ultra-congruent type tibial bearing component 112 is illustrated with a convex,

bulbous flare 170 extending outwardly from peripheral sidewall 172. As described in detail below, flare 170 provides additional strength to medial compartment 116 at the anterior end thereof and protects adjacent soft tissues from abrasion, particularly the patellar tendon.

Most of sidewall 172 extends generally vertically (i.e., in a proximal-distal direction) between the distal, baseplate-contacting surface 160 (FIG. 8B) and the proximal articular surfaces of tibial bearing component 112. Accordingly, a majority of the periphery of baseplate contacting surface 160 substantially fits within the proximal periphery of the associated tibial baseplate (i.e., baseplate 14 shown in FIG. 1A). A detailed discussion of matching peripheries between a tibial baseplate and associated tibial bearing component may be found in U.S. Patent Application Publication No. 201210022659 filed Jul. 22, 2011 and entitled “ASYMMETRIC TIBIAL COMPONENTS FOR A KNEE PROSTHESIS”, the entire disclosure of which is hereby expressly incorporated herein by reference.

Additionally, most of the outer periphery of the proximal articular surfaces of tibial bearing component 112 substantially matches the corresponding outer periphery of the distal (i.e., baseplate contacting) surface 160. However, bulbous flare 170 extends beyond the anterior/medial periphery of baseplate contacting surface 160, and therefore also extends beyond the corresponding periphery of the associated tibial baseplate when tibial bearing component 112 is fixed thereto (such as is shown in FIG. 1A in the context of tibial bearing component 12). Bulbous flare 170 thereby enables medial articular compartment 116 to “overhang” or extend anteriorly and medially beyond the periphery of tibial baseplate 14. Advantageously, this overhang allows an expanded anterior/medial and proximal reach of medial articular compartment 116, while obviating the need for a larger tibial baseplate. Avoiding the use of a larger baseplate size advantageously prevents overhang of tibial baseplate 14 over a small patient bone, while the bulbous flare 170 of tibial bearing component 112 preserves a relatively large articular surface. Accordingly, tibial components incorporating bulbous flare 170 are particularly suited to tibial prostheses for use in small stature patients, whose tibias commonly present a small proximal tibial resected surface which necessitates the use of a correspondingly small tibial baseplate 14.

As shown in FIG. 8A, bulbous flare 170 includes a convex curvature which extends up and around the proximal edge of medial articular compartment 116. Advantageously, this convex profile and associated soft proximal edge presents only large-radius, “soft” edges to the patellar tendon, particularly in deep flexion prosthesis configurations. In one exemplary embodiment, the convex curvature defined by bulbous flare 170 defines a flare radius  $R_{BF}$  (FIG. 8B) of at least 10 mm, which extends around a partially spherical surface. However, it is contemplated that bulbous flare 170 may also be formed as a complex shape incorporating multiple radii, such that bulbous flare 170 may be defined by any surface with convexity in transverse and sagittal planes.

Referring now to FIG. 8A, another quantification for the broadly convex, soft-tissue friendly nature of flare 170 is the portion of proximal/distal extent  $PD_O$  of the adjacent portion of sidewall 172 that is occupied by proximal/distal extent  $PD_F$  of flare 170. In an exemplary embodiment, proximal/distal extent  $PD_O$  is the portion of peripheral sidewall 172 of tibial bearing component not covered by tibial baseplate 14 when tibial bearing component 12 is assembled thereto, and proximal/distal extent  $PD_F$  of the convexity of flare 170 occupies at least 80% of a proximal/distal extent  $PD_O$ .

Also advantageously, the additional material afforded by bulbous flare 170 at the anterior/medial portion of sidewall 172 provides a buttress for the anterior edge of medial articular compartment 116, thereby enabling tibial bearing component 112 to readily absorb substantial anteriorly-directed forces applied by the femur during prosthesis use.

Yet another advantage provided by the increased size of medial articular compartments 116 through use of flare 170 is that a larger femoral component 120 may be used in conjunction with a given size of tibial prosthesis. For some patients, this larger femoral/smaller tibial prosthesis arrangement may provide a closer match to a healthy natural knee configuration, and/or enhanced articulation characteristics.

Still another advantage to the convex, bulbous shape of flare 170 is that the soft, rounded appearance thereof minimizes the visual impact of an increased proximal height of medial articular compartment 116 and the increased anterior extent thereof past the periphery of baseplate contacting surface 160. This minimized visual impact allows sufficient levels of buttressing material to be added to the anterior/medial portion of sidewall 172 while preserving surgeon confidence that the overhang of flare 170 past baseplate contacting surface 160 is appropriate.

#### 10 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 145 150 155 160 165 170 175 180 185 190 195 200 205 210 215 220 225 230 235 240 245 250 255 260 265 270 275 280 285 290 295 300 305 310 315 320 325 330 335 340 345 350 355 360 365 370 375 380 385 390 395 400 405 410 415 420 425 430 435 440 445 450 455 460 465 470 475 480 485 490 495 500 505 510 515 520 525 530 535 540 545 550 555 560 565 570 575 580 585 590 595 600 605 610 615 620 625 630 635 640 645 650 655 660 665 670 675 680 685 690 695 700 705 710 715 720 725 730 735 740 745 750 755 760 765 770 775 780 785 790 795 800 805 810 815 820 825 830 835 840 845 850 855 860 865 870 875 880 885 890 895 900 905 910 915 920 925 930 935 940 945 950 955 960 965 970 975 980 985 990 995 1000 1005 1010 1015 1020 1025 1030 1035 1040 1045 1050 1055 1060 1065 1070 1075 1080 1085 1090 1095 1100 1105 1110 1115 1120 1125 1130 1135 1140 1145 1150 1155 1160 1165 1170 1175 1180 1185 1190 1195 1200 1205 1210 1215 1220 1225 1230 1235 1240 1245 1250 1255 1260 1265 1270 1275 1280 1285 1290 1295 1300 1305 1310 1315 1320 1325 1330 1335 1340 1345 1350 1355 1360 1365 1370 1375 1380 1385 1390 1395 1400 1405 1410 1415 1420 1425 1430 1435 1440 1445 1450 1455 1460 1465 1470 1475 1480 1485 1490 1495 1500 1505 1510 1515 1520 1525 1530 1535 1540 1545 1550 1555 1560 1565 1570 1575 1580 1585 1590 1595 1600 1605 1610 1615 1620 1625 1630 1635 1640 1645 1650 1655 1660 1665 1670 1675 1680 1685 1690 1695 1700 1705 1710 1715 1720 1725 1730 1735 1740 1745 1750 1755 1760 1765 1770 1775 1780 1785 1790 1795 1800 1805 1810 1815 1820 1825 1830 1835 1840 1845 1850 1855 1860 1865 1870 1875 1880 1885 1890 1895 1900 1905 1910 1915 1920 1925 1930 1935 1940 1945 1950 1955 1960 1965 1970 1975 1980 1985 1990 1995 2000 2005 2010 2015 2020 2025 2030 2035 2040 2045 2050 2055 2060 2065 2070 2075 2080 2085 2090 2095 2100 2105 2110 2115 2120 2125 2130 2135 2140 2145 2150 2155 2160 2165 2170 2175 2180 2185 2190 2195 2200 2205 2210 2215 2220 2225 2230 2235 2240 2245 2250 2255 2260 2265 2270 2275 2280 2285 2290 2295 2300 2305 2310 2315 2320 2325 2330 2335 2340 2345 2350 2355 2360 2365 2370 2375 2380 2385 2390 2395 2400 2405 2410 2415 2420 2425 2430 2435 2440 2445 2450 2455 2460 2465 2470 2475 2480 2485 2490 2495 2500 2505 2510 2515 2520 2525 2530 2535 2540 2545 2550 2555 2560 2565 2570 2575 2580 2585 2590 2595 2600 2605 2610 2615 2620 2625 2630 2635 2640 2645 2650 2655 2660 2665 2670 2675 2680 2685 2690 2695 2700 2705 2710 2715 2720 2725 2730 2735 2740 2745 2750 2755 2760 2765 2770 2775 2780 2785 2790 2795 2800 2805 2810 2815 2820 2825 2830 2835 2840 2845 2850 2855 2860 2865 2870 2875 2880 2885 2890 2895 2900 2905 2910 2915 2920 2925 2930 2935 2940 2945 2950 2955 2960 2965 2970 2975 2980 2985 2990 2995 3000 3005 3010 3015 3020 3025 3030 3035 3040 3045 3050 3055 3060 3065 3070 3075 3080 3085 3090 3095 3100 3105 3110 3115 3120 3125 3130 3135 3140 3145 3150 3155 3160 3165 3170 3175 3180 3185 3190 3195 3200 3205 3210 3215 3220 3225 3230 3235 3240 3245 3250 3255 3260 3265 3270 3275 3280 3285 3290 3295 3300 3305 3310 3315 3320 3325 3330 3335 3340 3345 3350 3355 3360 3365 3370 3375 3380 3385 3390 3395 3400 3405 3410 3415 3420 3425 3430 3435 3440 3445 3450 3455 3460 3465 3470 3475 3480 3485 3490 3495 3500 3505 3510 3515 3520 3525 3530 3535 3540 3545 3550 3555 3560 3565 3570 3575 3580 3585 3590 3595 3600 3605 3610 3615 3620 3625 3630 3635 3640 3645 3650 3655 3660 3665 3670 3675 3680 3685 3690 3695 3700 3705 3710 3715 3720 3725 3730 3735 3740 3745 3750 3755 3760 3765 3770 3775 3780 3785 3790 3795 3800 3805 3810 3815 3820 3825 3830 3835 3840 3845 3850 3855 3860 3865 3870 3875 3880 3885 3890 3895 3900 3905 3910 3915 3920 3925 3930 3935 3940 3945 3950 3955 3960 3965 3970 3975 3980 3985 3990 3995 4000 4005 4010 4015 4020 4025 4030 4035 4040 4045 4050 4055 4060 4065 4070 4075 4080 4085 4090 4095 4100 4105 4110 4115 4120 4125 4130 4135 4140 4145 4150 4155 4160 4165 4170 4175 4180 4185 4190 4195 4200 4205 4210 4215 4220 4225 4230 4235 4240 4245 4250 4255 4260 4265 4270 4275 4280 4285 4290 4295 4300 4305 4310 4315 4320 4325 4330 4335 4340 4345 4350 4355 4360 4365 4370 4375 4380 4385 4390 4395 4400 4405 4410 4415 4420 4425 4430 4435 4440 4445 4450 4455 4460 4465 4470 4475 4480 4485 4490 4495 4500 4505 4510 4515 4520 4525 4530 4535 4540 4545 4550 4555 4560 4565 4570 4575 4580 4585 4590 4595 4600 4605 4610 4615 4620 4625 4630 4635 4640 4645 4650 4655 4660 4665 4670 4675 4680 4685 4690 4695 4700 4705 4710 4715 4720 4725 4730 4735 4740 4745 4750 4755 4760 4765 4770 4775 4780 4785 4790 4795 4800 4805 4810 4815 4820 4825 4830 4835 4840 4845 4850 4855 4860 4865 4870 4875 4880 4885 4890 4895 4900 4905 4910 4915 4920 4925 4930 4935 4940 4945 4950 4955 4960 4965 4970 4975 4980 4985 4990 4995 5000 5005 5010 5015 5020 5025 5030 5035 5040 5045 5050 5055 5060 5065 5070 5075 5080 5085 5090 5095 5100 5105 5110 5115 5120 5125 5130 5135 5140 5145 5150 5155 5160 5165 5170 5175 5180 5185 5190 5195 5200 5205 5210 5215 5220 5225 5230 5235 5240 5245 5250 5255 5260 5265 5270 5275 5280 5285 5290 5295 5300 5305 5310 5315 5320 5325 5330 5335 5340 5345 5350 5355 5360 5365 5370 5375 5380 5385 5390 5395 5400 5405 5410 5415 5420 5425 5430 5435 5440 5445 5450 5455 5460 5465 5470 5475 5480 5485 5490 5495 5500 5505 5510 5515 5520 5525 5530 5535 5540 5545 5550 5555 5560 5565 5570 5575 5580 5585 5590 5595 5600 5605 5610 5615 5620 5625 5630 5635 5640 5645 5650 5655 5660 5665 5670 5675 5680 5685 5690 5695 5700 5705 5710 5715 5720 5725 5730 5735 5740 5745 5750 5755 5760 5765 5770 5775 5780 5785 5790 5795 5800 5805 5810 5815 5820 5825 5830 5835 5840 5845 5850 5855 5860 5865 5870 5875 5880 5885 5890 5895 5900 5905 5910 5915 5920 5925 5930 5935 5940 5945 5950 5955 5960 5965 5970 5975 5980 5985 5990 5995 6000 6005 6010 6015 6020 6025 6030 6035 6040 6045 6050 6055 6060 6065 6070 6075 6080 6085 6090 6095 6100 6105 6110 6115 6120 6125 6130 6135 6140 6145 6150 6155 6160 6165 6170 6175 6180 6185 6190 6195 6200 6205 6210 6215 6220 6225 6230 6235 6240 6245 6250 6255 6260 6265 6270 6275 6280 6285 6290 6295 6300 6305 6310 6315 6320 6325 6330 6335 6340 6345 6350 6355 6360 6365 6370 6375 6380 6385 6390 6395 6400 6405 6410 6415 6420 6425 6430 6435 6440 6445 6450 6455 6460 6465 6470 6475 6480 6485 6490 6495 6500 6505 6510 6515 6520 6525 6530 6535 6540 6545 6550 6555 6560 6565 6570 6575 6580 6585 6590 6595 6600 6605 6610 6615 6620 6625 6630 6635 6640 6645 6650 6655 6660 6665 6670 6675 6680 6685 6690 6695 6700 6705 6710 6715 6720 6725 6730 6735 6740 6745 6750 6755 6760 6765 6770 6775 6780 6785 6790 6795 6800 6805 6810 6815 6820 6825 6830 6835 6840 6845 6850 6855 6860 6865 6870 6875 6880 6885 6890 6895 6900 6905 6910 6915 6920 6925 6930 6935 6940 6945 6950 6955 6960 6965 6970 6975 6980 6985 6990 6995 7000 7005 7010 7015 7020 7025 7030 7035 7040 7045 7050 7055 7060 7065 7070 7075 7080 7085 7090 7095 7100 7105 7110 7115 7120 7125 7130 7135 7140 7145 7150 7155 7160 7165 7170 7175 7180 7185 7190 7195 7200 7205 7210 7215 7220 7225 7230 7235 7240 7245 7250 7255 7260 7265 7270 7275 7280 7285 7290 7295 7300 7305 7310 7315 7320 7325 7330 7335 7340 7345 7350 7355 7360 7365 7370 7375 7380 7385 7390 7395 7400 7405 7410 7415 7420 7425 7430 7435 7440 7445 7450 7455 7460 7465 7470 7475 7480 7485 7490 7495 7500 7505 7510 7515 7520 7525 7530 7535 7540 7545 7550 7555 7560 7565 7570 7575 7580 7585 7590 7595 7600 7605 7610 7615 7620 7625 7630 7635 7640 7645 7650 7655 7660 7665 7670 7675 7680 7685 7690 7695 7700 7705 7710 7715 7720 7725 7730 7735 7740 7745 7750 7755 7760 7765 7770 7775 7780 7785 7790 7795 7800 7805 7810 7815 7820 7825 7830 7835 7840 7845 7850 7855 7860 7865 7870 7875 7880 7885 7890 7895 7900 7905 7910 7915 7920 7925 7930 7935 7940 7945 7950 7955 7960 7965 7970 7975 7980 7985 7990 7995 8000 8005 8010 8015 8020 8025 8030 8035 8040 8045 8050 8055 8060 8065 8070 8075 8080 8085 8090 8095 8100 8105 8110 8115 8120 8125 8130 8135 8140 8145 8150 8155 8160 8165 8170 8175 8180 8185 8190 8195 8200 8205 8210 8215 8220 8225 8230 8235 8240 8245 8250 8255 8260 8265 8270 8275 8280 8285 8290 8295 8300 8305 8310 8315 8320 8325 8330 8335 8340 8345 8350 8355 8360 8365 8370 8375 8380 8385 8390 8395 8400 8405 8410 8415 8420 8425 8430 8435 8440 8445 8450 8455 8460 8465 8470 8475 8480 8485 8490 8495 8500 8505 8510 8515 8520 8525 8530 8535 8540 8545 8550 8555 8560 8565 8570 8575 8580 8585 8590 8595 8600 8605 8610 8615 8620 8625 8630 8635 8640 8645 8650 8655 8660 8665 8670 8675 8680 8685 8690 8695 8700 8705 8710 8715 8720 8725 8730 8735 8740 8745 8750 8755 8760 8765 8770 8775 8780 8785 8790 8795 8800 8805 8810 8815 8820 8825 8830 8835 8840 8845 8850 8855 8860 8865 8870 8875 8880 8885 8890 8895 8900 8905 8910 8915 8920 8925 8930 8935 8940 8945 8950 8955 8960 8965 8970 8975 8980 8985 8990 8995 9000 9005 9010 9015 9020 9025 9030 9035 9040 9045 9050 9055 9060 9065 9070 9075 9080 9085 9090 9095 9100 9105 9110 9115 9120 9125 9130 9135 9140 9145 9150 9155 9160 9165 9170 9175 9180 9185 9190 9195 9200 9205 9210 9215 9220 9225 9230 9235 9240 9245 9250 9255 9260 9265 9270 9275 9280 9285 9290 9295 9300 9305 9310 9315 9320 9325 9330 9335 9340 9345 9350 9355 9360 9365 9370 9375 9380 9385 9390 9395 9400 9405 9410 9415 9420 9425 9430 9435 9440 9445 9450 9455 9460 9465 9470 9475 9480 9485 9490 9495 9500 9505 9510 9515 9520 9525 9530 9535 9540 9545 9550 9555 9560 9565 9570 9575 9580 9585 9590 9595 9600 9605 9610 9615 9620 9625 9630 9635 9640 9645 9650 9655 9660 9665 9670 9675 9680 9685 9690 9695 9700 9705 9710 9715 9720 9725 9730 9735 9740 9745 9750 9755 9760 9765 9770 9775 9780 9785 9790 9795 9800 9805 9810 9815 9820 9825 9830 9835 9840 9845 9850 9855 9860 9865 9870 9875 9880 9885 9890 9895 9900 9905 9910 9915 9920 9925 9930 9935 9940 9945 9950 99

**31**

to the specific needs of some patients, while avoiding the need to recut or otherwise alter the geometry of the proximal tibia.

Referring now to FIG. 9A, one potential geometric reconfiguration of tibial bearing component 12 is alteration of the sagittal thickness profile to increase or decrease the anterior/posterior “tilt” of the proximal articular surfaces of medial and lateral articular compartments 16, 18. For simplicity, only lateral articular compartment 18 is shown in FIGS. 9A-9D and described detail below, it being understood that a similar geometric reconfiguration can be applied to medial compartment 16 in a similar fashion.

For example, if a surgeon wishes to tilt tibial bearing component 12 forward (such as to shift distal-most points 42, 44 anteriorly), he or she may recut the proximal tibia to reduce tibial slope S. Similarly, increasing tibial slope S tilts tibial bearing component 12 backward and posteriorly shifts distal-most points 42, 44. However, a similar “tilting” of the tibial articular surface and shifting of sagittal distal-most points, may be accomplished without altering tibial slope S by using alternative tibial bearing components in accordance with the present disclosure, as described below. For example, where the superior articular surfaces of regular and alternative bearing components share a common overall curvature and geometry, differing sagittal thickness profiles in the alternative component effects the same articular changes normally achieved by a change in tibial slope S.

Referring to FIG. 9D, one exemplary alternative tibial bearing component 312 is shown superimposed over tibial bearing component 12, with distal surfaces 60 aligned such that changes to the articular surface of lateral articular compartment 18 are illustrated. Tibial bearing component 312 features a sagittal radius  $R_{STL}'$  defining radius center  $C_{STL}'$  which is anteriorly shifted along direction A with respect to sagittal radius  $R_{STL}$  and radius center  $C_{STL}$  of tibial bearing component 12. This anterior shift reconfigures the spatial relationship of the articular surface of lateral articular compartment 18 with respect to distal surface 60. More particularly, this anterior shift mimics a reduction in tibial slope S, because alternative lateral articular compartment 18' defines an articular surface which is “anteriorly tilted” so as to shift distal-most point 44 anteriorly to the alternative distal-most point 44', as shown in the dashed-line articular surface profile of FIG. 9D. Conversely, center  $C_{STL}$  of radius  $R_{STL}$  could be shifted posteriorly to mimic an increase in posterior slope S by causing a posterior shift of distal-most point 44.

When center  $C_{STL}$  is anteriorly shifted to alternative center  $C_{STL}'$ , the resulting articular surface may not be identical to its non-shifted counterpart. However, the articular characteristics of tibial bearing components 12, 312 will be comparable, provided an offsetting change in anterior slope S is made to place distal-most points 44, 44' at the same anterior/posterior position. Thus, a family of tibial bearing components may be provided in which one component in the family has an anteriorly shifted center  $C_{STL}$  as compared to the other component in the family. Depending on a surgeon's choice of anterior slope S, the surgeon may intraoperatively choose from the family of components to accommodate the chosen slope S and place the distal-most points of articular compartments 16, 18 at a desired anterior/posterior location. To this end, components within the family may have identical distal surfaces 60 such that each component in the family can be mounted to a common tibial baseplate 14.

Turning back to FIG. 9A, other alternative tibial bearing components 312A, 312P are shown superimposed over tibial

**32**

bearing component 12, with articular compartment 18 aligned such that changes in distal surfaces 60, 60A, 60P are illustrated. For example, bearing component 312A selectively thickens portions of the sagittal thickness profile of lateral articular compartment 18, thereby angling the distal surface thereof with respect to the superior articular surfaces. Alternative distal surface 60A defines angle  $\beta_A$  with respect to distal surface 60 of tibial bearing component 12. As compared with the unaltered bearing component 12, bearing component 312A progressively adds material to distal surface 60 along a posterior-to-anterior direction, such a minimum amount of added material is present at the posterior-most portion of distal surface 60 and a maximum amount of added material is present at the anterior-most portion of distal surface 60. However, alternative distal surface 60A is otherwise identical to distal surface 60, such that either of distal surfaces 60, 60A can be mounted to the same tibial baseplate.

Thus, the added material which defines distal surface 60A of tibial bearing component 312A operates in the manner of a wedge-shaped shim placed between distal surface 60 and the adjacent superior surface 62 of tibial baseplate 14, except that the added material of component 312A is unitarily or monolithically formed therewith. As shown by a comparison of FIGS. 9A and 9C, this wedge-shaped added material tilts the articular surface of lateral articular compartment 18 posteriorly (i.e., the posterior portion of component 312A shifts distally relative to the anterior portion), thereby shifting distal-most point 44 posteriorly to alternative distal-most point 44A. As compared to bearing component 12, the magnitude of the posterior tilt (and therefore, of the posterior low-point shift) is controlled by increasing or decreasing angle  $\beta_A$  (FIG. 9A).

Conversely, tibial bearing component 312P (FIG. 9B) progressively adds material along an anterior-to-posterior direction, thereby adding a wedge-shaped portion of extra material to component 312P to define distal surface 60P. Distal surface 60P is also identical to distal surface 60, such that component 312P can be attached to tibial baseplate 14. When so attached, the superior articular surface of lateral articular compartment 18 is anteriorly tilted (i.e., the anterior portion of component 312P shifts distally relative to the posterior portion). As illustrated by a comparison of FIGS. 9A and 9B, distal-most point 44 is shifted anteriorly to alternative distal-most point 44P. As compared to bearing component 12, the magnitude of the anterior tilt (and therefore, of the anterior low-point shift) is controlled by increasing or decreasing angle  $\beta_P$  (FIG. 9A).

A similar selective thickening of tibial bearing component 12 may be employed to provide alternative bearing components which allow a surgeon to intraoperatively correct for varus/valgus deformities. Referring now to FIG. 10A, alternative tibial bearing components 412L, 412M define distal surfaces 60L, 60M which progressively add material along medial-to-lateral and lateral-to-medial directions, respectively, as compared to distal surface 60 of tibial bearing component 12. As with alternative surfaces 60A, 60P, distal surfaces 60L, 60M are otherwise identical to distal surface 60 such that any of components 12, 412M, 412L can be mounted to a common tibial baseplate 14.

Distal surface 60L defines angle L with distal surface 60, effectively placing the thickest part of a wedge-shaped shim of additional material underneath lateral articular compartment 18. Conversely, distal surface 60M defines angle  $\beta_M$  with distal surface 60, such that the increased thickness of the coronal cross-sectional profile is concentrated underneath the medial articular compartment 16.

FIG. 10B illustrates tibial prosthesis 410L, which includes alternative tibial bearing component 412L having distal surface 60L mounted to superior surface 62 of tibial baseplate 14. Bearing component 412L is juxtaposed the profile of tibial bearing component 12, which is shown in dashed lines. As illustrated, the superior articular surfaces of medial and lateral articular compartments 16, 18 are tilted medially with respect to the resected surface of tibia T (i.e., the medial portion of component 412L shifts distally relative to the lateral portion) when tibial bearing component 412L is attached to tibial baseplate 14. Bearing component 412L defining such a medial tilt may be employed, for example, to intraoperatively correct for a varus deformity in the knee of the patient without altering the geometry of the proximal tibial cut surface or replacing tibial baseplate 14. The magnitude of the medial tilt is controlled by increasing or decreasing angle  $\beta_L$  (FIG. 10A).

Turning to FIG. 10C, another alternative tibial bearing component 412M is shown juxtaposed against the dashed line profile of tibial bearing component 12. Bearing component 412M is similar to component 412L discussed above, except that distal surface 60M features a lateral tilt (i.e., the lateral portion of component 412M shifts distally relative to the medial portion) when tibial bearing component 412M is attached to tibial baseplate 14. Bearing component 412M defining such a lateral tilt may be employed, for example, to intraoperatively correct for a valgus deformity in the knee of the patient without altering the geometry of the proximal tibial cut surface or replacing tibial baseplate 14. The magnitude of the lateral tilt is controlled by increasing or decreasing angle  $\beta_M$  (FIG. 10A).

In an exemplary embodiment, a set or family of tibial bearing components may be provided which includes any combination of tibial bearing components 12, 312A, 312P, 412M, and 412L. Further, multiple versions of components 312A, 312P, 412L, 412M may be provided, in which each version defines a unique value for angles  $\beta_A$ ,  $\beta_P$ ,  $\beta_L$ ,  $\beta_M$  respectively. When provided with such a family of components, a surgeon may intraoperatively select a tibial bearing component which positions distal-most points 42, 44 at a desired location, and/or corrects for varus or valgus deformities, without having to alter tibial slope S or change tibial baseplate 14. In an exemplary embodiment, the geometry and curvature of the superior dished articular surfaces of medial and lateral articular compartments 16, 18 will be identical for all components provided in the kit, such that no other changes to the articular characteristics of the tibial bearing component intermingle with the changes brought on by altering the thickness profile as described above.

While the alternative tibial baseplates described above have either reconfigured sagittal thickness profiles or reconfigured coronal thickness profiles, it is contemplated that tibial bearing components may be provided which incorporate reconfigurations to both the sagittal and coronal thickness profiles within a single tibial bearing component. Moreover, it is contemplated that any appropriate thickness profile or set of thickness profiles may be provided as required or desired for a particular application.

Thus, a family of tibial bearing components provided in accordance with the present disclosure obviates any need for a surgeon to recut the proximal surface of tibia T, and allows the surgeon to permanently implant tibial baseplate 14 while also preserving the intraoperative option to 1) alter the anterior/posterior tilt of the articular surfaces of medial and lateral articular compartments 16, 18, and/or 2) alter the medial/lateral tilt or the articular surfaces, such as for correction of a varus/valgus deformity.

Moreover, it is appreciated that a tibial bearing component in accordance with the present disclosure may be provided in a single-component design, i.e., not part of a kit, while still being designed to "alter" the tilt of the superior articular surface. For example, the articular surface of an alternative bearing component may be designed to may mimic the articular surface of a "regular" tibial bearing component (such as component 12, described above), even though the two components are designed to cooperate with differing anteroposterior tibial slopes.

In some instances, for example, differing classes of tibial bearing component (e.g., ultracongruent and posterior-stabilized) are designed to be used with differing tibial slopes. However, a surgeon may wish to intraoperatively select between these differing component classes, which in turn may necessitate recutting of tibia T. However, in an exemplary embodiment, ultracongruent tibial bearing component 112 (FIGS. 6A through 6C) may include distal surface 160 which defines an anterior/posterior slope with respect to medial and lateral articular compartments 116, 118 which effectively "tilts" the articular surfaces thereof forward sufficiently to render ultracongruent tibial bearing component 112 compatible with tibial slope S (shown in FIGS. 3A and 3B and described in detail above) used for posterior-stabilized tibial bearing component 12.

For example, an ultracongruent-type tibial bearing component may be typically designed for use with a tibial slope S equal to 3 degrees, while other bearing component designs (e.g., posterior-stabilized designs) may use a 5 degree tibial slope S. In this situation, ultracongruent tibial bearing component 112 may be effectively "tilted anteriorly" by 2 degrees in the manner described above, such that the articular characteristics designed into the articular surfaces of tibial bearing component 112 are achievable with a 5-degree tibial slope S. Thus, a surgeon may make a proximal cut of tibia T to create an anteroposterior slope S of 5 degrees, for example, while achieving articular characteristics normally associated with a tibial slope of 3 degrees by implanting tibial bearing component 112 on tibial baseplate 14. Thus, a surgeon may have the freedom to choose intraoperatively between ultracongruent tibial bearing component 112 and posterior stabilized tibial bearing component 12 without having to alter tibial slope S or tibial baseplate 14.

Moreover, it is contemplated that changing thickness profiles or the moving the center of sagittal curvature of an articular surface as described above may be accomplished with any combination of cruciate-retaining, ultracongruent and/or posterior-stabilized designs.

While the present disclosure has been described as having exemplary designs, the present disclosure can be further modified within the spirit and scope of this disclosure. This application is therefore intended to cover any variations, uses or adaptations of the disclosure using its general principles. Further, this application is intended to cover such departures from the present disclosure as come within known or customary practice in the art to which this disclosure pertains.

What is claimed is:

1. A tibial bearing component for articulation with a medial femoral condyle and a lateral femoral condyle, the tibial bearing component defining a tibial bearing component coordinate system comprising:

a bearing component transverse plane extending along a medial/lateral direction and an anterior/posterior direction;

a bearing component coronal plane extending along a proximal/distal direction and the medial/lateral direc-

tion, the bearing component coronal plane perpendicular to the bearing component transverse plane; and a bearing component sagittal plane extending along the anterior/posterior direction and the proximal/distal direction, the bearing component sagittal plane perpendicular to the bearing component transverse plane and the bearing component coronal plane,  
the tibial bearing component comprising:  
an articular surface and an opposing distal surface, the distal surface is parallel to the bearing component transverse plane, the articular surface including a medial articular compartment and a lateral articular compartment that are sized and dished shaped for articulation with the medial femoral condyle and the lateral femoral condyle respectively, the medial articular compartment and lateral articular compartment separated from one another by the bearing component sagittal plane,  
the lateral articular compartment comprising a plurality of coronal cross-sectional profiles defining a lateral set of coronal distal-most points spanning a lateral anterior/posterior extent, the lateral set of coronal distal-most points defining a lateral articular track,  
the lateral articular track having an anterior portion and a posterior portion, the posterior portion defining a curved line when projected onto the bearing component transverse plane.

2. The tibial bearing component of claim 1, wherein the anterior portion defines a nominally straight line when projected onto the bearing component transverse plane.

3. The tibial bearing component of claim 2, wherein the medial articular compartment comprises a plurality of coronal cross-sectional profiles defining a medial set of coronal distal-most points spanning a medial anterior/posterior extent, the medial set of coronal distal-most points defining a medial articular track, at least a portion of the medial articular track defining a nominally straight line when projected onto the bearing component transverse plane.

4. The tibial bearing component of claim 1, wherein the lateral articular track defines a lateral sagittal distal-most point along the lateral anterior/posterior extent and a medial articular track defines a medial sagittal distal-most point along a medial anterior/posterior extent, the medial sagittal distal-most point and the lateral sagittal distal-most point located in a common coronal plane, whereby the medial articular track and the lateral articular track comprise respective distal-most points at a common anterior/posterior location.

5. The tibial bearing component of claim 1, wherein the tibial bearing component is implantable at an anteroposterior slope angle as measured in the bearing component sagittal plane, the anteroposterior slope angle formed between the bearing component transverse plane and a transverse reference plane, the transverse reference plane positioned to be normal to an anatomic axis of a tibia when the tibial bearing component is implanted, the anteroposterior slope angle having a positive value when an anterior edge of the tibial bearing component is elevated with respect to a posterior edge thereof, the lateral articular track defining a lateral sagittal distal-most point defined as a point among the lateral set of coronal distal-most points that is closest to the transverse reference plane when the anteroposterior slope angle is equal to 5 degrees, the lateral sagittal distal-most point coincident with a posterior terminus of the anterior portion of the lateral articular track.

6. The tibial bearing component of claim 1, wherein the curved line of the posterior portion of the lateral articular

track defines a radius having a radius center, the radius center spaced medially from the lateral articular track, whereby the curved line is shaped to arc inwardly toward the medial articular compartment.

5 7. The tibial bearing component of claim 6, wherein the medial articular compartment comprises a plurality of coronal cross-sectional profiles defining a medial set of coronal distal-most points spanning a medial anterior/posterior extent, the medial set of coronal distal-most points defining a medial articular track, the radius center coincident with a projection of the medial articular track onto the bearing component transverse plane.

10 8. The tibial bearing component of claim 7, wherein the lateral articular compartment comprises a plurality of coronal cross-sectional profiles defining a lateral set of coronal distal-most points spanning a lateral anterior/posterior extent, the lateral set of coronal distal-most points defining a lateral articular track, the radius center coincident with a projection of the lateral articular track onto the bearing component transverse plane.

15 9. The tibial bearing component of claim 8, wherein the lateral articular track defines a lateral sagittal distal-most point along the lateral anterior/posterior extent, the lateral sagittal distal-most point coincident with a transition from the anterior portion to the posterior portion of the lateral articular track.

20 10. The tibial bearing component of claim 9, wherein the medial articular track defines a medial sagittal distal-most point along the medial anterior/posterior extent, the medial sagittal distal-most point coincident with a transition from the anterior portion to the posterior portion of the medial articular track, wherein the medial sagittal distal-most point and the lateral sagittal distal-most point located in a common coronal plane, whereby the medial articular track and the lateral articular track comprise respective distal-most points at a common anterior/posterior location.

25 11. A tibial bearing component for articulation with a medial femoral condyle and a lateral femoral condyle, the tibial bearing component defining a tibial bearing component coordinate system comprising:

30 a bearing component transverse plane extending along a medial/lateral direction and an anterior/posterior direction;

35 a bearing component coronal plane extending along a proximal/distal direction and the medial/lateral direction, the bearing component coronal plane is perpendicular to the bearing component transverse plane; and a bearing component sagittal plane extending along the anterior/posterior direction and the proximal/distal direction, the bearing component sagittal plane is perpendicular to the bearing component transverse plane and the bearing component coronal plane,  
the tibial bearing component comprising:

40 an articular surface and an opposing distal surface, the distal surface is parallel to the bearing component transverse plane, the articular surface including a medial articular compartment and a lateral articular compartment that are sized and dished shaped for articulation with the medial femoral condyle and the lateral femoral condyle respectively, the medial articular compartment and lateral articular compartment separated from one another by the bearing component sagittal plane,

45 the lateral articular compartment comprising a plurality of coronal cross-sectional profiles defining a lateral set of coronal distal-most points spanning a lateral anterior/

posterior extent, the lateral set of coronal distal-most points defining a lateral articular track, the lateral articular track having an anterior portion and a posterior portion, the posterior portion defining a curved line when projected onto the bearing component transverse plane, wherein the lateral articular compartment comprises an overall anterior/posterior span, and the posterior portion of the lateral articular track that occupies between 20% and 50% of the overall anterior/posterior span.

12. The tibial bearing component of claim 11, wherein the anterior portion defines a nominally straight line when projected onto the bearing component transverse plane.

13. The tibial bearing component of claim 12, wherein the medial articular compartment comprises a plurality of coronal cross-sectional profiles defining a medial set of coronal distal-most points spanning a medial anterior/posterior extent, the medial set of coronal distal-most points defining a medial articular track, at least a portion of the medial articular track defining a nominally straight line when projected onto the bearing component transverse plane.

14. The tibial bearing component of claim 11, wherein the lateral articular track defines a lateral sagittal distal-most point along the lateral anterior/posterior extent and a medial articular track defines a medial sagittal distal-most point along a medial anterior/posterior extent, the medial sagittal distal-most point and the lateral sagittal distal-most point located in a common coronal plane, whereby the medial articular track and the lateral articular track comprise respective distal-most points at a common anterior/posterior location.

15. The tibial bearing component of claim 11, wherein the tibial bearing component is implantable at an anteroposterior slope angle as measured in the bearing component sagittal plane, the anteroposterior slope angle formed between the bearing component transverse plane and a transverse reference plane, the transverse reference plane positioned to be normal to an anatomic axis of a tibia when the tibial bearing component is implanted, the anteroposterior slope angle having a positive value when an anterior edge of the tibial bearing component is elevated with respect to a posterior edge thereof, the lateral articular track defining a lateral sagittal distal-most point defined as a point among the lateral set of coronal distal-most points that is closest to the transverse reference plane when the anteroposterior slope angle is equal to 5 degrees, the lateral sagittal distal-most point coincident with a posterior terminus of the anterior portion of the lateral articular track.

16. The tibial bearing component of claim 11, wherein the curved line of the posterior portion of the lateral articular track defines a radius having a radius center, the radius center spaced medially from the lateral articular track, whereby the curved line is shaped to arc inwardly toward the medial articular compartment.

17. The tibial bearing component of claim 16, wherein the medial articular compartment comprises a plurality of coronal cross-sectional profiles defining a medial set of coronal distal-most points spanning a medial anterior/posterior extent, the medial set of coronal distal-most points defining a medial articular track, the radius center coincident with a projection of the medial articular track onto the bearing component transverse plane.

18. A tibial bearing component for articulation with a medial femoral condyle and a lateral femoral condyle, the tibial bearing component defining a tibial bearing component coordinate system comprising:

a bearing component transverse plane extending along a medial/lateral direction and an anterior/posterior direction;

a bearing component coronal plane extending along a proximal/distal direction and the medial/lateral direction, the bearing component coronal plane is perpendicular to the bearing component transverse plane; and a bearing component sagittal plane extending along the anterior/posterior direction and the proximal/distal direction, the bearing component sagittal plane is perpendicular to the bearing component transverse plane and the bearing component coronal plane,

the tibial bearing component comprising:

an articular surface and an opposing distal surface, the distal surface is parallel to the bearing component transverse plane, the articular surface including a medial articular compartment and a lateral articular compartment that are sized and dished shaped for articulation with the medial femoral condyle and the lateral femoral condyle respectively, the medial articular compartment and lateral articular compartment separated from one another by the bearing component sagittal plane, wherein the medial articular compartment and the lateral articular compartment are asymmetric in shape relative to one another,

the lateral articular compartment comprising a plurality of coronal cross-sectional profiles defining a lateral set of coronal distal-most points spanning a lateral anterior/posterior extent, the lateral set of coronal distal-most points defining a lateral articular track,

the lateral articular track having an anterior portion and a posterior portion, the posterior portion defining a curved line when projected onto the bearing component transverse plane.

19. The tibial bearing component of claim 18, wherein the lateral articular compartment comprises an overall anterior/posterior span, and the posterior portion of the lateral articular track that occupies between 20% and 50% of the overall anterior/posterior span.

20. The tibial bearing component of claim 18, wherein the anterior portion defines a nominally straight line when projected onto the bearing component transverse plane.

\* \* \* \* \*