

## (12) United States Design Patent (10) Patent No.:

Sakurai et al.

US D1,089,807 S

(45) **Date of Patent:** \*\* Aug. 19, 2025

#### (54) LIGHT-EMITTING ELEMENT MODULE

### (71) Applicant: HAMAMATSU PHOTONICS K.K.,

Hamamatsu (JP)

(72) Inventors: Naoto Sakurai, Hamamatsu (JP);

Akihiro Oguri, Hamamatsu (JP); Yuya

Iwazaki, Hamamatsu (JP)

Assignee: HAMAMATSU PHOTONICS K.K.,

Hamamatsu (JP)

Term: 15 Years

Appl. No.: 29/798,677

(22) Filed: Jul. 9, 2021

#### (30)Foreign Application Priority Data

Jan. 20, 2021 (JP) ...... 2021-001100 D

(51) LOC (15) Cl. ...... 26-05

(52) U.S. Cl.

USPC ...... **D26/120** 

#### (58) Field of Classification Search

USPC ...... D26/1, 2, 35, 120; D13/180, 181 CPC ....... H01L 33/00; H01L 33/04; H01L 33/08; H01L 33/10; H01L 33/20; H01L 33/38; H01L 33/42; H01L 25/167; H01L 25/0753; H01L 27/0248; H01L 27/15; H01L 27/156; F21S 43/00; H10H 20/80; H10H 20/811; H10H 20/813; H10H 20/814; H10H 20/819;

(Continued)

#### (56)References Cited

#### U.S. PATENT DOCUMENTS

6,777,719 B1 8/2004 Fujii D576,571 S 9/2008 Itai ...... D13/180 (Continued)

#### FOREIGN PATENT DOCUMENTS

JP 1389544 S

#### OTHER PUBLICATIONS

6/2010

"Lumistrips The new Chip Scale Packaged Flip Chip LED technology", Lumistrips LED Professional https://www.lumistrips.com/ lumistrips-blog/chip\_scale\_leds\_explained, Mar. 12, 2020.

(Continued)

Primary Examiner — Clint A Samuel

(74) Attorney, Agent, or Firm — Faegre Drinker Biddle & Reath LLP

(57)CLAIM

The ornamental design for a light-emitting element module as shown and described.

#### DESCRIPTION

FIG. 1 is a front view of a light-emitting element module of the present invention;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a front, top and right side perspective view thereof; FIG. 8 is a rear, bottom and left side perspective view

thereof;


FIG. 9 is a sectional view thereof with inner mechanism is omitted taken along the line 9-9 in FIG. 3;

FIG. 10 is an enlarged view thereof defined by the line 10-10 in FIG. 7; and,

FIG. 11 is an enlarged sectional view thereof with inner mechanism is omitted defined by the line 11-11 in FIG. 9. The broken lines show portions of a light-emitting element module that form no part of the claimed design.


The alternate long and short dash lines are merely the boundary lines between the claimed parts and the nonclaimed parts.

#### 1 Claim, 11 Drawing Sheets





# US **D1,089,807** S Page 2


(50)	Field of Classification	n Coonah	D797,364 S *	0/2017	Doverf D26/120
(58)	Field of Classification		D797,364 S *		Deyaf D26/120 Deyaf D26/120
	CPC H10H 20/83	1; H10H 20/833; H10H 29/14;	D797,366 S *		Deyaf D26/120
		H10H 29/142; H10D 84/60			Gloor D26/120
	See application file for complete search history.		D831,593 S		Nishio et al.
	see application me is	r complete search motory.	D831,393 S D832,802 S		Nishio et al.
(56)	Dofowar	ices Cited	D846,511 S		Nishio et al.
(30)	Referei	ices Citeu	D847,102 S		Chen et al.
	HC DATENT	DOCUMENTS	D856,946 S	8/2019	
	U.S. PATENT	DOCUMENTS	D906,270 S	12/2020	
	7 401 077 D2 # 2/2000	F-1	11,935,910 B2		Yang et al.
	7,491,977 B2 * 2/2009	Fukasawa	D1,022,307 S *		Tomney D26/35
	D500.255.G 4/2000	257/E33.068	11,949,050 B2		Chen et al.
		Tsuchiya et al.	12,113,159 B2		Park et al.
	D370,337 B	Miyashita D13/180	12,132,154 B2	10/2024	Lee et al.
		Ogata D26/1	D1,057,674 S *		Bailey D13/180
		Seo et al.	D1,060,278 S *	2/2025	Trinkle D13/180
		Lin et al. Wada et al.	D1,060,754 S *	2/2025	Na D26/1
			D1,062,026 S *	2/2025	Kao D26/113
	7,675,087 B1 3/2010 D624,883 S * 10/2010	Cheng et al. Lin D13/180	D1,067,205 S *	3/2025	Hashimoto D13/180
		Ni et al.	2006/0214273 A1	9/2006	Wang et al.
		Takeuchi D13/180	2007/0034855 A1	2/2007	Hwang et al.
		Lin D13/180	2007/0063213 A1		Hsieh et al.
	,	Lin D13/180	2007/0096114 A1	5/2007	Aoki et al.
	D640,644 S 6/2011		2008/0303018 A1	12/2008	Kim et al.
		Lin D13/180	2009/0045428 A1	2/2009	
	D0 10,55 1 B	Shimizu D13/180	2010/0006888 A1		Watanabe et al.
		Shimizu et al.	2010/0123145 A1	5/2010	
		Fukui D13/180	2011/0180782 A1		Fattal et al.
		Miyashita	2013/0068936 A1	3/2013	
		Miyashita	2015/0211935 A1		Ojima et al.
		Shimizu et al.	2020/0013759 A1*		Yoo H01L 25/0753
		Kobayakawa et al.	2021/0005590 A1		Ishii et al.
		Hsu D13/180	2021/0183825 A1		Wuu et al.
		Hsu D13/180	2021/0348739 A1		Lee et al.
		Lueken D26/120	2021/0358998 A1		Kishimoto
		Hayashi D13/180			Kim H01L 25/162
	D724,549 S 3/2015		2022/0052229 A1		Min et al.
	D731,989 S 6/2015	Huang et al.	2022/0181532 A1		Hasunuma
	D737,784 S 9/2015	Song	2022/0279638 A1		Iwazaki et al.
	D741,821 S 10/2015		2023/0126339 A1 2023/0411563 A1	4/2023 12/2023	
		Chen et al.	2024/0204150 A1*		Kawano A61K 40/405
		Huang et al.	2024/0222565 A1	7/2024	
	D774,475 S 12/2016		2024/0222303 AT	112024	Do
	D774,476 S 12/2016				
	D778,846 S 2/2017		OTI	HER PU	BLICATIONS
	D778,847 S 2/2017				
		Bergmann et al.	"New LED packaging technology improves performance", phys.org		
		Deyaf D26/120	https://phys.org/news/2012-09-packaging-technology.html, Sep. 25,		
		Kim D26/120	2012.		
		Deyaf D26/120	Notice of Allowance issued Jan. 21, 2025 for non-counterpart		
		Deyaf D26/120			
		Deyaf D26/120	Design U.S. Appl. No.	. 29/198,0	70.
		Deyaf D26/120	* '. 11 '		
	D797,363 S * 9/2017 Deyaf D26/120 * cited by examiner				





O L















0







(C) (L)



Aug. 19, 2025

