United States Patent Application Publication	20250278430
Kind Code	A1
Publication Date	September 04, 2025
Inventor(s)	DiBenedetto; Michael et al.

SYSTEMS AND METHODS FOR RELATIONAL VIDEO DATA STORAGE

Abstract

A senior living computer platform is provided, as well as systems and methods for using a senior living computer platform to facilitate senior engagement with their daily schedule and caregivers associated with the seniors, and coordinate care between caregivers. In particular, the present embodiments relate to enhanced communication techniques between a senior and their family/friends via a social networking application. For instance, "stories functionality" is provided within a social networking application running on the senior's mobile device that allows the senior to interact with their virtual care circle. The senior may "video answer" several life experience questions, and/or otherwise record video stories, memories, and/or life experiences for sharing with their family and friends within the social networking application.

Inventors: **DiBenedetto; Michael (Mesa, AZ), Fields; Brian (Phoenix, AZ), Lin; Jo-Jo (Tempe, AZ), Schwartz; Audrey (Mesa, AZ), Li; Zichong (Sacramento, CA), Davidson; Daniel (Phoenix, AZ), Wilson; Daniel (Glendale, AZ), Wang; Daniel (San Francisco, CA), Sherwood; Diana (Scottsdale, AZ)**

Applicant: **State Farm Mutual Automobile Insurance Company** (Bloomington, IL)

Family ID: **96881214**

Appl. No.: **18/050861**

Filed: **October 28, 2022**

Related U.S. Application Data

us-provisional-application US 63274853 20211102
us-provisional-application US 63273547 20211029

Publication Classification

Int. Cl.: **G06F16/738** (20190101); **G06F3/04817** (20220101); **G06F16/735** (20190101); **G06Q50/00** (20240101)

U.S. Cl.:

CPC **G06F16/738** (20190101); **G06F3/04817** (20130101); **G06F16/735** (20190101); **G06Q50/01** (20130101);

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS [0001] This application claims priority to U.S. Provisional Patent Application No. 63/274,853, filed Nov. 2, 2021, entitled "SYSTEMS AND METHODS FOR RELATIONAL VIDEO DATA STORAGE," and to U.S. Provisional Patent Application No. 63/273,547, filed Oct. 29, 2021, entitled "SYSTEMS AND METHODS FOR RELATIONAL VIDEO DATA STORAGE," and is related to U.S. patent application Ser. No. 16/996,592, filed Aug. 18, 2020, entitled "SENIOR LIVING ENGAGEMENT AND CARE SUPPORT PLATFORMS," which claims priority to U.S. Provisional Patent Application Ser. No. 63/041,409, filed Jun. 19, 2020, entitled "SENIOR LIVING ENGAGEMENT AND CARE SUPPORT PLATFORMS," U.S. Provisional Patent Application Ser. No. 62/935,854, filed Nov. 15, 2019, entitled "SENIOR LIVING ENGAGEMENT AND CARE SUPPORT PLATFORMS," U.S. Provisional Patent Application Ser. No. 62/935,860, filed Nov. 15, 2019, entitled "SENIOR LIVING ENGAGEMENT AND CARE SUPPORT PLATFORMS," U.S. Provisional Patent Application Ser. No. 62/888,746, filed Aug. 19, 2019, entitled "SENIOR LIVING ENGAGEMENT AND CARE SUPPORT PLATFORMS," and U.S. Provisional Patent Application Ser. No. 62/892,207, filed Aug. 27, 2019, entitled "SENIOR LIVING ENGAGEMENT AND CARE SUPPORT PLATFORMS," the entire contents and disclosures of which are hereby incorporated herein by reference in their entirety.

FIELD OF THE DISCLOSURE
[0002] The present disclosure generally relates to video data storage and, more particularly, to systems and methods for relational video data storage wherein video data relating to a related topic is linked together, stored in a database, and retrievable by an end-user based upon the related topic. The present embodiments relate to enhanced communication techniques between a senior and their family and friends via a social networking application.
BACKGROUND
[0003] Videos made from mobile devices may rapidly grow to significant levels. For example, a one minute video can take up between 24 and 124 megabytes of storage based upon the resolution of the video. Furthermore, many storage solutions for videos require individuals to search through multiple videos to find the desired video. At least some conventional computer networks have enabled caregivers (e.g., family members, friends, and care service providers) associated with senior users to coordinate care for the senior user. However, conventional systems usually merely keep a schedule of the coordinated care, and may not provide additional functionality. Further, known systems may not facilitate senior engagement in preserving stories and memories from the seniors. Known systems may have other drawbacks as well, such as being difficult to use, not user-friendly, inefficient, time consuming, and/or providing unsatisfying user-experiences.
BRIEF SUMMARY
[0004] The present embodiments may provide "stories functionality" within a social networking application running on a mobile device that allows a senior to interact with their virtual care circle. The senior may "video answer" several life experience questions, and/or otherwise record video

stories, memories, and/or life experiences for sharing with their family and friends within the social networking application.

[0005] In one aspect, a video creation and storage system may be provided. The computer system may include at least one processor (and/or transceiver and camera) in communication with at least one memory device. The at least one processor may be programmed to: (i) register a group of users through an application, wherein each user of the group of users is associated with a client device; (ii) display, via a first client device, a question to at least a first user of the group of users; (iii) receive, from the first client device, a first video captured by the first client device in response to the question; (iv) transmit to at least a second client device, a link to view the first video, wherein the second client device is configured to display the first video; (v) receive, from the second client device, a second video captured by the second client device in response to the first video; and/or (vi) associate the second video with the first video. The system may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0006] In another aspect, a computer-implemented method for video creation and storage may be provided. The computer-implemented method may be performed by an engagement and care support platform computer system including at least one processor (and/or associated transceiver and camera) in communication with at least one memory device. The computer-implemented method may include: (i) registering a group of users through an application, wherein each user of the group of users is associated with a client device; (ii) displaying, via a first client device, a question to at least a first user of the group of users; (iii) receiving, from the first client device, a first video captured by the first client device in response to the question; (iv) transmitting to at least a second client device, a link to view the first video, wherein the second client device is configured to display the first video; (v) receiving, from the second client device, a second video captured by the second client device in response to the first video; and/or (vi) associating the second video with the first video. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

[0007] In another aspect, a computer-implemented method of accepting video answers to life experience questions or video stories recorded by a senior user may be provided. The computer-implemented method may be implemented via one or more local or remote processors, transceivers, sensors, and/or servers, but preferably is primarily implemented via the senior's mobile device (and the associated processors and transceivers therein). The life experience questions are determined, selected, received, and/or created, and then presented to the senior within a social networking application that interconnects the senior with their care circle members via their mobile device. The method may include (1) registering a senior, via one or more processors running the social networking application on the senior's mobile device, the registering may include accepting user input of one or more items associated with personal information of the senior; (2) determining or receiving, via the one or more processors running the social networking application on the senior's mobile device, one or more initial life experience questions for the senior to video answer via tapping on a video answer icon positioned within a graphic user interface associated with the social networking application; (3) displaying, via the one or more processors running the social networking application on the senior's mobile device, (i) at least one of the one or more initial life experience questions for the senior to video answer, and (ii) an associated video answer icon within the graphic user interface associated with the social networking application; (4) recording, via the one or more processors running the social networking application on the senior's mobile device, a video answer (or video story) showing or otherwise recording (such as audibly recording the senior while the video captures images other than those of the senior) the senior answering the at least one of the one or more initial life experience questions, the video answer being a video recorded by the mobile device and being tagged or linked to, or otherwise associated with, the at least one of the one or more initial life experience questions; and/or (5) allowing, via the one or more processors running the social networking application on the mobile device, the senior to share the video answer (or video story) to one or more mobile devices of selected care circle members or all of the members of the senior's care circle to facilitate creating and sharing videos of the senior describing their life experiences, memories, and stories with their family members. The computer-implemented method may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0008] In another aspect, a mobile device including one or more processors, transceivers, and/or voice-bots may be provided. The mobile device may be configured with, and/or run, a social networking application that virtually interconnects a senior with their care circle members. The mobile device may be configured to record and accept video answers to life experience questions (or to other questions, or even comments on certain topics) posed to the senior, or record video stories of life experiences or memories told by the senior. The one or more processors and/or transceivers (and/or the mobile device or social networking application) may be configured to: (1) register the senior, via one or more processors running the social networking application on the senior's mobile device, by accepting user input of one or more items associated with personal information of the senior (e.g., name and address information); (2) determine or receive, via the one or more processors running the social networking application on the senior's mobile device, one or more initial life experience questions for the senior to video answer via tapping on a video answer icon positioned within a graphic user interface associated with the social networking application; (3) display, via the one or more processors running the social networking application on the mobile device, at least one of the one or more initial life experience questions for the senior to answer and an associated “video answer” icon within the graphic user interface associated with the social networking application; (4) record, via the one or more processors running the social networking application on the mobile device, a video answer (or video story) showing or otherwise recording the senior answering the at least one of the one or more initial life experience questions, the video answer being a video recorded by the mobile device and being tagged or linked to, or otherwise associated with, the at least one of the one or more initial life experience questions; and/or (5) share, via the one or more processors running the social networking application on the mobile device, the video answer (or video story) to one or more members of the senior's care circle to facilitate creating and sharing videos of the senior describing their life experiences with their family members. The mobile device may be configured with additional, less, or alternate functionality, including that discussed elsewhere herein.

[0009] In another aspect, a computer-implemented method of recording and/or accepting video answers to life experience questions recorded by a senior user may be provided. The questions are presented to the senior within a social networking application that virtual interconnects the senior with their care circle members via their mobile device and wireless communication. The method may include: (1) registering a senior, via one or more processors running the social networking application on the mobile device, the registration includes accepting user input of one or more items associated with personal information of the senior; (2) creating, via one or more local or remote processors or servers, a user profile for the senior based upon the user input of one or more items associated with personal information of the senior and/or other information collected about the senior with their permission; (3) determining, via the one or more local or remote processors or servers or the one or more processors running the social networking application on the mobile device, one or more initial life experience questions for the senior to video answer (such as by tapping on a “video answer” icon positioned within a graphic user interface associated with the social networking application to start a video recording on their mobile device) based upon the user profile for the senior; (4) displaying or presenting, via the one or more processors running the social networking application on the mobile device, (i) at least one of the one or more initial life experience questions for the senior to video answer, and (ii) an associated video answer icon within the graphic user interface associated with the social networking application (the question presented and the video answer icon being presented in close proximity to each other); and/or (5) recording, via the one or more processors running the social networking application on the mobile device, a video answer (or video story) showing or otherwise recording the senior answering the at least one of the one or more initial life experience questions or sharing a story about their life, the video answer being a video recorded by the mobile device, and being tagged or linked to the at least one of the one or more initial life experience questions. The method may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0010] The present embodiments may also relate to systems and methods for facilitating senior engagement in their daily schedules and coordinating care between caregivers of the senior. The system may include an engagement and care support computing device, one or more client devices, one or more third party servers, and/or one or more databases.

[0011] In one aspect, an engagement and care support platform computer system for facilitating senior user engagement may be provided. The computer system may include at least one processor in communication with at least one memory device. The at least one processor may be programmed to: (i) register a user through an application, wherein the user inputs personal and scheduling data into the application, (ii) register a caregiver associated with the user through the application, (iii) generate a senior profile based upon the user personal and scheduling data, (iv) build a daily interactive user interface that reflects the senior profile, (v) display the daily interactive user interface at a first client device associated with the user, (vi) cause the first client device to initiate a daily interaction prompt to the user, (vii) determine whether any user interaction was received at the first client device in response to the daily interaction prompt, and/or (viii) transmit a daily update message to a second client device associated with the caregiver, the daily update message including an indication of whether any user interaction was received at the first client device. The care coordination support platform computer system may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0012] In another aspect, a computer-implemented method for facilitating senior user engagement may be provided. The computer-implemented method may be performed by an engagement and care support platform computer system including at least one processor in communication with at least one memory device. The computer-implemented method may include: (i) registering a user through an application, wherein the user inputs personal and scheduling data into the application, (ii) registering a caregiver associated with the user through the application, (iii) generating a senior profile based upon the user personal and scheduling data, (iv) building a daily interactive user interface that reflects the senior profile, (v) displaying the daily interactive user interface at a first client device associated with the user, (vi) causing the first client device to initiate a daily interaction prompt to the user, (vii) determining whether any user interaction was received at the first client device in response to the daily interaction prompt, and/or (viii) transmitting a daily update message to a second client device associated with the caregiver, the daily update message including an indication of whether any user interaction was received at the first client device. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

[0013] In yet another aspect, a non-transitory computer-readable media having computer-executable instructions embodied thereon may be provided. When executed by an engagement and care support platform computer system including a processor in communication with a memory device, the computer-executable instructions may cause the processor to (i) register a user through an application, wherein the user inputs personal and scheduling data into the application, (ii) register a caregiver associated with the user through the application, (iii) generate a senior profile based upon the user personal and scheduling data, (iv) build a daily interactive user interface that reflects the senior profile, (v) display the daily interactive user interface at a first client device associated with the user, (vi) cause the first client device to initiate a daily interaction prompt to the user, (vii) determine whether any user interaction was received at the first client device in response to the daily interaction prompt, and/or (viii) transmit a daily update message to a second client device associated with the caregiver, the daily update message including an indication of whether any user interaction was received at the first client device.

[0014] In one aspect, a video creation and storage system is provided. The system includes a computer system including at least one processor in communication with at least one memory device. The at least one processor is programmed to: (1) register a senior user, wherein the registering includes accepting user input of one or more items associated with personal information of the senior user; (2) determine one or more initial life experience questions for the senior user to create a video answer for; (3) display, to the senior user via a graphical user interface, (i) at least one of the one or more initial life experience questions for the senior user to answer, and (ii) an associated video answer icon within a graphic user interface; (4) receive, from the senior user via the graphic user interface, a selection of an initial life experience question; (5) record a video answer including the senior user answering the selected life experience question, the video answer being linked to the selected life experience question; and/or (6) based on input from the senior user, share the video answer to one or more members of a care circle associated with the senior user. The system may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0015] In another aspect, a computer-implemented method for video creation and storage is provided. The computer-implemented method is performed by a computer system including at least one processor in communication with at least one memory device. The computer-implemented method includes (1) registering a senior user, wherein the registering includes accepting user input of one or more items associated with personal information of the senior user; (2) determining one or more initial life experience questions for the senior user to create a video answer for; (3) displaying, to the senior user via a graphical user interface, (i) at least one of the one or more initial life experience questions for the senior user to answer, and (ii) an associated video answer icon within a graphic user interface; (4) receiving, from the senior user via the graphic user interface, a selection of an initial life experience question; (5) recording a video answer including the senior user answering the selected life experience question, the video answer being linked to the selected life experience question; and/or (6) based on input from the senior user, sharing the video answer to one or more members of a care circle associated with the senior user. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

[0016] In a further aspect, a video creation and storage system is provided. The computer system including at least one processor in communication with at least one memory device. The at least one processor is programmed to: (1) register a senior user, wherein the registering includes accepting user input of one or more items associated with personal information of the senior user; (2) determine one or more initial life experience questions for the senior user to create a video answer for; (3) display, to the senior user via a graphical user interface, (i) at least one of the one or more initial life experience questions for the senior user to answer, and (ii) an associated video answer icon within a graphic user interface; (4) receive, from the senior user via the graphic user interface, a selection of an initial life experience question; (5) record a video answer including the senior user answering the selected life experience question, the video answer being linked to the selected life experience question; and/or (6) based on input from the senior user, share the video answer to one or more members of a care circle associated with the senior user. The system may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0017] In a still further aspect, a computer-implemented method for video creation and storage is provided. The computer-implemented method performed by a computer system including at least one processor in communication with at least one memory device. The computer-implemented method includes (1) registering a senior user, wherein the registering includes accepting user input of one or more items associated with personal information of the senior user; (2) determining one or more initial life experience questions for the senior user to create a video answer for; (3) displaying, to the senior user via a graphical user interface, (i) at least one of the one or more initial life experience questions for the senior user to answer, and (ii) an associated video answer icon within a graphic user interface; (4) receiving, from the senior user via the graphic user interface, a selection of an initial life experience question; (5) recording a video answer including the senior user answering the selected life experience question, the video answer being linked to the selected life experience question; and/or (6) based on input from the senior user, sharing the video answer to one or more members of a care circle associated with the senior user. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

life experience questions for the senior user to answer, and (ii) an associated video answer icon within a graphic user interface; (4) receiving, from the senior user via the graphic user interface, a selection of an initial life experience question; (5) recording a video answer including the senior user answering the selected life experience question, the video answer being linked to the selected life experience question; and/or (6) based on input from the senior user, sharing the video answer to one or more members of the senior user's care circle. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.
[0018] Advantages will become more apparent to those skilled in the art from the following description of the preferred embodiments which have been shown and described by way of illustration. As will be realized, the present embodiments may be capable of other and different embodiments, and their details are capable of modification in various respects. Accordingly, the drawings and description are to be regarded as illustrative in nature and not as restrictive.

Description

BRIEF DESCRIPTION OF THE DRAWINGS
[0019] The Figures described below depict various aspects of the systems and methods disclosed therein. It should be understood that each Figure depicts an embodiment of a particular aspect of the disclosed systems and methods, and that each of the Figures is intended to accord with a possible embodiment thereof. Further, wherever possible, the following description refers to the reference numerals included in the following Figures, in which features depicted in multiple Figures are designated with consistent reference numerals.
[0020] There are shown in the drawings arrangements which are presently discussed, it being understood, however, that the present embodiments are not limited to the precise arrangements and are instrumentalities shown, wherein:
[0021] FIG. **1** illustrates an exemplary engagement and care support computer system for facilitating engagement of a user and caregivers with a care schedule of the user;
[0022] FIG. **2** illustrates an exemplary configuration of an exemplary user computing device that may be used in the engagement and care support computer system illustrated in FIG. **1**;
[0023] FIG. **3** illustrates an exemplary configuration of an exemplary server computing device that may be used in the engagement and care support computer system illustrated in FIG. **1**;
[0024] FIG. **4** illustrates a flow chart of an exemplary computer-implemented method implemented by the exemplary engagement and care support computer system shown in FIG. **1**;
[0025] FIG. **5** illustrates a diagram of components of one or more exemplary computing devices that may be used in the engagement and care support computer system shown in FIG. **1**;
[0026] FIG. **6** is a screenshot of one example initial welcome page of an engagement and care support application illustrated in FIG. **1**;
[0027] FIG. **7** is a screenshot of one example user registration page of an engagement and care support application illustrated in FIG. **1**;
[0028] FIG. **8** is a screenshot of one example caregiver registration page of an engagement and care support application illustrated in FIG. **1**;
[0029] FIG. **9** is a screenshot of one example welcome page of an engagement and care support application illustrated in FIG. **1**;
[0030] FIG. **10** is a screenshot of one example user care team page of an engagement and care support application illustrated in FIG. **1**;
[0031] FIG. **11**A is a screenshot of one example user home page of an engagement and care support application illustrated in FIG. **1**;
[0032] FIG. **11**B is a screenshot of another example user home page of an engagement and care support application illustrated in FIG. **1**;

[0033] FIGS. **11**C-**11**H are screenshots of example user interaction pages of an engagement and care support application illustrated in FIG. **1**;
[0034] FIGS. **12**A and **12**B are screenshots of example caregiver home screens of an engagement and care support application illustrated in FIG. **1**;
[0035] FIGS. **13**A and **13**B are screenshots of further example caregiver home screens of an engagement and care support application illustrated in FIG. **1**;
[0036] FIG. **14** is a screenshot of one example caregiver feed page of an engagement and care support application illustrated in FIG. **1**;
[0037] FIG. **15** is a screenshot of one example caregiver schedule page of an engagement and care support application illustrated in FIG. **1**;
[0038] FIGS. **16** and **17** are screenshots of example caregiver list pages of an engagement and care support application illustrated in FIG. **1**;
[0039] FIG. **18** is a screenshot of one example care circle page of an engagement and care support application illustrated in FIG. **1**;
[0040] FIG. **19** illustrates an exemplary computer-implemented method of providing a care circle platform that includes chatbot and mobile application functionality that facilitates coordination of virtual care circle member communication and tasks;
[0041] FIG. **20** is an exemplary computer-implemented method of creating video stories and/or accepting video answers to life experience questions recorded by a senior user, the questions being presented to the senior within a social networking application that interconnects the senior with their care circle members via their mobile device;
[0042] FIGS. **21**A & **21**B depict an exemplary graphical user interface for a social networking application that provides functionality associated with creating video stories and/or accepting video stories and video answers to life experience questions recorded by a senior user;
[0043] FIG. **22** illustrates an exemplary computer-implemented method of creating and storing related video memories in accordance with at least one embodiment;
[0044] FIG. **23** illustrates a screenshot of an activity feed of the engagement and care support application illustrated in FIG. **1**;
[0045] FIGS. **24** and **25** illustrate screenshots of activity feeds with questions for videos for the engagement and care support application illustrated in FIG. **1**;
[0046] FIG. **26** illustrates a screenshot of an activity feed with a video response for the engagement and care support application illustrated in FIG. **1**; and
[0047] FIG. **27** illustrates a screenshot of a video being uploaded for the engagement and care support application illustrated in FIG. **1**.
[0048] The Figures depict preferred embodiments for purposes of illustration only. One skilled in the art will readily recognize from the following discussion that alternative embodiments of the systems and methods illustrated herein may be employed without departing from the principles of the invention described herein.

DETAILED DESCRIPTION

[0049] The present embodiments may relate to, inter alia, systems and methods for facilitating engagement of a senior user (also referred to herein as a "user") in a care schedule of the user and coordinating care between caregivers associated with the user. In one exemplary embodiment, the process may be performed by an engagement and care support platform ("ECSP") computer system (also referred to herein as an "ECSP platform" and an "ECSP server"). In another embodiment, the process may be performed by a digital care circle platform, which may be configured to perform steps that are substantially similar to those described herein for the ECSP computer system.
[0050] As described below, the systems and methods described herein may leverage different types of data (e.g., user and caregiver data, user events including tasks, activities, and appointments, caregiver schedules, smart device data, and mobile device data) to facilitate independent engagement of a user (e.g., a senior user) and provide information associated with that information

to a caregiver.

[0051] The caregivers associated with the user may include people who normally take care of the user (e.g., family members, friends, paid caregivers, etc.) and service providers of the user (e.g., health care professionals, such as doctors, nurses, physical therapists, occupational therapists, etc.). The caregivers often have busy schedules, and it may be difficult for the caregivers to coordinate caring for the user. Accordingly, friction between caregivers may arise from constantly trying to coordinate care and scheduling to take care of the user. Moreover, it can be unclear whether or when certain tasks have been completed, which may lead to redundancy in task completion and/or incomplete tasks.

[0052] In addition, some senior users may desire a level of independence from their caregivers, and may only want or need assistance for certain tasks. Accordingly, the user may grow frustrated with unpredictable caregiver schedules and/or unnecessary caregiver presence.

[0053] The systems and methods described herein ensure that the user is actively engaged in their care schedule and that each caregiver is informed about the status of the user and their assigned tasks of the care schedule. In addition, caregivers are able to care for the user and/or carry out tasks for the user and may reduce friction between caregivers by providing a platform that automatically assigns care duties to caregivers based upon information (e.g., scheduling and calendar information) input by the caregivers and ensures that the caregivers complete their assigned duties. Further, the systems and methods described herein may learn about the user and associated caregivers and adjust interactions with the user and associated caregivers and the coordinating of the care schedule of the user as well as engagement of the user based upon the learning. Moreover, the systems and methods herein facilitate independent senior engagement with an interface that enables caregivers to remotely view the user's interactions with the interface. Therefore, the caregivers can be assured of the senior user's state.

[0054] Furthermore, data, such as videos, may take up significant amounts of space. Accordingly, storage of the videos needs account for the required/necessary space, as well as allow for easy access to the videos, even from those that are not computer-savvy. These videos may be linked together for multiple reasons and using multiple different methods. For example, videos may be linked together based on creator, content, time, date, how the video is initiated, and/or user request. Having those videos linked together may allow it to be easier for a user to find the video that they want, by looking based upon one or more of the above, or other, linking categories.

Exemplary User and Caregiver Data Collection

[0055] In the exemplary embodiment, an engagement and care support platform (e.g., provided by an engagement and care support platform server) may leverage different kinds of data (e.g., user and caregiver data, user events, caregiver schedules, sensor data, and mobile device data) to coordinate a care schedule of a user between one or more caregivers associated with the user and/or promote user engagement with the engagement and care support platform. In the exemplary embodiment, a primary caregiver (e.g., an admin caregiver) may register for the engagement and care support platform (“ECSP”) service provided by an ECSP server through an application (e.g., a ECSP application) on a mobile device associated with the admin caregiver, or any other suitable device that may access the ECSP application and/or a website associated with the ECSP application.

[0056] In registering for the ECSP service, the admin caregiver may provide the ECSP server with information associated with the user. The information associated with the user may include user data (e.g., name, birthdate, height, weight, etc.), user tasks (e.g., taking medicine, bathing, eating, paying bills, getting groceries, car maintenance, home maintenance, etc.), user activities (e.g., social activities, like bingo and golfing, physical activities, like working out and keeping active, etc.), user interests and hobbies (e.g., fishing, home improvement, gardening, etc.) user appointments (e.g., recurring appointments like yearly physicals and bimonthly haircuts, etc.), user alert preferences (e.g., when and through which method users prefer to be alerted), and any other information associated with the user that may be useful to the ECSP server. This information associated with the user may be stored in a “senior profile,” which may be leveraged to generate activity schedules, provide relevant content (e.g., articles or games), and the like. In other embodiments, the user may register for the service and provide the ECSP server with information for the senior profile themselves. In some embodiments, the admin caregiver and/or the user may provide contact information for users that may not be caregivers, such as non-caregiver family members, social groups (e.g., member of a book club), etc. The contact information for these users may be identified and stored using “shortcut” names or phrases that identify the group. For example, contact information for a user's three children may be identified collectively as a “Kids” group.

[0057] Further, in registering for the ECSP service, the admin caregiver may invite other caregivers to be a part of a care team for the user. For example, the admin caregiver may provide the ECSP server with a list of emails and/or phone numbers of other caregivers who are associated with the user. The ECSP server may send an invitation link and/or code to the other caregivers instructing the other caregivers on how to sign up for the care team for the user associated with the admin caregiver.

[0058] Each caregiver, including the admin caregiver, may register themselves for the ECSP service. In registering for the ECSP service, the caregivers may provide the ECSP server with caregiver information (e.g., name, contact information, relationship to the user), caregiver schedule information (e.g., known work and/or activity schedules of the caregivers), caregiver alert preferences (e.g., when and through which method caregivers prefer to be alerted), and/or any other caregiver information that may be useful to the ECSP server. In some embodiments, the caregivers may link their digital calendars (e.g., provided on a mobile device associated with the caregiver) to the ECSP server such that the caregivers do not have to manually input scheduling data available to the ECSP server into the digital calendar. The user and the caregivers may update and/or edit the user and caregiver data at any time (e.g., through the ECSP application).

[0059] In the exemplary embodiment, if the caregiver is a person who normally takes care of the user and needs to view and/or be notified of the schedule of the user, the caregiver may fully register for the ECSP service. If the caregiver is a person who only provides certain services to the user (e.g., a doctor, nurse, physical therapist, occupational therapist, etc.) and/or is socially involved with the user for specific activities (e.g., a garden club member, a book club member, etc.), the caregiver may have very limited access to the ECSP service, and the ECSP server may have very limited access to the caregiver data (e.g., the ECSP server may simply receive calendar updates from the caregiver if an event related to the user is scheduled).

[0060] In the exemplary embodiment, the ECSP server may also be configured to receive sensor data from sensors associated with the user and/or the caregivers. For example, sensors may include smart home device sensors (e.g., AMAZON ALEXA, GOOGLE HOME, and/or RING doorbells), wearable device sensors (e.g., APPLE WATCH and FITBIT), smart device sensors (e.g., smart pillboxes), sensors associated with a mobile device of the user and caregivers (e.g., GPS sensors), and any other sensors. In the exemplary embodiment, the ECSP server may be configured to store the received data (e.g., user data, caregiver data, sensor data, etc.) in a memory.

Exemplary Video Creation Memory Storage

[0061] In the exemplary embodiment, the ECSP server may be configured to prompt (via audio prompt, text prompt, video prompt, or other type of prompt) the senior user to respond to a question with a video. Example questions may include, but are not limited to, “How does the world feel different from when you were a child?”; “What traits do you believe that you inherited from your parents?”; “Please share a funny story about your parents?”; and “What is a moment in your life that makes you smile when you think of it?” The question(s) could be asked in an “activity feed” shown to the senior user, such as on a mobile device executing an application. The senior user may then click on the question to respond, such as by a “video answer.” The mobile device that the senior user is using would then activate the camera that faces the user (e.g., selfie mode) to allow the senior user to record a video response to the questions. The mobile device may then compress the video, and upload the compressed video to the ECSP server for storage.

[0062] The ECSP server may then add an item (such as a video-related icon representing the senior's video answer to the question presented) to the activity feed for the members of the circle of care indicating that the senior user answered a question. The circle of care members may view the video by clicking on the corresponding item (e.g., icon representing the senior's video or video answer) in the activity feed. Furthermore, the circle of care members may also answer the question with their own videos, comment on the senior user's video (either with text comments or their own videos), and/or “like” the video. In addition to comment videos, the circle of care members may also create and upload reaction videos, where the individual user is recorded with the user facing camera, while they are watching a video. These reaction videos may be viewed on their own, or side-by-side with the original video created by the senior. These additional videos may also be viewed and responded to by others in the circle of care.

[0063] The videos may be stored in a video database that allows for the linking of the videos to each other and/or to specific questions or themes, and the display of the videos, comments, and questions in a conversation mode. The conversation mode display may display multiple videos where the videos are displayed linked to other videos. Furthermore, series of videos may be displayed indented from the videos that inspired them.

[0064] In some embodiments, videos may be linked together based upon the question that is answered (such as a life experience question or other prompt for information), the video that is responded to, the individuals in the video, additionally tagged individuals, and/or how the video is initiated.

[0065] In some embodiments, the person recording the video may upload one or more photos or other artifacts to be displayed with the video. These photos or artifacts may be displayed in at least a portion of the video, either as full screen or as an insert in the video. Furthermore, the artifacts and/or photos may be attached to video in storage so that they may be viewed on their own as well.

Exemplary Care Coordination

[0066] In the exemplary embodiment, the ECSP server may be configured to process all of the user and caregiver data (e.g., events of the user, and schedules and preferences of the caregivers) the ECSP server receives from the user and caregivers (e.g., through the ECSP application) and coordinate a care schedule of the user between the caregivers and/or promote user engagement with the ECSP application. The ECSP server may automatically assign each task, activity, and/or appointment of the user to the caregivers based upon the received caregiver data, and the received caregiver data may include caregiver preferences and schedules. The ECSP server may also promote user engagement with the ECSP server by “learning” about the user from the received user data and suggest different types of media (e.g., articles, videos, movies, TV shows, etc.) that may interest the user. The ECSP server may further suggest different activities based on the “learning” about the user. For example, the ECSP server may suggest and/or send a link to an online invite for a new gardening club if the user typically reads about gardening.

[0067] The ECSP server may allow caregivers to easily assign tasks, activities, and events of the user amongst themselves such that each caregiver is informed about the care schedule of the user, including which caregiver is assigned to each task of the care schedule. For example, the primary caregiver of the user may assign tasks that the primary caregiver knows each caregiver can handle and/or the caregivers can assign tasks to themselves as the tasks are created (e.g., through the ECSP application). The ECSP server may also process the caregiver data associated with the caregivers and compare the caregiver data to the task, activity, and appointment schedule of the user. Based upon the compared data, the ECSP server may assign each task, activity, and appointment of the user to each of the caregivers. For example, the ECSP server may assign the events to the primary caregiver first (based upon a schedule of the primary caregiver) and then assign the rest of the events not assigned to the primary caregiver to other caregivers based upon the schedules of the other caregivers.

[0068] Further, the user and/or caregivers may assign some events to the user to carry out when the user does not need assistance with the events (e.g., taking medication, doing nightly security checks, and/or doing daily exercises). Once the events have been assigned to the user and/or the caregivers, the ECSP server may create a care schedule of the user. The care schedule may include all of the user's events, and the user and/or caregiver assigned to the events. The care schedule may be stored in, for example, a care database, in a memory device associated with the ECSP server.

[0069] The ECSP server may determine if events of the care schedule of the user are taken care of by the assigned caregiver through, for example, sensor data received by the ECSP server. For instance, if a user is scheduled to take medicine at a certain time two times a day, the ECSP server may receive data from a sensor (e.g., a smart pillbox) associated with the user to determine if the pill box was opened at the certain scheduled times. Further, for example, if a caregiver is scheduled to take the user to a doctor's appointment at a certain time, the ECSP server may receive location data of the user and the caregiver (e.g., from mobile devices of the user and/or caregiver) to determine if the caregiver took the user to the doctor's appointment. Additionally, if the user is scheduled to receive a grocery delivery at a certain time, the ECSP server may receive data (e.g., from a smart home device like a smart doorbell) to determine if the groceries were delivered for the user (e.g., through determining if the doorbell was rung and/or a delivery person showed up around the scheduled time).

[0070] If the ECSP server determines that a task, activity, and/or appointment has not been carried out, the ECSP server may alert (e.g., through the ECSP application) the user and/or caregivers based upon the user and caregiver data (e.g., alert preferences). Further, the ECSP server may notify the caregivers, based on the alert preferences of the caregivers, when a scheduled event has been carried out by the caregiver and/or others (e.g., service providers). In other embodiments, the user and caregivers may manually enter that the events of the user have been taken care of by the caregiver.

Exemplary Care Coordination Support Application

[0071] In the exemplary embodiment, an ECSP application is associated with the ECSP server. The ECSP application may be configured to receive user and caregiver data, display the care schedule of the user to the caregivers, and/or alert and/or notify the user and caregivers of assigned events. The ECSP application may be run on a device associated with the user and/or caregiver (e.g., a mobile device and/or laptop of the user or caregiver). The ECSP application may be configured to display the care schedule of the user based upon the preference of the user and caregivers. For example, the ECSP application may display a list of daily, weekly, and/or monthly tasks assigned to the user and/or caregivers, a calendar that marks when the user and/or caregiver has assigned events, and any other display method that allows the user and caregivers to easily see and interact with the care schedule of the user.

[0072] In the exemplary embodiment, the ECSP server may include a chatbot that is embedded in the ECSP application and has access to the information stored by the ECSP server (e.g., scheduled/assigned events, user data, caregiver data, etc.). The chatbot may be any suitable chatbot and/or robo-assist device that functions as described herein. The chatbot may assist the user in interacting with the ECSP application (e.g., the chatbot may recognize voice commands and/or typed commands from the user), the user and caregivers in adding, editing, and/or deleting user and caregiver data, coordinating care of the user between the caregivers, receiving information about the assigned care schedule, and/or receiving information about how the user and caregivers are carrying out the care schedule. For example, instead of a user having to physically check-in with the ECSP application (e.g., through a user interface of the device associated with the user) and/or the user and/or caregiver having to manually input each event of the user, each notification request of the user and caregivers, and/or each schedule item of the caregivers, the user and caregivers may give instructions to the chatbot (e.g., through typing and/or speaking commands and/or questions using plain or colloquial language, rather than structured commands, into the chatbot through the ECSP application). Also, for example, if the user just added a daily medication to their routine, the user may instruct the chatbot to add the medication to the daily list of tasks for the user to carry out. Further, a caregiver may instruct the chatbot that the user's lawn needs to be mowed every week in the summer.

[0073] The ECSP application may be configured to passively assist in coordinating care for the user between the caregivers. For example, if the caregivers mostly have the care schedule of the user figured out and scheduled, the chatbot may be configured to monitor what the users and caregivers input into the chatbot and provide assistance if necessary. For instance, if one caregiver inputs into the chatbot that the caregiver is taking the user to an appointment on Monday at 2 p.m., the chatbot may respond to the caregiver that the appointment is on their calendar. If another caregiver says that the caregiver is taking the user to breakfast on Tuesday at 10 a.m., the chatbot may respond to the caregiver that the event is not in their calendar and ask the caregiver if the caregiver would like the event added to their calendar. If the caregiver responds that the caregiver would like the event added to their calendar, the chatbot may cause the event to be added to the calendar of the caregiver.

[0074] The user and caregivers may also ask the ECSP application questions (e.g., through the chatbot), and the ECSP application may, for example, convert the natural-language question of the user and caregivers into a query, run the query against a database (e.g., an event database stored in a memory device), and transmit a response to the question to the processor including an answer to the question, in response to the query returning the at least one event. For example, the user may ask the ECSP application who is taking them to a haircut appointment or oil change appointment, and the caregiver may ask the ECSP application to identify the last time the user had a bath.

[0075] The ECSP application may also notify and/or send alerts to the user and caregivers based upon the user and caregiver alert preferences. For example, the ECSP application may notify a caregiver that a user has not yet taken their medicine, and the ECSP application may ask the caregiver if the caregiver would like the ECSP application to send a reminder to the user to take their medicine (e.g., through an audible alert, such as via a chatbot). If the caregiver says yes, the ECSP application may automatically cause the reminder to be sent to the user.

[0076] In the exemplary embodiment, the ECSP application may further be configured to learn from the user and caregiver requests, responses, and/or questions. For example, if the ECSP application often notifies a caregiver that the user forgets to take a nightly dose of medication, and the caregiver typically tells the ECSP application to remind the user to take their medication in response to the notification from the ECSP application, the ECSP application may automatically cause the ECSP computing device to start reminding the user to take their nightly medicine dosage without input from the caregiver.

[0077] Further, the ECSP application may be configured to verbally explain scheduled events, scheduling conflicts, and/or missed scheduled events that may arise to the user and/or caregivers. For example, if the ECSP application determines that a scheduling conflict has arisen (e.g., the caregiver and/or the user are double-booked), the ECSP application may verbally engage with the user and/or caregiver to explain the scheduling conflict. In verbally engaging with the user and/or caregiver, the ECSP application may be configured to converse with the user and/or caregiver to resolve the scheduling conflict. Further, if the ECSP application determines that a scheduled event was missed, the ECSP application may verbally alert the user and/or caregiver of the missed event. In verbally alerting the user and/or caregiver, the ECSP application may also be configured to converse with the user and/or caregiver to resolve and/or reschedule the missed event.

[0078] In one exemplary embodiment, the ECSP server may be configured to use the ECSP application to facilitate engagement from the user. In particular, the ECSP server may leverage the ECSP application to encourage interaction and “check-ins” by the user. For example, the ECSP application may provide a daily interactive user interface to the user, may prompt the user to check-in proactively (e.g., through providing a prompt that the user answers), and/or may determine that the user has not checked-in and respond in a reactive manner (e.g., by notifying one or more caregivers that the user has not checked-in in a certain amount of days). As described herein, the daily interactive user interface may include any scheduled activities the user has in their calendar. In addition, the daily interactive user interface may display pictures or content provided by one or more caregivers. For example, a caregiver may provide a picture or article for display within the daily interactive user interface. The ECSP application may further provide an interaction prompt to the user that encourages the user to interact therewith. The interaction prompt may be visual, such as encouraging the user to "tap" a picture or to access a content item (e.g., read an article). The interaction prompt may additionally or alternatively be an audio prompt. For example, the audio prompt may be a question posed to the user (e.g., "How are you feeling today?") or may be related to a past or future scheduled activity (e.g., "Did you enjoy your Garden Club meeting yesterday?", "Are you looking forward to seeing the kids for dinner?"). The interaction prompt may additionally or alternatively encourage the user to perform an activity (e.g., "Why don't you take a five-minute walk around?") The ECSP server may leverage sensor data (e.g., from a wearable device or camera) to determine whether the user completes the suggested activity.

[0079] The ECSP server may then transmit messages to a caregiver that provide information about whether and how the user is responding to the interaction prompts. For example, the ECSP server determines whether the user responded to the interaction prompt and includes an indication of any response in daily messages to the caregiver. In this way, the caregiver may be assured that the user is in a positive physical and/or mental state. If the user does not respond to the interaction prompts for a threshold number of days (e.g., two days), the ECSP server may transmit an alert to the caregiver. The alert includes an indication that the user has not responded to interaction prompts for the threshold number of days, which may indicate that the user is hurt, confused, or otherwise in need of a more personal check-in.

[0080] The ECSP server may further be configured to generate caregiver analytics, and the ECSP application may be configured to display the generated analytics to the user and caregivers. The ECSP server may generate activity hour, effort hour, and task distribution analytics for each caregiver and compare the analytics to the other caregivers. For example, the ECSP server may generate a chart of the time each caregiver spends caring for the user and/or the time each caregiver spends putting in effort to the care of the user for a predetermined period of time. The ECSP server may further generate a chart of a percentage of tasks for the user that each caregiver handles over the predetermined period of time.

Exemplary Care Coordination Support System

[0081] FIG. **1** depicts a view of an exemplary engagement and care support platform ("ECSP") system **100** that may be used in facilitation engagement of a user and coordinating care of the user between caregivers associated with the user. ECSP system **100** may include a care coordination support platform ("ECSP") computing device **102**. In the exemplary embodiment, ECSP computing device **102** is in communication with client devices **104**, a chatbot server **106**, and third party servers **108**. ECSP computing device **102** is also in communication with a database **118** and may communicate with database **118** through a database server **116**.

[0082] In some embodiments, database server **116** is a component of ECSP computing device **102**. In other embodiments, database server **116** is separate from ECSP computing device **102**. In some embodiments, ECSP system **100** may include a plurality of ECSP computing devices **102**, client devices **104**, third party servers **108**, and/or databases **118**.

[0083] In the exemplary embodiment, ECSP computing device **102** may be configured to store user and caregiver data, generate and/or store a care schedule for the user, and facilitate user engagement with the care schedule (e.g., by prompting the user to check in daily with the caregivers, displaying the care schedule in a user-friendly way, allowing the user to interact with the care schedule, etc.). ECSP computing device **102** may receive user and caregiver data from client devices **104** and use the user and caregiver data to register users and caregivers and generate care schedules for the user and caregivers. For example, a user and a caregiver may download an ECSP application **110** to a device (e.g., client device **104**) and input data into ECSP application **110** for registration with a service provided by ECSP computing device **102**. The user and caregivers may also access a website of ECSP system **100** using a web browser, and input user data into the website to register with ECSP system **100**.

[0084] The user data may include personal data (e.g., name, birthdate, height, weight, etc.), user tasks (e.g., taking medicine, bathing, eating, paying bills, getting groceries, car maintenance, home maintenance, etc.), user activities (e.g., social activities, like bingo and golfing, physical activities, like working out and keeping active, etc.), user appointments (e.g., recurring appointments like yearly physicals and bimonthly haircuts, etc.), and any other information associated with the user that may be useful to ECSP computing device **102**.

[0085] The caregiver data may include personal information (e.g., name, contact information, relationship to the user, role in caring for the user, etc.), caregiver schedule information (e.g., known work and/or activity schedules of the caregivers), caregiver preferences (e.g., which events the caregiver prefers to assist the user with), and any other information associated with the caregivers that may be useful to ECSP computing device **102**.

[0086] ECSP application **110** may also receive other data from the user and caregivers including notification preferences of the user and caregivers (e.g., preferences of when the user and caregivers would like to be notified and how the user and caregivers would like to be notified, such as receiving a text notification and/or a push button notification from ECSP application **110**).

[0087] In the exemplary embodiment, users and caregivers may update the user and caregiver data at any time through ECSP application **110**. For example, user data that may need to be updated may include a change in and/or newly scheduled events of the user, and a change in a daily medication schedule of the user. For example, caregiver data that may need to be updated may include a change in and/or a new availability schedule of the caregiver and a new activity scheduled by the caregiver.

[0088] ECSP application **110** may be in communication with other applications of client device **104** and may import user and caregiver data from the other applications. For example, caregivers may allow ECSP application **110** to retrieve data from a calendar application of the caregivers such that the caregivers may only need to update the schedule associated with the caregiver in one application (e.g., a calendar application).

[0089] In the exemplary embodiment, ECSP computing device **102** may be configured to process all of the user and caregiver data ECSP computing device **102** receives from the user and caregivers (e.g., through ECSP application **110**) and coordinate a care schedule of the user between the caregivers and facilitate user engagement in the care schedule. In the exemplary embodiment, the caregivers may manually assign tasks to themselves and/or other caregivers through ECSP computing device **102**, and ECSP computing device **102** may store the assigned tasks of the care schedule for each caregiver. In some embodiments, ECSP computing device **102** may automatically assign each task, activity, and/or appointment of the user to the caregivers based upon the received caregiver data.

[0090] In the exemplary embodiment, client devices **104** may be computers that include a web browser or a software application, which enables client devices **104** to access remote computer devices, such as ECSP computing device **102**, using the Internet or other network. More specifically, client devices **104** may be communicatively coupled to the Internet through many interfaces including, but not limited to, at least one of a network, such as the Internet, a local area network (LAN), a wide area network (WAN), or an integrated services digital network (ISDN), a dial-up-connection, a digital subscriber line (DSL), a cellular phone connection, and a cable modem. Client devices **104** may be any device capable of accessing the Internet including, but not limited to, a desktop computer, a laptop computer, a personal digital assistant (PDA), a cellular phone, a smartphone, a tablet, a smart home device (e.g., AMAZON ALEXA, AMAZON ECHO, GOOGLE HOME, and/or RING doorbells), a phablet, wearable electronics (e.g., LIFE ALERT and/or FITBIT), smart watch (e.g., APPLE WATCH), or other web-based connectable equipment or mobile devices.

[0091] Further, ECSP computing device **102** may be communicatively coupled to client devices **104** and may receive information from client devices **104**. Client device **104** associated with the user may be different from client device **104** associated with the caregiver. For example, client device **104** associated with the user may be a smart home device (e.g., AMAZON ALEXA) because the user may prefer interacting with client device **104** through audio commands rather than physically interacting with client device **104**. Client device **104** associated with the caregiver may be a smartphone.

[0092] In the exemplary embodiment, some client devices **104** include ECSP application **110** and a user interface **112**. User interface **112** may be used, for example, to receive notifications from ECSP computing device **102** and/or to input and verify information to be sent to ECSP computing device **102**. ECSP application **110** may be, for example, a program or application that runs on client device **104**. Further, ECSP application **110** associated with the user client device **104** may have different functionality as ECSP application **110** associated with the caregiver client devices **104**, as is explained in further detail herein, especially with regard to the screenshots of the ECSP application **110**.

[0093] ECSP computing device **102** may be configured to facilitate user engagement with the care schedule and the caregivers. For example, ECSP computing device **102** (e.g., through ECSP application **110**) may display the daily care schedule of the user such that the user is made aware of, and can interact with, their care schedule. ECSP computing device **102** may prompt the user to check-in with the caregivers through ECSP computing device **102**. For example, ECSP computing device **102** may display a “Check-In” box that the user may press so that the caregivers know that the user is doing okay and has interacted with their care schedule. For further example, ECSP computing device **102** may keep track of how often the user interacts with ECSP computing device **102** instead of, or in addition to, the user manually checking in. Accordingly, the caregivers are assured that the user is okay, and the user plays an active part in their care schedule.

[0094] In some embodiments, ECSP computing device **102** may be configured to display (e.g., through ECSP application **110**) the generated care schedule to the user and/or caregivers. ECSP computing device **102** may display the generated care schedule to the user and caregivers through task lists, graphs, calendars, and any other suitable interface that allows the user and caregiver to easily take in and interact with the care schedule of the user.

[0095] ECSP computing device **102** may be in communication with chatbot server **106** and leverage the chatbot functionality thereof to implement at least some of the functionality disclosed herein (e.g., to transmit information to and/or receive information from a user and/or one or more caregivers).

[0096] Database server **116** may be communicatively coupled to database **118** that stores data. In one embodiment, database **118** may include user data, caregiver data, device data, mobile device data, assignment data, and notification data. In the exemplary embodiment, database **118** may be stored remotely from ECSP computing device **102**. In some embodiments, database **118** may be decentralized. In the exemplary embodiment, a user and/or caregiver, may access database **118** via their respective client devices **104** by logging onto ECSP computing device **102**, as described herein.

[0097] Third party server **108** may be any third party server that ECSP computing device **102** is in communication with that provides additional functionality of ECSP computing device **102** and/or ECSP application **110**. For example, third party server **108** may be servers associated with third parties including online retailers/delivery services (e.g., AMAZON, grocery delivery services, food deliver services flower delivery servicers, etc.), ride sharing services (e.g., UBER and LYFT), and hospital/doctor's offices servers. Because ECSP computing device **102** is in communication with third party server **108**, the user and/or caregivers may directly access third party servers **108** through ECSP application **110**. For example, if a caregiver wants to order flowers for the user, the caregiver may be able to order the flowers from a third party service (e.g., AMAZON) directly through ECSP computing device **102**. In some embodiments, third party server **108** may provide updates to the user and/or caregivers through the ECSP application **110** (e.g., notifying the user that their ride is on their way and/or updating the caregiver on the status of their delivery to the user).

Exemplary User Computer Device

[0098] FIG. **2** illustrates an exemplary configuration **200** of an exemplary user computing device **202**. In some embodiments, user computing device **202** may be in communication with a care coordination support platform computing device (such as ECSP computing device **102**, shown in FIG. **1**). User computing device **202** may be representative of, but is not limited to client devices **104** and/or sensor servers **108**. For example, user computing device **202** may be a mobile device, smartphone, tablet, smartwatch, wearable electronic, laptop, desktop, or another type of computing device associated with an account holder (e.g., the user and/or the associated caregivers).

[0099] User computer device **202** may be operated by a user **204** (e.g., a user of ECSP system **100**, shown in FIG. **1** and substantially similar to the user and/or the caregivers described herein). User computer device **202** may receive input from user **204** via an input device **214**. User computer device **202** includes a processor **208** for executing instructions. In some embodiments, executable instructions may be stored in a memory area **210**. Processor **208** may include one or more processing units (e.g., in a multi-core configuration). Memory area **210** may be any device allowing information such as executable instructions and/or user and registration data to be stored and retrieved. Memory area **210** may include one or more computer-readable media.

[0100] User computer device **202** also may include at least one media output component **212** for presenting information to user **204**. Media output component **212** may be any component capable of conveying information to user **204** and may be used to at least partially implement user interface **112** (shown in FIG. **1**). In some embodiments, media output component **212** may include an output adapter (not shown), such as a video adapter and/or an audio adapter. An output adapter may be operatively coupled to processor **208** and operatively coupleable to an output device, such as a display device (e.g., a cathode ray tube (CRT), liquid crystal display (LCD), light emitting diode (LED) display, or “electronic ink” display) or an audio output device (e.g., a speaker or headphones).

[0101] In some embodiments, media output component **212** may be configured to present a graphical user interface (e.g., a web browser and/or a client application) to user **204**. A graphical user interface may include, for example, care calendars for the user and/or associated caregivers, lists of assigned tasks of the care schedule for the user and/or caregivers, notifications for the user and/or associated caregivers, assigned tasks of the caregivers, an activity analytics of the caregivers, and/or a messaging page for interacting with the user and/or caregivers. The graphical user interface may additionally include visual interaction prompts that are periodically (e.g., daily, twice daily, every other day, etc.) provided to the user. Visual interaction prompts may include instructions, images, content (e.g., articles or other text), and the like. Media output component **212** may additionally or alternatively provide audible interaction prompts (e.g., via an audio output device).

[0102] In some embodiments, user computer device **202** may include input device **214** for receiving input from user **204**. User **204** may use input device **214** to, without limitation, interact with ECSP system **100** (e.g., using ECSP application **110**), ECSP computing device **102**, or any of client devices **104** and third party servers **108** (shown in FIG. **1**). Input device **214** may include, for example, a keyboard, a pointing device, a mouse, a stylus, and/or a touch sensitive panel (e.g., a touch pad or a touch screen) and may be used to at least partially implement user interface **112** (shown in FIG. **1**). A single component, such as a touch screen, may function as both an output device of media output component **212** and input device **214**. User computer device **202** may further include at least one sensor, including, for example, a gyroscope, an accelerometer, a position detector, a biometric input device, and/or an audio input device. In some embodiments, at least some data collected by user computer device **202** may be transmitted to ECSP computing device **102**. In the exemplary embodiment, data collected by user computer device **202** may be included in user and caregiver data.

[0103] User computer device **202** may also include a communication interface **216**, communicatively coupled to any of ECSP computing device **102**, client devices **104**, and third party servers **108**. Communication interface **216** may include, for example, a wired or wireless network adapter and/or a wireless data transceiver for use with a mobile telecommunications network.

[0104] Stored in memory area **210** may be, for example, computer-readable instructions for providing a user interface to user **204** via media output component **212** and, optionally, receiving and processing input from input device **214**. The user interface may include, among other possibilities, a web browser and/or a client application. Web browsers enable users, such as user **204**, to display and interact with media and other information typically embedded on a web page, a website, or an application hosted by ECSP computing device **102** and/or client device **104**. A client application may allow user **204** to interact with, for example, any of ECSP computing device **102**, client devices **104**, and third party servers **108**. For example, instructions may be stored by a cloud service and the output of the execution of the instructions sent to the media output component **212**. User computing device **200** may include additional, less, or alternate functionality, including that discussed elsewhere herein.

Exemplary Server Device

[0105] FIG. **3** depicts an exemplary configuration **300** of an exemplary server computer device **302**, in accordance with one embodiment of the present disclosure. Server computer device **302** may include, but is not limited to, ECSP computing device **102** (shown in FIG. **1**). Server computer device **302** may include a processor **305** for executing instructions. Instructions may be stored in a memory area **310**. Processor **305** may include one or more processing units (e.g., in a multi-core configuration).

[0106] Processor **305** may be operatively coupled to a communication interface **315** such that server computer device **302** may be capable of communicating with a remote device such as another server computer device **302** or a user computing device, such as client device **104** (shown in FIG. **1**). For example, communication interface **315** may receive requests from or transmit requests to client devices **104** via the Internet.

[0107] Processor **305** may also be operatively coupled to a storage device **325**. Storage device **325** may be any computer-operated hardware suitable for storing and/or retrieving data, such as, but not limited to, data associated with database **118** (shown in FIG. **1**). In some embodiments, storage device **325** may be integrated in server computer device **302**. For example, server computer device **302** may include one or more hard disk drives as storage device **325**. In other embodiments, storage device **325** may be external to server computer device **302** and may be accessed by a plurality of server computer devices **302**. For example, storage device **325** may include a storage area network (SAN), a network attached storage (NAS) system, and/or multiple storage units such as hard disks and/or solid state disks in a redundant array of inexpensive disks (RAID) configuration.

[0108] In some embodiments, processor **305** may be operatively coupled to storage device **325** via a storage interface **320**. Storage interface **320** may be any component capable of providing processor **305** with access to storage device **325**. Storage interface **320** may include, for example, an Advanced Technology Attachment (ATA) adapter, a Serial ATA (SATA) adapter, a Small Computer System Interface (SCSI) adapter, a RAID controller, a SAN adapter, a network adapter, and/or any component providing processor **305** with access to storage device **320**.

[0109] Processor **305** executes computer-executable instructions for implementing aspects of the disclosure. In some embodiments, processor **305** may be transformed into a special purpose microprocessor by executing computer-executable instructions or by otherwise being programmed.

Exemplary Computer-Implemented Method

[0110] FIG. **4** depicts a flow chart illustrating a computer-implemented method **400** for facilitating engagement of a senior user. In the exemplary embodiment, method **400** may be implemented by a care coordination support platform computer system such as ECSP computing device **102** (shown in FIG. **1**).

[0111] Method **400** may include registering **402** a user and registering **404** at least one caregiver associated with the user for a care coordination support platform service (e.g., provided by ECSP computer system shown in FIG. **1**). Method **400** may also include generating **406** a senior profile based upon user personal and scheduling data provided during registering **402**. Method **400** may further include building **408** a daily interactive user interface that reflects the senior profile.

[0112] Method **400** may also include displaying **410** the daily interactive user interface at a first client device associated with the user, for example, via an application associated with ECSP computing device **102**, shown in FIG. **1**. Method **400** may further include causing **412** the first client device to initiate a daily interaction prompt to the user, and determining **414** whether any user interaction was received at the first client device in response to the daily interaction prompt. In addition, method **400** may include transmitting **416** a daily update message to a second client device associated with the caregiver, the daily update message including an indication of whether any user interaction was received at the first client device.

Exemplary Computer Device

[0113] FIG. **5** depicts a diagram **500** of components of one or more exemplary computing devices **510** that may be used in care coordination support platform system **100** (shown in FIG. **1**). In some embodiments, computing device **510** may be similar to ECSP computing device **102** (shown in FIG. **1**). Database **520** may be coupled with several separate components within computing device **510**, which perform specific tasks. In this embodiment, database **520** may include user data **521**, caregiver data **522**, sensor data **523**, calendar data **524**, task data **525**, assignment data **526**, and notification data **527**. In some embodiments, database **520** is similar to database **118** (shown in FIG. **1**).

[0114] Computing device **510** may include database **520**, as well as data storage devices **530**. Computing device **510** may also include an analytics component **540** for analyzing received user data to generate a senior profile based upon the received data. The senior profile may be used to recommend activities, provide content of interest (e.g., articles), track schedules, and the like. Analytics component **540** may be further configured to analyze received data to determine whether a user has responded to an interaction prompt, as described herein. Computing device **510** may further include application/display component **550** for generating and displaying information (e.g., interaction prompts) to users, such as through ECSP application **110** (shown in FIG. **1**), and supporting ECSP application **110**. Moreover, computing device **510** may include communications component **560** for receiving and transmitting data (e.g., to and from client devices **104**), such as user data **521**, caregiver data **522**, sensor data **523**, calendar data **524**, task data **525**, assignment data **526**, and notification data (e.g., daily update messages) **527**, as well as responses to interaction prompts. Computing devices **510** may include additional, less, or alternate functionality, including that discussed elsewhere herein.

Exemplary Care Coordination Support Application

[0115] FIGS. **6-18** include screenshots of one example embodiment of an application (e.g., ECSP application **110**, shown in FIG. **1**) executable as part of an engagement and care support platform system (e.g., engagement and care support platform system **100**, shown in FIG. **1**). The application may be accessible on any suitable electronic device, such as a mobile phone, tablet, smart home device, watch, or any other computing device. The application enables a user to check in and interact with the application, determine what tasks caregivers need to complete, view a care schedule of the user, and enables one or more caregivers to add tasks for the user, view the tasks that the one or more caregivers have to complete for and/or with the user, and coordinate the care schedule between the one or more caregivers.

[0116] In some embodiments, the application may enable the user and the one or more caregivers to subscribe to alerts, notifications, and/or reminders.

[0117] The application may be configured to communicate with various other software and/or applications on the computing devices of the users and/or the one or more caregivers. For example, the application may be able to access or otherwise communicate with calendar applications and/or contact applications. The application may be configured to retrieve data from and/or report data to these other applications. In addition, the application may be configured to track, monitor, and/or record application utilization metrics for the user and/or the caregivers, such as how often the user and/or the caregivers access the application, and the various features of the application used by the user and/or the caregivers.

[0118] In one embodiment, the application, once downloaded onto the computing device of the user and/or the caregivers, may not require internet connectivity to perform some or all of the functionality of the application (e.g., setting alerts and notifying the user and/or caregivers of the alerts). In some embodiments, all or a portion of the data input by the user and/or caregivers into the application (including, for example, application utilization metrics, task logs, etc.) may be electronically transmitted to a server (e.g., ECSP server **102**) for processing, and the processed data may be transmitted back for further processing and/or display by the application.

[0119] In the exemplary embodiment, the application can be configured to, inter alia, allow the user to quickly and easily check-in with the caregivers, giving the caregivers peace of mind, proactively allowing the user to check-in (e.g., by prompting the user to answer a question like “How are you feeling today?”), providing a reactive response if/when the user does not check in (e.g., by notifying one or more of the caregivers), providing an interactive display for the user and the caregivers, provide tools for the user and the caregivers to coordinate key tasks associated with the care schedule of the user, providing smart suggestions of media for the user to increase user engagement with the application, allowing caregivers to easily share photos and videos with the user, allowing the user to easily view the shared photos and videos, allowing the user to view their care schedule with audio commands and/or through interacting with the digital display of the application, and providing social features that help the user and caregivers stay and feel connected.

[0120] FIG. **6** illustrates an initial welcome page **600** that may include a header **602**. Although not specifically shown, header **602** may include a home button, a back button, and any other buttons to help the user and/or the caregivers navigate the application. In some embodiments, initial welcome page **600** may further include a footer (not specifically shown) that may include additional buttons to help the user and/or the caregiver navigate the application. Initial welcome screen **600** may also include a “Register a New Care Team” button **604** that, when clicked, may cause the application to display a user registration screen **700**.

[0121] FIG. **7** illustrates user registration page **700** for the application. User registration page **700** may include a first field **702** for the user and/or an administrative caregiver (e.g., “admin caregiver”) to enter the name of the user and a second field **704** to, if user registration page **700** is filled out by the admin caregiver, enter the relationship of the admin caregiver to the user.

[0122] Further, user registration page **700** may include a third field **708** for the user and/or admin caregiver to enter email addresses, phone numbers, and/or other contact information of other caregivers such that the application may invite the other caregivers to download the application. User registration page **700** may include a button **710** that, when clicked, may cause the application to open a contacts list of the user such that the user can choose contacts to invite instead of manually filling out third field **708**.

[0123] User registration page may include an “Invite” button **712**, that, when clicked, may cause the application to invite the other caregivers to download the application and/or show a caregiver registration page **800**, a “Save” button **714** that, when clicked, may cause the application to save the information in fields **702**, **704**, and **708**, and a “Cancel” button **716** that, when clicked, may cause the application to go back to initial welcome page **600**. Once other caregivers download the application, the other caregivers may be directly navigated to caregiver registration page **800** and may bypass initial welcome page **600** and/or user registration page **700**.

[0124] FIG. **8** illustrates caregiver registration page **800** for the application that allows the admin caregiver and/or the other caregivers to register for the application. Caregiver registration page **800** may include a first field **802** for the caregiver to enter the name of the caregiver, a second field **804** for the caregiver to enter a password for the application, a third field **806** for the caregiver to enter a group that the caregiver belongs to (e.g., “Kids,” “Grandkids,” etc.), a fourth field **808** for the caregiver to enter a relationship of the caregiver to the user, and a fifth field **810** for the caregiver to enter contact information (e.g., phone number(s), email address, and/or home address).

[0125] Caregiver registration page **800** may further include a “Register” button **812** that, when clicked, may cause the application to save and store the information that caregiver entered into fields **802**, **804**, **806**, **808**, and/or **810**, and display a welcome screen **900**, and caregiver registration page **800** may include a “Cancel” button **814** that, when clicked, may cause the application to close and show a different screen (e.g., a home screen) of the device running the application.

[0126] FIG. **9** illustrates welcome page **900** that may be the first page that the user and/or the admin caregiver are directed to until a user care team is complete (e.g., the user and all caregivers associated with the user are registered through the application). Welcome page **900** may include a “View User Care Team” button **902** that, when pressed, may cause the application to display a user care team page **1000**. Welcome page **900** may further include a “Sync User Device” button **904** (e.g., if the device of the user has not been synced with the application) that, when pressed, may cause the application to display instructions for syncing the user device with the application (not specifically shown).

[0127] FIG. **10** illustrates user care team page **1000** that may allow the user and/or the admin caregiver to view and/or edit the care team associated with the user. User care team page **1000** may include a list **1002** of registered members of the care team including the names of the caregivers (e.g., entered by the caregivers in first field **802** of caregiver registration page **800**, shown in FIG. **8**) and groups of the caregivers (e.g., entered by the caregivers in third field **806** of caregiver registration page **800**, shown in FIG. **8**).

[0128] User care team page **1000** may also include an “Edit” button **1006** that, when clicked, allows the user and/or admin caregiver to edit list **1002** and a “Done” button **1004** that, when clicked, causes the application to save the care team and store the care team as fully registered. User care team page **1000** may also include a first field **1008** where the user and/or the admin caregiver may manually enter contact information of additional caregivers to add to the care team.

[0129] Additionally or alternatively, the user and/or the admin caregiver may press a “Open Contacts” button **1010** that, when pressed, causes the application to open the contacts of the user and/or admin caregiver and allow the user and/or admin caregiver to automatically choose which contacts the user and/or admin caregiver would like to invite to the care team. When the user and/or admin caregiver is done adding contact information of additional caregivers, the user and/or admin caregiver may press an “Invite” button **1012** that, when clicked, causes the application to invite the additional caregivers to register for the application.

[0130] FIG. **11**A shows an example user home page **1100** displayed on a device associated with the user that the user may be directed to when the device is synced with the application. User home page **1100** may include a welcome greeting **1102** and a list **1104** of daily tasks scheduled for the user. User home page **1100** may further include a “View Calendar” button **1106** that, when pressed, may cause the application to display a detailed calendar of the user (not specifically shown). User home page **1100** may further include a “Check In” button that, when pressed, may notify the caregivers (e.g., in message **1202** and **1302** of user home screen **1200** and **1300**, shown in FIGS. **12** and **13**, respectively) that the user has checked in. User home page **1100** may also include media **1112** shared with the user by the caregivers and a "View All Photos" button **1110** that, when pressed, causes the application to display all media **1112** shared with the user.

[0131] FIG. **11**B shows an alternative user home page **1115** displayed on a device associated with the user that the user may be directed to when the device is synced with the application. User home page **1115** may include a "Check In" button **1116** that, when pressed, functions substantially the same as button **1108** of FIG. **11**A. That is, button **1116**, when pressed, may notify the caregivers (e.g., in message **1202** and **1232** of user home screen **1200** and **1230**, shown in FIGS. **12**A and **12**B, respectively) that the user has checked in. Home page **1115** may further include a "Calendar" button **1117** that, when pressed, may cause the application to display a screen showing the calendar of the user (e.g., displayed as a daily calendar, a weekly calendar, a monthly calendar, etc.). Home page **1115** may further include a "Lists" button **1118** that, when pressed, may cause the application to display a screen showing lists associated with the user (e.g., a grocery list, a to-do list, etc.). User home page **1115** may also include a "Photos" button **1119** that, when pressed, may cause the application to display photos shared with the user.

[0132] FIGS. **11**C-**11**H show user interaction pages **1120**, **1130**, **1140**, **1150**, **1160**, and **1170**. User interaction pages **1120** and **1130** are displayed on the application when the user interacts with the application. For example, user interaction page **1120** displays that the user used voice-activation to command the application to "Add mow the lawn to my to-do list." User interaction page **1130** displays that the application received the command from the user as shown in user interaction page **1120** and added the command to the to-do list of the user. User interaction pages **1140**, **1150**, **1160**, and **1170** are displayed on the application when the application actively interacts with the user for a check in. For example, user interaction page **1140** displays that the application has prompted the user to check-in via an audio prompt (e.g., asking the user "How are you this morning?"). User interaction page **1150** displays that the user used a voice command to respond to the application that the user is feeling fine (e.g., by saying, "I feel fine. No stiffness in my knees.").

[0133] User interaction page **1160** displays that the application received the response of the user and includes a prompt for the user to decide whether to share the check-in with the caregivers (e.g., the application asks the user, "Would you like to share this check-in with your care circle?"). User interaction page **1170** displays that the application received the response of the user to the prompt of user interaction page **1160** (e.g., the user responded that the user would like to share their check-in with their care circle and the application displays that the check-in has been shared).

[0134] FIGS. **12**A and **12**B are examples of caregiver home screens **1200** and **1230**. For example, caregiver home screens **1200** and **1230** may be the first screen that is displayed when the caregivers log-in to the application after registering the care team has been completed (e.g., in user care team page **1000**). Caregiver home screens **1200** and **1230** may be substantially similar and may include a list **1206** of activities scheduled for the user and times **1208** associated with the activities. Caregiver home screens **1200** and **1230** may further include a notification **1210** of what the user needs help with (e.g., unassigned tasks) and a button **1212** that, when pressed, cause the application to assign the task of notification **1210** to the caregiver.

[0135] Caregiver home screens **1200** and **1230** may further include navigation buttons **1214**, **1216**, **1218**, **1220**, and **1222** that, when pressed, cause the application to display different screens of the application. For example, pressing button **1214** may cause the application to display one of caregiver home screens **1200** and **1230**. Caregiver home screens **1200** and **1230** may further include a message **1202** and **1232**, respectively, that may be accompanied by a logo **1204** and **1234**. For example, when message **1202** and/or **1232** indicates that the user has checked-in for a specific day, logo **1204** and/or **1234** may be filled in (e.g., as shown in logo **1204**). When message **1202** and/or **1232** indicates that the user has not checked-in for a specific day, logo **1204** and/or **1234** may not be filled in (e.g., as shown in logo **1234**).

[0136] FIGS. **13**A and **13**B are alternative examples of caregiver home screens **1300** and **1350**. For example, caregiver home screens **1300** and **1350** may be the first screen that is displayed when the caregivers log-in to the application after registering the care team has been completed (e.g., in user care team page **1000**). Caregiver home screens **1300** and **1350** may include an action button **1304** that, when pressed, may cause the application to display a screen related to the action button (e.g., a grocery list view screen). Caregiver home screens **1300** and **1350** may further include an upcoming events list **1306** that display upcoming events scheduled for and/or associated with the user (e.g., a doctor's appointment scheduled at 10:30 A.M.).
[0137] Caregiver home screens **1300** and **1350** may be substantially similar and may include a user activity message **1302** and **1352**. User activity messages **1302** and/or **1352** may display the most recent user activity and/or interaction with the application. For example, user activity messages **1302** and/or **1352** may show that the user viewed a grocery list (e.g., as shown in user activity message **1302**) and/or that the user added to the grocery list and list the items that the user added (e.g., as shown in user activity message **1352**).
[0138] FIG. **14** shows a caregiver feed page **1400** (e.g., which the application displays when button **1216** of FIGS. **12** and **13** is pressed). Caregiver feed page **1400** may include a header **1402**, a field **1404** accompanied by a video button **1406**, a photo button **1408**, and a check-in button **1410**, and a caregiver activity list **1412**. The caregiver may give updates and include any information that the caregiver wishes to share with the other caregivers in field **1404**. Video button **1406**, when pressed, allows the caregiver to share a video on the application, photo button **1408**, when pressed, allows the caregiver to share a photo (or multiple photos) on the application, and check-in button **1410**, when pressed, allows the caregiver to check-in with the other caregivers (e.g., when the caregiver is carrying out an assigned task for the user and/or checking in on the user). Caregiver activity list **1412** shows a feed of recent caregiver activities (e.g., assigned tasks, adding appointments, sharing photos and/or videos, etc.).
[0139] FIG. **15** shows a caregiver schedule page **1500** (e.g., which the application displays when button **1218** of FIGS. **12** and **13** is pressed) that allows the caregivers to add events and/or appointments to the care calendar of the user. Caregiver schedule page **1500** may include a header **1502**, fields **1504**, and pull-down bars **1506**. The caregivers may provide information about the new event in field **1504**, and the caregivers may use pull-down bars **1506** to assign the event to a specific caregiver.
[0140] FIGS. **16** and **17** show caregiver list pages **1600** and **1700**. Caregiver list page **1600** (e.g., which the application may display when button **1220** of FIGS. **12** and **13** is pressed) may include a header **1602**, different categories of lists **1604**, and list items **1606** that are assigned to the caregiver. List items **1606** may be accompanied by check circles **1608** that the caregivers may check when they have completed corresponding list item **1606** assigned to the caregivers. Caregiver list page **1700** may be displayed by the application when any of categories of lists **1604** is pressed. Caregiver list page **1700** may include list items **1702** that fit into the chosen category, and list items **1702** may be accompanied by check circles **1704** that the caregivers may check when they (or when they know other caregivers have) completed corresponding list item **1702**. List items **1702** may further be accompanied by pictures **1706**, and pictures **1706** may show the caregiver assigned to each of list items **1702**.
[0141] FIG. **18** shows a care circle page **1800** (e.g., which the application may display when button **1222** of FIGS. **12**A and **12**B is pressed). Care circle page **1800** may include a header **1802**, an image **1804**, groupings **1806** of events, interests **1808**, caregiver profiles **1810**, and shared photos **1812**. Image **1804** may display an image of the user and/or of any of the caregivers. Groupings **1806** may show an overview of the number and types of events that the user has scheduled in the care calendar. Interests **1808** may allow the caregivers to choose certain interests **1808** of the user such that the application can better prepare a user profile. Caregiver profiles **1810** may show a brief profile of each of the caregivers of the care circle. Shared photos **1812** may show all photos shared

by the caregivers of the care circle.

[0142] In other embodiments, the application may include additional features and functionality. For example, the application may present a user interface to the user and/or caregivers including an option for the user and/or caregivers to view or input additional data to their profile. The application may additionally provide an option for the user and/or caregivers to input, view, and/or edit medication information for the user. For example, the user and/or caregivers may be able to see the user's daily medication schedule and determine if the user is taking the medication (e.g., through a sensor, as described above).

Machine Learning & Other Matters

[0143] The computer systems and computer-implemented methods discussed herein may include additional, less, or alternate actions and/or functionalities, including those discussed elsewhere herein. The computer systems may include or be implemented via computer-executable instructions stored on non-transitory computer-readable media. The methods may be implemented via one or more local or remote processors, transceivers, servers, and/or sensors (such as processors, transceivers, servers, and/or sensors mounted on mobile computing devices, or associated with smart infrastructure or remote servers), and/or via computer executable instructions stored on non-transitory computer-readable media or medium.

[0144] In some embodiments, a care coordination support platform computing device is configured to implement machine learning, such that the care coordination support platform computing device “learns” to analyze, organize, and/or process data without being explicitly programmed. Machine learning may be implemented through machine learning methods and algorithms (“ML methods and algorithms”). In an exemplary embodiment, a machine learning module (“ML module”) is configured to implement ML methods and algorithms. In some embodiments, ML methods and algorithms are applied to data inputs and generate machine learning outputs (“ML outputs”). Data inputs may include but are not limited to: user data, caregiver data, sensor data, assignment data, calendar data, task data, and/or alert data. ML outputs may include but are not limited to: user data, caregiver data, calendar data, task data, and/or assignment data. In some embodiments, data inputs may include certain ML outputs.

[0145] In some embodiments, at least one of a plurality of ML methods and algorithms may be applied, which may include but are not limited to: linear or logistic regression, instance-based algorithms, regularization algorithms, decision trees, Bayesian networks, cluster analysis, association rule learning, artificial neural networks, deep learning, combined learning, reinforced learning, dimensionality reduction, and support vector machines. In various embodiments, the implemented ML methods and algorithms are directed toward at least one of a plurality of categorizations of machine learning, such as supervised learning, unsupervised learning, and reinforcement learning.

[0146] In one embodiment, the ML module employs supervised learning, which involves identifying patterns in existing data to make predictions about subsequently received data. Specifically, the ML module is “trained” using training data, which includes example inputs and associated example outputs. Based upon the training data, the ML module may generate a predictive function which maps outputs to inputs and may utilize the predictive function to generate ML outputs based upon data inputs. The example inputs and example outputs of the training data may include any of the data inputs or ML outputs described above. For example, a ML module may receive training data comprising user data, caregiver data, and assignment data associated with the user data and caregiver data. The ML module may then generate a model which maps assignment data to aspects of user data and caregiver data. The ML module may then generate assignment data as a ML output based upon subsequently received user data and caregiver data.

[0147] In another embodiment, a ML module may employ unsupervised learning, which involves finding meaningful relationships in unorganized data. Unlike supervised learning, unsupervised learning does not involve user-initiated training based upon example inputs with associated outputs. Rather, in unsupervised learning, the ML module may organize unlabeled data according to a relationship determined by at least one ML method/algorithm employed by the ML module. Unorganized data may include any combination of data inputs and/or ML outputs as described above. For example, a ML module may receive unlabeled data comprising user data, caregiver data, and calendar data. The ML module may employ an unsupervised learning method such as “clustering” to identify patterns and organize the unlabeled data into meaningful groups. The newly organized data may be used, for example, to generate a model which associates user data and caregiver data to calendar data.

[0148] In yet another embodiment, a ML module may employ reinforcement learning, which involves optimizing outputs based upon feedback from a reward signal. Specifically, the ML module may receive a user-defined reward signal definition, receive a data input, utilize a decision-making model to generate a ML output based upon the data input, receive a reward signal based upon the reward signal definition and the ML output, and alter the decision-making model so as to receive a stronger reward signal for subsequently generated ML outputs. Other types of machine learning may also be employed, including deep or combined learning techniques.

[0149] The reward signal definition may be based upon any of the data inputs or ML outputs described above. For example, a ML module may implement reinforcement learning in generating assignment data for caregivers. The ML module may utilize a decision-making model to generate assignment data for caregivers based upon task data, and may further receive user-satisfaction data indicating a level of satisfaction experienced by a user and a caregiver who engaged in a transaction (e.g., the caregiver carrying out a task for the user). A reward signal may be generated by comparing the user-satisfaction data to an assignment score between the user and the caregiver.

[0150] Based upon the reward signal, the ML module may update the decision-making model such that subsequently generated assignment scores more accurately predict user satisfaction. For example, the ML module may determine that a specific caregiver has taken the user to four doctor's appointments. The user may enjoy the caregiver taking the user to the doctor's appointments, and the caregiver may enjoy taking the user to the doctor's appointments because the doctor's appointments may be close to the caregiver's house. Therefore, the user and the caregiver may both rate the “transaction” highly. Accordingly, the ML module may learn to automatically assign doctor's appointments to the specific caregiver.

Exemplary Virtual Care Circle Functionality

[0151] In one aspect, a digital solution is provided that will allow seniors stay independent longer in their homes, and that will use technology to create a connected care environment and platform. With the present embodiments, a new digital platform will provide a senior's care circle an easy way to stay connected and help coordinate care virtually. The digital platform may include a new application and chatbot for seniors, and new mobile applications for caregivers/family members/friends to electronically communication, and may be part of a subscription service.

[0152] The new, innovative digital platform and application/chatbot may improve the quality of life and care for seniors, and help give their family members added peace of mind, as well as provide unique voice solutions that help seniors' ability to communicate with their care circle from their homes.

[0153] In one aspect, the senior will have a voice and touch interface powered by the digital platform and/or caregiver circle application that can help them feel more connected and supported by their care circle, while delivering a personalized experience to them. The digital platform may connect to the care circle mobile app running on mobile device of the care circle members that provides updates and information throughout the day. The care circle can share information back to the senior-creating a virtual circle of support and two-way communication at any time of the day. In one embodiment, the digital platform may include or utilize Amazon's Echo Show™, or similar technologies.

[0154] Some of the features utilized by this digital solution include: (1) quick check-in to reassure care circle members; (2) interactive dashboard with scrolling list of daily activities; (3) tools to coordinate key tasks across the care circle; (4) smart-suggestions for events, content, and activities; (5) music and photos sent or delivered to the senior's computing device and/or application; (6) the ability to view the senior's full calendar with audio commands and visual display on their application; (7) social features to help everyone stay connected and up-to-date; and/or other features mentioned elsewhere herein.

[0155] The solutions discussed herein will be useful in helping manage care of a loved one, and help family members coordinate care with their aging loved one using a caregiver circle application. The application, chatbot, mobile applications, and digital platform will assist with activities of daily living, transportation, communication, and social connectivity that will be key in helping seniors' ability to “age in place.”

a. Launching the Service

[0156] The care circle application, such as for use on mobile devices of caregivers and family members, may facilitate onboarding, setup, and/or profile creation. A family member or a senior may order a product, such as the Echo Show™ product, and download a mobile application to their mobile device. The family member may create a caregiver profile for themselves using the mobile application. Their profile may include their name and a profile photo, and other information and preferences.

[0157] The family member may create, using the mobile application, an account for the senior, such as their father or mother, that connects with the family member's profile and/or account. The family member may provide details about, and/or preferences of, the senior using the mobile application, such as the senior's name and a profile photo for the senior. The senior's profile may include other information, such as senior preferences for activities, events, movies, content, tv shows, music, restaurants, service providers, grocery stores, means of transportation, etc.

[0158] A sibling of the family member, for example, may also want to be part of the senior's care circle, and the family member may select an “Add Member” icon of the mobile application to add their sibling to the senior's care circle. The family member may also add, via the mobile application, details about their sibling, such as their name and email address, and other information. The family member may add additional caregivers/family members/friends to the senior's care circle using the mobile application.

[0159] The mobile application and platform may then send electronic invitations to the mobile devices or email addresses of the members of the care circle added by the originating family member. The electronic invitations may include a link to a mobile application for download that will allow the members of the care circle and/or senior to electronically communicate via the mobile application and digital platform.

[0160] The senior may launch or open the application on their computing device and/or on an Alexa-based or other chatbot-based product. After which, the senior may be greeted with a personalized dashboard on their mobile device, tablet, or laptop (or other computing device). The dashboard may include photos of family members, an icon or access to digital photos, an icon or access to a digital or virtual calendar or schedule of events, a “Check In” icon, today's date, and today's scheduled events (such as morning routine, or doctor's appointment). Once the senior opens or launches the application, all connected caregivers or designated caregivers that are part of the senior's care circle may receive an electronic notification that the senior opened the application via the mobile application running on their mobile devices. After which, as the senior provides updates (e.g., went to doctor, need groceries, etc.) on his/her activities/events and well-being via the application on their device and/or via the chatbot, all caregivers/family members in the senior's care circle may view the senior's updates on their respective mobile applications and mobile devices.

B. Managing the Virtual Care Circle

[0161] The care circle application may facilitate virtual care circle management and user invitation. If the senior has friends or neighbors that the senior wants to be able to participate in the senior's care circle, the senior may add the friend or neighbor to their virtual care circle via their application, mobile device or other computing device, and/or via the chatbot. Additionally or alternatively, one or more family members may add the friend or neighbor to the virtual care circle for the senior via their mobile care circle application and/or mobile device.

[0162] The senior and/or the one or more family members may add the friend's or neighbor's contact information, such as electronic email or text address, and other details, and then select the type of electronic notifications and communications that should be shared with the friend or neighbor via the senior's application or chatbot, or the mobile application running on a family member's mobile device, respectively. For instance, the senior and/or family members may want the friend or neighbor to know when help is needed for driving, scheduling, or ordering things, such as groceries or other items, for the senior.

[0163] After accepting an electronic invitation to join the senior's care circle, the friend or neighbor may download the mobile application onto their mobile device. The friend or neighbor may then be able to navigate a Care Circle Feed that may consist of digital posts from all of the members in the care circle, as well as from the senior.

[0164] For instance, from the Care Circle Feed, the friend or neighbor may be able to see on the mobile application that the original family member has assigned various items or tasks (such as items or task from a virtual to-do list) to the friend or neighbor (e.g., pick up groceries). After those items or tasks have been completed, the friend or neighbor may virtually check them off via the mobile application so that the family member and/or other members of the virtual care circle see that those items have been completed via the mobile application running on their mobile devices. The friend or neighbor may also virtually post an update using the mobile application to make sure everyone in the virtual care circle notices that he or she has completed the items assigned via the mobile application running on their respective mobile devices.

[0165] The friend and neighbor may also virtually post text updates about the well-being or health of the senior, and/or other events, via the mobile application. The family member or other members may comment or otherwise respond to the updates via the mobile application and/or their mobile devices.

C. Starting the Day Off Right

[0166] The virtual caregiver circle application may facilitate both “proactive” check-ins and “reactive” check-ins. For proactive check-ins, the senior may open the senior living application on their device or using Alexa (or other chatbot), prompting an automatic check-in. Alexa or another chatbot may greet the senior and ask how they are feeling, such as “Good Morning, Elmer. How are you doing this morning?” After which, the senior may respond verbally, and their verbal response may be converted to a text response or message by the application and/or chatbot-such as “I feel fine, no stiffness in my knees.”

[0167] After which, the senior may be prompted by the chatbot and/or application to share his check-in with all caregivers, who can then view the senior's virtual post on the Care Circle Feed. For instance, Alexa or another chatbot may ask “Would you like to share this check-in with your care circle?” If the senior decides to share his check-in with all caregivers/family members/friends, or one or more specific individuals, the chatbot or application may post the senior's update to the Care Circle Feed, and then the chatbot may verbally respond to the senior: “Okay, your message has been shared.”

[0168] The family members and other members of the care circle, may then receive an electronic notification via the mobile application on their mobile devices that the senior has checked-in for the day. After the senior checks-in, the senior may then view their digital dashboard on their computing device, and/or ask the chatbot what activities/events have scheduled for the day. The dashboard may then display a visual of the senior's scheduled activities for the day, and/or the chatbot may verbally detail the activities for the senior, such as “Call Addison at 10:30 am,” or detail the activity by type, time, and location (“Doctor's appointment, St. Joseph Hospital, at 1 pm”).

[0169] For reactive check-ins, such as when the senior fails to actively check-in with the application and/or chatbot on their own, one or more family members or other members of the care circle may receive an electronic notification that the senior has not checked-in this morning nor interacted with the application and/or chatbot. After which, a family member or member of the virtual care circle may decide to give the senior a video or telephone call, using the mobile application. The senior may respond to video or telephone call using the application on their computing device or chatbot. For instance, the chatbot may ask the senior if the senior is alright, and the senior may respond—either by conversing with the chatbot or by using their application on their computing device—that the senior was having coffee with a friend this morning, thus providing peace of mind to the family member that the senior is doing fine.

D. Everyone Knows What's Going on

[0170] The caregiver circle application may facilitate collaborative scheduling and calendars. For instance, one or more family members/care circle members may be sent reminders about various activities or events of the senior, depending on settings. For instance, a primary family member in the virtual care circle may be sent reminders about doctor appointments for the senior in the morning of the appointment, and a notification of which member in care circle is responsible for ensuring the senior has transportation to the appointment. After the appointment, the member of the care circle responsible for the appointment may virtually post a message providing an update on how the appointment went to the Care Circle Feed and provide digital access to the message to one or more members of the virtual care circle.

[0171] For instance, a daughter may virtually post “Dad's post-surgery results look great, range of motion is better than expected” via the mobile application on her mobile device. Other members of the virtual care circle may receive electronic notification of the daughter's update via wireless communication or data transmission and via the mobile application running on their respective mobile devices. For example, the daughter's brother may receive, via his mobile care circle application, an electronic notification that his sister virtually posted an electronic update on the status of their father, such as “Susan posted an update about Dad's Doctor's appointment this morning.” After which, the brother and other members of the virtual care circle may view the daughter's update on the status of the senior (“Dad”) via the mobile application running on their respective mobile devices.

[0172] Then, continuing with this example, the daughter may create a virtual follow-up event, such as a follow-up doctor's appointment as a follow-up event, via her mobile application to add to the senior's virtual calendar viewable by one or more of the members of the virtual care circle. After which, one or more members in the virtual care circle may receive, depending upon individual permissions, an electronic notification of the seniors' next medical appointment (e.g., “Susan created a Follow-up Doctor's Appointment event”), and/or view the senior's updated virtual calendar that includes the next medical appointment.

[0173] Continuing with this example, the daughter may then designate whom receives electronic notifications of the next medical appointment; assign responsibility for the next medical appointment to one or more members of the virtual care circle; and/or schedule transportation for the senior to the next medical appointment via the mobile application running on her mobile device. After which, the senior may review and/or approve of the scheduled medical appointment, proposed responsible care giver, and/or proposed mode of transportation via their chatbot and/or application.

[0174] Additionally or alternatively, after the daughter posts the follow-up doctor's appointment event via her mobile application, a sibling may post a virtual update regarding the event using his mobile application and mobile device. For instance, brother Jake may virtually post “Going to drive Dad to his next appointment. Also, going to send him flowers!” via his mobile application. After Jake purchases the flowers through an online service or provider, such as Amazon, Jake may update the Care Circle Feed and create a virtual event, via his mobile application, to alert the senior, his father in this example, of the delivery time, such as via the senior's chatbot and/or application.

[0175] Additionally or alternatively in this example, the service provider remote server may also have certain access to the mobile applications and/or the senior's chatbot and/or application. For instance, the service provider may provide a verbal or audible notice to the senior of a type of delivery and time of delivery via the senior's chatbot and/or application. Further, the mobile applications may provide real-time or near real-time video or images of the products being delivered to the senior—in this example, video or images of flowers being delivered to the senior.

E. Getting Things Done

[0176] The caregiver circle application may facilitate collaborative lists. For example, the senior may notice that his/her lawn needs to be mowed. To his/her virtual to-do list, the senior may add "Order landscaping/lawnmowing" via the seniors' chatbot and/or application. For instance, the senior may say "Alexa, open State Farm," and then "Add mow the lawn to my to-do list."

[0177] The senior's chatbot and/or application may then add mowing the lawn to the senior's virtual to-do list. For example, the senior's chatbot may respond: "Done. 'Mow the lawn' has been added to your to-do list."

[0178] After which, family members and/or care circle members may receive an electronic notification that the senior has updated their virtual to-do list. For instance, virtual care circle members may receive, via their respective mobile applications, an electronic message that indicates that the senior has updated their virtual to-do list-such as electronic notification saying "Elmer added an item to his to-do list. Let's help him complete some tasks."

[0179] After which, one or more designated family members and/or care circle members may take or assign responsibility for the item via a "To-do" icon on their respective mobile application, and/or the senior may also assign responsibility for the task via the senior's chatbot and/or application. For example, a primary family member responsible for assigning tasks to various members of the virtual care circle may assign the task to herself/himself, or the senior may assign the task to one of the care circle members via the senior's chatbot.

[0180] Then the senior, and/or assigning family member and/or care circle member, may view the listed items and also view who has been assigned and/or accepted responsibility for each virtual to-do item, such as via the senior's chatbot and/or application and/or via the virtual care circle members' mobile application, respectively. As examples, the virtual to-do items may include "Mow the lawn"; "Walk the dog"; "Get mail"; "Schedule an appointment"; "Schedule a gutter cleaning appointment"; "Coordinate a ride's to Dad's doctor's appointment"; "Pick up Dad's medicine at pharmacy"; "Help Dad prepare and file his taxes"; "Find cleaning service for Dad's house"; and/or other to-do items presented via a display or via the voice of a chatbot. The virtual to-do items may include other items, including those mentioned elsewhere herein.

[0181] A family member/care circle member may review the senior's virtual calendar via their mobile application, or a machine learning module, model, algorithm, or program may be programmed, to find a time to schedule a virtual to-do item for the senior. Additionally or alternatively, the senior may assign a virtual to-do item to one or more family members/care circle members via the senior's chatbot and/or application. For instance, a primary family member that has access to the senior's virtual calendar may decide upon a lawn service provider, and schedule a time and date to mow the senior's lawn using the mobile application running on their mobile device. The lawn service provider may be selected via the internet, such as selected via Amazon.com. Additionally or alternatively, the lawn service provider's website and/or Amazon.com may also be programmed with functionality to communicate or otherwise interact with the senior via the senior's chatbot to schedule a time for the lawn service provider to mow the senior's lawn.

[0182] Once the to-do item is assigned, electronic reminders may be generated for the senior. For instance, voice-based reminders may be generated via the senior's chatbot. Text or visual-based reminders may be generated and displayed via the senior's application. Voice-based and text or visual-based reminders may also be sent to the mobile applications of one or more family members/care circle members. For instance, on the day of the lawn service, the daughter may be electronically notified via her mobile application when the lawn service will arrive and/or has arrived. Once the to-do items has been completed, the senior's virtual calendar may be updated to such that all virtual care members can see that the items has been completed via their mobile applications.

Exemplary Virtual Care Circle Platform & Functionality

[0183] FIG. **19** illustrates an exemplary computer-implemented method **1900** of providing a care circle platform that includes chatbot and mobile application functionality that facilitates coordination of virtual care circle member communication and tasks. The computer-implemented method **1900** may be implemented via one or more processors, transceivers, servers, sensors, applications, mobile applications, chatbots, and related technologies. In some embodiments, method **1900** may be carried out by a digital care circle platform. The digital care circle platform may be substantially similar to, and work in substantially the same way as ECSP server **102** (shown in FIG. **1**), described above.

[0184] The computer-implemented method **1900** may include, via one or more processors and/or associated transceivers, using **1902** a digital care circle platform to create user profiles and preferences of a senior and multiple family members/caregivers with their permission or affirmative consent. The digital care circle platform may include chatbot functionality, and application and mobile application electronic communication functionality, such as that functionality discussed elsewhere herein, that permits electronic communication via computing devices and/or mobile devices over one or more radio frequency links via wireless communication or data transmission. For instance, the senior may use a chatbot and/or application to enter personal information to create their user profile and/or preferences. Members of the care circle may use a mobile application running on their respective mobile devices to enter personal information to create their respective user profiles.

[0185] The computer-implemented method **1900** may include, via one or more processors and/or associated transceivers, creating **1904** a virtual calendar of events and activities for the senior via the chatbot and/or application. The virtual calendar may include an interactive dashboard with a scrolling list of daily activities and events for the senior. The application may include the ability for the senior to view the full calendar after the senior enters one or more audible commands. The method **1900** may include launching the service, which may include activating the chatbot and application of the senior, as well as the mobile applications of the virtual care circle members, once the senior logs into or launches the application for the first time.

[0186] The computer-implemented method **1900** may include, via one or more processors and/or associated transceivers, allowing **1906** the senior and/or family members/designated members of the virtual care circle to manage the care circle via the senior's chatbot and/or application, or via the family members'/designated care circle member's mobile application, respectively. The method **1900** may include generating virtual tools that facilitate coordinating key tasks across the virtual care circle, such as assigning specific activities or events to be the responsibility of specific individuals within the virtual care circle.

[0187] The computer-implemented method **1900** may include, via one or more processors and/or associated transceivers, initiating **1908** “start the day off right” functionality. For instance, “proactive check-ins” may be generated and/or initiated via the senior interacting with their chatbot and/or application on their computing device. As an example, every morning the senior may check in with their chatbot and/or application at a given time to review their schedule, as well as provide an update to their care circle as to how they are feeling.

[0188] The computer-implemented method may also include generating “reactive check-ins” for the senior to respond to via the senior's chatbot and/or application. For instance, if the senior doesn't check in by 8 a.m., the chatbot and/or application may ask the senior if they are doing alright, and the senior may respond to, or converse with, the chatbot verbally or respond via the application textually or by touch.

[0189] Additionally or alternatively, a virtual care circle member may send a video, text or voice message to the senior that the senior receives via their chatbot and/or application. The senior may respond to the virtual care circle member's message via the chatbot and/or application. For instance, a virtual care circle member may send a text message "How are you doing today Dad?" via their mobile application. The senior's application may convert that text message to voice, and the senior's chatbot may verbally ask the senior: "How are you doing today Dad?" At which point, the senior may verbally respond to the chatbot "I am feeling well today. How are you?" After which, the conversation between the senior and the virtual care circle member may continue with the senior interacting with the chatbot to relay messages with the care circle member's mobile application.

[0190] The computer-implemented method **1900** may include, via one or more processors and/or associated transceivers, facilitating **1910** electronic and verbal communication and updates among the senior and the family members/care circle members regarding the senior's health/well-being and activities via the senior's chatbot and application, and the mobile application of the respective family members/care circle members. For instance, a virtual "Care Circle Feed" may include updates posted by the senior using their chatbot or the application on their computing device, and/or updates posted by family member's/care circle member's via the mobile application running on their respective mobile devices. The updates may be related to the senior's health, well-being, events, activities, location, etc. The updates may include photos and/or text messages to create timeline of the senior's activities.

[0191] The computer-implemented method **1900** may include, via one or more processors and/or associated transceivers, generating, creating, and/or providing **1912** collaborative lists and/or collaborative scheduling to ensure necessary tasks and items are accomplished for the senior. For instance, the method may include allowing the senior to virtually post tasks or events that he/she needs help with completing using their chatbot and/or application. Care circle members may also virtually post tasks that need to be completed via their mobile applications. Care circle members may virtually volunteer for, or accept responsibility for, various task via their mobile application. The senior may virtually accept which volunteer care circle member to handle each task, or assign various tasks to specific individuals, via the senior's chatbot and/or application.

[0192] The computer-implemented method **1900** may include, via one or more processors and/or associated transceivers, providing **1914** smart-suggestions or recommendations for events, content, and/or activities to the senior via the senior's chatbot and/or application. For instance, based upon "likes" or preferences in the senior's profile, the senior's chatbot and/or application may recommend various events or activities to attend, and/or various online content to view, listen to, or read.

[0193] The computer-implemented method **1900** may include, via one or more processors and/or associated transceivers, allowing **1916** the senior to access and view music and photos sent or received from family members'/care circle members' mobile applications via wireless communication or data transmission over one or more radio frequency links. For instance, family members and/or care circle members may push or send photos, music, and/or content to the senior that the senior can review, view, or listen to on the senior's application. The virtual care circle members may also push or send music that the senior can listen to via the senior's chatbot or other digital platform. The computer-implemented method may include additional, less, or alternate functionality, including that discussed elsewhere herein.

Exemplary Virtual Care Circle Embodiments

[0194] In one aspect, a digital care circle platform for electronic communication (i) within a virtual care circle, and (ii) between a senior's chatbot and application, and a mobile application running on multiple care circle members' respective mobile devices may be provided. The digital care circle platform may include one or more processors, servers, sensors, wearables, and/or transceivers configured for wireless communication and/or data transmission over one or more radio frequency links between and/or among the senior's chatbot and application, and the mobile application running on each virtual care circle member's mobile device. The digital care circle platform may include, or be interconnected with on communication with, (i) a chatbot associated with the senior configured to receive one or more audible or verbal commands from the senior; (ii) an application associated with a computing device of the senior, the application electronically interacting with and/or communicating with the chatbot; and/or (iii) a mobile application running on each virtual care circle member's mobile device and associated with virtual care circle members, the mobile application configured to electronically communicate with the senior's chatbot and application running on the senior's computing device, such as via wireless communication or data transmission over one or more radio frequency links.

[0195] The digital care circle platform may be configured to accept "event" posts from the senior via the chatbot and application, and from each virtual care circle member via the mobile device running on their respective mobile devices. The digital care circle platform may be configured to detect pro-active check-ins that are automatically detected and/or generated by the senior verbally or audibly interacting with the chatbot and/or the senior accessing, viewing, or otherwise interacting with the application running on the senior's computing device. Once a pro-active check-in is detected, the digital care circle platform may be configured to generate an electronic communication detailing the pro-active check-in as a "pro-active check-in event," and (i) automatically virtually post the pro-active check-in event to a Care Circle Feed access via the mobile application running on one or more virtual care circle member mobile devices, or (ii) otherwise transmit the electronic communication to the mobile application running on one or more virtual care circle member mobile devices to facilitate providing communication on the senior's current activity to the members of the virtual care circle and quick check-in functionality. The digital care circle platform may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0196] For instance, the digital care circle platform may be configured to, via one or more processors, sensors, servers, wearables, and/or transceivers: (a) actively monitor use of, and/or interaction with, the chatbot, application, and/or computing device by the senior; (b) detect that the senior has not used or interacted with the chatbot, application, and/or computing device for a predetermined amount of time; and (c) if so, automatically generate an electronic message to the senior, and transmit or send the electronic message to the chatbot, application, and/or computing device of the senior to facilitate quick check-ins and/or determining whether the senior needs assistance. Additionally or alternatively, the digital care circle platform may be configured to, via one or more processors, sensors, servers, wearables, and/or transceivers: when it is detected that the senior has not used or interacted with the chatbot, application, and/or computing device for a pre-determined amount of time, automatically generate an electronic notification detailing such, and transmitting or otherwise sending the electronic notification to one or more virtual care circle member mobile devices to facilitate quick check-ins.

[0197] The digital care circle platform may be being configured to, via one or more processors, sensors, servers, wearables, and/or transceivers: (a) actively monitor use of, and/or interaction with, the chatbot, application, and/or computing device by the senior; (b) detect that the senior has not used or interacted with the chatbot, application, and/or computing device for a predetermined amount of time; (c) when it is detected that the senior has not used or interacted with the chatbot, application, and/or computing device for a predetermined amount of time, automatically generate an electronic notification detailing such, and transmitting or otherwise sending the electronic notification to one or more virtual care circle member mobile devices; and/or (d) open, access, or create an audible or verbal communication channel between the senior's chatbot and a virtual care circle member mobile device to facilitate a real-time conversation between the senior and the virtual care circle member, and/or quick check-ins.

[0198] The digital care circle platform may be configured to, via one or more processors, sensors, servers, wearables, and/or transceivers: scan the internet for preferred content (music, videos, articles, events, activities, etc.) for the senior based the senior's preferences identified or detailed in a virtual profile associated with the senior; and/or push preferred content, or otherwise providing links thereto, to the senior's chatbot and/or the application running on the senior's computing device.

[0199] The digital care circle platform may be configured to, via one or more processors, sensors, servers, wearables, and/or transceivers: (a) generate a virtual calendar of scheduled events and/or activities for the senior, the virtual calendar including a scrolling list of scheduled events and/or activities; and/or (b) display the virtual calendar of scheduled events and/or activities for the senior via the application on a display screen of the senior's computing device, and/or audibly or verbally detail the calendar of scheduled events and/or activities for the senior via the chatbot.

[0200] The digital care circle platform may be configured to, via one or more processors, sensors, servers, wearables, and/or transceivers: (i) receive or accept audible or verbal commends from the senior via the chatbot regarding details of an event or activity to add to their virtual calendar; and/or (ii) add the event or activity to the senior's virtual calendar.

[0201] The digital care circle platform may be configured to, via one or more processors, sensors, servers, wearables, and/or transceivers: (a) receive or accept audible or verbal commends from the senior via the chatbot regarding details of a task or item to add to their virtual to-do list; (b) add the task or item to the senior's virtual to-do list; and/or (c) generate and post an electronic notification detailing the task or item to the Care Circle Feed accessible via the mobile application running on one or more virtual care circle member mobile devices to facilitate coordinating key tasks among the members of the virtual care circle.

[0202] The digital care circle platform may be configured to, via one or more processors, sensors, servers, wearables, and/or transceivers: (a) receive or accept audible or verbal commands from the senior via the chatbot regarding identification of a virtual care circle member to assign the task or item to, or responsibility for; and/or (b) generate and post an electronic notification detailing which virtual care circle member has been assigned the task or item to the Care Circle Feed accessible via the mobile application running on one or more virtual care circle member mobile devices.

[0203] The digital care circle platform may be configured to, via one or more processors, sensors, servers, wearables, and/or transceivers: (i) receive or accept user input from a virtual care circle member via the mobile application regarding details of a task or item to add to the senior's virtual to-do list; (ii) add the task or item to the senior's virtual to-do list; and/or (iii) generate and post an electronic notification detailing the task or item to the Care Circle Feed accessible via the mobile application running on one or more virtual care circle member mobile devices to facilitate coordinating key tasks among the members of the virtual care circle.

[0204] The digital care circle platform may be configured to, via one or more processors, sensors, servers, wearables, and/or transceivers: (i) receive user input from a virtual care circle member via the mobile application regarding identification of a virtual care circle member to assign the task or item to, or responsibility for; and/or (ii) generate and post an electronic notification detailing which virtual care circle member has been assigned the task or item to the Care Circle Feed accessible via the mobile application running on one or more virtual care circle member mobile devices. The digital care circle platform may also be configured to, via one or more processors, sensors, servers, and/or transceivers: allow virtual care circle members to take or assign responsibility for various tasks or items in a virtual to-do list associated with the senior to facilitate collaborative scheduling and coordinating key tasks across the virtual care circle.

[0205] In another aspect, a computer-implemented method for electronic communication (i) within a virtual care circle, and (ii) between a senior's chatbot and application, and a mobile application running on multiple care circle members' respective mobile devices, the method may include, via one or more processors, servers, sensors, wearables, digital platforms, and/or transceivers configured for wireless communication and/or data transmission over one or more radio frequency links between and/or among the senior's chatbot and application, and the mobile application running on each virtual care circle member's mobile device: (1) receiving one or more one or more audible or verbal commands from the senior via the chatbot; (2) electronically interacting with and/or communicating with the chatbot via an application associated with a computing device of the senior; (3) electronically communicating with the senior's chatbot and application running on the senior's computing device via a mobile application running on each virtual care circle member's mobile device and associated with virtual care circle members, such as via wireless communication or data transmission over one or more radio frequency links; (4) electronically accepting or wirelessly receiving event posts from the senior via the chatbot and application, and from each virtual care circle member via the mobile device running on their respective mobile devices, such as via wireless communication or data transmission over one or more radio frequency links; (5) detecting pro-active check-ins that are automatically detected and/or generated by the senior verbally or audibly interacting with the chatbot and/or the senior accessing, viewing, or otherwise interacting with the application running on the senior's computing device; and/or (6) once a pro-active check-in is detected, generating an electronic communication detailing the pro-active check-in as a pro-active check-in event, and (a) automatically virtually posting the pro-active check-in event to a Care Circle Feed access via the mobile application running on one or more virtual care circle member mobile devices, and/or (b) otherwise transmitting the electronic communication to the mobile application running on one or more virtual care circle member mobile devices to facilitate providing communication on the senior's current activity to the members of the virtual care circle and quick check-in functionality. The method may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0206] For instance, the computer-implemented method may include, via one or more processors, sensors, servers, wearables, and/or transceivers: actively monitoring use of, and/or interaction with, the chatbot, application, and/or computing device by the senior; detecting that the senior has not used or interacted with the chatbot, application, and/or computing device for a predetermined amount of time; and if so, automatically generating an electronic message to the senior, and transmitting or sending the electronic message to the chatbot, application, and/or computing device of the senior to facilitate quick check-ins and/or determining whether the senior needs assistance. The method may also include, via one or more processors, sensors, servers, wearables, and/or transceivers: when it is detected that the senior has not used or interacted with the chatbot, application, and/or computing device for a predetermined amount of time (such as 12 hours, 18 hours, 24 hours, 48 hours, etc.), automatically generating an electronic notification detailing such, and transmitting or otherwise sending the electronic notification to one or more virtual care circle member mobile devices to facilitate quick check-ins.

[0207] The computer-implemented method may include, via one or more processors, sensors, servers, wearables, and/or transceivers: actively monitoring use of, and/or interaction with, the chatbot, application, and/or computing device by the senior; detecting that the senior has not used or interacted with the chatbot, application, and/or computing device for a predetermined amount of time; when it is detected that the senior has not used or interacted with the chatbot, application, and/or computing device for a pre-determined amount of time (e.g., 24 hours, 48 hours, etc.), automatically generating an electronic notification detailing such, and transmitting or otherwise sending the electronic notification to one or more virtual care circle member mobile devices; and/or opening, accessing, or creating an audible or verbal communication channel between the senior's chatbot and a virtual care circle member mobile device to facilitate a real-time conversation between the senior and the virtual care circle member, and/or quick check-ins.

[0208] The computer-implemented method may include, via one or more processors, sensors, servers, wearables, and/or transceivers: scanning or searching the internet for preferred content (music, videos, articles, events, activities, etc.) for the senior based the senior's preferences identified or detailed in a virtual profile associated with the senior; and/or pushing preferred content, or otherwise providing links thereto, to the senior's chatbot and/or the application running on the senior's computing device.

[0209] The computer-implemented method may include, via one or more processors, sensors, servers, wearables, and/or transceivers: generating a virtual calendar of scheduled events and/or activities for the senior, the virtual calendar including a scrolling list of scheduled events and/or activities; and displaying the virtual calendar of scheduled events and/or activities for the senior via the application on a display screen of the senior's computing device, and/or audibly or verbally detailing the calendar of scheduled events and/or activities for the senior via the chatbot.

[0210] The computer-implemented method may include, via one or more processors, sensors, servers, wearables, and/or transceivers: receiving audible or verbal commends from the senior via the chatbot regarding details of an event or activity to add to their virtual calendar; and/or adding the event or activity to the senior's virtual calendar.

[0211] The computer-implemented method may include, via one or more processors, sensors, servers, wearables, and/or transceivers: receiving or accepting audible or verbal commends from the senior via the chatbot regarding details of a task or item to add to their virtual to-do list; adding the task or item to the senior's virtual to-do list; and/or generating and posting an electronic notification detailing the task or item to the Care Circle Feed accessible via the mobile application running on one or more virtual care circle member mobile devices to facilitate coordinating key tasks among the members of the virtual care circle. The method may include, via one or more processors, sensors, servers, wearables, and/or transceivers: receiving or accepting audible or verbal commands from the senior via the chatbot regarding identification of a virtual care circle member to assign the task or item to, or responsibility for; and/or generating and posting an electronic notification detailing which virtual care circle member has been assigned the task or item to the Care Circle Feed accessible via the mobile application running on one or more virtual care circle member mobile devices.

[0212] The computer-implemented method may include, via one or more processors, sensors, servers, wearables, and/or transceivers: receiving or accepting user input from a virtual care circle member via the mobile application regarding details of a task or item to add to the senior's virtual to-do list; adding the task or item to the senior's virtual to-do list; and/or generating and posting an electronic notification detailing the task or item to the Care Circle Feed accessible via the mobile application running on one or more virtual care circle member mobile devices to facilitate coordinating key tasks among the members of the virtual care circle. The method may include, via one or more processors, sensors, servers, wearables, and/or transceivers: receiving or accepting user input from a virtual care circle member via the mobile application regarding identification of a virtual care circle member to assign the task or item to, or responsibility for; and/or generating and posting an electronic notification detailing which virtual care circle member has been assigned the task or item to the Care Circle Feed accessible via the mobile application running on one or more virtual care circle member mobile devices.

[0213] The method may also include, via one or more processors, sensors, servers, wearables, and/or transceivers: allowing virtual care circle members to take or assign responsibility for various tasks or items in a virtual to-do list associated with the senior to facilitate collaborative scheduling and coordinating key tasks across the virtual care circle.

Sundial Stories

[0214] A social networking site or hub (such as Sundial® by State Farm®) may be configured for use by a senior user, and include a network of caregivers, friends, and family members for the senior, as well as the senior themself. Sundial is a registered trademark of State Farm Mutual Automobile Insurance Company of Bloomington, Illinois. The social networking site may be configured to include “stories” functionality that allows a senior user to answer certain questions via video (or audio or text), or otherwise share stories about themselves, and/or their life experiences and memories.

[0215] More specifically, Sundial Stories is an additional feature that uses video memory functionality (of Sundial) and the video camera functionality of a user's device. It is an opportunity for users to leave an “emotional inheritance” for their families and loved ones. Essentially, users use the stories tool to progressively build a family legacy for their loved ones. The stories functionality asks/presents the senior users thought-provoking questions about life experiences, memories, and special moments from all eras of their life, and users can choose which questions they want to answer with a selfie video response. The user interface walks the senior users through the process and with a few clicks; the senior users easily produce video responses that will be shared to other users to watch and interact with. Those video responses are stored in a library (such as a separate tab in a Memories page) and are shared with other approved users to enjoy and keep for a lifetime, as well as pass down to their loved ones for generations. The library may be categorized by user, topic (school, relationships, firsts), life era (e.g., childhood, teenage years, 20s), or some other criteria. Other users could potentially “Like” and add comments to the video responses; record their own selfie video responses to the same questions; and/or even add their own video response to video answers by other users.

[0216] Other embodiments associated with the stories functionality include allowing the user to see the question while recording the video; the ability to “Like” videos; and/or the ability to record “reaction videos”. The reaction videos may be a selfie video recording a user while the user is watching the senior's story or life experience video. The reaction videos may also capture user reactions to other reaction videos.

[0217] The stories functionality may include the ability to comment on videos, such as with words and/or with short videos. The stories functionality may improve data compression, such as by allowing users to continue using the application, and/or distract the users with notes/tidbits while videos are compressing.

[0218] The stories functionality may keep the focus on the older adult while still having the product open to every family member, and may allow for a full 360-degree viewpoint. The users may be allowed to text their video (e.g., “Text your video to **34567**”), such as text the video to a remote server associated with the social networking application. The users may text a subscription line with updates to users, and/or add messages to their group via text.

[0219] The stories functionality may be configured to group individual video snippets together to tell a larger, more complete story. In some embodiments, the composite video may be similar to a highlight real, and put all of, or portions of, the videos (such as initial life experience or story video, and one or more reaction videos) together into a single video.

[0220] The stories functionality may also include artificial intelligence and/or voice-bots. For instance, a voice conversation interface may be provided, and/or live chat. For example, during certain morning hours a voice-bot may initiate a conversation with the senior, such as “Hi Judy, how are you today?” This may lead to other questions that can be asked of users.

[0221] The stories functionality may also include a chat bot or voice-bot having artificial intelligence. For instance, a smart voice-bot may ask: “Judy, how are you today?” and then follow-up with: “You know, Thanksgiving is coming up . . . tell your group what you are doing for Thanksgiving,” “What was your favorite Thanksgiving memory?”, “Was there a time when the Thanksgiving meal failed?”, etc. As a result, the stories functionality may make the user experience and interaction with the social networking application, such as Sundial, more conversational for the senior, as well as more seamless for the senior to build a library of stories for their family. Also, the stories functionality may help the senior user feel heard and socially connected.

[0222] As noted above, in some embodiments, a social networking site or hub (such as Sundial™ by State Farm) may be configured for use by a senior user, and include a network of caregivers, friends, and family members for the senior, as well as the senior themself. The social networking site may be configured to include “stories” functionality that allows a senior user to answer certain questions via video (or audio or text), or otherwise share stories about themselves, and/or their life experiences and memories.

[0223] A senior user may be asked a number of pre-determined or selected questions related to life experiences, eras, or topics. The life experience questions may also be created by the user's family members or friends, e.g., a senior user's children or grandchildren may ask the senior questions about the senior's life. For instance, questions may be related to the senior user's memories, family, childhood, teenage years, relationships, friends, vacations, trips, career, work, jobs, education, marriage, children, pets, houses, decade of the user's life (e.g., 20's or 30's), etc. The senior user may create a series of videos to build a virtual family legacy.

[0224] Each the videos may be considered a story. In addition to videos, the senior user (or other user) may be able to respond to life experience questions (or other requests or prompts for information) using text, photos, and/or audio responses. For instance, members of the care circle may be able to link text, comments, or photos to a “video answer” provided by the senior.

[0225] The video stories may be viewed by members of the senior's virtual care circle using the social networking application. Each member of the senior's care circle may be able to watch the video story, and respond or comment on the video story, or forward the video story, such as to other platforms or networking sites, such as Facebook. Each member of the senior's care circle, including the senior, may be able to edit the video story, such as cutting certain portions of the video, or adding or linking photos or text to the video story. For instance, the senior user or members of the care circle may be able to insert other images (photos or video) into the video story.

[0226] The video stories functionality may be configured to allow a senior or other user to tap a mobile device touch screen to record a video story, and/or allow a senior or care circle member to tap on a video story for it to play on the mobile device screen. The video stories functionality may be configured to link the questions presented to the senior and their video story (or “video answer”) that relates to each respective question.

[0227] The video stories (or video answers) may be analyzed for content, and characterized. The characterizations may be used to search for and find similar stories posted online and new friends. Additionally or alternatively, the stories functionality may provide the ability to (**1**) insert private or publicly available images into the video story; (2) enable senior users to share their stories on other platforms; (3) ask permission to link or overlay additional stories from family and friends; and/or (4) compile videos into a conversation by linking questions and answers. The stories functionality may provide the ability to merge all of the video stories or video answers recorded by the senior into a single video, or otherwise compile all of the videos into a video collage. The stories functionality may also provide a process to find potential friends with similar stories; and a platform or means where grandchildren may ask questions of their grandparents. The stories functionality may include additional, less, or alternate functionality, including that discussed elsewhere herein.

Exemplary Video Story Functionality

[0228] FIG. **20** is an exemplary computer-implemented method of creating video stories and/or accepting video answers to life experience questions recorded by a senior user, the questions being presented to the senior within a social networking application that interconnects the senior with their care circle members via their mobile device. The method **2000** may be implemented via one or more local or remote processors, sensors, transceivers, speakers, voice-bots, and/or servers. For instance, the method **2000** may be implemented via a social networking application running on a senior's mobile device. The social networking application may virtually interconnect the senior with members of the senior's virtual care circle, such as via wireless communication over one or more radio frequency links between the senior's mobile device, the mobile devices of the care circle members, and/or one or more remote servers.

[0229] FIGS. **21**A and **21**B depict an exemplary graphical user interface **2100** for a social networking application that provides functionality associated with creating video stories and/or accepting video answers to life experience questions recorded by a senior user. As shown in FIG. **21**A, once a user, Judy, is logged into her Care Circle **2102** on her mobile device, the Sundial™ Stories functionality presents her with several questions **2104** that she may video answer (i.e., answer by recording a video on her mobile device.) As shown, the first question reads “How does the world feel different today compared to when you were a child?” **2104**. The “Answer with Video” icon **2106** displayed directly below the question is linked to the question above. By tapping the “Answer with Video” icon **2106**, the senior, or other user, may record a video answering the question. The senior, or other user, may then review the video, and if satisfied with the contents, may share the video with all of the members of her Care Circle **2102**, or only specific individual members of her Care Circle **2102** that she selects, such as her family members.

[0230] Also shown in FIG. **21**A, a second question or request for information may read “Share a funny story about your parents.” By pressing the “Answer with Video” icon, the senior, or other user, may be able to provide the requested information via a video answer. Furthermore, as depicted in FIG. **21**A, several of the senior's videos **2108** may be shown and be accessible for viewing by the senior's care circle members. Additionally or alternatively, as depicted in FIG. **21**B, once the senior posts a video to their Care Circle, the life experience question or other prompt for information **2104** may be displayed on one side of an activity feed or other social network feed. The corresponding video **2110**, such as a video answer or video story, responding to the question or other prompt for information may be represented or shown next to the question or other prompt for information. The video **2110** may be represented or displayed by a portion of the video, a video icon, a play button, or other means.

[0231] The life questions **2104** may be phrased as questions, such as “When were you married?”; “Where did you meet your spouse?”; “Did you go on a honeymoon?”; “Where did you go to school?”; “Where have you traveled to?”, etc. Additionally or alternatively, the life questions **2104** may be phrased more as requests for information, such as “Tell us about your marriage”; “Tell us about your career”; and “Tell us about your parents.” Additionally or alternatively, the life questions may be phrased as merely topics on which the senior may record video answers, such as Favorite Childhood Memories; Greatest Challenges; Holiday Traditions; Marriage; Parents; Children; Career; Travel; Hobbies; Friends; Favorite Movies; Favorite TV shows; Politics; Religion; Childhood, Family, etc.

[0232] A machine learning or other program may search the senior's personal information and/or user profile (including user preference information) to flag or otherwise identify keywords, or names, address history, or specific topics, and generate questions related to each keyword, name, address, or topic identified. For instance, if the name Bill appears in a senior's personal information or profile, a question may be automatically generated related to Bill, such as “Who is Bill?” Address information may be used to automatically generate questions as well, such as “How did you like living in Florida?” or “What was Southern California like?” Other questions, including those discussed elsewhere herein, may also be automatically generated, such as “It looks like you travel a lot. What are some of your favorite places to visit?”, or “It looks like you have a large family. Tell us about your siblings?”

[0233] Turning back to FIG. **20**, the computer-implemented method **2000** may include, via one or more processors, registering the senior with the social networking application **2002**. The registration of the senior may include collecting information, such as personal information, about the senior and building a senior profile. The profile may include senior characteristics, background information, family member information, past experiences and travel information, preferences (such as social media preferences), and other types of information, including those discussed elsewhere herein. The registration may include other registration functionality discussed elsewhere herein. The application or platform may include a chatbot or voice-bot and be capable of performing electronic communication on or with a mobile device.

[0234] The computer-implemented method **2000** may include, via one or more processors, registering members of the senior's care circle with the social networking application **2004**. The registration of the care circle members may include collecting information about each member, and building a member profile for each member. Each member profile may include member characteristics, background information, family member information, past experiences and travel information, preferences (such as social media preferences), and other types of information, including those discussed elsewhere herein. The registration may include other registration functionality discussed elsewhere herein.

[0235] The computer-implemented method **2000** may include, via one or more processors, selecting, determining, and/or creating life experience questions for the senior **2006**. For instance, initial questions to be presented to the senior may be pre-determined or selected from a list of standard questions. Additionally or alternatively, the senior's profile may be analyzed to select initial questions from a list of pre-determined questions, or to create initial questions tailored to the user's history and life experiences. Additionally or alternatively, the initial life experience questions may be submitted by members of the care circle via the social networking application operating on the care circle members' respective mobile devices.

[0236] The computer-implemented method **2000** may include, via one or more processors, presenting the initial life questions within the social networking application running on the senior's mobile device for the seniors' review **2008**. Each question may be presented along with an "Answer by Video" or "Answer with Video" icon or a similar icon that allows the senior to answer the question via video recording using their mobile device. Additionally or alternatively, each question may be presented along with an "Answer by Audio" or "Answer by Text" icon that allows the senior to answer the question via audio recording or text reply.

[0237] The computer-implemented method **2000** may include, via one or more processors, accepting video stories and/or video answers to the initial life questions presented to the senior within the social networking application running on the senior's mobile device **2010**. For instance, the senior may tap the "Answer by Video" icon and record a video of the senior answering the question or explaining a life story or life experience. The senior may edit the video prior to posting the video to their care circle members or individual care circle members that the senior selects. The senior may cut or delete part of the video, or may attach or link photos to the video.

[0238] The computer-implemented method **2000** may include, via one or more processors, allowing the senior to share the original video story or video answer, or the edited video story or video answer with one or more members of the care circle **2012**. For instance, the care circle members may be able play or view the video story or video answer within the social networking application running on their respective mobile devices. The senior may be able to select which care circle members have access to each individual video story or video answer.

[0239] The computer-implemented method **2000** may include, via one or more processors, allowing the care circle members to edit the video story or video answer that the senior shares with them **2014**. For instance, a care circle member may be able to add a photo to the video story or video answer, embed a photo into the video story or video answer at a certain spot in the video answer, or link a photo to the video story or video answer. The care circle member may also embed text into the video story or video answer.

[0240] The computer-implemented method **2000** may include, via one or more processors, allowing the care circle members to comment on the video story or video answer that the senior shares with them, and/or submit subsequent questions to the senior after viewing the video story or video answer **2016**. The questions may include, but are not limited to, video questions, audio questions, or text questions. The computer-implemented method **2000** may include, via one or more processors, displaying any subsequent questions in the senior's life experience "Question Feed" for the senior to also answer via a video answer **2018**. For instance, the senior's video answer could be describing the senior's wedding, and a family member then asks about the senior's honeymoon. Additionally or alternatively, the senior may answer any subsequent questions from care circle members via text or audio recording, as well as via video.

[0241] The preferred embodiment is configured to provide the stories functionality that records video answers to life experience questions, or otherwise records video life stories, via a mobile device social networking application that connects the senior to their care circle member. Alternatively, one embodiment may include the stories functionality being provided to the senior, at least in part, via an Amazon Echo device or other similar device, and/or along with a voice-bot interface.

Exemplary Video Answer Embodiments

[0242] In one aspect, a computer-implemented method of accepting video stories or video answers to life experience questions recorded by a senior user may be provided. The computer-implemented method may be implemented via one or more local or remote processors, transceivers, sensors, and/or servers, but preferably is primarily implemented via the senior's mobile device (and associated processors and transceivers). The questions (or other prompts for information) are determined, selected, received, and/or created and presented to the senior within a social networking application that interconnects the senior with their care circle members via their mobile device. The method may include (1) registering a senior, via one or more processors running the social networking application on the senior's mobile device, the registration includes accepting user input of one or more items associated with personal information of the senior (and/or functionality discussed herein); (2) determining or receiving, via the one or more processors running the social networking application on the senior's mobile device, one or more initial life experience questions (or other prompts for information) for the senior to video answer via tapping on a video answer icon positioned within a graphic user interface associated with the social networking application; (3) displaying, via the one or more processors running the social networking application on the senior's mobile device, (i) at least one of the one or more initial life experience questions for the senior to answer, and (ii) an associated video answer icon within the graphic user interface associated with the social networking application; (4) recording, via the one or more processors running the social networking application on the senior's mobile device, a video answer (or video story) showing or otherwise recording (such as audibly recording while the video captures images other than those of the senior) the senior answering the at least one of the one or more initial life experience questions, the video answer (or video story) being a video recorded by the mobile device and being tagged or linked to, or otherwise associated with, the at least one of the one or more initial life experience questions; and/or (5) allowing, via the one or more processors running the social networking application on the mobile device, the senior to share the video answer (or video story) to one or more mobile devices of selected members of the senior's care circle (or all of the members) to facilitate creating and sharing videos of the senior describing their life stories and experiences with their family members. The computer-implemented method may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0243] For instance, the computer-implemented method may further include displaying, via the one or more processors running the social networking application on the senior's or a care circle member's mobile device, one or more icons representing video answers to life experience questions for which the senior has answered, or may answer, within the graphical user interface for the social networking application.

[0244] Determining or receiving one or more initial life experience questions (or other prompts or requests for information) for the senior to video answer may include receiving a life experience question (or other prompt or request for information) from a care circle member's mobile device via wireless communication, the life experience question (or other request for information) submitted by the care circle member using the social networking application running on their mobile device.

[0245] The method may include building, via the one or more processors, a senior profile using the personal information of the senior entered during registration. The profile building functionality may include that discussed previously or elsewhere herein. Additionally, determining or receiving one or more initial life experience questions for the senior to video answer may include selecting one or more questions from a pre-determined list of life experience questions based upon the personal information of the senior entered during registration, or the senior's user profile.

[0246] The computer-implemented method may include presenting or displaying, via the one or more processors running the social networking application on the senior's mobile device, a subsequent question (or subsequent request for information) for the senior to video answer within the graphical user interface of the social networking application, the subsequent question being received via wireless communication from a care circle member's mobile device or a remote server.

[0247] The computer-implemented method may include allowing, via the one or more processors running the social networking application on the senior's mobile device, the senior to edit the video answer (or video story) prior to posting to their care circle within the graphical user interface of the social networking application. Additionally or alternatively, the method may include allowing, via the one or more processors running the social networking application on the mobile device of a care circle member, the care circle member to edit the video answer (or video story) within the graphical user interface of the social networking application on their mobile device. The editing of the video answer (or video story) may include adding an image or text into the video answer, such inserting a photo into the body of the video answer (or video story). The editing of the video answer (or video story) may also include adjusting the lighting or sound volume, or cutting certain portions of the video (e.g., shortening the final version of the video answer for posting to the care circle members).

[0248] The computer-implemented method may also include allowing, via the one or more processors running the social networking application on the mobile device of a care circle member, a care circle member to comment on the video answer (or video story). The method may include presenting or displaying, via the one or more processors running the social networking application on the senior's mobile device, a comment on the video answer (or video story) within the graphical user interface of the social networking application, the comment being received via wireless communication from a care circle member's mobile device or via a remote server.

[0249] In another aspect, a mobile device including one or more processors and/or transceivers may be provided. The mobile device may run a social networking application that virtually interconnects a senior with their care circle members. The mobile device may be configured to record and/or accept video stories or video answers to life experience questions (or to other questions, or even comment on certain topics) posed to the senior. The one or more processors and/or transceivers (and/or the mobile device or social networking application) may be configured to: (1) register the senior, via one or more processors running the social networking application on the senior's mobile device, by accepting user input of one or more items associated with personal information of the senior (e.g., name and address information), or using other registration functionality detailed elsewhere herein; (2) determine or receive, via the one or more processors running the social networking application on the senior's mobile device, one or more initial life experience questions for the senior to video answer via tapping on a video answer icon positioned within a graphic user interface associated with the social networking application; (3) display, via the one or more processors running the social networking application on the mobile device, (i) at least one of the one or more initial life experience questions for the senior to answer, and (ii) an associated video answer icon within the graphic user interface associated with the social networking application; (4) record, via the one or more processors running the social networking application on the mobile device, a video answer (or video story) showing or otherwise recording the senior answering the at least one of the one or more initial life experience questions, the video answer being a video recorded by the mobile device and being tagged or linked to, or otherwise associated with, the at least one of the one or more initial life experience questions; and/or (5) share, via the one or more processors running the social networking application on the mobile device, the video answer (or video story) to one or more members of the senior's care circle to facilitate creating and sharing videos of the senior describing their life experiences with their family members. The mobile device may be configured with additional, less, or alternate functionality, including that discussed elsewhere herein.

[0250] For instance, the mobile device may be further configured to display, via the one or more processors running the social networking application on the mobile device, one or more icons representing video stories and/or video answers to life experience questions for which the senior has provided answers to, or may provide answers to, within the graphical user interface for the social networking application.

[0251] Determining or receiving one or more initial life experience questions for the senior to video answer may include receiving a life experience question from a care circle member's mobile device via wireless communication, the life experience question (or other request for information) submitted by the care circle member using the social networking application on their mobile device.

[0252] The mobile device, or a remote server, may be further configured to build, via the one or more processors, a senior user profile using the personal information of the senior entered during registration and may utilize functionality described previously herein. Determining or receiving one or more initial life experience questions for the senior to video answer may include selecting one or more questions from a pre-determined list of life experience questions based upon the personal information of the senior entered during registration, or the senior user profile.

[0253] The senior's mobile device may be further configured to present or display, via the one or more processors running the social networking application on the mobile device, a subsequent question for the senior to video answer within the graphical user interface of the social networking application, the subsequent question being received via wireless communication from a care circle member's mobile device or a remote server.

[0254] The senior's mobile device may be further configured to allow, via the one or more processors running the social networking application on the mobile device, the senior to edit the video answer (or video story) prior to posting to their care circle within the graphical user interface of the social networking application. A care circle member's mobile device may be configured to allow, via the one or more processors running the social networking application on the mobile device of a care circle member, the care circle member to edit the video answer (or video story) within the graphical user interface of the social networking application on their mobile device. The editing of the video answer (or video story) may include either the senior or care circle member adding, inserting, or embedding an image or text into the video answer (or video story) via their respective mobile device.

[0255] A care circle member's mobile device may further be configured to allow, via the one or more processors running the social networking application on the mobile device of a care circle member, a care circle member to comment on the video answer (or video story). The senior's mobile device may be configured to present or display, via the one or more processors running the social networking application on the mobile device, a comment on the video answer within the graphical user interface of the social networking application, the comment being received via wireless communication from a care circle member's mobile device or a remote server.

[0256] In another aspect, a computer-implemented method of accepting video answers to life experience questions recorded by a senior user may be provided. The questions are presented to the senior within a social networking application that virtual interconnects the senior with their care circle members via their mobile device and wireless communication., the method may include: (1) registering a senior, via one or more processors running the social networking application on the mobile device, the registering includes accepting user input of one or more items associated with personal information of the senior, and may include the registration functionality discussed elsewhere herein; (2) creating, via one or more local or remote processors or servers, a user profile

for the senior based upon the user input of one or more items associated with personal information of the senior; (3) determining, via the one or more local or remote processors or servers or the one or more processors running the social networking application on the mobile device, one or more initial life experience questions for the senior to video answer (such as via tapping on a video answer icon positioned within a graphic user interface associated with the social networking application to start a video recording on their mobile device) based upon the user profile for the senior; (4) displaying or presenting, via the one or more processors running the social networking application on the mobile device, (i) at least one of the one or more initial life experience questions for the senior, and (ii) an associated video answer icon within the graphic user interface associated with the social networking application (the question presented and the video answer icon being presented in close proximity to each other); and/or (5) recording, via the one or more processors running the social networking application on the mobile device, a video answer (or video story) showing or otherwise recording the senior answering the at least one of the one or more initial life experience questions, the video answer being a video recorded by the mobile device and being tagged or linked to the at least one of the one or more initial life experience questions. The method may include additional, less, or alternate functionality, including that discussed elsewhere herein.
[0257] For instance, the method may include allowing, via the one or more processors running the social networking application on the mobile device, the senior to selectively share the video answer (or video story) to one or more members of the senior's care circle to facilitate creating and sharing videos of the senior describing their life experiences with their family members and friends. The method may include displaying, via the one or more processors running the social networking application on the mobile device, one or more icons representing video answers to life experience questions for which the senior has provided answers to within the graphical user interface for the social networking application.
[0258] Determining one or more initial life experience questions for the senior to video answer includes receiving a life experience question received from a care circle member's mobile device via wireless communication, the life experience question submitted by the care circle member using the social networking application on their mobile device.
[0259] The method may include building, via the one or more processors, a senior profile using the personal information of the senior entered during registration and other information associated with the senior gathered with the senior's permission (such as scrapping social media or internet websites for information associated with the senior), including life event information, preference information, travel history, family history, education history, and work history. Determining one or more initial life experience questions for the senior to video answer may include selecting one or more questions from a pre-determined list of life experience questions based upon (i) the personal information of the senior entered during registration, and/or (ii) the senior profile. Additionally or alternatively, determining one or more initial life experience questions for the senior to video answer may include creating one or more initial life experience questions based upon the personal information of the senior entered during registration or the senior profile (such as identifying keywords (e.g., married, children, place names, job names, etc.) within the personal information entered to determine a relevant question (e.g., Where were you married?; How many children do you have?; How did you like living in Boston?; What was your career as a teacher like?, etc.)).
[0260] The method may include presenting or displaying, via the one or more processors running the social networking application on the mobile device, a subsequent question for the senior to video answer within the graphical user interface of the social networking application, the subsequent question being received via wireless communication from a care circle member's mobile device or via a remote server. The method may include allowing, via the one or more processors running the social networking application on the mobile device, the senior to edit the video answer prior to posting to their care circle within the graphical user interface of the social networking application. The method may also include allowing, via the one or more processors

running the social networking application on the mobile device of a care circle member, the care circle member to edit the video answer within the graphical user interface of the social networking application on their mobile device. The editing of the video answer includes adding, inserting, or embedding an image or text into the video answer.

[0261] The method may include receiving via wireless communication over one or more radio frequency links, and via the one or more processors (and/or associated transceivers) running the social networking application on the mobile device of the senior, a comment on the video answer from the mobile device of a care circle member; and displaying, via the one or more processors running the social networking application on the mobile device of the senior, the comment on the video answer in the graphical user interface of the social networking application on the senior's mobile device.

[0262] In another aspect, a mobile device including one or more processors and/or transceivers may be provided. The mobile device runs a social networking application that virtually interconnects a senior with their care circle members and is configured to accept video answers to life experience questions recorded by the senior. The mobile device (and/or one or more processors and/or transceivers) configured to: (1) register the senior, via one or more processors running the social networking application on the mobile device, the registering including accepting user input of one or more items associated with personal information of the senior; (2) create, via one or more local or remote processors or servers, a user profile for the senior based upon the user input of one or more items associated with personal information of the senior; (3) determine, via the one or more local or remote processors or servers or the one or more processors running the social networking application on the mobile device, one or more initial life experience questions for the senior to video answer (such as via tapping on a video answer icon positioned within a graphic user interface associated with the social networking application to start a video recording on their mobile device) based upon the user profile for the senior; (4) display or present, via the one or more processors running the social networking application on the mobile device, (i) at least one of the one or more initial life experience questions for the senior, and (ii) an associated video answer icon within the graphic user interface associated with the social networking application (the question presented on the video answer icon being presented in close proximity to each other); and/or (5) record, via the one or more processors running the social networking application on the mobile device, a video answer (or video story) showing or otherwise recording the senior answering the at least one of the one or more initial life experience questions, the video answer being a video recorded by the mobile device, and being tagged or linked to the at least one of the one or more initial life experience questions. The mobile device may be configured to display, via the one or more processors running the social networking application on the mobile device, one or more icons representing video answers to life experience questions for which the senior has provided answers to within the graphical user interface for the social networking application. In some embodiments, icons or other graphic representations representing video answers or stories may be displayed side-by-side with a corresponding question, such as within an activity or other feed to the care circle. The mobile device may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0263] In another aspect, a mobile device including one or more processors and/or transceivers may be provided. The mobile device may include a social networking application that virtually interconnects a senior with their care circle members and configured to record and/or accept video answers to life experience questions answered by the senior. As discussed elsewhere herein, the mobile device (and/or one or more processors and/or transceivers) may be configured with: (1) means for registering the senior with the social networking application running on the mobile device by accepting user input of one or more items associated with personal information of the senior; (2) means for determining or receiving one or more initial life experience questions for the senior to video answer via tapping on a video answer icon positioned within a graphic user interface associated with the social networking application; (3) means for displaying (i) at least one of the one or more initial life experience questions for the senior to answer, and (ii) an associated video answer icon within the graphic user interface associated with the social networking application; (4) means for recording a video answer (or video story) showing or otherwise recording the senior answering the at least one of the one or more initial life experience questions; and/or (5) means for sharing the video answer with one or more members of the senior's care circle via the social networking application to facilitate creating and sharing videos of the senior describing their life experiences with their family members. The mobile device may be further configured with means for displaying one or more icons representing video answers to life experience questions for which the senior has provided video answers to within the graphical user interface for the social networking application. In some embodiments, icons or other graphic representations representing video answers or stories may be displayed side-by-side with a corresponding question that is also displayed, such as within an activity or other feed to the care circle. The mobile device may be configured with additional, less, or alternate functionality, including that discussed elsewhere herein.

Exemplary Video Memory Creation & Storage

[0264] FIG. **22** illustrates an exemplary computer-implemented method **2200** of creating and storing related video memories in accordance with at least one embodiment. The computer-implemented method **2200** may be implemented via one or more processors, transceivers, servers, sensors, applications, mobile applications, chatbots (or voice-bots), and related technologies. In some embodiments, method **2200** may be carried out by a digital care circle platform. The digital care circle platform may be substantially similar to, and work in substantially the same way as ECSP server **102** (shown in FIG. **1**), described above.

[0265] In the exemplary embodiment, a client device **104** (shown in FIG. **1**) displays **2205** a question (or other prompt for information, such as described elsewhere herein). Exemplary questions may include, but are not limited to: “How does the world feel different from when you were a child?”; “What traits do you believe that you inherited from your parents?”; “Please share a funny story about your parents?”; and “What is a moment in your life that makes you smile when you think of it?” The question (such as a life experience questions discussed elsewhere herein) may include an option for the user to answer the question with video. An example of the question and answer option (such as “video answer”) may be seen in FIGS. **24** and **25**.

[0266] The life experience questions (or other requests for information or stories) may be provided/pushed to the senior user (or other user) on a periodic basis. The questions may also be stored in a list or database, where the senior user may select one to answer or select a question to push to one of the others in the care circle group. Furthermore, individual users may ask or pose their own questions to others or to the group as a whole.

[0267] The client device **104** may receive **2210** a user interaction, where the user presses the answer option. The client device **104** may then activate **2215** one or more user facing cameras to capture video of the user. The client device **104** may capture **2220** the video of the user answering the question. In some embodiments, the user may have a pre-defined period of time to answer the question. In other embodiments, the user presses a button to indicate that they are finished answering the question. In some further embodiments, the user has the option of re-recording or editing the video prior to saving or posting the video.

[0268] In the exemplary embodiment, the video is transferred to the ECSP server **102** or other server for storage. In some embodiments, the ECSP server **102** compresses and stores **2225** the video. In some further embodiments, the client device **104** compresses the video before transmitting to the ECSP server **102**. In some embodiments, the client device **104** compresses the video using a video compressor. In other embodiments, client device **104** compresses the video by removing one or more periods of quiet space, such as if the senior user spends some time thinking about the answer before answering, or if the senior user pauses during their answer. In still further embodiments, the client device **104** compresses the video by adding in one or more pictures to cover the video during one or more portions of the video. For example, the compressed video may include five to ten seconds of a static image to reduce the size of the video by reducing the amount of changes between frames. During the time that the image is displaying, there is no change to the video, which reduces the amount of instructions needed in the video file.

[0269] In the exemplary embodiment, the ECSP server **102** stores the video in a database of videos, where the video is linked to the question, and/or linked to a social networking application or other "story videos," as discussed elsewhere herein. In some embodiments, there may be multiple videos linked to the same question (or topic, such as Family History). The database may also store multiple questions, each with one or more videos attached to the question.

[0270] In the exemplary embodiment, the ECSP server **102** transmits **2230** a link to the video to be displayed by various connected client devices **104**. The client device **104** may display the link (and/or an associated video-related icon) in an activity feed. The link allows the user of that client device **104** to view the video. Examples of the link may be seen in FIG. **24**. In some embodiments, the link is only sent to a select set of individuals. For example, a family story video might not be shared with a neighbor that drives the senior user to church every week.

[0271] In some embodiments, the link takes the viewer to a different screen or pop-up screen to display **2235** the video to the viewer. The viewer may have the option to respond to the video with a text-based comment and/or a follow-up video. In some embodiments, the viewer may also receive the option of creating a reaction video, where the viewer's client device **104** will use the user facing camera to record the viewer while they are watching the video. In a reaction video, the individual user is recorded with the user facing camera, while they are watching a video. These reaction videos may be viewed on their own or side-by-side with the original video. These additional videos may be viewed and responded to by others in the circle of care.

[0272] In some embodiments, the client device **104** may receive **2240** a user interaction, where the viewer selects an option to create a follow-up or response video in response to the original video. The client device **104** activates **2245** the camera and captures **2250** the video. The client device **104** then uploads the video to the ECSP server **102**, where the ECSP server **102** stores and links **2255** the video to the previous video. Then the method **2200** allows the link of the new video to be transmitted **2230** to the other client devices **104** as a response to or a comment on the first video. The client device **104** may then display an option to view the response video, either in the activity feed or as an option when the viewer has selected the original video.

[0273] In other embodiments, the client device **104** may receive **2260** a text comment from the viewer. The client device **104** forwards the comment to the ECSP server **102**. The ECSP server **102** stores the comment and links **2265** the comment to the viewed video. The client device **104** may then display an option to view the text comment, either in the activity feed or as an option when the viewer has selected the original video.

[0274] In some embodiments, the client device **104** and/or ECSP server **102** may indicate which individuals have viewed any specific video. Furthermore, the client device **104** and/or ECSP server **102** may indicate how many times each video has been viewed. In some embodiments, the client device **104** and/or ECSP server **102** may also keep track of a number of likes or other reactions that each video has received from viewers.

[0275] In some embodiments, the client device **104** may allow a user to upload one or more images into the video. For example, the user may select an image to be displayed during their video. The image could be displayed over the entire screen or only on a portion of the screen. The image may also only be displayed for a specific period of time. For example, the image could be of a relative and the user has the image of the relative displayed while they are talking about that relative. The user may press a button or other option to tell the client device **104** when to start and when to end displaying the image. Furthermore, the user may have several images that are show at different times within the video. The images may also be stored with the video, such that an individual may view the image by selecting the image, rather than only when the video is playing.

[0276] In some embodiments, the client device **104** and/or ECSP server **102** may allow the user to forward their video or another person's video to one or more other platforms, such as social media platforms and/or blogs. The client device **104** and/or ECSP server **102** may allow the user to tag one or more individuals that are discussed in the video, so that those individuals may be notified of their appearance in a video. Furthermore, this tag may allow future viewers to filter videos based upon the individual to get stories about the desired individual. The client device **104** and/or ECSP server **102** may request permission from the individual who recorded the video before allowing the video to be shared with an outside individual, application, and/or platform.

[0277] In some embodiment, the ECSP server **102** may determine if other individuals outside of the user's circle of care may have similar stories. For example, if two senior users have answered the same question, the ECSP server **102** may connect those individuals so that they may share their stories. In some further embodiment, the ECSP server **102** may relate the videos of senior users, or other individuals, based upon tags, commonly used words in the video and/or comments, or other features of the question and related videos.

[0278] In some embodiments, the ECSP server **102** may select, determine, generate, or create a question to ask the senior user. This questions selection or generation may be based upon calendar and upcoming holidays, user selections and/or preferences, and/or random selection. In some other embodiments, individuals in the circle of care may select or create a question to ask the senior user. In still further embodiments, caregivers may ask the question in a video. For example, a video of one or more grandchildren asking the question may be forwarded and presented to the senior user or other appropriate individual.

[0279] In some embodiments, the ECSP server **102** may store the videos and comments to allow for easy navigation. The videos are linked together based upon how they are related to the other videos (e.g., which video was in response to which other video). In some of these embodiments, the videos are graphically displayed as conversations, where response videos are displayed indented in from the original videos (such as indented to the right). The conversation display may show which videos came first, which ones were made in response, and allow the user to follow through the threads of comments.

[0280] In further embodiments, the ECSP server **102** may edit and combine a plurality of videos into a longer compiled video by linking the question and answers in a conversation of videos. In some of these embodiments, the ECSP server **102** may edit the videos themselves to remove time where nothing is said or remove a plurality of ‘umms’ from the video. The ECSP server **102** may do this based upon one or more user preferences (such as user preferences selected from editing menu or list).

[0281] The client device **104** may be a smart phone, a tablet, a laptop, a desktop, or other computer device with a screen and a camera. In some embodiments, the user may stream the video to another device, such as a smart television.

[0282] While the above is described in relation to the ECSP system **100**, method **2200** may also be performed as a part of a social media platform or other content sharing system or platform.

[0283] FIG. **23** illustrates a screenshot **2300** of an activity feed of the engagement and care support application illustrated in FIG. **1**. Screenshot **2300** displays an activity feed with instructions and information related to method **2200** (shown in FIG. **22**).

[0284] FIGS. **24** and **25** illustrate screenshots **2400** and **2500** of activity feeds with questions for videos for the engagement and care support application **110** (illustrated in FIG. **1**). Screenshot **2400** illustrates a single question or prompt **2104**, with a user selectable option **2106** to answer the question with a video (e.g., video answer). Screenshot **2500** illustrates two questions, each with a user selectable option, that the user may answer with video. Screenshot **2500** also illustrates previously shared videos being linked in the user's activity feed.

[0285] FIG. **26** illustrates a screenshot **2600** of an activity feed with a video response for the engagement and care support application **110** (illustrated in FIG. **1**). Screenshot **2600** shows a link **2605** where another user has uploaded a video and the user of the present device can select a link to watch the video.

[0286] FIG. **27** illustrates a screenshot **2700** of a video being uploaded for the engagement and care support application **110** (illustrated in FIG. **1**). Screenshot **2700** shows the question and the video that the user just took to answer the question.

Additional Considerations

[0287] With the foregoing, users and caregivers may opt-in or register to a care coordination support platform program or other type of program. After the users and caregivers give their affirmative consent or permission, a care coordination support platform remote server may collect data from the mobile devices, user computing devices, smart home controllers, smart vehicles, autonomous or semi-autonomous vehicles, smart infrastructure, smart buildings, smart aerial devices (e.g., drones), and/or other smart devices, such as with the permission or affirmative consent of the users and caregivers. The data collected may be related to user activities and/or user/caregiver schedules and current locations.

[0288] As will be appreciated based upon the foregoing specification, the above-described embodiments of the disclosure may be implemented using computer programming or engineering techniques including computer software, firmware, hardware or any combination or subset thereof. Any such resulting program, having computer-readable code means, may be embodied or provided within one or more computer-readable media, thereby making a computer program product, i.e., an article of manufacture, according to the discussed embodiments of the disclosure. The computer-readable media may be, for example, but is not limited to, a fixed (hard) drive, diskette, optical disk, magnetic tape, semiconductor memory such as read-only memory (ROM), and/or any transmitting/receiving medium such as the Internet or other communication network or link. The article of manufacture containing the computer code may be made and/or used by executing the code directly from one medium, by copying the code from one medium to another medium, or by transmitting the code over a network.

[0289] These computer programs (also known as programs, software, software applications, “apps”, or code) include machine instructions for a programmable processor, and can be implemented in a high-level procedural and/or object-oriented programming language, and/or in assembly/machine language. As used herein, the terms “machine-readable medium” “computer-readable medium” refers to any computer program product, apparatus and/or device (e.g., magnetic discs, optical disks, memory, Programmable Logic Devices (PLDs)) used to provide machine instructions and/or data to a programmable processor, including a machine-readable medium that receives machine instructions as a machine-readable signal. The “machine-readable medium” and “computer-readable medium,” however, do not include transitory signals. The term “machine-readable signal” refers to any signal used to provide machine instructions and/or data to a programmable processor.

[0290] As used herein, a processor may include any programmable system including systems using micro-controllers, reduced instruction set circuits (RISC), application specific integrated circuits (ASICs), logic circuits, and any other circuit or processor capable of executing the functions described herein. The above examples are example only, and are thus not intended to limit in any way the definition and/or meaning of the term “processor.”

[0291] As used herein, the terms “software” and “firmware” are interchangeable, and include any computer program stored in memory for execution by a processor, including RAM memory, ROM memory, EPROM memory, EEPROM memory, and non-volatile RAM (NVRAM) memory. The above memory types are example only, and are thus not limiting as to the types of memory usable for storage of a computer program.

[0292] In one embodiment, a computer program is provided, and the program is embodied on a computer readable medium. In an exemplary embodiment, the system is executed on a single computer system, without requiring a connection to a sever computer. In a further embodiment, the system is being run in a Windows® environment (Windows is a registered trademark of Microsoft Corporation, Redmond, Washington). In yet another embodiment, the system is run on a mainframe environment and a UNIX® server environment (UNIX is a registered trademark of X/Open Company Limited located in Reading, Berkshire, United Kingdom). The application is flexible and designed to run in various different environments without compromising any major functionality. In some embodiments, the system includes multiple components distributed among a plurality of computing devices. One or more components may be in the form of computer-executable instructions embodied in a computer-readable medium. The systems and processes are not limited to the specific embodiments described herein. In addition, components of each system and each process can be practiced independent and separate from other components and processes described herein. Each component and process can also be used in combination with other assembly packages and processes.

[0293] In some embodiments, registration of users for the care coordination support platform includes opt-in informed consent of users to data usage by the smart home devices, wearable devices, mobile devices, autonomous vehicles, and/or smart vehicles consistent with consumer protection laws and privacy regulations. In some embodiments, the user data, the caregiver data, and/or other collected data may be anonymized and/or aggregated prior to receipt such that no personally identifiable information (PII) is received. In other embodiments, the system may be configured to receive user and caregiver data and/or other collected data that is not yet anonymized and/or aggregated, and thus may be configured to anonymize and aggregate the data. In such embodiments, any PII received by the system is received and processed in an encrypted format, or is received with the consent of the individual with which the PII is associated. In situations in which the systems discussed herein collect personal information about individuals, or may make use of such personal information, the individuals may be provided with an opportunity to control whether such information is collected or to control whether and/or how such information is used. In addition, certain data may be processed in one or more ways before it is stored or used, so that personally identifiable information is removed.

[0294] As used herein, an element or step recited in the singular and proceeded with the word “a” or “an” should be understood as not excluding plural elements or steps, unless such exclusion is explicitly recited. Furthermore, references to “exemplary embodiment” or “one embodiment” of the present disclosure are not intended to be interpreted as excluding the existence of additional embodiments that also incorporate the recited features.

[0295] The patent claims at the end of this document are not intended to be construed under 35 U.S.C. § 112 (f) unless traditional means-plus-function language is expressly recited, such as “means for” or “step for” language being expressly recited in the claim(s).

[0296] This written description uses examples to disclose the disclosure, including the best mode, and also to enable any person skilled in the art to practice the disclosure, including making and using any devices or systems and performing any incorporated methods. The patentable scope of the disclosure is defined by the claims, and may include other examples that occur to those skilled in the art. Such other examples are intended to be within the scope of the claims if they have structural elements that do not differ from the literal language of the claims, or if they include equivalent structural elements with insubstantial differences from the literal language of the claims.

Claims

1. A video creation and storage system comprising a computer system comprising at least one processor in communication with at least one memory device, the at least one processor is programmed to: register a group of related users including a senior user with a user platform; create, via one or more local or remote processors or servers associated with the user platform, a user profile for the senior user based upon user input of personal information of the senior user; generate and execute, via the one or more local or remote processors or servers, instructions for display of a graphical user interface of the user platform on a user device associated with the senior user; present, via the graphical user interface displayed on the user device, (i) one or more initial life experience questions for the senior user, and (ii) an associated video answer icon for each of the one or more initial life experience questions, wherein each associated video answer icon is adjacent to and electronically linked to a corresponding initial life experience question of the one or more initial life experience questions; cause the user device to record, based upon a selection by the senior user of an associated video answer icon corresponding to a selected initial life experience question of the one or more initial life experience questions, a video answer including the senior user answering the selected initial life experience question, the video answer including a corresponding video file configured to be stored in a video database associated with the one or more local or remote processors or servers; compress, at the one or more local or remote processors or servers, the video file by inserting a static image in the video file for a pre-defined time duration to reduce an amount of changes between frames of the video answer such that a size of the video file is decreased; and store the compressed video file in the video database in association with the group of related users and for distribution, via the user platform, to the group of related users, wherein the video answer is electronically linked to the selected initial life experience question in the video database.

2. The video creation and storage system of claim 1, wherein the at least one processor is further programmed to allow, via the graphical user interface, the senior user to selectively share the video answer to one or more members of a care circle associated with the senior user, wherein the care circle includes at least a portion of users from the group of related users.

3. The video creation and storage system of claim 1, wherein the at least one processor is further programmed to display, via the graphical user interface on user devices of users of the group of related users other than the senior user, one or more icons representing video answers to life experience questions for which the senior user has provided answers to.

4. The video creation and storage system of claim 1, wherein to present the one or more initial life experience questions for the senior user to video answer the at least one processor is further programmed to receive a life experience question from a mobile device of a user of the group of related users other than the senior user via wireless communication.

5. The video creation and storage system of claim 4, wherein the life experience question is submitted by the user via the user's mobile device.

6. The video creation and storage system of claim 1, wherein the at least one processor is further programmed to build, via the at least one processor, as the user profile, a senior profile using the personal information of the senior user input during registration of the senior user with the user platform and other information associated with the senior user, including life event information, preference information, travel history, family history, education history, and work history.

7. The video creation and storage system of claim 6, wherein to determine the one or more initial life experience questions for the senior user to video answer the at least one processor is further programmed to select one or more questions from a pre-determined list of life experience questions based upon at least one of (i) the personal information of the senior user input during registration, or (ii) the senior profile.

8. The video creation and storage system of claim 6, wherein to present the one or more initial life experience questions for the senior user to video answer the at least one processor is further programmed to create the one or more initial life experience questions based upon one or more items of information included within the personal information of the senior user input during registration or the senior profile to determine a relevant question.

9. The video creation and storage system of claim 1, wherein the at least one processor is further programmed to display, via the graphical user interface, a subsequent question for the senior user to video answer, the subsequent question being received via wireless communication from a mobile device of a user of the group of related users other than the senior user or via a remote server.

10. The video creation and storage system of claim 1, wherein the at least one processor is further programmed to provide, via the graphical user interface, one or more tools to allow the senior user to edit the video answer prior to posting to a care circle within the user platform, wherein the care circle comprises at least a portion of users of the group of related users.

11. The video creation and storage system of claim 10, wherein the editing of the video answer includes adding, inserting, or embedding an image or text into the video answer.

12. The video creation and storage system of claim 1, wherein the at least one processor is further programmed to provide, via a mobile device of a user of the group of related users, the user being a care circle member of a care circle associated with the group of related users, one or more tools to allow the care circle member to edit the video answer on the mobile device.

13. The video creation and storage system of claim 12, wherein the editing of the video answer includes adding, inserting, or embedding an image or text into the video answer.

14. The video creation and storage system of claim 1, wherein the at least one processor is further programmed to: receive a comment on the video answer from a mobile device of a user of the group of related users; and display, via the graphical user interface, the comment on the video answer.

15. The video creation and storage system of claim 1, wherein the at least one processor is further programmed to present, via the graphical user interface, a comment on the video answer, the comment being received via wireless communication from a mobile device of a user of the group of related users or a remote server.

16. A computer-implemented method for video creation and storage, the computer-implemented method performed by a computer system comprising at least one processor in communication with at least one memory device, the computer-implemented method comprising: registering a group of users including a senior user with a user platform; creating, via one or more local or remote processors or servers associated with the user platform, a user profile for the senior based upon user input of personal information of the senior user; generating and executing, via the one or more local or remote processors or servers, instructions for display of a graphical user interface of the user platform on a user device associated with the senior user; presenting, via the graphical user interface displayed on the user device, (i) one or more initial life experience questions for the senior user, and (ii) an associated video answer icon for each of the one or more initial life experience questions, wherein each associated video answer icon is adjacent to and electronically linked to a corresponding initial life experience question of the one or more initial life experience questions; causing the user device to record, based upon a selection by the senior user of an associated video answer icon corresponding to a selected initial life experience question of the one or more initial life experience questions, a video answer including the senior user answering the selected initial life experience question, the video answer including a corresponding video file configured to be stored in a video database associated with the one or more local or remote processors or servers; compressing, at the one or more local or remote processors or servers, the video file by inserting a static image for a pre-defined time duration to reduce an amount of changes between; frames of the video answer such that a size of the video file is decreased; and storing the compressed video file in the video database in association with the group of related users and for distribution, via the user platform, to the group of related users, wherein the video answer is electronically linked to thef selected initial life experience question in the video database.

17. The computer-implemented method of claim 16 further comprising allowing, via the graphical user interface, the senior user to selectively share the video answer to one or more members of a care circle associated with the senior user, wherein the care circle includes at least a portion of users from the group of related users.

18. The computer-implemented method of claim 16 further comprising displaying, via the graphical user interface, on user devices of users of the group of related users other than the senior user, one or more icons representing video answers to life experience questions for which the senior user has provided answers to.

19. The computer-implemented method of claim 16, wherein the presenting of the one or more initial life experience questions for the senior user to video answer further comprises receiving a life experience question from a mobile device of a user of the group of related users other than the senior user via wireless communication.

20. The computer-implemented method of claim 19, wherein the life experience question is submitted by the user via the user's mobile device.

21. The computer-implemented method of claim 16 further comprising building, via the at least one processor, as the user profile, a senior profile using the personal information of the senior user input during registration of the senior user with the user platform and other information associated with the senior user, including life event information, preference information, travel history, family history, education history, and work history.

22. The computer-implemented method of claim 21, wherein the presenting of the one or more initial life experience questions for the senior user to video answer further comprises selecting one or more questions from a pre-determined list of life experience questions based upon at least one of (i) the personal information of the senior user input during registration, or (ii) the senior profile.

23. The computer-implemented method of claim 21, wherein the presenting of the one or more initial life experience questions for the senior user to video answer further comprises creating the one or more initial life experience questions based upon one or more items of information included within the personal information of the senior user input during registration or the senior profile to determine a relevant question.

24. The computer-implemented method of claim 16 further comprising displaying, via the graphical user interface, a subsequent question for the senior user to video answer, the subsequent question being received via wireless communication from a mobile device of a user of the group of related users other than the senior user or via a remote server.

25. The computer-implemented method of claim 16 further comprising providing, via the graphical user interface, one or more tools to allow the senior user to edit the video answer prior to posting to a care circle within the user platform, wherein the care circle comprises at least a portion of users of the group of related users.

26. The computer-implemented method of claim 16 further comprising providing, via a mobile device of a user of the group of related users, one or more tools to allow the user to edit the video answer on their mobile device.

27. The computer-implemented method of claim 16 further comprising: receiving a comment on the video answer from a mobile device of user of the group of related users; and displaying, via the graphical user interface, the comment on the video answer.

28. The computer-implemented method of claim 16 further comprising presenting, via the graphical user interface, a comment on the video answer, the comment being received via wireless communication from a mobile device of a user of the group of related users or a remote server.