



US0D1089308S

(12) **United States Design Patent**
Murakami

(10) **Patent No.:** **US D1,089,308 S**

(45) **Date of Patent:** **** Aug. 19, 2025**

(54) **SOLENOID VALVE**

(71) Applicant: **SMC CORPORATION**, Tokyo (JP)

(72) Inventor: **Takashi Murakami**, Tsukubamirai (JP)

(73) Assignee: **SMC CORPORATION**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/878,950**

(22) Filed: **Jun. 29, 2023**

(30) **Foreign Application Priority Data**

Jan. 20, 2023 (JP) 2023-000902 D

(51) **LOC (15) Cl.** **15-01**

(52) **U.S. Cl.**

USPC **D15/5; D23/233**

(58) **Field of Classification Search**

USPC D15/5, 138, 145; D23/206, 233, 249;

D13/123

CPC F16K 27/003; F16K 27/048; F16K 27/029;

F16K 31/0675; F16K 31/05; F16K

35/025; F15B 13/0857; F15B 13/0825;

F15B 13/0817; F15B 13/0889; F15B

13/0839; F15B 13/0875; Y10T

137/87885; Y10T 137/87209; Y10T

137/5283; Y10T 137/86614

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D409,279 S * 5/1999 Hayashi D23/233

D416,309 S * 11/1999 Hayashi D23/233

D416,980 S * 11/1999 Sato D23/233

D426,615 S * 6/2000 Sato D23/233

6,164,335 A * 12/2000 Hayashi F15B 13/0857

137/884

D443,030 S * 5/2001 Kaneko D23/233

D459,441 S * 6/2002 Hayashi D23/233

6,425,416 B1 * 7/2002 Narita F15B 13/0825

137/884

D533,254 S * 12/2006 Miyazoe D23/233

D533,255 S * 12/2006 Miyazoe D23/233

D558,688 S * 1/2008 Koyama D13/166

D564,072 S * 3/2008 Yoshimura D23/233

D623,270 S * 9/2010 Fukano D23/233

D653,308 S * 1/2012 Senba D23/233

(Continued)

OTHER PUBLICATIONS

AirTACDINGJU, (earliest review date: Aug. 8, 2023), Solenoid Valve 1/4"PT Pneumatic AirTAC 4V210-08, Amazon.com, URL: (https://www.amazon.com/Pneumatic-4V210-08-Pilot-Operated-Connection-DC24V/dp/B09SZJ31Y6/ref=sr_1_35_sspa?crd=undefined&th=1), (Year: 2023).*

(Continued)

Primary Examiner — Richard Edgar

Assistant Examiner — Cheng Chen

(74) *Attorney, Agent, or Firm* — Oblon, McClelland, Maier & Neustadt, L.L.P.

(57)

CLAIM

The ornamental design for a solenoid valve, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, and right side perspective view of a solenoid valve showing the new design.

FIG. 2 is a rear, bottom, and left side perspective view thereof.

FIG. 3 is a front elevational view thereof.

FIG. 4 is a rear elevational view thereof.

FIG. 5 is a top plan view thereof.


FIG. 6 is a bottom plan view thereof.

FIG. 7 is a left side elevational view thereof; and,

FIG. 8 is a right side elevational view thereof.

The broken lines depict portions of the solenoid valve that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



References Cited

2019/0277421	A1 *	9/2019	Yoshimura	F16K 31/0655
2021/0332909	A1 *	10/2021	Yoshimura	F16K 31/0627
2021/0396329	A1 *	12/2021	Mita	H01F 7/127
2023/0139784	A1 *	5/2023	Ohki	F16K 27/003
				251/129.01

OTHER PUBLICATIONS

SMC, (date retrieved Oct. 28, 2024), SJ4000, 4 Port Solenoid Valve, Smcusa.com, URL: (<https://www.smcusa.com/products/sj4000-4-port-solenoid-valve~174811>), (Year: 2024).*

Automation Distribution, (date retrieved Oct. 28, 2024), SMC SJ3160N-5MZ-N7 SJ2000/3000 Series Non plug-in Individual Wiring Solenoid Valves, Automationdistribution.com, URL: (<https://automationdistribution.com/smc-sj3160n-5mz-n7-pack-of-1/>), (Year: 2024).*

Coast Pneumatics, (date retrieved Oct. 28, 2024), VOVK-BT6-M32C-MN-5T1P-B3F, Coastpneumatics.com, URL: (<https://www.coastpneumatics.com/product/8122788/>), (Year: 2024).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8