



US0D1089313S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,089,313 S**  
**Curran et al.** (45) **Date of Patent:** **\*\* Aug. 19, 2025**

(54) **CONDENSATE CATCH BASIN**

FOREIGN PATENT DOCUMENTS

(71) Applicants: **James P Curran**, West Nyack, NY  
(US); **Christopher J Curran**, West  
Nyack, NY (US)

CN 3357397 \* 3/2004  
CN 308389865 \* 12/2023  
(Continued)

(72) Inventors: **James P Curran**, West Nyack, NY  
(US); **Christopher J Curran**, West  
Nyack, NY (US)

OTHER PUBLICATIONS

Liberty Pumps LCU-20S 115-Volt 20-Foot Head Automatic Con-  
densate Pump, posted date Nov. 26, 2009, [retrieved May 7, 2025].  
Retrieved from internet, <https://www.amazon.com/Liberty-Pumps-LCU-20S-Automatic-Condensate/dp/B002YR49WW/> (2025).\*

(\*\*) Term: **15 Years**

*Primary Examiner* — Eric L Goodman

*Assistant Examiner* — Vincent T Andrews

(21) Appl. No.: **29/926,105**

(22) Filed: **Jan. 29, 2024**

(51) **LOC (15) Cl.** ..... **15-02**

(52) **U.S. Cl.**  
USPC ..... **D15/7**

(58) **Field of Classification Search**

USPC ..... D15/7, 150; D7/304; D23/200, 268  
CPC ..... E03F 5/14; B01D 17/00; B01D 2201/48;  
B67D 1/16; B67D 2210/0001

See application file for complete search history.

(74) *Attorney, Agent, or Firm* — Goldstein Law Offices,  
P.C.

(57) **CLAIM**

The ornamental design for a condensate catch basin, as  
shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS


3,758,236 A \* 9/1973 Zimmerman ..... F04D 29/426  
417/360  
3,813,256 A \* 5/1974 Feinberg ..... B65D 1/22  
427/236  
D240,530 S 7/1976 Kubik  
D309,571 S 7/1990 Lehman  
5,392,944 A 2/1995 Jennings  
D363,662 S \* 10/1995 Plater ..... D9/425  
D414,500 S \* 9/1999 Davis ..... D15/7  
6,322,326 B1 \* 11/2001 Davis ..... F24F 13/222  
417/279  
D483,945 S \* 12/2003 Tanji ..... D3/273  
D523,517 S 6/2006 Flick  
D547,064 S \* 7/2007 Snell ..... D3/304  
D617,067 S 6/2010 Renner  
D760,400 S \* 6/2016 Grune ..... D24/219

(Continued)

DESCRIPTION

FIG. 1 is a perspective view of a condensate catch basin in  
accordance with the present invention;  
FIG. 2 is a top perspective view thereof;  
FIG. 3 is a bottom perspective view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a right side elevation view thereof;  
FIG. 7 is a left side elevation view thereof;  
FIG. 8 is a front elevation view thereof;  
FIG. 9 is a rear elevation view thereof; and,  
FIG. 10 is a perspective view of the condensate catch basin  
shown in use with a condensate pump.  
The broken lines in the drawings depict portions of the  
condensate catch basin that form no part of the claimed  
design.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**


## U.S. PATENT DOCUMENTS

D771,970	S	11/2016	Mirth	
D891,192	S	7/2020	D'Abundo	
10,753,641	B2	8/2020	Rowland	
D937,000	S	11/2021	Xia	
D1,063,381	S *	2/2025	Sabounjian	..... D3/312
2006/0144071	A1	7/2006	Rowland	
2009/0053073	A1 *	2/2009	Ward	..... F04D 29/4273
				417/40
2009/0226329	A1 *	9/2009	Currier	..... F04D 25/082
				417/40
2011/0085917	A1 *	4/2011	Ward	..... F04D 15/0218
				417/36
2014/0026480	A1 *	1/2014	Lenhart, Jr.	..... A01G 9/247
				47/65.9
2016/0265795	A1	9/2016	Kopp	
2017/0363317	A1	12/2017	Constable	
2018/0340307	A1 *	11/2018	Zlotkin	..... C02F 1/00
2022/0205679	A1 *	6/2022	Cates	..... F24F 13/222
2022/0316718	A1	10/2022	Li	


## FOREIGN PATENT DOCUMENTS

EM	002611210-0003	*	1/2015
GB	9002611210-0005	*	1/2015


\* cited by examiner




*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*




*FIG. 6*




*FIG. 7*





*FIG. 8*



*FIG. 9*




FIG. 10