



US0D1088967S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,088,967 S**
Kennelly et al. (45) **Date of Patent:** **** Aug. 19, 2025**

- (54) **ANTI-RATTLE DEVICE AND BOLT**
- (71) Applicant: **Wheel Pros, LLC**, Greenwood Village,
CO (US)
- (72) Inventors: **Ryan Kennelly**, Ogden, UT (US); **Nigel Gayette**, Ogden, UT (US); **Ted Moncure**, Long Beach, CA (US)
- (73) Assignee: **Wheel Pros LLC**
- (**) Term: **15 Years**
- (21) Appl. No.: **29/938,759**
- (22) Filed: **Apr. 23, 2024**
- (51) **LOC (15) Cl.** **12-16**
- (52) **U.S. Cl.**
USPC **D12/162**
- (58) **Field of Classification Search**
USPC D12/159, 160, 161, 162, 400, 317;
D21/777, 810
CPC . B60D 1/60; B60D 1/065; B60D 1/00; B60D
1/06; B60D 1/36
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D841,526	S	*	2/2019	Siegel	D12/162
D997,045	S	*	8/2023	Li	D12/162
D1,020,548	S	*	4/2024	Tang	D12/162
D1,030,565	S	*	6/2024	Gammill	D12/162
D1,037,832	S	*	8/2024	Huang	D12/162
D1,043,311	S	*	9/2024	Xu	D12/162
D1,049,947	S	*	11/2024	Wronski	D12/162
D1,053,080	S	*	12/2024	Yu	D12/162

D1,054,332	S	*	12/2024	Kope	D12/162
D1,055,787	S	*	12/2024	Knoebel	D12/162
D1,057,613	S	*	1/2025	Dong	D12/162
D1,066,153	S	*	3/2025	Handbury	D12/162
2016/0243909	A1	*	8/2016	Harper	B60D 1/06

* cited by examiner

Primary Examiner — Katrina A Betton

(74) *Attorney, Agent, or Firm* — Eric Hanscom


(57) **CLAIM**

The ornamental design for an anti-rattle device and bolt as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an anti-rattle device and bolt showing my new design how it appears completely assembled;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a left-side view thereof;
FIG. 5 is a right-side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is an exploded view of all the parts thereof;
FIG. 9 is a cross-sectional view of the invention in an initial phase thereof;
FIG. 10 is a cross-sectional view of the invention in finished phase thereof; and,
FIG. 11 is a cut-away view of the internal parts thereof.
In the drawings, the broken lines depict portions of the anti-rattle device and bolt that form no part of the claimed design.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

