



US0D1088463S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,088,463 S**
Liu (45) **Date of Patent:** **** Aug. 19, 2025**

(54) **INSOLE**

(71) Applicant: **Fuzhou Winggood Technology Co., Ltd.**, Fuzhou (CN)

(72) Inventor: **Jingyu Liu**, Linying (CN)

(73) Assignee: **Fuzhou Winggood Technology Co., Ltd.**, Fuzhou (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/932,291**

(22) Filed: **Mar. 13, 2024**

(30) **Foreign Application Priority Data**

Sep. 15, 2023 (CN) 202330601194.0

(51) **LOC (15) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/961**

(58) **Field of Classification Search**

USPC D2/896, 902, 903, 908, 909, 914–916,
D2/919, 923–925, 947, 951–961;
D24/192; 36/88, 91, 92, 93, 96, 43, 44
CPC A43B 1/00; A43B 1/023; A43B 1/025;
A43B 1/028; A43B 1/10; A43B 1/12;
A43B 1/14; A43B 3/00; A43B 3/10;
A43B 3/101; A43B 3/108; A43B 3/12;
A43B 3/128; A43B 7/00; A43B 7/14;
A43B 7/1405; A43B 7/141; A43B
7/1415; A43B 7/142; A43B 7/1425; A43B
7/143; A43B 7/1435; A43B 7/144; A43B
7/1445; A43B 7/145; A43B 7/1455; A43B
7/146; A43B 7/147; A43B 7/1475; A43B
7/1463; A43B 7/1464; A43B 7/1465;
A43B 7/148; A43B 7/1485; A43B 7/149;
A43B 7/1495; A43B 7/16; A43B 7/18;
A43B 7/19; A43B 7/22; A43B 7/223;
A43B 7/26; A43B 7/32; A43B 7/34;
A43B 7/36; A43B 7/38; A43B 9/125;
A43B 13/00; A43B 13/02; A43B 13/026;
A43B 13/04; A43B 13/06; A43B 13/08;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

485,459 A * 11/1892 Crocker A43C 15/161
D2/960

D208,761 S * 10/1967 Gottlieb D2/955

(Continued)

FOREIGN PATENT DOCUMENTS

CN 306656950 * 7/2021

CN 307477539 * 8/2022

CN 308535634 * 3/2024

OTHER PUBLICATIONS

Amazon.com_ WalkHero Medium Arch Support Insoles, available Oct. 21, 2023 (online), retrieved Mar. 27, 2025, retrieved from internet, https://www.amazon.com/WALKHERO-Medium-Arch-Support-Insoles/dp/B0CH3BCJ9G?ref_=ast_sto_dp&th=1 (Year: 2023).*

Primary Examiner — Holly E Thurman

Assistant Examiner — Sharon H Schwartz

(74) *Attorney, Agent, or Firm* — Jose Cherson Weissbrot

(57) **CLAIM**

The ornamental design for an insole as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an insole showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is a bottom perspective view thereof.

1 Claim, 6 Drawing Sheets



(58) **Field of Classification Search**

CPC A43B 13/12; A43B 13/122; A43B 13/14;
 A43B 13/22; A43B 13/37; A43B 13/38;
 A43B 13/383; A43B 13/386; A43B
 13/39; A43B 13/40; A43B 13/42; A43B
 17/00; A43B 17/003; A43B 17/12; A43B
 17/14; A43B 19/00; A43B 19/005
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D229,644 S * 12/1973 Persson D2/960
 D300,687 S * 4/1989 Kelley D2/961
 D368,358 S * 4/1996 Valle D2/953
 D423,766 S * 5/2000 Genga D2/961
 D618,894 S * 7/2010 Taestensen D2/951
 D640,046 S * 6/2011 Claassen D2/953
 D665,566 S * 8/2012 Klein D2/961

D722,756 S * 2/2015 Vasyli D2/961
 D793,685 S * 8/2017 Anceresi D2/955
 D801,020 S * 10/2017 Garbolinski D2/961
 D804,791 S * 12/2017 Shyllon D2/954
 D837,498 S * 1/2019 Winfield D2/954
 D843,704 S * 3/2019 Hong D2/951
 D852,484 S * 7/2019 Neumann D2/947
 D861,304 S * 10/2019 Avar D2/954
 D879,442 S * 3/2020 Fromholtz D2/961
 D919,272 S * 5/2021 Tu D2/961
 D1,029,479 S * 6/2024 Qin D24/192
 D1,031,232 S * 6/2024 Yu D24/192
 D1,032,163 S * 6/2024 Fyfe D2/951
 D1,040,500 S * 9/2024 Qin D2/961
 D1,040,501 S * 9/2024 Qin D2/961
 D1,047,397 S * 10/2024 Qin D2/961
 D1,047,398 S * 10/2024 Qin D2/961
 D1,048,685 S * 10/2024 Zhou D2/961
 D1,067,589 S * 3/2025 Dai D2/960

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8