

11S0D1089808S

(12) United States Design Patent (10) Patent No.:

Sakurai et al.

(10) Patent No.: US D1,089,808 S

(45) Date of Patent: ** Aug. 19, 2025

(54) LIGHT-EMITTING ELEMENT MODULE

(71) Applicant: **HAMAMATSU PHOTONICS K.K.**, Hamamatsu (JP)

Inventors: Naoto Sakurai, Hamamatsu (JP);

Akihiro Oguri, Hamamatsu (JP); Yuya

Iwazaki, Hamamatsu (JP)

(73) Assignee: HAMAMATSU PHOTONICS K.K.,

Hamamatsu (JP)

(**) Term: 15 Years

(21) Appl. No.: 29/798,752

(22) Filed: Jul. 9, 2021

(30) Foreign Application Priority Data

(51) TOO (45)	~1	2.0	_

USPC D26/120

(58) Field of Classification Search

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS

JP 1389544 S 6/2010

OTHER PUBLICATIONS

"Lumistrips The new Chip Scale Packaged Flip Chip LED technology", Lumistrips LED Professional https://www.lumistrips.com/lumistrips-blog/chip_scale_leds_explained, Mar. 12, 2020.

(Continued)

Primary Examiner — Clint A Samuel

(74) Attorney, Agent, or Firm — Faegre Drinker Biddle & Reath LLP

(57) CLAIM

The ornamental design for a light-emitting element module as shown and described.

DESCRIPTION

FIG. 1 is a front view of a light-emitting element module of the first embodiment of the present invention;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a front, top and right side perspective view thereof; FIG. 8 is a rear, bottom and left side perspective view thereof;

FIG. 9 is a sectional view thereof with inner mechanism is omitted taken along the line 9-9 in FIG. 3;

FIG. 10 is an enlarged view thereof defined by the line 10-10 in FIG. 7;

FIG. 11 is an enlarged sectional view thereof with inner mechanism is omitted defined by the line 11-11 in FIG. 9;

FIG. 12 is a front view of a light-emitting element module of the second embodiment of the present invention;

FIG. 13 is a rear view thereof;

FIG. 14 is a top plan view thereof;

FIG. 15 is a bottom plan view thereof;

FIG. 16 is a right side view thereof;

FIG. 17 is a left side view thereof:

FIG. 18 is a front, top and right side perspective view thereof;

FIG. 19 is a rear, bottom and left side perspective view thereof:

FIG. 20 is a sectional view thereof with inner mechanism is omitted taken along the line 20-20 in FIG. 14;

(Continued)




FIG. 21 is an enlarged view thereof defined by	the line 21-21
in FIG. 18; and,	

FIG. 22 is an enlarged sectional view thereof with inner mechanism is omitted defined by the line 22-22 in FIG. 20. The broken lines show portions of a light-emitting element module that form no part of the claimed design.

The alternate long and short dash lines are merely the boundary lines between the claimed parts and the non-claimed parts.

1 Claim, 22 Drawing Sheets

(56) References Cited

U.S. PATENT DOCUMENTS

7,491,977 B2*	2/2009	Fukasawa H10H 20/856 257/E33.068
D590,355 S	4/2009	Tsuchiya et al.
D590,357 S *	4/2009	Miyashita D13/180
D597,502 S *	8/2009	Ogata D26/1
D599,303 S	9/2009	Seo et al.
7,589,354 B2	9/2009	Lin et al.
	10/2009	Wada et al.
7,675,087 B1	3/2010	Cheng et al.
	10/2010	Lin D13/180
	10/2010	Ni et al.
	10/2010	Takeuchi D13/180
	11/2010	Lin D13/180
D633,449 S *	3/2011	Lin D13/180
D640,644 S	6/2011	Tsou
D640,994 S *	7/2011	Lin D13/180
D644,190 S *	8/2011	Shimizu D13/180
D649,942 S	12/2011	Shimizu et al.
D653,222 S *	1/2012	Fukui D13/180
D653,628 S	2/2012	Miyashita
D653,629 S	2/2012	Miyashita
D656,110 S	3/2012	Shimizu et al.
D663,703 S	7/2012	Kobayakawa et al.
D664,104 S *	7/2012	Hsu D13/180
D668,623 S *	10/2012	Hsu D13/180
D674,965 S *	1/2013	Lueken D26/120
D708,154 S *	7/2014	Hayashi D13/180
D724,549 S	3/2015	Song
D731,989 S	6/2015	Huang et al.
D737,784 S	9/2015	Song
D741,821 S	10/2015	Song
	12/2015	Chen et al.
D763,805 S	8/2016	Huang et al.
	12/2016	Song
,	12/2016	Song
D778,846 S	2/2017	Song
D778,847 S	2/2017	Song
D783,547 S	4/2017	Bergmann et al.
D792,639 S *	7/2017	Deyaf D26/120
D793,002 S *	7/2017	Kim D26/120


D797,359	\mathbf{S}	*	9/2017	Deyaf D26/120	
D797,360	\mathbf{S}	*	9/2017	Deyaf D26/120	
D797,361	S	*	9/2017	Devaf D26/120	
D797,362	\mathbf{S}	*	9/2017	Deyaf D26/120	
D797,363	S	*	9/2017	Deyaf D26/120	
D797,364	S	*	9/2017	Deyaf D26/120	
D797,365	Š	*	9/2017	Deyaf D26/120	
D797,366	Š	ж	9/2017	Deyaf D26/120	
D799,103	Š	*	10/2017	Gloor D26/120	
D831,593	S		10/2018	Nishio et al.	
D832,802	S		11/2018	Nishio et al.	
D846,511	Š		4/2019	Nishio et al.	
D847,102	S		4/2019	Chen et al.	
D856,946	S		8/2019	Song	
D906,270	S		12/2020	Song	
11,935,910	B2		3/2024	Yang et al.	
D1,022,307	S	*	4/2024	Tomney D26/35	
11,949,050	B2		4/2024	Chen et al.	
12,113,159	B2		10/2024	Park et al.	
12,113,139	B2		10/2024	Lee et al.	
	S	*			
D1,057,674	S	*	1/2025	Bailey D13/180	
D1,060,278		ж	2/2025 2/2025	Trinkle D13/180	
D1,060,754	S S	*		Na D26/1 Kao D26/113	
D1,062,026		*	2/2025		
D1,067,205	S	.,.	3/2025	Hashimoto	
2006/0214273	Al		9/2006	Wang et al.	
2007/0034855	Al		2/2007	Hwang et al.	
2007/0063213	Al		3/2007	Hsieh et al.	
2007/0096114	Al		5/2007	Aoki et al.	
2008/0303018	Al		12/2008	Kim et al.	
2009/0045428	Al		2/2009	Lin	
2010/0006888	Al		1/2010	Watanabe et al.	
2010/0123145	Al		5/2010	Lee	
2011/0180782	Al		7/2011	Fattal et al.	
2013/0068936	Al		3/2013	Nagai	
2015/0211935	Al		7/2015	Ojima et al.	
2020/0013759	A1	¥	1/2020	Yoo H01L 25/0753	
2021/0005590	A1		1/2021	Ishii et al.	
2021/0183825	A1		6/2021	Wuu et al.	
2021/0348739	A1		11/2021	Lee et al.	
2021/0358998	A1		11/2021	Kishimoto	
2021/0398479	A1	*	12/2021	Kim H01L 25/162	
2022/0052229	A1		2/2022	Min et al.	
2022/0181532	Αl		6/2022	Hasunuma	
2022/0279638	A1		9/2022	Iwazaki et al.	
2023/0126339	A1		4/2023	Do	
2023/0411563	A1		12/2023	Do	
2024/0204150	A1	*	6/2024	Kawano A61K 40/405	
2024/0222565	A1		7/2024	Do	
OTHER DURI ICATIONS					

OTHER PUBLICATIONS


"New LED packaging technology improves performance", phys.org https://phys.org/news/2012-09-packaging-technology. html, Sep. 25, 2012.

Notice of Allowance issued Jan. 21, 2025 for non-counterpart Design U.S. Appl. No. 29/798,678.


^{*} cited by examiner





() []




() () ()













0










の じ エ













Aug. 19, 2025










<u>П</u>









지 () ()

